



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130


Request for Quotation

RFQ NUMBER
DNR209112

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

Blue Ridge Outdoor Designs
 PO Box 123
 Blue Ridge VA 24064 USA
 brokenground@verizon.net
 540-797-2215




SHIP TO

DIVISION OF NATURAL RESOURCES
 PIPESTEM STATE PARK
 ATTN: PARK SUPERINTENDENT
 STATE ROUTE 20
 PIPESTEM, WV
 25979 304-466-2804

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2009				

BID OPENING DATE: 06/10/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS FROM RESPONSIBLE VENDORS FOR PLAYGROUND EQUIPMENT FOR PIPESTEM STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>A MANDATORY PRE-BID MEETING WILL BE HELD MAY 19, 2009 AT 10:00 AM AT THE PARK HEADQUARTERS. FAILURE TO ATTEND THE MANDATORY PRE-BID MEETING WILL RESULT IN BID DISQUALIFICATION. AN INDIVIDUAL MAY NOT REPRESENT MORE THAN ONE VENDOR AT THE PRE-BID MEETING.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV DEADLINE FOR TECHNICAL QUESTIONS IS 05/21/09 AT 3:00 PM ALL TECHNICAL QUESTIONS WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	540-7657586	6-5-09
TITLE	ADDRESS CHANGES TO BE NOTED ABOVE	
President	54-1732496	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130


Request for Quotation

RFQ NUMBER
DNR209112

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

Blue Ridge Outdoor Designs
 PO Box 123
 Blue Ridge VA 24064 USA
 brokenground@verizon.net
 540-797-2215



SHIP TO

DIVISION OF NATURAL RESOURCES
 PIPESTEM STATE PARK
 ATTN: PARK SUPERINTENDENT
 STATE ROUTE 20
 PIPESTEM, WV
 25979 304-466-2804

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2009				

BID OPENING DATE: **06/10/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="padding-left: 40px;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: DNR209112</p> <p>BID OPENING DATE: 06/10/2009</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 540-765-7586	DATE 6/5/09
TITLE Proc. Dir.	FEN 54-1732496	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130


Request for Quotation

RFQ NUMBER
DNR209112

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

Blue Ridge Outdoor Designs
 PO Box 123
 Blue Ridge VA 24064 USA
 brokenground@verizon.net
 540-797-2215



SHIP TO

DIVISION OF NATURAL RESOURCES
PIPESTEM STATE PARK
ATTN: PARK SUPERINTENDENT
STATE ROUTE 20
PIPESTEM, WV
25979 **304-466-2804**

DATE PRINTED 05/05/2009	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
-----------------------------------	---------------	----------	-----	---------------

BID OPENING DATE: **06/10/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
TO CONTACT YOU REGARDING YOUR BID:						

CONTACT PERSON (PLEASE PRINT CLEARLY):						

***** THIS IS THE END OF RFQ DNR209112 ***** TOTAL:						\$58,037

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 5407657586	DATE 6/5/09
TITLE President	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Pipestem Resort State Park Playground Specifications

To supply playground equipment to offer play activities for children ages two (2) to twelve (12) at Pipestem Resort State Park, Pipestem, West Virginia. Playground equipment will be purchased for four separate areas in the park. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources. All items must be F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within sixty (60) days of purchase order award. All items must be delivered to Pipestem Resort State Park's maintenance area between the hours of 7:30 a.m. to 3:00 p.m., Monday through Friday.

MCKEEVER LODGE AREA PLAYGROUND

PrimeTime kid corral play structure, Model #G11823, or equal. Uprights must be a minimum of 11 gauge galvanized steel; must have a minimum of 3 mil oven cured powder coating; and must have a minimum diameter of 3½" Structure must include the following components:

- One (1) PrimeTime 2-5 crunch bar, Item #13540, or equal. Bar must be installed at upper level of play structure.
- One (1) PrimeTime nature panel, Item #12793, or equal. Panel must be installed at upper level of play structure.
- One (1) PrimeTime transfer point, Item #18255, or equal.
- One (1) PrimeTime access attachment, Item #18274, or equal.
- One (1) PrimeTime wallcano vertical wall climber, Item #18274, or equal. Climber must be a minimum of 4' in height.
- One (1) PrimeTime slate roof, Item #18674, or equal.
- One (1) PrimeTime mini arch bridge, Item #18330, or equal.
- One (1) PrimeTime clover leaf climber, item #12883, or equal. Climber must be a minimum of 4' in height.
- One (1) PrimeTime double zip slide, Item #18377, or equal. Slide must be a minimum of 4' in height.
- One (1) PrimeTime ADA gizmo panel, Item #12968, or equal. Panel must include a PrimeTime click wheel, Item #4839, or equal; PrimeTime answer wheel, Item #4840, or equal; and a PrimeTime maze wheel, Item #4841, or equal.

Pipestem Resort State Park Playground Specifications

- One (1) PrimeTime double steering wheel enclosure, Item #12814, or equal. Steering wheel must be installed at upper level.
- Two (2) PrimeTime square decks. Deck dimensions be a minimum of 45 ½" x 45 ½" and must be a minimum of 4' in height.

COTTAGE "C" AREA PLAYGROUND

PrimeTime timberline play structure, Model #G11812, or equal. Uprights must be a minimum of 11 gauge galvanized steel; must have a minimum of 3 mil oven cured powder coating; and must have a minimum diameter of 3½". Structure must include the following components:

- One (1) PrimeTime shingle roof, Item #18673, or equal.
- One (1) Primetime crawl tube, Item #12328, or equal. Tube must include spy holes and be a minimum of 4' in length.
- One (1) PrimeTime chain net, Item #12285, or equal.
- One (1) PrimeTime tree climber, Item #12008, or equal. Climber must be a minimum of 3' in height.
- Two (2) PrimeTime crunch bar, Item #12215, or equal.
- One (1) PrimeTime transfer point, Item #18254, or equal.
- One PrimeTime access attachment, Item #18273, or equal.
- One (1) PrimeTime single seat, Item #12728, or equal.
- One (1) PrimeTime bubble climber, Item #12916, or equal. Climber must be a minimum of 3' in height.
- Two (2) PrimeTime talk tube, Item#81679, or equal.
- One (1) PrimeTime rung ladder, Item #12620, or equal. Ladder must be a minimum of 3' in height.
- One (1) PrimeTime suspension bridge, Item #18335, or equal. Bridge must be a minimum length of 7' 10".

Pipestem Resort State Park Playground Specifications

- One (1) PrimeTime rumble and roll zip slide, Item #18389, or equal. Slide must be accommodate a minimum of two (2) children at the same time and must be a minimum of 3' in height.
- One (1) PrimeTime 1' barrier, Item #12441, or equal.
- One (1) PrimeTime handhold transfer, Item #12055. Or equal.
- One (1) PrimeTime decorative panel with steering wheel, Item #18376, or equal.
- One (1) PrimeTime F5 spiral slide with hood, Item #18341, or equal. Slide must be a minimum of 6' in height.
- One (1) PrimeTime shingle roof, Item #18673, or equal.
- One (1) PrimeTime wallcano vertical wall climber, Item #18364, or equal. Climber must be a minimum of 4' in height.
- One (1) PrimeTime climbing pole, Item #12630, or equal. Pole must be a minimum of 4' in height.
- Two (2) PrimeTime square decks, Item #18250, or equal. Deck dimensions must be a minimum of 45 ½ x 45 ½ and must be a minimum of 3' in height.
- One (1) PrimeTime square deck, Item #18250, or equal. Deck dimensions must be a minimum of 45 ½ x 45 ½ and must be a minimum of 4' in height.
- Two (2) PrimeTime triangle deck, Item #18203, or equal. Deck dimensions must be a minimum of 45 ½ x 45 ½ x 45 1/2 and must be a minimum of 3' in height.

CAMPGROUND AREA PLAYGROUND

PowerScape carousel play structure, Model #85113, or equal. Uprights must be a minimum of 11 gauge galvanized steel; must have a minimum of 3 mill oven cured powder coating; and must have a minimum diameter of 5". Structure must include the following components:

- One (1) PowerScape zip slide, Item #81337, or equal. Slide must be a minimum of 4' in height.

Pipestem Resort State Park Playground Specifications

- One (1) PowerScape wave climber, Item #80340, or equal. Climber must be a minimum of 3' 6" in height.
- Two (2) PowerScape talk tub, Item #81675, or equal.
- One (1) PowerScape chinning bar (one level), Item #81656, or equal.
- One (1) PowerScape overhead tree climber, Item 81529, or equal. Climber must be a minimum of 3' in height.
- One (1) PowerScape crunch bar, Item #81670, or equal.
- One (1) PowerScape overhead ladder access package, Item #80653, or equal.
- One (1) PowerScape transfer point, Item #80653, or equal.
- One (1) PowerScape access attachment, Item #80656, or equal.
- One (1) PowerScape clover climber, Item #80303, or equal. Climber must be a minimum of 3'6" in height.
- One (1) PowerScape stepped platform, Item #81202, or equal.
- One (1) PowerScape wave zip slide, Item #81339, or equal. Slide must be a minimum height of 6'.
- One (1) PowerScape zipper climber. Climber must be a minimum of 6' in height.
- Two (2) PowerScape triangle decks or equal. Deck dimensions must be a minimum of 49" x 49" x49" and must be a minimum height of 4'.
- Two (2) PowerScape triangle decks or equal. Deck dimensions must be a minimum of 49" x 49" x49" and must be a minimum of 3'6" in height.
- Two (2) PowerScape triangle decks or equal. Deck dimensions must be a minimum of 49" x 49" x49" must be a minimum of 3' in height.

MOUNTAIN CREEK LODGE PLAYGROUND

PrimeTime mix it up play structure, Model #G11813, or equal. Uprights must be a minimum of 11 gauge galvanized steel; must have a minimum of 3 mil oven cured powder coating; and must have a minimum diameter of 3 1/2". Structure must include the following components:

Pipestem Resort State Park Playground Specifications

- One (1) PrimeTime driver's enclosure panel, Item #18391, or equal.
- One (1) PrimeTime toad stool climber, Item #12239, or equal.
- One (1) PrimeTime triangle transfer platform, Item #18337, or equal.
- One (1) PrimeTime square stepped deck. Deck dimensions must be a minimum of 36" x 36".
- One (1) PrimeTime gizmo single panel, Item #12964, or equal. Panel must include a click wheel gizmo, Item #4839, or equal.
- One (1) PrimeTime nature panel, Item #12429, or equal.
- One (1) PrimeTime rumble and roll zip slide, Item #18389, or equal. Slide must be a minimum height of 3'.
- One (1) PrimeTime stepped platform, Item #18259, or equal.
- One (1) PrimeTime giant wave climber, Item #18383, or equal. Climber must be a minimum height of 5'.
- One (1) PrimeTime slate roof, Item #18672, or equal.
- One (1) PrimeTime F5 spiral slide with hood, Item #18316, or equal. Slide must be a minimum of 6' in height.
- One (1) PrimeTime rock wall climber, Item #12922, or equal. Climber must be a minimum height of 5'.
- One (1) PrimeTime rectangle deck. Deck dimensions must be a minimum of 45 ½" x 36" and be a minimum of 3' in height.
- One (1) PrimeTime square deck or equal. Deck dimension must be a minimum of 36" x 36" and must be a minimum of 3' in height.

ITEMS FOR ALL FOUR PLAYGROUNDS

Geotextile 2,250 sq. ft. roll or equal. Fabric must provide a water permeable separation between the earth and the wood fiber and at least 150 gallons per square foot per minute.

Pipestem Resort State Park Playground Specifications

Engineered wood fiber or equal @ 8" compacted depth. Material must be recently harvested and debarked; free of chemical treatments and additives; free of soil, twigs, leaves and other contaminants.

Pipestem Resort State Park Playground Specifications

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Warranties:

- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

All equipment requiring assembly must have pre-drilled holes and inserts. Equipment must include matching bolts for predrilled holes with inserts and any other hardware required for assembly.

Color scheme of equipment must be coordinated with Pipestem State Park. Color of items will be selected from manufacturer's standard colors.

A mandatory pre-bid conference will be held on May 19, 2009, at Pipestem State Park Headquarters at 10:00 a.m. A failure to attend the mandatory pre-bid conference will result in bid disqualification. An individual may not represent more than one firm at the pre-bid conference.

Pipestem Resort State Park
PLAYGROUND EQUIPMENT SHEET


Item No.	Equipment	Manufacturer	Model		
	One (1) PrimeTime nature panel, Item #12429, or equal.	Playkone	PS3-27615		
	One (1) PrimeTime rumble and roll zip slide, Item #18389, or equal.				
	One (1) PrimeTime stepped platform, Item #18259, or equal.				
	One (1) PrimeTime giant wave climber, Item #18383, or equal.				
	One (1) PrimeTime slate roof, Item #18672, or equal.				
	One (1) PrimeTime F5 spiral slide with hood, Item #18316, or equal.				
	One (1) PrimeTime rock wall climber, Item #12922, or equal.				
	One (1) PrimeTime rectangle deck.				
	One (1) PrimeTime square deck or equal.				
5	Items For All Four Playgrounds geotextile 2,250 sq. ft. roll or equal.			ZEAGER	DL-6
6	Items For All Four Playgrounds engineered wood fiber or equal @ 8" compacted depth.			ZEAGER	System 1

PLAY LAND

Commercial Play Systems
& Park Equipment

Color Scheme:

- Posts
- Metals
- Plastics
- Panels
- Roofs



MCKEEVER LODGE

PS3-27617


STRUCTURE DOES NOT MEET ADA GUIDELINES

32' - 9"
[10.0M]

24' - 4"
[7.4M]



- Notes**
1. This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of ADA different types of ground level play components of ADA different types of play and water installed over accessible surfacing.
 2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
 3. The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 5 ft. unless otherwise noted.
 4. The structure size for this unit is 21' X 12', requiring protective surfacing for an overall use area of 33' X 25' by ASTM F 1487-07 guidelines.
 5. The structure is designed to accommodate 20 children from 2-5 years of age.
 6. Supernice Calluses as they play.
 7. To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
 8. The contractor's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
 9. Completely read your installation manual prior to beginning construction.
 10. This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
 11. Perimeter Requires 24 inch Scope Timbers 4' long.



PS3-27617

5/26/09

Beverly Smith


1 of 2

None

McLeaver



Commercial Play Systems
& Park Equipment



Color Scheme:

- Posts ●
- Metals ●
- Plastics ●
- Panels ●


COTTAGE C AREA PLAYGROUND

PS3-27618



- Notes**
- This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of 0 different types of play and areas installed over accessible surfacing.
 - This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
 - The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 6 ft, unless otherwise noted.
 - The structure size for this unit is 33' X 16', requiring protective surfacing for an overall use area of 45' X 27'. The approximate surface area is 936 sq ft, by ASTM F 1487-07 guidelines.
 - The structure is designed to accommodate 40 children from 5-12 years of age.
 - Supervise children as they play.
 - To ensure that accurate measurements are obtained from this site plan, print copies on 11 X 17 paper at full scale.
 - The customer responsibility is to check local and conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
 - Completely read your installation manual prior to beginning construction.
 - This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland Inc.
 - Perimeter Requires 30' lead Space. Numbers 4' long.

44'-7"
[13.6M]



26'-5"
[8.0M]

None

1 of 2

Beverly Smith

5/27/09

PS3-27618



Customer C

PLAY LAND

Commercial Play Systems
& Park Equipment

Color Scheme:

- Posts
- Metals
- Plastics




PS5-27616

CAMPGROUND AREA





- Notes**
1. This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of 6 different types of ground level play components of 0 different types of play and when installed over accessible surfacing.
 2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
 3. The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 6 ft, unless otherwise noted.
 4. The structure size for this unit is 29' X 21', requiring protective surfacing for an overall use area of 61' X 33'. The approximate surface area is 618 sq ft by ASTM F 1487-07 guidelines.
 5. The structure is designed to accommodate 20 children from 5-12 years of age.
 6. Supervise Children as they play.
 7. To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
 8. The customer's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
 9. Completely read your installation manual prior to beginning construction.
 10. This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
 11. Permitting Requires 20' land Slope Timbers 4' long.



Cumicorn



Commercial Play Systems
& Park Equipment



Color Scheme:

- Posts
- Metals
- Plastics
- Panels

PS3-27615

MOUNTAIN CREEK LODGE




Notes

- This play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2001 as published by the Architectural and Transportation Barriers Compliance Board with the addition of 0 ground level play components of 0 different types of play and was installed over accessible surfacing.
- This site plan should be checked against the actual site area prior to the purchase or installation of equipment.
- The unit of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 6 ft. unless otherwise noted.
- The structure size for this unit is 24' X 45' requiring protective surfacing for an overall use zone of 33' X 27'. The approximate surface area is 683 sq. ft. by ASTM F 1487-07 guidelines.
- The structure is designed to accommodate 43 children from 3-12 years of age.
- Supervise Children as they play.
- To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.
- The customer responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.
- Completely read your installation manual prior to beginning construction.
- This design configuration is the property of this firm and Playland Inc. and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.
- Perimeter Requires 24' land Slope Numbers of Long.

35' - 5"
[10.8M]

26' - 7"
[8.1M]



PS3-27615

5/26/09

Beverly Smith

1 of 2

None

Mtn Creede

Pipestem Resort State Park
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding in or equal inch brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Model
1	McKeever Lodge Area Playground PrimeTime kid corral play structure, Model #G11823, or equal. Structure must include the following components:	Playland	PS3-27617
	One (1) PrimeTime 2-5 crunch bar, Item #13540, or equal.	Playland	
	One (1) PrimeTime nature panel, Item #12793, or equal.	Playland	
	One (1) PrimeTime transfer point, Item #18255, or equal.		
	One (1) PrimeTime access attachment, Item #18274, or equal.		
	One (1) PrimeTime wallcano vertical wall climber, Item #18274, or equal.		
	One (1) PrimeTime slate roof, Item #18674, or equal.		
	One (1) PrimeTime mini arch bridge, Item #18330, or equal.		
	One (1) PrimeTime clover leaf climber, item #12883, or equal.		
	One (1) PrimeTime double zip slide, Item #18377, or equal.		

Pipestem Resort State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model	
	One (1) PrimeTime ADA gizmo panel, Item #12968, or equal. Panel must include the following items: PrimeTime click wheel, Item #4839, or equal; PrimeTime answer wheel, Item #4840, or equal; and PrimeTime maze wheel, Item #4841, or equal.	Play Land	PS3-27617	
	One (1) PrimeTime double steering wheel enclosure, Item #12814, or equal.	↓	↓	
	Two (2) PrimeTime square decks.			
2	Cottage "C" Area Playground PrimeTime timberline play structure, Model #G11812, or equal. Structure must include the following components:	↓	PS3-27618	
	One (1) PrimeTime shingle roof, Item #18673, or equal.			
	One (1) Primetime crawl tube, Item #12328, or equal.			
	One (1) PrimeTime chain net, Item #12285, or equal.			
	One (1) PrimeTime tree climber, Item #12008, or equal.			
	Two (2) PrimeTime crunch bar, Item #12215, or equal.			
	One (1) PrimeTime transfer point, Item #18254, or equal.			
	One (1) PrimeTime access attachment, Item #18273, or equal.		↓	↓

Pipestem Resort State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
	One (1) PrimeTime single seat, Item #12728, or equal.	Playland	PS3-27618
	One (1) PrimeTime bubble climber, Item #12916, or equal.		
	Two (2) PrimeTime talk tube, Item#81679, or equal.		
	One (1) PrimeTime rung ladder, Item #12620, or equal.		
	One (1) PrimeTime suspension bridge, Item #18335, or equal.		
	One (1) PrimeTime rumble and roll zip slide, Item #18389, or equal.		
	One (1) PrimeTime 1' barrier, Item #12441, or equal.		
	One (1) PrimeTime handhold transfer, Item #12055, or equal.		
	One (1) PrimeTime decorative panel with steering wheel, Item #18376, or equal.		
	One (1) PrimeTime F5 spiral slide with hood, Item #18341, or equal.		
	One (1) PrimeTime shingle roof, Item #18673, or equal.		
	One (1) PrimeTime wallcano vertical wall climber, Item #18364, or equal.		
	One (1) PrimeTime climbing pole, Item #12630, or equal.		

PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
	Two (2) Primetime square decks, Item #18250, or equal.	Playland	PS3-27418
	One (1) PrimeTime square deck, Item #18250, or equal.		
	Two (2) PrimeTime triangle deck, Item #18203, or equal.		
3	Campground Area Playground PowerScape carousel play structure, Model #85113, or equal. Structure must include the following components:		PS5-27616
	One (1) PowerScape zip slide, Item #81337, or equal.		
	One (1) PowerScape wave climber, Item #80340, or equal.		
	Two (2) PowerScape talk tub, Item #81675, or equal.		
	One (1) PowerScape chinning bar (one level), Item #81656, or equal.		
	One (1) PowerScape overhead tree climber, Item 81529, or equal.		
	One (1) PowerScape crunch bar, Item #81670, or equal.		
	One (1) PowerScape overhead ladder access package, Item #80653, or equal.		
	One (1) PowerScape transfer point, Item #80653, or equal.		
	One (1) PowerScape access attachment, Item #80656, or equal.		

Pipestem Resort State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Model
	One (1) PowerScape clover climber, Item #80303, or equal.	Play Land	P55-27616
	One (1) PowerScape stepped platform, Item #81202, or equal.		
	One (1) PowerScape wave zip slide, Item #81339, or equal.		
	One (1) PowerScape zipper climber.		
	Two (2) PowerScape triangle decks or equal.		
	Two (2) PowerScape triangle decks or equal.		
	Two (2) PowerScape triangle decks or equal.		
4	Mountain Creek Lodge Playground PrimeTime mix it up play structure, Model #G11813, or equal. Structure must include the following components:		
	One (1) PrimeTime driver's enclosure panel, Item #18391, or equal.		
	One (1) PrimeTime toad stool climber, Item #12239, or equal.		
	One (1) PrimeTime triangle transfer platform, Item #18337, or equal.		
	One (1) PrimeTime square stepped deck.		
	One (1) PrimeTime gizmo single panel, Item #12964, or equal. Panel must include a click wheel gizmo, Item #4839, or equal.		

Pipestem Resort State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	McKeever Lodge Area Playground PrimeTime kid corral play structure, Model #G11823, or equal.	\$11,250	\$11,250
2	1	Cottage "C" Area Playground PrimeTime timberline play structure, Model #G11812, or equal.	\$17,200	\$17,200
3	1	Campground Area Playground PowerScape carousel play structure, Model #85113, or equal.	\$13,000	\$13,000
4	1	Mountain Creek Lodge Playground PrimeTime mix it up play structure, Model #G11813, or equal.	\$13,225	\$13,225
5	2,250 Square Feet	Items For All Four Playgrounds geo-textile fabric or equal.	Cost per SQUARE FOOT \$.10/sf 3500 sf min	PLEASE NOTE: Bidders must include a unit price. This item cannot be bid Lump Sum. 1 square foot x price = amount \$350
6	4,183 Square Foot	Items For All Four Playgrounds engineered wood fiber or equal @ 8" compacted depth.	Cost per SQUARE FOOT \$.72/sf	PLEASE NOTE: Bidders must include a unit price. This item cannot be bid Lump Sum. 1 square foot x price = amount \$3012.00
TOTALS				\$58,037



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation


RFO NUMBER
DNR209112

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

SHIP TO

DIVISION OF NATURAL RESOURCES
PIPESTEM STATE PARK
ATTN: PARK SUPERINTENDENT
STATE ROUTE 20
PIPESTEM, WV
25979 **304-466-2804**



Blue Ridge Outdoor Designs
 PO Box 123
 Blue Ridge VA 24064 USA
 brokenground@verizon.net
 540-797-2215

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
06/02/2009				

BID OPENING DATE: **06/10/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
THIS ADDENDUM IS ISSUED TO PROVIDE:						
1) TECHNICAL QUESTIONS AND ANSWERS.						
2) MANDATORY PRE-BID SIGN SHEET						
3) REVISED PRICING PAGE.						
(NOTE ALL BIDS MUST SHOW UNIT PRICING)						
BID OPENING DATE AND TIME HAVE NOT CHANGED.						
0001	1	LS		650-38		
PLAYGROUND EQUIPMENT (NOT OTHERWISE CLASSIFIED)						
***** THIS IS THE END OF RFQ DNR209112 ***** TOTAL:						\$ 58,037

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 5407657586	DATE 6/5/09
TITLE President	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Blue Ridge Outdoor Des. Signed: [Signature] Title: President Date: 6/5/09

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT****VENDOR OWING A DEBT TO THE STATE:**

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Blue Ridge Outdoor Designs
Authorized Signature: [Signature] Date: 6/5/09