



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209196

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

RFQ COPY
 TYPE NAME/ADDRESS HERE

LESCO, INC.
1301 EAST 9TH STREET
SUITE 1300
CLEVELAND, OHIO 44114-1849

DIVISION OF NATURAL RESOURCES
 PIPESTEM STATE PARK
 ATTN: PARK SUPERINTENDENT
 STATE ROUTE 20
 PIPESTEM, WV
 25979 304-466-2804

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/27/2009				

BID OPENING DATE: **06/11/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		988-05		7527.88
<p>GOLF COURSE CHEMICALS</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FROM RESPONSIBLE VENDORS TO PROVIDE GOLF COURSE CHEMICALS FOR PIPESTEM RESORT STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Margaret Doornick</i>	TELEPHONE 1-800-321-5325, ext. 6550	DATE 6/9/09	
TITLE Sr. Bid Rep	FERN 34-0904517	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR209196

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER
304-558-2316

RFQ COPY
 TYPE NAME/ADDRESS HERE

LESCO, INC.
1301 EAST 9TH STREET
SUITE 1300
CLEVELAND, OHIO 44114-1849

DIVISION OF NATURAL RESOURCES
PIPESTEM STATE PARK
ATTN: PARK SUPERINTENDENT
STATE ROUTE 20
PIPESTEM, WV
25979 **304-466-2804**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/27/2009				

BID OPENING DATE: **06/11/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UQP	QAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ DNR209196 ***** TOTAL:						<u>7527.88</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Margaret Dwoyva</i>	TELEPHONE 1-800-321-5325, ext. 6550	DATE 6/9/09
TITLE Sr. Bid Rep	FEIN 34-0904517	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WVDNR209196
Pipestem Resort State Park
Golf Course Chemicals

Please complete the below information concerning the brand(s) of chemicals being bid in relation to this Request For Quotation. If bidding "or proven" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Item
1	Bayleton Granular Lebanon Turf Fungicide, contains 1% Bayleton granulate product to be dry-applied. Non-burning, ready to use, composed of Homogeneous dust-free particles. 90-95% of the particles should pass through a 10 but no a 70 mesh US sieve. Active ingredient Triadenfon, bulk density, 25 lb bags or proven equal.	No Bid	—
2	Bensumec, 4LF, 2 - 2 1/2 gallon per case. Active ingredient Bensulide; S-(0, 0-Disopropyl Phosphorodithioate) eater of N-(2-Mercaptoethyl)	Gordon's	#051473 Bensumec 4LF 2x2.5gal/cs
3	Anderson's fungicide IX, active ingredient chlorobeb 3.2% snow mold control granular Thipohanate methyl 1.63%, 44.7# bag or proven equal.	No Bid	—
4	19-25-5 w/35% Methylene urea starter fertilizer, SGN120, greens grade MAP, 50 lb bag or proven equal.	No Bid	—
5	Chipco Signature, 4 x 5.5#, active ingredient aluminum (0 - ethyl phosphonate 80%. Inert ingredient 20% or proven equal.	No Bid	—
6	18-5-9 Lebanon Country Club medium granular, 7.3% ammoniacal nitrogen, 5.5% water insoluble nitrogen, 5.2% water soluble nitrogen source,	No Bid	—
7	Cleary 3336 WP all water soluble foil packs, 6 x 2 lb, 50% Thiophanate methyl or proven equal.	No Bid	—
8	Milorganite organic fertilizer, 6-2-0 Greens Grade, 5.5% water insoluble nitrogen, 0.5% water soluble nitrogen, 2.0% available phosphoric acid, 4.0% iron, 50 lb bags or proven equal.	No Bid	—

★ Specifications Enclosed

WVDNR209196
Pipestem Resort State Park
Golf Course Chemicals

Item No.	Equipment	Manufacturer	Item
9	Milorganite organic fertilizer, 6-0-2 Classic, over 4% iron, slow release, water soluble, 50 lb. bags or proven equal.	No Bid	—
10	Dolomitic limestone, micro pellet greens application, 56% calcium oxide, 40% magnesium oxide, and 4% impurities of iron oxide, aluminum oxide, silicon dioxide, and sulfur, 50 lb bags or proven equal.	No Bid	—
11	Dursban 50 WSP insecticide, active ingredient 0, 0 - Diethylo - (3, 5, 6-Trichloro-2-Pyridinyl) Phosphorpthioate (Chyorpyrifos 50%) 8 x 1.75 or proven equal.	No Bid	—
12	Fore, Rain Shield, active ingredient Mancozeb, 8 x 6# or proven equal.	LESCO	#090792 Mancozeb DG, 12 #/cont
13	29-2-3 Anderson's Fluid Fertilizer, active ingredient 29% total Nitrogen (12.8% Urea Nitrogen, 16.2% other water soluble Nitrogen) 2% Phosphoric Acid, 3% soluble Potash, 2 - 2.5 gallons per case or proven equal.	No Bid	—
14	Rubigan, 1 gallon per case. Active ingredient Ferarimol AK-2-(4-Chorophenyl-5-Pyrimidenemihanol 50% or proven equal.	Gowan	#086258 Rubigan AS 1gal
15	Primo Maxx, 11.3% Trinexapac-ethyl, Sygenta, 1 gallon containers or proven equal.	① Sygenta ② LESCO	#225340 primo maxx PGR 1gal #090844 Regimax PGR 1gal or

* Specifications Enclosed

Page No.

Item No.	Quantity	Description	Unit Price	Amount
1	100 bags	Bayleton Granular Lebanon Turf Fungicide, contains 1% Bayleton granulate product to be dry-applied. Non-burning, ready to use, composed of Homogeneous dust-free particles. 90- 95% of the particles should pass through a 10 but no a 70 mesh US sieve. Active ingredient Triadenfon, bulk density, 25 lb bags or proven equal.	No Bid	-
2	(6 cs) 30 gal.	Bensumec, 4LF, 2 - 2 1/2 gallon per case. Active ingredient Bensulide; S-(0, 0-Disopropyl Phosphorodithioate) eater of N-(2-Mercaptoethyl) Benzenensulfonamide 46% inert ingredient 54% or proven equal.	105.80/gal (529.00/cs)	3174.00
3	44 bags	Anderson's fungicide IX, active ingredient chlorobeb 3.2% snow mold control granular Thipohanate methyl 1.63%, 44.7# bag or proven equal.	No Bid	-
4	100 bags	19-25-5 w/35% Methylene urea starter fertilizer, SGN120, greens grade MAP, 50 lb bag or proven equal.	No Bid	-
5	6 cases	Chipco Signature, 4 x 5.5#, active ingredient aluminum (0 - ethyl phosphonate 80%. Inert ingredient 20% or proven equal.	No Bid	-
6	400 bags	18-5-9 Lebanon Country Club medium granular, 7.3% ammoniacal nitrogen, 5.5% water insoluble nitrogen, 5.2% water soluble nitrogen source, ammoniacal phosphate, ammoniacal sulfate of potash, 1% magnesium, 0.2% water soluble magnesium, 6% sulphur, 1% iron total, 0.5% manganese, 0.1% water soluble manganese, 50 lb bags or proven equal.	No Bid	-
7	3 cases	Cleary 3336 WP all water soluble foil packs, 6 x 2 lb, 50% Thiophanate methyl or proven equal.	No Bid	-
8	120 bags	Milorganite organic fertilizer, 6-2-0 Greens Grade, 5.5% water insoluble nitrogen, 0.5% water soluble nitrogen, 2.0% available phosphoric acid, 4.0% iron, 50 lb bags or proven equal.	No Bid	-
9	120 bags	Milorganite organic fertilizer, 6-0-2 Classic, over 4% iron, slow release, water soluble, 50 lb. bags or proven equal.	No Bid	-
10	500 bags	Dolomitic limestone, micro pellet greens application, 56% calcium oxide, 40% magnesium oxide, and 4% impurities of iron oxide, aluminum oxide, silicon dioxide, and sulfur, 50 lb bags or proven equal.	No Bid	-
11	3 cases	Dursban 50 WSP insecticide, active ingredient 0, 0 - Diethylo - (3, 5, 6-Trichloro-2-Pyridinyl) Phosphorpthioate (Chyorpyrifos 50%) 8 x 1.75 or proven equal.	No Bid	-
12	24/12# 6 cases	Fore, Rain Shield, active ingredient Mancozeb, 8 x 6# or proven equal.	56.10/12#	1346.40
		or proven equal. Bid must include freight charges.		

Item No.	Quantity	Description	Unit Price	Amount
13	5 cases	29-2-3 Anderson's Fluid Fertilizer, active ingredient 29% total Nitrogen (12.8% Urea Nitrogen, 16.2% other water soluble Nitrogen) 2% Phosphoric Acid, 3% soluble Potash, 2 - 2.5 gallons per case or proven equal.	No Bid	-
14	4 gallon	Rubigan, 1 gallon per case. Active ingredient Ferarimol AK-2-(4-Chorophenyl-5-Pyrimidenemihanol 50% or proven equal.	405.00/gal	1620.00
15	2 gallon	Primo Maxx, 11.3% Trinexapac-ethyl, Sygenta, 1 gallon containers or proven equal. *225340 395.24/gal *090844 298.50/gal	(A) 395.24/gal (B) 298.50/gal	(A) 790.48 (B) 597.00
TOTAL ORDER				7527.88
Bid must include freight charges.				

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: LESCO, Inc
Date: 6/9/09

Signed: Margaret Quoyah
Title: Sr. Bid Rep

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: LESCO, Inc

Authorized Signature: Margaret Roynak Date: 6/9/09

Purchasing Affidavit (Revised 01/01/09)



Mancozeb DG
TURF AND ORNAMENTAL FUNGICIDE

Group	M3	FUNGICIDE
Active Ingredients		
mancozeb; A coordination product of zinc ion and manganese ethylene bisdithiocarbamate.....75.0%		
In which the ingredients are:		
Manganese ⁺⁺	15.0%	
Zinc ⁺⁺	1.9%	
Ethylene bisdithiocarbamate ion (C ₄ H ₆ N ₂ S ₄)	58.1%	
Other Ingredients	25.0%	
Total	100.0%	

Keep Out of Reach of Children
CAUTION

Agricultural Use Requirements
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to inside this booklet for Directions for Use.

EPA Reg. No. 62719-402-10404 900-015518 / 00267296

Made in Colombia

LESKO is a registered trademark and the sweeping design is a trademark of LESKO Technologies, LLC

Rainshield is a trademark of Dow AgroSciences LLC

Manufactured for

LESKO, Inc.

1301 East 9th Street

Cleveland, OH 44114-1849

COVER

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-9994. Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

First Aid

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled: Move person to fresh air, if possible. Call a poison control center or doctor for further treatment advice. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-9994 day or night, for emergency treatment information.

Harmful if Absorbed Through Skin • Causes Moderate Eye Irritation • Prolonged or Frequently Repeated Skin Contact May Cause Allergic Reactions in Some Individuals

Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are nitrile rubber, natural rubber, or butyl rubber. If you want more options, follow the instructions for Category A on an EPA chemical resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- long-sleeved shirt
- long pants
- shoes and socks
- chemical-resistant gloves made of any waterproof material

See engineering controls for additional requirements

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Engineering Controls

Enclosed Cockpits: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)].

Mechanical Flagging Engineering Controls: Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Professional applications to golf courses, industrial (office park), and municipal lawns and ornamentals are not within the scope of the Worker Protection Standard.

- Keep unprotected persons out of treated area until sprays have dried.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Keep away from fire and sparks. Store in a cool, dry, well-ventilated area. Do not allow stored product to become wet or overheated in storage; decomposition, impaired activity, or fire may result. Keep container closed when not in use.

Decomposition produces a foul odor; if observed, check for hot containers and immediately remove to open areas for disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Use Information

LESCO® Mancozeb DG Turf and Ornamental Fungicide is a broad-spectrum protectant fungicide labeled for use on outdoor or greenhouse grown crops. Optimum disease control is achieved when the fungicide is applied in a regularly scheduled preventative spray program. The addition of a surfactant will improve fungicide performance by providing a more uniform spray deposit, increased foliar redistribution, and improved fungicide retention during periods of wet weather.

Use Rate Determination

- Carefully read, understand, and follow label use rates and restrictions.
- When two pesticides are tank mixed, the more restrictive label conditions apply.
- Do not tank mix with any product which contains a prohibition on tank mixing.
- Under low disease conditions, minimum label rates per application can be used while maximum label rates and the minimum interval may be used for severe or threatening disease conditions.
- For proper application, determine the number of sq ft to be treated, the required label use rate and the volume of spray mixture to be applied per 1000 square feet. Prepare only the amount of spray solution required to treat the measured area. Careful calibration of spray equipment is recommended prior to use.
- When preparing small quantities, 1 level tablespoon per gallon is equivalent to a 1 lb per 100 gallons of spray solution.

Mixing Procedures

Be sure sprayer is clean and not contaminated with other materials prior to use. When using an agitated spray tank fill tank $\frac{1}{2}$ to $\frac{3}{4}$ full with clean water and start agitation. Be certain that the agitation system is working properly and creates a rolling rippling on the liquid surface. With the agitator running, add the required amount of LESCO Mancozeb DG Turf and Ornamental Fungicide to the tank. Continue filling tank with the remainder of the water.

When using a hand sprayer, premix LESCO Mancozeb DG Turf and Ornamental Fungicide as a slurry in a small container before adding to the spray tank. Slowly pour the appropriate amount of LESCO Mancozeb DG Turf and Ornamental Fungicide into a small container containing an equal volume of water while mixing. Mix until the LESCO Mancozeb DG Turf and Ornamental Fungicide is thoroughly wetted. Add additional water if necessary to make solution flowable. Add the contents of the slurry tank to a $\frac{1}{2}$ filled sprayer, continue filling tank with remainder of water and mix well. Always add LESCO Mancozeb DG Turf and Ornamental Fungicide into solution prior to adding any additional materials to the tank.

Compatibility

LESCO Mancozeb DG Turf and Ornamental Fungicide is compatible with most commonly used fungicides, insecticides and growth regulators. When preparing tank mixes, user should consult spray compatibility charts or State Cooperative Extension Service Specialists prior to actual use.

Spray Drift Management

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed

Do not apply at wind speeds greater than 15 mph.

Temperature Inversions

If applying at wind speeds less than 3 mph, the applicator must determine if a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions or stable atmospheric conditions.

Other State and Local Requirements

Applicators must follow all state and local pesticide drift requirements regarding application of mancozeb. Where states have more stringent regulations, they must be observed.

Equipment

All aerial and ground application equipment must be properly maintained and calibrated using appropriate carriers or surrogates.

Additional requirements for aerial applications:

1. The boom length must not exceed 75% of the wingspan or 90% of the rotor blade diameter.
2. Release spray at the lowest height consistent with efficacy and flight safety. Do not release spray at a height greater than 10 feet above the crop canopy unless a greater height is required for aircraft safety.
3. When applications are made with a crosswind, the swath must be displaced downwind. The applicator must compensate for this displacement at the up and downwind edge of the application area by adjusting the path of the aircraft upwind.

Additional requirements for ground boom application:

1. Do not apply with a nozzle height greater than 4 feet above the crop canopy.

Application

Ground: Thorough coverage foliar sprays generally result in optimum disease control. To achieve good coverage use proper spray pressure, volume of spray mixture per acre, nozzles (generally hollow cone), disc (generally D-5 to D-7), nozzle spacing, and tractor speed. Consult spray nozzle and accessory catalogues for specific information on proper equipment calibration.

Hand Sprayers: Thoroughly spray plant foliage until runoff.

Aerial: A uniform initial spray deposit generally results in optimum disease control. Each aircraft should be prechecked for droplet size, uniformity of spray pattern, swath width, and spray volume. During aerial application, human flaggers are prohibited.

Nozzle selection: Hollow cone brass nozzles with a D-series orifices disc and core (whirlplate) are recommended. Nozzles should point straight down or slightly backward.

Swath width: For most crops, swaths just beyond the wingspan of 36 to 40 feet for light aircraft and up to 45 feet for heavier aircraft are suggested. Optimum swath for helicopters is usually 5 to 10 feet beyond normal boom length.

Spray volume: Aerial applications are to be made in a minimum of two (2) gallons of water per acre. On most crops, 2 to 3 gallons of spray per acre are generally optimum. Some tall or dense foliage crops requiring greater penetration to the lower leaf surface will require higher spray volumes. **Do not use less than 5 gallons per acre in California.**

Altitude: For most crops, the spray boom should be positioned in 5 to 10 feet above the crop canopy.

Flagging: Swaths should be marked at the end of the field with permanent flags. Swaths should be measured accurately with a chain or other device except when rows can be accurately counted.

Chemigation Use Directions

Sprinkler Irrigation: LESCO Mancozeb DG Turf and Ornamental Fungicide must be applied on a regular protectant fungicide schedule, not an irrigation schedule. If irrigation cycles are less frequent than recommended application intervals for LESCO Mancozeb DG Turf and Ornamental Fungicide, ground or aerial applications must supplement chemigation applications to achieve adequate disease control.

General Requirements

- Apply LESCO Mancozeb DG Turf and Ornamental Fungicide only through sprinkler irrigation systems including center-pivot, lateral move, end tow, side (wheel) roll, traveler, solid set, or hand move irrigations systems. Do not apply product through any other type of irrigation system.
- Lack of fungicidal effectiveness or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.
- If you have questions about calibration, you should contact State Extension Service specialist, equipment manufacturers or other experts.
- Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water system are in place.
- A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Specific Chemigation Equipment Requirements

Before applying LESCO Mancozeb DG, Turf and Ornamental Fungicide through sprinkler irrigation equipment, the chemigation system must meet the following specifications:

- Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.
- Chemigation systems connected to public water systems must contain a functional reduced-pressure zone (RPZ), backflow preventer or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank or at least twice the inside diameter of the fill pipe.
- Systems not connected to a public water supply must contain a functional check valve, vacuum relief valve, and low-pressure drain appropriately located in the irrigation pipeline to prevent water source contamination from back flow.
- The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- The pesticide injection pipeline must also contain a functional, normally closed solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.
- The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

- Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- Do not apply when wind speed favors drift beyond the area intended for treatment.

Center-Pivot, Lateral Move, End Tow, and Traveler Irrigation Equipment (use only with electric or oil hydraulic drive systems that provide a uniform water distribution):

- Determine size of area to be treated.
- Determine the time required to apply no more than 1/4 inch water (6,750 gallons water per acre) over the area to be treated when the system and injection equipment are operated at normal pressures recommended by the equipment manufacturer. Run system at 80 to 95% of manufacturer's rated capacity.
- Using only water, determine the injection pump output when operated at normal line pressure.
- Determine the amount of LESCO Mancozeb DG Turf and Ornamental Fungicide required for treatment area.
- Add the required amount of LESCO Mancozeb DG Turf and Ornamental Fungicide and sufficient water to meet the injection time requirements of the solution tank.
- Maintain constant solution tank agitation during the injection period.
- Stop injection equipment after treatment is completed. Continue to operate the system until LESCO Mancozeb DG Turf and Ornamental Fungicide solution has cleared the sprinkler head.

Solid-Set, Side (Wheel) Roll, and Hand Move Irrigation Equipment:

- Determine acreage covered by sprinkler.
- Fill injector solution tank with water and adjust flow rate to use contents over a 10 to 30-minute interval.
- Determine the amount of LESCO Mancozeb DG Turf and Ornamental Fungicide required for treatment area.
- Add the required amount of LESCO Mancozeb DG Turf and Ornamental Fungicide into the same quantity of water used to calibrate the injection equipment.

- Maintain constant solution tank agitation during the injection period.
- Operate system at normal pressures recommended by the manufacturer of the injection equipment and used for the time interval established during calibration.
- Inject LESCO Mancozeb DG Turf and Ornamental Fungicide at the end of the irrigation cycle or as a separate application to maximize foliar fungicide retention.
- Stop injection equipment after treatment is completed. Continue to operate the system until LESCO Mancozeb DG Turf and Ornamental Fungicide solution has cleared the last sprinkler head.

Disease Monitoring

LESCO Mancozeb DG Turf and Ornamental Fungicide is a broad-spectrum, protectant fungicide. If not applied on a routine protectant spray schedule, crops should be scouted on a weekly basis. Apply fungicide at the required label use rate and spray schedule, at the first sign of disease, report of disease in the area, or during environmental conditions favorable for disease development.

Restrictions

Users must carefully read, understand, and follow all use restrictions prior to using LESCO Mancozeb DG Turf and Ornamental Fungicide.

Turf

For use on sod farms, golf courses, industrial and commercial lawns and other similar nonresidential areas. Not for use on residential or athletic turf.

Restrictions:

Sod Farm Turf:

- Harvesting of treated turf is prohibited until 5 days following application.
- Limit to a maximum of 4 applications per year and a maximum rate of 23.2 lb of product per acre (17.4 lb ai/A) per application.
- Minimum interval between applications is 10 days.

Golf Courses:

- For cool season grasses; greens, tees and aprons - limit to a maximum of 5 applications per year at a maximum application rate of 23.2 lb of product per acre (17.4 lb ai/A) per application
- For cool season grasses; fairways - limit to a maximum of 4 applications per year at a maximum application rate of 23.2 lb of product per acre (17.4 lb ai/A) per application
- For warm season grasses; greens, tees and aprons - limit to a maximum of 4 applications per year at a maximum application rate of 23.2 lb of product per acre (17.4 lb ai/A) per application
- For warm season grasses; fairways - limit to a maximum of 3 applications per year at a maximum application rate of 23.2 lb of product per acre (17.4 lb ai/A) per application
- Minimum interval between applications is 10 days.

All Other Turf:

- Limit to a maximum of 4 applications per year and a maximum application rate of 23.2 lb of product per acre (17.4 lb ai/A) per application
- Minimum interval between applications is 10 days.

Start application when grass greens-up in spring or when disease first appears and repeat at 10 to 14 day intervals or until disease threat is past. When conditions are especially favorable for disease development, apply maximum fungicide use rate on a 10-day spray schedule. Apply in sufficient water to provide adequate coverage.

Turf Tolerance

Treated turfgrass should be maintained in a vigorous growing condition. Turfgrass that is under stress will not respond to fungicide treatments as well as turfgrass that is well maintained. Turfgrass tolerance to this product has been found to be acceptable, however, this product and tank mixtures with other products have not been tested on all varieties of every turfgrass species or under all possible growing conditions. If user is unfamiliar with the performance of LESCO Mancozeb DG Turf and Ornamental Fungicide or tank mixtures, under user growing conditions, a limited area of turfgrass should be treated prior to initiating large-scale applications. The user should always exercise reasonable judgment and caution when using this product.

Crop	Diseases Controlled	Rate of LESCO Mancozeb DG Turf and Ornamental Fungicide per Application (oz/1000 sq ft)	Remarks (Also Refer To Directions For Use and Restrictions)	Restrictions
assorted grasses	helminthosporium melting-out rust (leaf, stem, stripe) copper spot fusarium blight red thread slime mold algae	4 4 to 8 6	Apply when disease appears. Repeat at 10 day intervals as long as condition persists. Apply when disease appears. Repeat at 10 day intervals as long as condition persists. Apply when algae appears. Repeat at 10 day intervals as long as condition persists.	Do not graze treated areas. Do not use on grasses intended for grazing, such as range or pasture grasses. Do not feed clippings to livestock. Do not use on grasses grown for seed.

dollar spot	6 to 8	Apply when disease appears. Repeat at 10 day intervals as long as condition persists.
thizoctonia brown patch	4	Apply when disease appears. Repeat at 10 day intervals as long as condition persists.
pythium blight	8	Apply when disease appears. Repeat at 10 day intervals as long as condition persists.
fusarium snow mold	6 to 8	Apply at 2- to 6-week intervals during winter.
gray leaf spot	8	Apply when disease appears. Repeat at 10 day intervals as long as condition persists.

Ornamentals

Restrictions:

- Cut flowers and greenhouse grown ornamentals: Limit to 20 applications per year.
- Do not use for food or feed purposes.

Neither the manufacturer nor the seller has determined the effects of using LESCO Mancozeb DG Turf and Ornamental Fungicide on ornamentals not specified on this label.

Prior to any large-scale applications on such plants, the user should determine the effects of LESCO Mancozeb DG Turf and Ornamental Fungicide by testing a small section of the type of plants treated. The Conditions of Sale and Warranty apply to all uses.

For outdoor (field nursery) or greenhouse use, apply the equivalent of 1-2 lb LESCO Mancozeb DG Turf and Ornamental Fungicide per 100 gallons of dilute spray (1.5 lb LESCO Mancozeb DG Turf and Ornamental Fungicide per acre). The addition of Latron B-1986 to spray solutions will improve performance.

Begin spraying when plants are well leaved out or at first sign of disease, in a full coverage spray at 7- to 10-day intervals throughout season or follow State Extension Service recommendations for disease control on the following ornamental plants.

Crop	Diseases Controlled	Remarks (Also Refer to Directions for Use - Restrictions)
African violet	botrytis blight	
almond (ornamental)	leaf spot	
alyssum	leaf spot	
anthurium	anthracnose, spadix rot	
apple (ornamental)	fabraea leaf spot	
	rust	
	scab	
arborvitae	percospora blight	
areca palm	leaf spot	
ageratum	botrytis blight	
	rust	
ash, mountain	entomosporium leaf spot	
	guignardia leaf blotch	
ash, white	anthracnose	
	cylindrosporium leaf spot	
aster	leaf spot	
aster, perennial	puccinia rusts	
aucuba, japonica	aalternaria leaf spot	
	anthracnose	

Crop (Cont.)	Diseases Controlled	Remarks (Also Refer to Directions for Use - Restrictions)
azalea	cylindrocladium rot petal blight phytophthora twig and bud blight	Apply in a full coverage spray, 2 to 3 times a week, while flowers are opening. Direct spray into flowers and thoroughly spray ground under bushes.
bougainvillea	leaf spot	
begonia	botrytis blight	
boxwood	leaf spot	
buffaloberry	cylindrosporium leaf spot	
carnellias	petal blight	
carnation	rust	Refer to Azalea.
cedar, red (juniper)	septoria leaf spot	
chrysanthemum	cercospora blight phomopsis blight ascochyta blight botrytis petal spot rust	Apply twice weekly during blooming period.
cockscomb (celosia)	alternaria leaf spot	
conifers (Christmas trees)	lophodermium needle cast pine gall rust scirrhia brown spot	Begin application in spring or early summer before infection occurs. Repeat after heavy rains and at two- week intervals as long as needed.
cordyline	cercospora leaf spot	

crabapple (ornamental)	cedar-apple rust scab	
	sphaeropsis leaf spot	
cypress, Arizona (<i>Cupressus</i> spp.)	cercospora blight	
	monochaetia canker	
dahlia	botrytis blight	
delphinium	botrytis blight	
dierfenbachia	leptosphaeria brown spot	
dogwood, flowering	anthracnose	
	elinoe leaf spot	
	septoria leaf spot	
dracaena	fusarium leaf spot	
elm	black leaf spot	
eunymus	anthracnose	
fatsia	anthracnose	
fern	rhizoctonia blight	
figus	cercospora leaf spot	
fig	cyindrocladium leaf spot	
firethorn (pyracantha)	fusicladium scab	

Apply when buds begin to open, when bracts have fallen
4 weeks later and again in late summer after flower buds for
next season have formed.

Crop (Cont.)	Diseases Controlled	Remarks (Also Refer to Directions for Use - Restrictions)
fir, Douglas	Swiss needle cast	
fir, Fraser	Swiss needle cast	
fuchsia	botrytis blight rust	
geranium	rust	
gladiolus	botrytis blossom blight curvularia leaf spot	Make regular weekly applications starting before diseases appear and increase to 2 or 3 applications per week during periods of heavy disease and during rainy weather. On flower spikes, reduce spray concentration to 3/4 lb per 100 gallons.
gloxinia	botrytis blight	
gypsophila	botrytis blight	
hawthorn	cedar-apple rust fabraea leaf spot frogeye leaf spot hawthorn rust scab	
hickory	gnomonia leaf spot	
holly	purple spot	
hollyhock	anthracnose cercospora leaf spot puccinia rust	

honeysuckle	herpobasidium blight
horsechestnut, buckeye	alternaria leaf spot
	guignardia leaf blotch
hydrangea	botrytis blight
	cercospora leaf spot
impatiens	botrytis blight
iris	didymella leaf spot
	mycosphaerella leaf spot
	myrosporium ink spot
juniper	phomopsis blight
larkspur	rust
laurel, mountain	cercospora leaf spot
	petal blight
ligustrum	cercospora leaf spot
lily	botrytis blight
magnolia	gloeosporium leaf spot
maple	alternaria leaf spot
	phylosticta leaf spot
marigold	botrytis blossom blight
narcissus	botrytis blight (fire smoulder)

(formerly Didymella)

Refer to azalea.

Do not use on French dwarf double or Signet type marigold seedlings.

Crop (Cont.)	Diseases Controlled	Remarks (Also Refer to Directions for Use - Restrictions)
oak	actinopelte leaf spot taphrina leaf blister	
orchid (Dendrobium)	botrytis blossom blight	
oxalis	rust	
pansy	anthracnose	
pears (ornamental)	fabraea leaf spot rust scab	
peony	botrytis blossom blight phytophthora blight	Apply in early spring and early fall, drenching soil around plants as well as the foliage. Promptly destroy all infected plant parts.
peperomia	cercospora leaf spot	
petunia	botrytis blight	
philodendron	dactylaria leaf spot phytophthora leaf spot	
phlox	leaf spot	
photinia	entomosporium leaf spot	
pine, Australia	cyclaneusma needle cast	
pine, Scotch	cyclaneusma needle cast gall rust	
pittosporum	alternaria leaf spot	

pleomele	fusarium leaf spot
poinsettia	sphaeloma scab
poplar	rust
primrose	botrytis blight
protea	botrytis blight
quince (ornamental)	fabraea leaf spot rust scab
rhododendron	cercospora leaf spot discosia leaf spot petal blight Refer to azalea.
rose	black spot cercospora leaf spot
rosemary	rust rhizoctonia aerial blight
schefflera	alternaria blight
Scotts pine	needle cast
skunkbush, sumac	cylindrosporium leaf spot
snapdragon	rust
spathiphyllum	myrothecium leaf spot
statice	cercospora frogeye

Crop (Cont.)	Diseases Controlled	Remarks (Also Refer to Directions for Use - Restrictions)
strawflower	rust	
syngonium	cephalosporium leaf spot	
thorn apple	rust	
tulip	botrytis blight (fire)	
venus, flytrap	anthracnose	
viburnum	downy mildew ramularia leaf spot	
walnut	anthracnose	Do not use nuts for food or feed.
zinnia	alternaria leaf blight	

ATTENTION: This product contains mancozeb and ETU, chemicals known to the State of California to cause cancer. ETU is also known to the State of California to cause birth defects or other reproductive harm.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. To the extent permitted by law, otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, Seller MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent permitted by law, all such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

LESCO is a registered trademark and the sweeping design is a trademark of LESCO Technologies, LLC
Rainsield is a trademark of Dow AgroSciences LLC
EPA accepted 03/26/09

LESCO

RegiMax PGRTM Plant Growth Regulator

LESCO® RegiMax PGRTM Plant Growth Regulator contains
trinexapac-ethyl, the active ingredient in Primo MAXXTM.

FOR TURF GROWTH MANAGEMENT

A microemulsion concentrate for managing growth, improving quality and stress tolerance, and edging of warm- and cool-season turfgrasses.

ACTIVE INGREDIENT:	
Trinexapac-ethyl.....	11.3%
OTHER INGREDIENTS:	88.7%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

TM

Distributed by: LESCO, Inc.
1301 East 9th Street
Cleveland, OH 44114-1849

EPA REG. NO. 79676-24-10404
EPA Est. No. indicated by the 8th digit
of the batch number on this package:
(A) = 4-NY-001; (C) = 5905-GA-001;
(G) = 67545-AZ-001; (P) = 34704-MS-02
Product of China or Switzerland.
Formulated in the United States with
U.S. and imported ingredients.

#090844

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.</p>	
NOTE TO PHYSICIAN	
<p>If a large amount has been ingested, lavage stomach. An aqueous suspension of activated charcoal can be given to absorb remaining toxicant. Treat symptomatically.</p>	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from treated areas.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as nitrile, butyl, neoprene, or barrier laminate)
- Shoes plus socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Observe all precautions and limitations on this label and on the labels of each product used in tank mixture with this product.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN UNEVEN GROWTH REDUCTION OR SEVERELY STUNTED TURF.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The restricted-entry interval (REI) for this product is 0 days.

Do not enter treated areas without footwear until sprays have dried.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without footwear until sprays have dried.

GENERAL INFORMATION

Lesco® RegiMax PGR™ Plant Growth Regulator is a microemulsion concentrate (MEC) for management of the growth of warm- and cold-season turfgrasses, reducing the frequency of mowing and the amount of grass clippings generated. Applications of Lesco® RegiMax PGR™ Plant Growth Regulator also frequently result in increased turf density, increased color, and increased turf quality. Apply Lesco® RegiMax PGR™ Plant Growth Regulator to turfgrass areas such as residential and commercial lawns, golf courses, sod farms, sports fields, cemeteries and other similar areas that are well-maintained. Lesco® RegiMax PGR™ Plant Growth Regulator is useful in the management of difficult-to-mow areas and can be used to minimize the need for edging turfgrass along sidewalks, curbs, parking lots, driveways, flower beds, fences and around posts, storage sheds, and trees.

Lesco® RegiMax PGR™ Plant Growth Regulator is absorbed by foliar uptake and is rainfast after one hour. Watering-in is not necessary for activation. Environmental conditions, management, and cultural practices that affect turf growth and vigor will influence the response of the turf to Lesco® RegiMax PGR™ Plant Growth Regulator applications. Fertility level, moisture availability, plant vigor, height and frequency of mowing, etc. have all been shown to influence the activity of Lesco® RegiMax PGR™ Plant Growth Regulator. Full growth regulation by Lesco® RegiMax PGR™ Plant Growth Regulator begins at about 3-5 days after application.

Notice To User: Plant tolerances to Lesco® RegiMax PGR™ Plant Growth Regulator have been found to be acceptable for the grasses listed on this label; however, due to the large number of species and cultivars of grasses it is impossible to test every one for tolerance to Lesco® RegiMax PGR™ Plant Growth Regulator. Neither the manufacturer nor the seller has determined whether or not Lesco® RegiMax PGR™ Plant Growth Regulator can be used safely on grasses not specified on this label and professional users should first determine if Lesco® RegiMax PGR™ Plant Growth Regulator can be safely applied prior to commercial use by testing on a small scale by applying the lower recommended rate for the turf setting (lawn, fairway, etc.) and evaluating for phytotoxicity and growth inhibition prior to widespread use.

USE PRECAUTIONS

- Do NOT apply Lesco® RegiMax PGR™ Plant Growth Regulator through any type of irrigation system.
- Do NOT graze treated areas or feed treated clippings to livestock.
- Areas treated with Lesco® RegiMax PGR™ Plant Growth Regulator should continue to receive regular maintenance practices, including irrigation; fertilization; and weed, disease, and insect control when necessary and as recommended for quality turf.
- Because some herbicides can injure turf, tank mixes with Lesco® RegiMax PGR™ Plant Growth Regulator should be tested on a small scale before widespread use.
- Lesco® RegiMax PGR™ Plant Growth Regulator may cause temporary yellowing that usually disappears approximately one week after application. To minimize yellowing and to enhance the green color of turf, apply readily available nitrogen at a rate of 0.2-0.5 lb. of actual nitrogen per 1,000 sq. ft. If desired, recommended rates of iron per 1,000 sq. ft. can also be used.

APPLICATION INSTRUCTIONS

Excessive turf growth during spring flushes or as a result of fertilization may require higher rates of Lesco® RegiMax PGR™ Plant Growth Regulator (up to 50% greater) to provide an adequate length of control.

For extended growth suppression (up to 8 weeks) when temporary discoloration can be tolerated, a maximum of twice the recommended Lesco® RegiMax PGR™ Plant Growth Regulator rate from the Application Rate Table may be applied.

Lesco® RegiMax PGR™ Plant Growth Regulator use rates may need to be reduced up to 50% for turfgrass grown under conditions of low fertility, compaction, or other factors, which stress the turf.

Multiple applications of Lesco® RegiMax PGR™ Plant Growth Regulator can be made each growing season, but do not exceed a total of 7.0 fl. oz./1,000 sq. ft. (305 fl. oz./A; 19.0 pts./A) per year.

Mowing

Lesco® RegiMax PGR™ Plant Growth Regulator generally provides greater suppression when turfgrasses are maintained at lower mowing heights and the application rates in this label have been selected for typical mowing heights; be sure to adjust the application rate based on the actual mowing conditions under which Lesco® RegiMax PGR™ Plant Growth Regulator will be applied. To minimize possible turf injury, apply Lesco® RegiMax PGR™ Plant Growth Regulator at least 4 hours before mowing or at least 1 hour after mowing.

Application Timing

Apply Lesco® RegiMax PGR™ Plant Growth Regulator to actively-growing turf. A lower rate of Lesco® RegiMax PGR™ Plant Growth Regulator should be used if turf is going into dormancy because of high or low temperatures or lack of moisture.

As soon as the turf resumes growth or if more suppression is desired, repeat applications of Lesco® RegiMax PGR™ Plant Growth Regulator may be made but do NOT apply more than 7.0 fl. oz./1,000 sq. ft. per year.

Equipment

Lesco® RegiMax PGR™ Plant Growth Regulator may be applied using backpack sprayers, hand sprayers, boom sprayers, and with spraygun application devices. Be sure to clean the spray equipment thoroughly before use and make sure the sprayer is calibrated and capable of accurate and uniform application. Rinse sprayer with clean water after use and dispose of rinsate in an approved manner.

MIXING AND APPLICATION INSTRUCTIONS

Lesco® RegiMax PGR™ Plant Growth Regulator mixes completely with water (does not contain any petroleum solvents) and may be tank mixed with many commonly-used pesticides and liquid fertilizers. Prepare no more mixture than is necessary for the immediate operation in sufficient carrier (for example 0.5-4.0 gals. of water per 1,000 sq. ft.) to provide uniform and thorough coverage.

Once Lesco® RegiMax PGR™ Plant Growth Regulator is uniformly mixed, no further agitation is required when the product is used alone, but agitation may be required for tank mixes. If using Lesco® RegiMax PGR™ Plant Growth Regulator in a tank mixture, be sure to observe all directions for use, sites, use rate dilution ratios, precautions, and limitations, which appear on the tank-mix product's label(s). Do not exceed any label use rate and follow the most restrictive label precautions and limitations and do not mix Lesco® RegiMax PGR™ Plant Growth Regulator with any product which prohibits such mixing.

Backpack and Hand Sprayers (0.5-4.0 gal. capacity)

Add all of the required water to the mix tank followed by the appropriate amount of Lesco® RegiMax PGR™ Plant Growth Regulator. Close the sprayer and vigorously shake. Begin application.

Boom and Hand Gun Sprayers

Lesco® RegiMax PGR™ Plant Growth Regulator Alone: Add all the required amount of water to the spray tank. Then, while agitating, add Lesco® RegiMax PGR™ Plant Growth Regulator.

Lesco® RegiMax PGR™ Plant Growth Regulator in Tank Mixtures: When mixing Lesco® RegiMax PGR™ Plant Growth Regulator with other carrier and / or tank mix pesticide products, add the products to the spray tank using the following procedure:

1. Always check the compatibility of the tank mix using a jar test with proportionate amounts of Lesco® RegiMax PGR™ Plant Growth Regulator, other products to be used, and the water before mixing in the spray tank. Use a clear glass quart jar with lid and mix the tank mix ingredients in their relative

proportions. Invert the jar containing the mixture several times and observe the mixture for approximately 1/2 hour. If the mixture balls-up or forms flakes, sludges, gels, oily films or layers; or precipitates, it is not compatible and do not use the combination in a tank mix.

2. Fill tank at least 1/2 full of water.
3. Maintain sufficient agitation during filling to keep the tank mix uniformly suspended.
4. Add all products packaged in water-soluble bags first. Allow the packages to dissolve and the contents to completely disperse into the mix water. Then add water-dispersible granules (WG formulations) while maintaining agitation in the mix tank. Next, add wettable powders (WP formulations). Allow the products to disperse completely before other products are added.
5. Add emulsifiable concentrates (EC).
6. Add flowable liquids (FL) or suspension concentrates (SC).
7. Add Lesco® RegiMax PGR™ Plant Growth Regulator
8. Add spray adjuvants and spray markers. Use surfactants approved for application to turf. Check surfactant label before use.
9. Add the remainder of the water.
10. Do not leave tank mix combinations in the spray tank for prolonged periods without agitation. Mix and apply all of the spray solution on the same day.

Application Near and Around Monuments and Hardscape Materials

At normal dilution rates, Lesco® RegiMax PGR™ Plant Growth Regulator will not stain brass, bronze, concrete, marble, granite, or other types of stone. Prior to using Lesco® RegiMax PGR™ Plant Growth Regulator around other materials, test on a small scale basis first.

Turf Pre-Stress Conditioning

Multiple Lesco® RegiMax PGR™ Plant Growth Regulator applications, in conjunction with cultural practices such as fertilization, irrigation, drainage and mowing height will delay the onset of stress, improve stress survival, and enhance turfs recovery from stress. Apply Lesco® RegiMax PGR™ Plant Growth Regulator to healthy, actively growing turf before the onset of stress and continue to apply Lesco® RegiMax PGR™ Plant Growth Regulator throughout the growing season as long as the turf remains healthy. NOTE: Do NOT apply more than 7.0 fl. oz./ 1,000 sq. ft. per year.

When turf top growth slows, energy is redirected to below-ground plant parts, and root and rhizome production increases resulting in root-mass that is often greater in Lesco® RegiMax PGR™ Plant Growth Regulator-treated turf than in similar, untreated turf.

Research indicates that Lesco® RegiMax PGR™ Plant Growth Regulator may also enhance the performance of fungicides. Monthly applications of Lesco® RegiMax PGR™ Plant Growth Regulator at the label rate or biweekly application at 1/2 the label rate may strengthen the turfgrass to help it resist disease. Additionally, if mowing is less frequent, and leaf material removal is reduced, contact and systemic products will remain at effective concentrations on or in the turf longer.

Multiple Lesco® RegiMax PGR™ Plant Growth Regulator applications will result in smaller, more compact turfgrass and reduced leaf area, resulting in reduced transpiration, water use and improved drought tolerance. Increased turf density will also reduce moisture loss from soil evaporation, and additional soil moisture will be available due to increased root depth and mass. Lesco® RegiMax PGR™ Plant Growth Regulator may also enhance cold and heat tolerance by increasing carbohydrate levels.

POA ANNUA CONVERSION / RENOVATION

As part of an overseeding / renovation program allowing better germination and seedling growth of more desirable turf, Lesco® RegiMax PGR™ Plant Growth Regulator may be applied to existing turf infested with stands of *Poa annua*. By combining Lesco® RegiMax PGR™ Plant Growth Regulator with appropriate cultural practices that help to ensure the vigor and growth of new seedlings, fewer clippings and reduced maintenance traffic on new seedlings will result. Additionally, seed germination is not affected because Lesco® RegiMax PGR™ Plant Growth Regulator is absorbed foliarly. NOTE: Aggressive application rates of Lesco® RegiMax PGR™ Plant Growth Regulator may result in temporary initial discoloration.

Apply Lesco® RegiMax PGR™ Plant Growth Regulator 1-5 days before seeding and before verticutting, scalping, spiking or other similar operations. The following spring, apply the recommended upper end rate of Lesco® RegiMax PGR™ Plant Growth Regulator for the turf type and setting listed in the Application Rate Table. Actual conversion success will also depend on growing conditions, fertilization, rainfall, and other agronomic and environmental conditions.

BERMUDAGRASS OVERSEEDING

Establishment of cool-season turfgrasses can be enhanced by applying Lesco® RegiMax PGR™ Plant Growth Regulator to bermudagrass. By combining Lesco® RegiMax PGR™ Plant Growth Regulator with appropriate cultural practices that help to ensure the vigor and growth of new seedlings, fewer clippings and reduced maintenance traffic on new seedlings will result. Additionally, seed germination is not affected because Lesco® RegiMax PGR™ Plant Growth Regulator is absorbed foliarly. NOTE: Aggressive application rates of Lesco® RegiMax PGR™ Plant Growth Regulator may result in temporary initial discoloration.

Apply Lesco® RegiMax PGR™ Plant Growth Regulator to the bermudagrass 1-5 days before seeding or before verticutting, scalping, spiking, or other similar operations. For maintenance applications, see the Application Rate Table. Use normal seeding rates for your area and turf setting (lawn, fairway, etc.). Actual overseeding results will also depend on growing conditions, fertilization, rainfall, and other agronomic and environmental conditions.

APPLICATION WITH TURF MARKING PAINT

When applied before or with marking agents, Lesco® RegiMax PGR™ Plant Growth Regulator can extend the duration of marking visibility. When combining with latex-based marking agents, mix Lesco® RegiMax PGR™ Plant Growth Regulator with water first and refer to the marking agent's products label for further instructions.

To treat approximately 1,000 sq. ft. of line surface area, apply Lesco® RegiMax PGR™ Plant Growth Regulator at 1 oz./gal. of marking paint mix. Refer to the Lesco® RegiMax PGR™ Plant Growth Regulator plus Tank Mixtures section of this label for additional instructions.

Recommended Lesco® RegiMax PGR™ Plant Growth Regulator Application Rates¹

NOTE: The rates recommended below should provide 50% suppression of turf growth with minimal yellowing for 4-weeks under good growing conditions.

Turf Type	Residential and Commercial turf ²		Golf Course Fairways (cut at 1/2" or less)		Golf Course Greens		Edging/Banding ³	
	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A
Cool Season								
Bentgrass	0.75	33	0.25	11	0.125	6	1.0	44
Fescue, red	0.75	33					1.0	44
Fescue, tall (Ky-31)	1.0	44					1.0	44
Fescue, tall (Turf Types)	0.75	33					1.0	44
Kentucky Bluegrass	0.60	26	0.25	11			0.75	33
Mixture (Bentgrass/Poa annua)			0.25 ⁴	11	0.125	7		
Mixture (K. Bluegrass/ Fescue/Ryegrass)	0.75	33						
Mixture (K. Bluegrass/ Ryegrass/ Poa annua)			0.50 ⁵	22				
Ryegrass, Annual	1.0	44					1.0	44
Ryegrass, Perennial	1.0	44	0.50	22			1.0	44

Recommended Lesco® RegiMax PGR™ Plant Growth Regulator Application Rates¹ (continued)

NOTE: The rates recommended below should provide 50% suppression of turf growth with minimal yellowing for 4-weeks under good growing conditions.

Turf Type	Residential and Commercial turf ²		Golf Course Fairways (cut at 1/2" or less)		Golf Course Greens		Edging/Banding ³	
	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A	fl. oz./1000 sq. ft.	fl. oz./A
Warm Season								
Bahiagrass	1.0	44					1-2	44-88
Bermudagrass ⁵								
Bermudagrass, Common	0.75	33	0.25	11			1-2	44-88
Bermudagrass, Other Hybrids	0.25	11	0.20	9			0.50-0.75	22-33
Bermudagrass, Tifdwarf	0.20	9	0.20	9	0.062	3	0.50-0.75	22-33
Bermudagrass, Tifgreen (328)	0.25	11	0.20	9	0.125	6	0.75	33
Bermudagrass, Tifway (419)	0.38	16	0.25	11			0.75	33
Buffalograss	1.0	44					1.0	44
Carpetgrass	0.25-0.40	11-18					0.50	22
Centipedegrass	0.50	22					1.0	44
Kikuyugrass	0.30-0.50	13-22	0.3	13			1.0	44
St. Augustinegrass	0.10-0.15	4.50-6.50					0.40-0.80	18-36
St. Augustinegrass Texas Common	0.10	4.5					0.20	9
Zoysiagrass	0.25	11	0.125	6			0.75	33

¹ Seedheads: At rates equal to or higher than the rates in Table 1, Lesco® RegiMax PGR™ Plant Growth Regulator provides seedhead suppression of hybrid bermudagrass, and partial seedhead suppression of annual bluegrass, bahiagrass, buffalograss, carpetgrass, common bermudagrass, Kentucky bluegrass, and tall fescue. Lesco® RegiMax PGR™ Plant Growth Regulator must be applied prior to seedhead formation. Do not apply more than 7.0 fl. oz./1000 sq. ft. per year.

- 2 Including, but not limited to: home lawns, parks, recreation areas, golf course roughs, cemeteries, business sites, sports fields, and sod farms.
- 3 Lesco® RegiMax PGR™ Plant Growth Regulator can be applied along the perimeter of lawns, sidewalks, curbs, parking lots, driveways, posts, storage buildings, pet pens, fences, or other areas. Lesco® RegiMax PGR™ Plant Growth Regulator can be used around trees, shrubs, flower beds, and other border plants or similar areas with no injury. Apply Lesco® RegiMax PGR™ Plant Growth Regulator in an 8-12 inch band with a single nozzle sprayer. Use the higher concentration to reduce the growth of turfgrass into adjacent areas.
- 4 If yellowing of *Poa Annua* is a concern, use half this rate and apply more frequently. For *Poa annua* conversion / renovation, where temporary discoloration can be tolerated, twice this rate may be applied.
- 5 Bermudagrass overseeding preparation: 0.5 oz./ 1000 sq. ft. for golf fairways and tees; 0.25 oz./1000 sq. ft. for golf greens.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and avoid excess heat. Do not store below 0°F. If crystals form, store above 70°F, shaking periodically until crystals are dissolved.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of LESCO, Inc. or Seller. To the extent allowable under State law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold LESCO, Inc. and Seller harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or LESCO, Inc., and Buyer and User assume the risk of any such use. LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall LESCO, Inc. or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LESCO, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

LESCO, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Primo MAXX™ is a trademark of a Syngenta Group Company.

LESCO® is a registered trademark and RegiMax PGR™ is a trademark of LESCO Technologies, LLC.