

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGNUMBER Quotation

GSD096408

ADDRESSICORRESPONDENCE (GAMMENT/ON/OF

KRISTA FERRELL 304-558-2596

HOCKER

RFQ COPY TYPE NAME/ADDRESS HERE

> Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION **BUILDING TWENTY THREE 407 NEVILLE STREET** BECKLEY WV 25801 304-558-2317

DATE PRIN	TED	TER	MS OF SAL	E	SHIPVIA	F.O.B	FREIGHTTERMS
09/03/	,						
BID OPENING DATE	; •1000000000000000000000000000000000000	<u>09/30/</u>	2008	100001000000000000	BID	OPENING TIME 0	:30PM
LINE	QUA	VIIIY	UCP	CAT NO	ITEM NUMBER	UNITPRICE	AMOUNT
0001	REROOF	1	JB BLDG		910-66 407 NEVILLE ST,	BECKLEY	J32,420.00
	THE WE SOLICI MATERI ROOF OPER THE MAND ATTENDON THI	ST VIR TING B ALS, S F BUIL E ATTA ATORY BER 16 D AT 4 IME/GE LCOME ORY. THIS S PROJ	GINIA GINIA IDS T UPPLI DING CHED PRE-B 07 RAL TO Y P MEETI ECT.	PURC DIVI O PRO ES, A #23 L SPECI ID ME 8 AT VILLE VILLE BCONT TEND; RIME/ NG WI	FICATIONS. ETING WILL BE HE 10:00 AM AT THE	SERVICES, IS WITH ALL LABOR, REPLACE THE Y, WEST VIRGINIA LD ON TUESDAY, BUILDING SITE EY WEST VIRGINIA. IRED TO ATTEND RIAL SUPPLIERS ANCE IS NOT OR FAILING TO ED FROM BIDDING	
	ALL QU FERREL FAX AT WV.GOV THURSD ALL QU	L IN T 304-5 DEA AY, SE ESTION	S MUS HE WE 58-41 DLINE PTEMB S REC	ST VI 15 OR FOR ER 18 EIVED E DEA	SUBMITTED IN WRI RGINIA PURCHASIN VIA EMAIL AT KR ALL TECHNICAL QU 3, 2008 AT THE CL), IF ANY, WILL B	G DIVISION VIA ISTA.S.FERRELLƏ ESTIONS IS OSE OF BUSINESS. E ANSWERED BY	RECEIVED 2008 OCT 21 P I: 18 18 CHASSING DIVISION STATE-OF WV
SIGNATURE /2	9	<i>A-7</i>		SEERE	VERSE SIDE FOR TERMS AND CO	IDATE	
140	Obert a				I ELEPHONE (032-1600	10-21-2008
TITLE /	۲.	. PI	EIN S	5-00	048251	ADDRESS CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS PURCHASE ORDER/CONTRACT

- ACCEPTANCE: Seller shall be bound by this order and its terms and conditions upon receipt of this order.
- 2. APPLICABLE LAW: The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 3. NON-FUNDING: All services performed or goods delivered under State Purchase Orders/
 Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/
 Contract becomes void and of no effect after June 30.
- 4. COMPLIANCE: Seller shall comply with all Federal, State and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
- 5. MODIFICATIONS: This writing is the parties final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
- ASSIGNMENT: Neither this Order nor any monles due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
- 7. WARRANTY: The Seller expressly warrants that the goods and/or services covered by this order will: {a} conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; {b} be merchantable and fit for the purpose intended; and/or {c} be free from defect in material and workmanship.
- 8. CANCELLATION: The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- SHIPPING, BILLING & PRICES: Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
- 10. LATE PAYMENTS: Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the *West Virginia Code*.
- 11. TAXES: The State of West Virginia is exempt from Federal and State taxes and will not pay or reimburse such taxes.
- 12. RENEWAL: Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. West Virginia Alcohol & Drug-Free Workplace Act: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Falls to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."



RFQ COPY

TYPE NAME/ADDRESS HERE

Danhill Construction Company

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REQNUMBER GSD096408 PAGE

2

KRISTA FERRELL 304-558-2596

SH 1

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION BUILDING TWENTY THREE 407 NEVILLE STREET BECKLEY WV

09/03/	2008		MS OF SA			SHIP				GВ		FREIGHTTERM
ENING DATE:	100000000000000000000000000000000000000	09/30/	2008	20052002400000	Losson		<u>]</u>	BID	OPENING	TIME	01	:30PM
LINE	QUA	ANTITY	UOP	CAT NO		ITEM NU	WBER .		UN	IT PRICE		AMOUNT
<u> kilippi I Seitskyridy befordisch b</u>				***************************************			****************	-		CATALOGUE CANADA		
	QUEST	IONS CO	NCERN	ING T	HE AC	TUAL	. PRO	CES	S BY WH	ICH A		
									F WEST			
									STIONS			
	E .		i	NY TI	ME PR	RIOR	TO 7	THE	BID OPE	NING A	ND	
	TH WH	Y FORMA	1.									
	EXHIB	TT E										
	CANID.	L 1 3										
	NOTICE	E TO PR	OCEED	: ТН	IS CO	NTRA	CT I	ST	O BE PE	RFORME	D	
	WITHIN	4 120 C							ICE TO			
		CEIVED.							ED, THE			
	1		CHASE	ORDE	R WIL	L BE	CO	ISID	ERED NO	TICE T	0	
	PROCE	ED.		1								
	CANCEL	LATTON	• ти	E DIE	ECTOR) DE	pilbi	'HAC	ING RES	EDVEC	TUE	
									ELY UPO			
									OR WORK			•
									DO NOT			
	WITH T	THE SPE	CIFIC	ATION	S OF	THE	BID	AND	CONTRA	CT	:	
	HERE :	IN.						•				
4			-11F A			~~ <i>~</i>		1 ~ ~	AOTON O			
									ACTOR S ABOR MI			
									Y, PURS		WAGE	
•									(PREVAI			
		RATES A										
									RBITRAT			
									ANY INT			
									IS CONT		_	
									ECTS DO DELETE		S	
	PERIA.	TIATIAR I	O INT	S CUN	IKAC	AKE	ner	(EDY	DELETE	u.		
	WORKE	RS' COM	PENSA	TION:	VEN	IDOR	IS F	EOU	IRED TO	PROVI	DE	
									ON IF S			
				1					1			



DODZMA

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REGINUMBER GSD096408

304-558-2596

ADDRESS:CORRESPONDENCE TO ATTENTION OF KRISTA FERRELL

RFQ COPY TYPE NAME/ADDRESS HERE

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

DEPARTMENT OF ADMINISTRATION **GENERAL SERVICES DIVISION BUILDING TWENTY THREE 407 NEVILLE STREET BECKLEY WV** 25801 304-558-2317

TERMS OF SALE SHIP VIA FOB FREIGHT TERMS DATE PRINTED: 09/03/2008 BID OPENING DATE: 09/30/2008 **BID OPENING TIME** 01:30PM CAT NO QUANTITY ITEM NUMBER UNITPRICE AMOUNT LINE UOR ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT: (XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO UNLESS OTHERWISE SPECIFIED IN ISSUANCE OF CONTRACT. THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.) BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT. (XX) BONDS: | FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/ MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCECPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND. (XX) MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 0-21-2008 TITLE ADDRESS CHANGES TO BE NOTED ABOVE 55-0648251



AMADOR

RFQ COPY

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER GSD096408

KRISTA FERRELL <u>304-558-2596</u>

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

TYPE NAME/ADDRESS HERE

DEPARTMENT OF ADMINISTRATION **GENERAL SERVICES DIVISION BUILDING TWENTY THREE 407 NEVILLE STREET** BECKLEY WV 25801 304-558-2317

FREIGHTTERMS TERMS OF SALE SHIP VIA F.O.B. DATE PRINTED 09/03/2008 BID OPENING DATE: 09/30/2008 **BID OPENING TIME** 01:30PM LINE QUANTITY UOP **ITEM NUMBER** UNIT PRICE AMOUNT DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND SUCH COST IS UNREASONABLE IF IT IS TO BE UNREASONABLE. 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS. IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 632-1600 10-21-2008 TITLE ADDRESS CHANGES TO BE NOTED ABOVE 55-0648251



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

GSD096408

KRISTA FERRELL 304-558-2596

AFQ:NUMBER

25801

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION **BUILDING TWENTY THREE 407 NEVILLE STREET** BECKLEY WV 304-558-2317

ADDRESS CORRESPONDENCE TO ATTENTION OF

TYPE NAME/ADDRESS HERE

RFQ COPY

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

09/03/	200000000000000000000000000000000000000		IVICAN FISHEI			W VIII		· · · · · · · · · · · · · · · · · · ·	FREIGHT LERMS
BID OPENING DATE:		09/30/	2008			BID	OPENING TIME	01	:30PM
LINE	QUAN	mry	UOP	CAT. NO	ITEM	NUMBER	UNIT PRICE		AMOUNT
	SUPPLY		REIGN	ALUM	INUM, G	LASS OR S	TEEL.		
	EXHIBI	Т 9							
	NOTICE PROJEC			CE &	ACKNOWL	EDGEMENT	OF CONSTRUCTIO	N	
	TO ABI	DE BY	THE F	OLLOW	ING SCH	EDULE IN	HALL BE REQUIR ISSUING AGENCIES:	ED	
	AND A AND SP AND LI PURCHA SEND A	LIST O ECIFIC ST SHA SING D COPY	F ALL ATIONS LL BE IVISIO OF THE	PART FORW FORW ON. E ADD	IES THA THE PR ARDED T THE ARC	T HAVE PR DJECT. T O THE BUY HITECT/EN	ARE THE ADDEND OCURED DRAWING HE ADDENDUM ER IN THE STAT GINEER SHALL A TE AGENCY FOR	S E	
	INTERE OPENIN	STED P G DATE WITHIN	ARTIES . AN FOUR	S AND Y ADD	, IF NE ENDUM S	HOULD BE	TO ALL EXTEND THE BID RECEIVED BY TH TO THE BID) IE	
	BIDDER DIVISI THAT SHALL EXCEPT	S AND ON. APPLY ALSO A ION MA	SUB THE TO PPLY Y BE	MITTE SAME THE TO AN FOR A HANGI	D TO RULES ORIGINA ADDEND N ADDEN NG A BI	THE STAT AND RE L BIDDIN UM DOCUME DUM THAT D OPENING	KNOWLEDGED BY E PURCHASING GULATIONS G DOCUMENT NT. THE ONLY IS ISSUED FOR TIME AND/OR		
SIGNATURE	n i	, A	77-57	SEERE	VERSE SIDE FO	TERMS AND CO		DATE	
TITLE	60bert		HULL	·			632-1600		10-21-2008
14	745.	ľ		<u>55-6</u>	06482	51	ADDRESS CHA	NGES	TO BE NOTED ABOVE



RFQ COPY

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

GSD096408

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

\$ H - P - O

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING TWENTY THREE
407 NEVILLE STREET
BECKLEY WV
25801 304-558-2317

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

TYPE NAME/ADDRESS HERE

DATE PRINTED TERMS OF SALE SHIP VIA FREIGHT TERMS FO.8 09/03/2008 **BID OPENING DATE:** BID OPENING TIME 09/30/2008 01:30PM LINE QUANTITY UOP ITEM NUMBER UNITPRICE AMOUNT REV. 11/96 EXHIBIT 10 ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NOS.: 21 NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. SIGNATURE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 0-21-2008 TITLE ADDRESS CHANGES TO BE NOTED ABOVE 55-064825



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

GSD096408

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

RFQ COPY Type name/address here

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085 DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING TWENTY THREE
407 NEVILLE STREET
BECKLEY WV
25801 304-558-2317

TERMS OF SALE FREIGHT TERMS DATE PRINTED SHIP VIA 09/03/2008 **BID OPENING TIME** BID OPENING DATE: 09/30/2008 01:30PM QUANTITY ITEM NUMBER UNIT PRICE AMOUNT HOP LINE Dan hill Construction REV. 11/96 CONTRACTORS LICENSE WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV TELEPHONE: (304) 558-7890. WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID. BIDDER TO COMPLETE: CONTRACTORS NAME: WV001196 CONTRACTORS LICENSE NO.: THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT APPLICABLE LAW THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULE SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 10-21-2008 ADDRESS CHANGES TO BE NOTED ABOVE 55-064825



300Em<

RFQ COPY

PO Box 685

TYPE NAME/ADDRESS HERE

Danhill Construction Company

Gauley Bridge, WV 25085

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

GSD096408

PAGE

8

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING TWENTY THREE
407 NEVILLE STREET
BECKLEY WV
25801 304-558-2317

SHIP VIA TERMS OF SALE FREIGHT TERMS DATE PRINTED. 09/03/2008 BID OPENING TIME **BID OPENING DATE:** 09/30/2008 01:30PM AMOUNT QUANTITY UOP ITEM NUMBER UNIT PRICE LINE AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT. ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER. REV. 1/2005 NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID KRISTA FERRELL-FILE 21 BUYER: SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 632-1000 10-21-2008 ADDRESS CHANGES TO BE NOTED ABOVE 55-0648251



RFQ COPY

DATE PRINTED TERMS OF SALE

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGNUMBER Quotation

GSD096408

KRISTA FERRELL 304-558-2596

SHIP VIA

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION **BUILDING TWENTY THREE** 407 NEVILLE STREET BECKLEY WV 25801 304-558-2317

ADDRESSICORRESPONDENCE TO ATTIENTION OF

09/03/					
BID OPENING DATE:	09/30/		BID		11:30PM
LINE	QUANTITY	UGP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
			Y		
	REQ. NO.:	GS	D096408	e e	
**************************************	BID OPENING	DATE. 00	/30/2008		
	PID OLCHING	DATE: 07	7 307 2000		
	BID OPENING	TIME: 1:	30 PM		
			UMBER IN CASE IT	IS NECESSARY	
	TO CONTACT Y	1 .	NG YOUR BID:		·
***************************************	Mar arms arms arms arms arms arms	304	632-1501		
-					
			AME OF PERSON TO	CONTACT	
	CONCERNING T	1 1			
			-4166		
		,			029 110 5 03
	***** THIS	IS THE EN	D OF RFQ GSD096	408 ***** TOTAI	: 232,420.00
1					
				,	
	I	SEERL	VERSE SIDE FOR TERMS AND CO	NDITIONS	
SIGNATURE	obert D. C	hil	TELEPHONE	632-1600 DAT	10-21-2008
TITLE	F				ES TO BE NOTED ABOVE

Agency					
В	ID BOND				
KNOW ALL MEN BY THESE PRESENTS, That we, th	e undersigned,				
	, as Principal, and				
of	, a corporation organized and existing under the laws of the State of				
	as Surety, are held and firmly bound unto the State				
of West Virginia, as Obligee, in the penal sum of	(\$) for the payment of which,				
	es, our heirs, administrators, executors, successors and assigns.				
Department of Administration a certain bid or proposal, attache	ereas the Principal has submitted to the Purchasing Section of the d hereto and made a part hereof, to enter into a contract in writing for				
hereto and shall furnish any other bonds and insurance require agreement created by the acceptance of said bid, then this obliforce and effect. It is expressly understood and agreed that the exceed the penal amount of this obligation as herein stated. The Surety, for the value received, hereby stipulates a way impaired or affected by any extension of the time within wit waive notice of any such extension.	all enter into a contract in accordance with the bid or proposal attached of by the bid or proposal, and shall in all other respects perform the igation shall be null and void, otherwise this obligation shall remain in full a liability of the Surety for any and all claims hereunder shall, in no event, and agrees that the obligations of said Surety and its bond shall be in no high the Obligee may accept such bid, and said Surety does hereby thereunto set their hands and seals, and such of them as are corporations hese presents to be signed by their proper officers, this				
Principal Corporate Seal	(Name of Principal)				
	By(Must be President or Vice President)				
	(Title)				
Surety Corporate Seal	(Name of Surety)				
	Attorney-in-Fact				

IMPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

(B)

AGENCY__ RFQ/RFP#_

BID BOND PREPARATION INSTRUCTIONS

		Bid Bon				
(A)	WV State Agency	KNOW ALL MEN BY THESE PR	ESENTS, That we, the undersigned,			
	(Stated on Page 1 "Spending Unit")	(C) of (D)	of (G),			
	Request for Quotation Number (upper	as Principal, and (F)	OI (G)			
	right corner of page #1)	(H) a corporation or	ganized and existing under the laws			
(C)	Your Company Name	of the State of with its	principal office in the City of			
(D)	City, Location of your Company	of West Virginia, as Obligee, in the penal su	ld and firmly bound unto The State			
(E)	State, Location of your Company	(\$) for the payment	of which well and traly to be made			
(F)	Surety Corporate Name	we jointly and severally bind ourselves, our	haire administrators evecutors			
(G)	City, Location of Surety	successors and assigns.	iichs, administrators, executors,			
(H)	State, Location of Surety	The Condition of the shave obligat	ion is such that whereas the Principal			
(I)	State of Surety Incorporation	has submitted to the Purchasing Section of the	he Department of Administration			
(J)	City of Surety Incorporation Minimum amount of acceptable bid	a certain bid or proposal, attached hereto and	i made a part hereof to enter into a			
(K)	bond is 5% of total bid. You may state	contract in writing for				
	"5% of bid" or a specific amount on	(M)				
	this line in words.					
(L)	Amount of bond in figures					
(M)	Brief Description of scope of work	NOW THEREFORE.				
(N)	Day of the month	(a) If said bid shall be rejected, or				
(O)	Month	(b) If said bid shall be accepted an	id the Principal shall enter into a			
(P)	Year	contract in accordance with the bid or propo				
(Q)	Name of Corporation	any other bonds and insurance required by t	he bid or proposal, and shall in all			
(R)	Raised Corporate Seal of Principal	other respects perform the agreement created by the acceptance of said bid then this obligation shall be null and void, otherwise this obligation shall remain in ful				
(S)	Signature of President or Vice	this obligation shall be full and void, otherw	vise this obligation shall remain in full			
	President	force and effect. It is expressly understood Surety for any and all claims hereunder shall	and agreed that the habitry of the			
(T)	Title of person signing	amount of this obligation as herein stated	ii, iii iio event, exceed the penal			
(U)	Raised Corporate Seal of Surety	The Surety for value received, her	ehy stimulates and agrees that the			
(V)	Corporate Name of Surety Signature of Attorney in Fact of the	obligations of said Surety and its bond shall	he in no way impaired or affected by			
(W)	Surety	any extension of time within which the Obli	igee may accept such bid; and said			
NOTE:	Dated, Power of Attorney with Raised	Surety does hereby waive notice of any such				
NOIE.	Surety Seal must accompany this bid	IN WITNESS WHEREOF, Princip	oal and Surety have hereunto set their			
	bond.	hands and seals, and such of them as are con	rporations have caused their corporate			
		seals to be affixed hereto and these presents	to be signed by their proper officers,			
		this(N) day of(O)	_, 20 <u>(P)</u>			
			(2)			
		Principal Corporate Seal	(Name of Principal)			
		· (D)	• •			
		(R)	By (S) (Must be President or			
			Vice President)			
			(T)			
	•		Title			
		(U)				
	1	Surety Corporate Seal	(V)			
			(Name of Surety)			
			(W)			
			Attorney-in-Fact			

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

		GSD096408
RFQ	No.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor are a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entitles.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: 👤	Anhill	Construction	(ompawy	
		I D. Hill		11-2008

Purchasing Affidavit (Revised 07/01/08)

State of West Virginia Department of Administration

General Service Division Engineering Section

Building 23 -Roof Replacement And Building Repairs

REQUEST FOR QUOTATIONS #GSD096408
ROOFING REPLACEMENT AND BUILDING REPAIRS
WEST VIRGINIA STATE OFFICE BUILDING
BUILDING 23 – 407 NEVILLE STREET
BECKLEY, WEST VIRGINIA

Location:

State Office Building

(West Virginia Building 23)

407 Neville Street Beckley, West Virginia

For:

State of West Virginia
General Services Division
1900 Kanawha Boulevard East
Building One – Room MB60
Charleston, West Virginia 25305

All inquiries for specification clarification shall be addressed to:

Krista Ferrell, Senior Buyer Purchasing Division P. O. Box 50130

Charleston, West Virginia 25305-0130

Fax: (304) 558-4115 Krista.S.Ferrell@wv.gov

The Acquisition and Contract Administration Section of the Purchasing Division "State" for the West Virginia General Services Division is soliciting quotations to provide Roof Replacement (Roofing) Services and building repairs as herein stated.

Pre-Bid Meeting:

A mandatory pre-bid meeting for this project is scheduled for Tuesday, September 16, 2008 at 10:00 a.m. at the site.

State of West Virginia
Department of Administration

General Service Division Engineering Section

Building 23 -Roof Replacement And Building Repairs

Scope:

The work consists of removing the existing roofing and insulation and replacing roof with new, adhered 60 mil EPDM roofing system. Associated work will include the following: flashing replacement, replacing parapet copings (if necessary), repainting where applicable, replacing gutters and downspouts, and other work necessary to provide a complete, watertight roofing system. Reroofing is defined as all work necessary to remove the existing roof and appurtenances, the disposal of associated refuse, and providing a new, complete, fully-functional roof system.

The state office building shall remain in full operation during the course of this work. Work should be scheduled with prior coordination with the Owner or designated representative to minimize potential disruption to the spaces below. If necessary for the contractors work schedule, provide temporary roofing to maintain a watertight structure. The contractor shall maintain the building in a "dried-in" condition every evening prior to leaving the site and shall provide the telephone number of a contact person who is available twenty-four hours a day if leakage occurs. The contractor shall be responsible for damage to the building or materials resulting from leakage caused by or during his operations. Contractor will submit a project schedule showing the roofing sequence, commencement and completion dates for each roof sub-area or subsystem and other repairs as stated herein or on accompanying documents The project work schedule shall be reviewed and approved in writing by the Owner or designated representative prior to commencement of the work. Contractor will coordinate the schedule around Owner's work requirements.

This project includes the removal of the existing elevator housing and related elevator equipment. The housing is situated on the roof that is to receive the 6 mil EPDM membrane. After removal of the housing and the related abandoned elevator equipment the Contractor will finish the opening to become a part of the specified roofing as defined herein. The opening will become a part of the existing roof and will be treated as such during the reroofing part of this project. The existing elevator will receive all necessary improvements to comply with NFPA standards. This project also includes rebricking and performing necessary repairs to the existing chimney. All chimney work will be performed in accordance with all NFPA or other related standards. The existing chimney will be extended by bricking to a minimum of six feet above the highest point of the finished roof. The brick used is to be as close as possible to the color and type used in the existing chimney. The chimney is and will maintain the status of an operating

State of West Virginia
Department of Administration

General Service Division Engineering Section

Building 23 -Roof Replacement And Building Repairs chimney. The chimney will be capped to prevent entry by birds or other animals.

The successful contractor shall be required keep the work area clean on a daily basis and remove associated debris from the site on a regular (minimum of twice weekly) basis. Contractor will furnish all materials, labor, and equipment necessary to complete the work indicated by these specifications. The intent of this project is to provide a fully completed roofing project and other repairs as stated herein or on accompanying documents. Contractor will furnish any incidental work, materials, labor and equipment that are necessary to complete the project, even if such incidental work is not explicitly included in the contract documents.

Note that space around the building is very limited. Locate basement portions of the building and underground utilities prior to placing cranes or hoists near the building. Do not place heavy loads near basement areas.

This RFQ also incorporates the attached Specifications and Drawings:

- 1 Roofing Replacement Bid Form
- 2 EPDM MEMBRANE ROOFING SPECIFICATIONS
- 3 Drawing 2 Roof Detail

REQUEST FOR QUOTATIONS # GSD096408 GENERAL SERVICES DIVISION

ROOFING REPLACEMENT

WEST VIRGINIA STATE OFFICE BUILDING

BUILDING 23 407 NEVILLE STREET Beckley, West Virginia
Danhill Construction Company NAME OF BIDDER
P.O. BOX 685 Couley Bridge, W.V. ADRESS OF BIDDER 25085
304-632-1600 PHONE NUMBER
WUOOLLAL WY CONTRACTOR'S LICENSE NO.
We, the undersigned, having examined the site and being familiar with the local conditions affecting the cost of the work and also being familiar with the general conditions to bidders, drawings, and specifications, hereby propose to furnish all materials, equipment, and labor to complete all work in a workmanlike manner, as described in the Bidding Documents.
TOTAL CONTRACT BID
Two Hundred Thorty Two Thousand Four
Hundred Twenty Dollars (\$ 232,420) (Total to be written in figures and words.)

The Bidder understands that to the extent allowed by the West Virginia Code, the OWNER reserves the right to waive any informality or irregularity in any Bid, or Bids, and to reject any or all Bids in whole or in part; to reject a bid not accompanied by the required bid security or by other data required by the Bidding Documents; to reject any conditions of the bid by the Bidder that is in any way inconsistent with the requirements, terms, and conditions of the Bidding Documents; or to reject a bid that is in any way incomplete or irregular.

The Bidder, if successful and awarded the contract, agrees that all work is to be complete within One Hundred Twenty (120) consecutive calendar days following receipt of the OWNER'S written notice to proceed. For each calendar day of delay in achieving completion, the Contractor shall be liable for, and shall pay the OWNER liquidated damages in the amount of \$100.00 per day.

Any work performed or any materials contracted for prior to the receipt of the OWNER'S written notice to proceed shall be at the Bidder's risk.

When the WORK under contract has been complete and its acceptance is recommended by the OWNER, the retainage shall be released and paid to the CONTRACTOR.

ADDENDUM ACKNOWLEDGEMENT

I hereby acknowledge receipt of the following checked addendum and have made the necessary revisions to my proposal.

Addendum No.	Date
#1	9-21-2008
# 2	10-2-2008
# 3	10-8-2008
I understand that failure to confirm the receipt of the Adbids. Lobert O. Iffile	ddendum is cause for rejection of
Signature	Date

RESPECTFULI	LY SUBMITTED:
DATE:	10-21-2018
WV VENDOR N	NUMBER: 709053330
BY: Lot	best D. Hill
-	(Signature in ink)
TITLE:	esident
FIRM NAME:	Danhill Construction Company
ADDRESS:	P.O. BUX 685 GANLEY BRIDGE, W.V. 25085

References:	
Reference Name: Position: Address: Telephone Number: Project Name: Project Description:	St. Albans Roof Replace ment
Reference Name: Position: Address: Telephone Number: Project Name: Project Description:	Mile Mace, United States Postal Service Project Manager PO Cox 59701 Charleston, UN 25350 746-5252 Forgetteville Post office Roof Replacement Roof Replacement
Reference Name: Position: Address: Telephone Number: Project Name: Project Description:	Mike Perro united Steets Postal Services Project Manager Polox 59701, Charleston LUV 25350 Prunting ton Past Office Roof Replacement Roof Realacement

EPDM MEMBRANE ROOFING SPECIFICATIONS

PART 1 - GENERAL

1.1 SUMMARY

A. This Section includes adhered membrane roofing system.

1.2 SUBMITTALS

- A. Product Data: For each product indicated. Must provide manufacturers affirmation that all products including EPDM membrane are made in USA.
- B. Shop Drawings: Include plans, elevations, sections, details, and attachments to other Work.
- C. Samples: For each product included in membrane roofing system.
- D. Research/evaluation reports.
- E. Maintenance data.

1.3 QUALITY ASSURANCE

- A. Installer Qualifications: A qualified firm that is approved, authorized, or licensed by roofing system manufacturer to install manufacturer's product and that is eligible to receive manufacturer's warranty.
- B. Source Limitations: Obtain components for membrane roofing system approved by roofing membrane manufacturer.
- C. Fire-Test-Response Characteristics: Provide membrane roofing materials with the fire-test-response characteristics indicated as determined by testing identical products per test method below by UL, FMG, or another testing and inspecting agency acceptable to authorities having jurisdiction.
 - 1. Exterior Fire-Test Exposure: Class A ASTM E 108, for application and roof slopes indicated.
- D. Preinstallation Conference: Conduct conference at Project site.

1.4 PROJECT CONDITIONS

A. Weather Limitations: Proceed with installation only when existing and forecasted weather conditions permit roofing system to be installed according to manufacturer's written instructions and warranty requirements.

1.5 WARRANTY

- A. Special Warranty: Manufacturer's standard form, without monetary limitation, in which manufacturer agrees to repair or replace components of membrane roofing system that fail in materials or workmanship within specified warranty period. Failure includes roof leaks.
 - 1. Warranty Period: 15 years from date of acceptance by Owner.

PART 2 - PRODUCTS

2.1 EPDM ROOFING MEMBRANE

- A. EPDM Roofing Membrane: ASTM D 4637, Type scrim or fabric internally reinforced uniform, flexible sheet made from EPDM, and as follows:
 - 1. Manufacturers: Subject to compliance with requirements, provide products by the manufacturers specified, or their equal:
 - a. Carlisle SynTec Incorporated.
 - b. Celotex Corporation.
 - c. Firestone Building Products Company.
 - d. Johns Manville International, Inc.
 - 2. Thickness: 60 mils nominal.
 - 3. Exposed Face Color: Black

2.2 AUXILIARY MATERIALS

- A. General: Auxiliary materials recommended by roofing system manufacturer for intended use and compatible with membrane roofing.
- B. Sheet Flashing: 60-mil thick EPDM, partially cured or cured, according to application.
- C. Bonding Adhesive: Manufacturer's standard bonding adhesive.
- D. Seaming Material: Manufacturer's standard synthetic-rubber polymer primer and 3-inch- (75-mm-) wide minimum, butyl splice tape with release film.
- E. Miscellaneous Accessories: Provide lap sealant, water cutoff mastic, metal termination bars, metal battens, pourable sealers, preformed cone and vent sheet flashings, preformed inside and outside corner sheet flashings, T-joint covers, in-seam sealants, termination reglets, cover strips, and other accessories.

2.3 ROOF INSULATION

- A. Cellulosic-Fiber Board Insulation: ASTM C 208, Type II, Grade 2, fibrous-felted, rigid insulation boards of wood fiber or other cellulosic-fiber and water-resistant binders, asphalt impregnated, chemically treated for deterioration.
- B. Tapered Insulation: Provide factory-tapered insulation boards fabricated to slope of 1/4 inch per 12 inches (1:48), unless otherwise indicated.
- C. Provide preformed saddles, crickets, tapered edge strips, and other insulation shapes where indicated for sloping to drain. Fabricate to slopes indicated.

2.4 INSULATION ACCESSORIES

- A. Cold Fluid-Applied Adhesive: Manufacturer's standard cold fluid-applied adhesive formulated to adhere roof insulation to substrate.
- B. Cover Board: ASTM C 208, Type II, Grade 2, cellulosic-fiber insulation board, 1/2 inch (13 mm) thick.
- C. Cover Board: DOC PS 2, Exposure 1, oriented strand board, 7/16 inch (11 mm) thick.
- D. Roofing Asphalt: ASTM D 312, Type III.
 - 1. Asphalt Primer: ASTM D 41.

2.5 WALKWAYS

A. Flexible Walkways: Factory-formed, nonporous, heavy-duty, solid-rubber, slip-resisting, surface-textured walkway pads approximately 3/16 inch (5 mm) thick, and acceptable to membrane roofing system manufacturer.

PART 3 - EXECUTION

3.1 INSULATION INSTALLATION

- A. Coordinate installing membrane roofing system components so insulation is not exposed to precipitation or left exposed at the end of the workday.
- B. Comply with membrane roofing system manufacturer's written instructions for installing roof insulation.
- C. Install tapered insulation under area of roofing to conform to slopes indicated.
- D. Install one or more layers of insulation under area of roofing to achieve required thickness. Where overall insulation thickness is 2 inches (50 mm) or greater, install 2 or more layers with joints of each succeeding layer staggered from joints of previous layer a minimum of 6 inches in each direction.
- E. Adhered Insulation: Install each layer of insulation and adhere to substrate as follows:
 - 1. Prime surface of concrete deck with asphalt primer at rate of 3/4 gal./100 sq. ft. (0.3 L/sq. m) and allow primer to dry.
 - 2. Set each layer of insulation in a solid mopping of hot roofing asphalt, applied within plus or minus 25 deg F (14 deg C) of equiviscous temperature.
 - 3. Set each layer of insulation in a cold fluid-applied adhesive.
- F. Install cover boards over insulation with long joints in continuous straight lines with end joints staggered between rows. Loosely butt cover boards together and fasten to roof deck.
 - 1. Fasten insulation to resist uplift pressure at corners, perimeter, and field of roof.

3.2 ADHERED ROOFING MEMBRANE INSTALLATION

A. Install roofing membrane over area to receive roofing according to membrane roofing system manufacturer's written instructions. Unroll roofing membrane and allow to relax before installing.

- B. Accurately align roofing membrane and maintain uniform side and end laps of minimum dimensions required by manufacturer. Stagger end laps.
- C. Bonding Adhesive: Apply bonding adhesive to substrate and underside of roofing membrane at rate required by manufacturer and allow to partially dry. Do not apply bonding adhesive to splice area of roofing membrane.
- D. Mechanically or adhesively fasten roofing membrane securely at terminations, penetrations, and perimeter of roofing.
- E. Adhesive Seam Installation: Clean both faces of splice areas, apply splicing cement, and firmly roll side and end laps of overlapping roofing membranes according to manufacturer's written instructions to ensure a watertight seam installation. Apply lap sealant and seal exposed edges of roofing membrane terminations.
- F. Tape Seam Installation: Clean and prime both faces of splice areas, apply splice tape, and firmly roll side and end laps of overlapping roofing membranes according to manufacturer's written instructions to ensure a watertight seam installation. Apply lap sealant and seal exposed edges of roofing membrane terminations.
- G. Repair tears, voids, and lapped seams in roofing that does not meet requirements.

3.3 BASE FLASHING INSTALLATION

- A. Install sheet flashings and preformed flashing accessories and adhere to substrates according to membrane roofing system manufacturer's written instructions.
- B. Apply bonding adhesive to substrate and underside of sheet flashing at required rate and allow to partially dry. Do not apply bonding adhesive to seam area of flashing.
- C. Flash penetrations and field-formed inside and outside corners with cured or uncured sheet flashing.
- D. Clean splice areas, apply splicing cement, and firmly roll side and end laps of overlapping sheets to ensure a watertight seam installation. Apply lap sealant and seal exposed edges of sheet flashing terminations.
- E. Terminate and seal top of sheet flashings and mechanically anchor to substrate through termination bars.

3.4 WALKWAY INSTALLATION

A. Flexible Walkways: Install walkway products in locations indicated. Adhere walkway products to substrate with compatible adhesive according to roofing system manufacturer's written instructions.

3.5 FIELD QUALITY CONTROL

- A. Final Roof Inspection: Arrange for roofing system manufacturer's technical personnel to inspect roofing installation on completion and submit report to Owner's designee.
- B. Repair or remove and replace components of membrane roofing system where test results or inspections indicate that they do not comply with specified requirements.



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

GSD096408

· · PAC	E (%)
	1

ADDRESS CORRESPONDENCE TO ATTENHON OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

> Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085

DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING TWENTY THREE
407 NEVILLE STREET
BECKLEY WV
25801 304-558-2317

FREIGHT TERMS DATE PRINTED TERMS OF SALE SHIP VIA F.O.8 09/21/2008 01:30PM BID OPENING TIME BID OPENING DATE: 10/07/2008 CAT. UNIT PRICE AMOUNT QUANTITY ITEM NUMBER LINE UOP ADDENDUM NO. 1 THIS ADDENDUM IS ISSUED TO: EXTEND THE BID OPENING DATE 1.) 10/07/2008 DATE IS EXTENDED TO: BID OPENING 1:30 PM TIME REMAINS: BID OPENING 910-66 JB 0001 REROOFING OF BLDG#23, 407 NEVILLE ST, BECKLEY SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 632-1600 ADDRESS CHANGES TO BE NOTED ABOVE 55-0448251

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

2501262

SIGN IN SHEET

Request for Quotation Number:

Date:

Sept 16, 2008

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name:	IN DESIGNATION NAMES (IN THE PARTY OF THE PA
Firm Address.	1.0 PW 371 (CEDITO, W/ 299-71
Represenative Attending:	GREAT DEMAN
Phone Number:	3721-10h hoz
Fax Number.	301 UBJ- 2-176
Email Address:	Glocaldam B. Porteral

Firm Name:	Frze Kooking Inc
Firm Address:	Blue field, in 2870)
Representative Attending:	Terrales Lobinson
Phone Number:	4155 7 25. tos
Fax Number.	Jag-325.3700
Email Address:	Toremile Fire lating. Com

Firm Name:	WU- C\$D
Firm Address:	
Represenative Attending:	Labort Learnes
Phone Number:	
Fax Number:	
Email Address	•

E 1.1	1
ROSFING & SHEET METH	PIVICESCO
	-8135 -8135 -8275 -1-540kg
TRI- STATE ROFFING & SHEET ! DO BOY 1231 (FURE CESTON) WV 29325	Belay Linvine 304-755-8135 304-755-5275 304-755-5275 blinville @ fri-stategervice, com
	Attending:
Firm Name: Firm Address:	Represenative. Phone Number Fax Number: Email Address:

Firm Name:	DANHILL CONSTRUCTION CO.
Firm Address:	P.O. BOX 685
	64ULEY BRIDGE WUR 25085
······································	
Representative Attending:	STAN HAYES
Phone Number	(304) (32-1600
Fax Number	(304)632-1501
Email Address:	BDANHILL & HOTPAHIL, COM

Firm Name:	
Firm Address:	
Represenative Attending:	
Dhone Nimber	
Fax Nimber	
Email Address:	

PRE-BID CONFERENCE SIGN IN SHEET

Spes sept

Request for Quotation Number:

७०४७ ०४९०

Date:

Sept. 16,2008

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

Firm Name: Firm Address:	ων - 6sb	Firm Name: Firm Address:	W0-650
Represenative Attending: Phone Number. Fax Number: Email Address:	South Auder	Represenative Attending: Phone Number. Fax Number: Email Address:	Represenative Attending: Rick Howertow? Phone Number. Fax Number. Email Address:
Firm Name: Firm Address:		Firm Name: Firm Address:	
Represenative Attending: Phone Number: Fax Number: Email Address:		Represenative Attending: Phone Number: Fax Number: Email Address:	
Firm Name: Firm Address:		Firm Name: Firm Address:	
Represenative Attending: Phone Number: Fax Number: Email Address:		Represenative Attending: Phone Number: Fax Number: Email Address:	

+ Add I Statutes Make Motel Building.



HOOME

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

WV PURCHASING ACA SECT Fax 304-558-4115
Request for
Lion Quotation GSD

GSD096408

KRISTA FERRELL 304-558-2596 PAGE

ADDRESS CORRESSONDENCES OF A HENTION OF

Oct 2 2008 03:45pm P001/002

RFQ COPY TYPE NAME/ADDRESS HERE

Danhill Construction Company PO Box 685 Gauley Bridge, WV 25085 DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING TWENTY THREE
407 NEVILLE STREET
BECKLEY WV

25801 304-558-2317

DATE PRIN	TEO	J. S. J. Bi	ims of sai		SHIP VI	A	FOB		FREIGHT TERMS
10/02/ BID OPENING DATE:	2008						<u> </u>		Market and the second s
976047667603		10/21/	1.50.905000505050	CAT			OPENING TI		:30PM
LINE	OU)	ANTITY	UOP	ÑÔ	ITEM NUM	BER	UNIT PF	RICE	AMQUNT

				l 20	DDENDUM NO	1 2			
				· ^	DDISINDOM INC	/ n			
	THIS 2	ADDENDU	M IS	LSSUE	D TO EXTEN	ID THE	BID OPENIN	1G	
	DATE.	QUEST	IONS	WILL	BE ADDRESS	ED IN	A SUBSEQUE	ENT	
]	ADDENI	DUM.							
	L			L		/-	L ,		
					TENDED TO:				
	RID O	PENING	T.TME	KEMAT	NS:	1:30	P™		
	****	****	****	* ENT	ADDENDUM	NO. 2	*****	· * * * * *	
0001			JB		910-66		1		
	DEDOO	I ETNO OE	DITO	422	אוסט אוסטודד ד	E CM	DECIZE TOX		
	REROO	CING OF	םטטפ	#ZJ,	407 NEVILI	DE SI,	BECKLEY		
								•	
					Appropries				
	****	* THIS	IS T	HE EN	p of RFQ	GSD096	408 *****	* TOTAL:	**************************************
	-				alimit the second				
					MTGATA				
	1								
	·								
		20-000000	<u> </u>			921.000.000 oriona			
SIGNATURE	,	7		SEE BE	verse side hor te			n DATE	
KOD	et 1	D. Hu				, r • ~ 1 7 hm	632-1600		10-21-2008
TIFE /	<i>و</i> د	F	EIN	55-0	648251		ADDRE	SS CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7, Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15, WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



VENDOR

*709053330

PO BOX 685

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

þ

SHIP VIA

RFQ NUMBER GSD096408

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 804-558-2596

304-632-1558 DANHILL CONSTRUCTION COMPANY

GAULEY BRIDGE WV 25085

DATE PRINTED TERMS OF SALE

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION BUILDING TWENTY THREE 407 NEVILLE STREET BECKLEY WV

25801 304-558-2317

FOB FREIGHTTERMS

10/08/ BID OPENING DATE	/2008 : 10/21/	2000	DID	OPENING TIME 01	.30PM
LINE	QUANTITY	UOP CAT.		UNIT PRICE	AMOUNT
	THIS ADDENDU		OUM NO. 3		
		CLARIFIC	'Arions/Additions	TO THE	
	2.) ADD SEC	rion p762	O-SHEET METAL FLA	SHING AND TRIM	
	3.) ADD DRA	WINGS A1	AND A2		
			INS: 10/21/2008 INS: 1:30 PM		
	*******	**** END	ADDENDUM NO. 3 ***	 ****************	
				6	
0001	1	σв	910-66		
	REROOFING OF	BLDG#23,	407 NEVILLE ST,	BECKLEY	
	***** THIS		ND OF RFQ GSD0964		
SIGNATURE	abut D.	SEE1	REVERSE SIDE FOR TERMS AND CO	NDITIONS 132-1600 DATE	10-21-2008
TITLE /	5. F	55-0	0648251		TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

Beckley Re-Roofing Addenda No. 3

- 1. Replace roof plan with revised Drawing, dated October 6, 2008.
- 2. Insulation: Provide minimum of 3" Polyisocyanurate Insulation. Do not include Wood fiber insulation or OSB decking as previously specified.
- 3. Coping See attached Specification Section 07620.
- 4. Roof Warranty Provide Twenty (20) Year Warranty.
- 5. Paint brick on chimney to match existing.
- 6. Note existing elevator penthouse to remain and will be re-roofed as part of this contract. This contractor shall remove old elevator equipment from the existing penthouse as part of this contract. Equipment may be removed through the existing roof or by accessing the area from the Janitor's Closet below. In order to access the penthouse from the Janitor's Closet, a metal stud and drywall partition has to be removed and replaced along with the Janitor's Closet ceiling.
- 7. Add the following language: "WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED PURCHASING AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED PURCHASING AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.

SECTION 07620 - SHEET METAL FLASHING AND TRIM

PART 1 - GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Formed roof sheet metal fabrications.

1.2 SUBMITTALS

- A. Product Data: For each type of product indicated.
 - B. Samples: For each exposed finish specified.

1.3 QUALITY ASSURANCE

A. Sheet Metal Flashing and Trim Standard: Comply with SMACNA's "Architectural Sheet Metal Manual" unless more stringent requirements are specified.

1.4 WARRANTY

A. Special Warranty on Finishes: Manufacturer's standard form in which manufacturer agrees to repair finish or replace sheet metal flashing and trim that shows evidence of deterioration of factory-applied finishes within Twenty (20) years from date of Substantial Completion.

PART 2 - PRODUCTS

2.1 SHEET METALS

- A. General: Protect mechanical and other finishes on exposed surfaces from damage by applying a strippable, temporary protective film before shipping.
- B. Aluminum Sheet: ASTM B 209, alloy as standard with manufacturer for finish required, with temper as required to suit forming operations and performance required.
 - 1. Color Anodic Finish, Coil Coated: AAMA 611, AA-M12C22A42/A44, Class I, 0.018 mm or thicker. Color: Dark bronze.
 - 2. Exposed Coil-Coated Finishes:
 - a. Two-Coat Fluoropolymer: AAMA 620. Fluoropolymer finish containing not less than 70 percent PVDF resin by weight in color coat. Color: As selected by Owner from manufacturer's full range.

- C. Metallic-Coated Steel Sheet: Restricted flatness steel sheet, metallic coated by the hot-dip process and prepainted by the coil-coating process to comply with ASTM A 755/A 755M.
 - 1. Aluminum-Zinc Alloy-Coated Steel Sheet: ASTM A 792/A 792M, Class AZ50 coating designation, Grade 40 structural quality.
 - 2. Surface: Manufacturer's standard clear acrylic coating on both sides.
 - 3. Exposed Coil-Coated Finish:
 - 4. Color: As selected by Owner from manufacturer's full range.

2.2 MISCELLANEOUS MATERIALS

- A. General: Provide materials and types of fasteners, solder, welding rods, protective coatings, separators, sealants, and other miscellaneous items as required for complete sheet metal flashing and trim installation and recommended by manufacturer of primary sheet metal unless otherwise indicated.
- B. Fasteners: Wood screws, annular threaded nails, self-tapping screws, self-locking rivets and bolts, and other suitable fasteners designed to withstand design loads and recommended by manufacturer of primary sheet metal.
 - 1. General: Blind fasteners or self-drilling screws, gasketed, with hex-washer head.
 - 2. Exposed Fasteners: Heads matching color of sheet metal using plastic caps or factory-applied coating.
 - 3. Fasteners for Aluminum-Zinc Alloy-Coated Steel Sheet: Hot-dip galvanized steel according to ASTM A 153/A 153M or ASTM F 2329 or Series 300 stainless steel.
- C. Sealant Tape: Pressure-sensitive, 100 percent solids, gray polyisobutylene compound sealant tape with release-paper backing. Provide permanently elastic, nonsag, nontoxic, nonstaining tape 1/2 inch wide and 1/8 inch thick.
- D. Elastomeric Sealant: ASTM C 920, elastomeric polymer sealant; low modulus; of type, grade, class, and use classifications required to seal joints in sheet metal flashing and trim and remain watertight.
- E. Epoxy Seam Sealer: Two-part, noncorrosive, aluminum seam-cementing compound, recommended by aluminum manufacturer for exterior nonmoving joints, including riveted joints.

2.3 FABRICATION, GENERAL

- A. General: Custom fabricate sheet metal flashing and trim to comply with recommendations in SMACNA's "Architectural Sheet Metal Manual" that apply to design, dimensions, geometry, metal thickness, and other characteristics of item indicated. Fabricate items at the shop to greatest extent possible.
 - 1. Obtain field measurements for accurate fit before shop fabrication.
 - Form sheet metal flashing and trim without excessive oil canning, buckling, and tool
 marks and true to line and levels indicated, with exposed edges folded back to form
 hems.

- 3. Conceal fasteners and expansion provisions where possible. Exposed fasteners are not allowed on faces exposed to view.
- B. Sealed Joints: Form nonexpansion but movable joints in metal to accommodate elastomeric sealant.
- C. Expansion Provisions: Where lapped expansion provisions cannot be used, form expansion joints of intermeshing hooked flanges, not less than 1 inch deep, filled with butyl sealant concealed within joints.
- D. Fabricate cleats and attachment devices from same material as accessory being anchored or from compatible, noncorrosive metal.
- E. Seams: Fabricate nonmoving seams with flat-lock seams. Form seams and seal with elastomeric sealant unless otherwise recommended by sealant manufacturer for intended use. Rivet joints where necessary for strength.
- F. Seams for Aluminum: Fabricate nonmoving seams with flat-lock seams. Form seams and seal with epoxy seam sealer. Rivet joints where necessary for strength.

2.4 ROOF DRAINAGE SHEET METAL FABRICATIONS

- A. Hanging Gutters: Fabricate to cross section indicated, complete with end pieces, outlet tubes, and other accessories as required. Fabricate in minimum 96-inch long sections. Furnish flat-stock gutter spacers and gutter brackets fabricated from same metal as gutters, of size recommended by SMACNA but not less than twice the gutter thickness. Fabricate expansion joints, expansion-joint covers, and gutter accessories from same metal as gutters.
- B. Parapet Scuppers: Fabricate scuppers of dimensions required with closure flange trim to exterior, 4-inch- wide wall flanges to interior, and base extending 4 inches beyond cant or tapered strip into field of roof.
- C. Downspouts: Fabricate rectangular downspouts complete with mitered elbows. Furnish with metal hangers from same material as downspouts and anchors.

2.5 LOW-SLOPE ROOF SHEET METAL FABRICATIONS

- A. Roof-Edge Flashing and Gravel Stop: Fabricate in minimum 8-foot- long, but not exceeding 10-foot long, sections. Furnish with 6-inch- wide, joint cover plates. Fabricate from the following materials:
 - 1. Aluminum: 0.050 inch thick.
 - 2. Aluminum-Zinc Alloy-Coated Steel: 0.028 inch thick.
- B. Copings: Fabricate in minimum 8-foot long, but not exceeding 10-foot long, sections. Fabricate joint plates of same thickness as copings. Furnish with continuous cleats to support edge of external leg and drill elongated holes for fasteners on interior leg. Miter corners, seal, and solder or weld watertight. Fabricate from the following materials:
 - 1. Aluminum: 0.050 inch thick.
 - 2. Aluminum-Zinc Alloy-Coated Steel: 0.040 inch thick.

- C. Base Flashing: Aluminum-Zinc Alloy-Coated Steel: 0.028 inch thick.
- D. Counterflashing:
 - 1. Aluminum: 0.032 inch thick,
 - 2. Aluminum-Zinc Alloy-Coated Steel: 0.022 inch thick.
- E. Roof-Penetration Flashing: Aluminum-Zinc Alloy-Coated Steel: 0.028 inch thick.
- F. Roof-Drain Flashing: Stainless Steel: 0.016 inch thick.

PART 3 - EXECUTION

3.1 INSTALLATION, GENERAL

- A. General: Anchor sheet metal flashing and trim and other components of the Work securely in place, with provisions for thermal and structural movement so that completed sheet metal flashing and trim shall not rattle, leak, or loosen, and shall remain watertight. Use fasteners, solder, welding rods, protective coatings, separators, sealants, and other miscellaneous items as required to complete sheet metal flashing and trim system.
 - 1. Install sheet metal flashing and trim true to line and levels indicated. Provide uniform, neat seams with minimum exposure of solder, welds, or sealant.
 - 2. Install sheet metal flashing and trim to fit substrates and to result in watertight performance. Verify shapes and dimensions of surfaces to be covered before fabricating sheet metal.
 - 3. Space cleats not more than 12 inches apart. Anchor each cleat with two fasteners. Bend tabs over fasteners.
 - 4. Install exposed sheet metal flashing and trim without excessive oil canning, buckling, and tool marks.
 - 5. Install sealant tape where indicated.
 - 6. Torch cutting of sheet metal flashing and trim is not permitted.
- B. Metal Protection: Where dissimilar metals will contact each other or corrosive substrates, protect against galvanic action by painting contact surfaces with bituminous coating or by other permanent separation as recommended by SMACNA.
 - 1. Coat back side of uncoated aluminum and stainless-steel sheet metal flashing and trim with bituminous coating where flashing and trim will contact wood, treated wood, ferrous metal, or cementitious construction.
 - 2. Underlayment: Where installing metal flashing directly on cementitious or wood substrates, install a course of felt underlayment and cover with a slip sheet or install a course of polyethylene sheet.
- C. Expansion Provisions: Provide for thermal expansion of exposed flashing and trim. Space movement joints at a maximum of 10 feet with no joints allowed within 24 inches of corner or intersection. Where lapped expansion provisions cannot be used or would not be sufficiently watertight, form expansion joints of intermeshing hooked flanges, not less than 1 inch deep, filled with sealant concealed within joints.

- D. Fastener Sizes: Use fasteners of sizes that will penetrate wood sheathing not less than 1-1/4 inches for nails and not less than 3/4 inch for wood screws.
- E. Seal joints as required for watertight construction.
- F. Rivets: Rivet joints in uncoated aluminum where indicated and where necessary for strength.

3.2 ROOF DRAINAGE SYSTEM INSTALLATION

- A. General: Install sheet metal roof drainage items to produce complete roof drainage system according to SMACNA recommendations. Coordinate installation of roof perimeter flashing with installation of roof drainage system.
- B. Hanging Gutters: Join sections with lapped joints sealed with sealant. Provide for thermal expansion. Attach gutters at eave or fascia to firmly anchored gutter brackets spaced not more than 36 inches apart. Provide end closures and seal watertight with sealant. Slope to downspouts. Install gutter with expansion joints not exceeding, 50 feet apart.
- C. Downspouts: Join sections with 1-1/2-inch telescoping joints. Provide hangers with fasteners designed to hold downspouts securely to walls. Locate hangers at top and bottom and at approximately 60 inches o.c. in between.
- D. Splash Pans: Install where downspouts discharge on roofs. Set in adhesive material compatible with the roofing.
- E. Parapet Scuppers: Install scuppers where indicated through parapet. Continuously support scupper, set to correct elevation, and seal flanges to interior wall face, over cants or tapered edge strips, and under roofing membrane.
- F. Expansion-Joint Covers: Install expansion-joint covers at locations and of configuration indicated. Lap joints a minimum of 4 inches in direction of water flow.

3.3 ROOF FLASHING INSTALLATION


- A. General: Install sheet metal flashing and trim to comply with performance requirements, sheet metal manufacturer's written installation instructions, and SMACNA's "Architectural Sheet Metal Manual." Provide concealed fasteners where possible, set units true to line, and level as indicated. Install work with laps, joints, and seams that will be permanently watertight and weather resistant.
- B. Roof Edge Flashing: Anchor to resist uplift and outward forces according to recommendations in SMACNA's "Architectural Sheet Metal Manual" and as indicated. Interlock bottom edge of roof edge flashing with continuous cleat anchored to substrate at 3-inch centers.
- C. Copings: Anchor to resist uplift and outward forces according to recommendations in SMACNA's "Architectural Sheet Metal Manual".
 - 1. Interlock exterior bottom edge of coping with continuous cleat anchored to substrate at 16-inch centers.


- 2. Anchor interior leg of coping with washers and screw fasteners through slotted holes at 24-inch centers.
- D. Pipe or Post Counterflashing: Install counterflashing umbrella with close-fitting collar with top edge flared for elastomeric sealant, extending a minimum of 4 inches over base flashing. Install stainless-steel draw band and tighten.
- E. Roof-Penetration Flashing: Coordinate installation of roof-penetration flashing with installation of roofing and other items penetrating roof. Seal with elastomeric sealant and clamp flashing to pipes that penetrate roof.

3.4 CLEANING AND PROTECTION


- A. Clean exposed metal surfaces of substances that interfere with uniform oxidation and weathering.
- B. Remove temporary protective coverings and strippable films as sheet metal flashing and trim are installed unless otherwise indicated in manufacturer's written installation instructions.

END OF SECTION 07620






BECKLEY, WEST VIRGINIA



CHIMNEY REPAIR DETAIL

tl. etween °s.



ROOF STAIR DETAIL

SCALE 3/8" = 1'-0"

Agency	GSD
REQ.P.O#	096408

BID BOND

	KNOW	ALL MEN BY THE	SE PRESEN	ITS, That w	e, the undersigne	d, <u>Danhill</u>	Construc	tion Company	7
alalah Wasilan	of	Gauley Bridge		West	. Virginia	, as Prin	cipal, and	Colonial	Surety Co.
arlamanin kan ing mangangan sa	of _	Montvale	. <u>N</u> e	ew Jersey	, a corporatio	n organized a	and existing	under the laws o	of the State of
name to state a	ŊJ	with its principal	office in the	City of	Montvale	, as Sure	ety, are held	and firmly bound	d unto the State
of West	t Virginia	, as Obligee, in the	penal sum o	fThi	rteen Thousan	d Five Hun	ıdred	(\$ <u>13,500.</u> (00) for the
paymer	nt of whic	ch, well and truly to	be made, w	e jointly and	severally bind ou	urselves, our l	heirs, admin	istrators, execut	ors, successors
and ass	signs.								
		ondition of the abov	•			,		•	
Departr		Administration a ce	-	•		•			-
See	Reroo	f of Building # :	23, 407 Ne					the second order of the second order	
		the same and artificial factor different control of the same and artificial factor different control of the same							and the control of th
	NOW	THEREFORE,							
		said bid shall be re		i i mari ir			. •	*** ** * * * *	
horoto d		said bid shall be ac I furnish any other l							
		ted by the accepta							
		. It is expressly un							
		al amount of this ol					.,		seriority in the warring
	·								
		irety, for the value							
		affected by any ex		e time withir	n which the Oblige	ee may accep	ot such bid, a	and said Surety o	does hereby
waive n	iotice of	any such extensior	1,						
	IN WIT	NESS WHEREOF	, Principal an	d Surety ha	ve hereunto set ti	heir hands an	d seals, and	such of them as	s are corporations
have ca	aused the	eir corporate seals	to be affixed	hereunto ar	d these presents	to be signed	by their prop	per officers, this	
21st	da	ay of Octobe	er, 2	. <u>80 08</u> .					
Principa	al Corpo	rate Seal						onstruction C	
							(N	lame of Principa	"A A A A A
	•					Ву	Robert D.	Hill Ko	best W. I.
					•	·	(N	lust be Presiden	
							V	ice President)	
							President	1	
								(Title)	***************************************
Suratu	Corporat	o Soal					Colomial	Surety compa	m 37
Surety	Corporat	e Seal				who has falses VI mall of side incommo		lame of Surety)	11. J.
							•	• /	
								10.1	1 (1)
							Roberta I	3irdKM1L	nta 12M
								Attorney-in-Fact	

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Colonial Surety Company

Administrative Office 50 Chestnut Ridge Road Montvale, NJ 07645

CONSENT OF SURETY

DOA, General Service Division Bldg.23, 407 Neville Street

Beckley

, WV

25801

RE: Reroof of Bldg #23, 407 Neville St. Beckley, WV 25801

COLONIAL SURETY COMPANY organized and existing under the laws of the Commonwealth of Pennsylvania and duly qualified to transact business in the State of WV hereby agrees that **Danhill Construction Company**

Glen Ferris

has submitted a proposal on the captioned project. We hereby agree that in the event an award is made to

Danhill Construction Company

Glen Ferris

, WV

that we will provide the required performance, payment and/or maintenance bonds.

Signed and sealed this 21st day of October 2008.

COLONIAL SURETY COMPANY

COLONIAL SURETY COMPANY

Duncannon, Pennsylvania Administrative Office: 50 Chestnut Ridge Road, Montvale, New Jersey 07645

Know all Men by These Presents. That COLONIAL SURETY COMPANY, a corporation duly organized and existing under the laws of the Commonwealth of Pennsylvania and having an administrative office in Montvale, Bergen County, NJ does by these presents

GENERAL POWER OF ATTORNEY make, constitute and appoint Roberta Bird W its true and lawful Attorney(s)-in-Fact, with full power and authority hereby conferred in Glen Ferris its name, place and stead, to execute, acknowledge and deliver. Any and All Bonds and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming all that the said Attorney(s)-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolution adopted by the Board of Directors of the Colonial Surety Company at a meeting held on the 25th day of July, 1950. "Be it Resolved, that the President, any Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions: "Section I. Attorney-in-Fact. Attorney-in-Fact may be given full power and authority for and in the name of and on behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements of indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and attested by the Corporate Secretary." "In Witness Whereof, Colonial Surety Company has caused these presents to be signed by its ____ President and its corporate seal to be hereto affixed the ___8th_ _ day of _ September , A.D., 2006. COLONIAL SURETY COMPANY

County of Bergen	1930 By By	Vayne Nunziata, President
On this 8th day of	September	, in the year 2006, before me
Theresa Si	immons	, a notary public, personally appeared
Wayne Nu	ınziata	, personally known to me to be the person who
executed the within instrument as Presid	lent,	on behalf of the corporation therein named and
acknowledged to me that the corporation execut	ted it.	
Notary Public of New Jerse My Commission Expires September	2, 2010 Theresa Simm	notary Public

I, the undersigned Secretary of Colonial Surety Company, hereby certify that the above and foregoing is a full, true and correct copy of the Original Power of Attorney issued by said Company, and do hereby further certify that the said Power of Attorney is still

And I do hereby further certify that the Certification of this Power of Attorney is signed and sealed by facsimile under and by the authority of the following resolution adopted by the Board of Directors of the Colonial Surety Company at a meeting duly called and held on the 30th of January 1968, and that said resolution has not been amended or repealed:

RESOLVED, that the signature of the Secretary or any Assistant Secretary of this Corporation, and the seal of Corporation, may be affixed or printed by facsimile to any certificate to a Power of Attorney of this Corporation, and that such printed facsimile signature and seal shall be valid and binding upon this Corporation.'

GIVEN under my hand and the seal of said Company, at Montvale, N	lew Jersey this	<u> </u>	day of
October , 20 08			
we see a constitution of the management of the constitution of the	110 1	_	

For verification of the authenticity of this Power of Attorney you may call (201) 573-8788 and ask for the Power of Attorney clerk. Please refer to the above named individual(s) and details of the bond to which the power is attached.

Frederick S. Gallo, Secretary

State of West Virginic Country of Yayeth

AND NOW, this 21st day of October, in the calendar year of 2008, before me, a duly appointed and commissioned notary public, came the identified subscriber to the within instrument or instruments, and/or the demonstrated attorney-in-fact for said signatory and subscriber on said instrument or instruments, Roberta Bird, attorney-in-fact of Colonial Surety Company, an insurance company duly organized and existing under the laws of the Commonwealth of Pennsylvania and which is authorized to conduct business in this State, and that as such being authorized to do so, acknowledged that the within instrument or instruments were executed as the authorized act of his disclosed principal for the purposes therein contained, and declared to be a person executing said instrument or instruments as attorney-in-fact and with full capacity and competency, at the request of and on behalf of Colonial Surety Company therein named and acknowledged to me that the aforesaid Colonial Surety Company had authorized the execution by the aforesaid attorney-in-fact of said instrument or instruments with the intent to be legally bound as required by common and statutory law.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

OFFICIAL SEAL
Notary Public, State Of West Virginia
JESSICA VANMETER
PO Box 27
Glen Ferris, WV 25090
My Commission Expires March 28, 2015

A Notary Public of West Vogan, a. My Commission Expires on 3/28/2015

Notary Public in and for the

County of County

NOTAKY PUBLIC

COLONIAL SURETY COMPANY

Duncannon, Pennsylvania
- Inc 1930 --

FINANCIAL STATEMENT—DECEMBER 31, 2007

ASSETS

LIABILITIES & SURPLUS

*Stocks and Bonds\$	22,333,566	Reserve for Unearned Premiums
Cash in Office & Banks	2,802,343	Claim Reserves
Accrued Interest & Dividends	271,910	Other Liabilities
Premiums & Agents Balances Receivable	636,235	Collateral Held
Other Assets	875,886	Capital Stock
		Surplus
Total Admitted Assets	26,919,940	Total Liabilities & Surplus

^{*}Bonds and stocks are valued on basis approved by National Association of Insurance Commissioners.

STATE OF NEW JERSEY COUNTY OF BERGEN

SS.:

I, Wayne Nunziata, President of COLONIAL SURETY COMPANY, do hereby certify that the foregoing is a full, true and correct copy of the Financial Statement of said Company, as of December 31, 2007.

IN WITNESS WHEREOF, I have signed this statement at Montvale, New Jersey, this 15th day of February, 2008.

Surety Composited Incorporated 1930 *

Theresa Simmons A Notary Public of New Jersey My Commission Expires September 2, 2010 Vayne Nunziata

President

Notary Pul



CERTIFICATE HOLDER:

DANHILL CONSTRUCTION COMPANY PO BOX 685 GAULEY BRIDGE, WEST VIRGINIA 25085-0685

PRODUCER:

BrickStreet Mutual Insurance Company 400 Quarrier Street Charleston, WV 25301

· INSURED:

DANHILL CONSTRUCTION COMPANY PO BOX 685 GAULEY BRIDGE, WEST VIRGINIA 25085-0685

CERTIFICATE OF INSURANCE

The policy of insurance listed below has been issued to the insured named above for the policy period and coverage indicated. This certificate is issued as a matter of information only and confers no rights upon the certificate holder. This certificate does not amend, extend or alter the coverage afforded by the policy below. Coverage is contingent on the insured's compliance with policy conditions and premium payment.

If the policy is canceled before the expiration date, BrickStreet Mutual Insurance Company will endeavor to mail a written notice to the certificate holder within 30 days of cancelation. Failure to mail the notice shall impose no obligation or liability of any kind upon BrickStreet Mutual Insurance Company.

POLICY NUMBER: WC10009090-05

DATE CERTIFICATE ISSUED: 09/02/2008

POLICY EFFECTIVE DATE:

08/28/2008

EXPIRATION DATE: 08/28/2009

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

LIMITS / COVERAGE

- [X] WORKERS COMPENSATION STATUTORY LIMITS
- [X] EMPLOYERS LIABILITY LIMITS:

BODILY INJURY BY ACCIDENT: BODILY INJURY BY DISEASE:

\$ 100,000.00

EACH ACCIDENT


BODILY INJURY BY DISEASE:

\$ 500,000.00 \$ 100,000.00 **POLICY LIMIT EACH EMPLOYEE**

- [] WV BROAD FORM EMPLOYERS LIABILITY ENDORSEMENT -COVERAGE FOR WV CODE 23-4-2(d)(2)(ii)
- [] FEDERAL COAL MINE HEALTH AND SAFETY ACT COVERAGE ENDORSEMENT -COVERAGE FOR WV CODE 23-4b-1 - FEDERAL BLACK LUNG COVERAGE

SPECIAL PROVISIONS IF ANY:

A	CO	RL	CERTIFICA	TE OF LIABILIT	TY INSUR	RANCE			5/7	(MM/DD/YYYY) //2008
PRODI Mou	cer nta:	(3 in	04)720-2000 FAX: State Insurance Ag wha Blvd. E.	(304) 720-2002	ONLY AND	CONFERS NO	ED AS A MATTE O RIGHTS UPON TE DOES NOT A FORDED BY THE	MEN	E CE D. E)	RTIFICATE CTEND OR
			INCLIPERS AF	FORDING COVE	RAGE	NAIC#				
	rle	sto	n WV 253	301	INSURER A: Wes			24112		
NSUR				nun (T-n.g.)	INSURER B:				<u></u>	
			onstruction Compan	ty (Inc.)	INSURER C:				-	
KOU	68	•			INSURER D:					
a	7	75	idge WV 25	185	INSURER E:					
		-	2490 ==							OTILIGATIO (12)
THE	POLIC	JES JENT	OF INSURANCE LISTED BELOV F, TERM OR CONDITION OF AN ICE AFFORDED BY THE POLI IMITS SHOWN MAY HAVE BEE	Y HAVE BEEN ISSUED TO THE INSI Y CONTRACT OR OTHER DOCUME CIES DESCRIBED HEREIN IS SUI NEDUCED BY PAID CLAIMS.	BJECT TO ALL TH	E TERMS, EXCLU	SIONS AND CONDIT	D. NO : ISSUI :IONS	ED OR OF S	MAY PERTAIN, UCH POLICIES.
INSR	ADD'L		TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)		LIMIT	5	
كلنة	NSRD	GEN	ERAL LIABILITY			•	EACH OCCURRENCE		\$	1,000,000
		x	COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurre)	100)	\$	300,000
A			CLAIMS MADE X OCCUR	CWP3808332	5/24/2008	5/24/2009	MED EXP (Any one pers	(no:	\$	10,000
							PERSONAL & ADV INJ	JRY	\$	1,000,000
	1						GENERAL AGGREGAT		<u>\$</u>	2,000,000
			TL AGGREGATE LIMIT APPLIES PER:				PRODUCTS - COMP/O	PAGG	\$	2,000,000
		_	OMOBILE LIABILITY ANY AUTO				COMBINED SINGLE LI	VIT	\$	1,000,000
A			ALL OWNED AUTOS SCHEDULED AUTOS	CWP3808332	5/24/2008	5/24/2009	BODILY INJURY (Per person)		s	<u></u>
			HIRED AUTOS				BODILY INJURY (Per accident)		s	
							PROPERTY DAMAGE (Per accident)		\$	
		GAI	RAGE LIABILITY				AUTO ONLY - EA ACC	DENT	\$	
			ANY AUTO				OTHER THAN	EA ACC AGG	\$	
 		EXC	CESS/UMBRELLA LIABILITY				EACH OCCURRENCE		\$	5,000,000
			OCCUR CLAIMS MADE				AGGREGATE	······	\$	5,000,000
١.		<u> </u>	l arm other	CWP3808332	5/24/2008	5/24/2009			\$	1
A		-	DEDUCTIBLE RETENTION \$ 0	CHE JOODJA					\$	
A		KERS	COMPENSATION AND				WC STATU- TORY LIMITS	OTH ER		
-			RS' LIABILITY PRIETOR/PARTNER/EXECUTIVE				E.L. EACH ACCIDENT		\$	1,000,000
	OFF	CERV	MEMBER EXCLUDED?	CWP3808332	5/24/2008	5/24/2009	E.L. DISEASE - EA EN			1,000,000
L	SPE	CAL	cribe under PROVISIONS below			1	E.L. DISEASE - POLIC	YLIMIT	1\$	1,000,000
	ОТН	ER				i				
Th an	is c	erti cipi	مستسيده الأستدلا منافيا والمتاريخ	ESEXCLUSIONS ADDED BY ENDORSEM oof of insurance. This c e does not amend any insu	wrtificate do	as not conter	on or extend i rance coverages	.nsur	ance subj	coverage to ject ot the
L	DTIF		re uoi nee		CANCELLA'	TION				
CE	KIIF	(A	TE HOLDER				DESCRIBED POLICIES	BE C/	NCELL	ED BEFORE THE
		r~~	Insurance Purpos	es Only			HE ISSUING INSURE			
			. with writing a marron.				THE CERTIFICATE HO			
					FAILURE TO E	O SO SHALL IMPOSE	NO OBLIGATION OR U	ABILIT	r of al	NY KIND UPON THE
						AGENTS OR REPRES				
-					1	REPRESENTATIVE	-	ليم	1	France
ī					Darlene l	Payne/DARLEN		-	-	-



CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV001196

Classification:

ELECTRICAL GENERAL BUILDING HEATING, VENTILATING & COOLING MULTIFAMILY PIPING PLUMBING RESIDENTIAL

> DANHILL CONSTRUCTION COMPANY PO BOX 685 GAULEY BRIDGE, WV 25085-0685

Date Issued

Expiration Date

AUGUST 06, 2008

AUGUST 06, 2009

Authorized Company Signature

Chair, West Virginia Contractor

Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.