

DATE PRINTED TERMS OF SALE

Request for Quotation

GSD096418

FOR

FREIGHT TERMS

KRISTA FERRELL 304-558-2596

SHIP VIA

GENERAL SERVICES DIVISION BUILDING 1 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305 304-558-3517

.....ADDRESS:CORRESPONDENCE:TO ATTENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE DEPARTMENT OF ADMINISTRATION R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

10/01/2008 BID OPENING DATE: 10/23/2008 BID OPENING TIME 01:30PM LINE QUANTITY UOP ITEM NUMBER UNITPRICE AMOUNT 0001 JB 360-20 \$90,685.00 \$90,685.00 INSTALLATION OF POLYMER FLOOR SEALER, BLDG#1 RECEIVED REQUEST FOR QUOTATION (RFQ) 2008 OCT 21 A 10: 55 THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRIGNIA DIVISION OF GENERAL SERVICES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH ALL LABOR ≎thecmaSiNG DIVIS**ION** AND MATERIALS FOR THE INSTALLATION OF A POLYMER STATE OF WV FLOOR SEALER IN THE BASEMENT OF BUILDING #1 (MAIN CAPITOL BUILDING) PER THE ATTACHED SPECIFICATIONS. TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT KRISTA.S.FERRELLOWV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS THURSDAY OCTOBER 9, 2008 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE. QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT. EXHIBIT 5 WEST VIRGINIA CODE 21-110-5 PROVIDES THAT: ANY SOLICITA-TION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 412-931-6992 10/20/08 ADDRESS CHANGES TO BE NOTED ABOVE 25--1146183 President

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



HODOMA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

GSD096418

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

BEQ NUMBER

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

DATE PRIN	ITED	TE	RMS OF SALE	SHIP V	IA.		0 В	FREIGHT TERMS
10/01. BID OPENING DATE								
***************************************	alessos estados	10/23/			BID	<u>OPENING</u>	TIME 01	:30PM
LINE	QUA	NTITY	UOP CAT NO	ITEM NUM	(BEA	UNI	TPRICE	AMOUNT
		*************		1				
]	REQUIR	RES FAC	H VENDOR	HAT SURMT	TS A RT	n FOR TI	IF WORK TO	
1			E SAME TIN					
	THE BI		E ENCLOSE					
	SIGNED	AND S	UBMITTED V	ITH THE B	ID AS E	VIDENCE	OF THE	
	VENDOR	R'S COM	PLIANCE W	TH THE PR	OVISION	S OF ART	TICLE 1D,	
			F THE WEST					
	MIT TH	E SIGN	ED PURCHAS	ING AFFID	AVIT WI	TH THE I	BID SHALL	
	RESULT	IN DI	SQUALIFICA	TION OF S	nch bid	•		
	MOTTOE	TO DD	OCEED. TI	TO COUTDA	~~ ~~	n n- n-		
			OCEED: THE	IS CONTRA				
		EIVED.		THERWISE				
			CHASE ORDE	R WILL BE	CONSID	ERED NOT	TCF TO	
	PROCEE						102 (0	
					ļ			
	CANCEL	LATION	: THE DIR	ECTOR OF	PURCHAS	ING RESE	RVES THE	
			CEL THIS C					
			E VENDOR 1					
	SUPPLI	ED ARE	OF AN INF	ERIOR QUA	LITY OR	DO NOT	CONFORM	
	HERE I		CIFICATION	S OF THE	BID AND	CONTRAC	T	
	HEKE I	. IV •		1				
	WAGE R	ATFS:	THE CONTRA	CTOR OR S	UBCONTR	ACTOR SH	IAII PAV	
			F THE U.S.					
	RATES	AS EST	ABLISHED F	OR KANAWH	A COUNT	Y, PURSU	IANT	
			INIA CODE					
	WAGE R	ATES A	PPLY TO TH	IS PROJEC	T)			
	ARBITR	ATION:	ANY REFE	RENCES MA	DE TO A	RBITRATI	ON OR	
			PAYMENTS					
			STATE LAW) ERICAN INS					
			O THIS CON					
	L WILLIAT	I	- 11110 0011	INNOI ME	HEREDI	DEFEIER	•	
	WORKER	s' com	PENSATION:	VENDOR	IS REQU	IRED TO	PROVIDE	
	A CERT	IFICAT	E FROM WOR	KERS' COM	PENSATI	ON IF SU	CCESSFUL	
		0.000.000					****	
SIGNATURE	()	7	OCERE	VERSE SIDE FOR TE	HMS:AND:CON TELEPHONE	NI IONS	IDATE	
TITLE		4	7.			-6992	1	-20-08
	esiden		^{3N} 25-11461	83		ADD	RESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

Sill p

GSD096418

PAGE Z

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

10/01/	000000000000000000000000000000000000000				3,115	****		See La		racioni tenio
BID OPENING DATE:		10/23/	2008			BID	OPENING	TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO	ITEM:NU	MBER	UNI	TPRICE		AMOUNT
			22.00.00							
	ALL OF	THE I	TEMS	CHECK	ED BELOW	WILL BE	A REQUI	IREMENT	†	
	1	S CONT	1	1 .						
					SSFUL VEN				OF	
					LIABILITY				_	
			1		UNLESS C				1	
					MINIMUM 250,000.	AMUUNI	ne Tueni	YANCE		
	CUVERA	GE KEU	DIKED	12 4	250,000.					
	() B	UILDER	S RIS	K INS	URANCE:	SUCCESS	FUL VENI	DOR SHA	۱LL	
					ERS RISK					
	AN AMO	UNT EQ	UAL T	0 100	% OF THE	AMOUNT	OF THE	CONTRAC	т.	
					ENT (5%)					
	1		l .		STATE OF		,			
					D AS A BI ISH A PER					
					OF THE A					
					IN THE FO					
					CREDIT, C					
					AUTHORIZ					
					. A LETT					
					ONLY BE					**************************************
					NAL OR BL				Γ	-
	ACCECP	TABLE	IN LI	EU OF	THE 5% E	SID BOND	, PERFO	RMANCE		
	BOND,	OR LAB	OR AN	D MAT	ERIAL BON	ID.				
					A TWO					
	1		F .	5	YSTEM WIL	T RF Y	KEGNIKE	MENI UI	•	
	THE SU	CCESSF	Dr AF	יאטמאי.						
	REV. 1	1/00								
	1	. 17 00]						
	EXHIBI	T 7								
			<u> </u>	XX88666	VERSE SIDE FOR	EGWEWNNES	I NORTH CANCELLO		V. (400 V. (400 V.)	
SIGNATURE			-	ಾಂದಲ್ಲ -	venoe alue run	TELEPHONE	NU-FINOINO		DATE	
	1						931-699	2	1	0-20-08
TITLE	\ reside		±n 25-	11.461	83		AD	DRESS CHA	NGES	TO BE NOTED ABOVE
WH	EN RESP	ONDING	TO RFG	. INSER	T NAME AND	ADDRESS	IN SPACE A	BOVE LA	BELE	D 'VENDOR'



Request for Quotation

GSD096418

PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
10/01/2008				
BID OPENING DATE:	10/23/2008	BID O		:30PM
LINE QUA	NITITY UOP GAT	ITEM NUMBER	UNITPRICE	AMOUNT
DOMEST	TTC ALUMINUM. CLA	SS & STEEL IN PUB	ITC WORKS	
PROJEC	1 1		LIG WORKS	
""				
IN ACC	CORDANCE WITH WES	T VIRGINIA CODE 5	-19-1 ET.,	
		OR CONSTRUCTION,		
ALTERA	ATION, REPAIR, IM	PROVEMENT OR MAIN	ITENANCE OF	
		E COST IS MORE TH		
		NLY, WHERE THE CO		
		HERE MORE THAN 10		
		E STATE WILL ACCE		
		TS PRODUCED IN TH		
		MACHINERY OR EQUI		
		PUBLIC WORKS SHA		
		SS OR STEEL, UNLE AN \$50,000 OR LES		٠
		ED IN PUBLIC WORK		
FOUNDS	S OF SIEEL ARE US	ED IN FUBLIC WORK	S FROJECTS.	
FORETO	EN MADE ALLIMINIM.	GLASS OR STEEL P	RODUCTS MAY BE	
		OST OF DOMESTIC P		
		UCH COST IS UNREA		
		N THE BID PRICE F		
PRODUC		STIC ALUMINUM, GL		
PRODUC	CTS TO BE SUPPLIE	D OR PRODUCED IN	A "SUBSTANTIAL	
		S DEFINED BY THE		
		DREIGN PRODUCTS M		
		CTS ARE 30% OR MO	RE HIGHER IN	
PRICE	THAN THE FOREIGN	MADE PRODUCTS.		
		 		
		OF A CONTRACT UN		
		NG OFFICER OF THE		
		EXISTS A BID FOR EL THAT IS REASON		
		MESTIC PRODUCTS,		
		WRITING, A REEVA		
		T BID FOR SUCH DO		
		·		
	() SÉÉ RE	VERSE SIDE FOR TERMS AND COND		
SIGNATURE		TELEPHONE 4	112-931-6992 DATE 1	0-20-08
mue / C	ent 25-1146			TO BE NOTED ABOVE



POCKER

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

GSD096418

PAGE....

ADDRESS CORRESPONDENCE: TO A TENTION OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

10/01/	<u> </u>	8888888		370 (300 (300 (300 (300 (300 (300 (300 (5511 O.JA	393300			GEIGITE ETIVO
BID OPENING DATE:	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10/23/	2008		BID	OP	ENING TIME	01	:30PM
LINE	QUAT	VTITY	UCP	CAT NO	ITEM NUMBER		UNITIPAICE		AMOUNT
					ATE IN THEIR BII				- - - - - - - - -
	REV. 3	/88					•		
	ЕХНІВІ	Т 9							
	NOTICE PROJEC			CE &	ACKNOWLEDGEMENT	OF	CONSTRUCT	LON	
	TO ABI	DE BY	THE F	OLLOW	AND/OR AGENCY S ING SCHEDULE IN DDENDA FOR STATI	IS	SUING	RED	
	(1) T	HE ARC	HITEC	T/ENG	INEER SHALL PREI IES THAT HAVE PI	AR	E THE ADDE		
	AND SP AND LI	ECIFIC ST SHA	ATION LL BE	S FOR FORW	THE PROJECT. ARDED TO THE BU	THE YER	ADDENDUM IN THE STA	ATE	
	SEND A	COPY	OF TH	E ADD	THE ARCHITECT/EI ENDUM TO THE STA ISSUED.				
	INTERE	STED P	ARTIE	S AND	END THE ADDENDU	EX	TEND THE B		
	BUYER		FOUR		ENDUM SHOULD BE (14) DAYS PRIOR			THE	
	(3) A	LL ADD	ENDA		D BE FORMALLY AG				
	DIVISI		THE	SAME	D TO THE STATE ORIGINAL BIDDING	EGU	LATIONS	∌	
	SHALL	ALSO A	PPLY	TO AN	ADDENDUM DOCUMI N ADDENDUM THAT	ENT	. THE ONLY		
	SOLE P	URPOSE	OF C		NG A BID OPENING			***********	
SIGNATURE			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	7	TELEPHONE		monare contrastructures atabas 1977	DATE	
mue Pro	esiden		25	2/146		- 4 :	1 – 6992 Address Ci		0-20-08 TO BE NOTED ABOVE



Request for REQNUMBER

GSD096418

KRISTA FERRELL 304-558-2596

DEPARTMENT OF ADMINISTRATION GENERAL SERVICES DIVISION BUILDING 1 1900 KANAWHA BOULEVARD, EAST CHARLESTON, WV 25305 304-558-3517

MADDRESS CORRESPONDENCE TO ATTENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrrysville Avenue Pittsburgh, PA 15229

DATE PRINTED	€F	IMS OF SALE	SHIP VI	A	F.C) B	FREIGHT TERMS
10/01/2008			<u> </u>				
BID OPENING DATE:	10/23/	**************************************	1	BID O	PENING_	TIME 0	1:30PM
LINE Q	LIANTITY.	UOP CAT.	ITEM NUM	BER	UNIT	PRICE	AMOUNT
DATE					-		
DA.L	•						
REV.	11/96		İ				
				ŀ			
EXHI	BIT 10						
ADDE	NDUM ACK	NOWLEDGEME	NT				
		NOWLEDGE R					
		AND HAVE M				ONS TO	
MY PI	KUPUSAL,	PLANS AND	OR SPECIE	- ICATION	, 516.		
ADDE	NDUM NOS						
				4			
ИО.	1 .			1			
	~			ì			
NO.	•	• • • • • • • • • • • • • • • • • • •		[
NO.	3.			}			
			· ·	1			
NO.	4 .			1			
NO.	E						
70.	•						
		THAT FAIL					E
ADDE	NDUM(S)	MAY BE CAL	SE FOR RE	JECTION	OF THE	BIDS.	**
l crain	on Wigt	CLEARLY UN	DEDCTAND :	THAT AND	VEDBAL		
		ON MADE OF					
		ION HELD I					
AND	ANY STAT	E PERSONNE	L IS NOT	BINDING.	ONLY	THE	
		ISSUED IN					
SPEC	IFICATIO	NS BY AN	DEFICIAL A	กทิรมทึกฟ	TS BINE	IING.	,
				account of the same			
		<u> </u>					
SIGNATURE		SEE RE	VERSE SIDE FOR TE	RMS AND COND	ITIONS	DATE	10 20 00
]				TELEPHONE 412-	<u> 5931–69</u>	92	10-20-08
TITLE Presid	F	EIN 25 114	5183				S TO BE NOTED ABOVE



MODZMA

State of West Virginia Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

REGNUMBER GSD096418

ADDRESS:CORRESPONDENCE TO ATTENTION OF KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

DATEPRIN		RMS OF SALE	SHIP VIA	FOB	FREIGHTTERMS
10/01/ BID OPENING DATE		/2008	RID	OPENING TIME D	L:30PM
LINE	QUANTITY	ر CAT پیکستر	ITEM NUMBER	UNIT PRICE	AMOUNT
		X 25			
			sı	CNATHDE	
	2 2	1	ļ	ONATONE	
	R.G. FI	rday inc.		MPANY	
	10-20-08			TE	,
	REV. 11/96				
		CONTRAC	TORS LICENSE		
	WEST VIDGINI	A STATE CO	DE 21-11-2 REQUI	DEC THAT ALL	
	PERSONS DESI	RING TO PE	RFORM CONTRACTIN	RES THAT ALL G WORK IN THIS	
	STATE MUST E	SE LICENSED	. THE WEST VIRG	INIA CONTRACTORS	
	LICENSING BO	DARD IS EMP	OWERED TO ISSUE	THE CONTRACTORS	
	MADE BY CONT	ACTING THE	WEST VIRGINIA D	RS LICENSE MAY BE IVISION OF LABOR	
			ING 3, ROOM 319,		
The second secon			4) 558-7890.		
-	WEST VIRGINI	A STATE CO	DE 21-11-11 REQU	TOEC ANY	
			INCLUDE THE CONT		
	LICENSE NUMB				
	BIDDER TO CO	MOLETE			
	BIDDER TO CO	MIFLETE:			
	CONTRACTORS	NAME:	R.G. Friday, I	nc.	
	CONTRACTORS	I TOTALE WANTE	WV000407		
	CUNTRACTORS	LICENSE MAG	6	• • • • • • • • • • • • • • • • • •	
			WILL BE REQUIRED		
				R TO ISSUANCE OF	·
	A PURCHASE O	RDEKYCUNIK	ACT		
	re-re-re-re-re-re-re-re-re-re-re-re-re-r	AP	PLICABLE LAW		
The second secon	arpanessaint.				
		I I SEE RE	VERSE SIDE FOR TERMS AND COM	IDITIONS	l
SIGNATURE	(LS)		TELEPHONE	IDATE	10-20-08
TITLE	President	25-11461	<u> </u>		TO BE NOTED ABOVE
		TO BEE INSER	T NAME AND ADDRESS I	L N SPACE ABOVE LABELE	



Request for

RFONUMBER GSD096418

ADDRESS CORRESPONDENCE TO ATTENTION OF

SUPPLY CONTROLLED CONT

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229

10/01/2	1201/2201/2016		VOICE FOR	*************							
BID OPENING DATE:		10/23/	2008				BID	OPENING	TIME	01	:30PM
LINE	QUAN	YTITY	UOP	CAT. NO	m	M NUMBE	R .	Ü	NIT PRICE		AMQUNT
l T			200000000000000000000000000000000000000	380000000000000000000000000000000000000					::::::::::::::::::::::::::::::::::::::	(032)000	
1	THE WE	ST VIR	GINIA	STAT	E CODE	, PUR	CHASI	NG DIV	SION I	RULES	
A	AND RE	GULATI	ONS,	AND T	HE INF	ORMAT	TON P	ROVIDE) IN		
								THE PUR		/G	
		UN IS EMENT.		ULE A	UTHUKI	LIY GU	AFKNT	NG THIS	•		
1	ROGUN	Ene S'ESna S'E 4									
								ION MAN			
								HICH CO			
								ID AND		5 MS	
F	FFECT										
							1505 (6		eon 'e r		
P	BANKRU	PTCY:	LA BB	HE EV	ENI II	IE VER	IDUK/C	ONTRACT	MUTUMA:	LES TI-	,
								WITHOU			:
C	RDER.			·							
	REV. 1	/200E									
	(EV. I	/2005									na-e-e-e-e-e-e-e-e-e-e-e-e-e-e-e-e-e-e-e
				NO	TICE						
م ا	A STGN	ED BID	MUST	BE S	UBMIT	TED TO):				
		EPARTM				RATION	1				
		URCHAS UILDIN	ſ	IAISI	UN						
		OLEDIN		TON S	TREET	, EAST	Г				
		HARLES									
	THE BI	р ѕнои	LD CO	NTAIN	THIS	INFOR	RMATIO	N ON TI	HE FAC	E OF	
								SIDERE			
		DIN									-
	SEALED	BID									
					VERSE 6 3	****	vecomoros-s	NDITIONS		**********	
SIGNATURE				OCCHE	venoc olut		EPHONE		000	DATE	20 00
TITLE	#		EIN				412	<u>-931-6</u>			-20-08
Pre	eside		$\sqrt{25}$	5-114	6183				いいいこうう じ	HANGES	TO BE NOTED ABOVE



DATE PRINTED TERMS OF SALE SHIP VIA

Request for Quotation

GSD096418

PAGE....

FREIGHT TERMS

KRISTA FERRELL 304-558-2596

RFQ COPY
TYPE NAME/ADDRESS HERE

R.G. Friday, Inc. 150 Perrysville Avenue Pittsburgh, PA 15229 DEPARTMENT OF ADMINISTRATION
GENERAL SERVICES DIVISION
BUILDING 1
1900 KANAWHA BOULEVARD, EAST
CHARLESTON, WV
25305 304-558-3517

ADDRESS CORRESPONDENCE TO ATTENTION OF

10/01/2					
BID OPENING DATE:	10/23/		BID	OPENING-TIME I)1:30PM
LINE	QUANTITY	UOP CAT NO	REMNUMBER	UNIT PRICE	AMOUNT
	BUYER:	KRI	STA FERRELL-FILE	21	
·					45.4
Prima	REQ. NO.:	GSD	096418		
	BID OPENING	DATE: 10/	23/2008		
	BID OPENING	TIME: 1:3	0 PM		
			UMBER IN CASE IT NG YOUR BID:	IS NECESSARY	
	4	12-931-26	D1		
	and the same time time same		and both with they are not one and one and one has been and		
	PLEASE PRINT CONCERNING T		AME OF PERSON TO	CONTACT	
		dall Bonz	1		
	Kai.			Park here both both time both rives date want cap com	
	***** THIS	IS THE EN	D OF RFQ GSD096	418 ***** TOTA	L: \$90,685.00
			1		
				2	
			· · · · · · · · · · · · · · · · · · ·		
			Webselsine earlessesses	Montenio	
SIGNATURE		3-	VERSE SIDE FOR TERMS AND CO		TE 10-20-08
	4	EN 2 - 1			
1	President	25-1	146183	AUDHESS CHANG	ES TO BE NOTED ABOVE

REQUEST FOR QUOTATIONS #GSD096418 DEPARTMENT OF ADMINISTRATION ENGINEERING SECTION FLOOR SEALER BLDG 1 BASEMENT FLOOR

Location:

WV State Capitol Complex

Building One - Basement 1900 Kanawha Boulevard East

Charleston, WV 25305

For:

WV Department of Administration

General Services Division 1900 Kanawha Boulevard East Building One, Room MB60 Charleston, WV 25305

All inquiries for specification clarification shall be addressed to:

Krista Ferrell, Senior Buyer

Purchasing Division P. O. Box 50130

Charleston, West Virginia 25305-0130

Phone: (304) 558-2596 Fax: (304) 558-4115 Krista.S.Ferrell@wv.gov

The Department of Administration, General Services Division (GSD) invites you to submit a quotation for all material, equipment and labor services to perform the installation of a polymer floor sealer to the Main Unit Basement Floor of Building 1 located at the Capitol Complex in Charleston, West Virginia. Specific areas are detailed in the attached "not to scale" drawing.

Site Visits:

Prospective bidders can schedule a visit to the jobsite to review the project areas by contact Bob Kilpatrick at (304)558-0250.

Any services contracted for prior to receipt of the signed purchase order and written notice-to-proceed letter shall be at the Bidder's risk.

Successful Bidder will be given thirty (30) calendar days from the written notice to proceed to complete the project.

The Bidder agrees that this Bid shall not be withdrawn for a period of ninety (90) consecutive calendar days following the date for receipt of bids.

GENERAL SPECIFICATIONS

- 1. All work will be performed in compliance with all applicable safety regulations. Subject to verification and inspection by GSD safety representatives.
- 2. Work schedules will be reviewed and approved by GSD. Contractor will be afforded access as required to complete work on schedule.
- 3. Scheduled work may not begin until successful vendor has received a signed purchase order and notice to proceed letter.
- 4. Any areas identified requiring asbestos abatement will be completed by GSD under a separate abatement/re-insulation contract.
- 5. Two copies (one original and one copy) of invoice will be submitted for payment and shall be mailed to the following address:

General Services Division 1900 Kanawha Blvd. E. Building 1, Room MB-60 Charleston, WV 25305 Attn: Business Manager

DETAILED SPECIFICATIONS

Provide all labor, materials, equipment, tools, supplies to prepare, repair and coat surfaces with polymer sealer. Area of coverage is approximately 9,550 square feet of surface. Square footage is provided for estimation purposes only. Contractor must field verify square footage provided herein.

Attached documentation includes the following:

- 1. Section 09671 RESINOUS FLOORING
- 2. Drawing of layout of basement floor (not to scale)

ADDITIONAL INFORMATION:

- 1. Contract will be awarded to the qualified bidder with the lowest overall Total Bid for project. "Qualified bidder" is defined as one that has met all WV licensing or registration requirements to include WV Contractors License as applicable.
- 2. Successful vendor must be registered or be willing to become registered with The WV State Purchasing Division. This may require payment of an annual fee of \$125.00. For information on vendor registration contact WV Vendor Registration at (304) 558-2311.

- 3. Vendor must guarantee payment of applicable prevailing wage rates as directed by wage schedule for Kanawha County from the West Virginia Dept. of Labor.
- 4. Successful Vendor will be required to complete and return Purchasing Affidavit.
- 5. Successful bidder must be registered with WVFIMS by submission of W9 request for taxpayer identification. For information on W9 submission contact 558-4587.
- 5. All bidders must possess a valid State of West Virginia Contractor's License and that number must appear on the bid.

BID FORM

Contractor's bid to provide all labor, materials, equipment, tools and supplies to prepare, repair and coat surfaces with polymer sealer in the Main Unit of Building 1 of the Capitol Complex, as specified above:

TOTAL BID \$ 90,685.00

Contractor's bid to provide all labor, materials, equipment, tools and supplies to prepare, repair and coat surfaces with polymer sealer; unit price bid to cover any subsequent additions/subtractions (by change order) to the base project area as demonstrated in the drawing:

PER SQUARE FOOT BID \$ 9.50/SF

President

10-20-08

Date

Signature of Authorized Representative / Title

SECTION 09671 - RESINOUS FLOORING

PART I - GENERAL

1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions apply to this Section.

1.2 SUMMARY

- A. This Section includes resinous flooring systems with epoxy body coat(s).
 - 1. Application Method: Troweled or screeded with broadcast aggregates.

1.3 SUBMITTALS

- A. Product Data: For each type of product indicated. Include manufacturer's technical data, application instructions, and recommendations for each resinous flooring component required.
- B. Samples for Initial Selection: For each type of exposed finish required provide full range of manufacturer's standard colors for selection.
- C. Installer Certificates: Signed by manufacturer certifying that installers comply with specified requirements.
- D. Maintenance Data: For resinous flooring to include in maintenance manuals.

1.4 QUALITY ASSURANCE

- A. Installer Qualifications: Engage an experienced installer (applicator) who is experienced in applying resinous flooring systems similar in material, design, and extent to those indicated for this Project, whose work has resulted in applications with a record of successful in-service performance, and who is acceptable to resinous flooring manufacturer. Successful bidder may be required to provide documentation of qualifications.
- B. Source Limitations: Obtain primary resinous flooring materials, including primers, resins, hardening agents, grouting coats, and topcoats, through one source from a single manufacturer. Provide secondary materials, including patching and fill material, joint sealant, and repair materials, of type and from source recommended by manufacturer of primary materials.
- C. Mockups: Apply mockups to verify selections made under sample submittals and to demonstrate aesthetic effects and set quality standards for materials and execution.
 - Apply full-thickness mockups on 48-inch square floor area selected by Project Manager.

RESINOUS FLOORING 09671 - 1

2. Approved mockups may become part of the completed Work if undisturbed at time of Substantial Completion.

1.5 DELIVERY, STORAGE, AND HANDLING

- A. Deliver materials in original packages and containers, with seals unbroken, bearing manufacturer's labels indicating brand name and directions for storage and mixing with other components.
- B. Store materials to prevent deterioration from moisture, heat, cold, direct sunlight, or other detrimental effects.

1.6 PROJECT CONDITIONS

- A. Environmental Limitations: Comply with resinous flooring manufacturer's written instructions for substrate temperature, ambient temperature, moisture, ventilation, and other conditions affecting resinous flooring application.
- B. Close spaces to traffic during resinous flooring application and for not less than 24 hours after application, unless manufacturer recommends a longer period.

PART 2 - PRODUCTS

2.1 RESINOUS FLOORING

- A. Available Products: Subject to compliance with requirements, products that may be incorporated into the Work include, but are not limited to, the following:
- B. Products: Subject to compliance with requirements, provide one of the following or equal:
 - 1. Stonhard, Inc. Stoneblend GSI;
 - 2. Enecon Corporation, ENCLAD FPS 2000
 - 3. Crossfield Products Corp., Dex-O-Tex;
 - 4. Dur-A-Flex Inc.;
 - 5. General Polymers Corporation, a division of the Sherwin-Williams Company

C. System Characteristics:

- 1. Color and Pattern: As selected by Architect from manufacturer's full range.
- Wearing Surface: Textured for slip resistance with manufacturer's standard orange-peel texture.
- 3. Integral Cove Base: 4 inches high.
- 4. Overall System Thickness: 3/16 inch.
- D. System Components: Manufacturer's standard components that are compatible with each other and as follows:
 - 1. Body Coat(s):

- a. Resin: Epoxy
- b. Formulation Description: High solids.
- c. Application Method: Troweled or screeded with broadcast aggregates.
 - 1) Thickness of Coats: Per manufacturer's recommendation for heavy duty finish with minimum 3/16".
 - 2) Number of Coats: Two.
- d. Aggregates: Manufacturer's standard colored quartz (ceramic-coated silica)] and/or Vinyl flakes (color selection by Owner).
- 2. Primer: Type recommended by manufacturer for substrate and body coat(s) indicated.
- 3. Waterproofing Membrane or Base Coat: Type recommended by manufacturer for substrate and primer and body coat(s) indicated. Specification based on two or three component troweled mortar consisting of epoxy resin, curing agent and colored quartz silica aggregate.
- 4. Reinforcing Membrane: If required provide flexible resin formulation that is recommended by manufacturer for substrate and primer and body coat(s) indicated and that prevents substrate cracks from reflecting through resinous flooring.
 - a. Formulation Description: High solids.
 - b. Provide fiberglass scrim embedded in reinforcing membrane.
- 5. Grout Coats and /or Topcoats: Two component, Chemical and UV-resistant sealing or finish coat(s).
 - a. Resin: Epoxy.
 - b. Type: Clear.
 - c. Finish: Gloss.
- E. System Physical Properties: Provide resinous flooring system with the following minimum physical property requirements when tested according to test methods indicated:
 - 1. Compressive Strength: 6000 psi at 7 days per ASTM C 579.
 - 2. Tensile Strength: 1500 psi per ASTM C 307.
 - 3. Flexural Strength: 2,200 psi per ASTM C 580.
 - 4. Flexural Modulus of Elasticity: 5 x 10⁵ psi per ASTM C 580.
 - 5. Water Absorption: 0.2% per ASTM C 413.
 - 6. Coefficient of Thermal Expansion: 1.8 x 10⁻⁵ in/in °C per ASTM C 531.
 - 7. Impact Resistance: No chipping, cracking, or delamination and not more than 1/16-inch permanent indentation.
 - 8. Resistance to Elevated Temperature: 140° F for continuous exposure and 200° F for intermittent spills.
 - 9. Abrasion Resistance: 0.06 gm maximum weight loss per ASTM D 4060.
 - 10. Flammability: Self-extinguishing per ASTM D 635.
 - 11. Hardness: 85 90, Shore D per ASTM D 2240.

2.2 ACCESSORY MATERIALS

- A. Patching and Fill Material: Resinous product of or approved by resinous flooring manufacturer and recommended by manufacturer for application indicated.
- B. Joint Sealant: Type recommended or produced by resinous flooring manufacturer for type of service and joint condition indicated.
 - 1. Use sealants that have a VOC content of 250 g/L or less when calculated according to 40 CFR 59, Subpart D (EPA Method 24).

PART 3 - EXECUTION

3.1 PREPARATION

- A. General: Prepare and clean substrates according to resinous flooring manufacturer's written instructions for substrate indicated. Provide clean, dry, and neutral Ph substrate for resinous flooring application.
- B. Concrete Substrates: Prepare existing floors to sound concrete surfaces free of laitance, glaze, efflorescence, curing compounds, form-release agents, dust, dirt, grease, oil, and other contaminants incompatible with resinous flooring.
 - 1. Roughen concrete substrates as follows:
 - a. Shot-blast surfaces with an apparatus that abrades the concrete surface, contains the dispensed shot within the apparatus, and recirculates the shot by vacuum pickup.
 - b. Comply with ASTM C 811 requirements, unless manufacturer's written instructions are more stringent.
 - 2. Repair damaged and deteriorated concrete according to resinous flooring manufacturer's written recommendations.
 - 3. Verify that concrete substrates are dry.
 - 4. Verify that concrete substrates have neutral Ph and that resinous flooring will adhere to them. Perform tests recommended by manufacturer. Proceed with application only after substrates pass testing.
- C. Resinous Materials: Mix components and prepare materials according to resinous flooring manufacturer's written instructions.
- D. Use patching and fill material to fill holes and depressions in substrates according to manufacturer's written instructions.
- E. Treat control joints and other nonmoving substrate cracks to prevent cracks from reflecting through resinous flooring according to manufacturer's written recommendations.

3.2 APPLICATION

- A. General: Apply components of resinous flooring system according to manufacturer's written instructions to produce a uniform, monolithic wearing surface of thickness indicated.
 - 1. Coordinate application of components to provide optimum adhesion of resinous flooring system to substrate, and optimum intercoat adhesion.
 - 2. Cure resinous flooring components according to manufacturer's written instructions. Prevent contamination during application and curing processes.
 - 3. At substrate expansion and isolation joints, provide joint in resinous flooring to comply with resinous flooring manufacturer's written recommendations.
 - a. Apply joint sealant to comply with manufacturer's written recommendations.
- B. Apply primer over prepared substrate at manufacturer's recommended spreading rate.
- C. Apply waterproofing membrane, where indicated, in manufacturer's recommended thickness.
 - 1. Apply waterproofing membrane to integral cove base substrates.
- D. Apply reinforcing membrane to substrate cracks.
- E. Integral Cove Base: Apply cove base mix to wall surfaces before applying flooring. Apply according to manufacturer's written instructions and details including those for taping, mixing, priming, troweling, sanding, and topcoating of cove base. Round internal and external corners.
- F. Apply self-leveling slurry body coat(s) in thickness indicated for flooring system.
 - Broadcast aggregates and, after resin is cured, remove excess aggregates to provide surface texture indicated.
- G. Apply troweled or screeded body coat(s) in thickness indicated for flooring system. Hand or power trowel and grout to fill voids. When cured, sand to remove trowel marks and roughness.
- H. Apply grout coat, of type recommended by resinous flooring manufacturer to fill voids in surface of final body coat and to produce wearing surface indicated.
- I. Apply topcoat(s) in number of coats indicated for flooring system and at spreading rates recommended in writing by manufacturer.

3.3 FIELD QUALITY CONTROL

- A. Material Sampling: Owner may at any time and any number of times during resinous flooring application require material samples for testing for compliance with requirements.
 - Owner will engage an independent testing agency to take samples of materials being used. Material samples will be taken, identified, sealed, and certified in presence of Contractor.
 - 2. Testing agency will test samples for compliance with requirements, using applicable referenced testing procedures or, if not referenced, using testing procedures listed in manufacturer's product data.


RESINOUS FLOORING 09671 - 5

3. If test results show applied materials do not comply with specified requirements, pay for testing, remove noncomplying materials, prepare surfaces coated with unacceptable materials, and reapply flooring materials to comply with requirements.

3.4 CLEANING AND PROTECTING

A. Protect resinous flooring from damage and wear until ready to open for normal traffic. Use protective methods and materials, including temporary covering, recommended in writing by resinous flooring manufacturer.

END OF SECTION 09671



BID BOND

Lenie	DAY ALL MEN BY THE	SE PRESENTS, That we, the unc	Norsigned R. G. Friday, Inc.
V. LAG	Pittsburgh	Pennsylvania	, as Principal, and International Fidelity Insurance
Companyo	Newark	New Jersey e co	orporation organized and existing under the laws of the State of
New Jerse	y with its principal	office in the City of Newark	as Surety, are held and firmly bound unto the State
of West Virg	Inla, as Obligee, in the	penal sum of Five Percent of	Amount Bid (\$ 5%) for the payment of which,
well and truly	y to be made, we joint	ly and severally bind ourselves, ou	r heirs, administrators, executors, successors and assigns.
			the Principal has submitted to the Purchasing Section of the
Department Installation	of Administration a ce of Polymer Floor	rtain bid or proposal, attached her Sealer, Building #1	eto and made a part hereof, to enter into a contract in writing for
		No. of the last of	
		•	
NO	W THER SFORE,	·	
(b) hereto and s	shall furnish any other	ccepted and the Principal shall ant bonds and insurance required by the norm of said hid, then this obligation	er into a contract in accordance with the bid or proposal attached the bid or proposal, and shall in all other respects perform the n shall be null and void, otherwise this obligation shall remain in full lity of the Surety for any and all claims hereunder shall, in no event,
exceed the	penal amount of this o	bligation as herein stated.	
way impaire walve notice	d or affected by any e e of any such extensio WITNES(I WHEREOF	xtension of the time within which t n. , Principal and Surely have hereu	grees that the obligations of said Surety and its bond shall be in no he Obligee may accept such bid, and said Surety does hereby into set their hands and seats, and such of them as are corporations presents to be signed by their proper officers, this
		, 20 08 .	
	• • •		
Principal Co	rporate Seal		R. G. Friday, Inc.
			By (Must be Procident or
			Vice President)
			President
			(Title)
Surety Corp	orate Seal		International Fidelity Insurance Company
, ,			(Name of Surety)
			Meal 11 CATIO.O
			Andrew and
			Attorney-lh-∕Fact Josephine M. Streyle
IMPORTAN	T - Sure'v executing	bonds must be licensed in We	st Virginia to transact surety insurance. Raised corporate seals

IMPORTANT – Sure y executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Tel (973) 624-7200

POWER OF ATTORNEY INTERNATIONAL FIDELITY INSURANCE COMPANY

HOME OFFICE: ONE NEWARK CENTER, 20TH FLOOR NEWARK, NEW JERSEY 07102-5207

FOR BID BOND/RIDER/CONSENTS/AFFIDAVITS

KNOW ALL MEN BY THESE PRESENTS: That INTERNATIONAL FIDELITY INSURANCE COMPANY, a corporation organized and existing laws of the State of New Jersey, and having its principal office in the City of Newsrk, New Jersey, does hereby constitute and appoint

BRIAN F. JEFFE, JOSEPHINE M. STREYLE, CHARMAINE V. PERELLA, JAY BLACK, MICHAEL J. PETRASEK, SR.

Pittsburgh, PA.

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be silved, required of permitted by law, stature, rule, regulation, contract of otherwise, and the execution of such instrument(s) in pursuance of these presents, shall be as binding upon the said INTERNATIONAL PIDELITY INSURANCE COMPANY, as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Adorney is executed, and may be revoked, pursuant to and by authority of Article 3-Section 3, of the By-Laws adopted by the Board of Directors of INTERNATIONAL FIDELITY INSURANCE COMPANY at a meeting called and held on the 7th day of February, 1974.

The President or any Vice President, Executive Vice President, Secretary of Assistant Secretary, shall have power and authority

- (1) To appoint Amorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company therem, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof and,
- (2) To remove, at any time, any such attorney-in-fact and revoke the authority given.

Further, this Power of Attorney is signed and scaled by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the 19th day of April, 1982 of which the following is a true except:

Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached.



IN TESTIMONY WHEREOF, INTERNATIONAL FIDELITY INSURANCE COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 16th day of October, A.D. 2007.

INTERNATIONAL FIDELITY INSURANCE COMPANY

STATE OF NEW JERSEY County of Essex

Secretary

On this 16th day of October 2007, before me came the individual who executed the preceding instrument, to me personally known, and, being by me duly aworn, said the he is the therein described and authorized efficer of the INTERNATIONAL FIDELITY INSURANCE COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.



IN TESTIMONY WHEREOF, I have hereunto act my hand affixed my Official Seal, at the City of Newark, New Jersey the day and year first above written.

A NOTARY PUBLIC OF NEW JERSEY
My Commission Expires Nov. 21, 2010

CERTIFICATION

I, the undersigned officer of INTERNATIONAL FIDELITY INSURANCE COMPANY do hereby seruify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, with the ORIGINALS ON IN THE HOME OFFICE OF SAID COMPANY, and that the said Power of the whole of the said originals, and that the said Power of the whole of the said originals, and that the said Power of the whole of the said originals, and that the said Power of the said originals. of Attorney has not been revoked and is now in full force and effect

23rd day of October 2008 IN TESTIMONY WHEREOF, I have hereunto set my hand this

aria ff. Graned

(B)

AGENCY_ RFQ/RFP#_

BID BOND PREPARATION INSTRUCTIONS

(A) (C) (D) (E) (F) (G) (H) (I)	WV State Agency (Stated on Page 1 "Spending Unit") Request for Quotation Number (upper right corner of page #1) Your Company Name City, Location of your Company State, Location of your Company Surety Corporate Name City, Location of Surety State, Location of Surety State of Surety Incorporation	as Principal, and (F) (H) , a corporation orgoing the State of (I) with its (J) , as Surety, are he of West Virginia, as Obligee, in the penal sure (\$ (L)) for the payment we jointly and severally bind ourselves, our I successors and assigns.	esents, That we, the undersigned, (E) of (G) ganized and existing under the laws principal office in the City of ld and firmly bound unto The State m of (K) of which, well and truly to be made,
(J)	City of Surety Incorporation	has submitted to the Purchasing Section of the	ne Department of Administration
(K)	Minimum amount of acceptable bid	a certain bid or proposal, attached hereto and	l made a part hereof to enter into a
. ,	bond is 5% of total bid. You may state	contract in writing for	
	"5% of bid" or a specific amount on	(M)	
71.5	this line in words. Amount of bond in figures		
(L) (M)	Brief Description of scope of work	NOW THEREFORE.	
(N)	Day of the month	(a) If said bid shall be rejected, or	
(O)	Month	(b) If said bid shall be accepted an	
(P)	Year	contract in accordance with the bid or propo- any other bonds and insurance required by the	
(Q)	Name of Corporation Raised Corporate Seal of Principal	other respects perform the agreement created	
(R) (S)	Signature of President or Vice	this obligation shall be null and void, otherw	ise this obligation shall remain in full
(0)	President	force and effect. It is expressly understood a	and agreed that the liability of the
(T)	Title of person signing	Surety for any and all claims hereunder shall	l, in no event, exceed the penal
(U)	Raised Corporate Seal of Surety Corporate Name of Surety	amount of this obligation as herein stated The Surety for value received, here	eby stimulates and agrees that the
(V) (W)	Signature of Attorney in Fact of the	obligations of said Surety and its bond shall	be in no way impaired or affected by
(**)	Surety	any extension of time within which the Obli	gee may accept such bid: and said
NOTE:	Dated, Power of Attorney with Raised	Surety does hereby waive notice of any such	extension.
	Surety Seal must accompany this bid		al and Surety have hereunto set their
	bond,	hands and seals, and such of them as are cor seals to be affixed hereto and these presents	to be signed by their proper officers
		this (N) day of (O)	, 20 (P) .
		Principal Corporate Seal	<u>(Q)</u>
		-	(Name of Principal)
		(R)	By (S) (Must be President or
			Vice President)
			(T)
			Title
		(U)	
		Surety Corporate Seal	<u>(V)</u>
			(Name of Surety)
			(W)
			Attorney-in-Fact

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

RFQ NoGSD096418

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and is in compliance with the requirements as stated.

Vendor's Name: <u>R.G. Fri</u>	lax, Inc.
Authorized Signature:	Date: 10-20-08
Purchasing Affidavit (Revised 07/01/08)	



Request for FEONUMEER Quotation

GSD096418

ADDRESS CORRESPONDENCE TO A TENTION OF KRISTA FERRELL 304-558-2596

R.G. Friday, Inc. 150 Perrrysville Avenue Pittsburgh, PA 15229

TYPE NAME/ADDRESS HERE

RFQ COPY

DATE PE		TERMS OF SA	E	SHIP VI	A	i e	O.B.		
10/01 BID OPENING DAT	1/2008							FREIGHTT	LHM5
***************************************		/23/2008			BID	OPENING	TIME O	1:30PM	·
LINE	QUANTII	Y UOP	CAT. NO	ITEM NUM	BER	UN	IT PRICE	AMOU	INT
	DATE.						~		
j	-								
	REV. 11/	96							
	EXHIBIT	10							
<u> </u>	ADDELINIA								
į	ADDENDUM	ACKNOWLE	DGEMENT						
	I HEREBY	ACKNOWLE	DGE REC	FTPT OF	THE EN	LIONTHO	CHECKER		
	None Monta	(O) WIND H	AVE MADI	E THE NE	ひにくていわ	V DEUTOT	CHECKED		
	MY PROPO	SAL, PLAN	S AND/D	R SPECIF	ICATIO	N, ETC.			
	ADDENDUM	NOS.							
	NO. 1	. . 1.0./.1	.0/08	• •					
	NO. 2				1				
	10. 2		• • • • • •	• •	1				
	NO. 3								
	No.			•					
	NO. 4	* ••••	• • • • • •	•					
	NO. 5			_					
			1	•		0			
	I UNDERS	TAND THAT	FAILURE	TO CON	FIRM TH	HE RECEI	PT OF THE		
	ADDENDOM	(S) MAY BE	CAUSE	FOR REJE	ECTION	OF THE	BIDS.		:
	VENDOR MI	ST CLEARL	Y IINDER	CTAND TE	JAT ALL	/ WEDDA			
	VELKE 25M	IAILUN MAIL	E OR AS	SUMFD TO	T RE MIA	DE DUDT	NG ANV		
	MUNE DISC	こうらげいり 日野	LU BEIM	LEN VENT	מו פיקחר	PEDDECEN	TATIVES		
	PAND WHAT	PIAIL PERS	UNNEL T	S NAT RI	INDINC	PART V	THE		
	SPECIFICA	ON ISSUED TIONS BY	TH MKT	TAL AND) ADDED	TO THE	w. 4.3. m		
				wana MUL	VE IA DO IA	TO RIMD	ING.	1	
					I		,		l
	l		SEEREVERSE	SIDE FOR TERM	15 AND COM	er)Akie			
IGNATURE	10	-)		TEL	EPHONE	0.24 600	DATE	10 00 00	
ITLE .	001000	FEIN	71.4 (10	<u> </u>	412-	31-69 9	22 [10-20-08	
WILL YI	esident EN RESPOND	INC TO TEO	1146183			ADDR	FSS CHANGES	TO BE NOTED ABO	OVE
WHEN RESPONDING TO REQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'									