

Request for | Quotation

BFQ N	IJΛ	/BE	R			:::	
	1 4	ΔШ	N.	n	a		

100000	PAGE	466
		1

ADDRESS CORRESPONDENCE TO ATTENTION OF

ADDRESS CHANGES TO BE NOTED ABOVE

JO ANN ADKINS 304-558-8802

***709053353** 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

DATE PRINTED	TER	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
06/12/200					
BID OPENING DATE:	07/10/	2008	BID	OPENING TIME	01:30PM
LINE	QUANTITY	UOP CAT.	ITEM NUMBER	UNITPRICE	AMOUNT
		REQUEST	FOR QUOTATION		
LAW	N MAINTEN	ANCE EQUIF	TATEWIDE CONTRAC MENT TO WEST VIR SUBDIVISIONS.		RECEIVED
L A W	NO9 TO EN ELECTRONI	TER THEIR C VERSION	ATTACHED "PRICIN QUOTATION FOR EA OF LAWNO9 PRICIN UEST TO JO.A.ADK	CH ITEM. G PAGE	08 JUL 10 AM11: 13 PURCHASING DIVISION STATE OF WV
PRE PLE	PAID AND ASE COMPL	INCLUDED I	O.B. DESTINATION N THE VENDOR PRI FORMATION REQUES	CE SHOWN.	
INQUENT NOT NOT NOT NOT NOT NOT NOT NOT NOT N	JIRIES ITEN QUES INESS ON SENT VIA JRE NO VE SUBSTANTI POSSIBLE, RESS INQU ANN ADKIN ARTMENT O CHASING D RLESTON, 304	TIONS SHAL WEDNESDAY, USPS, FAX, NDOR RECEI VE QUESTIO E-MAIL QU IRIES TO: S F ADMINIST IVISION TON STREET	, EAST	ROUGH CLOSE OF QUESTIONS MAY L. IN ORDER TO VANTAGE, RED ORALLY.	F Y
		 	VERSE SIDE FOR TERMS AND CON	DITIONS	
SIGNATURE	\overline{P}	lley	TELEPHONE		DATE 7/0/08

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125.00 registration fee.
- 5. All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the term of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA Business Associate Addendum: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Covered Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. West Virginia Alcohol & Drug-Free Workplace Act: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- Unit prices shall prevail in cases of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



Request for Quotation

SH PTO

LAWN09

PAGE

JO ANN ADKINS
304-558-8802

V E N D O R

*709053353 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

DATE PRIN	TED	TER	MS OF SAI	.E	SHIP VIA	F.O.B.	FREIGHT TERMS
06/12/							
BID OPENING DATE:		07/10/	2008		BID	OPENING TIME 0	l:30PM
LINE	QUAN	VTITY	UOP	CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
	STANDA SPECIF PRICIN	RD TER ICATIO G SHAL G PAGE	MS AN NS DA L BE S, AL	D CON TED 0 ENTER L REQ	TION IS PER ALL DITIONS, AND GEN 6/12/2008. ED ON THE ATTACH UESTED INFORMATI	ERAL ED	
0001	GASOLII	1	EA ERED		515-45 Maintenance equi	PMENT	H 498,992.00
	ESTABLE NOT INTERNATION ALTERNATION LITERNATION REJECTO TO WAIN SPECIFO	ISH THE TENDED LAR BE TO SELECTED LARE ALLED LEGELES LARE LARE LEGELES LARE LARE LARE LARE LARE LARE LARE LARE	E ACC TO R RAND HOULD ND SPI FOR A THE DR IRI	EPTAB EFLEC OR VEI SO S ECIFIC NY AL BID. REGULACCORI	TATE AND INCLUDE	ITY ONLY AND ARE R FAVOR ANY HO ARE BIDDING PERTINENT E TO PROVIDE GROUNDS FOR VES THE RIGHT OR ON 148-1-4(F) OF	
	EXHIBIT		RACT:	. ANI	IS CONTRACT BECO DEXTENDS FOR A	PERIOD OF ONE (1	
SIGNATURE() /) +	<u> </u>	<i>3</i> -		ore HEV	ERSE SIDE FOR TERMS AND CON		
Likelle		<u>-all</u>	رنا		76	8-976-9 DATE 2	110108
TITLE Prios		450	55	-06			TO BE NOTED ABOVE
10/1.15	NDECDO	NIDINIO T			· · · · · · · · · · · · · · · · · · ·	N CDACE ABOVE LABELE	<u> </u>



Request for Quotation

LAWN09

3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JO ANN ADKINS 304-558-8802

þ

T

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

*709053353 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

DATE PRINT	TED	TER	MS OF SALE		SHIP VI	A	F.().B	i i	REIGHT TERMS
06/12/									MATAT MATAMATANA MATAMA	
BID OPENING DATE:	piocessias (celte	07/10/	talanannannan huus	2022001		BID	OPENING	TIME	01:30P	M
LINE	QUAN	ITITY		DAT. NO.	ITEM NUM	BER	UNF	FPRICE		AMOUNT
	NECESS ORIGIN NOT EX TIME" REASON WRITTE UNLESS IN THI	ARY TO AL CON CEED T THE VE UPON N NOTI SPECI S CONT	L SUCH OBTAIN TRACT. WELVE (NDOR MA GIVING CE. FIC PRO	"RE I A TH 12) Y T THE	ASONABLE TO SENT ASONABLE TO SERVINATE SE	ACT OR ABLE TI DURING THIS CO OF PUR STIPULA	RENEW TH ME" PERI THIS "R NTRACT F CHASING TED ELSE CONDITIO	E OD SHA EASONA OR ANY 30 DAY: WHERE NS AND	LL BLE	
	CONTRAI RENEWAI WRITTEI SUBMIT DAYS PI BE IN A	CT. L: THI N CONS TED TO RIOR T ACCORD AL CON	S CONTR ENT OF THE DI O THE E ANCE WI TRACT A	ACT THE REC XPI	FIRM FOR MAY BE RE SPENDING TOR OF PUR RATION DAT THE TERMS SHALL BE L	ENEWED UNIT A CCHASIN TE. SU AND CO	UPON THE ND VENDO G THIRTY CH RENEW NDITIONS	MUTUAL R, (30) AL SHAL OF THE		The contraction of the contracti
100	RIGHT TO THE TO THE TO THE	TO CAN TO THE ED ARE SPECI	CEL THIE VENDO OF AN FICATIO	S COR INFE	CTOR OF PLONTRACT IN THE COMMERIOR QUAL OF THE BIL DIRECTOR	MEDIAT ODITIE ITY OR O AND C	ELY UPON S AND/OR DO NOT ONTRACT RCHASING	WRITTE SERVIC CONFORM HEREIN	EN DE	
	AUTHOR: MARKET; ESTIMA IMMEDI/ CAUSES	IZE A , WITH TE, IT ATE DE (INCL ION OR	SPENDIN DUT THE EMS SPE LIVERY JDING B AN UNA	G UN FIL CIF IN E UT NTI	NIT TO PUR LING OF A IED ON THI EMERGENCIE NOT LIMITE CIPATED IN	CHASE REQUIS S CONT S DUE D TO D ICREASE	ON THE O ITION OR RACT FOR TO UNFOR ELAYS IN IN THE	PEN COST ESEEN TRANS-	-	
IGNATURE O		X ``		EE REV	ERSE SIDE FOR TEI	RMS AND CON	101710NS 3-9269	DA	TE 2//0/	
leton	ファン(犬	ex-mark.	lley			768	?-9769	:	7//0/	708 L



Request for Quotation

T

LAWN09

RFQ NUMBER

PAGE

110/08

ADDRESS CHANGES TO BE NOTED ABOVE

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 304-558-8802

***709053353** 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 06/12/2008 BID OPENING DATE: 07/10/2008 BID OPENING TIME 01:30PM CAT NO LINE QUANTITY UOF ITEM NUMBER UNIT PRICE AMOUNT VENDOR PREFERENCE CERTIFICATE CERTIFICATION AND APPLICATION* IS HEREBY MADE FOR PREFERENCE IN ACCORDANCE WITH WEST VIRGINIA CODE, 5A-3-37 (DOES NOT APPLY TO CONSTRUCTION CONTRACTS). APPLICATION IS MADE FOR 2.5% PREFERENCE FOR THE REASON CHECKED: BIDDER IS AN INDIVIDUAL RESIDENT VENDOR AND HAS RESIDED CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A PARTNERSHIP, ASSOCIATION OR CORPORA-TION RESIDENT VENDOR AND HAS MAINTAINED ITS HEAD-QUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR 80% OF THE OWNERSHIP INTEREST OF BIDDER IS HELD BY ANOTHER INDIVIDUAL, PARTNERSHIP, ASSOCIATION OR CORPORATION RESIDENT VENDO WHO HAS MAINTAINED ITS HEADQUARTERS OR PRINCIPAL PLACE OF BUSINESS CONTINUOUSLY IN WEST VIRGINIA FOR FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION; OR BIDDER IS A CORPORATION NONRESIDENT VENDOR WHICH HAS AN AFFILIATE OR SUBSIDIARY WHICH EMPLOYS A MINIMUM OF ONE HUNDRED STATE RESIDENTS AND WHICH HAS MAINTAINED ITS HEAQUARTERS OR PRINCIPAL PLACE OF BUSINESS WITHIN WEST VIRGINIA CONTINUOUSLY FOR THE FOUR (4) YEARS IMMEDIATELY PRECEDING THE DATE OF THIS CERTIFICATION. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE



Request for Quotation

LAWN09

RFQ NUMBER

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 304-558-8802

VENDOR

*709053353 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

& H – p T O

DATE PRIN	TED	TER	RMS OF SAI	Ε	SHIP VIA	F08.	FREIGHT TERMS
06/12/							
BID OPENING DATE:		07/10/	2008	*noncommunications	BID	OPENING TIME 0	L:30PM
LINE	QUAI	YTITY	UOP	CAT NO:	ITEM NUMBER	UNIT PRICE	AMOUNT
	<u> </u>					:	
						· ·	
	B. AP	PLICAT	TON T	S MAD	E FOR 2.5% PREFE	RENCE EOR THE	
	REASON			2	- 1 OK 2 1 3/4 1 K21 2	REISOE , OR THE	
	}						
					DENT VENDOR WHO		
					CONTRACT, ON AV		
					ORKING ON THE PR		
					VIRGINIA WHO HAV		
					FOR THE TWO YEA F THIS BID;	RS IMMEDIATELY	
i e	OR	1116 20	DISTOS	TON O	r inis biu;		
	1	BIDDER	IS A	NONR	ESIDENT VENDOR E	MPINVING A	
					STATE RESIDENTS		
	NONRES	IDENT	VENDO	R WIT	H AN AFFILIATE O	R SUBSIDIARY	
					ADQUARTERS OR PR		
					T VIRGINIA EMPLO		
					ESIDENTS WHO CER		
					CONTRACT, ON AV		
					R BIDDERS' AFFIL ARE RESIDENTS O		
					E STATE CONTINUO		
					EDING SUBMISSION		
	BIDDER	UNDER	STAND	SIF	THE SECRETARY OF	TAX & REVENUE	
					ER RECEIVING PRE		
	FAILED	то со	NTINU	E T.O	MEET THE REQUIRE	MENTS FOR SUCH	
	PREFERI	ENCE,	THE S	ECRET	ARY MAY ORDER TH	E DIRECTOR OF	
					SCIND THE CONTRA		
					T TO EXCEED 5% O		
					WILL BE PAID TO		
					M ANY UNPAID BAL		
	CONTRA	CT OR	PURCH	ASE O	RDER.		
		İ	-	ļ		· :	
					CERTIFICATE, BID		
	DISCLOS	SE ANY	REAS	DNABL	Y REQUESTED INFO	RMATION TO THE	
		<u> </u>		SEE REV	ERSE SIDE FOR TERMS AND CON	DITIONS	
SIGNATURE	1 1	<u> </u>	DD.	a, appet in common fall of the function		8-9769 DATE	7/10/05
TITLE	1 UN	FEI	N	<u> </u>		t :	/ / / 0 / 0 %
000		=	-55	-060	18877	ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

SHIP

T

304-558-8802

7

LAWN09

	ADDI	RESS CORRES	PONDENCE TO ATTENTION OF
			3
JO	ANN	ADKINS	•

VENDOR

***709053353** 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

DATE PRIN	ITED	TEF	MS OF SA	Œ	SHIP	VIA	FO'B	FREIGHTTERMS
06/12								
BID OPENING DATE		07/10/	2008			BID	OPENING TIME O	1:30PM
LINE	QUAN	<i>I</i> TITY	UOP	CAT. NO.	ITEM NU		UNIT PRICE	AMOUNT
	TAX AND PURCHAS BIDDER THAT SI COMMISS UNDER FOODE 65 CERTIFITHAT IF CONTAIN	D REVESING A HAS P UCH IN PAID N SIONER PENALT 1-5-3) ICATE A CO NED WI	NUE T PPROP AID T FORMA OR AN TO B Y OF , BID IS TR NTRAC THIN	O DIS RIATE HE RE TION Y OTH E CON LAW F UE AN T IS THIS	CLOSE TO INFORMA QUIRED BO DOES NOT ER INFORM FIDENTIAL OR FALSE EREBY CER D ACCURAT ISSUED TO CERTIFICA	THE DIR FION VER JSINESS CONTAIN MATION D SWEARIN RTIFIES FE IN AL D BIDDER	IFYING THAT TAXES, PROVIDED THE AMOUNTS OF EEMED BY THE TAX G (WEST VIRGINIA THAT THIS L RESPECTS; AND AND IF ANYTHING GES DURING THE	
	TERM OF	THE	CONTR	ACT,	BIDDER WI WRITING	LL NOTI	FY THE	
		was a		BIDDE	R: Stra	wely ?	Pacto & Sam	Gle
				DATE:		11010	8	
				SIGNE	D: Cla		Sally	
			ļ	TITLE	: Ine			
	IN EITH ARE ENT	IER "A' ITLED I 5% PE	' OR '' TO R	"B", ECEIV	OR BOTH "	A" AND AY REQU	CONSIDERATION(S) "B" WHICH YOU EST UP TO THE "B".	
				NOT				
BIGNATURE (<u> </u>	1.	^	oee hev	ERSE SIDE FOR T	***************************************		
TITLE 1	<u>Lila</u>	all		· · · ·	//O n ==	/ (68-9/69	7/10/08
Vaid			,5 .5	-0 L	48877		ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

T O

LAWN09

8

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 304-558-8802

VENDOR

***709053353** 304-768-9769 GRAVELY TRACTOR & LAWN EQUIP I 2 CARNEY COMMERICAL COURT

DUNBAR WV 25064

DATE PRIN	TED	TERMS OF SALE		SHIP VIA		F.O.B	:::::::::	FREIGHT TERMS
06/12/								
BID OPENING DATE		10/2008			BID	OPENING TIME	01	:30PM
LINE	QUANTITY	UOP	CAT. NO	ITEM NUMBE	R	UNITPRICE		AMOUNT
	DEPA PURC BUIL 2019	BID MUST E RTMENT OF HASING DIV DING 15 WASHINGTO LESTON, WV	ADMINI VISION IN STRE	STRATION ET, EAST				
		OPE OR THE				N ON THE FAC SIDERED: FILE 42	E OF	
	BOICK.		Ì		[FILE 42		
	RFQ. No.:				ļ	LAWN09		
	BID OPENII	NG DATE:				JULY 10,	2008	
	BID OPENII	NG TIME:	- Action makes			1:30PM		
		OVIDE A FA T YOU REGA	RDING Y		:	IS NECESSAR	Y	
	CONTACT PE	ERSON (PLE				12 L-Le-X		
SIGNATURE A		SI	EE REVERSE	SIDE FOR TERMS	S AND CON	DITIONS	loate	
	1323	alley	·	/ ELE	768	8-976-9	DATE .	1/0/08
TITLE CLASS		丰多-5	5-064	18877	>	ADDRESS CI	IANGES	TO BE NOTED ABOVE
WHE	N RESPONDI					VISBACE ABOVE I	ADELE	D. IVENIDODI

LAWN09 General Specifications/Information:

- 1. Grade of equipment: All commercial grade equipment shall be designed for long hours of continuous use with very few equipment failures. Gasoline powered hand-held tools shall be powerful and light in weight and easily controlled. Engine shall have full crank shafts supported with heavy duty ball bearings on each end.
- 2. In order to assure the availability of required lawn equipment, the State has been divided geographically into four regions as follows:

Region I: Hancock, Brooke, Ohio, Marshall, Wetzel, Monongalia, Marion, Harrison, Doddridge, Ritchie, Gilmer, Pleasants, Calhoun, Wirt, Wood, and Tyler Counties;

Region II: Mason, Cabell, Wayne, Mingo, Logan, Boone, Lincoln, Kanawha, Putnam, Roane and Jackson Counties;

Region III: Lewis, Upshur, Randolph, Pendleton, Hardy, Grant, Hampshire, Mineral, Morgan, Berkeley, Jefferson, Tucker, Barbour, Taylor and Preston Counties: and

Region IV: Braxton, Clay, Nicholas, Fayette, Raleigh, Wyoming, McDowell, Mercer, Summers, Greenbrier, Pocahontas, Webster and Monroe Counties.

Vendors may bid on one or more regions at their discretion based on their ability to adequately serve specified regions.

Quote single percent discount from price list for all OEM Parts.

All equipment shall have operator safety warning labels attached as recommended by the outdoor power equipment institute (OEPI)

- 2. All equipment shall be furnished with operator's manual and parts list (if available). If, for example, one agency purchases (10) of one unit of the same model, then there shall be ten (10) operator's manuals, but one parts list is sufficient.
- 3. Warranty: A minimum warranty period of 1 year shall be provided for all commercial equipment including parts, labor, and faulty workmanship. A copy of the manufacturer's warranty should be provided with the vendor bid response.
- 4. Service/repair facilities: On this request for quotation, the bidder must dentify at least four authorized service and repair facilities located in

- various areas of the State of West Virginia. Provide name, location, phone and fax number. This information shall be entered on the pricing/information pages.
- 5. All orders from this contract totaling \$250.00 or more shall be delivered FOB: Destination. Delivery shall be within fourteen (14) days after receipt of order by vendor. All equipment orders less than \$250.00 shall be delivered FOB: Shipping Point. Any transportation costs will be invoiced as a separate charge with the original freight bill attached to the invoice.
- 6. Bidder is required to supply information on the contract coordinator(s) in the event they are the successful bidder. This information shall be entered on the pricing/information pages and shall include name, telephone number and fax number.
- 7. Pricing: All pricing is firm for a period of one (1) year. If the manufacturer should change or discontinue a model number, then the vendor shall provide an alternate model with the same performance and construction features at the original bid price.
- 8. The item(s) as specified is (are) shown only as an example of the quality level and operational characteristics required by the State of West Virginia and not intended to mean the only acceptable brand. Vendors who are bidding alternates must so state and include pertinent literature and specifications. Failure to provide information covering any alternates bid may be grounds for rejection of the bid.
- 9. If any proprietary, trade, brand, or manufacturer's name or part number is used here in describing the required equipment, it shall be understood to indicate the minimum standard of composition and quality required and shall not be construed to exclude equipment that equals or exceeds the functional capability and qualify of the named equipment.
- 10. The equipment bid herein shall be of standard manufacturer and shall be new and shall be of the current production year model.
- 11. Each vendor should provide detailed specifications for the make and model offered with their bid.
- 12. Verification of product quality is the responsibility of the vendor. The State of West Virginia may require certified mail test data certifications or samples for testing of material bid.

- 13. Successful vendor is to provide a nine (9) month summary report of procurement volumes by item and dollar amounts. This report must also include any purchases made by any political subdivision as well as state agencies in the State of West Virginia. This is a single annual report which is to be furnished at the beginning of the tenth month of the contract. The report is to be delivered to Jo Ann Adkins, Senior Buyer, Purchasing Division, 2019 Washington Street, East, Charleston, West Virginia 25305-0130 or jo.a.adkins@wv.gov.
- 14. Vendor shall furnish manufacturer's certification that indicates you are able to supply new equipment as bid. This certification must have been in effect at the time of this bid.
- 15. Evaluation Procedure: All bids will be evaluated as to the lowest pricing on equipment which meets the specifications and is capable of being serviced and/or repaired at a minimum of four service locations within the State of West Virginia.
- 16. Previous annual purchases against the contract amount to approximately \$65,000. Subject annual dollar amount is shown for informational purposes only and is not intended to be construed as any guarantee of future contract usage.

LAWN09 Item Specifications

Items 1-5 - Lawn Mowers: Commercial Grade, Push & Walk - Behind, Rotary - Type:

- Engine: Gasoline Powered, 4 cycle, over-head valve (OHV), cast iron cylinder sleeve, full pressure lubrication, horsepower (minimum) is indicated on each line item.
- b. Deck: 12 to 14 gauge stamped steel or cast metal.
- c. Handles: Minimum 7/8" diameter, 14 gauge or 1" or 16 gauge continuous lopped, tubular steel.
- d. Controls: Positive control from the operator's position; variable running speeds, stoop, "Dead man" bar or lever to disengage the blade/engine.
- e. Wheels: Metal hubs with ball bearings on steel axel; rear wheel diameter: Minimum 8" semi-pneumatic wheel.
- f. Cutting: ¾ inches to 4 inches acceptable; adjustable by hand without the use of hand tools. Minimum cutting width is indicated below.
- g. Equipment shall meet 2005 CA emission test

Items 6-7 - Trimmer and Brush Cutters: Commercial Grade

- a. Engine: Two or four cycle, gasoline powered; piston ported engine, aluminum piston with two piston rings, full crank shaft supported with heavy duty ball bearings on each end; recoil starter, 18 ounce (minimum) fuel tank capacity. Engine displace (minimum) is indicated below.
- b. Controls: Positive controls from the operator's position; variable running speeds, stop.
- c. Shaft: Straight solid steel shaft.
- d. Head: String trimmer with shield, 17" Minimum
- e. Warranty: One year commercial warranty, with lifetime clutch and shaft warranty.
- f. Accessories: Mandrel, t-wrench, safety glasses, with barrier bar.

Item 8-9 Lawn Edger

- Engine: Two or four cycle, gasoline powered, full crank shaft Supported with heavy duty ball bearings on each end; recoil starter, 18 ounce (minimum) fuel tank capacity.
- b. Shaft: Item 8 has a curved shaft
- c. Warranty: One year commercial warranty.

Items 10-13 - Chain Saws

- a. Engine: Two cycle, gasoline powered; chrome cylinder and aluminum; piston with two piston rings, full crank shaft supported with ball bearings on each end; recoil starter, solid state ignition, 1 pint (minimum) fuel tank capacity. Engine displacement (minimum) is indicated below. Anti-vibration; chain brake, outboard mounted sprocket, fully automatic oiler.
- b. Bar scabbard and t-wrench
- c. Must meet EPA emissions standards.

LAWN09 Item Specifications

item 14 - Pole Pruner

- a. Engine: Two cycle, Gasoline Powered; chrome cylinder liner, piston with two piston rings, full crank shaft supported withi ball bearings on each end; recoil starter, solid state ignition, 18 ounce minimum fuel tank capacity, automatic gear driver oiler.
- b. Extension: Adjustable extension shaft to 11.5 feet.

Item 15 – Power Washer

- a. Engine: Gasoline Powered; 2 cycle, recoil starter, XXXX ounce Minimum fuel tank capacity.
- b. Controls: Positive control of throttle lever and shut-off switch from Operator's position.
- c. Hose: High pressure hose.
- d. Warranty: 2 year commercial warranty.

Item 16-17 - Blower: Commercial Grade

- a. Engine: Gasoline Powered; 2 cycle, recoil starter, 16 ounce minimum fuel tank capacity. Engine displacement is indicated on each line item.
- b. Blower: Centrifugal type, metal housing or material of equivalent strength/durability.
- c. Controls: Positive control of throttle lever and shut-off switch from operator's position.
- d. Nozzles and Tubes: Detachable sections attached at blower discharge-flexible coupling on back pack type.
- e. Shoulder Harness Kit: Required on back pack type.

Item 18 - Garden Tractor

- a. Frame: Heavy duty 10 gauge welded steel frame.
- b. Engine: 25 HP twin cylinder engine with power steering.
- c. Transmission: Hydrostatic with cruise control.
- d. Deck:: Free floating mower deck with full width rollers and quick hitch attachment removal system
- e. RMO: Reverse mowing option and 18" turn radius.

Item 19 - Garden Tractor - Zero Turn Radius

- a. Engine: 27 HP twin-cylinder engine with power steering.
- b. Transmission: Hydrostatic with cruise control.
- c. Speed: Up to 12 MPH forward and 8 MPH reverse.
- d. Cutting Deck: 60" cut ANSI-approved, 5.5" deep deck
- e. ROPS: Foldable rollover protection system
- f. Parking Brake: Lever actuated drum and band integrated with transmission neutral interlock.

Item 20 - Garden Tractor - Zero Turn Radius

- a. Engine: 31 HP twin-cylinder engine with power steering.
- b. Transmission: Hydrostatic
- c. Speed: Up to 13 MPH forward and 8 MPH reverse.
- d. Cutting Deck: 72" cut, ANSI-approved, 5.5" deep deck
- e. ROPS: Foldable rollover protection system
- f. Parking Brake:

LAWN09 Item Specifications

Item 21 – Utiltiy Vehicle

a. Engine: 11 HP / 4 cycle gasoline engine. OHVb. Towing Capacity: 900 lb on level terrain.Speed: Up to 20 MPH forward.

Lawn09 Pricing/Information Page

Region I - Hancock, Brooke, Marshall, Wetzel, Monongali, Harrison, Doddridge, Gilmer,	Region I - Hancock, Brooke, Ohio, Marshall, Wetzel, Monongalia, Marion, Harrison, Doddridge, Gilmer,							
Company Name:								
	Must be	Must be equal to or exceed:	exceed:					
Description		Brand	Model	Est. Usage	Brand Bid	Model Bid	Unit Cost	Total
Lawn Mower, 4.5 HP, side discharge, push type, 21" Cut Width	īge.	Toro	22175	10				
Lawn Mower, 5.5 HP, side discharge, self propelled type, 21" cut width	,ge,	Toro	22145	10				
Lawn Mower, 15HP, side discharge, hydrostatic, 36" cut width (walk- behind)	σī	Gravely	HE1536FXP	4	Gravery	788120	700000	400000 11,000,00
Lawn Mower, 18 HP, side discharge, gear-drive, 48" cut width (walk-behind)	e, nd)	John Deere 7H17	7H17	4				
Lawn Mower, 20 HP, side discharge, self propelled type, 52" curt width,	ത്	ALTERANAT BID	ALTERNAME 234 P.C.T. BLO 1524 XDZ		15 181 3	0		
Swivel front wheels, hydro drive		Exmark	TT23KCFMD524	7	918101/	220122	G 700,00	18, 50e.00
displacement 31.4cc engine,		Stihl	FS100RX	30				
Line Trimmer/Brush Cutter, engine displacement 36 cc engine minimum,	Ę,	Stihl	FS130R	40				
Bulk String, 5 lbs .95		Stihl	0000-930-2718	20				
Brush Knife, 3 prong		Stihl	4112-713-4100	10				
Shoulder Strap for Item 6 and 7				25				

Lawn09 Pricing/Information Page

				EST.				
)	Description	Brand	Model	Usage	Brand Bid	Model Bid	Unit Cost	Total
ger, e	Lawn Edger, engine displacement			•				30
		Stihl	FC 90	4				
lger, 4	Lawn Edger, 4 HP, 9" blade	Trov-bilt	l awn Edger	α			,	
uty 16	Heavy Duty 16" chain saw, 56.5 cc		5	2				
m), 3.8	(minimum), 3.8 BHP,	Stihl	MS290	5				
uty 18	Heavy Duty 18" Chain Saw, 64.1 cc							
(minimum) 4.3 BHP	ВНР	Stihl	MS390	ഹ				
Juty 20	Heavy Duty 20" chain saw, 59.0 cc							
(Minimum) 4.4BHP		Stihl	MS361	22				
Juty 25	Heavy Duty 25" Chain Saw, 76.5 CC							
(Minimum) 6.0 BHP		Stihl	MS460	2				
uner, 1	Pole Pruner, 12 " chain bar, engine							
ement (displacement 31.4 CC (Minimum), 1.3							
		Stihl	HT101	10				
vasher	Power washer, 3000 PSI, 190 cc, 30'							
h press	1/4" high pressure hose	Troy-bilt	3000 PSI MAX	9				
hand-t	Blower, hand-tote, engine							
ement 2	displacement 27 CC (Minimum), air volume: 4r30 CFM at end of tube	Stihl	BG64 D		-			
back p	Blower, back pack, engine			>				
ement.	displacement - 64CC (Minimum), 530							
. volum	CFM air volume at the end of the							
ndle wi	tube,handle with controls mounted on							
dded s	tube, padded shoulder strap.	Stihl	BR550	30				
Tracto	Garden Tractor, 25 HP, side					7.77 0.11 0.11 0.11 0.11		
je, hyd	discharge, hydrostatic, 50" cut, 18"							
us, ke	turn radius, key choice mowing,	Cub Cadet LT 1050	LT 1050	4	•			

Lawn09 Pricing/Information Page

Vendor Name Dall Tall Address Green Company Representative Chesse print) Authorized Signature Coll Dall Signature	Discount from list:	Lawn Mower, 31 HP, zero turn radius, 72" cut width, 5.5" deep deck, ANSI approved, fuel capacity 12 gallons(min.), standard foldable rollover protection systems (ROPS), Hydro tracking adjustment Utility Vehicle, 11 HP, 900 lb. towing capacity, ground clearance of 9.8" from foot platform. Seating capacity of 2.	Lawn Wower, 27 HP, zero turn radius, 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension seat, fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking adjustment	Item Description
Halley Deur Lander	n list: %	Gravely BID Of Gator	dius, Retermate Seat, CRAVELY seat, CRAVELY ion John Deere Z830A	Brand Model
Phone # 768-9769 Fax # 768-9769 Email:		2 SOMP LIGUID CARLED	GRAVEL	Est. Usage Brand Bid
69		ROSKBSORK	292164 ROPS	Model Bid
		2250,00 500,00 2750.00	8750.00	Unit Cost
		13,598,00	27.850.00	Total

LAWN09 Pricing/Information Page

	Region II - Mason, Cabell, Wayne, Mingo, Logan, Boone, Lincoln, Kanawha, Putnam, Roane and Jackson	Mingo, Loga	an, Boone, Lincol	In, Kana	wha, Putnam, Ro	ane and Jackson		
	Company Name:							
		Must be eq	Must be equal to or exceed:					
Item	Description	Brand	Model	Est. Usage	Brand Bid	Model Bid	Unit Cost	Total
_	Lawn Mower, 4.5 HP, side discharge, push type, 21" Cut Width	Toro	22175	10				
2	Lawn Mower, 5.5 HP, side discharge, self propelled type, 21" cut width	Toro	22145	10				
က	Lawn Mower, 15HP, side discharge, hydrostatic, 36" cut width (walk- behind)	Gravely	HE1536FXP	4	Graver y	988120	400000	16,000,00
4	Lawn Mower, 18 HP, side discharge, gear-drive, 48" cut width (walk-behind) John	John Deere 7H17	17	4	2			
හ	Lawn Mower, 20 HP, side discharge, self propelled type, 52" curt width, swivel front wheels, hydro drive	PLTEMAZTE B: D (S Exmark TT	Te ~3 HP デネ・CルT (Sスペメウェ TT23KCFMD524	7	7 Gracecy	99/028	00'006'7	00'00E'8H
9	Line Trimmer/Brush Cutter, engine displacement 31.4cc engine,	Stihl	FS100RX	30				
7	Line Trimmer/Brush Cutter, engine displacement 36 cc engine minimum,	Stihl	FS130R	40				
7a 7b	Bulk String, 5 lbs .95 Brush Knife, 3 prong	Stihl	0000-930-2718	50				
7c	Shoulder Strap for Item 6 and 7			25				
ω	Lawn Edger, engine displacement 28.4 cc	Stihl	FC 90	4				
0	Lawn Edger, 4 HP, 9" blade	Troy-bilt	Lawn Edger	80				

LAWN09 Pricing/Information Page

5 5 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7					Est.				
Heavy Duty 16" Chain saw, 56.5 oc Cominimum), 3.8 BHP. Heavy Duty 16" Chain Saw, 64.1 oc Stihl MS390 5 Heavy Duty 26" Chain Saw, 64.1 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl MS361 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BC65 D 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BC65 D 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BC65 D 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BC65 D 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BR550 30 Heavy Duty 26" Chain Saw, 76.6 oc Stihl BR550 30 Heavy Duty 26" Chain Saw, 76.6 oc Stihl BR550 30 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BC65 D 5 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BR550 30 Heavy Duty 26" Chain Saw, 76.5 oc Stihl BR550 30 Heavy Duty 26" Chain Saw, 76" Cha	ltem	Description	Brand	Model	Usage	Brand Bid	Model Bid	Unit Cost	Total
Heavy Duty 18" Chain Saw, 64.1 cc Chinimum), 4.3 BHP Heavy Duty 18" Chain Saw, 64.1 cc Chinimum), 4.3 BHP Heavy Duty 18" Chain Saw, 76.5 CC Heavy Duty 28" Chain Saw, 76" Chain Saw,		Heavy Duty 16" chain saw, 56.5 cc							
Heavy Duty 16" Chain Saw, 64.1 cc	19	(minimum), 3.8 BHP,	Stihl	MS290	5				
(minimum) 4.3 BHP Stihl MS361 5 Heavy Duty 25" Chain Saw, 76.5 CC Stihl MS361 5 Heavy Duty 25" Chain Saw, 76.5 CC Stihl MS361 5 (Minimum) 4.0 BHP Swihl HT101 10 Pole Pruner, 12" Chain Bar, engine displacement 31.4 CC (Minimum), 1.3 HT101 10 Power washer, 3000 PSI, 190 cc, 30' Troy-bilt 3000 PSI MAX 6 Blower, back pack and rose Troy-bilt 3000 PSI MAX 6 Blower, back pack of willinmum), all splacement 27 CC (Minimum), 30 Stihl BC65 D 5 Blower, back pack of willinmum), 530 Stihl BR550 30 CFM air volume at the end of the tube, handle with controls mounted on tube, handle with controls mounted on tube, handle with controls mounted. Stihl BR550 30 CFM air volume at the end of the tube, handle with controls mounted. An are are and of the tube, handle with controls mounted. Cub Cadet LT 1050 4 Lawn Mounter, 27 HP, Zero turn radius, key choice mowing. Cub Cadet LT 1050 4 Lawn Mounter, 27 HP, zero turn radius, sey choice mowing. Cub Cadet LT		Heavy Duty 18" Chain Saw, 64.1 cc							
Heavy Duty 20" chain saw, 59.0 cc	-	(minimum) 4.3 BHP		MS390	22				
Whintimum) 4.4BHP Stihl MS361 5 Heavy Duy S2 Chain Saw, 76.5 CC Heavy Duy S2 Chain Saw, 76.5 CC Heavy Duy S2 Chain bar, engine Gisplacement 31.4 CC (Minimum), 1.3 BHP		Heavy Duty 20" chain saw, 59.0 cc							
Heavy Duty 25" Chain Saw, 76.5 CC Minimum), 6.0 BHP	12	(Minimum) 4.4BHP		MS361	ഹ				
Minimum) 6.0 BHP Stihl MS460 5		Heavy Duty 25" Chain Saw, 76.5 CC							
Pole Pruner, 12 "chain bar, engine displacement 31.4 CC (Minimum), 1.3 Stihl HT101 101 Power washer, 3000 PSI, 190 cc, 30' 1/4' high pressure hose Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4130 CFM at end of tube displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discher with side displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discher with 5.5' deep deck, ANSI Lawn Mower, 27 HP, zero turn radius, RALTELYZERE Go" cut width, 5.5' deep deck, ANSI approved, deluxe roll suspension seat, full capacity, 10 gallons(min), 27 HP KALL Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3	13	(Minimum) 6.0 BHP	Stihl	MS460	2				
displacement 31.4 CC (Minimum), 1.3 Blower washer, 3000 PSI, 190 cc, 30' 1/4" high pressure hose 1/4" high pressure hose Blower, hand-tothe, engine displacement 27 CC (Minimum), air volume: 4/30 CFM at end of tube Blower, back pack, engine displacement 6ACC (Minimum), 530 CFM air volume at the end of the tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Lawn Mower, 27 HP, zero turn radius, Rey choice movinio, 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension seat, CARANSI approved, deluxe roll suspension seat, CARANSI approved, deluxe roll suspension seat, 1utel capacity, 10 gallons frmin), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere 2830A 30 CFALLEY 807 2.1C \$\psi Approved adjustment		Pole Pruner, 12 " chain bar, engine							
Power washer, 3000 PSI, 190 cc, 30° 1/4* high pressure hose Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4730 CFM at end of tube displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, handle strap. Lawn Mower, 27 HP, zero turn radius, Run radius, key choice mowing, turn radius, key choice mowing, charter 2 CC Radius radius, Run radius, key choice mowing, turn radius, key choice		displacement 31.4 CC (Minimum), 1.3							
Power washer, 3000 PSI, 190 cc, 30° 1/4" high pressure hose Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4r30 CFM at end of tube Blower, back pack, engine displacement - 64CC (Minimum), 530 GFM air volume at the end of the tube, padded shoulder strap tube, handle with controls mounted on tube, padded shoulder strap discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Lawn Mower, 27 HP, zero turn radius, Rurrenaz Fe edo" cut width, 55" deep deck, ANSI approved, deluxe roll suspension seat, fuel capacity, 10 gallons (min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deene Z830A 3	14	ВНР	Stihl	HT101	10				
Power washer, 3000 PSI, 190 cc, 30° 1/4" high pressure hose Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4730 CFM at end of tube displacement 2 ACC (Minimum), 530 Blower, back pack, engine displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Turn radius, key choice mowing. Carden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Turn radius, key choice mowing. Carden Tractor, 18" Turn radius, k									
1/4" high pressure hose Troy-bilt 3000 PSI MAX 6		Power washer, 3000 PSI, 190 cc, 30'				-			
Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4r30 CFM at end of tube Blower, back pack, engine displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, handle strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Lawn Mower, 27 HP, zero turn radius, Rey choice mowing, ALT-C-AZ CARA ANSI Lawn Mower, 27 HP, zero turn radius, ANSI CARA CARA CARA CARA CARA CARA CARA CARA	15	1/4" high pressure hose	Troy-bilt	3000 PSI MAX	9				
usplacement 2 CC (Wintimum), air volume: 4r30 CFM at end of tube Blower, back pack, engine displacement - 64CC (Winimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, Cut width, 5.5" deep deck, ANSI Baptroved, elluxe roll suspension seat, CARR CARC (CARC CARC) Tube, back choice mowing, Cub Cadet Lawn Mower, 27 HP, zero turn radius, 60" cut width, 5.5" deep deck, ANSI approved, elluxe roll suspension seat, CARR CARC (CARC) Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 30 CLEARCEN ROSSILIA PROSSILIA PR		Blower, hand-tote, engine							
Blower, back pack, engine displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, cut radius, key choice mowing, cut radius, key choice mowing, control turn radius, key choice mowing, control turn radius, hydrostatic, 50" deep deck, ANSI approved, deluxe roll suspension seat, control tuel capacity, 10 gallons(min), standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3	16	volume: 4r30 CFM at end of tube	Stihl	BG65 D	ιC				
displacement - 64CC (Minimum), 530 CFM air volume at the end of the tube, handle with controls mounted on tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, cut midth, 5.5" deep deck, ANSI approved, deluxe roll suspension-seat, crazuez ALTERIA ALTERIA ALTERIA ALTERIA ALOPHY D.Z. Chause Chause Chause And Hydro tracking John Deere Z830A 3		Blower, back pack, engine							
CFM air volume at the end of the tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, Lawn Mower, 27 HP, zero turn radius, Rolling approved, deluxe roll suspension-seat, CRR rector tuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3		displacement - 64CC (Minimum), 530							
tube, handle with controls mounted on tube, padded shoulder strap. Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" Lawn Mower, 27 HP, zero turn radius, Race turn radius, Ra		CFM air volume at the end of the							
tube, padded shoulder strap.StihlBR55030Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18"Cub Cadet RLT-elmon Mower, 27 HP, zero turn radius, 60" cut width, 5.5" deep deck, ANSI approved; deluxe roll suspension seat, fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking adjustmentCub Cadet LT 1050 ALT-elmon <td></td> <td>tube, handle with controls mounted on</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		tube, handle with controls mounted on							
Garden Tractor, 25 HP, side discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, Lawn Mower, 27 HP, zero turn radius, 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension-seat, fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A discharge, hydrostatic, 50" cut, 18" ALTERACE TO A ALTERACE TO A ACTIVE TO	17	tube, padded shoulder strap.	Stihl	BR550	30				
discharge, hydrostatic, 50" cut, 18" turn radius, key choice mowing, Lawn Mower, 27 HP, zero turn radius, 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension seat, fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3 4 C. F. J. C. F. J. C. F. F. P. R. P. P. R. P. P. R. P. P. R. P. R. P.		Garden Tractor, 25 HP, side							
turn radius, key choice mowing, Cub Cadet LT 1050 4 Lawn Mower, 27 HP, zero turn radius, RLT-elizare 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension seat, CRR LAND 2 fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3		discharge, hydrostatic, 50" cut, 18"				•			-
Lawn Mower, 27 HP, zero turn radius, RLTELME FR. 60" cut width, 5.5" deep deck, ANSI approved, deluxe roll suspension seat, LR RELMENT DE TOTAL Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3	18	turn radius, key choice mowing,	Cub Cadet	LT 1050	4				
60" cut width, 5.5" deep deck, ANSI approved, deluxe roll-suspension-seat, CARLYD Z ROPS I CHAUCK, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3		Lawn Mower, 27 HP, zero turn radius,	D 1 T 0 4					THE RESERVE AND ADDRESS OF THE PARTY OF THE	
approved deluxe roll suspension seat, にんさいにより アタミルタ アリント fuel capacity, 10 gallons(min), Rops Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3		60" cut width, 5.5" deep deck, ANSI		Ú					
fuel capacity, 10 gallons(min), Standard foldable rollover protection systems (ROPS), Hydro tracking John Deere Z830A 3		approved, deluxe roll suspension seat,	で なる からり	200			201266	8 450,00	
Standard foldable rollover protection コンドア ボルン systems (ROPS), Hydro tracking John Deere Z830A 3		fuel capacity, 10 gallons(min),		人のアスログ	J		000	00000	
systems (ROPS), Hydro tracking John Deere Z830A 3		Standard foldable rollover profection		メンケア ドタシノ			}	00 8 V O X	for 7
adjustment John Deere 2830A	,	systems (ROPS), Hydro tracking)	ا ا ا ا ا ا
	19	adjustment		Z830A	60				

LAWN09 Pricing/Information Page

				Est.				
	Description	Brand	Model	Usage	Brand Bid	Model Bid	Unit Cost	Total
Me de	Lawn Mower, 31 HP, zero turn radius, 72" cut width, 5.5" deep deck, ANSI approved, fuel capacity 12 gallons(min.), standard foldable rollover protection systems (ROPS), Hydro tracking additerment	10,000	7UX FUX FUX	C		4921C8 Kops	9,2572.00 500.00	19 Sea.00
FE PP A	lb. towing of 9.8" g capacity of	4	7-C. ROSR B 50AA	7 7	Perancs Ranger 2xy 30 HP LIGUED COCKED	ROBRB504M	6789.00	13598,00
	Discount from list:	%						
1	medy hactor	7 S A	<i>b</i> 3~	Phone #		268-9769		
春	Address	. 0	S	Fax#_ Email:	872	768-9760	· 1	
	Company Representative $ChesTekR$ $Suzak$	72776		Į		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ı	
2	2008 C	Park						:

LAWN09 Pricing/Information Page

	Region III - Lewis, Upshur, Randolph, Pendleton, Hardy, Grant, Hampshire, Mineral, Morgan, Berkeley, Jefferson, Tucker, Barbour, Taylor, and Preston	ph, Pendlet	on, Hardy, Grant,	Hampsl	hire, Mineral, Morç	ıan, Berkeley, Jefi	ferson,	
	Company Name:							
		Must be eq	Must be equal to or exceed:					
Item	Description	Brand	Model	Est. Usage	Brand Bid	Model Bid	Unit Cost	Total
-	Lawn Mower, 4.5 HP, side discharge, push type, 21" Cut Width	Toro	22175	10				
2	Lawn Mower, 5.5 HP, side discharge, self propelled type, 21" cut width	Toro	22145	10				1
က	Lawn Mower, 15HP, side discharge, hydrostatic, 36" cut width (walk- behind)	Gravely	HE1536FXP	4	4 Gravely	988120	1,000,00 (6,000.00	16000.00
4	Lawn Mower, 18 HP, side discharge, gear-drive, 48" cut width (walk-behind) John	John Deere	7H17	4				
2	Lawn Mower, 20 HP, side discharge, self propelled type, 52" curt width, swivel front wheels, hydro drive	ALTENNETE 3 BID 152 / 152 / Exmark TT23K	178 234P 52 CCT 152 M X.D Z 1793KGFMD594	7	7 (5 2 1,00 %	820/66	Ce 900.00	48,300,00
9	Line Trimmer/Brush Cutter, engine displacement 31.4cc engine,	Stihl	FS100RX	30				
7	utter, engine igine minimum,	Stihl	FS130R	40				T 10 Bi in
7a 7b		Stihl	0000-930-2718	50				
7c	em 6 and 7	= 50	1001 4-01 1-21 14	25				
8	Lawn Edger, engine displacement 28.4 cc	Stihl	FC 90	4				
6	Lawn Edger, 4 HP, 9" blade	Troy-bilt	Lawn Edger	8				

LAWN09 Pricing/Information Page

	The state of the s			Est.				
ltem	Description	Brand	Model	Usage	Brand Bid	Model Bid	Unit Cost	Total
	Heavy Duty 16" chain saw, 56.5 cc							
9	(minimum), 3.8 BHP,	Stihi	MS290	5				
	Heavy Duty 18" Chain Saw, 64.1 cc							
7	(minimum) 4.3 BHP	Stihl	MS390	10				***
	Heavy Duty 20" chain saw, 59.0 cc							
12	(Minimum) 4.4BHP	Stihl	MS361	2				, ,
	Heavy Duty 25" Chain Saw, 76.5 CC							
13	(Minimum) 6.0 BHP	Stihl	MS460	.Cr				
	Pole Pruner, 12 " chain bar, engine							
	displacement 31.4 CC (Minimum), 1.3							
14	ВНР	Stihl	HT101	10				
	Power washer, 3000 PSI, 190 cc, 30'							
15	1/4" high pressure hose	Troy-bilt	3000 PSI MAX	9				
	Blower, hand-tote, engine							
	displacement 27 CC (Minimum), air							
16	volume: 4r30 CFM at end of tube	Stihl	BG65 D	5				
	Blower, back pack, engine							
	displacement - 64CC (Minimum), 530							
	CFM air volume at the end of the							
	tube, handle with controls mounted on						-	
17	tube, padded shoulder strap.	Stihl	BR550	30				
	Garden Tractor, 25 HP, side							
	discharge, hydrostatic, 50" cut, 18"							1, " <u>1</u> ,
18	turn radius, key choice mowing,	Cub Cadet LT 1050	LT 1050	4				
	Lawn Mower, 27 HP, zero turn radius,	, ,						
	60" cut width, 5.5" deep deck, ANSI	11. 10. 10. 12 Th				491766	8 450.00	
	approved, deluxe roll suspension seat, Charely 260 WKN	らんみでをしか	760 W KD 7	:		Rober	500,00	
	fuel capacity, 10 gallons(min),				Gravery			1
	Standard foldable rollover protection		インエアトをう				8,950.00	0000000
	systems (ROPS), Hydro tracking							3
19	adjustment	John Deere	Deere Z830A	က				

LAWN09 Pricing/Information Page

		V7.1888711111111111111111111111111111111		•	TO THE PARTY OF THE PARTY CONTRACTOR OF THE PARTY PART			
ltem	Description	Brand	Model	Usage	Brand Bid	Model Bid	Unit Cost	Total
	Lawn Mower, 31 HP, zero turn radius, 72" cut width, 5.5" deep deck, ANSI approved, fuel capacity 12					992168 Rops	9,250,000 500.00	
20	rollover protection systems (ROPS), Hydro tracking adjustment	Gravely	272H XDZ	2	G. K. Z. L. C. L.		9,750.00	19,500.00
21	Utility Vehicle, 11 HP, 900 lb. towing capacity, ground clearance of 9.8" from foot platform. Seating capacity of 2. 1 mean toward.	ALTERNATE BID ROS Gator TS	7-e. Ro8R <i>B50AA</i> TS	2 2	POLARIS RANGEL 2 XY 2 304 PLIPUID COOLED	ROSKB SOMA	6,799,00	1359000
					1			
	Discount from list:	%						
Vendor Name	Name Granoly Tractor	400		Phone #		768-9769		
	James Cory CT.		f	Fах#	- 872	768-9760	1	
A	men UN 25064	2		Email:			1	
Company Represen	Company $\frac{C / e \le T e_L}{(Please print)}$	11 2 L	67					utu.
Authorized Signature∫	red Les Asset	166		:				
								•

LAWN09 Pricing/Information Page

	Region IV - Braxton, Clay, Nicholas, Fay Pocahontas, Webster and Monroe	s, Fayette, F	Raleigh, Wyoming	у, МсDо	well, Mercer, Sum	ette, Raleigh, Wyoming, McDowell, Mercer, Summers, Greenbrier,		
	Company Name:							
		Must be eq	be equal to or exceed:		The state of the s			714
Item	Description	Brand	Model	Est. Usage	Brand Bid	Model Bid	Unit Cost	Total
	Lawn Mower, 4.5 HP, side discharge, push type, 21" Cut Width	Toro	22175	10				
2	Lawn Mower, 5.5 HP, side discharge, self propelled type, 21" cut width	Toro	22145	6				
က	Lawn Mower, 15HP, side discharge, hydrostatic, 36" cut width (walk- behind)	Gravely	HE1536FXP	4	Greech	988120	4000,00	0000007/
4	Lawn Mower, 18 HP, side discharge, gear-drive, 48" cut width (walk-behind) John Deere	John Deere	7H17	4				
ស	Lawn Mower, 20 HP, side discharge, self propelled type, 52" curt width, swivel front wheels, hydro drive	KLTerra BID Exmark	E 234P IS2MXDZ TT23KCEMD624		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	870166	6,80000	7.8.300.00
9	Line Trimmer/Brush Cutter, engine displacement 31.4cc engine,	Stihl	FS100RX	30				
~ 1	əngine ninimum,		FS130R	40				
/a 7b	Brush Knife, 3 prong	Stihl	0000-930-2718 4112-713-4100	50				
7с	əm 6 and 7			25				
8	Lawn Edger, engine displacement 28.4 cc	Stihl	FC 90	4				
6	Lawn Edger, 4 HP, 9" blade	Troy-bilt	Lawn Edger	8				

LAWN09 Pricing/Information Page

Descr	Description	Brand	Model	Est.	Brand Bio	L'O L'OR CRU	1.00	,
Heavy Duty 16" chain saw, 56.5 cc (minimum), 3.8 BHP.		Z ibi	0000	D D D D	חומות חומות	Model Bld	Unit Cost	Total
Heavy Duty 18" Chain Saw, 64.1 cc	1		00700	C				
(minimum) 4.3 BHP		Stihl	MS390	Ω				
-	0)	Stihl	MS361	ı vc				
in Saw, 76.5 CC	ļ							
	(C)	Stihl	MS460	5				
Pole Pruher, 12" chain bar, engine displacement 31.4 CC (Minimum), 1.3								
	ŝ	Stihl	HT101	10				
Power washer, 3000 PSI, 190 cc. 30'								
	<u> =</u>	Troy-bilt	3000 PSI MAX	9				
Blower, hand-tote, engine displacement 27 CC (Minimum), air volume: 4r30 CFM at end of tube Stihl	SE	-	BG65 D	C)				
Blower, back pack, engine displacement - 64CC (Minimum), 530								
tube, handle with controls mounted on								
tube, padded shoulder strap.	S	-	BR550	30				
Garden Tractor, 25 HP, side								
uiscriarge, Hydrostatic, 50° cut, 18° turn radius, key choice mowing,	C	Cub Cadet LT 1050	LT 1050	4				
v-	Z	ALTONIE	Ta	+		-	200 200	
approved, deluxe roll-suspension-seat,	2	012	20 HXDZ		V 18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	492167 8000	\$ \$50,00 500,00	
fuel capacity, 10 gallons(min),				う 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0114		
Standard foldable rollover protection			1/25 FA?				8 950,00	28 850 cm
	<u>ا</u>	John Deere	Z830A	က				

LAWN09 Pricing/Information Page

RFQ No.	
---------	--

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit **www.state.wv.us/admin/purchase/privacy** for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavit and are in compliance with the requirements as stated.

Vendor's Name: 2 2	cotony La	La Que.	
Authorized Signature:			
Purchasing Affidavit (Revised 06/15/07)		<i>-</i>	



Two-Year Limited Lawn and Garden Commercial Warranty

Ariens Company (Ariens) warrants to the original purchaser that Ariens and Gravely brand products manufactured by Ariens, designated or labeled commercial products by Ariens, and sold after December 31, 2007 will be free from defects in material and workmanship for a period of two years after the date of purchase or 1000 hours of use, whichever comes first. An authorized Ariens dealer (Ariens brand products) or Gravely dealer (Gravely brand products) will repair any defect in material or workmanship, and repair or replace any defective part, subject to the conditions, limitations and exclusions set forth herein. Such repair or replacement will be free of charge to the original purchaser (labor and parts), except as noted below.

Limited Lifetime Warranty on Mower Deck Shell

The deck shell is warranted to the **original purchaser** against any defect in material or workmanship for as long as the original purchaser owns the product. Any defect in material or workmanship of the deck shell will be repaired free of charge (parts and labor) to the original purchaser for two years or 1000 hours of use, whichever comes first. After two years or 1000 hours of use, the parts required to repair a defect in material or workmanship of the deck shell, not the labor, will be provided free of charge for as long as the original purchaser owns the product.

Limited Lifetime Warranty on Main Frame

The main frame is warranted to the **original purchaser** against any defect in material or workmanship for as long as the original purchaser owns the product. Any defect in material or workmanship of the main frame will be repaired free of charge (parts and labor) to the original purchaser for two years or 1000 hours of use, whichever comes first. After two years or 1000 hours of use, the parts required to repair a defect in material or workmanship of the main frame, not the labor, will be provided free of charge for as long as the original purchaser owns the product.

Three-Year Limited Warranty on Deck Spindles

Mower deck spindles are warranted to the **original purchaser** for three years from the date of purchase. Any defect in material or workmanship of the mower deck spindles will be repaired free of charge (parts and labor) to the original purchaser for two years after the date of purchase. After two years, the parts required to repair a defect in material or workmanship of the deck spindles, not the labor, will be provided free of charge.

One-Year Limited Warranty on 21-inch Walk-Behind Lawn Mowers

21-inch walk-behind lawn mowers labeled or designated by Ariens as a Professional/Commercial product put to any business use, agricultural, commercial, or industrial, are warranted to the **original purchaser** to be free from defects in material and workmanship for a period of one year after the date of

90-Day Limited Warranty on Service Parts and Accessories

Genuine Ariens or Gravely brand service parts and accessories are warranted to be free from defects in material and workmanship for a period of 90 days after the date of purchase. An authorized Ariens or Gravely dealer will repair or replace any such part or accessory free of charge, except for labor, during that period.

If any product is rented or leased, then the duration of these warranties shall be 90 days after the date of purchase.

Exceptions, Limitations, Exclusions

Customer Responsibilities

Register the product immediately at the time of sale. If the dealer does not register the product, the customer must complete the product registration card in the literature package and return it to the Ariens Company, or register the unit online at www.ariens.com or www.gravely.com.

To obtain warranty service, the original purchaser must:

- Perform the maintenance and minor adjustments explained in the owner's manual.
- Promptly notify Ariens or an authorized Ariens or Gravely service representative of the need for warranty service.
- Transport the product to and from the place of warranty service.
- · Have the warranty service performed by an authorized Ariens or Gravely service representative.

To find an Ariens or Gravely authorized service representative, contact Ariens at:

655 W. Ryan Street Brillion, WI 54110 (920) 756 - 2141 www.ariens.com www.gravely.com

Limitations

Batteries are warranted only for a period of 12 months after date of purchase, on a prorated basis. For
the first 90 days of the warranty period, a defective battery will be replaced free of charge. If the
applicable warranty period is more than 90 days, Ariens will cover the prorated cost of any defective
battery, for up to 12 months after the date of purchase.

Exclusions – Items Not Covered by This Warranty

- Engines and engine accessories are covered only by the engine manufacturer's warranty and are not
 covered by this warranty.
- Eye-Q™ and Scan-Mate™ units are covered by their own warranty and are not covered by this warranty.
- · Parts that are not genuine Ariens or Gravely service parts are not covered by this warranty.
- The following maintenance, service and replacement items are not covered by this warranty unless
 they are noted in the Limitations section above: lubricants, spark plugs, oil, oil filters, air filters, fuel
 filters, brake linings, brake arms, shoes, runners, scraper blades, shear bolts, mower blades, mower
 vanes, headlights, light bulbs, knives, cutters.
- Mufflers, belts and tires on Ariens and Gravely commercial lawn and garden products are not covered by this warranty.
- Any misuse, alteration, improper assembly, improper adjustment, neglect, or accident which requires
 repair is not covered by this warranty.
- This warranty applies only to products purchased in the United States (including Puerto Rico) and Canada. In all other countries, contact place of purchase for warranty information.

Disclaimer

Ariens may from time to time change the design of its products. Nothing contained in this warranty shall be construed as obligating Ariens to incorporate such design changes into previously manufactured products, nor shall such changes be construed as an admission that previous designs were defective.

LIMITATION OF REMEDY AND DAMAGES

Ariens Company's liability under this warranty, and under any implied warranty that may exist, is limited to repair of any defect in workmanship, and repair or replacement of any defective part. Ariens shall not be liable for incidental, special, or consequential damages (including lost profits). Some states do not allow the exclusion of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

DISCLAIMER OF FURTHER WARRANTY

Ariens Company makes no warranty, express or implied, other than what is expressly made in this warranty. If the law of your state provides that an implied warranty of merchantability, or an implied warranty of fitness for particular purpose, or any other implied warranty, applies to Ariens Company, then any such implied warranty is limited to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

LAWN09 SERVICE / REPAIR FACILITIES

Eastern West Virginia Company Name Address Telephone Fax E-mail	Northern West Virginia Company Name Address Telephone Fax E-mail
Mountain View Eq. Rt. 1, Box 55 Valley Bend, WV 26293 304 338-4856 304 338-6995 MIVIEWEQUIP@MEER.NET	Your Small Engine & Repair 46 Temple Circle Sistersville, WV 26175 304 758-4001 304 758-0122
Southern West Virginia Company Name Address Telephone Fax E-mail	Western West Virginia Company Name Address Telephone Fax E-mail
inia Mountaineer Mower Inc. 450 Ragland Rd. Beckley, WV 25801 304 255-7180 304 255-7182	nia Kenny Queen Hardware & Supply 4350A 5th St. Huntington, WV 2570I 304 523-2331 304 523-2406

Company Name	Central West Virginia
--------------	-----------------------

E-mail	Telephone	Address
<u>304 768-9760</u> gravelypolaris@suddenlinkmail.com	304 768-9769	Gravely Tractor & Lawn Eq. Inc. 2 Carney Commercial Court