

* 411522|72 03

SEWELL NJ

TERRACE BUILDING D

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC. PO BOX 555 HILLTOP & MIDLAND

08080

856-582-4292

Request for p Quotation

RFQ NUMBER RMA900010

PAGE ADDRESS CORRESPONDENCE TO ATRESCREIVED

HON PRICE 304-558-0492

K. F & 2500

Railworks Track Systems WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

11/12		TERMS OF SA		SHIP VIA	20. 11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	F.O.B.	FREIGHTTERMS
11/12 BID OPENING DAT	E: 12/	10/2008	0.0.000,000,000,000	7	BID Q	PENING TIME 0	:30PM
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBE	Я	UNIT PRICE	AMOUNT
001		B 1	•	60-52		\$ 863,910.00	\$ 863,910.00
	TRACK CONS	STRUCTION	, CRO	SSTIE & BR	IDGE		
	AND BRIDGE	E TIE REI D ON THE	LACEN WEST	ENT, AND S VIRGINIA C	URFACI	TION, CROSSTIE NG. ALL WORK RAILROAD PER	
	AT 10:00 AT THIS PRE-IPORTION OF BIDDERS MU	AM AT THE BID WILL F RAILROF UST PROVI	BELI INCLU D WHI DE TI	NGTON YARD DE AN INSP RE THE WORK EIR OWN HY	IN BE ECTION K WILL -RAIL	MBER 18, 2008 LINGTON, WV. TRIP OF THE BE COMPLETED. EQUIPMENT OR	
	RIDE WITH	THEM. I ILL RESUI RS SHOULI	AILUF T IN INFO	RM RON PRIC	THIS		
	PREFERENCE	FOR USE	OF I	OMESTIC ST	EEL PR	ODUCTS	
	PURCHA NO CON	ASING DIV VTRACTOR	ISION J YAM	SE OR SUPPI	TO SUBS	SECTION 2 BELOW, EL PRODUCTS FOR	RECEIVED
	PRODUC					THOSE STEEL AS USED USED I	OB DEC 15 AM 9: 4
	CC OF	NSTRUCTI OF OTHE	ON OF	OR ANY AL	DDITION NY I	ANY ERECTION OR N TO, ALTERATION BUILDING OR IMITED TO, ROAD	STATE OF W
GNATURE /			SEE REV	ERSE SIDE FOR TERM			
Will	2-2	Total Land			85	66-582-4292 PATE	12/12/2008
^{rıe} Area M	anager	FEIN 411	52217	2		ADDRESS CHANGE	S TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL. & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Falls to implement its drug-free workplace policy; 2) Falls to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



* 411522|72 03

PO BOX 555 HILLTOP TERRACE BUILDING D SEWELL NJ 08080

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

856-582-4292

Request for p Quotation

RFO NUMBER RMA900010 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

NON PRICE 304-558-0492

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE

MOOREFIELD, WV 26836

DATE PRINT	(ED	TER	IMS OF SALE	SH	IP VIA		O.B.	FREIGHTTERMS
11/12/2 BID OPENING DATE:	8008							
BID OPENING DATE:	le de la companya de	12/10/2	2008		BID C	PENING	TIME 01	:30PM
UNE	QUA	NTITY	UOP CAT		NÚMBER	ÜÑ	IT PRICE	AMOUNT
	В.	OR CO EQUIP SUCH STATE SOLIC "STEE SHAPE FABRI PROCE SUCH	GHWAYS, OLING OR MENT, OR PROJECTS OF WEST ITED ON L PRODUC D, DRAWN CATED OR SSED BY OPERATIO	OR THE IN VENTILAT THE SUPP , PURSUAN VIRGINIA OR AFTER TS" MEANS , EXTRUDE OTHERWIS A COMBINA NS, FROM	ING PLANT LY OF ANI T TO A CO FOR WHICH JUNE 6, 2 PRODUCTS D, FORGEL E SIMILAR TION OF T STEEL MAI	S OR OT MATERI NTRACT H BIDS 001. ROLLED , CAST, LY PROC WO OR M E BY TH	ALS FOR WITH THE WERE , FORMED, CESSED, OR KORE OF HE OPEN	
2		BESSE "UNIT AMERI OR IN UNITE	MER OR O ED STATE CA AND I SULAR, S D STATES TOR OF T	UBJECT TO · HE PURCHA	L MAKING THE UNITE LL TERRIT THE JURI SING DIVI	PROCESS D STATE ORY, CO SDICTIO	S OF NTINENTAL N OF THE	
		THE C EXCEE TOTAL HUNDE	IF: OST FOR D ONE TEL CONTRACT	E THE USE EACH CONTINTH OF ONITICOST OR RS (2,500	RACT ITEM E PERCENT TWO THOU .00), WHI	USED D '(.1%) SAND FI CHEVER	OES NOT OF THE VE IS	
•	В.	THE C AS DE THE D DETER NOT P	CST IS THE LIVERED 'S IRECTOR (MINES THE RODUCED INTERNAL PROPERTY OR OTHER LITY OF OTHER LITY OF OTHER LITY OF OTHER LITY OR OTHER LITY OF OTHER LITY OTHER LITY OF OTHER LITY	IN THE UNI CHERWISE A	OF THE ST DJECT OR, RCHASING IED STEEL ITED STAT ARE NOT R	EEL PRO DIVSION MATERI ES IN S EASONAB	DUCT ALS ARE UFFICIENT	
IGNATURE /			SEE:	REVERSE SIDE FOR		56-582-4	202 DATE	12/12/2000
Well					<u> </u>	JU-JOZ-4	232	12/12/2008
^{пле} Area Ma	náger	FE	[™] 4115221	72		ADI	DRESS CHANGES	TO BE NOTED ABOVE



* 411522|72 . 03

TERRACE BUILDING D

SEWELL NJ 08080

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC. PO BOX 555 HILLTOP & MIDLAND

856-582-4292

Request for Quotation

RMA900010

PAGE...

WADDRESS CORRESPONDENCE TO ATTENTION OF

RON PRICE 304-558-0492

WV STATE RAIL AUTHORITY

(DBA) SOUTH BRANCH VALLEY
RAILROAD
120 WATER PLANT DRIVE
MOOREFIELD, WV

26836

DATE PRINTED	TERMS OF SALE	SHIP VIA	FØ.8.	FREIGHTTERMS
11/12/2008				
BID OPENING DATE: 12/1 LINE QUANTITY	LO/2008 UOP CAT. NO.	BID (DENING TIME UNIT PRICE	O1,30PM AMOUNT
Z.	/AILABLE TO MI	EET CONTRACT REQU	JIREMENTS.	
T.C	COLATION OF T	O USES STEEL PRO HIS SECTION MAY H TIES PURSUANT TO	E SUBJECT	
REV. 10/01	L/0:			
EXHIBIT 5		,		
TION FOR A REQUIRES E SUBMIT AT THE BID. SIGNED AND VENDOR'S C CHAPTER 21 WIT THE SI	A PUBLIC IMPRO EACH VENDOR THE THE SAME TIME THE ENCLOSED O SUBMITTED WI COMPLIANCE WIT OF THE WEST	D-5 PROVIDES THE VEMENT CONSTRUCTED TO SUBMITS A BITE OF SURCHASING AFFILE THE THE BID AS EVEN THE PROVISIONS VIRGINIA CODE. TON OF SUCH BID.	TON CONTRACT FOR THE WORK COMPLIANCE WI AVIT MUST BE IDENCE OF THE OF ARTICLE 11 FAILURE TO SUE	TO ETH O,
WITHIN 36 IS RECEIVE	55 CALENDAR DA ED. UNLESS OT	S CONTRACT IS TO YS AFTER THE NOT THERWISE SPECIFIE WILL BE CONSIDE	ICE TO PROCEELD, THE FULLY	
NOTICE TO SUPPLIED A	CANCEL THIS CO THE VENDOR IF ARE OF AN INFE SPECIFICATIONS	CTOR OF PURCHASI INTRACT IMMEDIATE THE MATERIALS OF RIOR QUALITY OR OF THE BID AND	LY UPON WRITTE PR WORKMANSHIP DO NOT CONFORM CONTRACT	en
IGNATURE (1100 7-	SEEREV	VERSE SIDE FOR TERMS AND COM TELEPHONE &		ATE 12/12/2008
TLE Area Manager	FEIN 411522172			IGES TO BE NOTED ABOVE



* 411522172 . 03

SEWELL NJ

TERRACE BUILDING D

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

08080

856-582-4292

Request for Quotation

RMA900010

PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF RON PRICE

304-558-0492

WV STATE RAIL AUTHORITY H (DBA) SOUTH BRANCH VALLEY RAILROAD

120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS

11/12/2008 BID OPENING DATE: OPENING TIME 01:30PM 12/10/2008 AMOUNT QUANTITY LIOP ITEM NUMBER UNIT PRICE LINE NO WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR VARIOUS COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. PREVAILING wage rates apply to this project) ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR interest for payments due (except for any interest REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED. WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL. ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT: XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISK SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE doverage required is \$250,000. SUCCESSIUL VENDOR SHALL) BUILDERS RISK INSURANCE: FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EOUAL TO 100% OF THE AMOUNT OF THE CONTRACT. FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF XX) BONDS: THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL B SUBMITTED WITH EACH BID AS A BID BOND. | THE SUCCESSFUL HIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/ MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. HONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, TRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE SEE REVERSE SIDE FOR TERMS AND CONDITIONS

TITLE Area Manager

FEN 411522172

TELEPHONE 856-582-4292 DATE 12/12/2008
ADDRESS CHANGES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REGNUMBER Quotation

RMA900010

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

HON PRICE 304-558-0492

* 411522|72 03 856-582-4292 RAILWORKS TRACK SYSTEMS INC. PO BOX 555 HILLTOP & MIDLAND TERRACE BUILDING D SEWELL NJ 08080

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

THE ACCORDANCE WITH WEST VIRGINIA ONLY BE ALLOWED FOR PROJECTS IN ACCORDANCE WITH WEST VIRGINIA ONLY BE ALLOWED FOR PROJECTS HANDS TO ALTERATION, EPPAIR, IMPERIOR ONLY BE ALLOWED FOR PROJECTS WAS BELD BOND, PERFORMANCE HOND, OR LABOR AND MATERIAL BOND. () MAINTENNANCE EOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 IOMESTIC ALUMINUM, GLASS & STEEL IN PUELIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE S-19-1 ET., SEO., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, HEPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SIZE OF FUBLIC WORKS SHALL BE MADE OF LOWESTIC ALUMINUM, GLASS OR STEEL RODUCTS STEEL IN PUBLIC WORKS SHALL BE MADE OF FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS IS FOUND. FOR STEEL ARE USED IN PUBLIC WORKS SHALL BE MADE OF FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS IS FOUND. FOR STEEL ARE USED IN PUBLIC WORKS SHALL BE MADE OF FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS IS FOUND. FOR STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOWESTIC RODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE ***SEMBLEMENTS ONLY HERE WAS ADDRESS CHANGES TO BE NOTED ABOVE THE APPERS C	DATE PRINTE	D.	TER	MS OF SAL	É	SHII	VIA	1	FO.8.	FREIG	HT:TERMS
UNE QUANTITY UGP CAT HEMNUMERA UNITFRICE AMOUNT STATE OF WEST VIRGINIA A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCECPTABLE IN LIEU OF THE \$5 BID BOND, PERFORMANCE BOND, OR LABGR AND MATERIAL BOND. () MAINTENANCE FOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 IOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE \$-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF FUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WERE MORE THAN 1,000 POUNDS OF STEEL ARE REQUIRED. THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL WINEYS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL ERODUCTS MAY BE ACCEPTED ONLY IT THE USED THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL ERODUCTS MAY BE ACCEPTED ONLY IF THE COST OF OMESTIC TRODUCTS IS FOUND TO BE UNREASCANABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE FEREWORDS.	11/12/20	008									
STATE OF WEST VIRGINIA A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCRECPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE HOND, OR LABOR AND MATERIAL BOND. () MAINTENANCE HOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 LOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE \$-19-1 ET., \$EQ EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, THESE OF MACHINERY OR EQUIPMENT PURCHASED HOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL ERODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC ALUMINUM, GLASS OR STEEL FRODUCTS IS FOUND TO BE UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE FERNORS SEERLEVERSES DEFORTER AND DOWNDINS	BID OPENING DATE:		2/10/2	008		,	BID (<u> P</u>	INING TIME	01:30PM	
IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000 FERSONAL OR BUSINESS CHECKS ARE NOT ACCECTRABLE IN LIEU OF THE \$\$ BID BOND, BOND, OR LABOR AND MATERIAL BOND. () MAINTENANCE FOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 LOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE \$-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIN, IMPROVEMENT OR MAINTENANCE OF HUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN \$50,000 AND, CLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED HOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF IOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 FOUNDS OF STEEL ARE USED IN PUBLIC WORKS SPROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF ONE STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL RODUCTS HAS BE ORDED TO BE UNREASCNABLE. SUCH COST IS UNREASONABLE IF IT IS JOB OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE **ELEGREFICES SUCED ALEMS SUCH COST IS UNREASONABLE IF IT IS JOB OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE **ELEGREFICES SUCED ALEMS SUCH COST IS UNREASONABLE IF IT IS JOB OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE	LINE			2 T 1200 St 1213	CAT. NO.	ITEMN	UMBER		UNIT PRICE	A	the contract of the contract o
COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR. REV. 11/00 EXHIBIT 7 DOMESTIC ALUMINUM, GLASS & STEEL IN PUELIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF FUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE CCST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 FOUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS MAY BE ACCEPTED ONLY IF THE CCST OF DOMESTIC FRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 30% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE **SEEREVERSE SIDE FOR TERMAND CONDITIONS** **IRLEPHONE 856-582-4292** **PATE 12/12/2008**	il Ui Ac	N LIEU NDER \$ CCECPT	J OF A 5100,00 TABLE J	BOND 0. F N LIE	WILL ERSON U OF	ONLY BE IAL OR BU THE 5% B	ALLOWED SINESS (SID BOND,	FC HE	OR PROJECTS ECKS ARE NOT		
DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STREL ONLY, WHERE THE CQST OF STEEL IS MORE THAN \$5(,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STREL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF IOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LEES THAN \$50,000 OR LEES THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORMS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC FRODUCTS IS FOUND TO BE UNREASCNABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE SEEREVERSESDEFORTERMS AND CONDITIONS TELEPHONE 856-582-4292 PATE 12/12/2008		OVERIN	IG THE	ROOFI	ng sy					1D	
IOMESTIC ALUMINUM, GLASS & STEEL IN PUELIC WORKS PROJECTS IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 FOUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC FRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE SEEREVERSESDEFORTERMS AND CONDITIONS [GONATURE WIRL.] PAIR 12/12/2008	RI	EV. 11	./00								i
IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STBEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STBEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL ERODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC HRODUCTS IS FOUND TO BE UNREASCNABLE, SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE SEEHEVERGES DEFORTERMS AND CONDITIONS THELEPHONE 856-582-4292 DATE 12/12/2008	H2	KHIBIT	? 7								
SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF LOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 FOUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL FRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC FRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE SEEREVERSE SIDE FOR TERMS AND CONDITIONS. TELEPHONE 856-582-4292 DATE 12/12/2008				, MUNI	GLAS	S & STER	L IN PUE	LI	C WORKS		
ACCEPTED ONLY IF THE COST OF DOMESTIC FRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 856-582-4292 DATE 12/12/2008	SI AI PU MO SI GI IN PO TH	EQ., E LTERAT JBLIC N THE DRE TH LASS, N ADDI DR USE DMESTI IE PRO DUNDS	VERY CONTON TO THE PROPERTY OF STE	ONTRA EPAIR WHER F STE ,000 UIRED EL PR ITEMS E SIT INUM, S LES EL AR	CT FC, IME E THE EL ON OR WH, THE ODUCT OF M E OF GLAS S THA E USE	R CONSTR ROVEMENT COST IS LY, WHER ERE MORE STATE W S PRODUC ACHINERY PUBLIC W S OR STE N \$50,00 D IN PUE	CUCTION, OR MAIN MORE THE E THE CO THAN 10 CILL ACCE ED IN TH OR EQUI ORKS SHA EL, UNLE O OR LES LIC WORK	RE TAN ST PT PM LL SS	CONSTRUCTION, CNANCE OF STORE OF STEEL IS 100 POUNDS OF CONLY ALUMING UNITED STATES ENT PURCHASE OF THAN 10,000 PROJECTS.	JM .	
SEE REVERSE SIDE FOR TERMS AND CONDITIONS IGNATURE WILL -75 TELEPHONE 856-582-4292 DATE 12/12/2008	AC TC	CEPTE BE U	D ONLY NREASC	IF T NABLE	HE CO . SU	ST OF DO	MESTIC F IS UNREA	RO SO	DUCTS IS FOUN NABLE IF IT 1	:s	
TELEPHONE 856-582-4292 DATE 12/12/2008	<u> 20</u>	16 UK	MUKE H	<u>TGUPH</u>) 	
	IGNATURE /) (1)	- 7 2'		end argustra 2 858	er 2000 (1)					^{[E} 12/12/20	08
			FE	N4115	22172	2		\neg			



* 411522l72 _{. 03}

TERRACE BUILDING D

SEWELL NJ 08080

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

856-582-4292

Request for Quotation

₩ RFO NUMBER RMA900010

ADDRESS CORRESPONDENCE TO ATTENTION OF RON PRICE 104-558-0492

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD

120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

FREIGHT TERMS SHIP VIA F.O.B. DATE PRINTED TERMS OF SALE 11/12/2008 BID OPENING DATE: OPENING TIME 01:30PM 12/10/2008 CAT. AMOUNT ITEM NUMBER UNIT PRICE QUANTITY UOP LINE IN THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS. PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES PEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS. IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING dffice may request, in writing, a reevaluation and REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL. REV. 3/88 EXHIBIT 9 MOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES: THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHAIL BE FORWARDED TO THE BUYER IN THE STATE THE ARCHITECT/ENGINEER SHALL ALSO HURCHASING DIVISION. SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 856-582-4292 DATE 12/12/2008 SIGNATURE 11.00 R FEN 411522172 TITLE Area Manager ADDRESS CHANGES TO BE NOTED ABOVE



* 411522172 L 03

TERRACE BUILDING D

SEWELL NJ 08080

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

* 411522172 _{L 03} 856-582-4292 RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

Request for MFGNUMBER Quotation

RMA900010

	ADDRESSICO	HRESKONDE	NGENIOTATI	ENTION OF
ON	PRICE			

304-558-0492

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836

DATE PRINTED	TERMS OF SALE	SRIP VIA	EO.E.	FREIGHTETERMS
11/12/2008				
to the comments the tree to a mine.	2/10/2008	BTD	OPENING TIME 0	1.20DM
LINE QUANTI		ITEM NUMBER	UNIT PRICE	AMOUNT
INTEREST OPENING BUYER WI OPENING (3) ALL BIDDERS DIVISION THAT AP SHALL AL EXCEPTIO	TED PARTIES AND DATE ANY ADDITION OF CHANGIN	END THE ADDENDUM IF NECESSARY, I ENDUM SHOULD BE I (14) DAYS PRIOR ' D BE FORMALLY ACI D TO THE STATI RULES AND REC DRIGINAL BIDDING ADDENDUM DOCUMEN N ADDENDUM THAT I NG A BID OPENING	EXTEND THE BID RECEIVED BY THE FO THE BID KNOWLEDGED BY AL E PURCHASING BULATIONS DOCUMENT VT. THE ONLY US ISSUED FOR TH	
EXHIBIT	10			
ADDENDUM	ACKNOWLEDGEMEN	T		
ADDENDUM	(S) AND HAVE MA	CEIPT OF THE FOI DE THE NECESSARY OR SPECIFICATION	REVISIONS TO	
ADDENDUM				
NO. 1	11/13/2008	i . "		
NO. 2	12/02/2008			
ю. з	.	•••		
NO. 4		/ÈRSE SIDE FOR TERMS AND CON	IDITIONS	
SIGNATURE WILL 75			56-582-4292 DATE	12/12/2008
TILE Area Manager	FEN 41152217	2	ADDRESS CHANGE	S TO BE NOTED ABOVE



* 411522172 . 03

PO BOX 555 HILLTOP
TERRACE BUILDING D
SEWELL NJ 08080

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

856-582-4292

Request for Quotation

AFO NUMBER RMA900010

PAGE 8

ADDRESS CORRESPONDENCE TO ATTENTION OF RON PRICE 304-558-0492

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836

304-538-2305 DATE PRINTED TERMS OF SALE SHIP.VIA F.O.B. FREIGHT TERMS

11/12/2008 BID OPENING DATE: 12/				
LINE QUANTITY	10/2008 UOP CAT.	BID C	PENING TIME 01 UNIT PRICE	- 3.0 PM AMOUNT
LINE GUANTIFF	NO.	n Ewwonder	UNIFFRICE	AMOUNT
NO. 5				,
UNDERSTA ADDENDUM (S	AND THAT FAILUED MAY BE CAUS	RE TO CONFIRM THE FOR REJECTION	E RECEIPT OF THE OF THE BIDS.	
REPRESENTA ORAL DISCU AND ANY ST INFORMATIO	ATION MADE OR USSION HELD BE PATE PERSONNEL ON ISSUED IN W	ERSTAND THAT ANY ASSUMED TO BE MATTUREN VENDOR'S FOR IS NOT BINDING. RITING AND ADDERTICIAL ADDENDUM	DE DURING ANY EPRESENTATIVES ONLY THE TO THE	
RAILWO	RKS TRACK SY er 12, 2008	YSTEMS INC	PANY	
	CONTRACT	ORS LICENSE		
PERSONS DE STATE MUST LICENSING LICENSE. MADE BY CO CAPITOL CO	ESIRING TO PER F BE LICENSED. BOARD IS EMPO APPLICATIONS ONTACTING THE	WERED TO ISSUE T FOR A CONTRACTOR WEST VIRGINIA DI NG 3, ROOM 319,	WORK IN THIS NIA CONTRACTORS HE CONTRACTORS S LICENSE MAY B VISION OF LABOR	
	<u> </u>	E 21-11-11 REQUINCLUDE THE CONTR	ACTORS DITIONS	
SIGNATURE WILL T		TELEPHONE 85	6-582-4292 DATE 1	2/12/2008
TITLE Area Manager	FEIN 41152217	2		TO BE NOTED ABOVE



* 411522172 03

TERRACE BUILDING D

SEWELL NJ 08080

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

856-582-4292

Request for RMA 9 0 0 0 1 0

RMA900010

PAG	E
	9

ASSESSES	ADDRESS:Co	DARESPON	DENCE TO AT	TENTIONOS
	PRICE			
KON	EKTCE			
ton.	-550-04G	32		

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE

MOOREFIELD, WV

26836

DATE PRIN	TED	7.75	IMS OF SAI	te:	SHIP V	(IA		F.O.B.		FREIGHTTERMS	
11/12/ ID OPENING DATE	2008				<u></u>						-
ID OPENING DATE	4 3 10 10 10 10 10 10 10 10 10 10 10 10 10	12/10/: VIITY	2008 UOP	CAT. NO	ITEM NUM	BID (TIME NITERICE	_01 ; 3	3.O.PM AMOUNT	
	LICENSI	e numbi	ER ON	THEI	R BID.						
	BIDDER	TO CO	NPLET:	E:							
	CONTRAC	CTORS 1	NAME:	RAIL	WORKS T		YSTEM	IS INC.	• • •		
	CONTRAC	CTORS :	LICEN	SE NO	WV03	4059					
		F THEI	R CON	TRACT	WILL BE RI ORS LICENS ACT				OF		
				AP	PLICABLE I	WAL					
;	AND REG	EQUEST EQUEST ON IS	INS, FOR	AND TI ATOUG	E CODE, PU HE INFORMA TION" ISSU UTHORITY O	ATION PI JED BY :	ROVIDED	IN CHASING			
) (ANY OTH OR ALTE	HER SOU ERS THE BED IN	IRCE,	VERBAT	ED IN SPEC AL OR WRIT ION PROVII PARAGRAPI	CTEN, WE DED FROM	THE S	NTRADIC' OURCES	TS		
:	FOR BAN	IKRUPT(TY PRO	PTECT:	ENT THE VI ON, THIS ND IS TERM	CONTRAC	CT IS A	UTOMATI	-		
1	REV. 1/	2005			**************************************						
	Modificación	;		NO	TICE						
				BEE RE	VERSE SIDE FOR T						
IGNATURE WAL	7					TELEPHONE 85	56-582-4	292	12	/12/2008	
TLE Area Ma	ınager	FE	^N 411!	52217	2		JA.	DRESS CHA	NGES TO	D BE NOTED ABOVE	



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

* 411522|72 . 03 856-582-4292 RAILWORKS TRACK SYSTEMS INC.

PO BOX 555 HILLTOP & MIDLAND

PO BOX 555 HILLTO TERRACE BUILDING SEWELL NJ 08080

TERRACE BUILDING D

Request for REGNUMBER Quotation

RMA900010

PAGE 10

ADDRESS CORRESPONDENCE TO ATTENTION OF

RON PRICE 304-558-0492

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836

DATE PRINTED T	ERMS OF SALE	SHIP VIA	F,O.B.	FREIGHT.TERMS
11/12/2008 BID OPENING DATE: 12/10				
The second responsible to the second	/2008 001			1-30PM
LINE QUANTITY	UOP CAT.	ITEM NUMBER	UNITAPRICE	AMOUNT
DEPART PURCHA BUILDI 2019 W	MENT OF ADM SING DIVISI NG 15	TREET, EAST		
THE BID SHO	ULD CONTAIN	THIS INFORMATION THIS INFORMATION THE CONSTRUCTION		
SEALED BID BUYER: RP-				
BID OPENING	DATE: 12/	0/08 ФРМ		
	you regardii	umber in case it g your bid: 582-6073	IS NECESSARY	
PLEASE PRING CONCERNING			CONTACT	
	Sec. 05	VERSE SIDE FOR TERMS AND CO	NDITIONS	
SIGNATURE (, 2 Tra 7-5	SEEN	antigram wilayah da wasa kata da kaping kaping kanga da paga da kaping bangan da kaping bangan bangan banga ba		12/12/2008
TITLE Area Manager	FEIN 41152217			ES TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for _______ Quotation

RMA900010

RON PRICE 804-558-0492

* 411522172 03 856-582-4292 RAILWORKS TRACK SYSTEMS INC. PO BOX 555 HILLTOP & MIDLAND TERRACE BUILDING D SEWELL NJ 08080

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

ADDRESS CORRESPONDENCE TO ATTENTION OF

DATE PRIN	(B)	ŢĘF	MS OF SA	Æ		SHIP	VIA		F.O.B.		FREIGHT TERMS
11/12/ BID OPENING DATE:	2008				<u> </u>			<u> </u>			
VI 5.40 G S 38060 S A.G., 2 31	100000000000000000000000000000000000000	2/10/		CAT	2877 <u>(</u> 168	3284.33		PEI	HING TI		:30PM
LINE	QUAN	πітΥ	UOP	CAT. NO		ITEM NU	IMBER		UNIT PRI	0 E) : ::::::::::::::::::::::::::::::::::	AMOUNT
	****	THIS	IS T	HE EN	D OF	RFQ	RMA900)10	*****	TOTAL:	\$ 863,910.00
							:				
Salar of the control to be the salar to the	udo Passion Passionero	Nandred a de d	42342400000000	SECO	icoec:ei	ne eno	TERMS AND COM	minim	iie	58506 52 (160) 5224	
IGNATURE /.1 7/	-7- *			oec.nc.	(EDSE 9)	ve ryn:			82-4292	DATE 1	2/12/2008
TLE Area Ma	nader	FE	IN / 1 1 1	52217	2		1				TO BE NOTED ABOVE
Area Ma	iagei		411	JZZ 1 / .	<u>~</u>				MUUNCO	o Changes	TO DE NOTED ADOVE

The West Virginia Purchasing Division for the agency, The West Virginia State Rail Authority is soliciting bids for track construction, crosstie and bridge tie replacement and surfacing. All work is located on the West Virginia Central Railroad (WVCR).

DESCRIPTION OF WORK

3000 TIES TOTAL FOR REPLACEMENT: MP 5 to MP 11-650 ties; Belington Yard MP 11.3-75 ties; MP 15.8 to MP 26.5-575 ties and MP 29.0 to MP 38.4-1200 ties; Dailey Branch MP 0 to MP 1-200 ties; Norton Branch MP 0.2 to MP 1.8-300 ties (75% of the 3000 ties are in curves)

1. Tie Replacement

- a. Ties will be handled carefully to avoid damage in accordance with AREMA specifications.
- b. The contractor will replace only those ties marked for replacement by WVCR.
- c. The contractor will remove and properly dispose of old ties. Ties must be stacked clear of tracks and must not be stacked on property other than WVCR right-of-way.
- d. New and old ties can be stored at Belington, Elkins and Bowden until

2. Spiking of Ties

- a. New ties will be spiked to a gage of 56 ½ inches, plus or minus ¼ inch. Additional ties will be plugged and respiked to correct gage to ensure there is no abrupt change in gage where ties are replaced.
- b. All ties replaced or respiked will have new spikes. Old spikes will not be reused. Spikes shall be started and driven vertically and square with the rail. They shall have full bearing against the side of the rail base. Spikes shall not be overdriven. Ties on tangents will get four spikes per tie. Ties on curves will get six spikes per tie. The correct spiking pattern will be used on all new ties and any adjacent ties that are respiked to correct gage.

3. Rail Anchors

a. All rail anchors will be reapplied in their existing location and properly fitted against ties.

4. Tamping

a. Tie gang will tamp all newly inserted ties as they are placed in the track and ballast will be replaced at ends of ties. Tamping for tie replacement will be done as described in section 5 of these specifications.

- 5. Final Surfacing, Alinement and Ballast Regulating
 - a. Contractor will use a Jackson 6700, Mark IV or equivalent tamper to give the track within the designated area a "skin lift" and establish best fit for curves including appropriate spirals. Surfacing will taper into bridges and grade crossings.
 - b. Two insertions will be made for each tie.
 - c. WVCR will provide information on superelevation of curves.
 - d. When surfacing a turnout, tamping will continue for a distance of at least 100 feet onto the side track to ensure uniform surface through the turnout.
 - e. A ballast regulator will follow the tamper to regulate ballast and reshape shoulders. Contractor will place any additional ballast where it may be needed after surfacing. All curves with welded rail will have a ballast shoulder of at least 12 inches on the outside of the curve.

SURFACING AND BALLAST REGULATION:

In addition to the areas where ties are installed, there will be additional surfacing of approximately seven (7) miles. This surfacing will be at various locations along the railroad from MP 6.2 – MP 90.5

TIE REPLACEMENT ON BRIDGE 28.8

This bridge is 221 feet long and is located in Elkins, WV crossing the Tygart Valley River and Barron Avenue. Bridge is a four-span steel structure. The running rails are 115# CWR. All 194 bridge ties and 4 parapet ties are to be replaced. The bridge ties are (163) 10" x 10" x 12' and (31) 10" x 10" x 16' ties dapped to fit on the steel spans. The parapet ties are (4) 10" x 10" x 10" x 10'. All steel strap tie spacers are to be replaced with timber outer guard rail.

- 1. <u>Bridge Tie Installation</u>: Every third tie will be anchored to the top of the girder flanges with new, galvanized ¾" hook bolts, nuts and washers. No more than 8 to 10 ties may be removed at one time due to the CWR. New ties will be shifted to eliminate bunching that has occurred with the existing ties. Tie spacing should remain standard with current spacing. All four (4) parapet ties will be replaced.
- 2. <u>Timber Outer Guard Rail</u>: The timber outer guard rails shall be placed at the same location as the current metal straps. Contractor shall measure location of current straps from track center prior to removing. The timber shall be anchored to each tie with 3/" x 10" washer head drive spikes. The 3/" holes for the drive spikes shall be drilled through the guard rails only and the holes placed in alternate patterns over each tie, three inches (3") inside the edge of the timber. See attached drawing. (Attachment A) At the ends of each span, the outer guard rail shall end on the last tie of the span to allow structure expansion and shall not be connected

to the backwall or approach tie. Guard rails shall be notched in the field as necessary to clear heads of the hook bolts.

- 3. <u>Inner Guard Rail</u>: The inner guard rail on the bridge shall be re-installed as shown in the attached sketch. The rail will be spiked to each tie with two spikes per rail, without plates, and will be fully bolted.
- 4. Running Rails: Existing tie plates will be re-used with new ¼" thick solid neoprene (no fabric) tie pads placed between the tie plates and bridge ties. Rails will be spiked to 56 ½" gage with new, 6" cut spikes. They will be spiked to proper alinement without any irregularities. Contractor will be responsible to adjust rail as necessary to eliminate stress that develops as a result of the tie replacement. Spiking pattern will be four spikes per tie plate.
- 5. Walkway: The timber on the walkway will be replaced and the metal walkway re-installed. (68) 3" x 9" x 14' timbers will be cut to fit for the walkway.

INSTALL one #8 132 lb turnout and 800 feet of track at the JF Allen Siding

Contractor will construct 800 feet of track and one #8 turnout. The #8 132 lb turnout will connect back to the mainline which is 122# rail. Rail will be transported to the worksite by the SRA.

Crossties will not be spaced in excess of 24" centers. Ties will be handled carefully to avoid damage in accordance with AREMA specifications.

Rail will be spiked to a gage of 56 ½ inches, plus or minus ¼ inch. Spikes shall be started and driven vertically and square with rail. They shall have full bearing against the side of the rail base. Spikes shall not be overdriven. Spiking pattern shall be as shown in Attachment B.

Rail anchors will be properly fitted against the ties and will not be moved by driving them along the rail. Anchors shall be applied as shown in Attachment C. Turnouts will have all ties box anchored.

There will be six inches of ballast beneath the ties and between the ends of the ties and the slope of the ballast shoulder. Cribs will be filled but no ballast will be left on top of the ties. Ballast will be supplied by JF Allen but contractor is responsible for placing as needed.

All trackage will be lined and surfaced. Two insertions will be made per tie. Ballast will be regulated for proper shoulders.

Equipment and materials can be stored on-site.

CONDUCT OF WORK

Train Traffic: Freight trains run from MP 0 to 29. During late winter and spring, freight trains typically operate five days a week. Excursion trains run weekends thru Memorial Day, and Thursday, Friday, Saturday and Sunday during June. Additional excursions may be scheduled during weekdays or weekends on an as needed basis. Updated schedules will be provided to the contractor by DGVR. The track must be made safe for train traffic on those days. Contractor will need to coordinate work with the Durbin & Greenbrier Valley Railroad, the operator of the WVCR. Contact for track access is Matt Reese, Superintendent at 304-636-9477 ext. 107 or 304-612-7990.

Contractor will be responsible to provide a radio or radios capable of communicating with the DGVR. The radio must be a minimum of 40 watts. The contractor can get a radio from Hammicks Radios, 304-636-6210 and have it programmed with the same frequency as the DGVR. Each work crew must be equipped with a radio.

All work will be subject to inspection by the SRA and WVCR.

The contractor will comply with all safety rules and regulations as required by the Federal Railroad Administration, WVCR and other parties as applicable.

The successful bidder will be required to have ALL employees that will be working on this project attend a ½ day class on track safety and track access. Also a mandatory preconstruction meeting will be held with all employees working on the project, the WVCR operator and their employees and a representative from the SRA. This meeting will assure that everyone understands the entire scope of work as outlined in the awarded purchase order. Also, it will be mandatory that a weekly status report be submitted to the SRA. This report will be signed by the contractor and railroad representative and will list the work completed for the week. A final inspection of all completed work will be conducted by the contractor, the DGVR and an SRA representative to assure all work is completed as stated in the specifications. Final payment will be withheld until this inspection is complete.

Contractor will use Heavy and Highway Construction Rates as established for Barbour, Randolph and Pocahontas Counties. These rates are pursuant to WV Code 21-5A, et. Seq. and are available at www.wvsos.com/adlaw/wagerates. Contractor will be responsible for submitting certified payrolls to the SRA.

There are sidings at Belington, Elkins, Bowden and Bemis that can be used to tie-up equipment.

Contractor will be responsible for clean up of the work site. All debris and refuse will be removed from WVCR property and disposed of properly. This includes old bridge ties, crossties, and spikes removed during this project.

MATERIALS

For the turnout and track installation at the JF Allen siding, SRA will provide switch, switch ties, crossties, ballast, rail and tie plates. Contractor will be responsible for spikes, bolts, anchors, joint bars, comp bars and filter fabric.

Contractor will be responsible for all materials for the other projects listed above.

Bridge ties will be new (163) 10" x 10" x 12' & (31)10" x 10" x 16' Grade 1 Southern Yellow Pine, dense structural 65, creosote pressure-treated to 10# or refusal. Timber outer guard rails shall be 4" x 8" Southern Yellow Pine creosote pressure-treated to 12# or refusal.

Parapet ties will be new (4) 10" x 10" x 10' Grade 1 Southern Yellow Pine, dense structural 65, creosote pressure-treated to 10# or refusal.

Walkway lumber will be new (68) 3" x 9" x 14' treated lumber cut to fit walkway.

The contractor will prepare the dapping plans for ties installed on Bridge 28.8. These ties will be dapped to at least ½" and no more than ½" wider than flange width. Timber outer guard rails will be sized to fit each span of the bridge.

Crossties will be 7" x 9" x 8'6" industrial grade. Specifications in AREMA Chapter 3 will govern. Ties will be mixed hardwoods and oak, 100% end plated and creosote pressure treated to 7# retention or refusal.

Contractor will provide treated tie plugs and cut track spikes 5/8" x 6" per AREMA specifications.

Bolts and washers must be new and conform with AREMA specifications.

Anchors shall be the proper size for the rail to which they are applied. Anchors will be new or reformed and be compatible with industry rail anchor machines.

The 100RB rail requires 53 pairs of four-hole bars drilled.

Two pairs of 100-132 comp bars and four pairs of 122-132 comp bars.

Filter fabric for turnout will be sixteen-ounce needle punch, non woven.

BIDDING REQUIREMENTS

The contractor MUST have previous experience in the replacement of railroad bridge decks, crosstie replacement, turnout installation, rail placement and track surfacing. References may be required to prove past experience.

A mandatory pre-bid meeting will be held on November 18, 2008 at 10:00 am. Everyone will meet at the Belington Yard in Belington, WV. This meeting includes an inspection trip of the portion of railroad where the work will be completed. Bidders must provide their own hy-rail equipment or make arrangements with other potential vendors to ride with them. Contractors wishing to attend should inform Frank Whittaker at 304-558-2316 by November 7, 2008. Questions prior to the prebid inspection must be submitted in writing and will be addressed at the meeting. Email - Frank.m.whittaker@wv.gov

The quantities in the RFQ are for estimating purposes only. The awarded unit price will be used to determine the cost of the actual scope of work authorized.

For bidding purposes, contractor is to give a unit cost for each item listed below. Low bid will be determined by the lowest total amount for all unit costs multiplied by the estimated quantities as listed below:

Tie Replacement	(excluding	gaging)
-----------------	------------	---------

Estimated quantity 3,000 ties x unit cost $\frac{136.10}{}$ per tie =


Gaging (new and respiked crossties)

Estimated quantity 2,300 ties x unit cost \$18.00 per tie =

Surfacing/Ballast Regulation

Estimated 7 miles x 5,280 feet/mile x unit cost \$3.35 per track foot =

Complete Replacement of Bridge Lies and Outer Guard Raus on Bridge 28.8
One bridge total unit cost \$ 190,470.00
Track Construction (includes all labor and joint bars, comp bars, spikes, anchors and bolts)
Estimated quantity 800 track feet x unit cost \$70.60 per T.F. =
§ 56,480.00
Turnout Construction (includes all labor and joint bars, spikes, anchors and bolts)
One turnout total x unit cost \$ 43,444.00 =
\$_43,444.00
TOTAL OF ALL ITEMS \$ 863,910.00



SPIKING PATTERN "A"

 •	

SPIKING PATTERN 'B'

	31		l
	5	'n	
,			
•			
•	2	₽	
		<u></u>	

SPIKING PATTERN "C"



SPIKING PATTERN 'D'

<u>в D</u>	
B 0	••
- N K	
N D	ļ.
<u> </u>	

A · THACK SPIKE

INTH TRACK - A TRACK, OTHER THAR AN AUXILIANT TRACK, EXTENDING'THROUGH YANDS AND BETKEEN STATIONS, UPON WHICH TRAINS ARE OPENATED IN CONFORMANCE VITH PULES OR SPECIAL HISTORCTIONS.

SP (KIND PATTERN

N

TANGENTS AND CURYES LESS THAN 2 DEGREE

HAIN TRACKS AND STUINGS

TANOENTS AND CURVES LESS THAN 2 DECINED

WITH SPEED UP TO 45 HPH

WITH SPEEB-BREATER THRM 45 HPH

SFIKES PEN TIE PLATE

> TANCK TIPE, THACK ALIGNHENT. AND SPEED AVIHORIZED

SIDING - AN AUXILIANY TRACK DESTURNTED IN SPECIAL INSTRUCTIONS FOR THE HEETING OR PASSING OF TRAINS, "

SIDE THACK - AN AUXILIANT THACK FUR PURPUSES UTHER THAN HEETING ON PASSING THANS.

. Œ

CURYES 8 DEGREE AND OVER BUT LESS TIMM 12 DEGRE

CURYES OVER 12 DEGREE

TANDENTS AND CURVES LESS THAN & DEGAEE

SIDE TRACKS . SPEEDS UP TO 25 HPH

CURYES OVER 6 DECINEE

-

CUAYES 2 DEGREE AND OVER BUT LESS THAN 6 DEGNEE

THE AMERICAN INSTITUTE OF ARCHITECTS

AIA Document A310 Bid Bond

KNOW ALL MEN BY THESE PRESENTS, THAT WE Ra	ilWorks Track Systems, Inc.
PO Box 555, Hilltop Rd & Midland Terrace, Bldg D, Sewell,	NJ 08080
as Principal, hereinafter called the Principal, and <u>Travelers</u>	s Casualty and Surety Company of America
One Tower Square, Hartford, CT 06183-6014	
a corporation duly organized under the laws of the State of	
as Surety, hereinafter called the Surety, are held and firmly	
	19 Washington Street. E, Charleston, WV 25305
as Obligee, hereinafter called the Obligee, in the sum of	Five Percent of Amount Bid
for the payment of which sum wall and truly to be made the	Dollars (\$ 5%), he said Principal and the said Surety, bind ourselves, our heirs,
executors, administrators, successors and assigns, jointly	and severally, firmly by these presents.
WHEREAS, the Principal has submitted a bid for	maintenance on the West Virginia Central RR, RMA900010
10.000	
the Obligee in accordance with the terms of such bid, and Contract Documents with good and sufficient surety for payment of labor and materials furnished in the prosecution such Contract and give such bond or bonds, if the Prince penalty hereof between the amount specified in said bid a	f the Principal and the Principal shall enter into a Contract with give such bond or bonds as may be specified in the bidding or the faithful performance of such Contract and for the prompt on thereof, or in the event of the failure of the Principal to enter cipal shall pay to the Obligee the difference not to exceed the and such larger amount for which the Obligee may in good faith by said bid, then this obligation shall be null and void, otherwise December 2008
Digitod and Sociou tillo	
Will-K (Witness)	RailWorks Track Systems, Inc. (Seal) By: JOHN LAPP VICE - PRESIDENT (Title)
Erin Clark (Witness)	Travelers Casualty and Surety Company of America (Seal) By:
	Attorney-in-Eact Staey Rivera (Title)



. POWER OF ATTORNEY

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
Seaboard Surety Company
St. Paul Fire and Marine Insurance Company

St. Paul Guardian Insurance Company
St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company

Attorney-In Fact No.

214399

Certificate No. 002314344

KNOW ALL MEN BY THESE PRESENTS: That Seaboard Surety Company is a corporation duly organized under the laws of the State of New York, that St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company and St. Paul Mercury Insurance Company are corporations duly organized under the laws of the State of Minnesota, that Farmington Casualty Company, Travelers Casualty and Surety Company, and Travelers Casualty and Surety Company of America are corporations duly organized under the laws of the State of Connecticut, that United States Fidelity and Guaranty Company is a corporation duly organized under the laws of the State of Maryland, that Fidelity and Guaranty Insurance Company is a corporation duly organized under the laws of the State of Iowa, and that Fidelity and Guaranty Insurance Underwriters, Inc. is a corporation duly organized under the laws of the State of Wisconsin (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint Jeannette Porrini, and Stacy Rivera

of the City of	Farmingto	n		State of	Connection	cut	their tru	e and lawful Atto	rnev(s).in_Fact
						ledge any and all	bonds, recognizan	ces, conditional ur	idertakings and
other writings	obligatory in the	nature thereof o	n behalf of the	Companies in th	eir business of g	guaranteeing the fi	delity of persons,		
contracts and e	executing or guara	inteeing bonds a	nd undertakings	required or pern	nitted in any action	ons or proceedings	allowed by law.		
				" (L. Zer) 17					
				STEPPEN OF	19. 1. W. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				
IN WITNESS	WHEREOF, the	Companies hav	e caused this in	strument to be si	gned and their co	proprate seals to be	hereto affixed, th	is 20	th
day of	ruary	*2006 	. <*		2 Carlo	orporate seals to be	,		
•						De Control			
			Casualty Comp				ıardian İnsuranc		
				rance Company			ercury Insurance	. ν	
			rety Company	rance Underwr	iters, inc.		Casualty and Sur Casualty and Sur	ety Company ety Company of A	merica
				surance Comp	any			Suaranty Compa	
CASUA	SOUTY MODE	THE DESCRIPTION	CARD SUPE IV CO	TOT FIRE G	STAN INSERT	NSUS TINSUS	GUALTY AND OF	AND SURE	SELITYAND
(\$ 1982 B)S	(\$(1977)\$)	HICORPORATED S	(1927)		S CORPORATE S	CORPORATE	(2) HARTFORD, (2)	Э (наптроно)	(MCONTONATE)
Veccos 5	THE THE PERSON NAMED IN	1951	The state of		SEAL	SEAL	CONN	Control of the contro	
			OF NEW	The state of the s	Mario Allina	The second second	W. June	Witness A. St. Total	AME
								_ 1	
						L.		X	
State of Conne					Ву:		wyph	empor	
City of Hartfor	d ss.					Georg	ge(W) Thompson, Se	nior Vice President	
	20th	Febr	1971	2	006				
On this the		day of	-		, before me p	ersonally appeared			
						ance Company, Fi			
						surance Company States Fidelity ar			
						g on behalf of the			
			•	•			, ,	Ī	
				(STERN				_	
T., XX224. WY15	- · · · - · · · · · · · · · · · · · · ·		1 . CC 1 1 1	STAN			Marie.	c. Jetr	Egy 2+
	nereof, I hereunto on expires the 30th			3 (40,44)	5)		Maria C 7	etreault, Notary Pub	
1417 COMMINISSIC	ni expires nie 30ti	i day of June, 20	J11.	/S/CABILEY	<i>5)</i>		- iviane C.	cucaen, Notary Pub.	AC .

58440-5-07 Printed in U.S.A.

WARNING: THIS POWER OF ATTORNEY IS INVALID WITHOUT THE RED BORDER

This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., Seaboard Surety Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, Kori M. Johanson, the undersigned, Assistant Secretary, of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., Seaboard Surety Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this __/O+h day of

vor December

 O_{2}

Kori M. Johanson Assistant Secretary






















To verify the authenticity of this Power of Attorney, call 1-800-421-3880 or contact us at www.travelersbond.com. Please refer to the Attorney-In-Fact number, the above-named individuals and the details of the bond to which the power is attached.



WEST VIRGINIA CONTRACTOR LICENSING BOARD

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV034059

Classification:

GENERAL ENGINEERING

RAILWORKS TRACK SYSTEMS INC 5 PENN PLAZA 12TH FLOOR LEGAL DEPAR NEW YORK, NY 10001

Date Issued

Expiration Date

AUGUST 12 2008

AUGUST 12, 2009

Authorized Company Signature

Chair, West Virginia Contractor Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.





RailWorks Track Systems, Inc. P.O. Box 555 Hilltop & Midland Terrace Building D Sewell, NJ 08080

Tel: 856.582.4292 Fax: 856.582.6073

December 12, 2008

Department of Administration Purchasing Division Building 15 2019 Washington Street East Charleston, WV 25305-0130

Attention: Ron Price (304-558-0492)

Reference:

WV RFQ. No:RMA900010

Subject:

List of Bid Documents

Mr. Price,

Enclosed please find following bid documents for WV RFQ:RMA900010 Project in Belington, WV.

- 1. Bid Documents (20 pages)
- 2. Bid Bond (3 pages)
- 2. Affidavit of Compliance (1 page)
- 3. Copy of Contractor License (1 page)

Very Truly Yours,

William King Area Manager

RailWorks Track Systems, Inc.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

West Virginia Code §21-1D-5 provides that: Any solicitation for a public improvement construction contract shall require each vendor that submits a bid for the work to submit at the same time an affidavit that the vendor has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. A public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendors should visit www.state.wv.us/admin/purchase/privacy for the Notice of Agency Confidentiality Policies.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor acknowledges the information in this said affidavlt and is in compliance with the requirements as stated.

Vendor's Name: RailWa	ocks Track Sy.	stems, Inc.	
Authorized Signature:		,	12/12/2008
Purchasing Affidavit (Revised 07/01	1/08)		