

> HZDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

Ţ

REQ NUMBER
6610C003

PAC	E
	1

ADDRESS CORRESPONDENCE TO ATTENTION OF MICHAEL AUSTIN

JUVISION OF HIGHW

*709045414 304-424-7353
KELLY PAVING INC
PO BOX 366
WILLIAMSTOWN WV 26187

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TEF	RMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
08/24/						
BID OPENING DATE:	105000000000000000000000000000000000000	09/09/	2009	BID	OPENING TIME O	1:30PM
LINE	QUA	NTITY	UOP CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	***************************************			745-67-01-001		
	PATCHI	NG, BI	TUMINOUS,	WINTER GRADE, ST	ANDARD	
	The state of the s		o	PEN END CONTRACT		
	TO SUP	PLY WI	NTER GRAD D/OR MODI	MATERIALS AND EQ E BITUMINOUS PATC FIED) PER THE ATT	HING MIXTURE.	Y
	EXHIBI	т з				
	YEAR ONECESSORIGINOT EXTIME"	R UNTI ARY TO AL CON CEED T THE VE	A L SUCH "R OBTAIN A TRACT. T WELVE (12 NDOR MAY GIVING TH	HIS CONTRACT BECO ND EXTENDS FOR A EASONABLE TIME" TO NEW CONTRACT OR I HE "REASONABLE TION MONTHS. DURING TERMINATE THIS CON E DIRECTOR OF PUR	PERIOD OF ONE (1) HEREAFTER AS IS RENEW THE ME" PERIOD SHALL THIS "REASONABLE NTRACT FOR ANY	
	IN THI	S CONT G SET	RACT DOCU	SIONS ARE STIPULA MENT, THE TERMS, O E FIRM FOR THE LIP	CONDITIONS AND	RECEIVED
	WRITTE SUBMIT	N CONS TED TO	ENT OF THE DIRE	T MAY BE RENEWED (E SPENDING UNIT AN CTOR OF PURCHASING IRATION DATE. SUC	ND VENDOR, G THIRTY (30) CH RENEWAL SHALL	MUSEP - 8 PM I: 4 I WV PURCHASING DIVISION
SIGNATURE	a . F	7/	> SEE R	EVERSE SIDE FOR TERMS AND CON ITELEPHONE	IDATE	
Charle	WW,	lingla		(304)424-7353	09/09/09
Assistant	V.P.	FE	55-0583	614	ADDRESS CHANGES	TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Bay 50102 Post Office Box 50130 Charleston, WV 25305-0130

SHIPTO

6610C003

PAGE	
2	

MICHAEL AUSTIN 304-558-2402

ADDRESS CORRESPONDENCE TO ATTENTION OF

***709045414** 304-424-7353 KELLY PAVING INC PO BOX 366 WILLIAMSTOWN WV 26187

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	<u> 4 6000 2000 2000 2000 20</u>	TER	MS OF SAL	E	SHIP	/IA	F.(D.B		FREIGHT TE	RMS
08/24/											
BID OPENING DATE	: Plancondeciment	<u>09/09/</u>	2009	Provincia de la compania		BID	OPENING	TIME	01	:30PM	
LINE	QUAI	YTITY	UOP	CAT. NO.	ITEM NU	VIBER	UNI	T PRICE		AMOUN	To a second
<u>(200. d.C. (200.) 200. (200.)</u>	<u> </u>	<u>0, 600000000000</u>	305 (1333d54/61)					466666600000000000000000000000000000000			
	DE TH	A C C C D D	41100		THE TENA						
	ORIGIN	AL CON	TDACT		THE TERMS						
	(1) YE		; I	UND	SHALL BE	LIMITED	I IU IWU	(2) UN	E		
	(1) 1	MIN I LIN	1003.								
	CANCEL	LATTON	: THE	DIRE	CTOR OF P	HECHAST	NC BESEB	VEC TU	_		
	RIGHT	TO CAN	CEL T	HIS C	ONTRACT I	MMEDIAT	FIV UPON	VES IN	EN	•	
	NOTICE	TO TH	E VEN	DOR I	F THE COM	MODITIE	S AND/OR	SERVI	CEC		
	SUPPLI	ED ARE	OF A	N INF	ERIOR QUA	LITY OR	DO NOT	CONFOR	M		
	TO THE	SPECI	FICAT	IONS	OF THE BI	D AND C	ONTRACT	HEREIN	<u>`</u>		
	OPEN M	ARKET	CLAUS	E: TH	E DIRECTO	R OF PU	RCHASING	MAY			
	AUTHOR	IZE A	SPEND	ING U	NIT TO PU	RCHASE	ON THE O	PEN			
	MARKET	, WITH	OUT T	HE FI	LING OF A	REQUIS	ITION OR	COST			
					IED ON TH						;
	TWWFDI	ATE DE	LIVER	YIN	EMERGENCI	ES DUE	TO UNFOR	ESEEN	ĺ		
	CAUSES	LON CD	ODING	ROI	NOT LIMIT	ED TO D	ELAYS IN	TRANS	-		
	OF WOR		AN U	NANIT	CIPATED I	NUREASE	IN THE	VOLUME	-		
	OF WOK	``'	-	ŀ					1		
	OUANTT'	TTES:	THALLO	TTTEC	LISTED I	N THE D	ENHICTTI	ON ARE	l		
	APPROX	IMATIO	NS ON	Y. B	ASED ON E	STIMATE	C CHOLIT	ED BV			
	THE ST	ATE SP	ENDIN	S UNI	T. IT IS	UNDERS	7000 AND	VCBEE!	n		
	THAT TI	HE CON	TRACT	SHAL	COVER T	HE QUAN	TITIES A	CTUALLY	Y		
•	ORDEREI	o For	DELIV	ERY D	JRING THE	TERM O	F THE CO	NTRACT			
	WHETHER	R MORE	OR L	ESS T	AN THE Q	UANTİTI	ES SHOWN	•			
		ļ	1								
	ORDERI	VG PRO	CEDURE	E: SP	ENDING UN	IT(S) S	HALL ISS	UE A			
					ORDER (F						
	THE VEN	IDOR F	OR CON	4MOD I	TIES COVE	RED BY	THIS CON	TRACT.			ļ
	THE UK	LGINAL	COPY	OF TH	IE WV-39	SHALL B	E MAILED	TO THE	=		İ
	VENDUR MATLED	AS AU	HUKT	CALLUN	V FOR SHI	PMENT,	A SECOND	COPY	Ì		
	NAILED Detatme	TU IMI	EUE OF	CHASI	NG DIVISI NG UNIT.	UN, AND	A IHIRD	COPY			
	VEINTHE	ן זמ עב:	ine Sh	- CMDT	AR ONTI.	1			-		***************************************
,	BANKRUF	TCV.	TN TL		NT THE V	ENDOB (C	ገለተመለጥቸው	D [T : F :	,		
			Y PRI	TECT	ION, THE	STATE M	ZMIKACIO:	V LTFE?	>		
						- I - I - I	TI DEEN	IAE			***************************************
DIGNATURE // //		·	/[SEE REV	ERSE SIDE FOR TE				1.60.8		
MATURE / Mare	lu W	Vanla				TELEPHON 304)424-735	53	O TE	9/09/09	
Assistant '	V.P.	FEII	55	-0583			i			O RE NOTED AR	OVE



***709045414**

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

304-424-7353

Request for Quotation

SH-p

T O

6610C003

340	PA	ЭE 🦠	
	.,	3	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

MICHAEL AUSTIN 304-558-2402

HOOKE

KELLY PAVING INC PO BOX 366

WILLIAMSTOWN WV 26187 DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN		1 E S	MS OF SAL	E		SHIP VIA		F.O.B.		FREIGHT TERMS
08/24/		<u> </u>								
BID OPENING DATE:	Estate estate est	09/09/	2009	(Salicencoside)	übrodapsaasaasaasa	BID	<u>OPEN</u>	ING TIME	01	:30PM
LINE	QUAI	VTITY	UOP	CAT NO	ITE	MNUMBER		UNIT PRICE		AMOUNT
					, AND	TERMINATE	SUCH	CONTRACT		
	MITHOU	T FURT	HER O	RDER.						
,	1					TAINED IN	1			
1	•					SUBSEQUENT	•			
1	1					TTA YNA NO			1	
						S, ORDER F				
1	1		1			REEMENTS,	INCL	UDING ANY	•	
	ELECTR	ONIC M	EDIUM	SUCH	AS CD	-ROM.				
	REV. U	5/26/2	009					٠		
	CVIITDI	T 10								
	EXHIBI	1 10								
								6610C00	13	
					KE	QUISITION	:.טא		7	
	ADDEND	UM ACK	NOLLE	DOEME	ki T					
	MUDEND	UPI ACK	NOWLE	Deche	14 1					
	T UCDE	BV ACK	NOWLE	חרב ם	ECCIPT	OF THE FO	1 1 0 6	THE CHECK	ED	,
•	ľ		1	1		E NECESSAR	1			,
	f .					FICATION,	I .		U III	
,	1 101 03	AL, IL	ANS A	ND/ OR	OFFOI	i ica iida	-10.			
	ADDEND	UM NO.	'S:							
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	011 1101	0.					4		
	NO. 1									
			•	ļ						
	NO. 2			}						
	NO. 3									
									-	
	NO. 4			i						
	, , , ,									
	NO. 5		/							
-			/							
	I UNDE	RSTAND	тнат	FAIL	URE TO	CONFIRM T	HE R	ECEIPT OF	TH	
	21.220.00		_/_							
SIGNATURE /)	<u> </u>		1	SEE RE	/ERSE SIDE	FOR TERMS AND CO	and the state of the state of	VIX 6001 VE - 1976 - 1975 I FRANCE	DATE	
Chales	Wla	des!	<i>'</i>			TELE (304)	424-	7353	DATE	09/09/09
Assistant	V.P.	FE	in ÇÇ	-0583	614			ADDRESS CH	ANGES	TO BE NOTED ABOVE
ASSISTANT				0,00	OT4		111			



NENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Pay 50100 Post Office Box 50130 Charleston, WV 25305-0130

OH-P

Ť

6610C003

RFQ NUMBER

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

*709045414 304-424-7353 KELLY PAVING INC PO BOX 366

WILLIAMSTOWN WV 26187

DATE PRIN	TED	TEF	MS OF SA	ĹĒ	SHIP	/IA	F.O	.B	FREIGHT TERMS	Se 14 866
08/24/	2009			4						
BID OPENING DATE:		09/09/	2009			BID	OPENING	TIME 01	L:30PM	
LINE	QUAI	VTITY	VOP	CAT: NO:	ITEM NUI		1999 W. 1993 September	PRICE	AMOUNT	
	ADDEND	UM(S)	MAY B	E CAU	SE FOR RE	JECTION	OF BIDS	•		
	VENDOR REPRES	MUST	CLEAR	LY UN	DERSTAND ASSUMED	THAT AN	Y VERBAL	NC ANV		
	ORAL D	ISCUSS	ION H	ELD B	ETWEEN VE	NDOR'S	REPRESEN	TATIVES		
	AND AN	Y STAT	E PER	SONNE	L IS NOT	BINDING	ONLY			
	INFORM.	ATION	ISSUE	DIN	WRITING A	ND ADDE	D TO THE	/		
	SPECIF	ICALLO	NS BA	AN O	FFICIAL A	DDENDUM	IS BIND	ING./		
						halee b	V. Jacker GNAZURE	J		
	ļ	ļ			Ke	1	ing, Inc		-	
		1,000				* * * * * * * * * * * * * * * * * * * *		• • • • • • • • • • • •		
		ĺ	'			CO	MPANY			
					Se	ptember	9, 2009		emonts as	
						DA	TE			{
	י בי איי	1 (0)								
	REV. 1	1/96								
			İ							
į				тои	ICE					
	A SIGNE	ED BID	MUST	BE S	UBMITTED	TO:				
	DE	EPARTM	ент о	F ADM	INISTRATI	nn				-
		JRCHAS.								
		JILDIN	1			Ì				
				1	TREET, EAS	ST				Ì
	CF	ARLES	ION,	WV 2	5305-0130					
	THE BID	э ѕнои	n co	NTATN	THIS INFO	1PMATTON	J ON THE	EVCE UE		
	THE EN	/ELOPE	OR T	HE BI	TON YAM C	BE CONS	SIDERED:	TACE OF		
			}	1						
			/	SEEDEV	ERSE SIDE FOR TE	Plac AND COL	DITIONS			
GNATURE ///	1 10	7-//	9-1-	- one bely	FINE OINE LAU IE	LETENHONE **	DITIONS	DATE		
Ille Chin	en ici	Varyla-	/			(304)	424-7353		/09/09	
Assistant	v.r.		55	-0583	514		ADDR	ESS CHANGES	TO BE NOTED ABOVE	ļ



State of West Virginia
Department of Administration
Purchasing Division
2019 Washing For Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P TO

6610C003

PAC	äΕ	S.
 ,	5	

ADDRESS CORRESPONDENCE TO ATTENTION OF

MICHAEL AUSTIN 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***709045414** 304-424-7353 KELLY PAVING INC PO BOX 366

WILLIAMSTOWN WV 26187

DATE PRIN	TED	TEF	MS OF SAI	E	SHIP	/IA	FO	B	FREIGHT TERMS
08/24/									
BID OPENING DATE	dipandocopoco como	09/09/	2009	Process tederacon	ni iniahasa namus , shahasasa	BID	OPENING	TIME 01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO	ITEM NU	VIBER	UNIT	PRIÇE	AMOUNT
	SEALED	BID						<u>daasiin kist teetaan ass birrea</u>	
	BUYER:			:	33				
	RFQ. N	0.:			66	100003			
					Septembe		na		
	BID OP	ENING	DATE:		_pebrempe	1 29 20	<u> </u>		
					01:30 PM	[***************************************
	BID OP	ENING	IIME:		ame tree date toda and tone tone toda cree tone		,	· · · · · · · · · · · · · · · · · · ·	
,					umber in ng your b (740) 37	ID:	IS NECES	SSARY	
	CONTAC -	T PERS			PRINT CL <u>Haverty</u>				
	****	THIS	IS T	HE EN	D OF RFQ	6610C	003 ****	** TOTAL:	
				SEF RE	/ERSE SIDE FOR T	FRMS AND COL	NDITIONS		
SIGNATURE	1 1.	19	///	r Sementalia	CEROL SIGNATURE		424-7353	DATE	00/00/00
TITLE Cha	Mu U	1 layly	IN _			(304)			09/09/09
Assistant	V.P.		55 -	-05836	514		ADDF	RESS CHANGES	TO BE NOTED ABOVE

1. <u>SPECIFICATIONS</u>

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications, shall apply to the administration of this Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways', Standard Specifications Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

"Contractor" and "Vendor" used in the above specifications of this contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000 and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways Engineering Division, Technical Section State Capitol Complex Building 5, Room A-650 Charleston, West Virginia 25305-0430

DESCRIPTION

The patching material shall be composed of a suitable aggregate plant mixed with a liquid asphalt material and chemical additives. The asphalt material with additives shall be capable of coating the aggregate without stripping. The material shall maintain adhesive qualities for all moisture conditions in the patched areas, except those having standing water.

Both with a file

<u>MATERIALS</u>

<u>AGGREGATE</u>

The coarse aggregate shall be a clean material consisting of crushed stone, crushed gravel or slag, meeting the requirements of the Division of Highways' Standard Specifications subsections 703.1, 703.2 and 703.3 respectively. Fine aggregate shall meet the requirements of the Division of Highways' Standard Specifications meet the requirements of the Division of Highways' Standard Specifications subsection 702.3. The gradation of the final mixture shall be the same as the Vendor's currently approved plant mix formula for Type 1 Hot-Mix Asphalt Wearing Course when Standard Winter Grade Bituminous Patching Mix is being produced.

When Modified Winter Grade Bituminous Patching Mix is being produced, the aggregate gradation shall be as recommended by the supplier of the liquid asphalt with additives. Allowable standard aggregate sizes shall be #89, #9, or a blend composed of #8 with a minimum of 50% #9.

The gradation shall be determined in accordance with AASHTO T-27 and T-11.

The aggregate fraction of the final mixture shall meet the crushed particle requirements of Subsection 703.2.2 of the Division of Highways' Standard Specifications. Questionable aggregates shall be tested as per MP 703.00.21, except the No. 8 sieve will be used.

ASPHALT MATERIAL

1. Standard Winter Grade Bituminous Patching Mix

The asphalt material shall conform to the requirement of the West Virginia Division of Highways' Standard Specifications, Subsection 705.1. Tests conducted by the supplier shall be presented to the respective Division of Highways District Materials Engineers/Supervisors for review prior to production of Standard Winter Grade Bituminous Patching Mix. This liquid asphalt shall also contain a minimum of 2.5% chemical anti-stripping additive.

Or,

2. <u>Modified Winter Grade Bituminous Patching Mix</u>

The asphalt material shall be liquid asphalt with a chemical anti-stripping additives conforming to the requirements of AASHTO M82 or as modified to meet the requirements of the asphalt supplier. The asphalt shall contain a minimum of 2.5% chemical anti-stripping additive.

Results from the following test methods and any additional tests conducted by the supplier shall be presented to the respective Division of Highways District Materials Engineer/Supervisor for review prior to production of Modified Winter Grade Bituminous Patching Mix.

Modified Asphalt Test

- (1) Flash Point °C (°F)-AASHTO T79
- (2) Kinematic Viscosity in cSt at 60°C (140°F) Requirement – 350 to 500 cSt-AASHTO T201

- (3) Water (%)-Requirement-0.2% maximum-AASHTO T55
- (4) Distillate Test-AASHTO T78

% To 225°C (437°F) % To 260°C (500°F) % To 315°C (600°F) Residue (%) at 360°C(680°F)

Residue Tests

- (5) Ductility at 25°C(77°F)-AASHTO T51
- (6) Solubility Test-AASHTO T44

COMPOSITION OF MIXTURE

The aggregates and asphalt material shall be combined in such proportions that the composition by weight of the finished mix shall meet the requirements of the plant mix formula.

The aggregate fraction of the mixture shall be evaluated in accordance with AASHTO T-27 and T-11, and shall meet the requirements of the plant mix formula range. Any material failing to meet specification requirements on any sieve shall not be approved.

The asphalt fraction of the Standard Winter Grade Bituminous Patching Mix shall be a minimum of 5.0% when low-absorptive aggregates (<1.5%) are used and a minimum of 5.5% when high-absorptive aggregates (>1.5%) are used.

For Modified Winter Grade Bituminous Patching Mix the minimum amount of asphalt shall be as indicated in the table below. The amount of asphalt for all Winter Grade Bituminous Patching Mixtures shall be sufficient to thoroughly coat the aggregate particles and provide enough adhesion to hold the compacted particles together under traffic conditions when properly placed and to assure that the aggregate particles remain sufficiently coated after stockpiling.

Minimum Asphalt Content for Modified Patching Mix								
Aggregate Type	#89 or Blend of #8 with minimum of 50% #9	#9						
% Asphalt Note-1	5.5%	6.0%						

Note-1: Add a minimum additional 0.5% asphalt to the above values for mixtures containing high-absorptive aggregates (>1.5%)

PLANT MIX FORMULA

The plant mix formula for Modified Winter Grade Bituminous Patching Mix shall be in accordance with the recommendations of the supplier of the liquid asphalt with additives. The plant mix formula composition report, which shall include the percentage of chemical anti-stripping additive, shall be forwarded to the District Materials Supervisor/Engineer before the mix is produced.

A plant mix formula for Standard Winter Grade Bituminous Patching Mix shall be developed in accordance with MP 401.02.22, and as modified by the Marshall Test Procedure described in AASHTO T-245 for cutback asphalts. Initial submission of the proposed plant mix formula for Standard Winter Grade Bituminous Patching Mix will not be considered unless accompanied by sufficient test data developed by supplier to indicate that the formula being proposed can be met. As a minimum, this test data shall include: three separate gradations of samples taken from the hot bin, or separate gradations from cold bins or storage facility, the percentage of each material to be used and the calculated combined gradation. The test data submitted shall have been developed from material that is to be used in the proposed mix. Additional data which shall be submitted includes that described in MP 401.02.22. This data will not be required to meet the limits given in the design property tables. The air void content for Standard Winter Grade Bituminous Patching Material shall be 4-7 percent.

The proposed plant mix formula for Standard Winter Grade Bituminous Patching Mix shall be documented on Department Form T400 and together with plant calibration test data set forth above shall be forwarded to the District Materials Engineer/Supervisor. The percentage of chemical anti-stripping additive shall be included in the documentation. The T400 shall then be transmitted to the Materials Control and Testing Division for final review and revision.

CHANGES IN PLANT MIX FORMULA

Should the contractor at any time propose to change the source of aggregate in the mix, the definite asphalt content or change the source of the bituminous material, the provisions of the Division of Highways' Standard Specifications subsection 401.4.2 shall apply.

QUALITY CONTROL TESTING

Quality control is the responsibility of the contractor. Quality control testing shall include daily asphalt content and gradation analysis of the design aggregate structure during production. Since the aggregate and asphalt material are required to be measured separately and accurately to the proportions of the plant mix formula, the asphalt content may be determined by calculating the percentage by total weight of mix. However, all standard methods of determining the asphalt content of the mixture that are allowed for hot-mix asphalt under Section 401 of the Division of Highways' Standard Specifications are acceptable. The ignition oven test method (AASHTO T308) would require an asphalt content correction factor, however, due to the low flash point of most asphalts used in Winter Grade Bituminous Patching Mix, this test method is not recommended. If the AASHTO T164 solvent extraction test method is used, a non-chlorinated solvent may be substituted for the standard specified solvent, and the test method may be modified as per the recommendations of the solvent supplier.

In addition, for each day of production, the completed mix shall be tested for aggregate coating as follows. Obtain a 100 – 150 gram sample and allow it to cure to normal laboratory temperature. Place the sample in a glass jar of sufficient size that the loose sample will protrude to a level of no more than half of its capacity. Cover the sample with water to approximately three-quarters of the capacity of the jar. Place a tight fitting cover on the jar and allow it to stand for a period of 20 to 24 hours at normal laboratory temperature. The sample jar shall then be vigorously agitated for a period of 30 seconds. Pour the water from the jar, remove the sample, and spread it on a flat light-colored surface (nonstick laboratory paper is recommended). Allow the sample to air dry and visually examine it for stripping of the asphalt film from the aggregate. Estimate the amount of coated aggregate. Any thin brownish, translucent areas are to be considered fully coated with an asphalt film. Document the results of this test. The mixture shall be considered acceptable if at least 95% of the aggregate is coated. Insufficient coating may require reworking of the mixture and/or an additional amount of anti-stripping additive.

ACCEPTANCE OF THE MIXTURE

Acceptance of Winter Grade Bituminous Patching Mix shall be the responsibility of the Division. This shall be accomplished by monitoring the contractor's quality control testing and reviewing all test data relevant to the mixture.

In addition, if the completed mixture shows signs of stripping, the Division shall choose to either monitor the contractor's quality control aggregate coating test or conduct their own test and visually estimate the amount of coated particles. Document the results of this test. Although this is a visual estimation, the contractor should be immediately notified if the Division's test results are below 95%. A low coating percentage should be an indicator for the Division to closely monitor the mixture after stockpiling. All Division testing of Winter Grade Bituminous Patching Mix shall be performed by the District Materials Section.

After the mixture is stockpiled on the Division's lot, it shall be visually evaluated for any appearance of excessive non-fully coated aggregate particles. If considered necessary, the Division shall evaluate the mixture in accordance with ASTM D2489 (based on two-sample average) to determine if at least 97% of the coarse aggregate particles are fully coated. This evaluation shall take place within the first week after stockpiling. If the mixture is less than 97% coated, the contractor will be required to provide new material or remove the existing stockpile material from the Division's lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed, and return it to the Division's lot.

PREPARATION OF MIXTURE

The aggregate shall be heated to insure that it is surface dry at the time of mixing, however, the aggregate shall not be heated in excess of 180°F.

The asphaltic binder shall not be heated to a temperature greater than 165°F. Care shall be taken to prevent local overheating. The aggregate and asphalt material shall be measured separately and accurately to the proportions in which they are to be mixed. After the aggregate and binder have been combined, they shall be thoroughly mixed until the particles of aggregate are coated. At no time shall the finished mixture be at a temperature greater than 175°F.

Temperatures for Modified Winter Grade Bituminous Patching Mix may vary as per asphalt supplier's recommendations.

WORKABILITY

The mixture shall be stockpiled on the vendor's site for 14 days or until the internal mix temperature is within 10°F of ambient temperature without stripping and when taken from a stockpile, shall be capable of being shoveled, raked, spread and compacted.

At the end of the stockpiling period on the contractor's yard, the mixture shall be tested in accordance with ASTM D2489 (based on two-sample average). The total amount of non-fully coated particles shall not exceed 3%. The contractor shall provide these test results to the Division on a standard worksheet provided by the District Materials Section.

If the material fails to conform to the requirements of the specifications the contractor may rework the existing material or provide new material.

STORAGE

The mix shall be maintained on the contractor's property in stockpiles not exceeding a height of four (4) feet until the internal mix temperature is within 10° of the ambient temperature. In addition, the top of all stockpiles shall be leveled to eliminate any peaked areas.

All Winter Grade Bituminous Patching Mix shall contain sufficient asphalt that is capable of coating the aggregate without stripping. After stockpiling on the Division's lot, the mixture shall have a maximum of 5% non-fully coated particles after the first week and up to 90 days from delivery when evaluated in accordance with ASTM D2489 (based on two-sample average). This coating determination may be based on the Division's visual inspection if coating is not a problem, or based on Division testing when the amount of non-fully coated particles appears questionable. If stripping occurs the contractor will be required to provide new material or remove the existing stockpile material from the Division's lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed, and return it to the Division's lot.

2. <u>BIDDING INSTRUCTIONS</u>

The purpose of this contract is to provide for the delivery of WINTER GRADE BITUMINOUS PATCHING MIXTURE (Standard or Modified) to the various locations and in the estimated quantities set out in the bid schedule.

Actual quantities to be delivered to each location will be specified in a State Contract Purchase Order (SCO) which will be issued by the Division of Highways at the time delivery is required.

Vendors may bid to deliver the estimated quantities of either or both types of material at any or all of the designated delivery sites.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause for their rejection.

3. CONTRACT AWARD

The Division of Highways will consider Documented Vendor's performance history in the award of this Purchase Order Contract.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract for those locations for which their bid is low for Standard Winter Grade Bituminous Patching Material and for which their bid is low for Modified Winter Grade Bituminous Patching Material.

In the event a Vendor fails to conform to the requirements set out in this contract document, the State Contract Purchase Order or the governing specifications, the Purchase Order Contract may be cancelled and awarded to the next low bidder.

4. SAMPLING AND TESTING

Upon award of contract, the Vendor shall inform the Division of the location of Vendor's storage sites so that materials may be sampled and tested prior to shipment. Information shall be directed to the respective Division of Highways District Materials Engineers/Supervisors.

5. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications.

6. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

County Courts, Municipalities, School Boards, other political subdivisions and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need. Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from those quoted for the Highway

the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of this bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways; that is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

7. BASIS OF PAYMENT

The quantity, determined in accordance with Section Number 5, will be paid for at the delivered price per ton, which price and payment shall be full compensation for furnishing and handling all the material incorporated in the mixture and delivering the mixture to a designated storage site.

8. PRODUCTION SCHEDULE

Vendor should produce material within two weeks of receipt of SCO.

9. VENDOR'S INVOICES

Vendor's invoices must be submitted in original and one copy containing the following:

- Division of Highway's State Contract Purchase Order Number, and this Contract Number.
- b. Total quantity and unit price with the total cost of the material furnished.

Note: Under no circumstance will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

10. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by State DOT agency for orders as a condition of award.

11. 11. BIDDING SCHEDULE

WINTER GRADE BITUMINOUS PATCHING MIXTURE DISTRICT 1

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE		····	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Clay	C.R 11	75	N O	В	1	D
Kanawha	Elkview	50	<u> </u>			
Kanawha	Chelyan	35				
Kanawha	St. Albans	50				,
Mason	Point Pleasant	100				······
Putnam	Red House	75	***************************************			
Putnam	Hurricane	75				
I-79 Sec. 6	Amma	20			,	
I-77 Sec. 3	Sissonsville	45	***************************************			

The <u>Bid Schedules</u> are ready for download on Purchasing's Web site at www.state.wv.us/admin/purchase

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE		MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Cabell	Barboursville	250	N O	ві	D
Lincoln	West Hamlin	75			
Lincoln	Yawkey	15			VI
Lincoln	Harts	25			
Logan	Chapmanville & Corridor G	80			
Logan	Wilkinson HQ	60			
Logan	Man Substation	40			
Mingo	Millers Creek HQ	50	***************************************		
Wayne	Wayne	100			
Wayne	Pritchard	100			•
Wayne	Crum	75			-
I-64	Huntington	40			

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Calhoun	Millstone	200	N_O	B I <u>D</u>
Jackson	Ripley	300		
Pleasants	St. Marys (Colin-Anderson Lot) 75		MARKET
Ritchie	Ellenboro	75	WALL-STATE OF THE PARTY OF THE	
Roane	Spencer	225		
Roane	WV 36 Left Hand	75		
Wirt	Elizabeth	75		**************************************
Wood	WV 95, Parkersburg	300	·	
Corridor D	Greenwood	12	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
I-77	Mill Run Road	35	•	
I-77 Sec. 2	Medina	20		h

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	ODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Doddridge	Smithburg	100	N O B	B I D
Harrison	Gore	300		
Marion	Fairmont	100		
Marion	Mannington	100	***************************************	
Monongalia	Sabraton	150		***************************************
Monongalia	Pentress	75		Province and the second
Preston	Albright	100		
Preston	Bruceton	50	***************************************	
Preston	Terra Alta	50		
Preston	Fellowsville	50		
Preston	Aurora	50		
Taylor	Pruntytown	200	enterioremente de la constitución de la constitució	
APD-50	Tunnel Hill	50	***************************************	
I-68	Coopers Rock	50	*****	
I-79	Lost Creek Yard	100	··	MW46-4
I-79	Goshen Road	50		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Berkeley	Martinsburg & I-81	300	N O	в і р
Grant	Petersburg	75	ABANNA 1811 1911 1911 1911 1911 1911 1911 191	
Grant	Mt. Storm	50		
Hampshire	Romney	50	***************************************	
Hampshire	Capon Bridge	30		***************************************
Hampshire	Slanesville	50		
Hardy	Moorefield	75	***	
Hardy	Baker	75		
Jefferson	Charles Town	100		
Mineral	New Creek	75		
Mineral	Sky Line	50		
Mineral	Short Gap	50		Annual Control of the
Morgan	Berkeley Springs	250		

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Brooke	Wellsburg	200	- 0 -	\$86.95
Hancock	New Manchester	220	_ 0 -	\$87.50
Marshall	Cameron	700	- 0 -	\$101.50
Marshall	Glen Dale	1300	- 0 -	\$91.45
Ohio	Triadelphia	150	··· 0 ···	\$90.95
Tyler	Centerville	100	0	\$100.75
Tyler	Sistersville	100	_ 0 _	\$99.95
Wetzel	Hundred	100		\$99.50
Wetzel	New Martinsville	150	_ 0 -	\$99.00
Wetzel	Pine Grove	100	_ 0 -	\$99.50
I-70	Woodland (Elm Grove	50	_ 0 _	\$92.85

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Barbour	Philippi	70	<u>NO</u> BI	D
Braxton	Laurel Court	150		
Gilmer	Glenville HQ	60		
Lewis	Weston	100		
Upshur	Buckhannon	75		,
Webster	Cherry Falls	25		
Webster	Cowen	25		
Webster	Hacker Valley	25		
I-79 Sec. 4	Burnsville	25	,	
I-79 Sec. 5	Coon Knob	25	whate A 19 Mar (miles that the 19 Mar (miles	***************************************

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Pendleton	Franklin	100	NO BI	D
Pocahontas	Marlinton	25	***************************************	
Randolph	Elkins	100		
Tucker	Parsons	60		~

WINTER GRADE BITUMINOUS PATCHING MIXTURE

COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	STANDARD DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	MODIFIED DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
Fayette	Oak Hill	60	N O	B I D
Fayette	Lookout	100		-
Fayette	Falls View	25		***************************************
Greenbrier	Lewisburg	125		The second secon
Greenbrier	Crawley	100		
Greenbrier	I-64, Harts Run	15		
Monroe	Union	175		
Monroe	Peterstown	100		
Nicholas	Summersville	175		
Summers	Summers Co. HQ	75		44444

WINTER GRADE BITUMINOUS PATCHING MIXTURE

Mercer	Mercer Co. HQ	100	N O	В І Д
COUNTY	DELIVERY SITE	ESTIMATED NEEDS (TONS)	DELIVERED PRICE PER TON FOB DIV. STORAGE SITE	DELIVERED PRICE PER TON FOB DIV. STORAGE SITE
			STANDARD	MODIFIED

DISTRICT ADDRESSES

District One 1334 Smith Street

Charleston, West Virginia 25301-1492

District Six 1 DOT Drive

Moundsville, West Virginia 26041-1605

District Two

801 Madison Avenue

Huntington, West Virginia 25712-0880

District Seven 255 Depot Street

Weston, West Virginia 26452-1228

District Three 624 Depot Street

Parkersburg, West Virginia 26102-0308

District Eight US 219 North

Elkins, West Virginia 26241-1516

District Four

I-79 & Meadowbrook Road

Clarksburg, West Virginia 26302-2570

District Nine

103 1/2 Church Street

Lewisburg, West Virginia 24901

District Five US Route 50


Post Office Box 99

Burlington, West Virginia 26710-0099

District Ten

270 Hardwood Lane

Princeton, West Virginia 24740-2737



Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasina Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
XX	Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requirer against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
By subr	nission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and

authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Kelly Paving, Inc.	Signed: / franchis (1) landan
Date: September 9, 2009	Title: Assistant Vice-President

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name:	Kelly Pav	ing, Inc.	1				
Authorized Signatu	ire: Oha	le W Yank		Date:	September	9, 2009	
Purchasing Affidavit (Re							