



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C019

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709023508 740-484-0331
 BBR DRILLING COMPANY INC
 41462 PALMER ROAD

 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 03/17/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **03/31/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-08		
<p>POWER EARTH AND ROCK AUGERS/DRILLS WITH OPERATORS</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE POWER EARTH AND ROCK AUGERS/DRILLS WITH OPERATORS FOR DRILLING HOLES RANGING FROM 12 INCHES TO 36 INCHES IN DIAMETER THROUGH EARTH AND ROCK.</p> <p>THIS CONTRACT SHALL CONSIST OF THE VENDOR FURNISHING POWER EARTH AND ROCK AUGERS/DRILLS, FULLY OPERATED INCLUDING FUEL, MAINTENANCE AND ALL OTHER NECESSARY EQUIPMENT TO PRE-BORE AND INSTALL PILING OF VARIOUS SIZES FOR SLIDE CORRECTION AND STRUCTURE FOUNDATION AT VARIOUS LOCATIONS. PER THE ATTACHED</p> <p>THE WEST VIRGINIA DIVISION OF HIGHWAYS WILL FURNISH PILING.</p> <p>EXHIBIT 3</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p>						

RECEIVED
 2010 MAR 31 AM 10:11
 W. VIRGINIA
 DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Paul C. Barr</i>	TELEPHONE 740-484-0331	DATE 3-30-10
TITLE President	FEIN 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C019

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709023508 740-484-0331
 BBR DRILLING COMPANY INC
 41462 PALMER ROAD
 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED 03/17/2010	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 03/31/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 05/26/2009</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S: NO. 1</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Val E Boh</i>	TELEPHONE 740-484-0331	DATE 3-30-10
-------------------------------	---------------------------	-----------------

TITLE President	FEIN 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE
--------------------	--------------------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C019

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709023508 740-484-0331
 BBR DRILLING COMPANY INC
 41462 PALMER ROAD

 BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/17/2010				

BID OPENING DATE: **03/31/2010** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Paul E. Bahr</i>	740-484-0331	3-30-10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
<i>President</i>	20-3991479	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
6610C019

PAGE:
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**MICHAEL AUSTIN
 304-558-2402**

VENDOR

*709023508 740-484-0331
BBR DRILLING COMPANY INC
41462 PALMER ROAD

BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
03/17/2010				

BID OPENING DATE: **03/31/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	NO. 2					
	NO. 3					
	NO. 4					
	NO. 5					
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;"> <i>Paul C. Baker</i> SIGNATURE <i>BBR Drilling Company Inc.</i> COMPANY 03-30-10 DATE </p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: <i>Paul C Baker</i>	TELEPHONE: 740-484-0331	DATE: 3-30-10
TITLE: <i>President</i>	FEIN: 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C019

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709023508 740-484-0331
BBR DRILLING COMPANY INC
41462 PALMER ROAD

BELMONT OH 43718

SHIP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/17/2010				

BID OPENING DATE: **03/31/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER:-----				33		
RFQ. NO.:-----				6610C019		
BID OPENING DATE:-----				03-31-10		
BID OPENING TIME:-----				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
-----				740-484-0201		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
TRACY TEMPLE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Pal C Baber</i>	TELEPHONE 740-484-0331	DATE 3-30-10
TITLE <i>President</i>	FEIN 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C019

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

*709023508 740-484-0331
 BBR DRILLING COMPANY INC
 41462 PALMER ROAD
 BELMONT OH 43718

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
03/17/2010				

BID OPENING DATE: 03/31/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT

***** THIS IS THE END OF RFQ 6610C019 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Paul C. Bal...</i>	TELEPHONE 740-484-0331	DATE 3-30-10	
TITLE PRESIDENT	FEIN 20-3991479	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Equipment, workmanship and mobilization furnished under this contract shall meet the following requirements:

1. EQUIPMENT REQUIREMENT

- A. Drill shall be mounted on a turntable base with a 240-degree rotation and a 30-inch slide stroke at any point in the arc of rotation.
- B. Drill shall possess a power plant and a mechanical drill assembly, which delivers 35,000 foot-pounds of torque to the Kelly bar, which rotate the Auger or Core Barrel.
- C. Drill shall be equipped with a power plant and mechanical or hydraulic mechanism capable of exerting a down pressure or crowding force of at least 12,000 pounds.
- D. Drill shall be equipped with power and mechanical mechanism to operate a service hoist for installing piles; the hoist system shall have a lifting capacity of 8,000 pounds and be capable of installing (40') piling.
- E. Drill shall be equipped with two (2) hydraulic outriggers and jacks in the front area and two (2) hydraulic outriggers and jacks in the rear of the drill carrier for fast and efficient leveling purposes. The outriggers are not required on track mounted drills.
- F. Vendor shall furnish Augers, Core Barrels, Rock Cutting Teeth, Muck Bucket and Casing which are in good condition. Rock Cutting Teeth shall be of the type and quality comparable to the "Kenametal" brand. Vendor shall, also, furnish all water needed for drilling purposes. All drills are to have at least one operator and one helper present during drilling.

2. MOBILIZATION

One time one way mobilization shall be paid by the Division of Highways for moving of said equipment from the contractor's base of operations to the work site specified in the State Contract Order (SCO) and/or from one Division of Highways work site to another, whichever mileage would be of lesser cost to the Division of Highways. The most direct suitable route from the contractor's base of operations to the work site or between work sites will be agreed upon by the Division of Highways and the contractor as mileage for calculation of Mobilization. The exact location of the contractor's base of operations must be stated on each quotation sheet (mailing address is not adequate).

5. WORKMANSHIP

The West Virginia Division of Highways reserves the right to terminate the usage of any drill, which does not perform work in conformance with reasonable production standards.

Production standards will be based on historical performance data under similar circumstances.

Only firms who show evidence of employment of qualified and experienced operators who have satisfactory performance reputation in this specialized field will be considered.

6. BASIS OF PAYMENT

The Vendor may invoice the West Virginia Division of Highways for hours worked on a semi-monthly basis (half and end of month).

Hours worked must be verified and substantiated on a daily basis by an authorized representative of the West Virginia Division of Highways. Payment for hours worked shall include the time required to position equipment, drill and place piles. Down, warm-up and equipment maintenance time will not be considered as work hours. The Vendor shall supply the Division of Highways with daily work tickets as verification of hours worked.

7. BIDDING INSTRUCTIONS

Bidder shall submit a separate bid sheet for each proposed equipment unit.

The Vendor shall quote a single hourly rate for each drill unit proposed, which shall be full compensation for all equipment rental and required operators up to a standard 40 hour workweek. For hours beyond 40 hours in a workweek, the Vendor shall quote a rate per hour to cover overtime costs of labor only and that amount will be added to the operating rate for all additional operating hours beyond 40 hours in a workweek.

The cost of auger and core barrel resurfacing shall be included in unit price bid for operating rate.

The Vendor shall quote for the additional pay items of casing pipe and crane mats which may be needed occasionally when directed by the Engineer.

11. WORKER'S COMPENSATION

Vendor is required to provide a certificate from Worker's Compensation if successful.

12. INSURANCE

Successful Vendor shall furnish proof of coverage of commercial General Liability Insurance prior to issuance of a contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$250,000.

13. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by State DOT agency for orders as a condition of award.

NOTE: Vendor may submit a copy of a Certificate of Liability Insurance and Workers Compensation Certificate with bid.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43918
 BASE OF OPERATIONS (Exact Location) Take exit # 208 off I-70, go south on St. Rte
 149, go 2 miles, take next road to right
 MANUFACTURER go 1 mile, shop on left side of road.
 MODEL NUMBER Watson 3100
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 TOR-TRUCK Carrier
 1 way derrick + 2 way with outriggers
 SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont OH 43718*
Take exit #208, off I-70, go 2 miles south on St. Rte. 149, take next road to right, go 1 mile shop is on left of road.

MANUFACTURER

MODEL NUMBER *1981 Watson 2000*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on International Carrier has 3 axis leveling derrick for rapid hillside leveling.*

SERIAL NUMBER

2000-50

MINIMUM

MAXIMUM

HOLE DIAMETER

14"

36"

DEGREE OF ROTATION

240

SLIDE STROKE

48"

FOOT POUNDS OF TORQUE

35,000

DOWN PRESSURE/CROWDING FORCE

25,000

HOLE DEPTH

60'

OPERATING RATE:

\$250.00 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

40 HOUR WORKWEEK: (Note 1)

\$55.00 per hr.

MOBILIZATION:

\$10.00 per mile

CASING PIPE: (Note 2)

\$20.00 per lineal feet

CRANE MATS: (Note 3)

\$2000.00 per project site

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, OH 43718.
Take exit # 208 off I-70, go south on st. Rte 149 for 2 miles, Take next road to Right, go 1 mile, shop on Left side of Road.

MANUFACTURER

MODEL NUMBER 2001 TEXOMA 700

EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on International Carrier has 2 axles leveling derrick for rapid hillside leveling.

SERIAL NUMBER 1P74B95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43918

BASE OF OPERATIONS (Exact Location) Take exit #208, off I-70, go south on St. Rte 149 for 2 miles, take next road to right 90' mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on Headrickson Carrier with 2 way outriggers

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>46"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit # 208 off I-70, go south 2 miles on st. rte 149, take next road to right, go 1 mile, shop on left.
 MANUFACTURER
 MODEL NUMBER Watson 3100
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor Truck Carrier 1 way derrick + 2 way with outriggers
 SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$300.00</u> per hr.
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00</u> per hr.
MOBILIZATION:		<u>\$10.00</u> per mile
CASING PIPE: (Note 2)		<u>\$20.00</u> per lineal feet
CRANE MATS: (Note 3)		<u>\$2000.00</u> per project site

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont OH 43718
Take exit # 208 off I-70, go south on St. Rte
149 for 2 miles, take next road to right, go
1 mile, shop on left side of road.*

MANUFACTURER

MODEL NUMBER *1981 Watson 2000*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on International Carrier
has 3 axis leveling derrick for rapid*

SERIAL NUMBER

2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		<i>240</i>
SLIDE STROKE		<i>48"</i>
FOOT POUNDS OF TORQUE		<i>35,000</i>
DOWN PRESSURE/CROWDING FORCE		<i>25,000</i>
HOLE DEPTH		<i>60'</i>
OPERATING RATE:		<u>\$2500.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT NINE COUNTIES: SUMMERS, FAYETTE, NICHOLAS, MONROE, GREENBRIER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit #208 off I-70, go south on St. Rte 149, go south 2 miles, take next Road to the right, go 1 mile, shop on left side of road.
 MANUFACTURER
 MODEL NUMBER 2001 Texoma 700
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has 3 axis leveling derrick for rapid hillside leveling.
 SERIAL NUMBER

1P74B95

MINIMUM

MAXIMUM

HOLE DIAMETER

14"

36"

DEGREE OF ROTATION

240

SLIDE STROKE

48"

FOOT POUNDS OF TORQUE

35,000

DOWN PRESSURE/CROWDING FORCE

25,000

HOLE DEPTH

40'

OPERATING RATE:

\$ 250.00 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND

\$ 55.00 per hr.

40 HOUR WORKWEEK: (Note 1)

MOBILIZATION:

\$ 10.00 per mile

CASING PIPE: (Note 2)

\$ 20.00 per lineal feet

CRANE MATS: (Note 3)

\$2000.00 per project site

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit # 208, off I-70, go south on
 State 149 for 2 miles, take next road
 to right, go 1 mile, shop on left side
 of road.
 MANUFACTURER
 MODEL NUMBER 1989 Texoma 900
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on Hendrickson Carrier
 with 2 way outriggers.
 SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>46"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43118
 BASE OF OPERATIONS (Exact Location) Take exit # 208, off I-70, go south on
 St. Rte 149 for 2 miles, take next road
 to right, shop on left side of road
 MANUFACTURER
 MODEL NUMBER Watson
 3100
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on 1999 TOR Carrier
 1 way derrick + 2 way with outriggers
 SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit # 208 off I-70, go south on St. Rte 149, go south for 2 miles, take next Road to the Road, go 1 mile, stop on left of Road.
 MANUFACTURER
 MODEL NUMBER 1981 Watson 2000
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has 3 axis leveling derrick for rapid hillside leveling.
 SERIAL NUMBER

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TEN COUNTIES: MCDOWELL, MERCER, RALEIGH, WYOMING

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit #208, off I-70, go south on St. Rte 149, go south 2 mile, take next Road to the right, go 1 mile, shop on left side of road.
 MANUFACTURER
 MODEL NUMBER 2001 Texoma 700
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on International Carrier has 2 axis leveling derrick for rapid hillside leveling.
 SERIAL NUMBER

IP74B95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$ 250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

NOTE: Vendor should type Bid Schedules

The Bid Schedules are ready for download on Purchasing's Web site at www.state.wv.us/admin/purchase

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Rd., Belmont, Oh 43718
 Take exit 208 off I-70, go South on Rte 149 for 2 miles, Take next to right, go 1 mile, Shop on left side of road

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS ON Hendrickson Carrier with 2 way outriggers

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		801
OPERATING RATE:		<u>\$ 250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

The Bid Schedules are ready for download on Purchasing's Web site at www.state.wv.us/admin/purchase

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 PALMER Road, Belmont, Oh 43718
take exit 208 off I-70, go South on Rte 149
for 2 miles, take NEXT road to Right, go 1 mile
Shop is on left side of road.

MANUFACTURER

MODEL NUMBER 1981 WATSON 2000

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has
3 axis leveling derrick for rapid hillside
leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

NOTE: Vendor should type Bid Schedules

The Bid Schedules are ready for download on Purchasing's Web site at www.state.wv.us/admin/purchase

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Rd., Belmont, OH 43718
 Take exit #208 off I-70, go south on St. Rte 149 for 2 miles, take next road to the right, go 1 mile shop on left side of the road.

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 TOR Truck Carrier
 1 way derrick & 2 way with outriggers

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

NOTE: Vendor should type Bid Schedules

The Bid Schedules are ready for download on Purchasing's Web site at www.state.wy.us/admin/purchase

DISTRICT ONE COUNTIES: BOONE, CLAY, KANAWHA, MASON, PUTNAM

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, Oh 43718
take Exit #208 off I-70, go south on Rt 149 for 2 miles, take next road to the right, go 1 mile shop on left side of the road

MANUFACTURER

MODEL NUMBER 2001 Texoma 700

EQUIPMENT MODIFICATIONS MOUNTED ON INTERNATIONAL Carrier, has 2 axles
AND ADDITIONS leveling derrick for rapid hillside leveling

SERIAL NUMBER 1P74B95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, Oh 43718
 Take EXIT #208 off I-70, GO SOUTH ON STRTE 149
 for 2 miles, Take Next Road to right, GO 1 mile
 Shop on left side of the road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS ON Hendrickson Carrier, with 2 way
 OUTRIGGERS

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS 41348 Palmer Rd. Belmont, Oh 43718
 (Exact Location) Take exit #208 off I-70, go South on Rte 149
 for 2 miles, Take next road to right, go 1 mile
 shop on left side of the road.

MANUFACTURER

MODEL NUMBER WATSON 3100

EQUIPMENT MODIFICATIONS Mounted on 1999 Tor-Truck Carrier 1 way
 AND ADDITIONS derrick + 2 way with outriggers

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Rd. Belmont, OH 43718
 TAKE exit #208 off I-70, GO SOUTH ON ST. Rte 149
 for 2 miles, Take next road TO RIGHT, GO 1 mile shop
 IS ON left side of the road.

MANUFACTURER

1981 WATSON 2000

MODEL NUMBER

EQUIPMENT MODIFICATIONS AND ADDITIONS MOUNTED ON INTERNATIONAL Carrier, has 3 axis
 leveling derrick for rapid hillside leveling.

SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14 "</u>	<u>36 "</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT TWO COUNTIES: CABELL, LOGAN, LINCOLN, MINGO, WAYNE

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont, Oh 43718
Take Exit #208 off I-70, GO SOUTH ON ST. Rte 149
for 2 miles, Take NEXT ROAD TO THE RIGHT, GO 1 mile
shop on left side of road.

MANUFACTURER

MODEL NUMBER 2001 Texoma 700

EQUIPMENT MODIFICATIONS AND ADDITIONS MOUNTED ON INTERNATIONAL Carrier, has 2 axles
Leveling derrick for rapid hillside leveling.

SERIAL NUMBER 1 P74 B95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit #208 off I-70, go south on St. Rte
 149 for 2 mile, take next road to right
 go 1 mile, shop on left
 MANUFACTURER 1989 Texoma 900
 MODEL NUMBER
 EQUIPMENT MODIFICATIONS AND ADDITIONS on Hendrickson Carrier with
 2 way outriggers
 SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.
 Note 2: To be used when requested by the Engineer.
 Note 3: To be used when requested by the Engineer.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Rd, Belmont OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit #208, off I-70, go South on
 St. Rte 149 for 2 miles, take Road
 to the road, go 1 mile, Shop left of Road
 MANUFACTURER
 MODEL NUMBER Watson 3100
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on 1999 TOR-Truck Carrier
 1 way derrick + 2 way with outriggers
 SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover
 overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE,
ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS 41348 PALMER Rd. BELMONT, Oh 43718
(Exact Location) Take exit #208 off I-70, go 2 miles south
ON St. Rte 149, Take next road to right, go
1 mile, shop is on left side of road.

MANUFACTURER

MODEL NUMBER 1981 WATSON 2000

EQUIPMENT MODIFICATIONS MOUNTED ON INTERNATIONAL CARRIER HAS 3 AXIS
AND ADDITIONS leveline derrick for rapid hillside leveline

SERIAL NUMBER

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT THREE COUNTIES: CALHOUN, WOOD, PLEASANTS, WIRT, RITCHIE, ROANE, JACKSON

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont OH 43718*
Take exit #208 off I-70, go south on Rte 149 for 2 miles, Take next Road to Right go 1 mile, shop on Left side of Road.

MANUFACTURER

MODEL NUMBER *2001 Texoma 700*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on International Carrier has 2 axles leveling derrick for rapid hillside leveling*

SERIAL NUMBER *1P74B95*

MINIMUM

MAXIMUM

HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'

OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
 Note 2: To be used when requested by the Engineer.
 Note 3: To be used when requested by the Engineer.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) 41348 Palmer Road, Belmont OH 43718
Take exit # 208 off I-70, go south on St. Rte 149 for 2 miles, take next road to right, go 1 mile, shop on left side of road

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on Heardsickson Carrier with 2 way outriggers

SERIAL NUMBER

1090524

MINIMUM

MAXIMUM

HOLE DIAMETER

18"

48"

DEGREE OF ROTATION

360

SLIDE STROKE

5'

FOOT POUNDS OF TORQUE

105,000

DOWN PRESSURE/CROWDING FORCE

40,000

HOLE DEPTH

80'

OPERATING RATE:

\$ 250.00 per hr.

ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)

\$ 55.00 per hr.

MOBILIZATION:

\$ 10.00 per mile

CASING PIPE: (Note 2)

\$ 20.00 per lineal feet

CRANE MATS: (Note 3)

\$2000.00 per project site

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont OH 43718
Take exit #208 off I-70, go south on St.
Rte 147 for 2 miles, go 1/2 mile, shop on
left.*

MANUFACTURER

MODEL NUMBER *Watson 3100*

EQUIPMENT MODIFICATIONS AND ADDITIONS *mounted on 1999 TOR-Truck Carrier
1 way derrick + 2 way out riggers*

SERIAL NUMBER *3100-47*

MINIMUM

MAXIMUM

HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 BASE OF OPERATIONS (Exact Location) Take exit # 208 off I-70, go south on St. Rte 149, go 2 miles, take next road to right go 1 mile, shop on left side of road.
 MANUFACTURER
 MODEL NUMBER 1981 Watson 2000
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on International Carrier Has 3 axis leveling derrick for Rapid hillside leveling.
 SERIAL NUMBER 2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'

OPERATING RATE:	\$ 180.00 per hr.
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)	\$ 55.00 per hr.
MOBILIZATION:	\$ 10.00 per mile
CASING PIPE: (Note 2)	\$ 20.00 per lineal feet
CRANE MATS: (Note 3)	\$2000.00 per project site

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
 Note 2: To be used when requested by the Engineer.
 Note 3: To be used when requested by the Engineer.

DISTRICT FOUR COUNTIES: TAYLOR, MARION, PRESTON, HARRISON,
DODDRIDGE, MONONGALIA

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 BASE OF OPERATIONS (Exact Location) Take Exit #208 off I-70, go south on St. Rte 149 for 2 miles, take next road to Right go 1 mile, stop on left side of road.
 MANUFACTURER
 MODEL NUMBER 2001 Texoma 700
 EQUIPMENT MODIFICATIONS AND ADDITIONS mounted on International Carrier has 2 axles, leveling derrick for rapid hillside leveling.
 SERIAL NUMBER

1P74B95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
 Note 2: To be used when requested by the Engineer.
 Note 3: To be used when requested by the Engineer.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, OH 43718*
 MANUFACTURER *Take exit #208 off I-70, go south on St Rte 149 for 2 miles, take next road to the right, go 1 mile, shop on left side of road.*
 MODEL NUMBER *1989 Texoma 900*
 EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on Hendrickson Carrier with 2 way outriggers*
 SERIAL NUMBER *1090524*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
 Note 2: To be used when requested by the Engineer.
 Note 3: To be used when requested by the Engineer.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41348 Palmer Road, Belmont, OH 43718 Take exit #208 off I-70, go south on St Rte 149 for 2 miles, take next road to right	
MANUFACTURER	go 1 mile, shop on left side of road.	
MODEL NUMBER	Watson 3100	
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on 1999 Tor Truck carrier, 1 way derrick + 2 way with outriggers.	
SERIAL NUMBER	3100-47	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON, GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 BASE OF OPERATIONS (Exact Location) Take Exit #208 off I-70, go south on St. Rte 149 for 2 miles, take next road to the right, go 1 mile, shop on left
 MANUFACTURER
 MODEL NUMBER 1981 Watson 2000
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier has 3 axis leveling derrick for Rapid hillside leveling
 SERIAL NUMBER

2000-50

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT FIVE COUNTIES: BERKELEY, MINERAL, HAMPSHIRE, MORGAN, JEFFERSON,
GRANT, HARDY

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, OH 43718*
Take exit #208 off I-70, Go South on St Rte 149
for 2 miles, take next road to the right, go 1 mile
 MANUFACTURER *shop on left side of the road*
 MODEL NUMBER *2001 Texoma 700*
 EQUIPMENT MODIFICATIONS AND ADDITIONS *mounted on International carrier, has 2 axles*
leveling derrick for rapid hillside leveling
 SERIAL NUMBER *1 P 74895*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$250.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$550.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, Oh 43718*
Take exit #208 off I-70, go south on St Rte 149, go 2 miles, take next road to right, go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER *1989 Texoma 900*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on Hendrickson Carrier with 2 way outriggers*

SERIAL NUMBER *1090524*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		<i>360</i>
SLIDE STROKE		<i>5'</i>
FOOT POUNDS OF TORQUE		<i>105,000</i>
DOWN PRESSURE/CROWDING FORCE		<i>40,000</i>
HOLE DEPTH		<i>80'</i>
OPERATING RATE:		<u>\$ 200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, OH 43718
Take exit #208 off I-70, go 2 miles south on Ste Rte 149
take next road to right, go 1 mile shop on left*

MANUFACTURER

MODEL NUMBER *Watson 3100*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on 1999 Tor Truck Carrier
1 way derrick + 2 way with outriggers*

SERIAL NUMBER *3100-47*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		<i>340</i>
SLIDE STROKE		<i>48"</i>
FOOT POUNDS OF TORQUE		<i>113,000</i>
DOWN PRESSURE/CROWDING FORCE		<i>50,000</i>
HOLE DEPTH		<i>80'</i>
OPERATING RATE:		<u>\$ 2000.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location)	41348 Palmer Road, Belmont, OH 43718	
MANUFACTURER	Take exit #208 off I-70, go South on St. Rte 149 for 2 miles, take next road to the right, go 1 mile, Shop is on left of road.	
MODEL NUMBER	1981 Watson 2000	
EQUIPMENT MODIFICATIONS AND ADDITIONS	Mounted on International Carrier	
SERIAL NUMBER	has 3 axis leveling derrick for rapid hillside leveling	
	2000-50	
	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		60'
OPERATING RATE:		<u>\$180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SIX COUNTIES: BROOKE, HANCOCK, MARSHALL, OHIO, TYLER, WETZEL

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718
 PLACE OF OPERATIONS (Exact Location) Take exit #208 off I-70, go south on st Rte 149 for 2 miles, take next road to the right, go 1 mile shop on left side of the road.
 MANUFACTURER
 MODEL NUMBER 2001 Texoma 700
 EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on International Carrier, has 2 axles leveling derrick for rapid hillside leveling
 SERIAL NUMBER 1 P 74 B 95

	<u>MINIMUM</u>	<u>MAXIMUM</u>
BORE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48'
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$190.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours.
 An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, Oh 43718

BASE OF OPERATIONS (Exact Location) Take exit #208 off I-70, go south on St Rte 149 for 2 miles, take next road to the right go 1 mile, shop on left side of road.

MANUFACTURER

MODEL NUMBER 1989 Texoma 900

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on Hendrickson Carrier with 2 way outriggers

SERIAL NUMBER 1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, Oh 43718

BASE OF OPERATIONS (Exact Location) Take exit # 208 off I-70, go South on st Ate 149 for 2 miles, take next road to right, go 1 mile shop is on the left.

MANUFACTURER

MODEL NUMBER Watson 3100

EQUIPMENT MODIFICATIONS AND ADDITIONS Mounted on 1999 Tor Truck Carrier 1 way derrick + 2 way with outriggers.

SERIAL NUMBER 3100-47

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>20"</u>	<u>60"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		113,000
DOWN PRESSURE/CROWDING FORCE		50,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$ 200.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, Oh 43718
Take exit #208 off I-70, go 2 miles south on St Rte 149
take next road to right, go 1 mile, shop is on left of road.*

MANUFACTURER

MODEL NUMBER *1981 Watson 2000*

EQUIPMENT MODIFICATIONS AND ADDITIONS *Mounted on International Carrier has 3
axis leveling derrick for rapid hillside leveling*

SERIAL NUMBER

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		<i>240</i>
SLIDE STROKE		<i>48"</i>
FOOT POUNDS OF TORQUE		<i>35,000</i>
DOWN PRESSURE/CROWDING FORCE		<i>25,000</i>
HOLE DEPTH		<i>60'</i>
OPERATING RATE:		<u>\$ 180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$ 2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.

DISTRICT SEVEN COUNTIES: BARBOUR, LEWIS, BRAXTON, GILMER, UPSHUR, WEBSTER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

BASE OF OPERATIONS (Exact Location) *41348 Palmer Road, Belmont, Oh 43718*
Take exit #208 off I-70, go south on St Rte 149 for 2 miles, take next road to the right, go 1 mile shop on left side of the road.

MANUFACTURER

MODEL NUMBER *2001 Texoma 700*

EQUIPMENT MODIFICATIONS AND ADDITIONS *mounted on International Carrier, has 2 axles leveling derrick for rapid hillside leveling*

SERIAL NUMBER *1P74B95*

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>14"</u>	<u>36"</u>
DEGREE OF ROTATION		240
SLIDE STROKE		48"
FOOT POUNDS OF TORQUE		35,000
DOWN PRESSURE/CROWDING FORCE		25,000
HOLE DEPTH		40'
OPERATING RATE:		<u>\$180.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$ 55.00 per hr.</u>
MOBILIZATION:		<u>\$ 10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$ 20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

- Note 1: Operating rate applies to first 40 hours. An additional charge may be added to cover overtime costs beyond 40 hours.
- Note 2: To be used when requested by the Engineer.
- Note 3: To be used when requested by the Engineer.

DISTRICT EIGHT COUNTIES: PENDLETON, POCAHONTAS, RANDOLPH, TUCKER

THE FOLLOWING MUST BE COMPLETED FOR EACH MODEL OF EQUIPMENT QUOTED:

41348 Palmer Road, Belmont, OH 43718.

BASE OF OPERATIONS
(Exact Location)

Take exit # 208 off I-70, go south on
St. Rte 149 for 2 miles, Take next Road to
Right, go 1 mile, shop on Left side of Road.

MANUFACTURER

MODEL NUMBER

1999 Texoma 900

EQUIPMENT MODIFICATIONS
AND ADDITIONS

Mounted on Hendrickson Carrier
with 2 way outriggers

SERIAL NUMBER

1090524

	<u>MINIMUM</u>	<u>MAXIMUM</u>
HOLE DIAMETER	<u>18"</u>	<u>48"</u>
DEGREE OF ROTATION		360
SLIDE STROKE		5'
FOOT POUNDS OF TORQUE		105,000
DOWN PRESSURE/CROWDING FORCE		40,000
HOLE DEPTH		80'
OPERATING RATE:		<u>\$300.00 per hr.</u>
ADDITIONAL CHARGE FOR OVERTIME BEYOND 40 HOUR WORKWEEK: (Note 1)		<u>\$55.00 per hr.</u>
MOBILIZATION:		<u>\$10.00 per mile</u>
CASING PIPE: (Note 2)		<u>\$20.00 per lineal feet</u>
CRANE MATS: (Note 3)		<u>\$2000.00 per project site</u>

Note 1: Operating rate applies to first 40 hours.
An additional charge may be added to cover
overtime costs beyond 40 hours.

Note 2: To be used when requested by the Engineer.

Note 3: To be used when requested by the Engineer.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
3/30/2010

PRODUCER (304) 720-2000 FAX: (304) 720-2002 Mountain State Insurance Agency 1206 Kanawha Blvd. E. Charleston WV 25301	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.												
INSURED B. B. R. Drilling Company, Inc. 41462 Palmer Road Belmont OH 43718	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 80%;">INSURERS AFFORDING COVERAGE</th> <th style="width: 20%;">NAIC #</th> </tr> <tr> <td>INSURER A: BrickStreet Insurance</td> <td></td> </tr> <tr> <td>INSURER B:</td> <td></td> </tr> <tr> <td>INSURER C:</td> <td></td> </tr> <tr> <td>INSURER D:</td> <td></td> </tr> <tr> <td>INSURER E:</td> <td></td> </tr> </table>	INSURERS AFFORDING COVERAGE	NAIC #	INSURER A: BrickStreet Insurance		INSURER B:		INSURER C:		INSURER D:		INSURER E:	
INSURERS AFFORDING COVERAGE	NAIC #												
INSURER A: BrickStreet Insurance													
INSURER B:													
INSURER C:													
INSURER D:													
INSURER E:													

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

NSR	ADD'L	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS																
		GENERAL LIABILITY <input type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$																
		AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$																
		GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY EA ACC AGG \$																
		EXCESS/UMBRELLA LIABILITY <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$																
A		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under SPECIAL PROVISIONS below	Y/N <input type="checkbox"/> WC1010196606	11/6/2009	11/6/2010	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%;">WC STATU-TORY LIMITS</td> <td style="width: 5%;">OTH-ER</td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> </tr> <tr> <td>E.L. EACH ACCIDENT</td> <td></td> <td>\$</td> <td style="text-align: right;">1,000,000</td> </tr> <tr> <td>E.L. DISEASE - EA EMPLOYEE</td> <td></td> <td>\$</td> <td style="text-align: right;">1,000,000</td> </tr> <tr> <td>E.L. DISEASE - POLICY LIMIT</td> <td></td> <td>\$</td> <td style="text-align: right;">1,000,000</td> </tr> </table>	WC STATU-TORY LIMITS	OTH-ER			E.L. EACH ACCIDENT		\$	1,000,000	E.L. DISEASE - EA EMPLOYEE		\$	1,000,000	E.L. DISEASE - POLICY LIMIT		\$	1,000,000
WC STATU-TORY LIMITS	OTH-ER																					
E.L. EACH ACCIDENT		\$	1,000,000																			
E.L. DISEASE - EA EMPLOYEE		\$	1,000,000																			
E.L. DISEASE - POLICY LIMIT		\$	1,000,000																			
		OTHER																				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

Verification of Insurance

CERTIFICATE HOLDER State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East PO Box 50130 Charleston, WV 25305-0130	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF THE ISSUING INSURER WILL ENDEAVOR TO MAIL <u>10</u> DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER ITS AGENTS OR REPRESENTATIVES. AUTHORIZED REPRESENTATIVE Annette Dearth/ANNE <i>Annette M. Dearth</i>
--	---

IMPORTANT

If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

DISCLAIMER

This Certificate of Insurance does not constitute a contract between the issuing insurer(s) authorized representative or producer, and the certificate holder, nor does it affirmatively or negatively amend, extend or alter the coverage afforded by the policies listed thereon.



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF OHIO

COUNTY OF BELMONT, TO-WIT:

I, PAUL C. Balcar, after being first duly sworn, depose and state as follows:

- 1 I am an employee of BBR Drilling Company; and,
(Company Name)
- 2 I do hereby attest that BBR Drilling Company INC.
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code §21-1D-5**.


The above statements are sworn to under the penalty of perjury.

BBR Drilling Company Inc
(Company Name)

By: Paul C Balcar

Title: President

Date: 3-30-10



I, Paul C Balcar, subscribed and sworn to before me this 30th day of March.

By Commission Expires 9-12-2010
RUTH A. SAFFELL
NOTARY PUBLIC, STATE OF OHIO
MY COMMISSION EXPIRES SEPT 12, 2010

Ruth a. Saffell
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

Debt means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment fine, permit violation, license assessment, defaulted workers' compensation premium penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions including any interest or additional penalties accrued thereon

Debtor means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement

Under penalty of law for false swearing (*West Virginia Code §61-5-3*) it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: BBR Drilling Company Inc.

Authorized Signature: Paul E Bulmer Date: 3-30-10

State of Ohio

County of Belmont, to-wit:

Taken, subscribed, and sworn to before me this 30th day of March, 2010.

My Commission expires 9-12, 2010.

NOTARY PUBLIC Ruth A. Saffell



RUTH A. SAFFELL
NOTARY PUBLIC, STATE OF OHIO
MY COMMISSION EXPIRES SEPT 12 2010