



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C025

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

BIDDING

*709031719 02 304-485-7341
MARTIN MARIETTA MATERIALS INC
300 STAR AVENUE #312

PARKERSBURG WV 26101

SHIPTO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: **05/26/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		770-06		
<p>STONE & AGGREGATE</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO SUPPLY STONE AND AGGREGATE TO THE WEST VIRGINIA DIVISION OF HIGHWAYS DISTRICT 1 THRU 10 PER THE ATTACHED SPECIFICATIONS. CONTRACT IS FOR SIX (6) MONTHS.</p> <p>AND</p> <p>TO PROVIDE ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO SUPPLY CINDERS TO THE WEST VIRGINIA DIVISION OF HIGHWAYS FOR DISTRICTS 1, 3, 4, 6, AND 7 IN ACCORDANCE WITH THE ESTIMATED QUANTITIES ON THE BID SCHEDULE.</p> <p>PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD.</p> <p>EXHIBIT 3</p>						

RECEIVED
 2010 JUN -4 PM 3:17
 WV PURCHASING DIVISION

SIGNATURE <i>[Signature]</i>				TELEPHONE (304) 485-7341		DATE 5/24/2010
TITLE GM WV DISTRICT		FEIN 56-1848578		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C025

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN 304-558-2402

VENDOR

*709031719 02 304-485-7341
 MARTIN MARIETTA MATERIALS INC
 300 STAR AVENUE #312
 PARKERSBURG WV 26101

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: 05/26/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UCP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF SIX (6) MONTHS OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED SIX (6) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) SIX (6) MONTH PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANS-</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
6610C025

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709031719 02 304-485-7341
MARTIN MARIETTA MATERIALS INC
300 STAR AVENUE #312

PARKERSBURG WV 26101

SHIP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: **05/26/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 05/26/2009</p> <p>EXHIBIT 10</p> <p style="text-align: right;">REQUISITION NO.:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
 6610C025

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 MICHAEL AUSTIN
 304-558-2402

VENDOR


*709031719 02 304-485-7341
 MARTIN MARIETTA MATERIALS INC
 300 STAR AVENUE #312
 PARKERSBURG WV 26101


SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: 05/26/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1</p> <p>NO. 2</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">  SIGNATURE MARTIN MARIETTA MATERIALS INC. COMPANY </p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE 	TELEPHONE	DATE	5/24/2010
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
6610C025

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709031719 02 304-485-7341
 MARTIN MARIETTA MATERIALS INC
 300 STAR AVENUE #312
 PARKERSBURG WV 26101

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: **05/26/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
..... DATE						
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID. REV. 09/21/2009 NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: 33 RFQ. NO.: 6610C025 BID OPENING DATE: 05/26/2010 BID OPENING TIME: 1:30 PM						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
6610C025

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**MICHAEL AUSTIN
 304-558-2402**

VENDOR

*709031719 02 304-485-7341
**MARTIN MARIETTA MATERIALS INC
 300 STAR AVENUE #312
 PARKERSBURG WV 26101**

SHIP TO

**DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/05/2010				

BID OPENING DATE: **05/26/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>----- (304) 485-6994 -----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p> <p>----- ROGER HITE -----</p>						
<p>***** THIS IS THE END OF RFQ 6610C025 ***** TOTAL: _____</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
		5/24/2010
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2, and 401.9.3.

The requirements of the West Virginia Department of Transportation, Division of Highways, Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways
Engineering Division, Technical Section
State Capitol Complex, Building 5, Room A-650
1900 Kanawha Boulevard, East, Building 5
Charleston, West Virginia 25305

MATERIAL SPECIFICATIONS ARE AS FOLLOWS:

<u>MATERIAL (NOTE 1)</u>	<u>WVDOH STANDARD SPECIFICATION SECTION</u>
Fine Aggregate	702 (Note 5)
Coarse Aggregate	703 (Note 5)
Riprap	704.2
Stone for Gabions	704.3
Shot Rock	704.8
Abrasives (Note 2)	Note 3
Aggregate for Base & Subbase	704.6 (Note 5)
#8 Modified and #9 Modified	Note 4

NOTE 1: Fine aggregate on the bid schedule shall be considered to be fine aggregate for portland cement concrete or mortar sand, the particular type to be specified in State Contract Purchase Orders (SCO'S). Coarse aggregate on the bid schedule is identified by an AASHTO standard size; e.g., AASHTO Size No. 1, AASHTO Size No. 467, etc. Aggregate for base and sub-base on the bid schedule is identified by class; e.g., Class 1, Class 2, and Class 9, etc.

NOTE 2: Abrasives shall conform to the following specifications:

A. Quality

1. Crushed sandstone shall not be used as an abrasive.
2. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
3. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #4 (4.75 mm) sieve.
4. When gravel is used as an abrasive, the material retained on the #8, sieve shall have a majority of crushed particles.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>SIEVE SIZE</u>	<u>% PASSING BY WEIGHT</u>	
	Standard	Modified
1/2 inch	100	100
3/8 inch	85 – 100	85 – 100
#100	0 – 10	0 – 4

NOTE 3: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2.5% passing the #200 sieve as determined by AASHTO T-11 and T-27. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

NOTE 4: With exception of the following contract items, grading on all specified sieve sized for material furnished shall be determined by AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

Item I, AASHTO #7
 Item J, AASHTO #8
 Item K, AASHTO #9
 Item R, AASHTO #8 Modified
 Item S, AASHTO #9 Modified

The grading for the above items shall be determined by AASHTO T-27 and AASHTO T-11.

NOTE 5: Cinders (Power Plant Slag) shall conform to the following specifications:

A. Definition

Cinders (Power Plant Slag) consists of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

B. Quality

Total deleterious substances (including but not limited to metal, glass, clay, shale, and thin or elongated pieces) shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard #4 (4.75 mm) sieve.

C. Gradation

The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>Sieve Size</u>	<u>% Passing by Weight</u>
1/2 inch	100
3/8 inch	85-100
#100	0-20

NOTE 6: Number 11 Limestone for SRIC shall conform to the following specifications:

A. Quality

1. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
2. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>Sieve Size</u>	<u>% Passing by Weight</u>
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

2. BIDDING INSTRUCTIONS

Vendors may bid any or all items on the bid schedule. Vendors shall provide the information requested in Subsection 12.1 & 12.2, paragraphs (a) and (b) on the bid schedule. Failure to provide required information will be sufficient grounds to invalidate the bid.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

The Division of Highways may purchase aggregate and stone F.O.B. Vendor's Storage Site. The bid price F.O.B. Vendor's Storage Site shall include the loading of Division of Highways' trucks by Vendor.

Vendor shall have the capacity to deliver a minimum quantity of 300 tons per day to any designated site when directed by the District Engineer/Manager.

3. DETERMINING LOW BID

Bids will be evaluated by the Division on the basis of cost per cubic yard F.O.B. at the designated site. Cost per cubic yard will be determined by multiplying the Vendor's bid price in dollars per ton by a "Tons per cubic yard factor" which is listed in the following table.

**AGGREGATE
TONS PER CUBIC YARD FACTORS***

ITEM	TYPE OF MATERIAL			BLAST FURNACE	
	LIMESTONE	SANDSTONE	GRAVEL	SLAG	STEEL SLAG
Class 1, 2, 9	1.46	1.46 (2920)	1.46 (2920)	1.36 (2720)	1.81 (3620)
AASHTO Sizes #1 thru #7	1.30 (2600)	1.30 (2600)	1.30 (2600)	1.04 (2080)	1.61 (3220)
AASHTO Sizes #8 thru #10	1.32 (2640)	1.32 (2640)	1.32 (2640)	1.20 (2400)	1.61 (3220)
Gabions	1.31 (2620)	1.31 (2620)	1.31 (2620)	-----	-----
Shot Rock, Riprap	1.31 (2620)	1.31 (2620)	-----	-----	-----
Fine Aggregate	1.40 (2800)	1.40 (2800)	1.40 (2800)	1.36 (2720)	1.77 (3540)
Abrasives	1.36 (2720)	1.36 (2720)	1.36 (2720)	1.28 (2560)	1.75 (3500)

*Numbers in parenthesis are pounds per cubic yard

CINDERS

<u>Source (Note 1)</u>	<u>Tons per Cubic Yard Factor (Note 2)</u>
Albright Power Albright, WV	0.90 (1,792)
Burger Power Dilles Bottom, OH	1.29 (2,579)
Fort Martin Power Fort Martin, WV	0.94 (1,883)
Harrison Power Haywood, WV	0.95 (1,900)
John Amos Power Winfield, WV	0.82 (1,631)
Pleasants Power Plant Willow Island, WV	1.09 (2,185)
Mountaineer Power New Haven, WV	0.65 (1,305)
Bruce Mansfield Plant Shippingport, PA	1.09 (2,160)
Virginia Electric Power Mt. Storm, WV	0.79 (1,585)
Hatfield Power Masontown, Pa	0.85 (1,700)

Note 1: In the event the bidding source is not listed, it will be necessary for the Division to establish the weight per unit volume of said source prior to award.

Note 2: Numbers in parenthesis are pounds per cubic yard.

4. CONTRACT AWARD

All qualified Vendors who submit a valid bid "F.O.B. Vendor' Storage Site" will be awarded a contract to establish a unit price for those items bid (See Subsection 12.1):

- a. A State Contract Purchase Order (SCO) specifying Division of Highways pick up or Vendor delivery to project site will be issued to the low bidder when a specific type and quantity of material is to be purchased for use on a designated project.
- b. A Blanket State Contract Purchase Order (SCO) specifying Division of Highways pick F.O.B. Vendors Storage Site, may only be issued when material for routine highway maintenance operations at various locations is to be purchased. When

material is secured on an SCO of this nature, the District Engineer/Manager shall take those steps necessary to assure that material is secured from the Vendor which results in the lowest cost to the Division. Factors to be considered shall include, but are not limited to; bid price of material, haul cost at \$1.50 for the first ton-mile and \$0.25 for each additional mile.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract to establish a unit price for those locations and items for which their bid is low based on cost per cubic yard (see Subsection 12.2). A State Contract Purchase Order (SCO), with the required delivery schedule, will be issued for the actual quantity of material to be delivered to the location specified. If the Vendor is unable to furnish material in accordance with the specified delivery schedule the District Engineer/Manager shall be advised in writing within five (5) working days of the reason for failure to conform to delivery requirements.

- a. All qualified Vendors who are awarded F.O.B. Division Storage Sites must have the awarded items available for delivery 30 days after the contract award date.

In the event a Vendor fails to conform to the requirements stated in this contract document, the State Contract Purchase Order (SCO) or the governing specifications, the State Contract Purchase Order (SCO) may be cancelled and reissued to the next lowest bidder.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to issuance of an (SCO).

5. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

In accordance with Chapter 5A, Article 3, Section 9 of the Code of West Virginia the commodities or services contracted for herein shall be available to all local governmental bodies in accordance with the same prices, terms and conditions afforded to the State of West Virginia.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to all political sub-divisions of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to political sub-divisions of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

6. HAULING AGGREGATE TO STATE PROJECTS BY CONTRACTOR

The most direct suitable route from the Vendor's aggregate storage site to the midpoint of the project will be determined by the Division and used to compute haul distance for the purpose of determining low bid, and also for the purpose of determining payment. The Contractor shall deposit aggregates at the project site at

the locations and in the manner directed by the Division of Highways. This may include tailgating the aggregate into an aggregate spreader or onto a roadway, or dumping the aggregate into a stockpile.

7. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways Standard Specifications Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications.

8. WEIGHING MATERIALS DELIVERED BY MODES OF TRANSPORTATION OTHER THAN TRUCKS

Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the Division, and the weights of materials so shipped shall be certified, by the Vendor or his authorized agent, to be correct.

The minimum barge delivery requested will be approximately 6,500 tons per SCO. When barge delivery is required contract item will be ordered in 1500 ton increments.

9. SAMPLING AND TESTING

Sampling and testing for quality of all items furnished in this contract will be the responsibility of the Division. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the Division's "commercial source" approval) will be at least one sample every six days of shipment (or if tested during production, at least one sample every six days of production).

Other minimum frequencies shall be in accordance with the following:

<u>Property</u>	<u>Frequency</u>
Gradation-Delivered Material	One sample per each day of shipment (or if tested during production, one sample per each day of production). See Note 1 below.
Gradation-Division Pick-up	(Division pick up; A-1 Source) One sample per each week of shipment per MP 700.00.52; or if tested during production, one sample per each day of production. See Note 1 below.
	(Division pick up; A-2 Source) One sample per 250 tons shipped and a minimum of one per week of shipment.

Moisture Content (See Note 2)

All samples taken by the Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector.

- NOTE 1: The Vendor will be responsible for providing test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable.
- NOTE 2: In the event visual inspection of the aggregate indicates excess or unusual moisture beyond that normally expected in the aggregate, the Division reserves the right to determine the moisture content by standard methods. If this becomes necessary, the net weight of the portion represented will be adjusted utilizing the test results obtained by the Division in accordance with MP 700.00.22. Items "N" & "O" (Abrasives) will be considered fine aggregate outlined in MP 700.00.22.

10. ACCEPTANCE PLAN

Material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be on the basis of test results, provided and certified by the Vendor to be true test results and representative of the material supplied to the Division, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sublots). A subplot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the subplot and lot will be considered the same. Frequency of sampling and testing shall be in accordance with the Vendor's quality control plan outlined in MP 700.00.51. The Vendor shall provide the gradation test results to the Division within 72 hours.

Gradation test results shall be averaged in accordance with MP 300.00.51. When the average falls outside the applicable limits, the lot of material represented thereby will be considered nonconforming to the extent that the last of its sublots is nonconforming. When a lot of material is nonconforming, then the last subplot contained therein shall have its degree of nonconformance determined as set forth below.

When a subplot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table I.

TABLE 1

<u>NONCONFORMING SIEVE SIZE</u>	<u>MULTIPLICATION FACTOR</u>
Plus #40	1
#40	1.5
#50	1.5
#100	2.0 (1.3 for abrasives and cinders)
#200	2.5
1/2"	1
3/8"	1

The total measure of nonconformance of an individual subplot is the sum of all nonconformances on the various sieve sizes of that subplot. In no case, however, shall a subplot of material have its price adjusted more than once, and the first adjustment which is determined shall apply.

When the total degree of nonconformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

TABLE 2

<u>DEGREE OF NONCONFORMANCE</u>	<u>PERCENT OF CONTRACT PRICE TO BE REDUCED</u>
1.0 TO 3.0	2
3.1 TO 5.0	4
5.1 TO 8.0	7
8.1 TO 12.0	11
Greater than 12	*

*The Division will make a special evaluation of the material and determine the appropriate action.

In the event a Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from his certified test data that a nonconforming subplot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the nonconforming subplot. The quantity represented by the nonconforming subplot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of nonconforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

Example:

If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing

$$TD \left[1 - \frac{PQ_n}{100Q_t} \right] = AP \text{ (price to be paid after adjustment)}$$

material) which equals 1.5 tons. This 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

WHERE T: = tonnage delivered
 P = percent price reduction
 D = cost per ton
 Q_n = quantity of nonconforming subplot(s)
 Q_t = quantity of total stockpile

If two (2) sublots are nonconforming within the stockpile, calculate each separately for the adjusted payment on the quantity delivered (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage delivered (TD). If three (3) sublots are nonconforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage delivered, and so on. Example:

(AP₁ + AP₂) – TD = Final price to be paid after adjustments

OR

(AP₁ + AP₂ + AP₃) – 2 TD = Final price to be paid after adjustments

Where: AP = price to be paid after initial adjustment for one nonconforming subplot determined by the above equation.

T = tonnage delivered
 D = cost per ton

In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2, and 401.9.3.

The requirements of the West Virginia Department of Transportation, Division of Highways, Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2000, and the current Supplemental Specifications may be obtained from:

West Virginia Division of Highways
Engineering Division, Technical Section
State Capitol Complex, Building 5, Room A-650
1900 Kanawha Boulevard, East, Building 5
Charleston, West Virginia 25305

MATERIAL SPECIFICATIONS ARE AS FOLLOWS:

<u>MATERIAL (NOTE 1)</u>	<u>WVDOH STANDARD SPECIFICATION SECTION</u>
Fine Aggregate	702 (Note 5)
Coarse Aggregate	703 (Note 5)
Riprap	704.2
Stone for Gabions	704.3
Shot Rock	704.8
Abrasives (Note 2)	Note 3
Aggregate for Base & Subbase	704.6 (Note 5)
#8 Modified and #9 Modified	Note 4

NOTE 1: Fine aggregate on the bid schedule shall be considered to be fine aggregate for portland cement concrete or mortar sand, the particular type to be specified in State Contract Purchase Orders (SCO'S). Coarse aggregate on the bid schedule is identified by an AASHTO standard size; e.g., AASHTO Size No. 1, AASHTO Size No. 467, etc. Aggregate for base and sub-base on the bid schedule is identified by class; e.g., Class 1, Class 2, and Class 9, etc.

NOTE 2: Abrasives shall conform to the following specifications:

A. Quality

1. Crushed sandstone shall not be used as an abrasive.
2. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
3. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #4 (4.75 mm) sieve.
4. When gravel is used as an abrasive, the material retained on the #8, sieve shall have a majority of crushed particles.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>SIEVE SIZE</u>	<u>% PASSING BY WEIGHT</u>	
	Standard	Modified
1/2 inch	100	100
3/8 inch	85 – 100	85 – 100
#100	0 – 10	0 – 4

NOTE 3: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2.5% passing the #200 sieve as determined by AASHTO T-11 and T-27. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

NOTE 4: With exception of the following contract items, grading on all specified sieve sized for material furnished shall be determined by AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

Item I, AASHTO #7
 Item J, AASHTO #8
 Item K, AASHTO #9
 Item R, AASHTO #8 Modified
 Item S, AASHTO #9 Modified

The grading for the above items shall be determined by AASHTO T-27 and AASHTO T-11.

NOTE 5: Cinders (Power Plant Slag) shall conform to the following specifications:

A. Definition

Cinders (Power Plant Slag) consists of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

B. Quality

Total deleterious substances (including but not limited to metal, glass, clay, shale, and thin or elongated pieces) shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard #4 (4.75 mm) sieve.

C. Gradation

The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>Sieve Size</u>	<u>% Passing by Weight</u>
1/2 inch	100
3/8 inch	85-100
#100	0-20

NOTE 6: Number 11 Limestone for SRIC shall conform to the following specifications:

A. Quality

1. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
2. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

<u>Sieve Size</u>	<u>% Passing by Weight</u>
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

2. BIDDING INSTRUCTIONS

Vendors may bid any or all items on the bid schedule. Vendors shall provide the information requested in Subsection 12.1 & 12.2, paragraphs (a) and (b) on the bid schedule. Failure to provide required information will be sufficient grounds to invalidate the bid.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

The Division of Highways may purchase aggregate and stone F.O.B. Vendor's Storage Site. The bid price F.O.B. Vendor's Storage Site shall include the loading of Division of Highways' trucks by Vendor.

Vendor shall have the capacity to deliver a minimum quantity of 300 tons per day to any designated site when directed by the District Engineer/Manager.

3. DETERMINING LOW BID

Bids will be evaluated by the Division on the basis of cost per cubic yard F.O.B. at the designated site. Cost per cubic yard will be determined by multiplying the Vendor's bid price in dollars per ton by a "Tons per cubic yard factor" which is listed in the following table.

**AGGREGATE
TONS PER CUBIC YARD FACTORS***

ITEM	TYPE OF MATERIAL			BLAST FURNACE	
	LIMESTONE	SANDSTONE	GRAVEL	SLAG	STEEL SLAG
Class 1, 2, 9	1.46	1.46 (2920)	1.46 (2920)	1.36 (2720)	1.81 (3620)
AASHTO Sizes #1 thru #7	1.30 (2600)	1.30 (2600)	1.30 (2600)	1.04 (2080)	1.61 (3220)
AASHTO Sizes #8 thru #10	1.32 (2640)	1.32 (2640)	1.32 (2640)	1.20 (2400)	1.61 (3220)
Gabions	1.31 (2620)	1.31 (2620)	1.31 (2620)	-----	-----
Shot Rock, Riprap	1.31 (2620)	1.31 (2620)	-----	-----	-----
Fine Aggregate	1.40 (2800)	1.40 (2800)	1.40 (2800)	1.36 (2720)	1.77 (3540)
Abrasives	1.36 (2720)	1.36 (2720)	1.36 (2720)	1.28 (2560)	1.75 (3500)

*Numbers in parenthesis are pounds per cubic yard

CINDERS

<u>Source (Note 1)</u>	<u>Tons per Cubic Yard Factor (Note 2)</u>
Albright Power Albright, WV	0.90 (1,792)
Burger Power Dilles Bottom, OH	1.29 (2,579)
Fort Martin Power Fort Martin, WV	0.94 (1,883)
Harrison Power Haywood, WV	0.95 (1,900)
John Amos Power Winfield, WV	0.82 (1,631)
Pleasants Power Plant Willow Island, WV	1.09 (2,185)
Mountaineer Power New Haven, WV	0.65 (1,305)
Bruce Mansfield Plant Shippingport, PA	1.09 (2,160)
Virginia Electric Power Mt. Storm, WV	0.79 (1,585)
Hatfield Power Masontown, Pa	0.85 (1,700)

Note 1: In the event the bidding source is not listed, it will be necessary for the Division to establish the weight per unit volume of said source prior to award.

Note 2: Numbers in parenthesis are pounds per cubic yard.

4. CONTRACT AWARD

All qualified Vendors who submit a valid bid "F.O.B. Vendor' Storage Site" will be awarded a contract to establish a unit price for those items bid (See Subsection 12.1):

- a. A State Contract Purchase Order (SCO) specifying Division of Highways pick up or Vendor delivery to project site will be issued to the low bidder when a specific type and quantity of material is to be purchased for use on a designated project.
- b. A Blanket State Contract Purchase Order (SCO) specifying Division of Highways pick F.O.B. Vendors Storage Site, may only be issued when material for routine highway maintenance operations at various locations is to be purchased. When

material is secured on an SCO of this nature, the District Engineer/Manager shall take those steps necessary to assure that material is secured from the Vendor which results in the lowest cost to the Division. Factors to be considered shall include, but are not limited to; bid price of material, haul cost at \$1.50 for the first ton-mile and \$0.25 for each additional mile.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract to establish a unit price for those locations and items for which their bid is low based on cost per cubic yard (see Subsection 12.2). A State Contract Purchase Order (SCO), with the required delivery schedule, will be issued for the actual quantity of material to be delivered to the location specified. If the Vendor is unable to furnish material in accordance with the specified delivery schedule the District Engineer/Manager shall be advised in writing within five (5) working days of the reason for failure to conform to delivery requirements.

- a. All qualified Vendors who are awarded F.O.B. Division Storage Sites must have the awarded items available for delivery 30 days after the contract award date.

In the event a Vendor fails to conform to the requirements stated in this contract document, the State Contract Purchase Order (SCO) or the governing specifications, the State Contract Purchase Order (SCO) may be cancelled and reissued to the next lowest bidder.

The Vendor is not authorized to ship, nor is the Division authorized to receive materials prior to issuance of an (SCO).

5. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

In accordance with Chapter 5A, Article 3, Section 9 of the Code of West Virginia the commodities or services contracted for herein shall be available to all local governmental bodies in accordance with the same prices, terms and conditions afforded to the State of West Virginia.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to all political sub-divisions of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to political sub-divisions of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

6. HAULING AGGREGATE TO STATE PROJECTS BY CONTRACTOR

The most direct suitable route from the Vendor's aggregate storage site to the midpoint of the project will be determined by the Division and used to compute haul distance for the purpose of determining low bid, and also for the purpose of determining payment. The Contractor shall deposit aggregates at the project site at

the locations and in the manner directed by the Division of Highways. This may include tailgating the aggregate into an aggregate spreader or onto a roadway, or dumping the aggregate into a stockpile.

7. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways Standard Specifications Roads and Bridges, adopted 2000, as modified by the current Supplemental Specifications.

8. WEIGHING MATERIALS DELIVERED BY MODES OF TRANSPORTATION OTHER THAN TRUCKS

Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the Division, and the weights of materials so shipped shall be certified, by the Vendor or his authorized agent, to be correct.

The minimum barge delivery requested will be approximately 6,500 tons per SCO. When barge delivery is required contract item will be ordered in 1500 ton increments.

9. SAMPLING AND TESTING

Sampling and testing for quality of all items furnished in this contract will be the responsibility of the Division. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the Division's "commercial source" approval) will be at least one sample every six days of shipment (or if tested during production, at least one sample every six days of production).

Other minimum frequencies shall be in accordance with the following:

<u>Property</u>	<u>Frequency</u>
Gradation-Delivered Material	One sample per each day of shipment (or if tested during production, one sample per each day of production). See Note 1 below.
Gradation-Division Pick-up	(Division pick up; A-1 Source) One sample per each week of shipment per MP 700.00.52; or if tested during production, one sample per each day of production. See Note 1 below.
	(Division pick up; A-2 Source) One sample per 250 tons shipped and a minimum of one per week of shipment.

Moisture Content (See Note 2)

All samples taken by the Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector.

- NOTE 1:** The Vendor will be responsible for providing test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable.
- NOTE 2:** In the event visual inspection of the aggregate indicates excess or unusual moisture beyond that normally expected in the aggregate, the Division reserves the right to determine the moisture content by standard methods. If this becomes necessary, the net weight of the portion represented will be adjusted utilizing the test results obtained by the Division in accordance with MP 700.00.22. Items "N" & "O" (Abrasives) will be considered fine aggregate outlined in MP 700.00.22.

10. ACCEPTANCE PLAN

Material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be on the basis of test results, provided and certified by the Vendor to be true test results and representative of the material supplied to the Division, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sublots). A subplot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the subplot and lot will be considered the same. Frequency of sampling and testing shall be in accordance with the Vendor's quality control plan outlined in MP 700.00.51. The Vendor shall provide the gradation test results to the Division within 72 hours.

Gradation test results shall be averaged in accordance with MP 300.00.51. When the average falls outside the applicable limits, the lot of material represented thereby will be considered nonconforming to the extent that the last of its sublots is nonconforming. When a lot of material is nonconforming, then the last subplot contained therein shall have its degree of nonconformance determined as set forth below.

When a subplot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table I.

TABLE 1

<u>NONCONFORMING SIEVE SIZE</u>	<u>MULTIPLICATION FACTOR</u>
Plus #40	1
#40	1.5
#50	1.5
#100	2.0 (1.3 for abrasives and cinders)
#200	2.5
1/2"	1
3/8"	1

The total measure of nonconformance of an individual subplot is the sum of all nonconformances on the various sieve sizes of that subplot. In no case, however, shall a subplot of material have its price adjusted more than once, and the first adjustment which is determined shall apply.

When the total degree of nonconformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

TABLE 2

<u>DEGREE OF NONCONFORMANCE</u>	<u>PERCENT OF CONTRACT PRICE TO BE REDUCED</u>
1.0 TO 3.0	2
3.1 TO 5.0	4
5.1 TO 8.0	7
8.1 TO 12.0	11
Greater than 12	*

*The Division will make a special evaluation of the material and determine the appropriate action.

In the event a Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from his certified test data that a nonconforming subplot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the nonconforming subplot. The quantity represented by the nonconforming subplot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of nonconforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

Example:

If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing

$$TD \left[1 - \frac{PQ_n}{100Q_t} \right] = AP \text{ (price to be paid after adjustment)}$$

material) which equals 1.5 tons. This 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

WHERE T: = tonnage delivered
 P = percent price reduction
 D = cost per ton
 Q_n = quantity of nonconforming subplot(s)
 Q_t = quantity of total stockpile

If two (2) sublots are nonconforming within the stockpile, calculate each separately for the adjusted payment on the quantity delivered (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage delivered (TD). If three (3) sublots are nonconforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage delivered, and so on. Example:

(AP₁ + AP₂) – TD = Final price to be paid after adjustments

OR

(AP₁ + AP₂ + AP₃) – 2 TD = Final price to be paid after adjustments

Where: AP = price to be paid after initial adjustment for one nonconforming subplot determined by the above equation.

T = tonnage delivered
 D = cost per ton

In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.

11. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by State DOT agency for orders as a condition of award.

Vendors are encouraged to utilize a paperless invoice process submitting the following information via e-mail to the DOH ordering locations:

- a. All weigh ticket numbers for material delivered during the invoicing period.
- b. Division of Highways' State Contract Purchase Order (SCO) number and this contract number.
- c. Total quantity and unit price with the total cost of each type of material furnished. (Total quantity invoiced shall be scale weights (supported by weigh tickets) adjusted in accordance with Section 9, Note 2.)

NOTE: Under no circumstances will the West Virginia Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the State Contract Purchase Order.

12. **BIDDING SCHEDULE**

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.
50427 State Route 124, Racine, OH 45771

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	_____	_____	_____
B	Class 2 Aggregate	_____	_____	_____
C	AASHTO #1 Aggregate	_____	_____	_____
D	AASHTO #3 Aggregate	_____	_____	_____
E	AASHTO #4 Aggregate	_____	_____	_____
F	AASHTO #467 Aggregate	_____	_____	_____
G	AASHTO #57 Aggregate	_____	_____	_____
H	AASHTO #67 Aggregate	_____	_____	_____
I	AASHTO #7 Aggregate	_____	_____	_____
J	AASHTO #8 Aggregate	_____	_____	_____
K	AASHTO #9 Aggregate	_____	_____	_____

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	_____	_____	_____
M	Fine Aggregate	<u>8.50</u>	_____	_____
N	Standard Abrasives	<u>6.75</u>	_____	_____
O	Modified Abrasives	<u>6.75</u>	_____	_____
P	Riprap	_____	_____	_____
Q	Shot Rock	_____	_____	_____
R	AASHTO #8 Modified	_____	_____	_____
S	AASHTO #9 Modified	_____	_____	_____
T	Pea Gravel	<u>7.25</u>	_____	_____
U	#11 Limestone Abrasives	_____	_____	_____

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)**

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.**

320 Cemetary Road, Little Hocking, OH 45742

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	_____	_____	_____
B	Class 2 Aggregate	_____	_____	_____
C	AASHTO #1 Aggregate	_____	_____	_____
D	AASHTO #3 Aggregate	_____	_____	_____
E	AASHTO #4 Aggregate	_____	_____	_____
F	AASHTO #467 Aggregate	_____	_____	_____
G	AASHTO #57 Aggregate	_____	_____	_____
H	AASHTO #67 Aggregate	_____	_____	_____
I	AASHTO #7 Aggregate	_____	_____	_____
J	AASHTO #8 Aggregate	_____	_____	_____
K	AASHTO #9 Aggregate	_____	_____	_____

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	_____	_____	_____
M	Fine Aggregate	<u>6.75</u>	_____	_____
N	Standard Abrasives	<u>6.75</u>	_____	_____
O	Modified Abrasives	<u>6.75</u>	_____	_____
P	Riprap	_____	_____	_____
Q	Shot Rock	_____	_____	_____
R	AASHTO #8 Modified	_____	_____	_____
S	AASHTO #9 Modified	_____	_____	_____
T	Pea Gravel	<u>7.95</u>	_____	_____
U	#11 Limestone Abrasives	_____	_____	_____

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ _____ \$ for First Ton-Mile
 @ _____ \$ for Each Additional Ton-Mile

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

Rural Route 1 Box 110, Petroleum, WV 26161

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	13.90		
B	Class 2 Aggregate	13.90		
C	AASHTO #1 Aggregate	14.20		
D	AASHTO #3 Aggregate	14.20		
E	AASHTO #4 Aggregate	14.20		
F	AASHTO #467 Aggregate	14.20		
G	AASHTO #57 Aggregate	14.20		
H	AASHTO #67 Aggregate	14.20		
I	AASHTO #7 Aggregate			
J	AASHTO #8 Aggregate	14.20		
K	AASHTO #9 Aggregate			

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	<u>15.75</u>	<u> </u>	<u> </u>
M	Fine Aggregate	<u> </u>	<u> </u>	<u> </u>
N	Standard Abrasives	<u> </u>	<u> </u>	<u> </u>
O	Modified Abrasives	<u> </u>	<u> </u>	<u> </u>
P	Riprap	<u>15.75</u>	<u> </u>	<u> </u>
Q	Shot Rock	<u>15.95</u>	<u> </u>	<u> </u>
R	AASHTO #8 Modified	<u> </u>	<u> </u>	<u> </u>
S	AASHTO #9 Modified	<u> </u>	<u> </u>	<u> </u>
T	Pea Gravel	<u> </u>	<u> </u>	<u> </u>
U	#11 Limestone Abrasives	<u> </u>	<u> </u>	<u> </u>

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	<u> </u>

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. **BIDDING SCHEDULE**

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant,
Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse,
Maysville, KY and Black River, Carntown, KY; Mulzer Stone,
Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf
Creek, KY; Martin Marietta Burning Springs Mine, Petroleum,
WV; Martin Marietta Materials, Little Hocking, OH

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

202 Walden Avenue, Tiltonsville, OH 43963

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	<u>17.50</u>	<u> </u>	<u> </u>
B	Class 2 Aggregate	<u>17.50</u>	<u> </u>	<u> </u>
C	AASHTO #1 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
D	AASHTO #3 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
E	AASHTO #4 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
F	AASHTO #467 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
G	AASHTO #57 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
H	AASHTO #67 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
I	AASHTO #7 Aggregate	<u> </u>	<u> </u>	<u> </u>
J	AASHTO #8 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>
K	AASHTO #9 Aggregate	<u>19.45</u>	<u> </u>	<u> </u>

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions			
M	Fine Aggregate	<u>15.50</u>		
N	Standard Abrasives	<u>13.50</u>		
O	Modified Abrasives	<u>17.95</u>		
P	Riprap	<u>22.00</u>		
Q	Shot Rock			
R	AASHTO #8 Modified	<u>21.50</u>		
S	AASHTO #9 Modified			
T	Pea Gravel	<u>15.75</u>		
U	#11 Limestone Abrasives			

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)**

3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant,
Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse,
Maysville, KY and Black River, Carntown, KY; Mulzer Stone,
Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf
Creek, KY; Martin Marietta Burning Springs Mine, Petroleum,
WV; Martin Marietta Materials, Little Hocking, OH

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.**

Foot of Wetzel Street, New Martinsville, WV 26155

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	17.50		
B	Class 2 Aggregate	17.50		
C	AASHTO #1 Aggregate	19.45		
D	AASHTO #3 Aggregate	19.45		
E	AASHTO #4 Aggregate	19.45		
F	AASHTO #467 Aggregate	19.45		
G	AASHTO #57 Aggregate	19.45		
H	AASHTO #67 Aggregate	19.45		
I	AASHTO #7 Aggregate			
J	AASHTO #8 Aggregate	19.45		
K	AASHTO #9 Aggregate	19.45		

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

99 Kanawha Street, Parkersburg, WV 26101

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	16.25		
B	Class 2 Aggregate	16.25		
C	AASHTO #1 Aggregate	17.95		
D	AASHTO #3 Aggregate	17.95		
E	AASHTO #4 Aggregate	17.95		
F	AASHTO #467 Aggregate	17.95		
G	AASHTO #57 Aggregate	17.95		
H	AASHTO #67 Aggregate	17.95		
I	AASHTO #7 Aggregate			
J	AASHTO #8 Aggregate	17.95		
K	AASHTO #9 Aggregate	17.95		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	<u>20.95</u>	_____	_____
M	Fine Aggregate	<u>13.00</u>	_____	_____
N	Standard Abrasives	<u>10.50</u>	_____	_____
O	Modified Abrasives	<u>15.95</u>	_____	_____
P	Riprap	<u>21.95</u>	_____	_____
Q	Shot Rock	<u>22.95</u>	_____	_____
R	AASHTO #8 Modified	<u>21.00</u>	_____	_____
S	AASHTO #9 Modified	_____	_____	_____
T	Pea Gravel	<u>12.95</u>	_____	_____
U	#11 Limestone Abrasives	_____	_____	_____

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

105 Sycamore Street, Ravenswood, WV 26164

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	15.50		
B	Class 2 Aggregate	15.50		
C	AASHTO #1 Aggregate	17.95		
D	AASHTO #3 Aggregate	17.95		
E	AASHTO #4 Aggregate	17.95		
F	AASHTO #467 Aggregate	17.95		
G	AASHTO #57 Aggregate	17.95		
H	AASHTO #67 Aggregate	17.95		
I	AASHTO #7 Aggregate			
J	AASHTO #8 Aggregate	17.95		
K	AASHTO #9 Aggregate	17.95		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	<u>20.50</u>	_____	_____
M	Fine Aggregate	<u>10.95</u>	_____	_____
N	Standard Abrasives	<u>9.95</u>	_____	_____
O	Modified Abrasives	<u>15.75</u>	_____	_____
P	Riprap	<u>21.50</u>	_____	_____
Q	Shot Rock	<u>22.50</u>	_____	_____
R	AASHTO #8 Modified	<u>19.00</u>	_____	_____
S	AASHTO #9 Modified	_____	_____	_____
T	Pea Gravel	<u>11.25</u>	_____	_____
U	#11 Limestone Abrasives	_____	_____	_____

V Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. **BIDDING SCHEDULE**

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant,
Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse,
Maysville, KY and Black River, Carntown, KY; Mulzer Stone,
Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf
Creek, KY; Martin Marietta Burning Springs Mine, Petroleum,
WV; Martin Marietta Materials, Little Hocking, OH

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

1100 Pennsylvania Avenue, Charleston, WV 25302

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	<u>16.50</u>	<u> </u>	<u> </u>
B	Class 2 Aggregate	<u>16.50</u>	<u> </u>	<u> </u>
C	AASHTO #1 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
D	AASHTO #3 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
E	AASHTO #4 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
F	AASHTO #467 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
G	AASHTO #57 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
H	AASHTO #67 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
I	AASHTO #7 Aggregate	<u> </u>	<u> </u>	<u> </u>
J	AASHTO #8 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>
K	AASHTO #9 Aggregate	<u>18.75</u>	<u> </u>	<u> </u>

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	<u>23.75</u>	_____	_____
M	Fine Aggregate	<u>14.70</u>	_____	_____
N	Standard Abrasives	<u>12.50</u>	_____	_____
O	Modified Abrasives	<u>16.75</u>	_____	_____
P	Riprap	<u>23.75</u>	_____	_____
Q	Shot Rock	_____	_____	_____
R	AASHTO #8 Modified	<u>19.95</u>	_____	_____
S	AASHTO #9 Modified	_____	_____	_____
T	Pea Gravel	<u>13.00</u>	_____	_____
U	#11 Limestone Abrasives	_____	_____	_____

V Haul by Vendor (Except Items Q and P):
 @ 1.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton Mile

W Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)**

3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant,
Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse,
Maysville, KY and Black River, Carntown, KY; Mulzer Stone,
Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf
Creek, KY; Martin Marietta Burning Springs Mine, Petroleum,
WV; Martin Marietta Materials, Little Hocking, OH

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.**

Route 25, Institute, WV 25112

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	15.50		
B	Class 2 Aggregate	15.50		
C	AASHTO #1 Aggregate	17.75		
D	AASHTO #3 Aggregate	17.75		
E	AASHTO #4 Aggregate	17.75		
F	AASHTO #467 Aggregate	17.75		
G	AASHTO #57 Aggregate	17.75		
H	AASHTO #67 Aggregate	17.75		
I	AASHTO #7 Aggregate			
J	AASHTO #8 Aggregate	17.75		
K	AASHTO #9 Aggregate	17.75		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

L	Stone for Gabions	<u>22.75</u>	<u> </u>	<u> </u>
M	Fine Aggregate	<u>14.20</u>	<u> </u>	<u> </u>
N	Standard Abrasives	<u>12.00</u>	<u> </u>	<u> </u>
O	Modified Abrasives	<u>15.75</u>	<u> </u>	<u> </u>
P	Riprap	<u>22.75</u>	<u> </u>	<u> </u>
Q	Shot Rock	<u> </u>	<u> </u>	<u> </u>
R	AASHTO #8 Modified	<u>19.00</u>	<u> </u>	<u> </u>
S	AASHTO #9 Modified	<u> </u>	<u> </u>	<u> </u>
T	Pea Gravel	<u>12.50</u>	<u> </u>	<u> </u>
U	#11 Limestone Abrasives	<u> </u>	<u> </u>	<u> </u>
V	Haul by Vendor (Except Items Q and P):			
	@	<u>1.50</u>	\$ for First Ton-Mile	
	@	<u>.20</u>	\$ for Each Additional Ton Mile	
W	Haul by Vendor (Items Q and/or P):			
	@	<u>2.50</u>	\$ for First Ton-Mile	
	@	<u>.20</u>	\$ for Each Additional Ton-Mile	

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	<u> </u>

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

DISTRICT ONE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

BOONE COUNTY

A	Class 1	2500	Seth
D	No. 1	500	Seth
E	No. 3	1800	Seth
G	No. 467	1000	Seth
L	No. 9	1000	Seth
O	Standard Abr.	2500	Seth
P	Modified Abr.	2500	Seth
S	No. 8 Modified	1500	Seth

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
20.90		
22.30		
22.30		
22.30		
22.30		
20.20		
20.20		
22.30		

BOONE COUNTY

A	Class 1	10000	Rock Creek
D	No. 1	1000	Rock Creek
E	No. 3	2500	Rock Creek
G	No. 467	1000	Rock Creek
L	No. 9	1000	Rock Creek
M	Gabion Stone	1500	Rock Creek
N	Fine Aggregate	500	Rock Creek
O	Standard Abr.	2500	Rock Creek
P	Modified Abr.	2500	Rock Creek
S	No. 8 Modified	2500	Rock Creek

19.20		
21.15		
21.15		
21.15		
21.15		
16.85		
18.90		
18.90		
21.15		

BOONE COUNTY

A	Class 1	2000	Clinton
G	No. 467	1000	Clinton
L	No. 9	1000	Clinton
O	Standard Abr.	1000	Clinton
P	Modified Abr.	1000	Clinton

22.15		
24.10		
24.10		
21.85		
21.85		

CLAY COUNTY

A	Class 1	3700	Maysel
D	No. 1	400	Maysel
E	No. 3	1300	Maysel
G	No. 467	3000	Maysel
L	No. 9	1000	Maysel
M	Gabion Stone	500	Maysel
N	Fine Aggregate	100	Maysel
O	Standard Abr.	2500	Maysel
P	Modified Abr.	2500	Maysel
S	No. 8 Modified	3000	Maysel

20.60		
22.60		
22.60		
22.60		
22.60		
22.60		
17.60		
20.60		
20.60		
22.60		

12. BIDDING SCHEDULE

DISTRICT ONE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
<u>CLAY COUNTY</u>			
A	Class 1	3000	Big Otter
E	No. 3	2000	Big Otter
G	No. 467	1500	Big Otter
S	No. 8 Modified	1500	Big Otter

Bid Price (\$/Ton) F>o.B.
DOH Storage Site

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
22.10		
24.10		
24.10		
24.10		

CLAY COUNTY CR 11

A	Class 1	3700	Widen Road
E	No. 3	1300	Widen Road
G	No. 467	3000	Widen Road
L	No. 9	1000	Widen Road
M	Gabion Stone	500	Widen Road
N	Fine Aggregate	100	Widen Road
O	Standard Abr.	2500	Widen Road
P	Modified Abr.	2500	Widen Road
S	No. 8 Modified	3000	Widen Road

22.70		
24.40		
24.40		
24.40		
19.40		
19.75		
19.75		
24.40		

KANAWHA COUNTY

L	No. 9	1000	North Charleston
N	Fine Aggregate	100	North Charleston
O	Standard Abr.	2500	North Charleston
P	Modified Abr.	2500	North Charleston

18.90		
13.70		
16.90		
16.90		

KANAWHA COUNTY

A	Class 1	3100	Elkview
D	No. 1	600	Elkview
E	No. 3	1800	Elkview
G	No. 467	2000	Elkview
L	No. 9	1000	Elkview
M	Gabion Stone	500	Elkview
N	Fine Aggregate	100	Elkview
O	Standard Abr.	2500	Elkview
P	Modified Abr.	2500	Elkview
S	No.8 Modified	3000	Elkview

18.90		
20.25		
20.25		
20.25		
20.25		
27.00		
15.20		
15.50		
15.50		
20.25		

12. BIDDING SCHEDULE

DISTRICT ONE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

MASON COUNTY

A	Class 1	3000	Glenwood
D	No. 1	500	Glenwood
E	No. 3	1500	Glenwood
G	No. 467	1000	Glenwood
S	No. 8 Modified	5000	Glenwood

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG

PUTNAM COUNTY

A	Class 1	5000	Hurricane Lot
D	No. 1	1200	Hurricane Lot
E	No. 3	1500	Hurricane Lot
G	No. 467	1000	Hurricane Lot
L	No. 9	1000	Hurricane Lot
O	Abrasives	2500	Hurricane Lot
P	Modified Abr.	2500	Hurricane Lot
S	No. 8 Modified	3000	Hurricane Lot

18.35		
20.30		
20.30		
20.30		
20.30		
17.75		
17.75		
20.30		

PUTNAM COUNTY

A	Class 1	3000	Red House
D	No. 1	1200	Red House
E	No. 3	2000	Red House
G	No. 467	1000	Red House
L	No. 9	1000	Red House
N	Fine Aggregate	1000	Red House
O	Abrasives	1000	Red House
P	Modified Abr.	2500	Red House
S	No. 8 Modified	5000	Red House

18.35		
20.35		
20.35		
20.35		
20.35		
20.35		
15.85		
17.95		
17.95		
20.35		

PUTNAM COUNTY

A	Class 1	500	Scary
L	No. 9	1000	Scary
N	Fine Aggregate	200	Scary
O	Standard Abr.	2500	Scary
P	Modified Abr.	2500	Scary
S	No. 8 Modified	800	Scary

17.35		
19.30		
15.65		
17.65		
17.65		
19.90		

12. BIDDING SCHEDULE

DISTRICT ONE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

ROANE COUNTY (I-79)

A	Class 1	600	Amma
D	No. 1	500	Amma
E	No. 3	500	Amma
G	No. 467	500	Amma
L	No. 9	1000	Amma
N	Fine Aggregate	200	Amma
O	Abrasives	2500	Amma
P	Modified Abr.	2500	Amma
S	No. 8 Modified	800	Amma

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
19.75		
21.70		
21.70		
21.70		
21.70		
19.75		
19.80		
19.80		
21.75		

KANAWHA COUNTY (CORRIDOR G)

A	Class 1	500	Alum Creek
L	No. 9	1000	Alum Creek
N	Fine Aggregate	100	Alum Creek
O	Standard Abr.	2000	Alum Creek
P	Modified Abr.	2000	Alum Creek
S	No. 8 Modified	500	Alum Creek

17.80		
19.75		
15.45		
18.50		
18.50		
19.65		

KANAWHA COUNTY (I-64 & I-77)

A	Class 1	600	Rt. 119 Penn. Ave.
L	No. 9	1000	Rt. 119 Penn. Ave.
N	Fine Aggregate	200	Rt. 119 Penn. Ave.
O	Standard Abr.	2500	Rt. 119 Penn. Ave.
P	Modified Abr.	2500	Rt. 119 Penn. Ave.

16.80		
18.80		
13.80		
17.60		
17.60		

JACKSON COUNTY (I-77)

A	Class 1	600	Haynes Branch
D	No. 1	1000	Haynes Branch
E	No. 3	1000	Haynes Branch
L	No. 9	1000	Haynes Branch
N	Fine Aggregate	200	Haynes Branch
O	Standard Abr.	2500	Haynes Branch
P	Modified Abr.	2500	Haynes Branch
S	No. 8 Modified	800	Haynes Branch

18.40		
21.40		
21.40		
21.40		
15.40		
18.10		
18.10		
21.40		

12. BIDDING SCHEDULE

DISTRICT THREE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

CALHOUN COUNTY

A	Class 1	3600	Millstone
E	No. 3	1800	Millstone
I	No. 467	2500	Millstone
M	No. 67	2500	Millstone
O	Gabion Stone	100	Millstone
S	Standard Abr.	2500	Millstone
T	No. 8 Modified	1150	Millstone
G	No 467	2500	Millstone

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
26.95		
27.50		
27.50		
27.50		
28.50		
17.95		
28.25		
27.50		

JACKSON COUNTY

A	Class 1	10000	Ripley
D	No. 1	500	Ripley
E	No. 3	800	Ripley
G	No. 467	9000	Ripley
H	No. 57	3500	Ripley
I	No. 67	3000	Ripley
M	Gabion Stone	750	Ripley
O	Standard Abr.	1000	Ripley
S	No. 8 Modified	1500	Ripley
T	No. 9 Modified	1500	Ripley

18.75		
19.65		
19.65		
19.65		
19.65		
19.65		
19.65		
23.65		
10.70		
20.65		

JACKSON COUNTY

A	Class 1	2000	Ravenswood Lot
E	No. 3	200	Ravenswood Lot
M	Gabion Stone	500	Ravenswood Lot
S	No. 8 Modified	500	Ravenswood Lot

17.75		
19.95		
22.95		
22.95		

JACKSON COUNTY (I-77)

O	Standard Abr.	750	Medina (I77)
---	---------------	-----	--------------

10.65		
-------	--	--

PLEASANTS COUNTY

A	Class 1	5000	Colin Anderson Lot
D	No. 1	500	Colin Anderson Lot
E	No. 3	800	Colin Anderson Lot
G	No. 467	1000	Colin Anderson Lot
I	No. 67	1000	Colin Anderson Lot
M	Gabion Stone	500	Colin Anderson Lot
S	No. 8 Modified	1000	Colin Anderson Lot
T	No. 9 Modified	1000	Colin Anderson Lot

18.25		
19.10		
19.10		
19.10		
19.10		
19.10		
20.10		
20.10		
19.10		

DISTRICT THREE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

PLEASANTS COUNTY

O	Standard Abr.	1000	Belmont
---	---------------	------	---------

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
12.65		

RITCHIE COUNTY

A	Class 1	8500	Ellenboro
C	Class 10	4000	Ellenboro
D	No. 1	1000	Ellenboro
E	No. 3	4000	Ellenboro
G	No. 467	3000	Ellenboro
H	No. 57	5000	Ellenboro
I	No. 67	4000	Ellenboro
K	No. 8	4000	Ellenboro
L	No. 9	1000	Ellenboro
M	Gabion Stone	1000	Ellenboro
O	Standard Abr.	5000	Ellenboro

20.75		
19.75		
22.75		
22.75		
22.75		
22.75		
22.75		
22.75		
22.75		
24.75		
14.75		

CORRIDOR D RITCHIE CO. ELLENBORO

O	Standard Abr.	1500	Ellenboro
---	---------------	------	-----------

14.50		
-------	--	--

RITCHIE COUNTY

K	No. 8	2000	Smithville
O	Standard Abr.	2000	Smithville

22.95		
16.95		

RITCHIE COUNTY (CORRIDOR D)

O	Standard Abr.	800	Nutter Farm
---	---------------	-----	-------------

13.95		
-------	--	--

ROANE COUNTY

A	Class 1	9000	Spencer
D	No. 1	450	Spencer
E	No. 3	4000	Spencer
G	No. 467	6400	Spencer
I	No. 67	6000	Spencer
L	No. 9	1000	Spencer
M	Gabion Stone	1500	Spencer
O	Standard Abr.	2200	Spencer
S	No. 8 Modified	3000	Spencer

22.20		
24.20		
24.20		
24.20		
24.20		
24.20		
27.50		
16.25		
26.95		

ROANE COUNTY

L	No. 9	2000	Rt. 33 Spencer
---	-------	------	----------------

25.20		
-------	--	--

12. BIDDING SCHEDULE

DISTRICT THREE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

ROANE COUNTY

A	Class 1	3550	Left Hand (Walton)
E	No. 3	2000	Left Hand (Walton)
G	No. 467	3000	Left Hand (Walton)
I	No. 67	2000	Left Hand (Walton)
L	No. 9	450	Left Hand (Walton)
O	Standard Abr.	200	Left Hand (Walton)

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
20.25		
23.70		
23.70		
23.70		
23.70		
19.90		

O	Standard Abr.	500	Southern Roane WV 36
---	---------------	-----	----------------------

19.90		
-------	--	--

WIRT COUNTY

O	Standard Abr.	1500	Elizabeth Headquarters
---	---------------	------	------------------------

14.95		
-------	--	--

WIRT COUNTY

A	Class 1	4200	Elizabeth WW CR 14/7
D	No. 1	250	Elizabeth WW CR 14/7
E	No. 3	1500	Elizabeth WW CR 14/7
F	No. 4	1500	Elizabeth WW CR 14/7
G	No. 467	1500	Elizabeth WW CR 14/7
I	No. 67	1800	Elizabeth WW CR 14/7
S	No. 8 Modified	1000	Elizabeth WW CR 14/7
T	No. 9 Modified	2000	Elizabeth WW CR 14/7

21.10		
22.80		
22.80		
22.80		
22.80		
23.80		

WOOD COUNTY

A	Class 1	10000	Parkersburg Co. Hqtrs.
D	No. 1	1000	Parkersburg Co. Hqtrs.
E	No. 3	3000	Parkersburg Co. Hqtrs.
F	No. 4	2500	Parkersburg Co. Hqtrs.
H	No. 57	1000	Parkersburg Co. Hqtrs.
J	No. 7	2000	Parkersburg Co. Hqtrs.
K	No. 8	4000	Parkersburg Co. Hqtrs.
M	Gabion Stone	400	Parkersburg Co. Hqtrs.
O	Standard Abr.	4000	Parkersburg Co. Hqtrs.
S	No. 8 Modified	6000	Parkersburg Co. Hqtrs.
T	No. 9 Modified	2000	Parkersburg Co. Hqtrs.

17.95		
18.95		
18.95		
18.95		
18.95		
19.50		
21.95		
11.50		
22.20		

12. BIDDING SCHEDULE

DISTRICT THREE

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

WOOD COUNTY

A	Class 1	6000	WV 95 Parkersburg
H	No. 57	4000	WV 95 Parkersburg
I	No. 67	6000	WV 95 Parkersburg

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
17.95		
18.95		
18.95		

WOOD COUNTY

O	Standard Abr.	1000	River Hill US 50
---	---------------	------	------------------

9.95		
------	--	--

WOOD COUNTY

O	Standard Abr.	1500	Mill Run Road
---	---------------	------	---------------

11.50		
-------	--	--

PLEASANTS COUNTY (BARGE DELIVERY)

A	Class 1	6500	Colin Anderson Lot
D	No. 1	1500	Colin Anderson Lot
E	No. 3	1500	Colin Anderson Lot
G	No. 467	3000	Colin Anderson Lot
I	NO. 67	3000	Colin Anderson Lot
M	Gabion Stone	1500	Colin Anderson Lot
S	No. 8 Modified	4500	Colin Anderson Lot
T	No. 9 Modified	4500	Colin Anderson Lot

17.30		
17.30		
17.30		
17.30		
17.30		
19.30		
18.30		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
<u>BROOKE COUNTY</u>			
A	Class 1	10000	Wellsburg
D	No. 1	500	Wellsburg
E	No. 3	500	Wellsburg
H	No. 57	2000	Wellsburg
I	No. 67	500	Wellsburg
J	No. 7	500	Wellsburg
K	No. 8	5000	Wellsburg
L	No. 9	500	Wellsburg
M	Gabion Stone	500	Wellsburg
O	Standard Abr.	5000	Wellsburg
P	Modified Abr.	5000	Wellsburg
R	Shot Rock	500	Wellsburg
S	No. 8 Modified	2000	Wellsburg

Bid Price (\$/Ton) F.O. B.
DOH Storage Site

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
23.45		
24.45		
24.45		
24.45		
24.45		
24.95		
24.95		
26.95		
19.95		
25.95		
28.75		

BROOKE COUNTY

A	Class 1	6000	Weirton
d	No. 1	500	Weirton
E	No. 3	500	Weirton
H	No. 57	1000	Weirton
I	No. 67	500	Weirton
J	No. 7	500	Weirton
K	No. 8	5000	Weirton
L	No. 9	1000	Weirton
M	Gabion Stone	500	Weirton
N	Fine Aggregate	100	Weirton
O	Standard Abr.	4000	Weirton
P	Modified Abr.	4000	Weirton
R	Shot Rock	500	Weirton
S	No. 8 Modified	2000	Weirton

23.45		
24.45		
24.45		
24.45		
24.45		
24.95		
24.95		
26.95		
19.95		
25.95		
28.75		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

TYLER COUNTY

A	Class 1	1000	Centerville
D	No. 1	1000	Centerville
E	No. 3	2000	Centerville
G	No. 467	3000	Centerville
H	No. 57	2000	Centerville
I	No. 67	500	Centerville
J	No. 7	2000	Centerville
K	No. 8	600	Centerville
L	No. 9	1000	Centerville
M	Gabion Stone	500	Centerville
N	Fine Aggregate	100	Centerville
O	Standard Abr.	1000	Centerville
P	Modified Abr.	1000	Centerville
R	Shot Rock	500	Centerville
S	No. 8 Modified	2000	Centerville

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
19.40		
21.45		
21.45		
21.45		
21.45		
21.45		
21.45		
21.95		
23.45		
22.60		
19.50		
21.45		
24.50		
27.50		

WETZEL COUNTY

A	Class 1	5000	New Martinsville
D	No. 1	1000	New Martinsville
E	No. 3	1500	New Martinsville
G	No. 467	15000	New Martinsville
H	No. 57	3000	New Martinsville
I	No. 67	500	New Martinsville
J	No. 7	500	New Martinsville
K	No. 8	2000	New Martinsville
L	No. 9	1000	New Martinsville
M	Gabion Stone	500	New Martinsville
N	Fine Aggregate	100	New Martinsville
O	Standard Abr.	1500	New Martinsville
P	Modified Abr.	1500	New Martinsville
R	Shot Rock	500	New Martinsville
S	No. 8 Modified	1000	New Martinsville

18.60		
20.95		
20.95		
20.95		
20.95		
20.95		
21.50		
21.50		
22.95		
18.50		
14.95		
14.05		
25.00		
22.50		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
<u>OHIO COUNTY</u>			
A	Class 1	1000	Elm Grove
E	No. 3	500	Elm Grove
G	No. 467	500	Elm Grove
I	No. 67	500	Elm Grove
J	No. 7	500	Elm Grove
L	No. 9	1000	Elm Grove
N	Fine Aggregate	2000	Elm Grove
O	Standard Abr.	3000	Elm Grove
P	Modified Abr.	3000	Elm Grove
R	Shot Rock	500	Triadelphia

TYLER COUNTY

A	Class 1	5000	Sistersville
D	No. 1	1000	Sistersville
E	No. 3	2000	Sistersville
G	No. 467	3000	Sistersville
H	No. 57	2000	Sistersville
I	No. 67	1000	Sistersville
J	No. 7	2000	Sistersville
K	No. 8	2000	Sistersville
L	No. 9	1000	Sistersville
M	Gabion Stone	500	Sistersville
N	Fine Aggregate	100	Sistersville
O	Standard Abr.	2000	Sistersville
P	Modified Abr.	2000	Sistersville
R	Shot Rock	500	Sistersville
S	No. 8 Modified	3000	Sistersville

Bid Price (\$/Ton) F.O.B.
DOH Storage Site

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
21.75		
22.75		
22.75		
22.75		
23.50		
19.75		
17.95		
22.75		

20.90		
20.40		
20.40		
20.40		
20.40		
20.40		
20.90		
20.90		
22.40		
19.25		
15.25		
20.40		
23.90		
23.90		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

MARSHALL COUNTY

A	Class 1	4000	Sand Hill
D	No. 1	0	Sand Hill
E	No. 3	800	Sand Hill
G	No. 467	400	Sand Hill
H	No. 57	200	Sand Hill
I	No. 67	500	Sand Hill
J	No. 7	0	Sand Hill
K	No. 8	500	Sand Hill
L	No. 9	0	Sand Hill
M	Gabion Stone	500	Sand Hill
N	Fine Aggregate	100	Sand Hill
O	Standard Abr.	1000	Sand Hill
P	Modified Abr.	1000	Sand Hill
R	Shot Rock	500	Sand Hill
S	No. 8 Modified	2000	Sand Hill

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
25.95		
26.95		
26.95		
26.95		
26.95		
26.95		
27.50		
27.50		
28.95		
22.80		
22.80		
26.95		
29.00		

OHIO COUNTY

A	Class 1	3000	Triadelphia
D	No. 1	500	Triadelphia
E	No. 3	1000	Triadelphia
G	No. 467	500	Triadelphia
H	No. 57	1000	Triadelphia
I	No. 67	5000	Triadelphia
J	No. 7	1000	Triadelphia
K	No. 8	5000	Triadelphia
L	No. 9	1000	Triadelphia
M	Gabion Stone	500	Triadelphia
N	Fine Aggregate	100	Triadelphia
O	Standard Abr.	4000	Triadelphia
P	Modified Abr.	4000	Triadelphia
R	Shot Rock	500	Triadelphia
S	No. 8 Modified	2000	Triadelphia

21.90		
22.90		
22.90		
22.90		
22.90		
22.90		
23.50		
23.50		
24.90		
19.50		
17.95		
22.90		
26.60		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

MARSHALL COUNTY

A	Class 1	5000	Cameron
D	No. 1	0	Cameron
E	No. 3	2000	Cameron
G	No. 467	600	Cameron
H	No. 57	400	Cameron
I	No. 67	1500	Cameron
J	No. 7	0	Cameron
K	No. 8	1000	Cameron
L	No. 9	0	Cameron
M	Gabion Stone	500	Cameron
N	Fine Aggregate	100	Cameron
O	Standard Abr.	3000	Cameron
P	Modified Abr.	3000	Cameron
R	Shot Rock	500	Cameron
S	No. 8 Modified	3000	Cameron

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
26.75		
27.75		
27.75		
27.75		
27.75		
27.75		
28.75		
28.75		
29.75		
24.45		
22.95		
27.00		
29.00		

MARSHALL COUNTY

A	Class 1	3000	Lynn Camp
D	No. 1	0	Lynn Camp
E	No. 3	1000	Lynn Camp
G	No. 467	400	Lynn Camp
H	No. 57	200	Lynn Camp
I	No. 67	2000	Lynn Camp
J	No. 7	0	Lynn Camp
K	No. 8	500	Lynn Camp
L	No. 9	0	Lynn Camp
M	Gabion Stone	500	Lynn Camp
N	Fine Aggregate	100	Lynn Camp
O	Standard Abr.	1000	Lynn Camp
P	Modified Abr.	1000	Lynn Camp
R	Shot Rock	500	Lynn Camp
S	No. 8 Modified	2000	Lynn Camp

27.75		
28.75		
28.75		
28.75		
28.75		
28.75		
29.25		
29.25		
30.00		
26.25		
23.75		
26.25		
29.75		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

HANCOCK COUNTY

A	Class 1	5000	New Manchester
D	No. 1	500	New Manchester
E	No. 3	500	New Manchester
G	No. 467	3000	New Manchester
H	No. 57	1000	New Manchester
I	No. 67	500	New Manchester
J	No. 7	500	New Manchester
K	No. 8	5000	New Manchester
L	No. 9	1000	New Manchester
M	Gabion Stone	500	New Manchester
N	Fine Aggregate	100	New Manchester
O	Standard Abr.	4000	New Manchester
P	Modified Abr.	4000	New Manchester
R	Shot Rock	500	New Manchester
S	No. 8 Modified	1000	New Manchester

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
23.50		
24.50		
24.50		
24.50		
24.50		
24.50		
25.50		
25.50		
26.50		
23.00		
21.50		
27.15		
27.00		

MARSHALL COUNTY

A	Class 1	5000	Glendale
D	No. 1	0	Glendale
E	No. 3	500	Glendale
G	No. 467	3000	Glendale
H	No. 57	1000	Glendale
I	No. 67	500	Glendale
J	No. 7	0	Glendale
K	No. 8	5000	Glendale
L	No. 9	0	Glendale
M	Gabion Stone	500	Glendale
N	Fine Aggregate	100	Glendale
O	Standard Abr.	4000	Glendale
P	Modified Abr.	4000	Glendale
R	Shot Rock	500	Glendale
S	No. 8 Modified	1000	Glendale

22.50		
23.50		
23.50		
23.50		
23.50		
23.50		
24.50		
24.50		
25.50		
20.25		
18.75		
25.00		
27.00		

12. BIDDING SCHEDULE

DISTRICT SIX

MARTIN MARIETTA

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site
---------------	--------------------------	---------------------------	------------------------------

Bid Price (\$/Ton) F.O.B. DOH Storage Site

WETZEL COUNTY

A	Class 1	3000	Hundred
D	No. 1	1000	Hundred
E	No. 3	1000	Hundred
G	No. 467	1000	Hundred
H	No. 57	2000	Hundred
I	No. 67	100	Hundred
J	No. 7	500	Hundred
K	No. 8	2000	Hundred
L	No. 9	1000	Hundred
M	Gabion Stone	500	Hundred
N	Fine Aggregate	100	Hundred
O	Standard Abr.	1000	Hundred
P	Modified Abr.	1000	Hundred
R	Shot Rock	500	Hundred
S	No. 8 Modified	1000	Hundred

LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
25.90		
26.40		
26.40		
26.40		
26.40		
26.40		
26.40		
26.40		
26.40		
28.40		
24.00		
21.50		
26.50		
27.00		
28.50		

WETZEL COUNTY

A	Class 1	3000	Pine Grove
D	No. 1	500	Pine Grove
E	No. 3	2000	Pine Grove
G	No. 467	200	Pine Grove
H	No. 57	2000	Pine Grove
I	No. 67	100	Pine Grove
J	No. 7	500	Pine Grove
K	No. 8	2000	Pine Grove
L	No. 9	1000	Pine Grove
M	Gabion Stone	500	Pine Grove
N	Fine Aggregate	100	Pine Grove
O	Standard Abr.	1000	Pine Grove
P	Modified Abr.	1000	Pine Grove
Q	Shot Rock	500	Pine Grove
S	No. 8 Modified	2000	Pine Grove

25.70		
26.60		
26.60		
26.60		
26.60		
26.60		
26.60		
26.60		
26.60		
28.60		
27.25		
19.25		
18.50		
27.25		
27.25		

RFQ No. 6610C025

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: MARTIN MARIETTA MATERIALS INC.

Authorized Signature: [Signature] Date: 5/24/2010

State of WEST VIRGINIA

County of WOOD, to-wit:


Taken, subscribed, and sworn to before me this 24TH day of MAY, 2010.

My Commission expires Feb. 14, 2015

AFFIX SEAL HERE

NOTARY PUBLIC

[Signature]





State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 6610C025

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 MICHAEL AUSTIN
 304-558-2402

V
E
N
D
O
R

*709031719 02 304-485-7341
 MARTIN MARIETTA MATERIALS INC
 300 STAR AVENUE #312
 PARKERSBURG WV 26101

S
H
I
P
T
O

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/20/2010				

BID OPENING DATE: 05/26/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
ADD THE ATTACHED: VENDOR PREFERENCE CERTIFICATE						
BID OPENING DATE AND TIME REMAINS 05/26/10 @1:30 P.M.						
NO OTHER ADDITIONS OR CHANGES.						
0001	1	EA		770-06		
STONE & AGGREGATE						
***** THIS IS THE END OF RFQ 6610C025 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: MARTIN MARIETTA MATERIALS INC.

Signed: [Signature]

Date: 5/24/2010

Title: GM WV DISTRICT

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C025

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

ROADS

*709031719 02 304-485-7341
MARTIN MARIETTA MATERIALS INC
300 STAR AVENUE #312

PARKERSBURG WV 26101

SHIPP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	POB	FREIGHT TERMS		
06/11/2010						
BID OPENING DATE: 06/16/2010		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		770-06		
ADDENDUM NO. 5 REPLACE PAGES 18 & 19 WITH THE ATTACHED PAGES 18 & 19. BID OPENING DATE AND TIME REMAINS 06/16/10 @ 1:30 P.M. NO OTHER CHANGES. STONE & AGGREGATE ***** THIS IS THE END OF RFQ 6610C025 ***** TOTAL:						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE <i>Boyer</i>				TELEPHONE (304) 485-7341	DATE 6/14/10	
TITLE <i>Subs Manager</i>				ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

1100 Pennsylvania Avenue, Charleston, WV 25302

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	16.50		
B	Class 2 Aggregate	16.50		
C	Class 10 Aggregate	16.50		
D	AASHTO #1 Aggregate	18.75		
E	AASHTO #3 Aggregate	18.75		
F	AASHTO #4 Aggregate	18.75		
G	AASHTO #467 Aggregate	18.75		
H	AASHTO #57 Aggregate	18.75		
I	AASHTO #67 Aggregate	18.75		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	18.75		
L	AASHTO #9 Aggregate	18.75		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>23.75</u>	_____	_____
N	Fine Aggregate	<u>14.70</u>	_____	_____
O	Standard Abrasives	<u>12.50</u>	_____	_____
P	Modified Abrasives	<u>16.75</u>	_____	_____
Q	Riprap	<u>23.75</u>	_____	_____
R	Shot Rock	_____	_____	_____
S	AASHTO #8 Modified	<u>19.95</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>13.00</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

50427 State Route 124, Racine, OH 45771

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	_____	_____	_____
B	Class 2 Aggregate	_____	_____	_____
C	Class 10 Aggregate	_____	_____	_____
D	AASHTO #1 Aggregate	_____	_____	_____
E	AASHTO #3 Aggregate	_____	_____	_____
F	AASHTO #4 Aggregate	_____	_____	_____
G	AASHTO #467 Aggregate	_____	_____	_____
H	AASHTO #57 Aggregate	_____	_____	_____
I	AASHTO #67 Aggregate	_____	_____	_____
J	AASHTO #7 Aggregate	_____	_____	_____
K	AASHTO #8 Aggregate	_____	_____	_____
L	AASHTO #9 Aggregate	_____	_____	_____

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	_____	_____	_____
N	Fine Aggregate	<u>8.50</u>	_____	_____
O	Standard Abrasives	<u>6.75</u>	_____	_____
P	Modified Abrasives	<u>6.75</u>	_____	_____
Q	Riprap	_____	_____	_____
R	Shot Rock	_____	_____	_____
S	AASHTO #8 Modified	_____	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>7.25</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site

AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

320 Cemetary Road, Little Hocking, OH 45742

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	_____	_____	_____
B	Class 2 Aggregate	_____	_____	_____
C	Class 10 Aggregate	_____	_____	_____
D	AASHTO #1 Aggregate	_____	_____	_____
E	AASHTO #3 Aggregate	_____	_____	_____
F	AASHTO #4 Aggregate	_____	_____	_____
G	AASHTO #467 Aggregate	_____	_____	_____
H	AASHTO #57 Aggregate	_____	_____	_____
I	AASHTO #67 Aggregate	_____	_____	_____
J	AASHTO #7 Aggregate	_____	_____	_____
K	AASHTO #8 Aggregate	_____	_____	_____
L	AASHTO #9 Aggregate	_____	_____	_____

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	_____	_____	_____
N	Fine Aggregate	<u>6.75</u>	_____	_____
O	Standard Abrasives	<u>6.75</u>	_____	_____
P	Modified Abrasives	<u>6.75</u>	_____	_____
Q	Riprap	_____	_____	_____
R	Shot Rock	_____	_____	_____
S	AASHTO #8 Modified	_____	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>7.95</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ _____ \$ for First Ton-Mile
 @ _____ \$ for Each Additional Ton-Mile

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site
_____	_____	_____
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)**

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.**

Route 25, Institute, WV 25112

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	15.50		
B	Class 2 Aggregate	15.50		
C	Class 10 Aggregate	15.50		
D	AASHTO #1 Aggregate	17.75		
E	AASHTO #3 Aggregate	17.75		
F	AASHTO #4 Aggregate	17.75		
G	AASHTO #467 Aggregate	17.75		
H	AASHTO #57 Aggregate	17.75		
I	AASHTO #67 Aggregate	17.75		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	17.75		
L	AASHTO #9 Aggregate	17.75		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>22.75</u>	_____	_____
N	Fine Aggregate	<u>14.20</u>	_____	_____
O	Standard Abrasives	<u>12.00</u>	_____	_____
P	Modified Abrasives	<u>15.75</u>	_____	_____
Q	Riprap	<u>22.75</u>	_____	_____
R	Shot Rock	_____	_____	_____
S	AASHTO #8 Modified	<u>19.00</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>12.50</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .20 \$ for Each Additional Ton-Mile

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

Foot of Wetzel Street, New Martinsville, WV 26155

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	17.50		
B	Class 2 Aggregate	17.50		
C	Class 10 Aggregate	17.50		
D	AASHTO #1 Aggregate	19.45		
E	AASHTO #3 Aggregate	19.45		
F	AASHTO #4 Aggregate	19.45		
G	AASHTO #467 Aggregate	19.45		
H	AASHTO #57 Aggregate	19.45		
I	AASHTO #67 Aggregate	19.45		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	19.45		
L	AASHTO #9 Aggregate	19.45		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>21.95</u>	_____	_____
N	Fine Aggregate	<u>16.50</u>	_____	_____
O	Standard Abrasives	<u>12.95</u>	_____	_____
P	Modified Abrasives	<u>17.95</u>	_____	_____
Q	Riprap	<u>22.50</u>	_____	_____
R	Shot Rock	<u>23.50</u>	_____	_____
S	AASHTO #8 Modified	<u>21.50</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>15.25</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site
_____	_____	_____
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

99 Kanawha Street, Parkersburg, WV 26101

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	16.25		
B	Class 2 Aggregate	16.25		
C	Class 10 Aggregate	16.25		
D	AASHTO #1 Aggregate	17.95		
E	AASHTO #3 Aggregate	17.95		
F	AASHTO #4 Aggregate	17.95		
G	AASHTO #467 Aggregate	17.95		
H	AASHTO #57 Aggregate	17.95		
I	AASHTO #67 Aggregate	17.95		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	17.95		
L	AASHTO #9 Aggregate	17.95		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>20.95</u>	_____	_____
N	Fine Aggregate	<u>13.00</u>	_____	_____
O	Standard Abrasives	<u>10.50</u>	_____	_____
P	Modified Abrasives	<u>15.95</u>	_____	_____
Q	Riprap	<u>21.95</u>	_____	_____
R	Shot Rock	<u>22.95</u>	_____	_____
S	AASHTO #8 Modified	<u>21.00</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>12.95</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site
_____	_____	_____
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)**

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.**

105 Sycamore Street, Ravenswood, WV 26164

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	15.50		
B	Class 2 Aggregate	15.50		
C	Class 10 Aggregate	15.50		
D	AASHTO #1 Aggregate	17.95		
E	AASHTO #3 Aggregate	17.95		
F	AASHTO #4 Aggregate	17.95		
G	AASHTO #467 Aggregate	17.95		
H	AASHTO #57 Aggregate	17.95		
I	AASHTO #67 Aggregate	17.95		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	17.95		
L	AASHTO #9 Aggregate	17.95		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>20.50</u>	_____	_____
N	Fine Aggregate	<u>10.95</u>	_____	_____
O	Standard Abrasives	<u>9.95</u>	_____	_____
P	Modified Abrasives	<u>15.75</u>	_____	_____
Q	Riprap	<u>21.50</u>	_____	_____
R	Shot Rock	<u>22.50</u>	_____	_____
S	AASHTO #8 Modified	<u>19.00</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>11.25</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____
W	Haul by Vendor (Except Items Q and P):			
	@ <u>1.75</u> \$ for First Ton-Mile			
	@ <u>.18</u> \$ for Each Additional Ton Mile			
X	Haul by Vendor (Items Q and/or P):			
	@ <u>2.50</u> \$ for First Ton-Mile			
	@ <u>.18</u> \$ for Each Additional Ton-Mile			

Con- Tract Item	Description of Material	Bid Price Per Ton F.O.B. Vendor's Storage Site
_____	_____	_____
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) **SOURCE OF MATERIAL** (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) **EXACT LOCATION OF VENDOR'S STORAGE SITE(S)** A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

202 Walden Avenue, Tiltonsville, OH 43963

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	17.50		
B	Class 2 Aggregate	17.50		
C	Class 10 Aggregate	17.50		
D	AASHTO #1 Aggregate	19.45		
E	AASHTO #3 Aggregate	19.45		
F	AASHTO #4 Aggregate	19.45		
G	AASHTO #467 Aggregate	19.45		
H	AASHTO #57 Aggregate	19.45		
I	AASHTO #67 Aggregate	19.45		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	19.45		
L	AASHTO #9 Aggregate	19.45		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	_____	_____	_____
N	Fine Aggregate	<u>15.50</u>	_____	_____
O	Standard Abrasives	<u>13.50</u>	_____	_____
P	Modified Abrasives	<u>17.95</u>	_____	_____
Q	Riprap	<u>22.00</u>	_____	_____
R	Shot Rock	_____	_____	_____
S	AASHTO #8 Modified	<u>21.50</u>	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	<u>15.75</u>	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____
W	Haul by Vendor (Except Items Q and P):			
	@ <u>1.75</u> \$ for First Ton-Mile			
	@ <u>.18</u> \$ for Each Additional Ton Mile			
X	Haul by Vendor (Items Q and/or P):			
	@ <u>2.50</u> \$ for First Ton-Mile			
	@ <u>.18</u> \$ for Each Additional Ton-Mile			

<u>Con- Tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
6610C025

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

ROBERT V. POSEY

*709031719 02 304-485-7341
MARTIN MARIETTA MATERIALS INC
300 STAR AVENUE #312

PARKERSBURG WV 26101

SHIP TO

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
06/11/2010				
BID OPENING DATE: 06/16/2010		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		770-06		
ADDENDUM NO. 5 REPLACE PAGES 18 & 19 WITH THE ATTACHED PAGES 18 & 19. BID OPENING DATE AND TIME REMAINS 06/16/10 @ 1:30 P.M. NO OTHER CHANGES. ***** THIS IS THE END OF RFQ 6610C025 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Robert V. Posey* TELEPHONE: (304) 485-7341 DATE: 6/14/10

TITLE: Sales Manager FEIN: ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

- a) SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

~~3 Rivers, Smithland, KY; Martin Marietta, Apple Grove Plant, Racine, OH; Hilltop Materials, Battletown, KY; Carmeuse, Maysville, KY and Black River, Carntown, KY; Mulzer Stone, Cape Sandy, IL and Charlestown, KY; Owensboro Stone, Wolf Creek, KY; Martin Marietta Burning Springs Mine, Petroleum, WV; Martin Marietta Materials, Little Hocking, OH~~

- b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

Rural Route 1 Box 110, Petroleum, WV 26161

Con- Tract Item	Description of Aggregate	Bid Price Per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
A	Class 1 Aggregate	13.90		
B	Class 2 Aggregate	13.90		
C	Class 10 Aggregate	13.90		
D	AASHTO #1 Aggregate	14.20		
E	AASHTO #3 Aggregate	14.20		
F	AASHTO #4 Aggregate	14.20		
G	AASHTO #467 Aggregate	14.20		
H	AASHTO #57 Aggregate	14.20		
I	AASHTO #67 Aggregate	14.20		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	14.20		
L	AASHTO #9 Aggregate			

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

M	Stone for Gabions	<u>15.75</u>	_____	_____
N	Fine Aggregate	_____	_____	_____
O	Standard Abrasives	_____	_____	_____
P	Modified Abrasives	_____	_____	_____
Q	Riprap	<u>15.75</u>	_____	_____
R	Shot Rock	<u>15.95</u>	_____	_____
S	AASHTO #8 Modified	_____	_____	_____
T	AASHTO #9 Modified	_____	_____	_____
U	Pea Gravel	_____	_____	_____
V	#11 Limestone Abrasives	_____	_____	_____

W Haul by Vendor (Except Items Q and P):
 @ 1.75 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton Mile

X Haul by Vendor (Items Q and/or P):
 @ 2.50 \$ for First Ton-Mile
 @ .18 \$ for Each Additional Ton-Mile

<u>Con- tract Item</u>	<u>Description of Material</u>	<u>Bid Price Per Ton F.O.B. Vendor's Storage Site</u>
AA	Cinders	_____

Note 1: Bid price shall include cost of Vendor Loading Department trucks.

