



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010C005

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN 304-558-2402

VENDOR

*523114545 800-344-4510
 RIGHT EQUIPMENT
 PO BOX 118
 CLOVERDALE VA 24077

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/14/2009				

BID OPENING DATE: 01/06/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	10	EA		962-21	<i>each</i> 3680.50	36805.00
CONTRACT: TO FURNISH HIGH PRESSURE CLEANING SYSTEM OPEN END CONTRACT TO PROVIDE HIGH PRESSURE HOT WATER CLEANING SYSTEM FOR ALL TEN (10) DISTRICTS AND THE EQUIPMENT DIVISION FOR THE WEST VIRGINIA DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS. ESTIMATED ANNUAL USAGE - 25 PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON 2010 ... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY						

RECEIVED
 2010 JAN -5 PM 1:18
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE <i>Victor J. Spangler</i>	TELEPHONE 1-800-3444590	DATE 12-31-09
TITLE President	FAX 54-1390804	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010C005

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

*523114545 800-344-4510
 RIGHT EQUIPMENT
 PO BOX 118
 CLOVERDALE VA 24077

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/14/2009				

BID OPENING DATE: 01/06/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT,</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Nidia J. Spangler</i>	TELEPHONE 1-800-3444510	DATE 12-29-09
TITLE <i>President</i>	FEIN 54-1390804	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010C005

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

SUPPLIER

*523114545 800-344-4510
 RIGHT EQUIPMENT
 PO BOX 118
 CLOVERDALE VA 24077

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 12/14/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
----------------------------	---------------	----------	--------	---------------

BID OPENING DATE: 01/06/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 05/26/2009</p> <p>EXHIBIT 10</p> <p style="text-align: right;">REQUISITION NO.: 7010C005</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Michael Spangle</i>	TELEPHONE 1-800-3444510	DATE 12.29.09	
TITLE President	FEIN 54-1390804	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010C005

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*523114545 800-344-4510
 RIGHT EQUIPMENT
 PO BOX 118
 CLOVERDALE VA 24077

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/14/2009				

BID OPENING DATE: **01/06/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NO. 1					
NO. 2					
NO. 3					
NO. 4					
NO. 5					
<p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF TH ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;"> <i>Vickie J. Brangle</i> SIGNATURE <i>Right Equipment</i> COMPANY 12-30-09 DATE </p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>Vickie J. Brangle</i>	1800-3444510	12-30-09	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
<i>Procurement</i>	54-1390204		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010C005

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*523114545 800-344-4510
 RIGHT EQUIPMENT
 PO BOX 118

 CLOVERDALE VA 24077

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
12/14/2009				

BID OPENING DATE: **01/06/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 33</p> <p>RFQ. NO.: 7010C005</p> <p>BID OPENING DATE: <u>01/06/2010</u></p> <p>BID OPENING TIME: <u>01:30 PM</u></p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: <u>540-9925955</u></p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): <u>Victoria J. Spangler</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>Victoria J. Spangler</i>	TELEPHONE 1-800-344-4510	DATE 12-29-09	
TITLE President	FEIN 54-390804	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL: MACHINE SHALL BE A HIGH PRESSURED, HOT WATER CLEANING SYSTEM. MACHINE SHALL BE ELECTRICALLY AND MECHANICALLY OPERATED.

SPECIFICATIONS:

- A. DISCHARGE CAPACITY MINIMUM: 3.5 GPM-210 GPH
- B. OPERATING PRESSURE MINIMUM: 2000 PSI
- C. WATER PUMP: TRIPLEX OIL BATH HIGH PRESSURE PUMP BELT DRIVEN.
- D. WATER TEMPERATURE AT NOZZLE: APPROX 200 DEGREES F *6 Hr oven*
- E. PUMP MOTOR MINIMUM: 5HP, 230V, 60 CYCLE, SINGLE PHASE DUAL CAPACITORS, THERMAL OVERLOAD PROTECTION.
- F. HEATING COIL: STEEL PIPE SHEATHED MINIMUM SCHEDULE 80 WITH BURST PRESSURE OF 17,500 PSI COLD WATER WRAP DESIGN.
- G. OIL FIRED BURNER: MINIMUM OF 289,900 *386,00 over* BTU/HR. TYPE: PRESSURE ATOMIZING TYPE FORCED AIR, AUTOMATIC ELECTRIC IGNITION UL APPROVED. BURNER MOTOR: MINIMUM 1/8 HP, 230 VOLT WITH OVERLOAD PROTECTION. FUEL TYPE: KEROSENE, #1 OR #2 DIESEL, #1 HOME HEATING OIL. *VV*
- FUEL TANK: MINIMUM 10 GALLON, REMOVEABLE TANK STAINLESS, OR POLYETHYLENE, NON-CONTAMINATING.
- H. SAFETY RELIEF VALVE: STANDARD.
- I. GUN: TRIGGER SHUT OFF WITH 48" INSULATED GRIP WAND. *Handwritten scribbles*
- J. HOSE: 3/8' x 50 FT., 3000 PSI AT 250 DEGREES OPERATING TEMPERATURE.
- K. FLOAT TANK: STAINLESS STEEL OR POLYETHYLENE WITH AUTO SHUT-OFF. *Handwritten scribbles*
- L. NOZZLES: THREE STAINLESS STEEL ONE 0, ONE 15, ONE 40 DEGREES.
- M. CHEMICAL VALVE: PRECISE METERED
- N. PORTABILITY: SHALL INCLUDE 4.10 PNEUMATIC, BALL BEARING WHEELS MOUNTED ON 2 EQUAL LENGTH AXLES.

Handwritten notes:
 Spec for
 2000-1026
 Call me
 1992-99-17

ALL VENDORS BIDDING ON CONTRACT SHALL DELIVER TO WVDH EQUIPMENT DIVISION A SAMPLE OF UNIT BEING QUOTED FOR EVALUATION PURPOSES.

THESE UNITS WILL BE ACCEPTED WITHIN 5 WORKING DAYS AFTER BID OPENING.

VENDORS WHO ARE UNSUCCESSFUL WILL BE RESPONSIBLE FOR PICKING UP SAID UNITS.

ALL WARRANTY CLAIMS THAT REQUIRE FIELD SERVICE SHALL BE DONE BY THE VENDOR AT NO COST TO THE WV DIVISION OF HIGHWAYS.

THE VENDOR SHALL FURNISH ANY TECHNICAL ENGINEERING SERVICE WHICH MIGHT BE NEEDED IN THE PROPER INSTALLATION OF THESE UNITS AT NO EXTRA COST TO THE WV DIVISION OF HIGHWAYS.

FAILURE TO MEET PRECEEDING REQUIREMENTS MAY RESULT IN VENDOR DISQUALIFICATION.

Equipment Division

WV Division of Highways
 PO Box 610
 Buckhannon, WV 26201
 ATTENTION: Kevin Riley

WVDOT/Division of Highways
 D-1
 1340 Smith St.
 Charleston, WV 25301
 Attn: Melissa Mullens

WVDOT/Divison of Highways
 D-2
 Po. Box 880
 Huntington, WV 25712
 Attn: Keith Chapman

WVDOT/Division of Highways
 D-3
 626 Depot St.
 Parkersburg, WV 26101
 Attn: Mark Kimes

WVDOT/Division of Highways
 D-4
 P.O. BOX 2570
 Clarksburg, WV 26301
 Attn: John Bartlett

WVDOT/Division of Highways
 D-5
 PO BOX 99
 BURLINGTON, WV 26710
 Attn: Pat Broadhurst

WVDOT/Division of Highways
 D-6
 1 DOT Drive.
 Moundsville, WV 26041-2353
 Attn: Carol Ryan

WVDOT/Division Highways
 D-7
 Drawer 1228
 Weston, WV 26452
 Attn: Melissa Jordan

WVDOT/Division of Highways
 D-8
 PO Box 1516
 Elkins, WV 26241
 Attn: Debbie Barnett

WVDOT/Division of Highways
 D-9
 103 ½ Church Street
 Lewisburg, WV 24901
 Attn: Keith Brown

WVDOT/Division of Highways
 D-10
 270 Hardwood Lane
 Princeton, WV 24740
 Attn: Tommy Camden

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code, §5A-3-37**, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1 N/A **Application is made for 2.5% resident vendor preference for the reason checked:**
Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
N/A Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
N/A Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,

2 N/A **Application is made for 2.5% resident vendor preference for the reason checked:**
Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

3 N/A **Application is made for 2.5% resident vendor preference for the reason checked:**
Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,

4 N/A **Application is made for 5% resident vendor preference for the reason checked:**
Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,

5 N/A **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,

6 N/A **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Right Equipment Signed: Victoria J. Spangler
Date: 12-31-09 Title: President

*Check any combination of preference consideration(s) in either "A" or "B", or both "A" and "B" which you are entitled to receive. You may request up to the maximum of 5% preference for both "A" and "B".

RFQ No. 7010C005

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

523114545

Vendor's Name: Right Equipment # 2201-7181

Authorized Signature: [Signature] Date: 12-29-09

State of Virginia


County of Botetourt, to-wit:

Taken, subscribed, and sworn to before me this 30th day of December, 2009

My Commission expires March 31, 2011.

AFFIX SEAL HERE

NOTARY PUBLIC [Signature]



Right Equipment
P.O. Box 118
Cloverdale, OH 24077

540-
1-800-3444510

Product Specification

Product Category: Electric Powered/Portable/Oil Heated

Model Number: HHS-2004-1E2A

Manufacturer: Mi-T-M Corporation, 8650 Enterprise Dr., Peosta, IA 52068, Phone: 800-367-6486

Electric Powered Portable Oil Heated Pressure Washer

1. General Description

The oil fired hot water pressure washer will be capable of producing 2000 PSI @ 4.2 gpm hot and cold pressure wash. The pressure washer will be mounted on a wrinkle coated 10 gauge steel – portable unit, stainless steel coil wrap, adjustable thermostat, 35 foot power cord with ground fault circuit interrupter with a 4 gallon poly float tank for resistance to rust. The pressure wash temperature will be 150 degree F maximum over ambient water rise with a pressure wash of 2000 PSI minimum. The gas fired hot water pressure washer shall be an HHS-2004-1E2A, Hot Water Pressure Washer as manufactured by Mi-T-M Corporation, 8650 Enterprise Dr., Peosta, IA 52068, Phone: 1-800-367-6486.

2. Performance

General. The oil fired portable hot water pressure washer shall be capable of pressure washing vehicles, machinery or equipment. The oil fired portable hot water pressure washer will:

- 2.1. Raise the water temperature 150 degrees from ambient
- 2.2. Have a pressure wash of 2000 psi.
- 2.3. 4 gallon float tank.
- 2.4. 4.2 gpm discharge capacity.

3. Equipment Description

- 3.1. Electrical Requirements. The system will be fully operational by the use of a 230 volt, 60HZ, 1 phase, 28.0 amp power draw.
- 3.2. Motor description. 6.0 horsepower ODP, 1750 RPM motor.
- 3.3. Hour meter.
- 3.4. Adjustable Thermostat
- 3.5. Racor fuel/water separator.
- 3.6. (4) 13 inch pneumatic tires with tubes and rear wheel brake
- 3.7. Burner Type. Oil fired Forced Air burner.
- 3.8. Safety Controls. The system will a pressure switch and high limit switch.
- 3.9. Controls and features. Nozzle control required, high temperature limit protection required, unloader is pressure actuated, over pressure


protection is required, float tank 4 gallon poly tank, and solution dispensing is valve adjustable, control panel accessibility on the side of unit.

- 3.10. Electrical controls and features. 230 Volt, 1 Phase, 28.0 amps. CSA Certified.
- 3.11. Insulated trigger gun with safety lock-off
- 3.12. Wand, hose and nozzles. The wand shall be a dual insulated lance cable of adjusting pressure down to decrease outlet pressure. The 50' hose has a diameter of 3/8" and a pressure/temperature rating of 4500 psi at temperatures up to 250 degrees. One 0, 15, 25, and 40 degree pressure wash tips are included.
- 3.13. The pump is a belt driven triplex ceramic plunger pump.
- 3.14. The heat input is 386,400 BTU per hour.



Mi-T-M® CORPORATION

Hot Water Pressure Washers **HHS Series**




HHS Series


The HHS Series offers portability and reliability suitable for the most rugged applications.

ELECTRIC POWERED - OIL HEATED - BELT DRIVE


PORTABLE




Belt drive triplex General or AR plunger pump has the best warranty in the industry




Racor fuel/water separator ensures clean fuel supply to the burner



Optional stack adapter allows 8-inch flue pipe to be installed to vent machine exhaust



Locking rear wheel brake prevents unit from rolling



On/Off pump/motor switch

On/Off burner switch

Stainless-steel horizontal sch

No. 1 or No. 2 fuel oil, diesel or kerosene fired burner (Bio fuel not approved at this time)

Wrinkle-finish powder coated steel frame assembly

10-gallon polyethylene fuel tank

35-foot power cord with ground fault circuit interrupter (GFCI) on 20-amp plug on 1.5 HP to 6.0 HP, single phase models (except 208V, 1Ø units)

13-inch pneumatic tires with tubes



wrap with
80 pipe coil

Inlet polyethylene float tank

Quick connect nozzles
(0°, 15°, 25°, 40°) and
low pressure nozzle
(1000 to 3000 PSI models)

Adjustable high pressure
detergent injection


Adjustable thermostat

3004




HHS-3004-1E2G

Additional Features:

- ✓ Easy pump oil drain
- ✓ Thermal relief valve
- ✓ Pressure switch and high limit switch safety controls
- ✓ 300°F/149°C operating temperature (HHS-303 only)
- ✓ Wand holder
- ✓ Insulated trigger gun
- ✓ Adjustable pressure-insulated dual lance/wand (except on HHS-303)
- ✓ Single lance with dual insulated grips; steam nozzle (HHS-303)
- ✓ 50-foot x 3/8-inch high pressure hose with quick connects (50-foot steam hose on HHS-303)



HHS-2004-1E4G shown with skid frame (HX-0196) option



Mi-T-M offers a full line of products including cold water pressure washers, air compressors, generators, wet/dry vacuums, jobsite boxes, metal cutting saws and water treatment systems.

HHS Specifications

Model No.	PSI	GPM	HP/Motor	Plug Type	Burner Fuel Tank Cap.	Dimensions (LxWxH)	Ship Wt.	Net Wt.
HHS-1002-1E1G#	1000	2.0	1.5/120V, 1Ø, 16.2A	NEMA 5-20P	10.0 gallon	57in.x30in.x41.5in.	606 lbs.	486 lbs.
HHS-1003-1E1G#	1000	2.8	2.0/120V, 1Ø, 20.0A	NEMA 5-20P	10.0 gallon	57in.x30in.x41.5in.	610 lbs.	490 lbs.
HHS-1502-1E1G#	1500	1.8	2.0/115V, 1Ø, 19.9A	NEMA 5-20P	10.0 gallon	57in.x30in.x41.5in.	610 lbs.	490 lbs.

Model No.	PSI	GPM	HP/Motor	Plug Type	Burner Fuel Tank Cap.	Dimensions (LxWxH)	Ship Wt.	Net Wt.
HHS-2004-1E2G#	2000	4.2	6.0/230V, 1Ø, 28.0A	NEMA 6-30P	10.0 gallon	57in.x30in.x41.5in.	670 lbs.	550 lbs.
HHS-2004-1E3G#	2000	4.2	6.0/230V, 3Ø, 28.0A	NEMA L15-20P	10.0 gallon	57in.x30in.x41.5in.	670 lbs.	550 lbs.
HHS-2004-1E4G#	2000	4.2	6.0/460V, 3Ø, 12.0A	NEMA L16-20P	10.0 gallon	57in.x30in.x41.5in.	670 lbs.	550 lbs.
HHS-2004-1E8G#	2000	4.2	6.0/208V, 1Ø, 30.7A	NEMA 6-50P	10.0 gallon	57in.x30in.x41.5in.	670 lbs.	550 lbs.
HHS-2004-1E9G#	2000	4.2	6.0/208V, 3Ø, 29.9A	NEMA L15-30P	10.0 gallon	57in.x30in.x41.5in.	670 lbs.	550 lbs.

Model No.	PSI	GPM	HP/Motor	Plug Type	Burner Fuel Tank Cap.	Dimensions (LxWxH)	Ship Wt.	Net Wt.
HHS-3004-1E2G#	3000	3.9	8.0/230V, 1Ø, 39.5A	NEMA 6-50P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.
HHS-3004-1E3G#	3000	3.9	8.0/230V, 3Ø, 27.5A	NEMA L15-30P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.
HHS-3004-1E4G#	3000	3.9	8.0/460V, 3Ø, 14.0A	NEMA L16-20P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.
HHS-3004-1E5G#	3000	3.9	8.0/575V, 3Ø, 12.0A	NEMA L17-30P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.
HHS-3004-1E8G#	3000	3.9	8.0/208V, 1Ø, 43.0A	NEMA 6-50P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.
HHS-3004-1E9G#	3000	3.9	8.0/208V, 3Ø, 25.5A	NEMA L15-30P	10.0 gallon	57in.x30in.x41.5in.	700 lbs.	580 lbs.

Model No.	PSI	GPM	HP/Motor	Plug Type	Burner Fuel Tank Cap.	Dimensions (LxWxH)	Ship Wt.	Net Wt.
HHS-3005-1E2G#	3000	4.8	10.0/230V, 1Ø, 46.5A	NEMA 6-50P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.
HHS-3005-1E3G#	3000	4.8	10.0/230V, 3Ø, 27.5A	NEMA L15-30P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.
HHS-3005-1E4G#	3000	4.8	10.0/460V, 3Ø, 16.5A	NEMA L16-20P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.
HHS-3005-1E5G#	3000	4.8	10.0/575V, 3Ø, 14.0A	NEMA L17-30P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.
HHS-3005-1E8G#	3000	4.8	10.0/208V, 1Ø, 50.7A	NEMA 6-50P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.
HHS-3005-1E9G#	3000	4.8	10.0/208V, 3Ø, 31.5A	NEMA L15-50P	10.0 gallon	57in.x30in.x41.5in.	704 lbs.	584 lbs.

HHS-303-1E1A^	300	2.5	1.5/120V, 1Ø, 12.5A	GFCI 15 Amp	10.0 gallon	57in.x30in.x41.5in.	480 lbs.	460 lbs.
---------------	-----	-----	---------------------	-------------	-------------	---------------------	----------	----------

Note AR Pumps are available on all models. ^Steamer unit

Options:

- 50-0170 Stack adapter - Allows 8-inch flue pipe to be installed to boiler exhaust port
- 850-0324 Gasket (for 50-0170) - Seals between 50-0170 stack adapter and boiler housing
- HX-0161 Hour meter - Displays number of hours unit has been in operation
- HX-0162 Stainless-steel bottom wrap - Converts powder coated paint bottom wrap to stainless-steel
- HX-0163 13-inch mag tires - Upgrade to mag tires from white rims
- HX-0164 Time delay shutdown - Timer will shut unit off automatically when trigger gun is released and timer reaches setting
- HX-0165, HX-0167 Option ready kit - This option is required if adding time delay shut down or auto start/stop
- HX-0166 Auto start/stop - When trigger gun is released timer will turn unit off, when trigger gun is pulled unit will restart
- HX-0171 Skid feet - Stationary applications
- HX-0172 - HX-0176 & HX-0195 250° Steam - Increases outlet temperature to 250°F
- HX-0196 Skid frame/roll cage design - Stationary applications
- TX-1304-W Puncture-proof tires - Tires are flat-free, maintenance-free, 13-inch, white hub, four tires

Model #	50-0170	850-0324	HX-0161	HX-0162	HX-0163	HX-0164	HX-0165	HX-0166	HX-0167	HX-0171	HX-0172	HX-0173	HX-0174
HHS-1002	●												
HHS-1003	●												
HHS-1502	●												
HHS-2004	●												
HHS-3004	●												
HHS-3005	●												
HHS-303	●												

Model #	HX-0176	HX-0195	HX-0196	TX-1304-W
HHS-1002			●	●
HHS-1003			●	●
HHS-1502		●	●	●
HHS-2004			●	●
HHS-3004			●	●
HHS-3005	●		●	●
HHS-303			●	●



GFCI 15-amp plug



NEMA 5-20P, 20-amp plug



NEMA 6-30P, 30-amp plug



NEMA 6-50P, 50-amp plug



NEMA L15-20P, 20-amp plug



NEMA L15-30P, 30-amp plug



NEMA L15-50P, 50-amp plug



NEMA L16-20P, 20-amp plug



NEMA L17-30P, 30-amp plug

Distributed by:

Right Equip
PO Box 118
CLOVERDALE, VA 24077
1-800-3444510