

Rider/Walkie Pallet Trucks 6,000 - 8,000 lbs.





State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

# Request for Quotation

ABCA140

PA	ØE.⊗
	3

ADDRESS CORRESPONDENCE TO ATTENTION OF

SHELLY MURRAY 304-558-8801

RFQ COPY TYPE NAME/ADDRESS HERE

ALCOHOL BEVERAGE CONTROL COMMISSION HUB INDUSTRIAL PARK RIVER ROAD NITRO, WV 25143

558-2487

DATE PRIN 04/18/	000000000000000000000000000000000000000	TER	MS OF SAL	E	SHIPV	IA.		····FO	5		FREIGHT	ERMS
BID OPENING DATE		05/27/	2010			BID	OPEN	ING 7	TIME	01	:30PM	
LINE	QUAN	ITITY	UOP	CAT. NO	ITEM NUA			*****	PRICE		AMO	INT
	THE WE ADMINI BATTER ATTACH SHELLY VIA MA SHELLY QUESTIALL TE	ST VIR STRATI Y POWE ED SPE CAL QU MURRA IL AT X AT 3 .L.MUR ONS IS CHNICA	GINIA ON, I RED H CIFIC ESTIO Y IN THE A 04-55 RAYaw OUE	PURC ALCO S SOL AND T ATION NS M THE W DDRES 8-411 V.GOV 2/201 STION	UST BE SU EST VIRGI S SHOWN A 5, OR VIA	AGE CON IDS FOR IE/RIDE BMITTED NIA PUR T THE T E-MAIL NE FOR CLOSE O D, IF A	TROL SIX RS P IN CHAS OP O AT ALL F BU	(6) ER TH WRITI ING I F THI TECHN SINES	HE ING TO DIVISI IS RFQ NICAL	ON		
0001	BATTER	6	EA RED H		075-41 Ruck Walk	IE∕RIDE		8,095	.00		\$48,57	0.00
	RIGHT TO THE SUPPLIE WITH TO BANKRUI	TO CAN TO TH ED ARE HE SPE PTCY:	CEL T E VEN OF A CIFIC	HIS C DOR I N INF ATION HE EV	ECTOR OF ONTRACT IN THE COMMERIOR QUARMS OF THE	MMEDIAT MODITIE LITY OR BID AND ENDOR/C	ELY S AN DO CON	UPON D/OR NOT C TRACT	WRITT SERVI CONFOR HERE	EN CES M IN.		
	CALLY I ORDER.	NULL A	OV QN	ID, A	ION, THIS ND IS TERM ICATIONS	MINATED	WIT	HOUT	FURTH	ER	200 MAY 21 FURSINAS STATE	, P 12: 1 T BY 310 OF WV
OKNATION //				SEE REV	ERSE SIDE FOR TE							
SIGNATURE	11/2	Kom	æ			304-755	5-933	3	ļo	5/	25/10	
TITLE CV ( Presiden	nt	FE	N 25-123	32605							TO BE NOTED A	BOVE
		ONIDINIO :		*	TAIABAT AND	1000E00	10.05					



MODE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

#### Request for BEQNUMBER Quotation

SHIP VIA

1444			-				
	Α	D	^	A	1	4	n

FREIGHT TERMS

ADDRESS CORRESPONDENCE (OVALUENI IONIORI

SHELLY MURRAY 304-558-8801

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRINTED TERMS OF SALE

ALCOHOL BEVERAGE CONTROL COMMISSION HUB INDUSTRIAL PARK RIVER ROAD NITRO, WV 25143 558-2487

FO.8

04/18/2010 BID OPENING DATE: 05/27/2010 BID OPENING TIME 01:30PM AMOUNT LIME QUANTITY UOP ITEM NUMBER UNIT PRICE THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. | THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: SHELLY MURRAY RFQ. NO.: ABCA140 BID OPENING DATE: 05/27/2010 SEE REVERSE SIDE FOR TERMS AND CONDITIONS DATE 5/25/10 SIGNATURE TELEPHONE 304-755-9333 TITLE ADDRESS CHANGES TO BE NOTED ABOVE 25-1232695



300Zm<

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

SHELLY MURRAY

304-558-8801

ALCOHOL BEVERAGE CONTROL COMMISSION HUB INDUSTRIAL PARK RIVER ROAD NITRO, WV 25143

558-2487

DATE PRIN	*********	TEI	MS OF SA	E	8	HIP VIA	FOB	FREIGHTTERMS
04/18/ BID OPENING DATE:		05/27/	(2010			79 77 79	005117110 77145	
LINE	100000000000000000000000000000000000000	<u>05/27/</u> viity	UOP	CAT. NO		(NUMBER	OPENING TIME	01:30PM
		***	905	NO.	1)EN	RNUMBER	UNIT PRICE	AMOUNT
	BID OP	ENING	TIME:		1:30	PM		
						• • •		
	PLEASE TO CON	PROVI TACT Y	DE A	FAX N	UMBER I NG YOUR	N CASE IT	IS NECESSARY	
A separate parameters and the		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	00 KZ			5-9326		
Anna de la companya d	-							
	CONTAC	T PERS	ON (P	LEASE	PRINT	CLEARLY):		
	_	Christo	pher I	urns	/ Todd L	ipford		
						:		
,								
	*****	THIS	TS T	HF FN	D OF RF	ር ልክርል	   140 ***** TOTA	\$48,570.00
		,,,,	,		D OI KI	W MBCM	170 ***** 1014	Se 1
					•			
			٠.					
na en						·		
				×geroe	erce cine ex	IR TERMS AND CON	IDITIONS	
SIGNATURE //		Zem		The same and the same as	LAGE SIDE IX	TELEPHONE	755–9333	5/25/10
TITLE Preside	7172	FE		23269	5			SES TO BE NOTED ABOVE

# ABCA140 SPECIFICATIONS FOR BATTERY POWERED HAND TRUCK WALKIE/RIDER SIX (6) UNITS

#### UNIT MUST BE EQUAL TO HYSTER MODEL B60ZAC

LOAD CAPACITY

6000 LBS MINIMUM

FORK LENGTH

48 INCHES - APPROXIMATE

LOWERED FORK HEIGHT

3.25 INCHES - APPROXIMATE

FORK SPRED

27 INCHES - APPROXIMATE

ELEVATED FORK HEIGHT INDIVIDUAL FORK WIDTH

9.3 INCHES - APPROXIMATE 9.0 INCHES - APPROXIMATE

LIFT

6.0 INCHES - APPROXIMATE

DRIVE WHEELS

O.O INCIDES - ALL MONIMATE

LOAD WHEELS

10" X 5" CROWNED POLY – APPROXIMATE HEIGHT

ECAD WITEED

3.25" X 6.5" POLY – APPROXIMATE HEIGHT 4" X 2.5" POLY – APPROXIMATE HEIGHT

CASTER WHEELS

REQUIRED

BATTERY CONNECTOR

ANTI-FATIGUE FLOOR MAT

SB 175 RED - REQUIRED

BATTERY - 24 VOLT

510 AMP HOURS - NOT TAR SEALED - REQUIRED

SERVICE MANUAL

**REQUIRED** 

PARTS MANUAL

REQUIRED

**CONTROL HANDLE WITH DAMPENED RETURN - REQUIRED** 

BATTERY DISCHARGE INDICATOR WITH HOUR METER - REQUIRED

12 MONTH/2000 HOUR WARRANTY - REQUIRED

LOAD BACK REST - NOT REQUIRED



Yale Industrial Trucks-Pittsburgh, Inc. 1050 Rico Road

Monroeville, PA 15146 (412) 856-YALE (412) 372-2941 Fax

Yale Materials Handling-Cincinnati

9750 Crescent Park Drive West Chester, OH 45069 (513) 942-7666

(513) 942-9619 Fax

Yale Materials Handling-WV

206 Smiley Drive St. Albans, WV 25177 (304) 755-9333 (304) 755-9326 Fax

Yale Industrial Trucks-MD 17761 Maryland Highway Swanton, MD 21561 (301) 359-5051 (301) 359-5052 Fax

Proposal No. 28193

State of West Virginia

Department of Administration

Purchasing Division

2019 Washington Street, East Charleston, WV 25305-0130

Attention: Ms. Shelly Murray

May 25, 2010

Ref: RFQ No. ABCA140

We propose to furnish the equipment described herein and in accordance with the specifications. terms, and conditions outlined hereinafter.

Six (6) New MPE-060-LFN24T-27x48

YALE MOTORIZED HAND, LOW LIFT

Capacity:

Voltage: Fork Length:

Fork Spread:

Lowered Fork Height: Elevated Fork Height: Individual Fork Width:

Lift:

Drive Wheels:

Load Wheels: Caster Wheels:

Battery Well:

**Battery Connector:** 

PALLET - WALKIE/RIDER

6.000# 24

48"

27"

3.2" 9.2"

9.1"

6.0"

10" x 5" x 6.5" Crowned Poly

3.25" x 6.5" Poly

4" x 2.5" Poly, Spring Loaded

32.0" x 13.4" - Open

175 Red, Position B, 20" Lead Length

(All other specifications per attached bulletin number 2544-1.)

OTHER

**Anti-Fatigue Floor Mat** 

**EQUIPMENT** 

Battery Model 12-85-13, 510 Amp Hours

INCLUDED:

Service Manual

Parts Manual

**Control Handle with Dampened Return Battery Discharge Indicator with Hour Meter** Warranty: 1 Year/ 2,000 Hours - Parts and Labor

**DRIVE MOTOR:** 

AC motor technology provides high motor efficiency, braking torques, and

powerful acceleration. Built-in speed sensor continuously monitors motor speed and direction. Less maintenance is needed through the brushless

design of auxiliary hydraulics and steer motors.

**BRAKES:** 

Electrically released/mechanically applied brake is mounted on top of

traction motor for easy of inspection and service.

Continued On Page Two . . .



#### PAGE 2 OF 2

Proposal No. 28193 (Continued)

State of West Virginia May 25, 2010

DRIVE CONTROL:

CANbus technology streamlines digital communications between truck systems through one master controller. Double gear reduction drive train permanently lubricates steer bearing. Utilizes an integrated "soft start" transistor lift pump control, ADS (Auto Deceleration System) with regenerative braking, and has four programmable performance modes.

**FORKS:** 

Robotically welded steel forks are formed and fabricated for strength and rigidity. The 1" x 2" pull rods and replaceable threaded ends allow for easy fork adjustment.

WHEELS:

3.25" diameter x 6.5" wide load wheels with tapered roller bearings (2 per wheel) for maximum life. Replacement is easy with our unique "knock out" axle design.

CONTROL HANDLE:

Top mounted control handle provides an unobstructed operator deck and good leverage for easy steer effort. Full rotary grip directional and speed controls for operator comfort.

STANDARD FEATURES:

- "One touch" high speed button allows operator to select/vary high speed without constant resetting.
- Spacious operator's deck for easy on/off and more foot room.
- Auxiliary controls are conveniently mounted on an impact-resistant, steel reinforced, ergonomic cushioned control handle.
- Automatic reversing switch reverses drive motor if switch contacts operator.
- · Butterfly travel control
- · Molded, cushioned floor mat
- Pallet exit rollers/entry skids
- Multi-function display includes battery discharge indicator, hour meter, low battery lift interrupt, performance mode indicator, and fault light
- U.L. approved for type "E"

#### INTERNATIONAL STATEMENT OF QUALITY:

Yale Materials Handling Corporation is an ISO 9002 Certified Manufacturing Company. Additionally, all Yale products are rated by either Underwriters Laboratories <u>UL</u> or Factory Mutual to guarantee our customers the highest quality material handling equipment manufactured in the world.

PRICE: F.O.B. GREENVILLE, NORTH CAROLINA APPROXIMATE FREIGHT, DEALER PREP, AND INSTALLATION: **DELIVERED PRICE:** 

\$7,785.00/Each \$ 310.00/Each \$8,095.00/Each

This truck is manufactured by Yale in the U.S.A. No Applicable Taxes Included.

Accepted:	Date	
Ву	-	By Todd Lipford / six
	(Customer)	(Sales Office)



Rider/Walkie Pallet Trocks 6:000 + 8:0000 lss:



People. Products. Productivity.

6,000 • 8,000 lbs

Yale motorized hand trucks incorporate the latest state-of-the-art technology and ergonomics design making Yale the leader for walkie/rider applications.

#### Controls

Travel direction and speed are selected by rotating the actuator in the desired direction of travel. The rotary actuator provides multiple grip positions minimizing operator fatigue. The stationary portion of the hand rail minimizes wrist movement and provides a solid grip while maneuvering the truck. The top-mounted handle optimizes operator comfort in the ride position.

Lift, lower, and horn pushbuttons are conveniently located on the control handle and hand rail to enable use in the walk or ride position.

The Traction Reversing Switch located on top of the handle provides a large area of contact for the operator. When the operator makes contact with the switch the truck simultaneously reverses direction and sounds the horn.

Optional Power Assist Steer helps the operator to easily maneuver the truck with heavy loads through congested loading areas. The amount of assist varies based upon control handle position, steer angle and truck travel speed.

#### Operator's Compartment

The ergonomically designed hand rail and platform enables operation from either the left or right side. The top-mounted handle and hand rail buttons provide intuitive control of travel, steering, lift/lower and the horn. The hand rail provides a place for the operator to grab when stepping on to the platform as well as providing stability when driving the truck. The auxiliary controls located on the hand rail are designed to minimize movement of the hand to actuate the various functions. This design adds to operator stability.

The large platform, top-mounted control handle, and contoured covers give the operator maximum workspace. The hand rail and handle grips are designed to fit an operator's natural hand position. A thick cushioned floor mat and padded hand rail absorbs road shock and reduces operator fatigue.

#### **Electrical System**

The electrical system utilizes AC drive technology designed for exceptional performance. High starting torque and smooth acceleration are a few factors benefited from this technology. A speed sensor built into the motor provides feedback to the control system, allowing motor speed and direction to be continuously monitored. The MPE provides industry leading acceleration and a top speed up to 9 mph.

CANbus Communication Technology streamlines communications between truck systems. The control handle, controller, display and optional power assist steer communicate via the CANbus network. CANbus reduces wiring and electrical connections.

A Thermal Management System continuously monitors traction motor and motor controller temperatures, and if necessary, the system gradually adjusts performance to protect truck systems.

#### **AC Traction System**

The traction system consists of the traction motor, gearbox, and brake. The innovative gear box design incorporates maintenance-free steer bearings, a stationary mounted traction motor, integrated motor pinion, and drive axle string guard. The permanently lubricated steer bearings are sealed within the gearbox housing. The stationary trac-

tion motor eliminates power cable tension and flex. The integral pinion and support bearings optimize the gear mesh resulting in a quieter gearbox. The splined coupling allows for quick removal and installation of the traction motor. The drive axle string guard minimizes axle seal damage from shrink-wrap, banding, etc. The electrically released/mechanically applied brake is mounted on the top of the traction motor for ease of inspection and service.

The on-board software allows certified personnel access to programming, test and diagnostic functions without the need of a handset or special tools. More in-depth programming can be performed by the servicing dealer using a PC service tool. Certified technicians can customize the performance of the truck to meet the customer's particular application. The truck features four operator selectable modes, as well as two master level performance settings.

#### **Hydraulic Components**

The high performance hydraulic system is designed for high cycle, multi-shift operations. The hydraulic pump and motor assembly features a series wound motor which provides high torque and low noise. The translucent tank provides quick and easy inspection of hydraulic oil level.

#### Forks and Frame

Robotically welded steel forks are formed and fabricated for strength and rigidity. The 1" x 2" pull rods and replaceable threaded ends allow for easy fork adjustment. Pull rod adjustment can be easily made from the top of the fork.

#### Pallet Entry and Exit


Yale fork design provides industry leading pallet entry and exit of both standard and non-standard pallets. The pallet entry/exit system consists of a tapered fork nose, exit runners, and a center roller.

#### Wheels, Tires, and Casters

A 10" drive tire is used on the MPE060 while the 12" drive tire is used on the MPE080. The drive wheel is secured to the drive axle with five bolts. Single load wheels (3.25" x 6.5") are standard on all trucks. A knockout axle provides access for quick and easy maintenance. Four bearing load wheels are standard on the MPE080. Two spring-loaded casters provide additional stability.

Truck shown with optional equipment







## LIMITED WARRANTY

# YALE MATERIALS HANDLING CORPORATION UP TO 16,500 LB. CAPACITY UNITED STATES AND CANADA

Yale Materials Handling Corporation ("YMHC") warrants, for the period and subject to the terms indicated below, new industrial trucks ("product") sold to you by YMHC or an authorized Yale industrial truck dealer for use in the United States or Canada to be, at the time of manufacture, free from defects in workmanship and materials and in compliance with the mandatory design and construction specifications in effect at the time of manufacture, of: (a) Part II, ANSI B56.1-1969, as required by OSHA standard 29 CFR 1910.178 (a) (2); (b) Part III, ANSI B56.1, and (c) the fire protection designation (G, GS, D, LP, LPS, E, EE, etc.) specified on the product.

For Twelve (12) months or 2000 hours of operation from the date of delivery, whichever comes first, YMHC will, at its sole option, repair or replace the part found by YMHC not to conform to this warranty. Replacement parts installed on Yale industrial trucks pursuant to this provision are warranted only for the remainder of the new industrial truck warranty period. All warranty service will be provided by an authorized Yale industrial truck dealer during regular business hours.

For Six (6) months from the date of installation for initial use, replacement parts will be repaired or replaced if found by YMHC not to conform to this warranty. This warranty does not include freight, travel, special charges or cost of installation.

You agree to promptly notify YMHC or the selling dealer of any alleged defects in the product and specifically describe the problem. YMHC shall have no obligations under this warranty with respect to any defect unless it receives notice and a description of the defect during the warranty period.

#### **Exclusions and Additional Limitations**

This warranty relates to the condition of the product at the time of manufacture and does not cover parts or service required as a result of:

Normal wear and tear or required maintenance including, without limitation: adjustments or replacement of components subject to wear and tear, such as brake shoes, tires, bulbs, filters, spark plugs, load wheels, caster wheels, motor brushes, contact tips and lubrication grease and oils.

<u>Abuse</u> including, without limitation: neglect, improper operation, misapplication, induced contamination, overloading, accident or alterations not approved by YMHC.

<u>Lack of maintenance</u> including without limitation: failure to inspect and maintain in accordance with YMHC's published schedules, improper repair, use of parts not approved by YMHC, cracked engine heads and blocks unless caused by the failure of an internally lubricated part or repair of engine valves, rings or guides.

Damage caused in transit.

The tightening of bolts, screws, fittings, or electrical connections and wiring; all adjustments; or repair or replacement of tires, caster wheels, load wheels or batteries which may be required, for any reason, more than ninety (90) days or 500 hours of operation after the date of delivery for initial use, whichever occurs first, is expressly excluded from this warranty.



Rev. 09/08

# State of West Virginia

# VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

Application is made for 2.5% resident vendor preference for the reason checked:

	Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced-
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents
	and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requires against or dedu	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
authoriz	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and res the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
and ac	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate as during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder	Yale Materials Handling-WV Signed: Why to Some
Date: _	5/25/10 Title: President
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	ABCA140
KEW NO.	

### STATE OF WEST VIRGINIA Purchasing Division

# **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law, or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Member, Pennsylvania Association of Notaries

#### WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Yale Materials Handling-West Virginia, dba Yale Ind. Trucks-Pittsburgh, Inc
Authorized Signature: Date: 5/19/10
State of Pennsylvania
County of Aleghery to-wit:
Taken, subscribed, and sworn to before me this 19th day of
My Commission expires
AFFIX SEAL HERE NOTARY PUBLIC Momes M. Seos Sy.
COMMONWEALTH OF PENNSYLVANIA
Notarial Seal Thomas M. Joos Jr. Notary Bublic
Plum Boro, Allegheny County My Commission Expires July 13, 2012

Purchasing Affidavit (Revised 12/15/09)