

State of West Virginia Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

### Request for REGINUMBER Quotation

	ADDRESS CORRESPO	NDENCE TO A FIENTION C	Francisco (
RON	PRICE		
304-	558-0492		

RFQ COPY TYPE NAME/ADDRESS HERE

Helicopter Applicators, Inc. 1670 York Road Gettysburg, PA 17325

DEPARTMENT OF AGRICULTURE PLANT INDUSTRIES DIVISION BUILDING 6 4720 BRENDA LANE CHARLESTON, WV 25312 558-2222

DATE PRINT	<u> </u>	MS OF SALE	SHIPVIA	FOB.	FREIGHTTERMS
01/12/ BID OPENING DATE:		2010	<u> </u>	OPENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	GL	905-25	\$94.32/Gallon	\$94.32/Gallon
	AERIAL APPLI	CATION OF	BTI		•
a a a a a a a a a a a a a a a a a a a		OPEN EN	ID CONTRACT		
1					
1	TO PROVIDE A SOUTHERN WV.		ICATION OF BTI T	D STREAMS IN	,
Table Land Land Land Land Land Land Land Land	SECTION 1. P	URPOSE			
	APPLICATION	OF BTI (BA	CONTRACT IS FOR CILLUS THURINGIE	NSIS ISRAELENSIS)	,
	TO STREAMS I	DENTIFIED A FOR THE	IN NEED OF TREAT PURPOSE OF BLACK	MENT IN SOUTHERN FLY CONTROL.	
	FUTURE WATER	WAYS DETER	MINED TO BE IN N	EED OF TREATMENT	
	WILL BE ADDE		TIFIED. THE VEND LATED ASPECTS OF	OR MUST PROVIDE APPLICATION	
	INCLUDING SC	DUTING TR	P(S) TO DETERMIN	E HAZARDS PRIOR	
			ND TO DETERMINE I LE FOR NEW AREAS.		
	VIRGINIA DEF	ARTMENT OF	AGRICULTURE, BL	ACK FLY CONTROL	
			ILL PROVIDE SITES		
			AND AMOUNTS OF M SPECTS OF THIS PR		
	INCLUDED IN	1 1			
	PAVMENTS ARE	BASED ON	THE GALLONS OF C	DNCENTRATE	
	SPRAYED (BT)		PROVISIONS FOR D	ILUTION WATER ARE	CHIVED
	ADDITIONAL S	PECIFICAT	IONS ARE ATTACHED		1010 JAN 28 A 8: 56
		NO	TICE		HARMO DIVISION
		SFER	EVERSE SIDE FOR TERMS AND CO	 Notions	STATE OF WV
SIGNATURE	2 NE	Kirk A. M	TELEPHONE	DATE	01/25/2010
mariners on	asurer	52-1005			TO BE NOTED ABOVE

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bld.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entitles.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



RFQ COPY

TYPE NAME/ADDRESS HERE

Helicopter Applicators, Inc.

Helicopter Applicator N 1670 York Road Gettysburg, PA 17325

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Request for Quotation

AGR1011

ADDRESS.CORRESPONDENCE:TO:ATTENTION:OF

RON PRICE 304-558-0492

DEPARTMENT OF AGRICULTURE PLANT INDUSTRIES DIVISION BUILDING 6 4720 BRENDA LANE CHARLESTON, WV 25312 558-2222

DATE PRIN	TED	тев	MS OF SAL	E	SAIF	VIA		FOB		FREIGHT	TERMS
01/12/			***************************************								
BID OPENING DATE:		01/28/	2010	000000000000000000000000000000000000000	ISS-00000000000000000000000000000000000	BID	OPENI	NG TIME	01	:30PM	
LINE	QL	IANTITY	UOP	CAT NO.	ITEMN	UMBER		UNITPRICE		AM	TNUC
<u>Garage and annual control of the state of t</u>			MILOT	n= 0					- Table Control Control		
	A SIG	MED DID	MUSI	DE 3	UBMITTED	, tu:					
:	- Control of the Cont	DEPARTM PURCHAS BUILDIN	ING D		INISTRAT ON	ION					÷
		2019 WA	SHING		TREET, E						
		CHARLES	TON,	WV 2	5305-013	0					
					THIS IN D MAY NO				OF		
	SEALE	D BID					,				
	BUYER	: RP-4	1	,							· ·
	RFQ.	NO.: A	GR101	1	,	,					
,	BID O	PENING	DATE:	1/2	8/10						
·	BID O	PENING	TIME:	1:3	0 PM	į					
		NTACT Y	OU RE	GARDI	UMBER IN NG YOUR		IS N	ECESSARY		,	
		717-331	/-152		Andre Mills Mills South Every water sever sever						
,	CONTA	CT PERS	ON (P	LEASE	PRINT C	LEARLY):					
		Kirk A	. Mar			ofer win mar was been poor 1866 year					
SIGNATURE		11 -			VERSE SIDE FOR	TELEPHONE	and the second second second second		DATE		
	ra		Kir	ς Α <u>.</u>	Martin	71	7-337	7-1370		01/25/2	
Sec./Trea	sure	r r	··· 52·	-1005	852			ADDRESS CH	ANGES	TO BE NOTE	) ABOVE

### PURCHASING CONTINUATION SHEET

		C
Buyer:	;	**
RP		
Spending U	nit: Plan	Industries Division
Dept of Agr	iculture	

1.2 AREA TO BE TREATED -Bti application will occur on West Virginia rivers identified as in need of treatment. Map 6-1 (Section 6) shows the state map with interstates marked. Map 6-2 (Section 6) shows the general river areas to be treated in Mercer, Summers, Greenbrier, and Pocahontas Counties. The State has received permission from the National Park Service to treat within the boundaries of the National Park system. Permission was not necessary from the USDA Forest Service on the Monongahela National Forest because the State owns the rivers and no landing zones were designated on National Forest lands.

Exact treatment sites are marked on 7.5 minute topographic maps which are available for review in the office of the West Virginia Department of Agriculture, Guthrie Complex located at 275 Gus R. Douglass Lane, Building 6, Charleston, West Virginia, 25312. Individuals interested in inspecting the maps during regular work hours should contact the Black Ply Control Program Coordinator, at (304) 541-5471.

There are currently 18 application sites on the New River, 99 on the Greenbrier River and 13 on the Bluestone River. An additional 15 miles will be added to the Greenbrier, from Marlinton to Clover Lick, in 2010. This will raise the number of spray sites on the entire river to approximately 114. These sites include those locations within National Park and Monongahela National Forest boundaries. The topographic maps have the locations marked. The exact location and number of application sites may be shifted, added, or deleted based on the stream discharge rate and/or larval concentrations. These determinations will be made by Department personnel.

- 1.3 <u>BIDDERS OUALIFICATIONS</u> -Bids submitted by Fixed-Based Operators (FBO), or firms that are currently certified as commercial aircraft operators, with office, maintenance facilities, owned or leased aircraft, employees, qualified pilots and mechanics, and have tools, equipment, and spare parts for the make and type of aircraft specified in this proposal will be considered. Applicators must have, or receive prior to application date, a Licensed Pesticide Application Business license from the West Virginia Department of Agriculture, pursuant to the provisions of the West Virginia Pesticide Use and Application Act. Applicators must qualify under all Federal Aviation Regulations, currently be certified for agricultural aircraft operations, and have at least three (3) years experience The successful vendor maintains responsibility for the entire contract even if a subcontractor is providing part of the equipment and/or personnel.
- 1.4 <u>SCOPE OF AGREEMENT</u> -It is the purpose and intent of this contract to provide specifications for: aircraft, *Bit*, equipment, applications, and other operational requirements necessary for a successful program, for securing properly certified and approved aircraft, dispersal systems, service facilities, qualified ground personnel, and FAA certified and qualified pilots familiar with proper aerial application of *Bit* to specified sites on the streams to be treated.
- 1.5 ESTIMATED TIME SCHEDULE -Vendor must be equipped and ready to initiate Bti application within 10 days of written notice to proceed. The treatment period is expected to begin in March or April and to continue through October. Each treatment station is expected to receive approximately 20 applications during the course of the summer. The exact dates of application cannot be provided in advance as they are extremely dependent upon water temperature and stream discharge values. A five (5) day notice will be given to contractors prior to the initial application and forty-eight (48) hours notice will be given prior to each following application. It is anticipated that there will be between 7 and 14 days between most applications. It may not be possible to treat all streams on the same day since treatment timing is a function of larval development. When possible, however, the Program Coordinator or designee will try to schedule all applications the same day. Aircraft are free to be used for other contractor commitments between applications. Table 1-1 shows a summary of the 2009 application program.

### PURCHASING CONTINUATION SHEET

Buyer: RP	Page	Req. or P.O. No.:
Spending U	nit: Plan	t Industries Division
Dept of Agr	iculture	

Table 2-2: Monthly spray summary, 2009 WVDA Black Fly Control Program.

Manth	Total Gallons Bil	Number of Applications
March	827	1
April	642	
May	1,339	<u>  2                                   </u>
June	18,80.6	14
July	15,14.3	[ 3
August	23,13.8	4
September	10,02.9	15
October	8,17.5	] 2
Totals:	10,337.10	22

A summary report for the 2009 Black Fly Control Program may be obtained by contacting the Black Fly Control Program Coordinator (See Section 1.2). Site locations and estimated volumes may be altered during the course of the program as needed to achieve the desired control. Volumes of *Bit* needed are calculated using the following formula to obtain an approximate 11 ppm concentration at a given treatment site:

water flow (in fL3/ second)/ 200 = Bti required (in gal.)

For instance, the water flow at a given site is 9500 ft.3/ second:

9500 ft.5/ second/ 200 = 47.5 gal. Bti

Table 2-3: Estimated gallons of Bii required to treat New River (from the WV border to Hinton), based on 2009.

### PURCHASING CONTINUATION SHEET

E	Buyer:		5
I	RP		
3	Spending U	nit: Plan	t Industries Division
l	Ocot of Agr	iculture	

Month	Number of Sites (Avg.)	Avg. Flow (ft <sup>3</sup> /sec.)	Bti Volume (gal.) per site	Number of Applications per Month	Total Bii (gal.)
March	8	6833	29-44 (avg. 36.5)	1	294
April	8	7780	32-46 (avg. 39)		317
Мау	7	7817	18-77 (avg. 47.5)	2	495
June	9	5617	17-47 (avg. 32)	14	1029
July	17	3432	14-26 (avg. 20)	3	843
August	17	2867	11-42 (avg. 26.5)	5	1328
September	18	2377	9-19 (avg. 14)	. 4	876
October	14	3380	12-24 (avg. 18)	2	431
TOTALS:	12 av <u>e</u> .	5013 avg.	29 avg.	The date of the da	5613

Table 2-4: Estimated gallons of Bti required to treat Bluestone River (lower 12 miles), based on 2009.

Month	Number of Sites (avg.)	Avg. Flow (fit <sup>3</sup> /sec.)	Bti Volume (gal.) per site	Number of per Month	Applications Total <i>Bti</i> (gal.)
Marcl)	б	570	3	1	18
April	4	915	4	1	16
May	9	713	3.5	2	46
June	10	477	2.6	3	55.1
July	13	237	1.2	3	45.5
August	13	285	1.3	3	52
September	13	115	0.6	3 .	22.8
October	13	153	0.75	12	19.5
TOTALS:	10 avg.	433 avg.	2.1 avg.	18	274.9

### PURCHASING CONTINUATION SHEET

Buyer: RP		
Spending U	nit: Plant	Industries Division
Dept of Agr	iculture	

Table 2-5: Estimated gallons of Bti required to treat Greenbrier River, Marlinton to Hinton, based on 2009.

Month	Number of Sites (avg.)	Avg. Flow (ft <sup>3</sup> /sec.)*	<i>Bti</i> Volume (gal.) per site	Number of Applications per Month	Total Bii (gal.)
March	17	4070	12-40 (avg. 26)	1	515
April	43	1752	4-12 (avg. 8)	1	309
May	69	2144	3-21 (avg. 12)	2	798
June	77	1237	0.5-13 (avg. 6.8)	3	796.5
July	99	423	0.4-6 (avg. 3.2)	3	625.8
August	84	1002	0.6-20 (avg. 10.3*)	4	933.8
September	99 .	96	0.3-0.7 (avg. 0.5)	2	104.1
October	92	428	1-4 (avg. 2.5)	2	367
TOTALS:	72 avg.	1394 avg.	8.7 avg.	19	4449.2

<sup>\*</sup>Avg. inflated by one atypical high-flow day.

Note: An additional 15 miles will be added to the Greenbrier, from Marlinton to Clover Lick, in 2010. This will raise the number of spray sites on the entire river to approximately 114.

C) GROUND SUPPORT. The contractor must supply adequately trained and qualified personnel in sufficient quantity to drive all necessary support vehicles, operate the equipment used to transfer and mix insecticides, and properly service each aircraft. All personnel provided by the contractor must be able to communicate effectively in English. It is more important for these people to be familiar with the equipment than the territory. Hiring personnel with no prior experience with handling and mixing insecticides is not permitted.

All aircraft under contract must be capable of working independently of any other aircraft, thus requiring ground support personnel for the aircraft. All ground support personnel should be equipped and trained to take proper action in an emergency. These people should observe standard safety precautions in handling the insecticide solution and refueling the aircraft. The contractor is required to replace any ground support person who does not demonstrate the knowledge and capability of performing their duties.

### PURCHASING CONTINUATION SHEET

Buyer:		***
RP		
		**************************************
Spending U	nic Plan	Industries Division
Dept of Agr	iculture	

The aircraft shall be equipped with a bullhorn or other public announcement system. This system will be used as necessary to warn people in or beside the river that the aircraft will be applying a pesticide.

### 2.5 PERSONNEL

- (A) <u>PROJECT SUPERVISOR</u> -The applicator shall designate one person to act as the Applicator's Project Supervisor (APS). This person shall be an experienced pilot familiar with the equipment being used, and with authority to act on all matters pertaining to the applicator's performance on the project. The Applicator's Project Supervisor should also be a West Virginia Certified Pesticide Applicator. If the APS is not the Certified Applicator, then the contractor must have a certified applicator present in direct supervision of the application of pesticides in accordance with the West Virginia Pesticide Use and Application Act.
- (B) <u>PILOTS</u> -The Contractor shall provide pilots that are FAA qualified to operate the aircraft specified in the bid. Every spray pilot must have two (2) seasons of Bti application experience specifically for the control of black flies within the past 10 years.

All spray pilots must meet or exceed the following experience minimums:

Total All Aircraft	100 Hours
Type of Aircraft to be Used in Contract	500 Hours
Night	10 Hours
Typical Terrain	50 Hours
In Weight Class to be Plown (light, medium, etc.)	100 Hours
Make and Model, Preceding 60 Days	10 Hours

Thirty (30) landings and take-offs at typical altitude with loads similar to an average spray load2.6 EQUIPMENT

(A) <u>SPECIALIZED HELICOPTER REQUIREMENTS</u> -One category B ship is required during the high flow periods of high stream flow. During low flow periods other ships may be used, but must be approved by the Department. The following table defines the helicopter categories that may be used for the program.

Minimum Average Spray	Horsepower	Loads (Gals.)	Examples
Category	· ·		
A	260	70	Bell 47C
		4	Hiller I2E
В	400	120	Bell 206B
			Bell/Soloy 47G-3B
	}		Hiller/Soloy 12E
			Hughes 500C

Each aircraft engine shall be in first class operating condition. Engine and airframe logs must be submitted at time of inspection. Each aircraft engine and airframe shall meet the following requirements:

- 1) Each engine must have operated a minimum of 50 flight hours;
- 2) Fifteen (15) of these flight hours must have occurred in the two (2) months prior to the initiation of the spray project;
- 3) No aircraft will be accepted for this project with engine or component time within 100 flight hours of the maximum time before overhaul (TBO) recommended by the manufacturer.

### PURCHASING CONTINUATION SHEET

Buyer: RP			***********
Spending U	nit: Plan	l t Industries Divi	sion
Dept of Ag	riculture		•

All aircraft used in the project will have space for one (1) passenger in addition to the pilot in the event reconnaissance flights are needed.

In the event that any spray aircraft used in this contract becomes incapacitated and cannot return safely to full operation during any one application day, the contractor must provide a replacement craft of similar capabilities.

Safety regulations prescribed by the FAA, the State of West Virginia, the contractor and the Department will be observed at all times. The pilot will ensure proper loading of the aircraft such that the tanker weight does not exceed the maximum gross weight specified by the manufacturer. A minimum of twenty (20) minutes reserve fuel supply in addition to the amount needed for the round trip is required. Windshields or bubble shall be kept clean.

### (B) AIRCRAFT SPRAY SYSTEM

<u>TANKS</u> -Leakproof corrosion-resistant tanks with exterior filler openings are to be used. The location and size of tanks shall not impair air-worthiness by overloading or displacing the center of gravity beyond acceptable limits. Filler openings or necks should be large enough to prevent surging during filling. Tanks must be vented to the outside of the fuselage.

EMERGENCY DUMP SYSTEM -Each aircraft must be equipped with an emergency jettisonable load dumping system or emergency non-leaking dump valves of adequate capacity and adequately vented to dump the load and so installed to prevent blowback into the fuselage. In no case shall the ratio between load in gallons carried to the area of dump valves in square inches be greater than 7.65 to 1. Exposed valve control linkage must be protected to prevent unintentional opening of the valve in any manner. The control lever must be substantially mounted in the cockpit within easy reach of the pilot when he/she is wearing a shoulder harness properly.

<u>PUMPING SYSTEM</u>-The pumping system must be securely attached and capable of maintaining the pressure required to insure the even distribution of the insecticide. All plumbing and pumps should be large enough to handle a minimum flow rate of 40 gallons/minute. All parts should be chemically resistant to the spray materials being used.

PRESSURE GAUGE -An accurate spray pressure gauge should be located so that it can be easily read by the pilot.

<u>SHUTOFF</u> -To avoid contamination of areas not scheduled for treatment, the entire spray system must be leakproof and have a positive shutoff mechanism capable of eliminating dripping from the boom ports.

<u>CLEAN SYSTEM</u>-All aircraft spray systems and tanks must be cleaned of all foreign material and flushed with water prior to the start of this spray operation. During the spray program it may be necessary to flush the spray system with water daily or when the operation is delayed because of bad weather, etc.

STRAINER -An in-line strainer is not required, but if the contractor elects to use one it must be no finer than 50-mesh.

<u>SPRAY BOOM</u>-Each alreraft shall be equipped with an approved standard wet boom system of the type commonly used for aerial application of liquids. The inside of the boom should be clean. The length of the boom between the last nozzle on each end must not extend beyond the tip of the main rotor.

NOZZLES/BOOM PORTS -Nozzles are not required, the application will be made with open ports to reduce fines. The ports should be positioned to angle downward to reduce shearing during application. Each aircraft must be equipped with enough shut-offs, blanks, or plugs to reduce the number of operating ports down to one. The required application rate per minute may range from 40 gallons per minute to as low as 0.5 gallons per minute. It is understood that dilution must occur during low river flows. two or more sites and to monitor flow rate during the actual application.

WV-368 S	TATE	OF	WEST	VIRGINIA
----------	------	----	------	----------

### PURCHASING CONTINUATION SHEET

		<del></del>		
Buyer:				
RP	**************************************			
Spending	Unit: Plan	t Industries Division		
Dept of Agriculture				

### SECTION 2. REQUIREMENTS OF THE CONTRACTOR

3.1 GENERAL. The contractor is obligated to furnish aircraft operated and maintained on the ground and in the air with personnel and all needed support equipment to produce each application in accordance with the contract agreement. Repairs and maintenance of aircraft are contractor responsibility. Other sections in these contract specifications will give more specific information on equipment required.

### 2.2 SPRAY MATERIAL

(A) <u>Bacillus thuringiensis israelensis</u> (Bti) -The spray material (Bti) will be purchased and provided by the contractor. Bti formulations must meet a viscosity of 700 or less as measured by a Brookfield Viscometer at 25 °C, 30 RPM using a Number 3 spindle. It will be the applicator's responsibility to insure trouble free operation with the material purchased. Any product presenting operational problems must be immediately replaced. Unless problems are encountered, all Bti must be of the same formulation.

Bti may be supplied in drums or bulk tanks. The material must be properly stored to ensure its effectiveness. All Bti products used in this program must be new material manufactured after October 1 of the year preceding the current spray season (i.e., for the 2010 spray season, all Bti must be manufactured after Oct. 1, 2009).

Documentation of this fact must be provided by the contractor. The contractor assumes full responsibility for the handling, storage, security, transportation of the product and for legal disposal of empty containers. The contractor is responsible for ensuring that adequate material is on hand for each application. The *Bti* will be applied undiluted where possible. During low water periods it may become necessary to dilute the *Bti* with water if properly dispensing small quantities becomes a problem. In such situations, the contractor will supply and transport the water used for mixing. The contractor must have a water source approved by the Department before it may be used. When material is diluted with water, payment will be based on gallons of concentrate (*Bti*) applied.

(B) The only acceptable Bti formulation is:

Vectobac-12AS, EPA Registration 275-66

Bti vendor:

Vectobac Jim Andrews Valent BioSciences Telephone: (910) 392-7621 Fax (847) 778-8673

2.3 <u>APPLICATION TECHNIQUES</u>. The *Bti* will be sprayed directly into the water from an altitude of 10 to 15 feet above the surface of the water, where possible. It is recognized that on the smaller streams with an extensive canopy this may not always be possible. Application speed on open river sites is generally expected to be between 25 and 50 miles per hour. The objective is to spray back and forth across the stream applying equal swaths to produce a wide band of *Bti* drifting through that portion of the stream. It may be necessary to divide the stream into sections if the helicopter cannot carry enough insecticide to make the proper application across the full width. On the smaller streams the applications will have to be made by flying one or two diagonal passes along the stream or even by making a few short sprays passes parallel to the stream.

The Program Coordinator or designee will specify the volume of material to be applied at each site for each application. The correct volume of Bii is dependent upon the flow rate of the stream on the date of application.

### PURCHASING CONTINUATION SHEET

Buyer: RP	
	: Industries Division

	Gallons of Bt	Gallons of <i>Bti</i> Applied					
Spray Date		Lower News	Bluestone♥		Total (gal.)		
3/27/2009	89	205	18				
3/30/2009*				440	440		
4/16/2009	99	218		<del>{</del>	<del></del>		
5/13/2009	75	205		<u></u>			
5/26/2009	78	137	26	109	,		
5/27/2009*				235			
6/4/2009	96	177	20	296	·		
6/16/2009	81	150	. 26	221	478		
6/17/2009*	I De la Company			160	<del></del>		
6/24/2009	84	178	<u> </u>		263		
6/30/2009	109	154	9.1	<del></del>			
7/9/2009	128	174	6.5	147.6			
7/20/2009	-112	176	13	<del></del>	<del></del>		
7/28/2009	113	140	26	348	.[		
8/4/2009	114	170	26	511	·		
8/11/2009	114	206	13	38			
8/12/2009*				193			
8/17/2009	96	126	)		222		
8/20/2009	96	138	13	<del></del>	- <del></del>		
8/27/2009	122	140	·/	87.4	**************************************		
9/2/2009	88	98	4.6	· <del>[</del>	190.0		
9/9/2009	89	98	13	61.1			
9/15/2009	90	98			18		
9/23/2009	147	168	5.2	~ <del>_</del>	<u></u>		
10/1/2009	65	134	13	268			
10/13/2009	104	128	6.5	99	337.		
TOTALS	2189	3424	274.9	4449.2	10,337.1		

Refers to the New River between the Virginia/West Virginia border and Bluestone Lake

<sup>«</sup>Refers to the New River between Bluestone Lake and 1-64

The Refers to the lower 12 miles of the Bluestone River

<sup>\*</sup>Refers to the Greenbrier River from Marlimon to the confluence with the New River at Hinton

<sup>\*</sup>Refers to a continuation of previous spray not completed due to weather or mechanical problems

NOTE: The first two sprays of 2009 went only as far as Anthony, not Marlinton, on the Greenbrier River.

### PURCHASING CONTINUATION SHEET

1
ì
l ant Industries Division

TOTALIZER FLOW METER/SPRAY TIMER -The applicator must be able to accurately deliver the specified volume of material to each site. This may be accomplished by providing an accurate totalizer, or a combination flow meter and timer, or by limiting the maximum number of sites to two per load. Each aircraft utilizing a totalizer must have the appropriate calibration code for the Bil product being used. In addition, each aircraft must be equipped with a digital timer that is activated automatically when the spray switch is operated. The timer must be capable of an accurate measurement of the cumulative spray time in minutes and tenths of minutes or seconds. Hour meters are not acceptable. This will be a definite aid to the pilot in accurately splitting a load between two or more sites and to monitor flow rate during the actual application.

<u>CALIBRATION OF SPRAY SYSTEM</u> -Daily calibration of spray equipment is required. Calibration must occur prior to the initial *Bli* application of the day.

(C) <u>FIELD TRUCKS</u>-A truck equipped for transporting and dispensing insecticide and aircraft fuel is required. Truck and trailer combinations are acceptable when they meet all requirements of the West Virginia Department of Highways. Other arrangements may be determined to be acceptable, but must have prior approval from the Department. The field trucks must be large enough to legally carry the minimum volume of *Bti* needed for that treatment day.

If the Bit is delivered in drums, then each truck must be equipped with a drum wrench and the necessary device for pumping from a drum into the bulk tank.

(D) <u>INSECTICIDE STORAGE TANK</u> -All tanks used to transport insecticides must be leak proof and corrosion-resistant. Filler openings and air vents must be adequate to prevent surging during filling. Tanks must be equipped with properly fitting covers or hatch plates and kept closed except when filling or circulating. This is done to reduce or prevent contamination by foreign material. Tanks must be thoroughly cleaned and free of rust, residues and particulate matter such as grit and sand. All tanks will be inspected before being permitted to be filled with insecticide or water. Tanks used for bulk storage of insecticide must have visual calibration markings or a dip stick calibrated at 25 gallons or finer intervals for use as a double check to the meters.

This tank must be equipped with a recirculation system designed to produce a swirling action which will mix and agitate the Bit. Inlet lines should direct the material parallel to the curved internal surface of the tank. Large internal tank baffles that restrict the agitation in any portion of the tank must be avoided. Additional mechanical agitation is also acceptable. The return line must be below the surface of the mixture in the tank.

(E) <u>PUMPS</u>. The pump used for circulation, mixing and loading must produce a sufficient flow rate to fill the aircraft it supplies in a maximum of three (3) minutes without producing high pressures. The pump used for drafting the undiluted insecticide from a 30 gallon drum must be capable of repeatedly emptying a drum in less than three (3) minutes.

A second pump, with sufficient flow rate to fill the aircraft it supplies in a maximum of three (3) minutes without producing high pressures, must be supplied to load any water that may be required for dilutions.

- (F) METERS -All meters must be calibrated and inspected by a contract of no more than 60 days prior to the start of the spraying. Copies of this certification shall be provided to the Program Coordinator prior to the beginning of each spray season for each meter used in the program. Meters must be capable of safely handling the flow rate necessary for loading the aircraft. Meters with lighted digital displays that are difficult to see in direct full sunlight are not acceptable. The meter shall be capable of accurately metering only liquid. The meter must be capable of discriminating liquid from air. The contractor is also responsible for all flight time needed for proper calibration of the aircraft and any needed recalibration check flights.
- (G) <u>STORAGE TANK STRAINERS</u> -An in-line strainer must be located prior to the intake of the meter. This strainer may be on either side of the pump. The strainer elements used to screen the insecticides must be 30 to 50-mesh size and fit properly in the strainer housing. Strainer elements of finer than 50-mesh such as 80- or 100-mesh are not permitted.
- (H) <u>RADIOS</u> -Communications between the ground and air are the responsibility of the contractor. The contractor must supply the necessary equipment to provide two-way radio contact between the helicopter and the ground support truck. <u>All aircraft and field trucks must be provided with FCC and FAA approved ground to-air radio communications.</u> These radios must be in proper working order. The range of this radio equipment must be a minimum of ten miles.

1	2				
ı	431387 OKA	CTATE	OF	WEST	VIRGINIA
	W V-308	SIME	( I	4.A 十つペンツ	4 YEARTHY ATY A

### PURCHASING CONTINUATION SHEET

	Buyer: RP				
	Spending Unit: Plant Industries Division				
Dept of Agriculture					

The pilot must be able to transmit and receive on the tower and ground control frequencies used by the airports in the contract area. If it is not possible for the pilot to monitor both a control tower and the ground support truck at the same time, the procedure to switch from one to the other must be simple and require only one hand.

- (I) <u>ACCESSORY FOUIPMENT-All</u> accessory equipment including any vehicles necessary for transporting the insecticide from storage or from one operational site to another are the responsibility of the contractor. Accessory equipment supplied by the contractor is defined as any needed insecticide storage tanks, (equipped for agitation or recirculation), pumps, hoses, fire extinguishers, metering devices, and similar equipment necessary for mixing the insecticide and loading the spray aircraft, and any other services, equipment, and materials that may be needed.
- 2.7 OTHER RESPONSIBILITIES -In addition to equipment and personnel, the vendor must meet the following obligations:
- (A) LOADING SITES -The selection of a suitable helispot or airfield is the responsibility of the contractor. The Department recommends that the contractor find several loading sites carefully located to minimize farry distance. Use of the site must not present problems from a legal aspect, and permission to use the site must be obtained by the contractor. The contractor will be responsible for any damage done to or within the vicinity of the work area which is a direct result of spraying operations. The contractor must locate and secure permission for all helispots or airfields prior to the start of the project. The State owns several areas located near the operational area and the program coordinator will cooperate with the contractor in securing permission to use these sites, if they are deemed acceptable by the contractor. The contractor or his representatives must notify the Program Coordinator of the loading sites to be used prior to any spraying operations.

During previous years, Pipestem State Park has provided storage for Bti. This location has also been used as a loading site. The Army Corps of Engineers has also provided a loading zone immediately below Bluestone Dam.

If no public restroom facilities are within one tenth of a mile of the loading sites, the contractor shall provide and pay for adequate temporary toilet facilities for personnel during the spray season. Toilets shall be of types approved by the land owner and the State Health Department and be situated only in approved areas. The contractor shall be responsible for operation and sanitary maintenance of the temporary toilets and shall have them removed at the conclusion of the spray season.

The contractor shall provide safe drinking water at all loading sites, if no public drinking water source is available.

- (B) MAINTENANCE -The contractor shall provide maintenance on the spray system, the aircraft, the mixing and pumping system, the trucks and the storage tanks. Care should be taken to prevent leakage of spray material at all times. Routine maintenance is to be conducted at times that will not interfere with the spray operation. Only emergency repairs are to be performed during scheduled spray hours.
- (C) <u>SECURITY</u> -If guard service for the helicopters and/or facilitating equipment is required or desired by the contractor, the contractor shall provide the necessary personnel. Care should be taken to ensure aircraft storage sites are not located in fog prone areas which might delay the start of the daily spray program.
- (D) <u>AIRCRAFT REFUELING</u> -The contractor must provide aircraft fuel at each loading site, if needed. The fuel tank must be equipped with a pump to transfer the fuel through a hose and nozzle for refueling white the engine is running and/or the rotor spinning. Refueling from hand held containers is permitted only in emergency situations and then only during a complete shut down.
- (E) NON-SPRAYING FLIGHTS -Flights to and from the project area, as well as any needed reconnaissance flights over the spray areas, are provided by the contractor. The Program Coordinator or designee may be available to ride in the helicopter on a reconnaissance flight to help the pilot become familiar with the spray sites.

### PURCHASING CONTINUATION SHEET

Buyer: RP	man		macomunicación de districtor		
Spending U	nit: Plan	t Industries	Division		
Dept of Agriculture					

The pilot must be able to transmit and receive on the tower and ground control frequencies used by the airports in the contract area. If it is not possible for the pilot to monitor both a control tower and the ground support truck at the same time, the procedure to switch from one to the other must be simple and require only one hand.

- (I) ACCESSORY EQUIPMENT-All accessory equipment including any vehicles necessary for transporting the insecticide from storage or from one operational site to another are the responsibility of the contractor. Accessory equipment supplied by the contractor is defined as any needed insecticide storage tanks, (equipped for agitation or recirculation), pumps, hoses, fire extinguishers, metering devices, and similar equipment necessary for mixing the insecticide and loading the spray aircraft, and any other services, equipment, and materials that may be needed.
- 2.7 OTHER RESPONSIBILITIES -In addition to equipment and personnel, the vendor must meet the following obligations:
- (A) LOADING SITES -The selection of a suitable helispot or airfield is the responsibility of the contractor. The Department recommends that the contractor find several loading sites carefully located to minimize ferry distance. Use of the site must not present problems from a legal aspect, and permission to use the site must be obtained by the contractor. The contractor will be responsible for any damage done to or within the vicinity of the work area which is a direct result of spraying operations. The contractor must locate and secure permission for all helispots or airfields prior to the start of the project. The State owns several areas located near the operational area and the program coordinator will cooperate with the contractor in securing permission to use these sites, if they are deemed acceptable by the contractor. The contractor or his representatives must notify the Program Coordinator of the loading sites to be used prior to any spraying operations.

During previous years, Pipestem State Park has provided storage for Bti. This location has also been used as a loading site. The Army Corps of Engineers has also provided a loading zone immediately below Bluestone Dam.

If no public restroom facilities are within one tenth of a mile of the loading sites, the contractor shall provide and pay for adequate temporary toilet facilities for personnel during the spray season. Toilets shall be of types approved by the land owner and the State Health Department and be situated only in approved areas. The contractor shall be responsible for operation and sanitary maintenance of the temporary toilets and shall have them removed at the conclusion of the spray season.

The contractor shall provide safe drinking water at all loading sites, if no public drinking water source is available.

- (B) MAINTENANCE The contractor shall provide maintenance on the spray system, the aircraft, the mixing and pumping system, the trucks and the storage tanks. Care should be taken to prevent leakage of spray material at all times. Routine maintenance is to be conducted at times that will not interfere with the spray operation. Only emergency repairs are to be performed during scheduled spray hours.
- (C) <u>SECURITY</u> -If guard service for the helicopters and/or facilitating equipment is required or desired by the contractor, the contractor shall provide the necessary personnel. Care should be taken to ensure aircraft storage sites are not located in fog prone areas which might delay the start of the daily spray program.
- (D) <u>AIRCRAFT REFUELING</u> -The contractor must provide aircraft fuel at each loading site, if needed. The fuel tank must be equipped with a pump to transfer the fuel through a hose and nozzle for refueling while the engine is running and/or the rotor spinning. Refueling from hand held containers is permitted only in emergency situations and then only during a complete shut down.
- (E) <u>NON-SPRAYING FLIGHTS</u> -Flights to and from the project area, as well as any needed reconnaissance flights over the spray areas, are provided by the contractor. The Program Coordinator or designee may be available to ride in the helicopter on a reconnaissance flight to help the pilot become familiar with the spray sites.

14

WV-36a STATE OF WEST VIRGINIA

### PURCHASING CONTINUATION SHEET

ļ	Buyer:		
	RP		
	Spending U	nit: Plan	l Industries Division
	Dept of Agi	riculture	

- (G) <u>FLIGHT DUTY LIMITATIONS</u> -Maximum flight time is limited to eight (8) hours per day. This must be broken into two (2) segments separated by a rest period that is restricted to meals and relaxation. Other jobs, such as driving a truck or conducting aircraft maintenance will not be counted as part of a rest period. Pilots are to have at least eight (8) consecutive hours off duty prior to the start of each day.
- (H) <u>INSPECTION</u> -Department personnel will inspect the contractor's aircraft to determine if the equipment offered meets the Contract Specifications. Performance tests, if necessary, will be conducted at a location mutually agreed upon between Department personnel and the contractor. The contractor shall assume all expenses incident to operation of the aircraft and the pilot's time during these tests. The Department may request this inspection be held thirty (30) days prior to scheduled start of spraying.
- (I) <u>FIELD EXPENSE</u>-Costs incurred in the operation and maintenance of all the equipment on the project is the responsibility of the contractor. Expenses incurred by all contract personnel including arrangements for food, lodging and transportation are the responsibility of the contractor.
- (1) <u>INDEMNITY CLAUSE</u> The contractor shall indemnify and save and keep harmless the State of West Virginia and National Park Service/United States of America against all loss, cost, damage, claim, expense or liability whatsoever, because of accident or injury to persons or property of others in connection with the application under this agreement.
- (K) <u>EXPERIMENTAL SPRAYING</u> -The Department may request that the successful vendor conduct a small amount of experimental spraying. This will be done to gain knowledge of the dispersal of the *Bti* after application in the various streams. In the event that this is necessary, the contractor will be compensated for any such experimental work at the contractual rate. In such cases equitable compensation would be negotiated if extra work or expense is involved.
- (L) <u>PERSON FLYING AS NAVIGATOR</u> -In the event the contractor needs Department personnel to accompany the pilot on a flight to act as a navigator for site location or general reconnaissance, the contractor will guarantee a minimum of \$150,000.00 insurance coverage for the Department personnel.

### SECTION 3. OBLIGATIONS OF THE DEPARTMENT

- 3.1 <u>APPLICATION MONITORING AND SUPERVISION</u> -The treatment operations will be administered by the Department of Agriculture, Plant Industries Division. The Program Coordinator or designee will work with the pilot and the ground crew, acting as a dispatcher and record keeper.
- 3.2 MAPS -The Program Coordinator or designee will provide USGS 7.5 minute topographic maps with each treatment site marked and labeled. There will be no ground markers at treatment sites.
- 3.3 <u>PRE-WORK CONFERENCE</u> -Prior to initiation of this spray program, Department representatives will meet with the contractor to discuss details and procedures. The date, time and location of this conference and who should attend will be mutually agreed upon.
- 3.4 <u>SAFETY</u> Department personnel are required to conduct themselves in a safe manner especially in the vicinity of the spray aircraft and support equipment.

("The flight time is the total time when the aircraft is off the ground. It begins with the first load of the day and ends with the landing from the last load of the day. Moving aircraft to and from the work site before and after spraying is not included.

### PURCHASING CONTINUATION SHEET

Buyer:		
RP		
Spending U	nit: Plan	Industries Division
Dept of Agr	iculture	

### SECTION 4. AGREED DAMAGES FOR FAILURE TO PERFORM

- 4.1 INTRODUCTION -Accurate timing of application of the Bti is critical to the success of the program. For this reason delays caused by the contractor could well destroy the effectiveness of this control program. The contractor shall not be liable for assessed damage costs if the failure to meet the terms of the contract arises out of causes beyond the control and with no fault or negligence of the contractor. Such causes may include, but are not restricted to, acts of God or of the public enemy, acts of the State in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and unusually severe weather; but in every case, the failure to perform must be beyond the control and without the fault or negligence of the part of the contractor. The following items (but not limited to just these items) are considered to be failure to perform acts and subject to monetary compensation:
- 4.2 LATE ARRIVAL -Verbal notice will be given to the contractor five (5) days in advance of a time and location to have his equipment assembled for the start of the spray program. Following the first application, an advance notice of thirty-six (36) hours will be given to report for subsequent spraying operations. Failure to arrive on the day specified will be assessed as liquidated damages. This same assessment applies if the aircraft is on site, but failure to have all the necessary ground support equipment or materials on site make it impossible to spray that day.
- 4.3 <u>TARDINESS</u> -The contractor will be told in advance the starting time of the spray operation on each day. Contractor personnel should be at the work site prior to the start time and be set up to load the ship and begin application. Tardiness on any part of the crew which delays the departure of the first load when conditions are acceptable for spraying can be assessed as liquidated damages.
- 4.4 <u>INSECTICIDE SPILLS AND DUMPS</u> -The contractor must provide trucks for transporting the insecticide and will be held liable for any loss of the material between the receipt of delivery by the contractor and its proper dispersal from the aircraft spray system.
- 4.5 <u>PROCEDURE</u> -In cases where the contractor causes a delay as described in this Section, the incident will be detailed in writing by the Program Coordinator and submitted to the contractor's Project Supervisor. A copy will also be given to the contractor. All approved reports will be subject to the appropriate provisions and assessed costs shall be deducted before final payment is made to the contractor.

### SECTION 5. AWARDING OF CONTRACT

- 5.1 <u>BASIS OF PAYMENT</u> -Contractor payment is based on the number of gallons of *Bti* concentrate properly applied to designated sites.
- 5.2 <u>BIDS</u> -The bid form requires the contractor to develop a price for providing and applying the pesticide on a per gallon basis. This price is then multiplied by the estimated gallons to be applied to produce a Total Bid Price. The award will be made to the lowest bidder who meets all the required specifications of this RFQ.
- 5.3 <u>LIFE OF CONTRACT</u> -This contract becomes effective on March 1, 2010 and extends for a period of one (1) year or until such "reasonable time" thereafter as is necessary to obtain a new contract or renew the original contract. The "reasonable time" period shall not exceed twelve (12) months. During this "reasonable time" the vendor may terminate this contract for any reason upon giving the Program Coordinator 30 days written notice.

Unless specific provisions are stipulated elsewhere in this contract document, the terms, conditions, and pricing set herein are firm for the life of the contract.

- 5.4 <u>RENEWAL</u>. This contract may be renewed upon the mutual written consent of the spending Unit and Vendor, submitted in writing to the Black Ply Control Program Coordinator, thirty (30) days prior to the expiration date. Such renewal shall be in accordance with the terms and conditions of the original contract and shall be limited to two (2) successive one (1) year periods.
- 5.5 <u>CANCELLATION</u> -The Department reserves the right to cancel this contract <u>immediately</u> upon written notice to the vendor if the materials or workmanship are of an inferior quality or do not conform to the specifications of the bid and bid contract herein.

4	•
ъ	h
·	magnitude.

### PURCHASING CONTINUATION SHEET

TERRITARINAN TERRITARIA DE SAMBRADA SE ANTIGO EL SERVIDO DE PORTO DE LA CARRA DE SAMBRADA DE COMPANIO DE LA CAR	DATA DEN LURINDO REPUBLICADA DO DA LOCARRA DE ANTRE O BRANCA
6a STATE OF WEST VIRGINIA	Buyer:
PURCHASING CONTINUATION SHEET	RP
· · · · · · · · · · · · · · · · · · ·	Spending Unit: Plant Industries Division
	Dept of Agriculture

5.6 INSURANCE -Successful vendors shall furnish proof of coverage of commercial General Liability Insurance prior to issuance of a contract. Unless otherwise specified in the bid documents, the minimum amount of insurance coverage required is \$250,000.00. The insurance policy shall list both the WV Department of Agriculture/State of West Virginia, the National Park Service/United States of America and the USDA Forest Service as certificate holders.

5.7 BOND -A Bid Bond of \$5,000.00, payable to the State of West Virginia, shall be submitted with each bid. Personal or business checks are not acceptable in lieu of the bid bond.

5.8 OTHER -The Department requires that the following information be submitted with the bid. This information will be used to evaluate the qualifications of the bidders prior to awarding the contract; lowest bid alone may not serve as the justification for contract award:

(A) Aircraft make and model, FAA registration number, spray system make and tank capacity for each aircraft to be used.

(B) Names of pilots, commercial certificate numbers and limitations, if any, flight hours in command as specified, number of seasons of forest or related spraying experience, FAA medical certificate, class and date of examination, copy of WV Pesticide Application Business license.

The Department also reserves the right to contact references to determine the bidders' reliability and competency prior to awarding the bid.

5.9 SUBCONTRACTS - The vender who is awarded this contract, when performing work under the terms and conditions of this contract, is solely responsible for the satisfactory completion of the work. The prime vendor shall not be allowed to subcontract any work or services under this contract to any other person, company, corporation, firm, organization, or agency without prior written approval of the Department. The prime vendor shall be responsible for ensuring that any sub contractors have all the necessary permits, licenses, qualifications, certifications, and insurance to perform the work. The Department will consider the prime vendor to be the sole point of contact with regard to authorized work under the contract; however, this provision does not prohibit the Department from directly contacting subcontractors.

5.9 BID FORMAT -Bids will be computed using the following general format.

The total contract amount to be paid to the successful bidder is dependent on the actual gallons sprayed and the per gallon bid price. The actual amount sprayed may differ substantially from the estimates.


Spray costs for the 2010 black fly control program:


BID PER GALLON APPLIED: \$94.32 per gallon

Contractors are advised that the actual flows encountered in the spray program may be considerably less than the 50% estimate used to construct the current bid packages (See Section 2.3).

SECTION 6. MAPS

Map 6-1. State Map Map 6-2. River Map





### HELICOPTER APPLICATORS INCORPORATED



RFQ NUMBER: AGR1011

**REFERENCES** 

Pennsylvania DEP

Contact: Andy Kyle or Dave Rebuck

(717) 346-8241

Scope of Work: Have applied Vectobac 12AS throughout the Commonwealth of Pennsylvania for black fly control for the past 20+ years. In 2009, we sprayed over

90,000 gallons of BTI on rivers throughout Pennsylvania.

**Burlington County Mosquito Control** 

Contact: Chip Chappine

(609) 265-5064

Scope of Work: Applying adulticide and larvicide for the purpose of mosquito control

throughout Burlington County, NJ.

**New Jersey Mosquito Control** 

Contact: Bob Kent or Claudia O'Malley

(609) 292-1054

Scope of Work: Applying adulticide and larvicide for the purpose of mosquito control

throughout New Jersey.

Pennsylvania DEP

Contact: Matt Helwig

(717) 346-8243

Scope of Work: Applying adulticide and larvicide for the purpose of mosquito control

throughout Pennsylvania.

South Florida Water Management District

Contact: Jimmy Hines

(863) 228-1978

Scope of Work: Aerial Aquatic Herbicide throughout Florida

**United States Forest Service** 

Contact: Brad Onken

(304) 285-1565

Scope of Work: Applying B.T. for the purpose of Gypsy Moth control in various states.

### HELICOPTER APPLICATORS INCORPORATED



RFQ NUMBER: AGR1011 AIRCRAFT INFORMATION

MAKE/MODEL	FAA REG. #	SPRAY SYSTEM	TANK CAPACITY
Bell UH1-E	N4692Z	Simplex	300 Gallons
Bell OH58A+	N654HA	Simplex	100 Gallons
Bell OH58A+	N655HA	Simplex	130 Gallons
Bell OH58A+	N653HA	Simplex	130 Gallons
Bell 47/Soloy	N652HA	Simplex	100 Gallons
Bell OH58C	N656HA	Simplex	130 Gallons
Bell 206BIII	N302MG	Simplex	100 Gallons
Bell 206BII	N3917G	Simplex	100 Gallons
Bell 206L1	N660HA	Simplex	160 Gallons
Bell 206L4	N657HA	Simplex	160 Gallons
Bell 206L3	N651HA	Simplex	160 Gallons
Bell UH1-H	N658HA	Simplex	300 Gallons

### WEST VIRGINIA DEPARTMENT OF AGRICULTURE

1900 Kanawha Blvd., East Pesticide Regulatory Programs Charleston, WV 25305-0190

### LICENSED PESTICIDE APPLICATION BUSINESS

Issued to:

License No: 0562

Helicopter Applicators, Inc. 1670 York Road Gettysburg, PA 17325

Has met the requirements of the State Code of West Virginia, Chapter 19, Article 16A, Section 7, to engage in the business of applying pesticides.

Qualifying Individual: Glenn A. Martin

Categories of Operation:

1 Ag Plant Pest Control 4A Ornamental & Turf Outdoors 9 Public Health 3 Forest Pest Control 6 Aquatic Pest Control 14 Aerial

Date Issued 12/10/09

Expiration Date 12/31/2010

Commissioner of Agriculture

The Donate

No. 5325

### HELICOPTER APPLICATORS INCORPORATED



RFQ NUMBER: AGR1011 PILOT INFORMATION

Name: Glenn Martin

Comm. Certificate Numbers: FAA No. 1911744

Ratings: Rotorcraft - Helicopters

Airplane Single Engine Land

West Virginia Applicators License: No. C00618

Flight Hours in Command:

Total All Aircraft: 17,650

Type of Aircraft to be Used in Contract: 5,350

Night: 660

Typical Terrain: 5,200

In Weight Class to be Flown: 5,350 Make and Model, Preceding 60 days: 25

Number of Seasons of forest or related spraying experience: 33

FAA Medical Certificate:

Class: Second

**Date of Exam:** 04/2009

Name: Daniel Rudisill

Comm. Certificate Numbers: FAA No. 2771160

Ratings: Rotorcraft - Helicopters

Airplane Single Engine Land

West Virginia Applicators License: No. C03856

Flight Hours in Command:

Total All Aircraft: 8,925

Type of Aircraft to be Used in Contract: 3,750

Night: 105

Typical Terrain: 3,415

In Weight Class to be Flown: 3,750 Make and Model, Preceding 60 days: 30

Number of Seasons of forest or related spraying experience: 14

**FAA Medical Certificate:** 

Class: Second

**Date of Exam:** 01/2010

Name: Brian Redding

Comm. Certificate Numbers: FAA No. 178480002

Ratings: Rotorcraft - Helicopters

Airplane Single Engine Land

West Virginia Applicators License: No. C04406

Flight Hours in Command:

Total All Aircraft: 3,950

Type of Aircraft to be Used in Contract: 2,495

Night: 185

Typical Terrain: 1,525

In Weight Class to be Flown: 2,495 Make and Model, Preceding 60 days: 40

Number of Seasons of forest or related spraying experience: 9

**FAA Medical Certificate:** 

Class: Second

Date of Exam: 01/2010

Name: Gerald Racey

Comm. Certificate Numbers: FAA No. 1992804

Ratings: Rotorcraft - Helicopters

West Virginia Applicators License: No. C04844

Flight Hours in Command:

Total All Aircraft: 12,125

Type of Aircraft to be Used in Contract: 3,575

Night: 1,400

Typical Terrain: 3,950

In Weight Class to be Flown: 4,600 Make and Model, Preceding 60 days: 35

Number of Seasons of forest or related spraying experience: 25

**FAA Medical Certificate:** 

Class: Second

**Date of Exam:** 08/2009

Name: Jerry Altland

Comm. Certificate Numbers: FAA No. 3018501

Ratings: Rotorcraft - Helicopters

Airplane Single Engine Land

West Virginia Applicators License: No. C03858

Flight Hours in Command:

Total All Aircraft: 6,425

Type of Aircraft to be Used in Contract: 3,475

Night: 525

Typical Terrain: 3,335

In Weight Class to be Flown: 5,250 Make and Model, Preceding 60 days: 45

Number of Seasons of forest or related spraying experience: 14

**FAA Medical Certificate:** 

Class: Second

**Date of Exam:** 01/2010

Name: William Farwell

Comm. Certificate Numbers: FAA No. 2768845

Ratings: Rotorcraft - Helicopters

Airplane Single Engine Land, Airplane Multi Engine Land

West Virginia Applicators License: No. C05383

Flight Hours in Command:

Total All Aircraft: 2,470

Type of Aircraft to be Used in Contract: 1,150

Night: 180

Typical Terrain: 1,500

In Weight Class to be Flown: 1,400 Make and Model, Preceding 60 days: 35

Number of Seasons of forest or related spraying experience: 6

**FAA Medical Certificate:** 

Class: Second

**Date of Exam:** 06/2009

Name: Donald Gembe

Comm. Certificate Numbers: FAA No. 194380843

Ratings: Rotorcraft – Helicopters

West Virginia Applicators License: No. C04537

Flight Hours in Command:

Total All Aircraft: 10,200

Type of Aircraft to be Used in Contract: 2,350

Night: 675

Typical Terrain: 1,750

In Weight Class to be Flown: 2,750 Make and Model, Preceding 60 days: 45

Number of Seasons of forest or related spraying experience: 16

**FAA Medical Certificate:** 

Class: Second

**Date of Exam:** 03/2009

Name: Kenneth Wymer

Comm. Certificate Numbers: FAA No. 1618122

Ratings: Rotorcraft – Helicopters

West Virginia Applicators License: No. C02240

Flight Hours in Command:

Total All Aircraft: 18,375

Type of Aircraft to be Used in Contract: 2,200

Night: 700

Typical Terrain: 1,150

In Weight Class to be Flown: 2,750 Make and Model, Preceding 60 days: 45

Number of Seasons of forest or related spraying experience: 30

**FAA Medical Certificate:** 

Class. Second

### West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190

APPLY PESTICIDES CORRECTLY \* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please remove the punch out license and retain this sheet for your category information. Here is your new applicator/fechnicial card. Keep this stub for yor records.

are listed below. \* 20 credits are required each 3 year period for applicators The category (les) you are certified or registered in and the year it expires 出 以 以海 and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

### 45

PUNCH OUT LICENSE CARD HERE				03245
13614				
FOR USE ONLY IN CATEGORIES ABOVE		Ü	C00618	
WEST VIKENIA CERTIFICATION Frontes: 12/31/10				···
Commercial Applicator		Glenn A. Martin	artin 💎	
Glenn A Martin	CAT1 = 12	CAT6 = 12	CAT8E=	CAT13B=
Helicotes Applicators Inc	CAT2 ==	CAT7 =	CAT9 ==	CAT13C=
1670 Vork Road	CAT3 = 12	CAT8A=	CAT10=	CAT13D=
Gettvehird DA 17325		CAT8B=	CAT/11=	CAT13E=
	CAT4B=	CAT8C==	CAT12=	CAT14=12
In P. Jorghan	CAT5 ==	CAT8D=	CAT13A=	
TRANSFERABLE AUTHORIZED REPRESENTATIVE	•			

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please remove the punch out license and retain this sheet for your category Here is your new applicator/technicial card. Keep this stub for yor records. West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190

are listed below. \* 20 credits are required each 3 year period for applicators The category (ies) you are certified or registered in and the year it expires and 4 credits every year for registered technicians. information.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

### 03243

CAT13E=12 CAT14=12 CAT13D= CAT13C= CAT13B= CAT13A= CAT11= CAT8E= CAT10= CAT12= CAT9 = Daniel Rudisill CAT8C= CAT8D= CAT8A= CAT8B= CAT6 = CAT7 = CAT3 = 12CAT4A= CAT4B= CAT5 = CAT1 = CAT2 = C03856 FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Gettysburg, PA 1/7325 Commercial Applicator Expires: 12/31/10 1670 York Road Daniel Rudisill 3 13E 14

AUTHORIZED REPRESENTATIVE

NOT TRANSFERABLE

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Bivd., East Charleston, WV 25305-0190

Please remove the punch out license and retain this sheet for your category Here is your new applicator/fechnicial card. Keep this stub for yor records. information.

are listed below. \* 20 credits are required each 3 year period for applicators The category (ies) you are certified or registered in and the year it expires and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

03240 CAT14=12 CAT13C= CAT13D= CAT13E= CAT13B= CAT13A= CAT11= CAT12= CAT9 = CAT8E= CAT10= Brian J. Redding CAT8C= CAT8D= CAT8A= CAT8B= CAT6 = CAT7 = CAT3 = 12CAT4A= CAT4B= CAT1 = CAT2 = CAT5 = FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Gettysburg, PA 17325 Commercial Applicator Expires: 12/31/10 Brian J. Redding 1670 York Road 3 14 NOT TRANSFERABLE

AUTHORIZED REPRESENTATIVE

\* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209 \* LICENSES EXPIRE DECEMBER 31ST EACH YEAR

Please remove the punch out license and retain this sheet for your category Here is your new applicator/technicial card. Keep this stub for yor records. West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190

information.

are listed below. \* 20 credits are required each 3 year period for applicators The category (ies) you are certified or registered in and the year it expires and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

### 03239

CAT13D=12 CAT13E=12 CAT14=12 CAT13C= CAT13B= CAT13A= CAT8E= CAT9 = CAT11= CAT12= CAT10= C04844 Gerald L. Racey CAT6 = 12CAT7 = 12CAT8A= CAT8B= CAT8C= CAT8D= CAT1 = 12CAT3 = 12 CAT2 = CAT4A= CAT4B= CATE = AUTHORIZED REPRESENTATIVE C04844 FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Woodstock, VA 22564-23 Commercial Applicator 136713D13E14 Expires: 12/31/10 Gerald L. Racey 352 Mill Road NOT TRANSFERABLE

West Virginia Dept. of Agriculture

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please remove the punch out license and retain this sheet for your category Here is your new applicator/fechnicial card. Keep this stub for yor records. Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190 information.

are listed below. \* 20 credits are required each 3 year period for applicators The category (ies) you are certified or registered in and the year it expires and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

CAT13E=12 CAT14=12 CAT13D= CAT13C= CAT13B= CAT13A= CAT12= CAT8E= CAT9 = CAT11= CAT10= C03858 Jerry E. Altland CAT8D= CAT7 = CAT8A= CAT8B= CAT8C= CAT6 = CAT3 = 12CAT4A= CAT4B= CAT5 = CAT2 = CAT1 = AUTHORIZED REPRESENTATIVE C03858 FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Settysburg, PA (7825 Commercial Applicator Expires: 12/31/10 1670 York Road Jerry E. Altland 3 13E 14 NOT TRANSFERABLE

03242

West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please remove the punch out license and retain this sheet for your category Here is your new applicator/technicial card. Keep this stub for yor records. information The category (ies) you are certified or registered in and the year it expires are listed below. \* 20 credits are required each 3 year period for applicators and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

CAT14=12 CAT13C= CAT13D= CAT13E= CAT13B= CAT9 = 12CAT13A= CAT11= CAT12= CAT8E= CAT10= C05383 William Farwell CAT6 = 12CAT8C= CAT8A= CAT8B= CAT8D= CAT7 = CAT3 = 12 CAT4A= CAT2 = CAT4B= CAT1 = CAT5 = AUTHORIZED REPRESENTATIVE C05383 FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Commercial Applicator Gettysburg, PA 1(7325 Expires: 12/31/10 1670 York Road William Farwell 36914

03231

NOT TRANSFERABLE

West Virginia Dept. of Agriculture Pesticide Regulatory Programs 1900 Kanawha Bivd., East Charleston, WV 25305-0190

# APPLY PESTICIDES CORRECTLY

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please femove the punch out license and retain this sheet for your category Here is your new applicator/fechnicial card. Keep this stub for yor records. information.

The category (ies) you are certified or registered in and the year it expires are listed below. \* 20 credits are required each 3 year period for applicators and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

# YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

FUNCH OUT LICENSE CARD HERE				99286
3714				
FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION	,	J	C04537	
Expires: 12/31/10 C04537		Donald E. Gembe.	Sembe	
Donald E Gembe	CAT1 =	CAT6 =	CAT8E=	CAT13B=
Heliconfer Applicators Inc.	CAT2 =	CAT7 = 12	CAT9 =	CAT13C=
4670-York-Road	CAT3 = 12	CAT8A=	CAT10=	CAT13D=
Gettyshird: PA 17875	CAT4A=	CAT8B=	CAT11=	CAT13E=
	CAT4B=	CAT8C=	CAT12=	CAT14=12
NOT I Soughan	CAT5 =	CAT8D=	CAT13A=	
TRANSFERABLE AUTHORIZED BERRESENTATURE				

AUTHORIZED REPRESENTATIVE

<u>တ</u>

West Virginia Dept. of Agriculture

Pesticide Regulatory Programs 1900 Kanawha Blvd., East Charleston, WV 25305-0190

\* LICENSES EXPIRE DECEMBER 31ST EACH YEAR \* IF YOU HAVE ANY QUESTIONS, CALL (304) 558-2209

Please remove the punch out license and retain this sheet for your category Here is your new applicator/fechnicial card. Keep this stub for yor records. information.

are listed below. \* 20 credits are required each 3 year period for applicators The category (ies) you are certified or registered in and the year it expires and 4 credits every year for registered technicians.

Check your applicator information at www.kellysolutions.com/wv.

YOUR PESTICIDE LICENSE IS ATTACHED BELOW.

CAT13B= CAT13C= CAT13D= CAT13E= CAT14= CAT13A= CAT10= CAT8E= CAT12= CAT11= CAT9 == C02240 Kenneth Wymer CAT8D= CAT8C= CAT6 = CAT8A= CAT8B= CAT7 = CAT1 = 12CAT2 = CAT4A= CAT4B= CAT5 ≈ CAT3 = AUTHORIZED REPRESENTATIVE FOR USE ONLY IN CATEGORIES ABOVE WEST VIRGINIA CERTIFICATION PUNCH OUT LICENSE CARD HERE Helicopter Applicators Inc. Commercial Applicator Gettysburg, PA 17825 Expires: 12/31/10 1670 York Road Kenneth Wymer NOT TRANSFERABLE

03244

### THE AMERICAN INSTITUTE OF ARCHITECTS

AIA Document A310

### **Bid Bond**

KNOW ALL MEN BY THESE PRESENTS, that we Helicopter Applicators, Inc., 1670 York Road, Gettysburg, PA 17325 (Here insert full name and address or legal title of Contractor)

as Principal, hereinafter called the Principal, and First National Insurance Company of America, Safeco Plaza, Suite 1700, Seattle, WA 98185-0001 (Here insert full name and address or legal title of Surety)

a corporation duly organized under the laws of the State of Washington

as Surety, hereinafter called the Surety, are held and firmly bound unto State of West Virginia

Dept of Administration, Purchasing Division, 2019 Washiington St East, PO Box 50130, Charleston,

WV 25305-0130

(Here insert full name and address or legal title of Owner)

as Obligee, hereinafter called the Obligee, in the sum of Five Thousand & 00/100 (\$ 5,000.00) Dollars,

for the payment of which sum well and truly to be made, the said Principal and the said Surety, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the Principal has submitted a bid for Aerial application of BTI to streams in Southern West Virginia for the purpose of black fly control. (Here insert full name, address and description of project)

NOW, THEREFORE, if the Obligee shall accept the bid of the Principal and the Principal shall enter into a Contract with the Obligee in accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such contract and give such bond or bonds, if the Principal shall pay to the Obligee the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which the Obligee may in good faith contract with another party to perform the Work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect.

Signed and sealed this 28th day of January, 2010

(Witness)

Helicopter Applicators, Inc.

(Title) Kirk A. Martin

Secretary/Treasurer

First National Insurance Company of

America

J. Ø. Rushworth, Attorney-In-Fact

Sheila E. Turnbull

(Witness)

### POWER OF ATTORNEY

KNOW ALL BY THESE PRESEN	TS:	No. 132	207	
That FIRST NATIONAL INSURAN	ICE COMPANY OF AMER	RICA, a Washington co	orporation, does hereby appo	oint
********JAMES E. BRADFOR Lancaster, Pennsylvania****	D, JR.; ALAN P. LUBAS; ********************	J. C. RUSHWORTH;	SARAH E. SMITH; SHEILA ************************************	4 E. TURNBULL;
its true and lawful attorney(s)-in undertakings and other document NATIONAL INSURANCE COMPA elected officers at its home office.	s of a similar character iss NY OF AMERICA thereby	sued by the company y as fully as if such ins	in the course of its busines struments had been duly exe	s, and to bind FIRST ecuted by its regularly
IN WITNESS WHEREOF, FIRST	NATIONAL INSURANCE	COMPANY OF AMER	RICA has executed and atte	ested these presents
this	16th	day of	November	, 2009
Dexter O. Lay		TAM	Dolajewski	
Dexter R. Legg, Secretary		Timothy A.	Mikolajewski, Vice Preside	ent
	-	ERTIFICATE	E COMPANY OF AMERICA	
"Article V, Section 13 FIDELITY Vice President appointed for tha individuals as attorneys-in-fact or u bonds and other documents of sime videncing such appointment, the sigundertaking of the company, the provided, however, that the seal significant in the seal signif	t purpose by the officer nder other appropriate titles nilar character issued by the matures may be affixed by for seal, or a facsimile there	in charge of surety of swith authority to exe se company in the cou acsimile. On any instri of, may be impresse	operations, shall each have ecute on behalf of the compa arse of its business On any urnent conferring such autho d or affixed or in any other	authority to appoint any fidelity and surety instrument making or ority or on any bond or
FIRST NA	Extract from a Resol ATIONAL INSURANCE CO	ution of the Board of E DMPANY OF AMERIC		
(ii) A copy of the power-	icle V, Section 13 of the B of-attorney appointment, e ower-of-attorney appointm	y-Laws, and xecuted pursuant ther ent is in full force and	reto, and effect,	reof."
I, Dexter R. Legg , Section foregoing extracts of the By-Laws issued pursuant thereto, are true and effect.	s and of a Resolution of t	he Board of Directors	PANY OF AMERICA, do her s of this corporation, and o olution and the Power of Attor	f a Power of Attorney
IN WITNESS WHEREOF, I have I	nereunto set my hand an	d affixed the facsimi	ile seal of said corporation	
this _	28TH	day of	JANUARY	2010
SEAL SEAL 2 1928	ALCONOMICS OF THE PARTY OF THE		Dexter R. Legg, Secretary	,

S-1049/DF 3/09

WE8 PDF

Rev. 09/08

### State of West Virginia

### **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,	
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,	
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,	
4.	Application is made for 5% resident vendor preference for the reason checked:  Bldder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,	
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bld is submitted; or,	
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.	
require agains or dedu	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty the such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.	
authori the req deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.	
Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and If anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.		
Bidder	Helicopter Applicators, Inc Signed: La Mot	
	01/25/2010 Title: Secretary/Treasurer	
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.	

R1011

### STATE OF WEST VIRGINIA **Purchasing Division**

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

### WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: <u>Helicopter Applicat</u>	cors, Inc.
Authorized Signature: <u>&amp; a Md</u>	Date: 01/25/2010
State of Pennsylvania	
County of Adams, to-wit:	
Taken, subscribed, and sworn to before me this 25 da	•
My Commission expires 10/21/2013	, 20
AFFIX SEAL HERE	NOTARY PUBLIC Patruis a Simpson

COMMONWEALTH OF PENNSYLVANIA

Notarial Seal Patricia A. Simpson, Notary Public Straban Two., Adams County My Commission Expires Oct. 21, 2013

Member, Pennsylvania Association of Notarins)