

DOCZEK

RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PA	GE	
	1	

CHUCK BOWMAN
304-558-2157

01-a-T0

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

DATE PRI	NTED	TER	MS OF SAL	E	S	HIP VIA		FOB	FREIGHT TERMS
11/05	/2009						1		
BID OPENING DAT	E:	01/06/	2010			BID	OPE	NING TIME	1:30PM
LINE	QU	ANTITY	UOP	CAT NO	ITEIV	INUMBER		UNITPRICE	AMOUNT
		************	100000000000000000000000000000000000000						
0001			JB		962-73				
		1			702 73				281,765.
	RECLA		REST	ORATI	ON OF L	AND	 		
		,					1		William Control of the Control of th
						•			
				-					
:	THE W	EST VIR	GINIA	PURC	HASING	DIVISION,	, FC	R THE AGENCY,	,
	THE W	EST VIR	GINIA	DEPA	RTMENT	OF ENVIRO	JINME	NTAL PROTEC-	
	TION'	S OFFIC	E OF	SPECI	AL RECL	AMATION,	IS	SOLICITING	
4	QUALI	FIED CO	NTRAC	TORS	TO BID	FOR A CON	VTR/	CT TO PROVIDE	
	ALL L	AROK AN	D MAT	ERIAL	S TO PE	RFORM REC	LAP	MATION ON THE	
	MININ	BENOVE	ITUN	UF LU	YAL G.	FORMAN AN	AD S	•	
	CONST	KEVUNE CTC DE	ADDDO	MIII N Vimat	UNBEK(S) S-1002- ACRES AND	79.	THIS SITE	
*	NEAR	SIS UF Albrich	T W	TNI D	DECLUM	COUNTY.	7 15	LUCATED	
	TEAR .	MEDITON	. , RV	TIA 1	KESTON	COUNTY.			1
	THE R	ECLAMAT	ION S	HALL	BE PERF	ORMED UND	FR	THE GUIDANCE	
	AND G	ENERAL	SUPER	VISIO	N OF TH	E AGENT A	SSI	GNED TO THE	
	PROJE	CT FOR	THE S	TATE	OF WEST	VIRGINIA	Al. E	EPARTMENT	
	OF EN'	VIRONME	NTAL	PROTE	CTION.	•	ľ		
	A MAN	DATORY	ON-SI	TE PR	EBID CO	NFERENCE	SHA	LL BE HELD	
	ON 12	/02/200	9 a	1:00	PM. AL	L INTERES	TEL	PARTIES ARE	
,	KEQUII	KED IU	ALLEN	D THI	S MEETI	NG. FAILU	IRE	TO ATTEND THE	
	THE P	TO NO	CAL D	SHAL	L RESUL	I IN DISQ	UAL	IFICATION OF	
	BIDDE		UNE P	EKSUN	MAY RE	PRESENT M	UKE	THAN ONE	
			E CHE	ET WI	II RE M	ADE AVATI	ADI	E FOR ALL	and the best beauty of the s
	POTEN	TIAL BI	DDERS	TO C	OMPLETE	ADE AVAIL TH STHT	.ADL	SERVE AS THE	LAEGEVE
	DEFIC:	TAI DAC	IMENT	VEDT	EVING A	TTENDANCE	AT	THE MANDATOR	
	PRE-B	ID. FAI	LURE	TO PR	OVIDE Y	OUR COMPA	NY	AND REPRESENT	- 2010 JAN -6 AM 9:
		13732150 02	, , , , , , , , ,	~ * * * * *	HUMHUL	aller: ATE		CORFI TH DIO	· 1
	INIIAI TI	FICATIO	N OF P	TUE D	Th TUE	CTATE MI		MOT ACCEDE AN	osal .
	OTHER	DOCUME	NTATI	OT NO	VERIFY	ATTENDAN	CE.	THE BIDDER I	S MAY PHOREMONY
	RESPO	NSIBLE	FOR E	NSURI	NG THEY	HAVE COM	PLE	TED THE INFOR	DIVIDION
									DIMOTORY
				SEE REV	ERSE SIDE FO	R TERMS AND CO	NEETIO	MS	
SIGNATURE			<u> </u>			TELEPHONE 304 - 9			1 11 10
rinte		FE	IN _			304-99	33-		1-470
member			ⁱⁿ 65 -	0785	115			ADDRESS CHANGE	S TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- **6. BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



RFQ COPY

TYPE NAME/ADDRESS HERE

Anderson excavating, LLC

343 Williams Road

Morgantown, WV 26501

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF SECULAR TO A TENTION OF SECURAR TO A TE

ENVIRONMENTAL PROTECTION DEPT. OF

⊕ H-O

OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

DATE PRINTED TERMS OF SALE SHIP VIA FO.B FREIGHT TERMS 11/05/2009 BID OPENING DATE: 01/06/2010 BID OPENING TIME 01:30PM CAT LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT MATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER'S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER. ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET. DIRECTIONS TO PRE-BID: IN PRESTON COUNTY, AT THE BRUCETON MILLS EXIT OF INTERSTATE 1-68, TURN SOUTH ON COUNTY ROUTE 26 AND GO 8.0 MILES. TURN LEFT ON COUNTY ROUTE 17 (WOOLEN MILL ROAD) AND THEN TURN RIGHT IMMEDIATELY ON COUNTY ROUTE 26/21 AND GO 0.5 MILE. TURN LEFT TO THE HAULROAD AND SITE. ALL WORK MUST BE COMPLETED IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS PREPARED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION AND PURCHASE ORDER ISSUED BY THE DEPARTMENT OF ADMINISTRATION, DIVISION OF PURCHASING. EXHIBIT 5 WEST VIRGINIA CODE 21-110-5 PROVIDES THAT: ANY SOLICITA TION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE ENCLOSED PURCHASING AFFIDAVIT MUST BE THE BID. SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 304-983-Z296 1-4-10 FEIN 55-0785115 member ADDRESS CHANGES TO BE NOTED ABOVE



DOCZEK

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REPUMBER Quotation DEP14810

DEP14810

ADDRESS:CORRESPONDENCE:(O)ATTENTION OF CHUCK BOWMAN

304-558-2157

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

TYPE NAME/ADDRESS HERE

RFQ COPY

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

11/05/2009	
DIE DIAMETER DE CAT	
	3050000000000
LINE QUANTITY UOP NO ITEM NUMBER UNIT-PAICE AMOUNT	
CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUB- MIT THE SIGNED PURCHASING AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.	
NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITH 365 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.	Andrews and the second
CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE THE BID AND CONTRACT HERE IN.	PROPORTION III ALTERNATION III
WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR PRESTON COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)	***************************************
ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.	, and the second
WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.	
ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:	
(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF	
SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE	
SIGNATURE STATE TELEPHONE 304-983-2296 DATE 1-4-10	
WHEN RESPONDING TO BEQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED WENDOR!	



DOCZMK

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

ì	
CHUCK	BOWMAN 58-2157
304-5	58-2157

ADDRESS:CORRESPONDENCESIO/ATTIENTION OF

RFQ COPY TYPE NAME/ADDRESS HERE

SATE SEMESTICS CONTROL OF THE SEMESTICS CONTRO

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

11/05/		7	nive or sa		SHIP		F.O.B.		FREIGHTTERMS
BID OPENING DATE		01/06/	/2010	······································		BID	OPENING TIME	n i	L:30PM
LINE	QUAN	TITY	UOP	CAT NO	ITEM NUI		UNIT PRICE		AMOUNT
				1000 DULY 0000					AWOON
	05 0044								
	TECHAN	JEKUTA	L GEN	ERAL	LIABILITY	INSURA	NCE PRIOR TO		
	THE BIL	DE OF	LUNIK	AUI.	UNLESS U	THERWIS	E SPECIFIED IN	4	
	COVERVI	SE BEL	MITDED	TO	250,000.	AMUUNI	OF INSURANCE		
	JU 1	NE	OIKED		250,000.				
	() B	JILDER	S RIS	K INS	URANCE:	SUCCESS	FUL VENDOR SHA		,
	FURNISH	1 PROC	F OF	BUILD	ERS RISK	- ALL R	ISK INSURANCE	TN	
	AN AMOL	JNT EC	UAL T	0 100	% OF THE	AMOUNT	OF THE CONTRAC	T.	
	(XX) BO	ONDS:	FIVE	PERC	ENT (5%)	OF THE	TOTAL AMOUNT O)F	
	THE BIL	PAYA	BLE T	O THE	STATE OF	WEST V	IRGINIA, SHALL	BE	
***************************************	SURMIT	ED WI	IH EA	CH BI	D AS A BI	D BOND.	THE SUCCESSE	UL	
	MATERIA	SHALL	ALSU	FUKN	ISH A PER	FORMANC	E BOND AND LAB	IOR/	1
	BUNDS !	AL DON	DDU/	TDED	OF INE A	MUUNI U	F THE CONTRACT		
	TRREVO	CARLE	FTTE	B UE	IN INE FU PDENTT. N	א ייט ויוא ס אחמים	FURNISHED BY A	CK,	,
·	SOLVENT	SURF	TY CO	MPANY	AUTHORTZ	EN TO N	O BUSINESS IN	. T11	
	STATE C	OF WES	TVIR	GINIA	. A LETT	FR OF C	REDIT SUBMITTE	in m	
	IN LIEL	J OF A	BOND	WILL	ONLY BE	ALLOWED	FOR PROJECTS	. D	
•	UNDER \$	100,0	00.	PERSO	NAL OR BU	SINESS	CHECKS ARE NOT		a trip
	ACCEPTA	ABLE I	N LIE	U OF	THE 5% BI	D BOND,	PERFORMANCE		
	BOND, C	R LAB	OR AN	D MAT	ERIAL BON	D.			
	() MAI	NTENA	NCE B	OND:	A TWO (2) YEAR	MAINTENANCE BO	ND	1
	CUVERIN	IG THE	ROOF	ING S	YSTEM WIL	L BE A	REQUIREMENT OF		•
	THE SUC	.CESSF	OT AF	אטעא.					
	REV. 11	/00		l					
				CON	TRACTORS	LICENSE			
	WEST VI	RGINI	A STA	TE CO	DE 21-11-	2 REQUI	RES THAT ALL		
	PERSONS	DESI	RING	TO PE	REDRM CON	TRACTIN	G WORK IN THIS		
	STATE M	UST B	ELIC	ENSED	THE WE	ST VIRG	INIA CONTRACTO	RS	
	LICENSI	NG BO	ARD I	S EMP	DWERED TO	ISSUE	THE CONTRACTOR	S	
				SEE REV	ERSE SIDE FOR TE	RMS AND CON	ÍDITIONS		
SIGNATURE				The second secon				DATE	1-4-10
TITLE	-	FE	in s	5_0	185115	004-1			
member			J	J-0	00110		ADDRESS CHAI	*GES	TO BE NOTED ABOVE



DOCZEK

RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PAGE:

ADDRESS CORRESPONDENCE 1	O ATTENTION OF
CHUCK BOWMAN	
304-558-2157	

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

DATE PRINTED TERMS OF SALE SHIP VIA	FOB FREIGHTTERMS
11/05/2009	
	OPENING TIME 01:30PM
LINE QUANTITY LIOP CAT. ITEM NUMBER	UNIT PRICE AMOUNT
. LICENSE. APPLICATIONS FOR A CONTRACTO	
MADE BY CONTACTING THE WEST VIRGINIA D	KS LICENSE MAY BE
CAPITOL COMPLEX, BUILDING 3, ROOM 319,	LATSION OF FURNIA
25305. TELEPHONE: (304) 558-7890.	OHARESTORY WV
WEST VIRGINIA STATE CODE 21-11-11 REQU	IRES ANY
PROSPECTIVE BIDDER TO INCLUDE THE CONT	RACTORS LICENSE
NUMBER ON THEIR BID.	
DIDDED TO COMPLETE	
BIDDER TO COMPLETE: AND PROPRIET CONTRACTORS NAME: AND PROPRIET	tino 110
CONTRACTORS LICENSE NO.:WVO3369	۱
THE SUCCESSFUL BIDDER WILL BE REQUIRED	TO FURNISH A
COPY OF THEIR CONTRACTORS LICENSE PRIOR	R TO ISSUANCE OF
A PURCHASE ORDER/CONTRACT.	
APPL TOADLE 1 411	
APPLICABLE LAW	
THE WEST VIRGINIA STATE CODE, PURCHASI	NE DIVISION DUITE
AND REGULATIONS, AND THE INFORMATION P	ROVIDED IN
THE "REQUEST FOR QUOTATION" ISSUED BY	THE PURCHASING
DIVISION IS THE SOLE AUTHORITY GOVERNI	NG THIS
PROCUREMENT.	
ANY INFORMATION PROVIDED IN SPECIFICAT	ION MANUALS, OR
ANY OTHER SOURCE, VERBAL OR WRITTEN, W	HICH CONTRADICTS
OR ALTERS THE INFORMATION PROVIDED FRODESCRIBED IN THE ABOVE PARAGRAPH IS VO	M THE SOURCES AS
EFFECT.	IN AND OF NO
BANKRUPTCY: IN THE EVENT THE VENDOR/C	ONTRACTOR FILES
FOR BANKRUPTCY PROTECTION, THE STATE M	AY DEEM THIS
CONTRACT NULL AND VOID AND TERMINATE S	JCH CONTRACT
WITHOUT FURTHER ORDER.	
SEE REVERSE SIDE FOR TERMS AND CON	DITIONS
SIGNATURE ITELEPRONE	
TITLE FEIN . FEIN .	
member 55-0785115	ADDRESS CHANGES TO BE NOTED ABOVE



RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PAC	E 🔆
	6

ADDRESS:CORRESPONDENCE TO ATTENTION OF CHUCK BOWMAN 304-558-2157

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

DATE PRIN		Œ	AMS OF SALE	SHIP VIA		FOB	FREIGHTTERMS
11/05/ BID OPENING DATE:							
E		01/06	the Charles of the Ch		BID O	PENING TIME	01:30PM
LINE	Ql	JANTITY	UOP CAT	ITEM NUMB	ER	UNIT PRICE	AMOUNT
			***************************************			•	***************************************
	PREFE	RENCE I	FOR USE OF	DOMESTIC S	TEEL PR	ODUCTS	
					-		
	1. E	XCEPT I	WHEN AUTHOR	IZED BY TH	E DIREC	TOR OF THE	7
	F	UKCHAS.	ING DIVISIO	N PURSUANT	TO SUB	SECTION 2 BEL	, WC
	1	CTATE	CONTRACT D	DO LECT OF	PLY STE	EL PRODUCTS FO	or
		RODUCTS	S MADE IN T	RUJECI UIA HE HNITEN	EK IHAN	AS USED USED	**
	T	HIS COL	TRACT,	IL ONLILD	SIRIES.	AS OSED OSED	T.V.
Anna Carlos							
	A	. "ST	TE CONTRAC	T PROJECT"	MEANS	ANY ERECTION (DR
		CONS	STRUCTION O	F, OR ANY	ADDITIO	N TO, ALTERAT	(O
		0F (OR OTHER IM	PROVEMENT	TO ANY	BUILDING OR	
		SIKI a an	JCIURE, INC	LUDING, BU	T NOT L	IMITED TO, ROA	ADS
		טא ו	COOLING OR	K THE INST	ALLAIIUI	N OF ANY HEAT	ING
		EQUI	PMENT. OR	THE SUPPLY	OF AND	S OR OTHER MATERIALS FOR	,
		SUCH	PROJECTS.	PURSUANT	TO A COL	NTRACT WITH TH	45
		STAT	TE OF WEST	VIRGINIA F	OR WHIC	H BIDS WERE	* • •
		SOLI	CITED ON O	R AFTER JU	NE 6, 21	001.	
	_	# W	<u>L l </u>				
	R	· "STE	EL PRODUCT	S" MEANS P	RODUCTS	ROLLED, FORME	D,
		SHAF	PED, DRAWN,	EXIKUDED,	FORGED	, CAST,	
		PROC	ESSED BY A	COMBINATI	DN DE TI	LY PROCESSED, WO OR MORE OF	0
		SUCF	OPERATION	S. FROM ST	FEL MADE	E BY THE OPEN	
		HEAR	TH, BASIC	OXYGEN, EL	ECTRIC	FURNACE.	
		BESS	EMER OR OT	HER STEEL	MAKING F	PROCESS.	
		** **********************************					
	C	. "UNI	TED STATES	" MEANS TH	E UNITE	D STATES OF	
·		AMEN	TCA AND IN	CLUDES ALL	TERRITO	DRY, CONTINENT	AL
		IINTT	ED STATES.	53EC1 10 11	TE JUKES	SDICTION OF TH	IE
		J., J.					
and the second	2. T	HE DIRE	CTOR OF TH	E PURCHASII	NG DIVIS	SION MAY, IN	
	W	RITING,	AUTHORIZE	THE USE OF	FOREIG	ON STEEL	
			Stable 	VERSE SIDE FOR TER	AS AND CONDE	TIONS	
SIGNATURE						83-ZZ96 PA	TE ()
TITLE		F	EIN 66 - 28		504-4		1-4-10
member			^{EIN} 55-078	כווכ		ADDRESS CHANG	GES TO BE NOTED ABOVE



30czm<

RFQ COPY

DATE-DOINTER STEEL STEEL

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

e PAGE

AD.	Dress:Correspondence:IOATTENTION:OF
СНИСК	BOWMAN
	58-2157

9H-P TO

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

11/05/	*********	INCO GALE	SHIP VIA	FOB	FREIGHT TERMS
BID OPENING DATE:		/2010			
000000000000000000000000000000000000000		ACTION AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE	BID	OPENING TIME OF	L:30PM
LINE	QUANTITY	UGP CAT.	ITEM NUMBER	UNITPRICE	AMOUNT
	PRODUCT	S IF:			
	A. THE	COST FOR	EACH CONTRACT ITE	M USED DOES NOT	
	EXC	EED ONE TE	NTH OF ONE PERCEN	T (,1%) OF THE	
	TOT	AL CONTRAC	T COST OR TWO THO	USAND FIVE	
	HUN	DRED DOLLA	RS (2,500.00), WH	ICHEVER IS	
5	GRE	ATER. FOR	THE PURPOSES OF	THIS SECTION,	
	THE	COST IS T	HE VALUE OF THE S	TEEL PRODUCT	
	AS	DELIVERED	TO THE PROJECT OR	,	
	B. THE	DIRECTOR			
	D. INE	DIKECIUK	OF THE PURCHASING AT SPECIFIED STEE	DIASION	
	NOT	PRODUCED	IN THE UNITED STA	L MAIERIALS ARE	
	QUA	NTITY OR O	THERWISE ARE NOT	DEVCUMVBIA	
	AVA	ILABLE TO	MEET CONTRACT REQ	HITREMENTS	1
	'				
	3. A C	ONTRACTOR	WHO USES STEEL PR	DDUCTS IN	
	VIO	LATION OF	THIS SECTION MAY	BE SUBJECT	
	TO	CIVIL PENA	LTIES PURSUANT TO	WV CODE	
	SEC	TION 5A-3-	56.		
	DEW 30/01/				
	REV. 10/01/	O T			
	EXHIBIT 7				
	DOMESTIC AL	UMINUM, GL	ASS & STEEL IN PU	BLTC WORKS	
	PROJECTS				
	IN ACCORDAN	CE WITH WE	ST VIRGINIA CODE	5-19-1 ET.,	-
	SEQ., EVERY	CONTRACT	FOR CONSTRUCTION,	RECONSTRUCTION,	
	ALTERATION,	REPAIR, I	MPROVEMENT OR MAI	NTENANCE OF	
	PUBLIC WORKS	S, WHERE T	HE COST IS MORE T	HAN \$50,000 AND,	
	IN THE CASE	DE STEEL	ONLY, WHERE THE C	OST OF STEEL IS	-
	MURE IMAN 9: Steel ade di	DU,UUU UK	WHERE MORE THAN 1	U,UUO POUNDS OF	
	GIASS. OR C'	LEEL BBUDH	HE STATE WILL ACC CTS PRODUCED IN T	ETI UNLY ALUMINUM He hatten otateo	
	CEROU, UK S		1	•	
		SEEF	EVERSE SIDE FOR TERMS AND CON	IDITIONS	1
SIGNATURE	And forther		TELEPHONE	983-2296 PATE	1-4-10
members	0 C	55-07		······	TO BE NOTED ABOVE
111-01-100	6 ·	00.01	0 0110	to an improvement of the second	PERMITTO MOUVE



MOCEMA

į

RFQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PAGE 8

CHUCK BOWMAN
304-558-2157

ر-4 +-0

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

11/05/		**************************************	IND UF SAL		SHIP	VIA	FOB	FREIGHTTERMS
BID OPENING DATE		01/06/	2010			BID	DPENING TIME 0	1:30PM
LINE	QUAI	VIIIY	UOP	CAT NO	ITEM NL		UNITPRICE	AMOUNT
			**********					AMOGRE
	THE ADD	TTTON					'	
1	TH ADD	LILUN,	TIEM	SUF	MACHINERY	OR EQU	IPMENT PURCHASED	
	DOMEST	TO ALL	MINIM	CLA	CC OD CT	YUKKS SH	ALL BE MADE OF ESS THE COST OF	
	THE PR	ODUCT	TS LF	SS TH	SS UK SIE An Sen.ae	CL, UNL	SS THAN 10,000	
1	POUNDS	OF ST	EEL A	RE US	ED IN PU	SITC WUB	KS PROJECTS.	
							A	
	FOREIG	N MADE	ALUM	INUM,	GLASS OF	STEEL	PRODUCTS MAY BE	
	ACCEPT	ED ONL	Y IF	THE C	OST OF DO	MESTIC	PRODUCTS IS FOUN	a
	TO BE	UNREAS	DNABL	E. S	UCH COST	IS UNRE	ASONABLE IF IT I	s
	20% OR	MORE	HIGHE	R THA	N THE BII) PRICE	FOR FOREIGN MADE	
	PRODUC	IS. I	L IHE	DOME	STIC ALUN	IINUM, G	LASS OR STEEL	
	LABOD	IS IU Chodini	BE SU	PPLIE	D OK PROI	DUCED IN	A "SUBSTANTIAL UNITED STATES	
	DEPART	MENT O	S ARE	A, A	DDEICH DE 9 DELINET	DODUCTO	MAY BE SUPPLIED	
	ONLY I	F DOME	STIC	PRODU	CTS ARE 3	IN AU NU	ORE HIGHER IN	
	PRICE	THAN T	HE FO	REIGN	MADE PRO	DUCTS.	OVE HEGHER TH	
				i			٠,	
	IF, PR	IOR TO	THE	AWARD	OF A CON	ITRACT U	NDER THE ABOVE	
	PROVIS	ions,	THE S	PENDI	NG OFFICE	R OF TH	E SPENDING UNIT	
	DETERM	INES T	HAT T	HERE	EXISTS A	BID FOR	LIKE FOREIGN	
	ALUMIN	UM, GL	ASS D	R STE	EL THAT I	S REASO	NABLE AND LOWER	
	OFFICE	WVA D	EOUES	עד דאן דע טע	MESIIC PR	ODUCIS,	THE SPENDING ALUATION AND	
	BEDUCT	TON THE	THE	UMES IN	WKIIING, T DID EAG	A KEEV	ALVATION AND OMESTIC PRODUCTS	
	ALL VE	NDORS	MUST	INDIC	ATE IN TH	FIP RID	IF THEY ARE	
	SUPPLY	ING FO	REIGN	ALUM	INUM, GLA	SS OR S	TEFI.	
							to this that the to	***************************************
	REV. 3	/88						
		ĺ		İ				
	EXHIBI.	T 9						
				CE & /	ACKNOWLED	GEMENT	OF CONSTRUCTION	
	PROJEC'	. ADDE	AUN					
	THE AR	CHITEC	T/ENG	INEER	AND/OR A	CENCY S	HALL BE REQUIRED	
	TO ABI	DE BY	THE F	DLLOW	ING SCHED	ULE IN	ISSUING	
						l		
SIGNATURE				SEE REV	ERSE SIDE FOR T	ERMS AND CON		
TITLE	ah-ju					P-ŸŏĔ	83-ZZ96 DATE	1-4-10
membe	er	FB	[™] <i>5</i> 5	-078	15115		ADDRESS CHANGE	S TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation DEPIGENCE

DEP14810

PAG	Ess
	9

ADDRESS CORRESPONDENCE TO A HENTION OF CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE

> Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

	ERMS
11/05/2009	
BID OPENING DATE: 01/06/2010 BID OPENING TIME 01:30PM	
LINE QUANTITY UOP OAT TEM NUMBER UNIT PRICE AMOU	INT
CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:	
AGENCIES;	
(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM	
AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS	
AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM	
AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO	
PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR	
WHICH THE CONTRACT IS ISSUED.	
(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL	
INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID	** .
DPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE	
BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID	
(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL	ľ
BIDDERS AND SUBMITTED TO THE STATE PURCHASING	
DIVISION. THE SAME RULES AND REGULATIONS	
THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT	
SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY	
EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR	
DATE.	
REV. 11/96	
EXHIBIT 10	
ADDENDUM ACKNOWLEDGEMENT	
· · · · · · · · · · · · · · · · · · ·	
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED	İ
ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO	
MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.	-
ADDENDUM NOS.:	-
	į
SEE REVERSE SIDE FOR TERMS AND CONDITIONS	
104-983-7796 PATE 1-4-10	
member FEIN 55-0785115 ADDRESS CHANGES TO BE NOTED A	BOVE



MODZEK

DATE PRINTED

'RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

DEP14810

PAGE...

FREIGHT TERMS

CHUCK BOWMAN
304-558-2157

6H - P + C

SHIP VIA

Anderson excavating, LLC 343 Williams Road Morgantown, WV 26501 ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

11/05/ BID OPENING DATE					<u></u>				
(0.000.000.000.000.000.000.000.000.000.		01/06/		000A-00-000	1	BID	OPENING TIM	1E 0]	L:30PM
LINE	QUAI	VTITY	UOP	CAT NO	ITEMNI	UMBER	UNITPRIC	E	AMOUNT
	NO. 1	•	<i>Y</i> .			•			
٠,	NO. 2						7 PF PF PF PF PF PF PF PF PF PF PF PF PF		
		•	* * * * * *	• • • • •	••••				
	NO. 3								
	NO. 4							•	
	NO. 4	. •	• • • •	• • • • •			***************************************		
	NO. 5	•							
	I UNDE	RSTAND	THAT	FAIL	URE TO C	ONFIRM T	HE RECEIPT	OF TH	
	ADDEND	UPICS	MAY B	E CAU	SE FUR R	FJECITON	OF THE BID	s.	
	VENDOR	MUST	CLEAR	LY UN	DERSTAND	THAT AN	Y VERBAL		
	REPRES	ENTATI	ON MA	DE OR	ASSUMED	TO BE M	ADE DURING	ANY	
	ORAL D	ISCUSS	ION H	ELD B	ETWEEN V	ENDOR'S	REPRESENTAT	IVES	
	AND AN	Y STAT	E PER	SONNE	L IS NOT	BINDING	. ONLY THE		1
	INFORM	ATION	ISSUE	DIN	WRITING A	AND ADDE	D TO THE		
	SPECIF	ICATIO	NS BY	AN D	FFICIAL	ADDENDUM	IS BINDING	; .	
		///							
					horas		GNATURE		
	^				, ,				
	子がない	\$Ċ\$ Ċ ₽	C.X.Cd	va.t.	ng.,.L.	co	MPANY		
			1-4-		_				
	• • • • •	• • • • • •	• • • • • • •	. 591	۲	DA	TE		
	REV. 1	1/96							•
		***************************************		NO	TICE				
	A CTCNI	en nan	MILET	n= 0					,
	M STAM	בח פוח	11 C D II	BE S	UBMITTED	10:			
	ום	EPARTM	ENT O	ADM	INISTRAT	ION			
·	Pt	JRCHAS	ING D	IVISI	ON	. =			
				SEERF	(ERSE SIDE FOR	FRINS AND COL	INITIONS		
SIGNATURE							83-2296	DATE	1 // /^
TITLE	~		IN Z	~		1 204-7			1-4-10
membe	21		ეე.	-010	5115		ADDRESS	CHANGES	TO BE NOTED ABOVE



RFQ COPY

TYPE NAME/ADDRESS HERE

Anderson excavating, LLC

343 Williams Road

Morgantown, WV 26501

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP14810

PAGE

CHUCK BOWMAN
304-558-2157

OT DE TO

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV

26416-9998 304-457-3219

DATE PRIN	**************************************	ERMS OF SALE	SHIP	VIA	FOB		FREIGHT TERMS
11/05/ BID OPENING DATE:							
0.0000000000000000000000000000000000000	100000000000000000000000000000000000000	/2010	8 la constanta de la constanta de la constanta de la constanta de la constanta de la constanta de la constanta	BID	OPENING TIME	01	:30PM
LINE	QUANTITY	LIOP CAT.	ITEM NU	MBER	UNITPRICE		AMOUNT
	BUILDI 2019 W CHARLE	NG 15 ASHINGTON S STON, WV	STREET, E/25305-0130	AST		Andrea de Propinsion de Carrix	
		ULD CONTAIL	N THIS INF	ORMATIO	N ON THE FAC Sidered:	E OF	
	SEALED BID BUYER:	СВ-	-23	The state of the s			
	REQ. NO.:	DE	14810		N.		
	BID OPENING	DATE: 01	06/2010		,		
	BID OPENING	TIME: 1:3	30 P.M.		,		
	PLEASE PROV TO CONTACT	IDE A FAX N	NUMBER IN ING YOUR E 304-98	ID:	IS NECESSAR	Υ.	
	PLEASE PRIN CONCERNING	THIS QUOTE:	IAME OF PE	-	CONTACT		
				111111111111111111111111111111111111111			
			Land to the control of the control o				
			Neosean -			714 00	
SIGNATURE		2 - OCE HE	VERSE SIDE FOR T	TELEPHONE 201	U-983-2296	DATE	1 /1 - 15
mem ber	- <i> </i>	FEIN 55-078	5115	<u> </u>		HANGES	/- 4-10 TO BE NOTED ABOVE

Loyal G. Forman & Son

Permit Number: S-1002-99

Directions

At the Bruceton Mills Exit of Interstate I-68, turn south on County Route 26 and go 8.0 miles. Turn left on County Route 17 (Woolen Mill Road) and then turn right immediately on County Route 26/21 and go 0.5 mile. Turn left to the haulroad and site.

BUYER PAGE RED. OF P.O. NO.

CB-23 DEP14810

SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SPECIAL REGLAMATION

WV-36 REV. 1/29/02 VENDOR: STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR: E MINE SITE Lick ALBRIGHT ŗ SPECIAL RECLAMATION LOYAL G. FORMAN & SON. REVOKED PERMIT No. S-1002-99 LOCATION MAP SCALE: 1" = 1 MILE DATE: PROJECT NO.:

**************************************		E-T			
BUYER	PAGE	REQ. OR PO NO.			
CB-23		DEP 14810			
SPENDING UNIT					
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL					
PROTECTION/SPECIAL RECLAMATION					

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR:

SCOPE OF WORK

The successful bidder shall provide appropriate equipment, materials, labor and any technical services needed for the successful reclamation of <u>Loyal G. Forman & Son</u>, Permit <u>S-1002-99</u>, and any disturbance associated with such operation. The General Performance Standards (GPS) shall apply to all items in Scope of Work.

Work necessary on this site will include the following items, but is not limited to these:

- 1. Upon mobilization to the site, which will be directed in a written Notice to Proceed, the access road shall be developed in accordance with bid item #_3.0_. If, fuel and lubricants are to be stored on site, bid item #_2.0_ shall be in place before fuel is delivered. Project sign shall be constructed and erected in accordance with attached specifications. The sign shall be maintained during construction activities and through the life of the warranty period. Sign cost is a No Bid Item and is included with mobilization cost. No work shall be authorized or allowed at the site until sign is constructed and erected on site and approved by DEP.
- 2. Storm water management, as necessary, in the form as described, in the National Pollutant Discharge Elimination System, Water Pollution Control Permit Number WV0115924, existing sediment control ponds and in additional bid item # 9.0 & 10.0 shall be installed. See Water Quality Control under the General Performance Standards.
- 3. Concurrent and continuous reclamation shall be maintained throughout the life of the project. Backfill is required for all areas. Regrading and topsoiling is required for all areas. Revegetation and soil improvements are required for all areas. Reclamation is to be according to the attached specifications, plans, and clarifying discussions at the Pre-Bid Conference.
- 4. Construction stakeout as necessary to carry out work. (Bid Item # 7.0)
- 5. Check for and locate all utilities within the work area to provide and maintain a safe working area in addition to preventing damage to the utility.
- 6. Remove any and all debris from site. Contractor must provide documentation of proper disposal. Debris disposal shall be incidental to and included in Mobilization/Demobilization.
- 7. Backfill to eliminate approximately 1,800 linear feet of highwall and/or open pit. All existing spoil piles shall be used for backfill material and shall be regraded to establish a uniform slope from the top of the highwall to the upslope edge of Sediment Ditch 1. Note: Contractor shall backfill up over disturbed portions of fieldstones above the highwall or bring the fieldstones down and incorporate them into the backfill. The disturbed large stones on the outslope of Sediment Ditch 1 shall be brought back and incorporated into the backfill. This may required a hammer and/or drilling and blasting due to the size of the stones. All backfilled and regraded surfaces shall be no steeper than 2 horizontal to 1 vertical.

		1F	ŝ		
BUYER	PAGE	REQ. OR PO NO.	•		
CB-23	•	DEP 14810			
SPENDING UNIT					
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL					
PROTECTION/SPECIAL RECLAMATION					

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

8. Any water impounded in pits shall be pumped out prior to backfilling. The water shall be pumped to Sediment Ditch 1. Water quality parameters of less than 35 mg/l total suspended solids and pH of between 6.0 and 9.0 shall be maintained prior to water entering the existing pond. Any time a pump is running on site, responsible personnel shall be provided to ensure water quality. The cost of

pumping and any necessary water treatment shall be incidental to and included in backfilling.

- 9. Uniformly spread and incorporate 44 tons of agricultural lime into all the black/ coal/ potentially toxic material located in the coal stockpile area. This material shall then be gathered up and buried within the coal stockpile area. A minimum of 2 feet of topsoil material shall be placed over the black/ coal/ potentially toxic material.
- 10. Lime entire permit area evenly and uniformly with an additional 165 tons of agricultural lime. Lime shall be spread by using a lime spreader or hydroseeder.
- 11. Eliminate approximately 575 linear feet of haulroad by regrading to establish a sheetflow drainage pattern. The portion of the haulroad located between the county road and the coal stockpile area shall be left in place.
- 12. Sediment Ditch 1 shall be cleaned as necessary during construction and prior to demobilization to maintain waterflow to the existing pond and eliminate any areas or pooled water within Sediment Ditch 1. Payment for this item shall be made upon final cleaning prior to demobilization.
- 13. Install 200 linear feet of haybale dike for sediment control during and after construction.
- 14. Install 3,000 linear feet of silt fence for control during and after construction. Approximately 2,100 linear feet of the silt fence shall be placed on the upslope side of Sediment Ditch 1.
- 15. Regrade and revegetate approximately 18 acres of disturbance. This shall include the regrading and revegetating of gullies and areas of deficient vegetation within the previously regraded areas of the permit.

I, David L. Martin, Sr., the undersigned, hereby certify ¹ that this Reclamation Plan is correct and shows to the best of my knowledge and belief all the information required by the surface mining laws of the State of West Virginia. The source of information was the approved mining and reclamation plan contained in the forfeited surface mine permit, existing site conditions and information contained in the WV DEP, Inspection and Enforcement files.

North Indian Date: <u>September 28, 3009</u>
Registered Professional Engineer WV

The term "certify" as used herein is defined as tollows: An engineer's certification of conditions is a declaration of professional judgment. It does not constitute a warranty or guarantee, either expressed or implied.

BUYER CB-23	PAGE ;	REQ. OR PO NO. DEP 14810				
SPENDING UNIT						
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL						
PROTECTION/SPECIAL RECLAMATION						

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

VENDOR:

TEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
		BID SCHEDULE PERMIT NAME: <u>Loyal G. Forman & Son</u> PERMIT NUMBER(S): <u>S-1002-99</u>		
	The DEP documentati	reserves the right to request additional information an on regarding unit prices when the unit price appears to be un	d supporting reasonable.	
1.0		MOBILIZATION/DEMOBILIZATION/PROJECT SIG (5% Total Bid Maximum for this permit)	N LUMP SUM	\$10,000.
2.0		SPILL CONTAINMENT AREA (S.C.A.)	LUMP SUM	\$ 500.°°
		(\$1,000.00 Maximum Bid for this permit)		6
3.0	LUMP SUM	HAULROAD/ACCESS ROAD	LUMP SUM	
	,	(5% Total Bid Maximum for this permit)		
4.0	LUMP SUM	BACKFILLING	LUMP SUM	s 150,000
5.0	LUMP SUM	REGRADING AND TOPSOILING	LÜMP SUM	\$ 58,000
6.0		REVEGETATION		
6.1	LUMP SUM	AGRICULTURAL LIME	LIMP SUM	\$ 10,000.
6.2	LUMP SUM	<u>FERTILIZER</u>	LUMP SUM	
6.3	LUMP SUM	MULCH	LUMP SUM	\$6,000.00
6.4	LUMP SUM	VEGETATIVE SPECIES	LUMP SUM	٥٥
7.0	LUMP SUM	CONSTRUCTION STAKEOUT	LUMP SUM	\$ 2000.00
		(5% Total Bid Maximum for this permit)		
8.0	LUMP SUM	CLEAN SEDIMENT DITCH 1	LUMP SUM	\$ 5000
9.0	_200_LF	HAYBALE DIKE	\$ 3.80 PER LF	\$760.°
	-			

and the control of th						
BUYER	PAGE	REQ. OR PO NO.				
CB-23		DEP 14810				
SPENDING UNIT						
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL						
PROTECTION/SPECIAL RECLAMATION						

WV-36a

STATE OF WEST VIRGINIA

REV. 5-26-09 PURCHASING CONTINUATION SHEET

VENDOR:

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
10.0	_3,000_LF	SILT FENCE	\$ 1.10 PER LF	\$ <u>3,300.°°</u>
11.0	NO BID ITEM	<u>utilities</u>	NO BID ITEM	NO BID ITEM
12.0	209 TON	LIMING	§ 45.00 PER TON	s 9,405.°°
		TOTAL FOR PERMIT <u>S-1002-99</u>		\$ <u>Z81,</u> 765.50
	A manufacture of the state of t			
The manufacture of the control of th				- Andrews - Andr

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810			
SPENDING UNIT					
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL					
PROTECTION/SPECIAL RECLAMATION					

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

BID ITEM TECHNICAL SPECIFICATIONS

1.0 MOBILIZATION/DEMOBILIZATION/PROJECT SIGN

A project sign shall be obtained or manufactured and installed as indicated on the attached specifications and details. Payment for this sign shall be incidental to the mobilization item. No separate payment will be made.

This work shall consist of the performance of construction preparatory operations, including the movement of personnel, equipment and other facilities to the project site necessary to begin work on a substantial phase of the contract.

Prior to demobilization, an inspection shall be conducted by the Department of Environmental Protection and the contractor to insure compliance with contract performance. Once compliance is ascertained, demobilization activities can be initiated and completed. Demobilization shall be totally completed before the invoice for payment shall be processed.

The lump sum bid for this item shall not exceed 5% of the total bid for this permit. Payment shall be made in two 50% amounts, one upon completion of the mobilization and project sign items and the second payment at the completion of demobilization. No deduction shall be made nor shall any increase be made in the lump sum item amount, regardless of decreases or increases in the final total contract amount or any other reason.

1.0 STRUCTURE AND/OR DEBRIS REMOVAL

All existing man-made items particular to the site and not to be utilized in the total reclamation of this site shall be demolished (if necessary) and disposed of in a legal manner. All iron, steel, aluminum, or any other metal, plastic, or any other man made material, including but not limited to I-Beams, Angle Iron, Channel Iron, Corrugated Metal, Flat Metal, Floc Drums, Grease Drums, Pipe or Conduit is to be dismantled, removed and properly disposed of off site and according to state, local, and federal requirements. These items are identified in the scope of work.

2.0 SPILL CONTAINMENT AREA (S.C.A.)

Spill containment measures shall be used for fuel and lubricant storage areas. All containers, barrels, buckets, cans, etc., are to be legally disposed of off site. Used lubricants are to be disposed of according to state law to minimize pollution to the local surface and ground water supplies. Spills are the responsibility of the contractor and need immediate clean up and maintained at no expense to the State. This S.C.A. shall be constructed in accordance with the typical drawing specification. (See Attachment) Alternate containment measures will be considered for approval by the Program Manager if acceptable results can be shown. Fuel tanks manufactured with secondary containment are desirable. Minimum secondary containment is 110 percent. (Bid limited to \$1,000.00 maximum)

3.0 HAULROAD/ACCESS ROAD

The contractor shall maintain and/or construct haul-road/access road during the reclamation process to provide access on a well drained surface. The access road to and on the reclamation site shall be graded, sloped, and maintained to drain to provide a road surface free of excessive mud and standing waters at all times while work is in progress. Roads which are below the project shall be guarded against rolling rock and free there from. Dust-control measures may be necessary if hauling creates airborne material. Snow removal to be included in this item.

4.0 BACKFILLING

Areas of this project subject to backfilling to achieve the post-mining land-use shall: be accomplished in a continuous concurrent manner on all surface disturbances within the original permit and associated disturbed areas as existing at bid showing; be filled by mechanical methods to eliminate highwall and rock outcropping, to produce slopes of consistent lines and of the approximate original contour; be free of protruding rock and debris; be compacted in a progressive backfilling manner with mechanical equipment to ensure stability of backfill material. The maximum acceptable slope of any backfill face shall not exceed two (2) horizontal to one (1) vertical, unless otherwise stated. Backfilling shall cease during periods of adverse site conditions. (For example: excessive soil moisture)

BUYER	PAGE	REQ. OR PO NO.				
CB-23		DEP 14810				
SPENDING UNIT						
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL						
PROTECTION/SPECIAL RECLAMATION						

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

VENDOR:

5.0 REGRADING AND TOPSOILING

Concurrent regrading and topsoiling shall immediately follow backfilling and shall distribute topsoil or the best available material to support vegetation, as identified by the Department of Environmental Protection contact person, on the surface of the backfill in a smooth, uniform manner. This item shall include the elimination of all rills and gullies, the construction of sediment control sumps, the removal of sediment control sumps, the grading of spoil and/or fill materials. Surface shall be free of all rock exceeding six (6) inches in diameter and shall be tracked, track to track. Topsoil presently stockpiled on site shall be preserved and spread on the fill surface. In the absence of stockpiled topsoil, material which can be used as a topsoil substitute shall be identified, segregated, and stockpiled for spreading on the surface. If necessary to manufacture fines, mechanical treatment to pulverize the surface layer shall be required. Regrading and topsoiling shall be conducted prior to and in preparation for the revegetation item.

6.0 REVEGETATION

The actual seeding date, within the work performance period, shall be at the discretion of the contractor, but a permanent vegetative cover must be established. Verification of materials used shall be required for payment. Seed bed preparation, unless otherwise approved, shall be conducted by industrial disks or tracking with heavy equipment with cleat marks across slope and parallel to the final contours. The surface shall be tracked, track to track. Seeding shall commence after seedbed preparation on a loose and uncompacted soil and with the approval of the Department of Environmental Protection. Contractor shall provide equipment as necessary to secure approval of the seedbed. Revegetation activities shall be carried out in a continuous, concurrent, timely and uniform manner. Failure to do this may result in nonpayment for portions of or the entire Revegetation item. Hydroseeding or broadcast seeding with the approved species is acceptable. The application rate may be increased but the ratio is to remain constant, but no additional monetary compensation will be awarded. Areas outside the limits of construction, disturbed by the contractor, shall be revegetated by the contractor at no expense to DEP. Water utilized for hydroseeding shall be free of injurious or other toxic substances harmful to plant life. The source of water is subject to the approval of the DEP Specialist. It shall be the vendor's responsibility to repeat the procedures under REVEGETATION until a permanent vegetation is established. The acreage quantities in this contract are for bidding purposes only.

A warranty period of one (1) year shall commence upon completion and payment of the revegetation item of the contract. No payment will be made for additional seeding necessary to comply with warranty requirements. The warranty period will be extended for one (1) year from the date of the last augmented seeding done by the contractor. The performance bond and labor and materials bond shall remain in effect throughout the warranty period. The Standards for Evaluating Vegetative Cover as presented in Title 38, CSR2, Section 9 of the West Virginia Surface Mining Reclamation Regulations will apply.

Equipment for the retracking/scarification to eliminate rills and gullies shall be mobilized and utilized to produce slopes consistent with the regrading and topsoiling bid item prior to warranty reseeding. No additional payment will be made by DEP for this warranty work.

6.1 AGRICULTURAL LIME

Unless otherwise specified, all lime used shall be registered with the West Virginia Department of Agriculture, have an 85% minimum calcium carbonate equivalent, and meet the fineness classification no larger than that for ground lime. The following fineness classifications or combinations of lime are acceptable:

Pulverized - 100% passing a U.S. Standard 20 mesh sieve

70% passing a U.S. Standard 100 mesh sieve

- 90% passing a U.S. Standard 20 mesh sieve Ground

- 50% passing a U.S. Standard 60 mesh sieve
- 35% passing a U.S. Standard 100 mesh sieve

Use of blends and low-grade agricultural liming materials shall require prior approval. Lime shall be spread as soon as possible after delivery to site. Lime shall be applied evenly and uniformly distributed over the treated area. Lime shall be thoroughly mixed into the soil material. Lime subjected to adverse conditions before spreading will be deemed unacceptable. Failure to complete this phase shall result in nonpayment of this bid item.

Lime shall be applied at 3 ton/acre.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810
SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION		

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

VENDOR:

6.2 FERTILIZER

Fertilizer rates given for REVEGETATION are for 1,000 lbs. of 10-20-20 per acre. These rates are minimum and for bidding purposes.

Fertilizer shall be applied evenly and uniformly distributed over the treated area. Common complete fertilizers which meet the minimum standards are acceptable.

6.3 MULCH

Acceptable mulch for this project is wood fiber, hay, or straw.

Mulch: Wood Fiber @ 1.0 ton/Acre

Hay or straw mulch may be substituted at a rate of 2 tons/Acre

6.4 <u>VEGETATIVE SPECIES</u>

Seeding rate required is for pure live seed (pls) in pounds per acre. The use of annuals or cover crops will not be considered for vegetative success.

VEGETATIVE SPECIES 1	RATE/ACRE 1
Orchard Grass	@ 30 lbs/acre
Birdsfoot Trefoil ²	@ 15 lbs/acre
Red Top	@ 10 lbs/acre
Switchgrass	@ 10 lbs/acre
Perennial Ryegrass	@ 10 lbs/acre
Alsike Clover ²	@ 5 lbs/acre
Black Locust ³	@ 1 lbs/acre
Foxtail Millet 4	@ 12 lbs/acre
Wheat or Rye⁵	@ 50 lbs/acre

- 1. Seeding rate required is for pure live seed in pounds (lbs) per acre.
- 2. Herbaceous legumes must be treated with the appropriate bacterium before seeding.
- 3. This species to be utilized only for woodland post-mining land-use projects.
- 4. Spring Mix
- 5. Fall Mix

1	BUYER	PAGE	REQ. OR PO NO.
L	CB-23	!	DEP 14810
1	SPENDING UNIT		
1	WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL		
1	PROTECTION/SPECIAL RECLAMATION		

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

7.0 CONSTRUCTION STAKEOUT

This work shall consist of furnishing, placing, and maintaining construction layout stakes necessary for the proper execution of the work required under the Contract, production of as-built drawings, and of performing topographic surveys and obtaining surveyed cross-sections for accurate determination of pay item quantities. Construction stakeout shall be under the supervision of a Registered Professional Engineer or Licensed Land Surveyor and all drawings signed and/or sealed by such. The Department shall provide control points for initial layout of the work. (Shall not exceed 5% of the total bid for this permit.)

A. MATERIALS

Wooden stakes and other marking materials as described herein.

B. CONSTRUCTION METHODS

- B(1). The Contractor shall locate and reference the construction baseline within the limits of work and shall establish bench marks for the proper layout of the work. The Contractor shall make all calculations involved and shall furnish and place all layout stakes or markers.
- B(2). The Contractor shall provide field forces and shall set all additional stakes needed, such as offset stakes, reference point stakes, slope stakes, pavement and grade stakes, stakes for roadway drainage, subdrains, trench drains, fence, culverts or other structures, supplementary bench marks and any other horizontal or vertical controls necessary to secure a correct layout of the work.
- B(3). The location of the slope stakes for grading work shall be determined by a calculation method. Elevation control hubs with guard stakes shall be set, at a convenient distance outside the construction limits, and at all stations where original cross-sections are taken. The centerline station, the distance from centerline, and the elevation of the hub shall be recorded on each guard stake.
- B(4). The Contractor shall be responsible for having the layout staking work conform to the lines, grades, elevations, and dimensions called for on the Plans. The Contractor shall be responsible for reporting any discrepancies to the Supervisor for clarification. Minor adjustments to suit field conditions are anticipated and it shall be the responsibility of the Supervisor to make decisions regarding adjustments.
- B(5). The Contractor shall survey cross-sections and/or profiles in areas of on-site excavation, off-site excavation, and ditch construction as necessary to permit accurate determination of pay item quantities. The locations and spacing of cross-sections and profiles shall be as approved or as directed by the Supervisor. Cross-sections and profiles shall be surveyed:
 - a) prior to any excavation
 - b) at the completion of excavation
- B(6). The Contractor shall furnish a copy of his survey records for the Supervisor and for the DEP's permanent file. These records shall be furnished as they are completed during the progress of the work. Any inspection or checking of the Contractor's layout by the Supervisor and the acceptance of all or any part of it shall not relieve the Contractor of his responsibility to secure the proper dimensions, grades and elevations of the required work.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

8.0 EXISTING SEDIMENT CONTROL STRUCTURES

Existing structures shall be cleaned out, repaired, or otherwise constructed as directed at the time of the prebid showing. Such structures shall be cleaned out when the sediment capacity reaches 60%, repaired, and maintained until demobilization. This item will be a one-time payment. Clean-out and maintenance shall be conducted by the contractor at no expense to DEP. (SEE ATTACHMENT)

9.0 HAYBALE DIKE

Disturbed areas which have storm water runoff which does not pass through a sediment control structure shall utilize the following method to manage storm water runoff: Max. Bid of \$5.00/L.F. Hay Bale Dike -

- 1. All bales shall be placed on the contour.
- 2. Bales shall be placed in a row with ends tightly abutting the adjacent bales and embedded as shown on the Haybale Dike Detail.
- 3. Bales shall be securely anchored in place by stakes driven through the bales. The first stake in each bale shall be driven toward previously laid bale to force the bales together. Construction of sumps (paid under bid Item 5) may become necessary to supplement the hay bale dikes.

10.0 SILT FENCE CONSTRUCTION

Silt fence shall be placed on the contour. On slopes with grades greater than seven (7%) percent, the silt fence should be located at least five (5) to seven (7) feet beyond the base. Turn the ends of the silt fence upslope so that a certain depth of storm water may be retained in front of the silt fence. The impounded depth should be at least twelve (12) inches, but no more than the height of the silt fence. Hay bale dike shall be staked in place at the end of the row of silt fence as an emergency overflow. This will allow detained water, exceeding the capacity of the silt fence, to be filtered and released quickly. Silt fence shall not be installed in streams or swales or in any area where there is a reasonable chance of concentrated flow. In areas where concentrated flows can be expected, use haybale dike with the construction of sumps. The bottom edge of silt fence shall be entrenched and backfilled.

The silt fence should be purchased in a continuous roll cut to the length of the barrier to avoid the use of joints. When joints are unavoidable, filter cloth should be spliced together only at a supporting post, with a minimum six (6) inch overlap and securely sealed. See Silt Fence Details and installation requirements. Payment for silt fence will be by the linear foot installed. Cost of the Silt Fence shall include the removal from the project upon stabilization and permanent vegetation being established.

INSPECTION - Inspect silt fence before anticipated storm events (or series of storm events such as intermittent showers over one or more days) and within twenty-four (24) hours after the end of a storm event of 0.5 inches or greater, and at least once every fourteen (14) calendar days. Where sites have been finally or temporarily stabilized, such inspection may be conducted only once per month.

MAINTENANCE - Sediment should be removed once it has accumulated to one-half (1/2) the original height of the barrier. Filter fabric should be replaced whenever it has deteriorated to such an extent that the effectiveness of the fabric is reduced (approximately six (6) months). Silt fence should remain in place until disturbed areas have been permanently stabilized. All sediment accumulated at the fence should be removed and properly disposed of before the fence is removed. Price of the Silt Fence shall include the removal of it from the project upon stabilization and permanent vegetation being established.

PAYMENT - Payment will be by the linear foot installed.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

VENDOR:

11.0 UTILITIES

Utilities shall be relocated at the direction of the utility company and reimbursed actual cost to the contractor. This is a "No Bid" item due to the method of reimbursement. It is the contractor's responsibility to determine the exact location of each utility in the project area where these utilities would be interrupted or damaged by performing work.

12.0 LIMING

Liming of open pits is to be carried out at a rate of 40 tons/acre. All potentially toxic material shall be cleaned from the pavement prior to spreading lime uniformly over the exposed pavement. This potentially toxic material shall be placed on a pad prepared in the backfill. The top of the pad shall be a minimum of 4 ft. above the pavement, located out of any water course and away from the highwall. Lime shall be blended with the toxic material or (lime shall be spread over top of toxic material.) Coal refuse shall be treated in the same manner as the toxic material above and according to the attached specifications. Lime at a rate of 40 tons/1000 tons. (Unless exact tons are specified in the Scope of Work)

Unless otherwise specified, all lime used shall be registered with the West Virginia Department of Agriculture, have an 85% minimum calcium carbonate equivalent, and meet the fineness classification no larger than that for ground. The following fineness classifications or combinations of are acceptable:

Pulverized - 100% passing a U.S. Standard 20 mesh sieve

70% passing a U.S. Standard 100 mesh sieve

Ground - 90% passing a U.S. Standard 20 mesh sieve

- 50% passing a U.S. Standard 60 mesh sieve

- 35% passing a U.S. Standard 100 mesh sieve

Use of blends and low-grade agricultural liming materials shall require prior approval. Lime shall be spread as soon as possible after delivery to site. Lime shall be applied evenly and uniformly distributed over the treated area. Lime shall be thoroughly mixed into the soil material. Lime subjected to adverse conditions before spreading will be deemed unacceptable. Failure to complete this phase shall result in nonpayment of this bid item.

		description and the second second	
BUYER	PAGE	REQ. OR PO NO.	
CB-23		DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR:

BID PREPARATION INFORMATION

HISTORICAL INFORMATION

Prospective bidders may review files at the West Virginia Department of Environmental Protection, Charleston, WV office, or the Regional West Virginia Department of Environmental Protection Office at 105 South Railroad St., Philippi, WV 26416. These files may contain additional information <u>not</u> included in the contract. Documents including, but not limited to, permit applications, permits, inspection reports, environmental documents, permit violation history, geological and geotechnical information, probable hydrologic consequences, maps, modifications, NPDES information and other related data. Copies may be obtained upon request and payment of copying fees.

EXAMINATION OF BID PACKAGE AND SITE OF WORK

The bidder is required to examine, carefully, the bid package (plans, specifications, supplemental specifications, contract forms, etc.) and the site of the work contemplated. The submission of a bid shall be considered prima facie evidence that the bidder has made such examination and has judged for and satisfied themselves as to the character, quantity, and quality of work to be performed and the materials required to be furnished under the contract.

PREBID CONFERENCE

Only the prospective bidders on the sign-in sheet in attendance for the <u>entire Pre-Bid Conference</u> will be eligible to submit bids for consideration of this project. Considerable foot travel over rough terrain and/or inclement weather may be required.

VIDEO

The information given at the pre-bid showing by the project contact person or the assigned person shall be documented on video tape and shall be an integral part of this contract's requirements, but will not supersede the written contract. All information on video tape that is new or provides clarification to the specifications, will be issued in writing by a formal addendum and will become part of the written contract.

INTENT OF CONTRACT

The intent of the contract is for the reclamation/restoration of forfeited mine lands as required by West Virginia Department of Environmental Protection. The contractor is to provide for the construction and completion in every detail of the work described. The Contractor shall furnish all labor, materials, equipment, tools, transportation, and supplies required to complete the work in accordance with the Plans, Specifications, and terms of the Contract.

Should any misunderstanding arise as to the intent or meaning of the Contract, or any discrepancy appear, the decision of the Director of Division of Land Restoration shall be final.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR:

GENERAL PERFORMANCE STANDARDS

INTRODUCTION

The performance standards and non-compliance penalties which govern special reclamation-bond forfeiture projects are in Chapter 22A, Article 3, of the Code of West Virginia and subsequent rules and regulations. The following performance standards are of a general nature and do not represent all the performance standards applicable to a special reclamation-bond forfeiture project. However, some or all of these standards will pertain to each project.

BACKFILLING

- 1. Unless otherwise noted, the highwall shall be eliminated and the disturbed area graded to the approximate original contour.
- 2. The material used to backfill and eliminate the highwall shall be sufficiently compacted so as to insure stability of the backfill throughout the warranty period.
- 3. The land above the highwall shall not be disturbed unless otherwise directed.
- 4. The best available material to support vegetation, sufficient to establish a permanent vegetative cover and to achieve the approved post mining land use, shall be used.

BLASTING

The performance standards of the blasting regulations must be adhered to.

LIFE OF CONTRACT

The purchase order contract becomes effective on the starting date as specified in the notice to proceed as issued by the Department of Environmental Protection. This contract extends for a period of one (1) year and may be renewed until such "reasonable time" thereafter as is necessary to complete the payment therefore. A responsible Contractor's Agent shall be on the site at all working times who demonstrates a knowledge of mined land reclamation, contract requirements and responds to DEP (owner) inspections.

WORK PERFORMANCE PERIOD

The work performance period is a defined portion of the contract in which all items shall be completed. The work performance period is to be performed within 365 calendar days. Extensions may be granted based upon contractor's performance, weather conditions and site-specific site conditions.

NOTICE TO PROCEED

A notice to proceed shall be issued to the Contractor by the project contact person for the Department of Environmental Protection. Actual construction may only begin after a Notice to Proceed is given and as specified. Such notice shall specify the starting date of the Purchase Order, the work performance period, and the completion date of the work performance period.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR:

PRE-CONSTRUCTION CONFERENCE

The Contractor in possession of the awarded purchase order shall-schedule a Pre-Construction Conference on the site within ten (10) days after receiving the Notice To Proceed. The Contractor's foreinan or the on-the-ground supervisor must be in attendance.

GENERAL SUPERVISION

This contact is under the general supervision of the West Virginia Department of Environmental Protection's contact person for the purpose of contract compliance inspection only. Contractor shall supervise work being conducted at all times. All services rendered by the Engineer/Contact Person consist of professional opinions and recommendations made in accordance with generally accepted engineering practice. Under no circumstances is it the intent of the Engineer/Contact Person to directly control the physical activities of the Contractor or the Contractor's workmen's accomplishment of work on this project.

CONTRACTOR RESPONSIBILITY

The contractor is responsible for compliance with all aspects of this written contract. No changes will be honored without prior approval from the <u>Program Supervisor</u>.

LAWS TO BE OBSERVED

The Contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority, which in any manner affect those engaged or employed on the work, or which in any way affect the conduct of the work. The Contractor shall at all times observe and comply with all such laws, ordinances, regulations, orders and decrees; and shall protect and indemnify the State and its representatives against any claim or liability arising from or based on the violation of any such laws, ordinances, regulations, orders, or decrees, whether by themselves, their subcontractors or their employees.

PERMITS, LICENSES AND TAXES

The Contractor shall procure all permits and licenses, pay all charges, fees, and taxes, and give all notices necessary and incidental to the due and lawful prosecution of the work.

CONCURRENT RECLAMATION

Reclamation of this project shall commence at a definite point as defined and shall progress from that point with total reclamation to include backfilling, grading/regrading, and revegetation. Changes may be granted based upon weather or differing site conditions with prior approval.

WATER QUALITY CONTROL

Shall commence with initial start-up of the project and remain in effect for the extent of the backfilling, regrading and revegetation activity. DEP obtains a storm water permit for each project from the Water Resources Division. (General Water Pollution Control Permit WVO115924) The Contractor is responsible for performing the best management practices. Adequate facilities shall be installed, operated and maintained using the best management practices of the U.S. Environmental Protection Agency's Non-Point Source (NPS) Program for sediment control during the active reclamation. The contractor shall take any and all steps necessary to prevent erosion or silting problems from occurring and to minimize pollution or sedimentation of the stream. If any such problems develop, the contractor shall be responsible to take immediate corrective action. No separate payment for this work will be honored. All impounded waters which require removal during reclamation, shall be pumped with appropriate measures taken to prevent erosion from the discharge. The contractor shall be responsible for treatment of said waters to meet pH standards. The water shall be discharged only when the quality meets a pH equivalent to the pH of the receiving stream but not less than 6.0.

BUYER	PAGE	REQ. OR PO NO.
CB-23		DEP 14810
SPENDING UNIT		
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL		
PROTECTION/SPECIAL RECLAMATION		

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

VENDOR:

DIFFERING SITE CONDITIONS

During the progress of the work, if subsurface or latent physical conditions are encountered at the site differing materially from those indicated in the contract or if unknown physical conditions of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inherent in the work provided by the contract, are encountered at the site, the party discovering such conditions shall promptly notify the other party in writing of the specific differing conditions before they are disturbed and before the affected work is performed.

Upon written notification, the Engineer/Contact Person will investigate the conditions, and if determined that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding loss of anticipated profits, will be made and the contract modified in writing accordingly. The Engineer/Contact Person will notify the Contractor of DEP's determination whether or not an adjustment of the contract is warranted.

No contract adjustment which results in a benefit to the Contractor will be allowed unless the Contractor has provided the required written notice.

No contract adjustment will be allowed under this clause for any effects caused on unchanged work.

HANDLING AND STORAGE OF MATERIALS

Materials which are stored on site, before utilization, shall be stored so as to assure the preservation of their quality and fitness for the work. Stored materials, even though approved before storage, may be inspected again prior to their use in the work. Damaged or deteriorated materials shall be removed and replaced by materials meeting the original specifications.

Aggregate stockpiles shall be made on ground that is denuded of vegetation, hard, and well drained. Removal of aggregate from the stockpile shall be done in a manner which will not result in the inclusion of foreign material into the aggregate. The use of the aggregate will determine if exceptions are permitted.

All materials shall be handled in such a manner as to preserve their quality and fitness for the work.

MAINTENANCE DURING CONSTRUCTION

The contractor shall maintain the work during construction and until the project is accepted. All cost of maintenance work during construction and before the project is accepted shall be included in the unit or lump sum prices on the various pay items.

FINAL INSPECTION

A final inspection meeting by the Department of Environmental Protection's Specialist and the contractor is required for the construction phase and prior to demobilization.

ACREAGE QUANTITIES

The acreage quantities in this contract are for bidding purpose and are set (definite) number for the project area as specified at the pre-bid showing. Only surveyed acreage's through figures the Contractor and/or the State develops will be honored to alter these acreage numbers.

PAYMENT

Invoices must be submitted on prescribed Department of Environmental Protection, Special Reclamation Program forms and include <u>verification</u>. <u>Certified contractor payrolls</u> for operators directly involved in this project and a current <u>workers compensation certificate</u> must accompany each invoice for payment. Verification of wage rates may include employee interviews. Invoices shall be signed in <u>blue ink</u> so that it is easy to verify that document is an original. Vendor should submit with their bid the current remit-to address to be used for payment processing.

MOBILIZATION/DEMOBILIZATION shall be invoiced at fifty percent (50%) with the first invoice and the last 50% invoiced after demobilization and acceptance of the road abandonment or final invoice. Demobilization must have written approval.

BUYER	PAGE	REQ. OR PO NO.	
CB-23	,	DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

VENDOR: ..

SPILL CONTAINMENT AREA shall not exceed \$1,000.00 and will be payable in two payments. The first fifty percent (50%) payable with the first invoice and the remainder payable when all fuel tanks, containers and etc., are removed from the site.

Lump sum items shall be percentage payments based on work completed at time of invoice and paid upon acceptance by the Department of Environmental Protection.

Unit items shall be invoiced by specified units completed and accepted by the DEP.

ROAD ABANDONMENT shall be included in the final construction invoice.

FAILURE TO COMPLETE ON TIME AND LIQUIDATED DAMAGES

Time is an essential element of the Contract and it is important that the work be completed within the time specified. The cost to the Department of the administration of the Contract, including engineering, inspection and supervision, will increase as the time required to complete the work is increased.

The work performance period as specified in the contract's Notice to Proceed shall be complied with or result in liquidated damages. Such damages shall be assessed at an amount of two hundred and fifty dollars (\$250.00) per day for each and every day beyond the work performance period as specified in the Notice to Proceed. The total amount of daily charges will be deducted from any moneys due the Contractor, not as a penalty but as liquidated damages.

REVEGETATION AND WARRANTY

The seeding date shall be at the discretion of the contractor once an approved seedbed has been prepared. In all cases a permanent vegetative cover capable of supporting the post-mining land use must be established. A warranty period of one (1) year shall commence upon completion and payment of the revegetation item of the contract. No payment will be made for additional seeding necessary to comply with warranty requirements. The warranty period will be extended for one (1) year from the date of the last augmented seeding done by the contractor. The performance bond and labor and materials bond shall remain in effect throughout the warranty period. The Standards for Evaluating Vegetative Cover as presented in Title 38, CSR2, Section 9 of the West Virginia Surface Mining Reclamation Regulations will apply.

Equipment for the retracking/scarification to eliminate rills and gullies shall be mobilized and utilized to produce slopes consistent with the regrading and topsoiling bid item prior to warranty reseeding. No additional payment will be made by DEP for this warranty work.

Water utilized for hydroseeding shall be free of injurious or other toxic substances harmful to plant life. The source of water is subject to the approval of the DEP contact person.

CONTRACT NON-COMPLIANCE

If in the opinion of the Department of Environmental Protection the contract is not in compliance with any line item specification, that portion of the project shall cease until a compliance schedule and understanding is demonstrated in writing and accepted by the Director of Division of Land Restoration.

CONTRACT DELETIONS

Any line item, or any portion thereof, may be deleted when determined by the project contact person that such line item, or portion thereof, is deemed unnecessary for the successful reclamation of this project. No claim for loss of anticipated profits will be considered.

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810
SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION		

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

VENDOR:

CANCELLATION

The performance of work under contract may be terminated by the State in whole, or from time to time in part whenever the State shall determine that such termination is in the best interest of the State. Any such termination shall be effected by delivery to the Contractor of a Notice of Termination specifying the extent to which performance of work under the Contract is terminated and the date upon which such termination becomes effective.

When contracts, or any portion thereof, are terminated before completion of all items of work in the Contract, payment will be made for the actual number of units or items of work completed and accepted at the contract unit price. No claim for loss of anticipated profits will be considered. Reimbursement for organization of the work, when not otherwise included in the Contract, and moving equipment to and from the job will be considered where the volume of work completed and accepted is too small to compensate the Contractor for these expenses under the contract unit prices, the intent being that an equitable settlement will be made with the Contractor.

Termination of the Contract or a portion thereof shall not relieve the Contractor of his responsibilities for the completed work, nor shall it relieve his surety of it's obligation for and concerning any just claims arising out of the work performed.

This contract may be cancelled in whole or in part in writing by the Director of Purchasing, without prejudice to any other right or remedy it may have, provided that the contractor is given not less than thirty (30) calendar days written notice, (delivered by certified mail, return receipt requested) of intent to terminate. This contract objective is to comply with the reclamation laws of this state and must be expedient to meet the time requirements for reclamation of revoked surface mine permits.

BUYER	PAGE	REQ: OR PO NO.	
CB-23	· .	DEP 14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL			
PROTECTION/SPECIAL RECLAMATION			

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

VENDOR:

Attn:

Notice to Proceed Permit Name: Permit No. Purchase Order No.: DEP

Dear

The purpose of this letter is to express our appreciation for your work in advance and to recognize a reclamation partnership project. The official starting date for the above mentioned purchase order is work performance period must be completed by . The contract life of one year is provided to accomplish all line items and to process all payments within that period.

You must schedule a pre-construction conference on site within ten (10) days after receiving this notice to proceed. It is then mandatory that construction begins within ten (10) days of the pre-construction conference and continues diligently until completion of the project. Please contact this office to schedule the pre-construction conference. The foreman, superintendent, or on-the-ground supervisor must be in attendance at this conference.

Failure to comply with this notice to proceed will cause termination of the contract and forfeiture of your performance bond.

If you have any questions please feel free to contact this office.

Sincerely,

BUYER CB-23	PAGE	REQ. OR PO NO. DEP 14810
SPENDING UNIT		
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL		
PROTECTION/SPECIAL RECLAMATION		

STATE OF WEST VIRGINIA
PURCHASING CONTINUATION SHEET

VENDOR:

General Requirements

Project Construction Sign

Work Required

The work to be performed under this Section consists of providing all labor, material and equipment necessary to install a project sign as indicated on the detail included herein and as specified herein.

Materials

<u>Paint.</u> Paint for the project sign shall be one (1) coat Exterior-Grade Wood Primer- Sealer, and two (2) coats Exterior-Grade Enamel by Glidden or equivalent.

Wood. Sign face shall be ¼" X 4' X 8' Marine Exterior plywood, and posts and cross braces shall be treated. Hardware. All hardware shall be manufactured from good, commercial-quality material and be rust resistant such as galvanized coated.

Execution


<u>Project Sign.</u> The signboard shall be cut to the dimensions shown on the details herein. The sign shall be painted with one (1) coat of primer and two (2) coats of white enamel. All exterior cut edges shall be smooth sanded prior to painting. All edges shall be double primed. The letters, border and strips shall be painted as shown on the detail drawing.

The Contractor shall bolt the sign to posts and provide required cross bracing. The posts and sign shall be erected and posts set in gravel base, as shown on the drawings. One (1) sign is required and is to be located at the direction of WVDEP.

<u>Payment</u>. Payment for the work which shall include installation of the project sign shall be incidental to the lump sum bid item for "Mobilization/Demobilization"

Note: No construction work shall commence prior to the project sign being installed.


WV-36a STATE OF WEST VIRGINIA REV. 1/29/02 PURCHASING CONTINUATION SHEET VENDOR: BUYER PAGE REQ. OR PO 32
CB-23 DEP14810
SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/OFFICE OF SPECIAL RECLAMATION



OFFICE OF SP	E OF SPECIAL RECLAMATION	
PROJECT CONSTRUCTION SIGN		
SCALÉ:	DRAWN BY:	
DATE:	PROÆCT NO:	


WV-36a STATE OF WEST VIRGINIA REV. 1/29/02 PURCHASING CONTINUATION SHEET VENDOR:

BUYER	PAGE	REQ. OR PO	33
CB-23		DEP14810	į
SPENDING UNIT			
WEST VIRG	INIA DEPA	RTMENT OF ENVIRONMENTAL	1
PROTECTION	N/OFFICE	OF SPECIAL RECLAMATION	30




WV-36a STATE OF WEST VIRGINIA REV. 1/29/02 PURCHASING CONTINUATION SHEET VENDOR:

BUYER	PAGE	REQ. OR PO	34
CB-23		DEP14810	
SPENDING UNIT			
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/OFFICE OF SPECIAL RECLAMATION			




WV-36a STATE OF WEST VIRGINIA REV. 1/29/02 PURCHASING CONTINUATION SHEET VENDOR:

200	BUYER	PAGE	REQ. OR PO
	CB-23		DEP14810
	SPENDING UNIT		
- 1	WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL		
	PROTECTIO	N/OFFICE	OP SPECIAL RECLAMATION




WV-36a STATE OF WEST VIRGINIA REV. 1/29/02 PURCHASING CONTINUATION SHEET VENDOR:

BUYER	PAGE	REQ. OR PO		
CB-23	,	DEP14810		
SPENDING UNIT				
		RTMENT OF ENVIRONMENTAL		
PROTECTION/OFFICE OF SPECIAL RECLAMATION				



BUYER PAGE REQ. W.P.O.No. DEP14810


WV-36 REV. 1/29/02 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SPECIAL RECLAMATION



WV-36 REV. 1/29/02 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET BUYER PAGE REQ. of P.O. No.

CB-23 DEP14810

SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/
SPECIAL RECLAMATION



BUYER PAGE NEO. OF P.O. NO.

CB-23 DEP14810

SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION SPECIAL RECLAMATION

WV-36 REV. 1/29/02 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

MIN. 2'

LOUSE SAND TO PROTECT
PLASTIC LINER FROM PUNCTURE

STORAGE
TANK

BURY 'ENDS' DR WEIGHT
TO SECURE LINER

LOUSE SAND TO PROTECT
PLASTIC LINER FROM PUNCTURE

A SIDES

SELECTED HEIGHT OF EARTHEN BERM IS TO BE A TWO (2') FOOT MINIMUM OR ONE HUNDRED TEN PERCENT (110%) OF THE CAPACITY OF THE TANK(S) TOTAL VOLUME WITHIN THE BERM. A SIX (6") INCH FREEBOARD MUST BE INCLUDED.

NOTE: A TWO INCH (2") WATER REMOVAL DRAIN SHALL BE LOCATED AT THE LOWEST POINT IN THE BOTTOM OF THE CONTAINMENT VOLUME. IT SHALL CONNECT TO A NORMALLY CLOSED VALVE OUTSIDE THE DIKE. THE VALVE SHALL BE MANUALLY OPERATED AND PROTECTED FROM UNAUTHORIZED OPERATION. RAINWATER CONTAINED WITHIN THIS DIKE SHALL BE EXAMINED PRIOR TO RELEASE TO ENSURE THAT HARMFUL QUANTITIES OF FUELS AND LUBRICANTS ARE NOT DISCHARGED. ALTERNATE METHODS OF WATER REMOVAL WILL BE CONSIDERED FOR APPROVAL.

TANKS WITH SECONDARY CONTAINMENT MAY BE USED AS AN ALTERNATIVE.

SPECIAL RECLAMATION

SPILL CONTAINMENT

SCALE: DRAWN BY: PROJECT NO:

BUYER PAGE CB-23


REQ. or P.O. No .

DEP14810

WV-36 REV. 1/29/02 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

SPENDING UNIT WEST VIRONMENTAL PROTECTION SPECIAL RECLAMATION



SPECIAL RECLAMATION .

LOYAL G. FORMAN & SON S-1002-99

SCALE:	DRAWN BY:
Not To Scale	Į.
DATE:	PROJECT NO.:
1	1

BUYER PAGE REG. OF P.O. NO.

CB-23 DEP14810


SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTIONS
SPECIAL RECLAMATION

WV-36 REV. 1/29/02 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

POINTS A SHOULD BE HIGHER THAN POINT B.

DRAINAGEWAY INSTALLATION

(FRONT ELEVATION)



SPECIAL RECLAMATION

SCALE:

Not To Scale

LOYAL G. FORMAN & SON S-1002-99


DRAWN BY:

PROJECT NO.:

REQ. or P.Q. No. BUYER PAGE CB-23

DEP14810


WV-36 REV. 1/29/02 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION SPECIAL RECLAMATION



SPECIAL RECLAMATION

LOYAL G. FORMAN & SON S-1002-99

	SCALE:	DRAWN BY:		
	Not To Scale			
	D ለጕE:	PROJECT NO:		
į				
į				



	AgencyREQ.P.O#
	BID BOND
KNOW ALL MEN BY THESE PRESENTS. TH	hat we, the undersigned,
The state of the s	, as Principal, and
of .	, a corporation organized and existing under the laws of the State of
with its principal office in the City of	, as Surety, are held and firmly bound unto the State
West Virginia, as Obligee, in the penal sum of	(\$) for the payment of which,
	d ourselves, our heirs, administrators, executors, successors and assigns.
	h that whereas the Principal has submitted to the Purchasing Section of the al, attached hereto and made a part hereof, to enter into a contract in writing for
nereto and shall furnish any other bonds and insurant agreement created by the acceptance of said bid, the force and effect. It is expressly understood and agreexceed the penal amount of this obligation as herein. The Surety, for the value received, hereby sway impaired or affected by any extension of the time waive notice of any such extension. IN WITNESS WHEREOF, Principal and Su	stipulates and agrees that the obligations of said Surety and its bond shall be in no se within which the Obligee may accept such bid, and said Surety does hereby surety have hereunto set their hands and seals, and such of them as are corporations sunto and these presents to be signed by their proper officers, this
Principal Corporate Seal	(Name of Principal)
	By(Must be President or Vice President)
	(Title)
Surety Corporate Seal	(Name of Surety)
	Attorney-in-Fact

IMPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

AGENCY

BID BOND PREPARATION INSTRUCTIONS

(A)

(C)

(D)

(E)

(F)

(G)

(H)

(1)

(1)

(K)

(L)

(M)

(N)

(0)

(P)

(Q)

(R)

(T)

(U)

(V)

(W)

NOTE:

				KrQ/RFP#(B)	
1921 Care A	SYNOW AT	T Valkank i	Bid Bond	S, That we, the undersigned,	
WV State Agency (Stated on Page 1 "Spending Unit")	KNOW ALI	of of	(D)	s, that we, the undersigned,	
Request for Quotation Number (upper	as Principal, and	ar)	of	(G) .	
right corner of page #1)	(H)	, a corp	oration organized	and existing under the laws	
Your Company Name	of the State of	(D)	_ with its princip	al office in the City of	
City, Location of your Company	(J)	, as Sur	ety, are held and	firmly bound unto The State	
State, Location of your Company	of West Virginia, as	Obligee, in th	e penal sum of _	(K)	
Surety Corporate Name	(\$(L)) for the	e payment of whi	ch, well and truly to be made,	
City, Location of Surety			elves, our heirs, a	dministrators, executors,	
State, Location of Surety	successors and assig	ns.			
State of Surety Incorporation				uch that whereas the Principal	
City of Surety Incorporation	has submitted to the	Purchasing S	ection of the Dep	artment of Administration	
Minimum amount of acceptable bid				a part hereof to enter into a	
bond is 5% of total bid. You may state	contract in writing f	or	(M)		
"5% of bid" or a specific amount on this line in words.			GIAN	_	
Amount of bond in figures			.,	· · · · · · · · · · · · · · · · · · ·	
Brief Description of scope of work	NOW THE	EREFORE.			
Day of the month	(a) If said	bid shall be r	ejected, or	·	
Month (b) If said bid shall be accepted and the Principal shall e					
Year	contract in accordance with the bid or proposal attached hereto and shall furni				
Name of Corporation	any other bonds and	d insurance re	quired by the bid	or proposal, and shall in all	
Raised Corporate Seal of Principal	other respects perio	orm the agreen	nent created by th	ne acceptance of said bid then	
Signature of President or Vice	this obligation snall	i de nuil and v	old, otherwise th	is obligation shall remain in ful	
President	force and effect. It	is expressly u	inderstood and ag	reed that the liability of the overt, exceed the penal	
Title of person signing	amount of this obli			o event, exceed the penal	
Raised Corporate Seal of Surety Corporate Name of Surety				ipulates and agrees that the	
Signature of Attorney in Fact of the	obligations of said	Surety and its	hond shall be in	no way impaired or affected by	
Surety	any extension of ti	me within whi	ich the Obligee n	nay accept such bid: and said	
Dated, Power of Attorney with Raised	Surety does hereby				
Surety Seal must accompany this bid				d Surety have hereunto set their	
bond.				ions have caused their corporat	
oona.	seals to be affixed	hereto and the	ese presents to be	signed by their proper officers,	
	this (N)	day of	(O), 20_		
•	Principal Corporat	ie Seal	Wellschale	Q	
			_	(Name of Principal)	
	I	(R)	By_	<u>(S)</u>	
				(Must be President or	
•	,	•		Vice President)	
	•		Production of the Contract of	<u> </u>	
•		/T 15		Title	
		(U)		· (V)	
	Surety Corporate	ාප් සා	•••••	(Name of Surety)	
	•			(LARITIE OF DIMORA)	
				(W)	

IMPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

Attorney-in-Fact

WesBarco Bank, Inc.
Wheeling, WV 26003
Agent for MoneyGram

5932039567

JAN. 4, 2010

PAY TO THE ORDER OF

STATE OF WEST VIRGINIA

14,100.00

DOLLARS

OFFICIAL CHECK
BID BOND-DEP 14810 Andreas Executing Lic



State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STATE OF West Virginia

COUNTY OF Monongalia, TO-WIT:
I, Rodney Anderson, after being first duly sworn, depose and state as follows:
1. I am an employee of Anderson Excavating, LLC; and, (Company Name)
2. I do hereby attest that Anderson Excavating, LLC (Company Name)
maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.
The above statements are sworn to under the penalty of perjury.
Anderson Excavating, LLC (Company Name)
By:
Title: member
Date: January 4, 2010
Taken subscribed and sworn to before me this 4th day of January 2010 OFFICIAL SEAL STATE OF WEST VIRGINIA Cathy Starkey West Virginia Laborers' District Council 3366 Collins Ferry Road Morgantown, WV 26505 My Commission Expires Feb. 10, 2014 (Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

Rev March 2009

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code**. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the **West Virginia Code** and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the **West Virginia Code** may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Anderson Excavating LLC	
Authorized Signature:	Date: 1-4-10
Purchasing Affidavit (Revised 01/01/09)	