

JEFFREY SCOTT LAURITA SCIL CO-LEASING CORP, INC **8 HUNTER ZANE ROAD FAIRMONT, WV 26554** PHONE 304-290-4608 FAX 304-296-8252

### **AUTOMATIC COVER SHEET**

**JANUARY 5, 2010** DATE-STATE OF WV-PURCHASING DIVISION CHUCK BOWMAN 1-304-558-3970 FAX# **JEFFREY SCOTT LAURITA** FROM-PAGES ENCLOSED (57) **INCLUDING COVER SHEET** 58 **RE: SEALED BID ENCLOSED** 

> **DEP 14831 RQF NUMBER CB-23** BUYER **BID OPENING DATE** 01/05/2010

**BID OPENING TIME** 

1:30 PM

MAIL TO

WV PURCHASING DIVISION **2019 WASHINGTON ST EAST** P.O. BOX 50130 **CHARLESTON WV 25305-0130** 

THANK YOU

**JEFFREY SCOTT LAURITA** 



JEFFREY SCOTT LAURITA SCJL CO-LEASING CORP, INC 8 HUNTER ZANE ROAD FAIRMONT, WV 26554 PHONE 1-304-290-4608 FAX 1-304-296-8252

FAX

DATE:	January 5 2010
DATE	Jedfrey Scott LAURITA
FROM	Chuck Bowman Purchesing Division
то	1-304-558-3970
NUMBER-	
	PAGES(INCLUDING COVER PAGE)

COMMENTS:		huck	Bowman	n(		
1)0		1483	Buy	er	CB-23	<u> </u>
	V	•	· ·	)		

thank you Clari Boguita

PAGE 02/13

13045991760

JEFFREY SCOTT LAURITA SCIL CO-LEASING CORP, INC **8 HUNTER ZANE ROAD** FAIRMONT, WV 26554 PHONE 304-290-4608 FAX 304-296-8252

### **AUTOMATIC COVER SHEET**

1:30 PM

**JANUARY 5, 2010** DATE-STATE OF WV-PURCHASING DIVISION CHUCK BOWMAN. TO-1-304-558-3970 FAX#-JEFFREY SCOTT LAURITA FROM-PAGES ENCLOSED (57) INCLUDING COVER SHEET 58 **SEALED BID ENCLOSED** RE. **DEP 14831 RQF NUMBER** CB-23 BUYER 01/05/2010

MAIL TO


WV PURCHASING DIVISION **2019 WASHINGTON ST EAST** P.O. BOX 50130 **CHARLESTON WV 25305-0130** 

**BID OPENING DATE** 

**BID OPENING TIME** 

THANK YOU

JEFFREY SCOTT LAURITA



13045991760

## Request for processing

DEP1483)

TO THE PROPERTY OF THE PROPERT

CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION DEPT. DF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 304-457-3219 26416-9998

11/05/	150 2009	A SALES	51 <b>570</b>	FSE	EDERALI LEMMA
BID OPENING DATE					L:30PM
LINE	Q-RATIES*	uor PA	JTEM HALLEST	LAST PLACE	AMCANT
0001	] RECLAMATION:		962-73 DN OF LAND	<u> </u>	690,000.00
	THE WEST VIF TION'S OFFICE BIDS FROM QUE AND MATERIAL OPERATION OF REVOKED PERM CONSISTS OF MEAR ALBRIGH THE RECLAMATAND GENERAL	GINIA DEPA E OF SPECI S TO PERFO LOYAL G. IT NUMBER APPROXIMAT TON SHALL SUPERVISION	RTMENT OF ENVIRO AL RECLAMATION, NTRACTORS TO PRO RM RECLAMATION O FORMAN AND SONS, S) S-2009-01. ELY 40 ACRES AND RESTON COUNTY. BE PERFORMED UND N OF THE AGENT A	IS SOLICITING VIDE ALL LABOR N THE MINING NOW UNDER THIS SITE IS LOCATED ER THE GUIDANCE SSIGNED TO THE	
	OF ENVIRONME A MANDATORY ON 12/02/200 REQUIRED TO MANDATORY PO THE BID. NO BIDDER. AN ATTENDANG	ON-SITE PROTE ON-SITE PROTE ON OF THE SHALL ONE PERSON ON O	EBID CONFERENCE An. ALL INTERES	SHALL BE HELD TED PARTIES ARE RE TO ATTEND THE UALIFICATION OF ORE THAN ONE	
1	OFFICIAL DOU PRE-BID. FAI ATIVE NAME ( QUALIFICATION OTHER DOCUME	LUMENT VERI LURE TO PRODUCT THE INTERIOR THE INTERIOR TO THE I	FYING ATTENDANCE OVIDE YOUR COMPAINDE SHEET WILL STATE WILL VERIFY ATTENDANT	AT THE MANDATOR NY AND REPRESENT L. RESULT IN DIS- LL HOT ACCEPT AN CE. THE BIDDER IS PLETED THE INFOR	<b>Y</b>
sichwight au	B Law	ula .		290-4608 DATE	15/2010
	las owner	55-06	4 SS53 TNAME AND ADDRESS	IN SPACE ABOVE LABEL	S TO BE NOTED ABOVE

TUATE CENTERS



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for

DEP1483

CHUCK BOWMAN <u> 304-558-2157</u>

RFQ COPY TYPE NAME/ADDRESS HERE to-Leasing Corp truc

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

ADDRESS CORPESHANDENCE ROATIENTONICE

11/05/20	09	***************************************			A DEFECTION OF
BID OPENING DATE:	01/05/	/2010	BID	OPENING TIME O	7 . 7 % 5 % %
UNE	CHAPTURY	Con Con			1:30PM
i. I Ma Ca	CENSE. AND DE BY CONF PITOL CONF	ARD IS EMP PLICATIONS ACTING THE LEX, BUILD	DWERED TO ISSUE FOR A CONTRACTO WEST VIRGINIA O	THE CONTRACTORS RS LICENSE HAY B IVISION OF LABOR CHARLESTON, WY	E
PR	DSPECTIVE MBER ON TH	BIDDER TO	٠	RACTORS LICENSE	
60 C0	DDER TO CO NTRACTORS NTRACTORS	NAME: S.	JC Co-Lea W.V.00000	ing Coopting	. *:
LO.	RA OF THEI	UL BIDDER R CONTRACTO RDER/CONTRA	VILL BE REQUIRED IRS LICENSE PRIO ICT.	TO FURNISH A R TO ISSUANCE OF	
		APF	LICABLE LAW		
ANI THI DI	D REGULATI E "REQUEST	ONS, AND TH FOR QUOTAT THE SOLE AU	CODE, PURCHASI E INFORMATION P ION® ISSUED BY THORITY GOVERNI	THE PURCHASING	
OR DE:	Y WINEK SU ALTERS TH	UKCE, VERBA E INFORMATI	D IN SPECIFICAT L OR WRITTEN, W ON PROVIDED FRO PARAGRAPH IS VO	HICH CONTRADICTS	Auf India And Conjett in animal control control con
FOR	7 BANKRUPT	L AND VOID	NT THE VENDOR/C ON, THE STATE N AND TERNINATE S	AY DEEN THIS ICH CONTRACT	THE PROPERTY OF THE PROPERTY O
IGNA-FURE		BFE KEVE	MBF 640E ECES SEERGE AND E CO.		
CVO. P	o Organ	ula	7562	190-4608 DATE	15/2010
sec-1ttean	owner	<u>55-064</u>	- 5553	ADDREES CHANGES	TO BE WOTED ABOVE
· / WHEN F	RESPONDING T	O RFQ, INSERT	NAME AND ADDRESS !	N SPACE ABOVE LABELE	D VENDOR'



13045991760

Request for Quotation

DEP 1 4831

10

MADDINESS CONTESPINATIONS OF STREET STREET CHUCK BOWHAN 130<u>4-558-2157</u>

RFQ COPY TYPE NAME/ADDRESS HERE ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WY 304-457-3219

26416-9998 TATE PERMITED 01:30PM BID DENING THE 11/05/2009 AND THE 01/05/2010 MULTIPROCE BID OPENING DATE: NEW POTENTIAL CRUMOVILLE CINE ADDENDUM NOS .: NO. I NO. 2 NO. 3 NO. 4 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE NO. 5 ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS. VENDOR HUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE ON ASSUMED TO BE MADE DURING ANY DRAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. SICHATURE Company . DATE REV. 11/96 NOTICE A SIGNED BID MUST BE SUBMITTED TO: SEEDEVILUSE SIDE PLUS TERMS AND CONDITIONS 304 4608 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED VENDOR'



Request for Quotation

SIZ HIWEEK DEP14831 TO ALL THE STATE OF THE STATE O

HUCK BOWNAN 509-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE DEPT. OF

DEPT. OF

DEPT. OF

SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OF SPECIAL RECLA

OFFICE OFFICE OF SPECIAL RECLA

OFFICE OFFICE OF SPECIAL RECLA

OFFICE OFFIC

ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 304-457-3219 26416-9998

DATE PRINTED. TERMS OF SALE 01:30PM BID OPENING TIME 11/05/2009 BURCONT 01/05/2010 BID OPENING DATE DMT PROSE HENNINGER COMMUNI DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID CB-23 BUYERS DEPLASSI REO. NO.: 01/05/2610 BID OPENING DATE: 1:30 P.M. BID OPENING TIME: PLEASE PROVIDE A FAX MUMBER IN CASE IT IS NECESSARY TO CONTACT YOU RESARDING YOUR BID: 296-82 PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS CHOTE: 290-4608 ADDRESS CHANGES TO BE NOTED ABOVE WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

# \* \* \* ERROR REPORT ( JAN. 5. 2010 12:26PM ) \* \* \*

FAX HEADER 1: WV DIV OF PURCH FAX HEADER 2: 3045583970

FILE USER NAME		MODE	TIME	PAGE		RESULT
	ADDRESS 13045991760	RES	4 52"	P.	8	E
7519		OUIC	K SERVICE C	ODE		
	PAGE NOT RECEIVED P. 8	00-20				

# :BATCH M :MEMORY TX S :STANDARD U :SUPER FINE \* :LAN-FAX C : CONFIDENTIAL
L : SEND LATER
D : DETAIL
X : EXTRA SUPER FINE
+ : ROUTING

S:TRANSFER

@:FORWARDING
F:FINE
b:COLOR
Q:RECEPT. NOTICE REQ.

P : POLLING E : ECM O : 300 d p i !\$: REMOTE TRANSFER A : RECEPT, NOTICE



Request	fo
Quotati	

DEP14831

2007//SER

CHUCK BOWMAN

REQ COPY TYPE NAME/ADDRESS HERE SCJL CO-LEASING CORPTUC SHUNTER ZANIE ROAD Fairmont, Was 554

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

NODER STANCE OF THE PROPERTY O

EATE PRINE	jed jed	BESON SALE	SHIP VIA		SOR	FREKUN TERMS
11/05/	2009		<u> </u>			
BID OPENING DATE:	01/05/			BIU (		L:30PM
<b>CINE</b>	CULTURY	LOP CAT	TTEM NUMBER	t i	LINET PRICE	ANCIENT
		UB	962-73			1/05 -
0001	1	72	102 .5	:		690,000.00
	RECLAMATION:	RESTORAT	ON OF LAND	•		
			1	:		
	}			i		
				,		
	THE WEST VI	REINIA PURC	Hasing Divi	SION,	FOR THE AGENCY,	
	THE WEST VI	RSINIA DEPA	RTHENT OF E	NVIRO	RNENTAL PROTEC-	
	TION'S OFFI	CE OF SPECI	AL RECLAMAT	IDN,	IS SOLICITING	
	BIDS FROM QU	MALIFIED CO	INTRACTORS T	O PRO	VIDE ALL LABOR	
	AND MATERIAL	LS TO PERFO	RM RECLANAT	IDN O	THE MINING	
	OPERATION OF	LOYAL G.	FORMAN AND	SDNS,		•
	REVOKED PERI	MIT NUMBER	(S) S-2009-8		THIS SITE	•
1	CONSISTS OF	APPROXINA	ELY 40 ACRE	SANU	IS LUCATED	1
	MEAR ALBRIG	HI, MA IN	RESION CODE	IIY.		1
	-	Arre dual.	DE DEDENOME	n IINn	ER THE GUIDANCE	
	THE KEULANA	HUM SHALL	DE FERFURNI W DE THE AS	ENT A	SSIGNED TO THE	1
	AND SENERAL	DREEMATOT	ne weet wit	PETRIA	, DEPARTMENT	1
	OF ENVIRONM	ENTAL PROTI	CTION.		A There have a sure as	
	OL CHATKOMI			;		1
1	A MANDATORY	DN-SITE PI	REBID CONFER	RENCE	SHALL BE HELD	
	ON 12/02/201	09 2 10:00	AH. ALL II	TERES	TED PARTIES ARE	
					RE TO ATTEND THE	
1	MANDATORY PI	RE-BID SHAI	L RESULT IN	l bisq	UALIFICATION OF	
	THE BID. NO	ONE PERSO	MAY REPRES	ENT H	DRE THAN ONE	
	BIDDER.					
	AN ATTENDAN	CE SHEET W	ILL BE MADE	AVAIL	ABLE FOR ALL	•
	POTENTIAL B	IDDERS TO	COMPLETE. TI	IS WI	LL SERVE AS THE	_j
					AT THE MANDATOR	
	PRE-BID. FA	ILURE TO P	SOAIDE AONK	COMPA	NY AND REPRESENT	-
	ATIVE NAME	ON THE ATT	ENDANCE SHEE	WIL	L RESULT IN DIS-	
	QUALIFICATION DOCUMENTS	UN UF THE	MID. THE SIA	TE WI	LL NOT ACCEPT AN CE. THE BIDDER I	
	DINEK DULUM	EUD ENGIR	ING THEY HAVE PARKETER WILL	CUNAIL	CE. THE BIDDER I PLETED THE INFOR	7
1	KESLAMSTRE	I'm chook				
* *		<u>                                     </u>		1		
		see a	EVENUE (EIGHT FOR THE FI		DITADNIS	
SIGNATORIE C	i B Lau	uta		PHONE 504~=	290-4608	1/5/2010
mue por Hr		FEN 55-06		3		S TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

### **GENERAL TERMS & CONDITIONS** REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. All quotations are governed by the West Virginia Code and the Legislative Rules of the Purchasing Division.
- 4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 6. Payment may only be made after the delivery and acceptance of goods or services.
- 7. Interest may be paid for late payment in accordance with the West Virginia Code.
- 8. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 11. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mulual written agreement of the parties.
- BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT: If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code (The West Virginia Alcohol and Drug-Free Workplace Act), then the following language shall hereby become part of this Contract: The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor. and Drug-Free workplace ACL. It is understood and agreed that this Contract shall be calcosed by the develoring authority if the Contractor. 1) Fails to implement its drug-free workplace policy; 2) Falls to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority talse information regarding the contractor's drug-free workplace policy."

### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division.
- 2. SPECIFICATIONS: Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Complete all sections of the quotation form.
- 4. Unit prices shall prevail in case of discrepancy.
- 5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 6. BID SUBMISSION: All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019: Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



Request for Allowers

CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE JL Co-Leasing Corp Inc Junter ZANE Road Limont WU 26554

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

ADDRESSIONES TWO EXCENDED HOLD WAS

RREIGHTTERMS DATE PRINTED TERMS OF SALE 11/05/2009 BID OPENING TIME 01:30PK BIO CPENING DATE: 01/05/2010 AMCAINT ITEM MUMBER MITPHICE COP CHANITTY LINE MATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSURE ANY RESPONSIBILITY FOR A BIDDER'S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER. ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET. DIRECTIONS TO PRE-BID: IN PRESTON COUNTY, AT THE BRUCETON MILLS EXIT OF INTERSTATE I-68, TURN SOUTH ON COUNTY ROUTE 26 AND GO 8.0 MILES. TURN LEFT ON COUNTY ROUTE 17 (WOOLEN MILL ROAD) AND THEN TURN RIGHT IMMEDIATELY ON COUNTY ROUTE 26/21 AND GO 2.0 HILES. TURN RIGHT AT THE 4-WAY INTERSECTION AND GO 0.6 HILES. TURN RIGHT ONTO ROCK DRIVEWAY, 1,000 FT TO HAULROAD. ALL WORK MUST BE COMPLETED IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS PREPARED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION AND PURCHASE ORDER ISSUED BY THE DEPARTMENT OF ADMINISTRATION, DIVISION OF PURCHASING. EXHIBIT 5 WEST VIRGINIA CODE 21-110-5 PROVIDES THAT: ANY SOLICITA-TION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBNITS A BID FOR THE WORK TO SUBNIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE ENCLOSED PURCHASING AFFIDAVIT MUST BE THE BID. SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE SPEENEVERSE GIVE FOR TEXAS AND SYMULTIME 304-290-4608 5/2010 ADDRESS CHANGES TO BE NOTED ABOVE <u>-064-5553</u> WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



Request for ACMARGE Quotation

CHUCK BOWMAN 304-558-2157

COMPUTE PROCESS TREES TENTOS

RFQ COPY SCIL CO-Leasing Corptuc 3 Hunter ZAME Road Fairmont, WW 26554 TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

adamente de la company de la c

200000000000000000000000000000000000000	TERMS OF SALE			
11/05/2009 BID OPENING DATE:	01/05/2010	BID OP	ENING TIME 0	:30PM
THE REPORT OF THE PERSON AND ASSESSMENT OF THE PERSON ASSESSMENT OF THE PERSON AND ASSESSMENT OF THE PERSON ASSESSMENT OF THE PERSON ASSESSMENT OF THE PERSON ASS	BEHTY USF CRI	TELLMARET	INSTPREE	INDOVA
LINE CLA	100 HO			
			ne 2017A) C 3D	
VENDOR	R'S COMPLIANCE WI	TH THE PROVISIONS	OF AKIILLE ID;	
CHAPTE	ER 21 DF THE WEST	VIRGINIA CODE. F ING AFFIDAVIT WITH	THE RID SHALL	
MIC II	T IN DISCUSIFICA	TION OF SUCH BID.		
<u> </u>		l : l.		
NOTICE	E TO PROCEED: TH	IS CONTRACT IS TO	BE PERFORMED	*
AUTTES :	KKE CALENDARI DAYS	AFTER THE NOTICE	TO PROCEED	
IS REC	CEIVED. UNLESS O	THERWISE SPECIFIED	, THE FULLY	
		R WILL BE CONSIDER	En Maire to	
PROCEI	ED-		•	
CANCE	LATTON: THE DIE	ECTOR OF PURCHASIN	G RESERVES THE	
DTCHT	TO CANCEL THIS C	MINTRACT INMEDIATEL	Y UPON WRITTEN	
MOTTO	E TO THE VENDOR I	OF THE MATERIALS DR	R WORKMANSHIP	
SUPPL	IED ARE OF AN INF	ERIOR QUALITY OR D	O NOT CONFORM	
		S OF THE THE BID A	MD CUNIKACI	
HERE	IN.	:	•	
LIACE	DATES. THE CONTRA	CTOR OR SUBCONTRAC	TOR SHALL PAY	
l true u	TEHER OF THE U.S.	. DEPARTMENT OF LAS	OR MINIMUM WAS	E
PATES	AS ESTABLISHED F	DR PRESTON COUNTY,	PURSUANT	
TO WE	ST VIRGINIA CODE	21-5A, ET, SEQ. 4	PREVAILING	
MAGE	RATES APPLY TO TH	IS PROJECT)		
	DATEM AND BEE	RENCES MADE TO ARE	RITPATION DR	
THEF	EST END PAVMENTS	DUE (EXCEPT FOR A	Y INTEREST	Į.
beout	RED BY STATE LAW	I CONTAINED IN THIS	S CONTRACT	•
THE THE	ANY AMERICAN INS	STITUTE OF ARCHITE(	CTS DOCUMENTS	
PERTA	INING TO THIS CO	TRACT ARE HEREBY I	DELETED.	ł
1		VENDOR IS REQUI	SEN TO PROVINC	
WORKE	RS. CUMPENSALIUM	RKERS' COMPENSATION	N IF SUCCESSFUL	
1 1		1 -		
ALL O	F THE TTEMS CHEC	KED BELOW WILL BE	A REQUIREMENT	
OF TH	IS CONTRACT:	: [		
	6EE II	EVERES GIDE FOR TEFILMS AND COND	TRAKE	
SHOWATERS C	HOME STORY	304-2	90-46 08 PATE	15/2010
Maria Company	July 185-067			S TO BE NOTED ABOVE
Sic/freas On	DOVIDING TO BEO INGE	RT NAME AND ADDRESS IN	SPACE ABOVE LABEL	ED VENDOR'



Request for \_\_\_\_\_ Quotation

CHUCK BOWHAN 304-558-2157

RFQ COPY LO-Leasing Curptuce inter ZANK Road -mont, WV 26554 TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 26416-9998 304-457-3219

WALLDERS COURSE CONDENSES DO ALTENDO ACCESSOR

STATE PEHA	Eb	71516	ES ON SMILE	59 <b>-8</b> 2-X	la .	£08		PROGRATION	5
11/05/				<u> </u>		DDENTMA TI	real:	I - TODM	
BIO OPENING DATE:	TO A STATE OF THE	01/05/		il a company	ASSESSED TO THE PROPERTY OF THE PARTY OF THE	<u>DPENING TI</u>		L:30PM	
LINE		MITTY	uer SS	TEMMER		LINETEPR		AMEXINT	
	OF COL	AMERCIA	L GENERAL	SFUL VEND LIABILITY	INSURA	NCE PRIOR	TO		
	TECHAL	ICE OF	CONTRACT.	UNLESS D	THERWIS	E SPECIFIE	ED IN		
ļ	THE B	D DOCK	MENTS, TH	E MINIMUM	AMOUNT	of insura)	ICE		
			į.	1					
	( ) 1	BUILDER	S RISK IN	SURANCE:	SUCCESS	FUL VENDOR	SHALL		
	FURNIS	SH PROO	e of Buil	DERS RISK	- ALL N	NE THE COL	UNCE IN		~
	AN AN	DUNT EQ	NAT IN TO	OX OF THE	ARLUNI	or the co	4 S RMC 1 1		
		naure.	CTVE DED	CENT (5X)	OF THE	TOTAL AMO	UNT OF		
	THE R	ID PAYA	BLE TO TH	E STATE OF	: WEST V	IRGINIA, SI	HALL BE		
	CHRMT	TTED WI	TH EACH B	ID AS A BI	D BOND.	. THE SUCI	CESSFUL		
	BIDDE	R SHALL	ALSO FUR	NISH A PER	FORMANC	E BOND AN	D LABOR	1	
	MATER	IAL BON	D FOR 100	N OF THE A	MUUNI U De ace	F THE COM	PKAU1. D CHECY		
	BUNDS	MAY BE	LKOATDED	CREDIT, C	DR BOND	FURNISHED	BA Y		
	SOI VE	NT SURE	TY COMPAN	Y AUTHORIZ	ED TO D	O BUSINES:	s in th	E	
	STATE	OF WES	T VIRGINI	A. A LETT	TER OF C	REDIT SUB	MITTED		
	IN LI	EU OF A	BOND WIL	L ONLY BE	ALLOWED	FOR PROJ	ECTS E Not		
	UNDER	\$100,0 * Table *	UO. PERS	ONAL OR BU THE 5% BI	ID BOND- Solución	PERFORMA	E NUI NCE		
	BOND	DR LAB	OR AND MA	TERIAL BON	VD.		ar an Arit Surp	I	
				1	2				
	( ) M	AINTENA	MCE BOND:	A TWO (2	2) YEAR	MAINTENAN	CE BOND	'	
			ROOFING UL VENDOR	SYSTEN WIL	L BE A	KEARTKEME	RI UF		
<u> </u>	I'ME S	ひじじとちろと	OF ACMOOR	1	•				
					;				
Į	REV.	11/00			g oge gaginer a branche	]			
			Co	NTRACTORS	LICENSE	1		ľ	
-	WEST	VIRGINI	A STATE C	ODE 21-11-	-2 REQUI	RES THAT	ALL		
	PERSO	NS DESI	RING TO P	ERFORM CO	NTRACTIA	e work in	THIS		
	STATE	MUST B	E LICENSE		:	INIA CONT	KACTURS		•.
	İ		SEE	TEVERSE SIDE FOR		NOTACKIS			
SIGNATOR	13	Tai	wto		304-	290-46	08	15/201	0
TOP / +V000	CON	Ner	55-06	4 5553		ADDRI	ess Changi	S TO BE NOTED AB	OVE
11 tel 11 telan		20000		DT NAME AND	ADDDECC	IN SDACE AR	NE LARE	ED VENDOR	· · · · · · · · · · · · · · · · · · ·



## Request for Quotation

DEP14831

CHUCK BOWHAN 304-558-2157

RFQ COPY The Co-Leasing Corptact function ZANG Road function 26554 TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION DEPT. OF DFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 304-457-3219 26416-9998

NAMES OF THE STREET OF THE STR

DATE PROVIDED TEGME OF SALE SALE SALE VA 01:30PM 11/05/2009 BID OPENING TIME 01/05/2010 THEFT BID OPENING DATE MIT PINCE ITEM IN MARKET CHARLES THE LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WY TELEPHONE: (304) 558-7890. WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID. BIDDER TO COMPLETE: SCIL CO Leating Cospinic CONTRACTORS LICENSE NO .: W.V. 00000 7706 THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT. APPLICABLE LAW THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT. ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WIICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THIS BANKRUPTCY: CONTRACT NULL AND VOID AND TERRINATE SUCH CONTRACT SEE NEVERSE SIDE POSTEGUE AND STACKINONS 1987-290-ADDRESS CHANGES TO BE NOTED ABOVE WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



## Request for Quotation

CHUCK BOWMAN 304-558-2157

ENVIRONMENTAL PROTECTION

DEPT. OF

DEPT. OF RFQ COPY TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION

( 000 ( )	,	/	SUE VI.		FOE	FIRE SCHOOL TELEVIS
DATEPRUTED	TE/31	AS OF SALE				
11/05/200	9	2030	BID	OPENIN	G TIME OL:	30PM
BID OPENING DATE:	01/05/ CHARIET	CAT	TEM SUMBLE	,	MITPIACE	RIKOWII
UNE	CKANEILY	160		-		
						,
MIT	THOUT FURT	HER ORDER.				-
		hn nee ne	DOWESTIC STEEL P	RODUCT	S	
PRI						
1.	EYPERT W	HEN AUTHOR	IZED BY THE DIRE	CTOR C	OF THE	
<b> </b>	PURCHASI	NE DIVISIO	N PURSUANT TO SE	RBSELIJ REEL PR	ON Z BELOW	
	NO CONTR	ACTOR HAY	USE OR SUFFE.	N THIS	F STEEL	
	A STATE	CONTRACT	HE UNITED STATES	S AS I	JSED USED IN	
	PRODUCIS THIS COM	MADE IN				
	INTO CO.	1			OTTON DD	
	A. "ST/	TE CONTRA	T PROJECT MEAN	SANY	ALTERATION ON	
1	CDNS	STRUCTION_	OF, OR ANY ADDA	V TREETE	DING OR	
	STA	TE OF MEST	VIRGINIA FOR WHOR AFTER JUNE 6,	2001.		
	. Wet	EL PRODUC	TS" MEANS PRODUC	TS ROL	LED, FORMED,	
				. ACRES & E	THE CONTRACTOR OF THE PARTY OF	
			A COMBINATION OF			
			· BIV VILL DI . PI PILLINI		1 to	,
	HEA	KIN, BASI	THER STEEL MAKIN	IC PROC	CESS.	
1		1 1	<b>.</b>			
1	c. wux	ITTED STATE	S MEANS THE UN	TED S	CONTINENTAL	
			INCLUDES ALL TERI SUBJECT TO THE JI			
	OR	INSULAR,	SUBJECT TO THE S.			
		TED STATE	4			
*   b	THE DIE	ECTOR OF	THE PURCHASING D	IAIZÌD	N MAY, IN	
	A FREE ACTION		SEVERSE SIDE FOR TERMS AND			
			Left-over	1 264	-4608 PME	15/2010
SIGNATURE O	1300	un Vc-			ADDRESS CHANGE	TO BE NOTED ABOVE
T. c / 1/60	overer	T55-06	4-5553	SE IN EDA		
WHE	N RESPONDIN	IG TO RFQ, INS	ERT NAME AND ADDRES	30 H4 OFF	MANUAL SECTION SAME SECTION SE	1



### Request for Quotation

nfommen DEP14831 PAGE

AUDIESS CORRESSANDENS IGARISMENTO

CHUCK BOWMAN

SCJC CO-Leasing Corptain
8 Hunter ZAMEROad
Fairmont, www 26554

ENVIRONMENTAL PROTECTION
DEPT. OF
OFFICE OF SPECIAL RECLAMATION
105 S. RAILROAD STREET
PHILIPPI, WV
26416-9998 304-457-3219

DATE PRINTED 11/05/2009 01:30PM BID OPENING TIME 01/05/2010 BID OPENING DATE: ARET PHACE UCP CHENTER GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN 650,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DONESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR HORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED DNLY IF DONESTIC PRODUCTS ARE 30% DR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS. IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DONESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL. REV. 3/88 EXHIBIT 9 NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED SEE MEVERSE SIDE FOR TERMS AND CONDITION 290-4608 ADDRESS CHANGES TO BE NOTED ABOVE 064-5553 WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



### Request for PEON PROPERTY. Quotation

CHUCK BOWNAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE

ENVIRONMENTAL PROTECTION OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 304-457-3219 26416-9998

NATIONAL PROPERTY OF THE PROPE

		75 57 97 57 57 57 57 57 57 57 57 57 57 57 57 57	us crevite		DINE VAN			FAJE		Fig. 50 II	ates .
11/05/	A KANA CAMPAGNA PARA							UO TIME	01.	30PM	
BID OPENING DATE	:	01/05/				BID	PEN!	NG TIME	30.5	AMELIA	
1.00%		ANNIES	.00		TTERM ATTEMATE	#		LIMIT PRICE			
				**********		1					
		75F 5V	rus so	i i na	ING SCHEDU	LE IN	ISSU]	ING	. [		ļ
	UA UI	THE PT	PROJE	CT A	DDENDA FOR	STATE	AGE	(CIES:	[		l
											1
	(1)	THE ARC	HITECT.	/ENG	INEER SHAL	L PREP	ARE	THE ADDEM	DUM		
•		I TOT A	E ALL	PART	ies that h	AKE LE	UUUK	DDENDAN FR NKWATU	60		
1											ì
	AND L	IST SHA	LL BE	FORM	ARDED TO T THE ARCHIT	HE DUY	CTNE	FR SHALL	ALSO		
1	PURCH	iasing [	HAIRID	N.	ENDUM TO T	HE STA	TE A	SENCY FOR			
	SEND	A COPY	OF THE	AUL Te	ISSUED.						
1	1				1	1					
1	623	TUE BILL	FR SHA	LL S	END THE AD	DENDUM	TO.	ALL			
1	1		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		4 IL MI-19-3	- The State of the		1924 A 100	D		
1	•				THE RESTRICTED TO THE SECOND PROPERTY.	1 1 2 EKC.		A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ME		
	BUYE	R WITHI	4 FOURT	EEN	(14) DAYS	PRIDE	י טון	HE PID	1	=	
	DPEN	ING DAT	타				1				
					D BE FORM	LIV AC	KNOW	LEDSED BY	/ AL	1	
ł	(3)	ALL AD	DENDAR	SHUUI ATTTI	to TO THE	STAT	TE P	URCHASING	<b>3</b>		
		ERS AN	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	CABI	PILIFS	AND RE	EGULA	TIONS			
		SION. Apply	! F	P-8 = K-	E-CTRIAL	ECT TAXAL		LUMENI	_		
			_ L	21	d appending	nacusi	-N 1	IHE UNL	Y - <del>-</del> -25	1	
			# D. W 150 350 151	- (7.87)	Mare Willer (MISSES)		20 0			1	
	SOLE	PURPOS	E OF C	HANG	ING A BID	OPENIN	E III	E ANU/UK			
	DATE					# U					
					1		1				
	REY.	11/96			1	1	1				
						i					
	-	BIT 10				:					
	ADDE	NDUN AC	KNOWLE	DGEN	ENT	į	Į.	*			
x I	9				•	<u> </u>	1		vrn		
[	I HE	REBY AC	KNOWLE	DEE	RECEIPT OF	THE F	OL LU	CNICIDAS Bine Chec	KED To	1	
	ADDE	(S) MUCH	AND H	AVE	MADE THE N	ETCATT	DES .	FTC.		1	
	MY F	PROPOSAL	., PLAN	S AN	TEAN SLEFT	E WENES	Τ', '	· ·		1	•
· <b>1</b>						:			SSS 500057		
	_			≫sele3	6.V(5)665500E30913				DATE	7275	A 1 -
SIGNATURE (	)	27	SG (44 ::	To		307-	<u> 29</u>	0-4608	17	<u></u>	010
TOTAL COLUMN	چملک		1	101	4 5553					S TO BE NOTE!	
Sectore	<u>00</u>	wher	<u> トラフン</u>	<u>ٰڡ ب</u>	RT NAME AND	ADDRES	SINS	PACE ABOVE	LABEL	ED VENDOF	?"
7	WHEN R	ESPONDIN	u IU MM	6, 1145)E	"I I'R I MANAGEM SATARY						

Request for Parkets Quotation

DEP14831 ADDRESS CONSESSION SERVE TO A SERVE OF CONTRACT

10

CHUCK BOWMAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE ENVIRONMENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WY 304-457-3219 26416-9998

	EDESCHIE TERMÉS
SATE OSMETED TERMS OF SALE SHIP VIA	FOR
	PID OPENING TIME 01:30PM
11/05/2009 BID OPENING DATE: 01/05/2010	BILL AMEXINT
LICIP GAN STEMMUMINE	
ENE CANADA	
ADDENDUM NOS.:	
ADDENDON MOO.	
NO. 1	
NO. 2	
ND. 3	
NO. 4	
NO. 5	CTOM THE RECEIPT OF THE
I UNDERSTAND THAT FAILURE TO CON ADDENDUM(S) MAY BE CAUSE FOR REJ	ECTION OF THE BIDS.
ADDENDUNCS) HAT BE CAUSE	
VENDOR MUST CLEARLY UNDERSTAND	HAT ANY VERBAL
VENDOR MUST CLEARLY UNDERSTAND REPRESENTATION MADE OR ASSUMED TO RETHERN VEN	O BE MADE DURING THE STATIVES
ORAL DISCUSSION HELD TO MOT	TROTHG ONLY THE
AND ANY STATE PERSONNEL	in annen to the
INFORMATION ISSUED IN WRITING AN SPECIFICATIONS BY AN OFFICIAL A	DENDUM IS BINDING.
$\frac{1}{2}$	- (1) - (1)
( Vali B. Tanin	SIGNATURE
The state of the control Car	O-TWEDMPANY
CT.C. CO. L. Cus, M.C. Co.	PA " COLII MIE I
to Nutary 5, 2010	DATE
	- ¥
REV. 11/96	·:
HOTICE	
A SIGNED BID MUST BE SUBMITTED	TO
	1
SEE PEYERSESIDE FOR	FREEPHONE 250 WGUS DATE /5/2010
SIGNATURE VO O O O	1377-290-4608 1/3/2010
Van Del Turing	ADDRESS CHANGES TO BE NOTED ABOVE
187 a Chara (haller)	ADDRESS IN SPACE ABOVE LABELED 'VENDOR'
WHEN RESPONDING TO RFQ, INSERT NAME AND	•



Request for Quotation

Transcompension (for the property of the contract of the contr CHNCK BOMMVM 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE, ENVIRONMENTAL PROTECTION DEPT. OF DFFICE OF SPECIAL RECLAMATION 105 S. RAILROAD STREET PHILIPPI, WV 304-457-3219 26416-999B

≥ tairmo	LC,			ERECHT TERMS
	TERMS OF BALLS SHIP VIA		204	
DATE PHINTED 11/05/2009		BID OPENIN	G TIME 01:	30PM
BID OPENING DATE:	5/2010 000 CRT ITEM NUMBER		UNITPRICE	AMBUNT
LINE CRANTITY	100 AG 1124 AGAIN			
PURCI BUILI 2019 CHAR	RTMENT OF ADMINISTRATION DING 15 WASHINGTON STREET, EASLESTON, WV 25305-0130	<b>T</b>		
THE ENVEL	HOULD CONTAIN THIS INFO	RHATION ON BE CONSIDER	THE FACE OF	
SEALED BI	1 1 - 1		*	
BUYER:	CB-23	<u> </u>		
REQ. NO.		1	•	
BID OPENI	ING DATE: 01/05/2010		•	
BID OPEN	ING TIME: 1:30 P.M.			
PLEASE PI	ROVIDE A FAX NUMBER IN CT YOU REGARDING YOUR B	52	and large and make ally days find and	
PLEASE P	RINT OR TYPE NAME OF PE	RSUN 19 CON	- C -	
CONCERNI	HE THIS QUOTE: SCO	TILAUR	eith.	
	SEE REVERSE SIDE HO	TELEPIONE / 20	0-4608 PM	1/5/2010
STRINATURE Jan B	James 1555		ADDRESS CHANG	ES TO BE NOTED ABOVE
SEC/OWN NESPOR	NDING TO RFQ, INSERT NAME AN	D ADDRESS IN SE	ACE ABOVE LABE	LED VENDOR'

Scot Co-Leasing Corptric 8 Hunter Zano Road Fairmond, WN 26554

Loyal G. Forman & Son
Permit Number: S-2009-01
Directions

At the Bruceton Mills Exit of Interstate I-68, turn south on County Route 26 and go 8.0 miles. Turn left on County Route 17 (Woolen Mill Road) and then turn right immediately on County Route 26/21 and go 2.0 miles. Turn right at the 4-Way intersection and go 0.6 miles. Turn right onto a rock based driveway – 1,000 feet to the haulroad.

12

Co-Leasing Corp. Inc Her ZAND Road 10net, who 26554

BUYER PAGE DEP14831 CB-23 SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SUFCIAL RECLAMMENT

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET WV-36 REV. 1/29/02 VENDOR: LERIGHT SPECIAL RECLAMATION LOYAL G. FORMAN & SON REVOKED PERMIT No. S-2009-01 LOCATION MAP SCALE: I" - I MILE

SCSL Co-Leasing Corp. Inco
8 Hunter ZAME Pood
Fairmont, UM 26554 BUYER

REQ. OR PO NO. PAGE DEP14831

SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

VENDOR:

## SCOPE OF WORK

The successful bidder shall provide appropriate equipment, materials, labor and any technical services needed for the successful reclamation of Loyal G. Forman & Son., Permit S-2009-01, and any disturbance associated with such operation. The General Performance Standards (GPS) shall apply to all items in Scope of Work.

Work necessary on this site will include the following items, but is not limited to these:

- 1. Upon mobilization to the site, which will be directed in a written Notice to Proceed, the access roads shall be developed in accordance with bid item # 3.0. If, fuel and lubricants are to be stored on site, bid item # 2.0 shall be in place before fuel is delivered. Project sign shall be constructed and erected in accordance with attached specifications. The sign shall be maintained during construction activities and through the life of the warranty period. Sign cost is a No Bid Item and is included with mobilization cost. No work shall be authorized or allowed at the site until sign is constructed and erected on site and approved by DEP.
- 2. Storm water management, as necessary, in the form as described, in the National Pollutant Discharge Elimination System, Water Pollution Control Permit Number WV0115924, existing sediment control ponds and in additional bid item # 11.0 & 12.0 shall be installed. See Water Quality Control under the General Performance Standards.
- 3. Concurrent and continuous reclamation shall be maintained throughout the life of the project. Backfill is required for all areas. Regrading and topsoiling is required for all areas. Revegetation and soil improvements are required for all areas. Reclamation is to be according to the attached specifications, plans, and clarifying discussions at the Pre-Bid Conference.
- 4. Construction stakeout as necessary to carry out work. (Bid Item # 7.0 )
- 5. Check for and locate all utilities within the work area to provide and maintain a safe working area in addition to preventing damage to the utility.
- 6. Remove any and all debris from site. Contractor must provide documentation of proper disposal. Debris disposal shall be incidental to and included in Mobilization/Demobilization.
- 7. Backfill to eliminate approximately 1,300 linear feet of highwall and/or open pit. All existing spoil piles shall be used for backfill material and shall be regraded to establish a sheet flow drainage pattern toward Ditch 3 and Ditch 5. The contractor shall set grade to balance existing available material. All backfilled and regraded surfaces shall be no steeper than 2 horizontal to 1 vertical. No pooled or standing water shall be allowed on regraded area. After backfilling the best soil type material available shall be uniformly spread over the regraded area to promote vegetative growth.
- 8. Any water impounded in pits shall be pumped out prior to backfilling. The water shall be pumped to the existing Pond A. Water quality parameters of less than 35 mg/l total suspended solids and pH of between 6.0 and 9.0 shall be maintained prior to water entering the existing Pond A. Any time a pump is running on site, responsible personnel shall be provided to ensure water quality. The cost of pumping and any necessary water treatment shall be incidental to and included in backfilling.

Sct Co-Leasing Corp Inco 8 Hunter ZAME Road Fairmont LM 26554 BUYER CB-23

15 REQ. OR PO NO. PAGE DEP14831 SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

- 9. Construct approximately 1,000 linear feet of Ditch 1, ending at Ditch 2. This shall include the construction of spurs, which will be of the same size and specification as Ditch 1, up to the 2 existing road culverts and the construction of a drive-thru crossing. The drive-thru crossing shall have its sides laid back to be 5 horizontal to 1 vertical, while maintaining the designed flow depth.
- 10. Construct approximately 200 linear feet of Ditch 2, within Ditch 3, starting at the discharge of Ditch 1.
- 11. Construct approximately 1,000 linear feet of Ditch 3, ending at Ditch 4. Ditch 3 shall be grass lined with jute crosion control matting staked in place with 6 inch long "Bio-STAKEs" or equivalent (See Details and Specifications).
- 12. Ditch 2 and Ditch 3 shall be constructed by expanding the existing channel. This expansion shall be done by excavation on the side of the existing channel toward the highwall, No disturbance shall be allowed beyond the existing channel on the side away from the highwall.
- 13. Construct approximately 250 linear feet of Ditch 4, ending at Pond A.
- 14. Construct approximately 650 linear feet of Ditch 5, ending at Ditch 6. Ditch 5 shall be grass lined with jute erosion control matting staked in place with 6 inch long "Bio-STAKEs" or equivalent (See Details and Specifications).
- 15. Construct approximately 250 linear feet of Ditch 6, ending at Pond A.
- 16. Note: All stone for rip-rap and grouted rip-rap ditches shall be limestone obtained from off site due to the unsuitability of on site stone. Note: Due to the minimal slope, Ditches 2, 3, and 5 shall be laid out with surveying instruments to ensure consistent grade and no areas of pooled water.
- 17. Lime entire permit area evenly and uniformly with 200 tons of agricultural lime. Lime shall be spread by using a lime spreader or hydroseeder.
- 18. Install 300 linear feet of haybale dike for sediment control during and after construction.
- 19. Install 2,500 linear feet of silt fence for control during and after construction. Approximately 1,250 linear feet of the silt fence shall be placed on the upslope side of Ditch 3. Approximately 650 linear feet of the silt fence shall be placed on the upslope side of Ditch 5 and Ditch 6.
- 20. Regrade and revegetate approximately 40 acres of disturbance. The post-mining landuse is split on this permit. Black locust shall be included in the seed mixture for areas shown as woodland on the attached seeding detail. Black locust shall not be applied to areas shown as pastureland on the attached seeding detail. Inspection and Enforcement files.

0 10:59AM UPS STURE	tuc
Sct L Co-Leasing Corpy	1
Fairmond an 26554	BUYER PAGE REQ. OR PO NO. CB-23 SPENDING UNIT SPENDING UNIT SPENDING UNIT SPENDING UNIT
,	PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

I, David L. Martin, Sr., the undersigned, hereby certify <sup>1</sup> that this Reclamation Plan is correct and shows to the best of my knowledge and belief all the information required by the surface mining laws of the State of West Virginia. The source of information was the approved mining and reclamation plan contained in the forfeited surface mine permit, existing site conditions and information contained in the WV DEP, Inspection and Enforcement files.

Registered Professional Engineer WV No. 7202

Date SEPTEMBER 28, 2009

The term "certify" as used herein is defined as follows: sometimes a warranty or guarantee, either expressed or declaration of professional judgment. It does not constitute a warranty or guarantee, either expressed or implied.

Hunter ZAND Road
Tairmont, WW26554 CB-25
SPEN 17 REQ. OR PO NO. BUYER PAGE CB-23 **DEP14831** SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a

STATE OF WEST VIRGINIA

RBV. 5-26-09	PURCHASING CONTINUATION SHEET
VENDOR:	

M	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
<u>,                                    </u>		BID SCHEDULE		<u> </u>
		PERMIT NAME: Loyal G. Forman & S	<u> </u>	
		PERMIT NUMBER(S): S-2009-01		
	TARREST .	reserves the right to request additional inform	anitrocopa ima miku	
	documentati	ion regarding unit prices when the unit price appear	s to be unressonable.	
		TOWNS THE TOWN PROPERTY AND A PROPER	INTERNATION STATE	Jan M
D	LUMP SUM	MOBILIZATION/DEMOBILIZATION/PROJ (5% Total Bid Maximum for this permit)	ENT 2104 DOWN	70,000
0	3	SPILL CONTAINMENT AREA (S.C.A.)	LÜMP SUM	\$ 1,000
•		(\$1,000.00 Maximum Bid for this permit)		
0	LUMP SUM	HAULROAD/ACCESS ROAD	LUMP SUM	3,000
-		(5% Total Bid Maximum for this permit)		,
_	T TD 40 OT MA		LUMP SUM	18450 00
0	LUMIT SUM	BACKFILLING		
			LUMP SUM	607 da
0	LUMP SUM	REGRADING AND TOPSOILING	LAJNIK SUB	100 C
^		REVEGETATION		
0		KALVEGILI AT LONG		
.I	I HIMP SHM	AGRICULTURAL LIME	LUMP SUN	1510,000
	LOME GOIG	AGRICULTURAL LEDGES		7
.2	LUMP SUM	PERTILIZER	LUMP SUM	15 <u>10,00</u>
				'
.3	LUMP SUM	MULCH	LUMP SUM	10,00
4	LUMP SUM	VEGETATIVE SPECIES	LUMP SUI	10,00
				,
0.	LUMP SUM	CONSTRUCTION STAKEOUT	LUMP SUN	3,000
		: : :		
0.		RIP-RAP DITCH	No.	
	1	DITCH 2		15,00

SCJL Co-Leasing Corp Truc 8 Hunter ZAND Road Fairmout, WM 26554 BUYER CB-23 EDENTOR

REQ. OR PO NO. PAGE DEP14831

SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTIONSPECIAL RECLAMATION

V-36a gv. 5-26- gndor:		OF WEST VIRGINIA IASING CONTINUATION SHEET	-		AMOUNT
		DESCRIPTIO	ON	UNIT PRICE	AMOUNT
	QUANTERY		*		-
NO. 9.0		GROUTED RIP-R	AP DITCH		
	LUMP SUM	,	:	LUMP SUM	E &
9.1	POM DO		÷	TTRED CTTAS	11.500
9.2	LUMP SUM	DITCH 4		LUMP SUM	\$10,500 \$17,500
	LUMP SUM	тетсн 6		LUMP SUM	17,500
9.3	LOWI GOVE		;		
10.0		GRASS-LINE	D DITCH		-
			-	LUMP SUN	1 8 1 5,000
10.1	T TIMP SUB	DITCH 3	• •		
10.1			1	LUMP SUR	u <u>= 15,000</u>
10.2	LUMP SUR	M DITCH 5	•		
		5	:	\$ 5.00	1,500
11.0	_300_LP	HAYBALE DIKE (Max. Bid \$5.00 Per LF)	,	ì	1 8
			ŧ	s <u>5, ∞</u>	12,500
12.0	2,500 L	F SILT FENCE	:	PERLF	
		(Max. Bid SS.00 Per LF)		NO BID IT	EM NOBID HEM
120	NO BID IT	EM UTILITIES	•		
13.0	1,0		0 Y1 1		- 6000
14.0	200 TO	N LIMING	1 1	PER TO	0 5,000 N
			Ž.		
			· •		
			!		
	Į.		:		
1	•				
	1			ħ	\$690,00
1	ŧ.	TOTAL FOI	R (S-2069-01)		,
	l l	Suffundred 7	mty housand	copiars	
	1	Suf Huneres			
	1	\	÷	į	
			•		
1.			-		
-	1				

Scot Co-Leasing Corp Inic 8 Hourter ZADR Road Fairmont, WW 26-554 1

REQ. OR PO NO. PAGE BUYER DEP14831 CB-23 SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

## BID ITEM TECHNICAL SPECIFICATIONS

1.0 MOBILIZATION/DEMOBILIZATION/PROJECT SIGN A project sign shall be obtained or manufactured and installed as indicated on the attached specifications and details. Payment for this sign shall be incidental to the mobilization item. No separate payment will be made.

This work shall consist of the performance of construction preparatory operations, including the movement of personnel, equipment and other facilities to the project site necessary to begin work on a substantial phase of the

Prior to demobilization, an inspection shall be conducted by the Department of Environmental Protection and the contractor to insure compliance with contract performance. Once compliance is ascertained, demobilization activities can be initiated and completed. Demobilization shall be totally completed before the invoice for payment shall be processed.

The lump sum bid for this item shall not exceed 5% of the total bid for this permit. Payment shall be made in two 50% amounts, one upon completion of the mobilization and project sign items and the second payment at the completion of demobilization. No deduction shall be made nor shall any increase be made in the lump sum item amount, regardless of decreases or increases in the final total contract amount or any other reason.

1.0 STRUCTURE AND/OR DEBRIS REMOVAL

All existing man-made items particular to the site and not to be pullized in the total reclamation of this site shall be demolished (if necessary) and disposed of in a legal manner. All iron, steel, aluminum, or any other metal, plastic, or any other man made material, including but not limited to I-Beams, Angle Iron, Channel Iron, Corrugated Metal, Flat Metal, Floc Drums, Grease Drums, Pipe or Conduit is to be dismantled, removed and properly disposed of off site and according to state, local, and federal requirements.

2.0 SPILL CONTAINMENT AREA (S.C.A.) Spill containment measures shall be used for fuel and lubricant storage areas. All containers, barrels, backets, cans, etc., are to be legally disposed of off site. Used lubricants are to be disposed of according to state law to minimize pollution to the local surface and ground water supplies. Spills are the responsibility of the contractor and need immediate clean up and maintained at no expense to the State. This S.C.A. shall be constructed in accordance with the typical drawing specification. (See Attachment) Alternate containment measures will be considered for approval by the Program Manager if acceptable results can be shown. Fuel tanks manufactured with secondary containment are desirable. Minimum secondary containment is 110 percent. (Bid limited to \$1,000.00 maximum)

3.0 HAULROAD/ACCESS ROAD

The contractor shall maintain and/or construct haul-road/access road during the reclamation process to provide access on a well drained surface. The access road to and on the reclamation site shall be graded, sloped, and maintained to drain to provide a road surface free of excessive mud and standing waters at all times while work is in progress. Roads which are below the project shall be guarded against rolling rock and free there from. Dust-control measures may be necessary if hauling creates airborne material. Snow removal is to be included in this item. Any portions of access road with existing stone shall be maintained throughout the project, and left in equal or better condition upon completion of the project. The onsite DEP inspector shall determine road sections requiring additional stone.

Areas of this project subject to backfilling to achieve the post-mining land-use shall: be accomplished in a continuous concurrent manner on all surface disturbances within the original permit and associated disturbed areas as existing at bid showing; be filled by mechanical methods to eliminate highwall and rock outcropping, to produce slopes of consistent lines and of the approximate original contour; be free of protruding rock and debris; be compacted in a progressive backfilling manner with mechanical equipment to ensure stability of backfill material. SCJL Co-Leasing Corp. Tric 8 Hunter ZAND Road Fairmont un 26 554

28

REQ. OR PO NO. PAGE DEP14831

SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTIONSPECIAL RECLAMATION

WV-36a REV. 5-26-09

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

The maximum acceptable slope of any backfill face shall not exceed two (2) horizontal to one (1) vertical, unless otherwise stated. Backfilling shall cease during periods of adverse site conditions. (For example: excessive soil moisture)

Concurrent regrading and topsoiling shall immediately follow backfilling and shall distribute topsoil or the best available material to support vegetation, as identified by the Department of Environmental Protection contact person, on the surface of the backfill in a smooth, uniform manner. This item shall include the elimination of all rills and gullies, the construction of sediment control sumps, the removal of sediment control sumps, the grading of spoil and/or fill materials. Surface shall be free of all rock exceeding six (6) inches in diameter and shall be tracked, track to track. Topsoil presently stockpiled on site shall be preserved and spread on the fill surface. In the absence of stockpiled topsoil, material which can be used as a topsoil substitute shall be identified, segregated, and stockpiled for spreading on the surface. If necessary to manufacture fines, mechanical treatment to pulverize the surface layer shall be required. Regrading and topsoiling shall be conducted prior to and in preparation for the revegetation item.

The actual seeding date, within the work performance period, shall be at the discretion of the contractor, but a permanent vegetative cover must be established. Verification of materials used shall be required for payment. Seed bed preparation, unless otherwise approved, shall be conducted by industrial disks or tracking with heavy equipment with cleat marks across slope and parallel to the final contours. The surface shall be tracked, track to track. Seeding shall commence after seedbed preparation on a loose and uncompacted soil and with the approval of the Department of Environmental Protection. Contractor shall provide equipment as necessary to secure approval of the seedbed. Revegetation activities shall be carried out in a continuous, concurrent, timely and uniform manner. Failure to do this may result in nonpayment for portions of or the entire Revegetation item. Hydroseeding or broadcast seeding with the approved species is acceptable. The application rate may be increased but the ratio is to remain constant, but no additional monetary compensation will be awarded. Areas outside the limits of construction, disturbed by the contractor, shall be revegetated by the contractor at no expense to DEP. Water utilized for hydrosceding shall be free of injurious or other toxic substances harmful to plant life. The source of water is subject to the approval of the DEP Specialist. It shall be the vendor's responsibility to repeat the procedures under REVEGETATION until a permanent vegetation is established. The acreage quantities in this contract are for bidding purposes only.

A warranty period of one (1) year shall commence upon completion and payment of the revegetation item of the contract. No payment will be made for additional seeding necessary to comply with warranty requirements. The warranty period will be extended for one (1) year from the date of the last augmented seeding done by the contractor, The performance bond and labor and materials bond shall remain in effect throughout the warranty period. The Standards for Evaluating Vegetative Cover as presented in Title 38, CSR2, Section 9 of the West Virginia Surface Mining Reclamation Regulations will apply.

Equipment for the retracking/scarification to eliminate rills and gullies shall be mobilized and utilized to produce slopes consistent with the regrading and topsoiling bid item prior to warranty reseeding. No additional payment will be made by DEP for this warranty work.

Unless otherwise specified, all lime used shall be registered with the West Virginia Department of Agriculture, have 6.1 AGRICULTURAL LIME an 85% minimum calcium carbonate equivalent, and meet the fineness classification no larger than that for ground lime. The following fineness classifications or combinations of lime are acceptable:

- 100% passing a U.S. Standard 20 mesh sieve Pulverized

70% passing a U.S. Standard 100 mesh sieve - 90% passing a U.S. Standard 20 mesh sieve

Ground - 50% passing a U.S. Standard 60 mesh sieve

2010	11:01AM	UPS	SIUKE		4. :
سر دیس	-11 d	10	@ Cinso	CUIP	INL
2	JL LO			Das	الم
0	Literal	Ver	SHA	2 7	· ·
8	Hunt Hunt		<u> </u>	1 2659	54 <sub>"-</sub>
1-0	irm c	) ret	$\mathcal{L}$	<u>, a                                   </u>	,
( ~			/		
					. 1

		REQ. OR PO NO.
BUYER	PAGE	DEP14831
CB-23 SPENDING UI WEST VIRGINIA	THEPARTMENT	OF ENVIRONMENTAL
PROTECTIONSE	ECIAL RECLAN	WILEY.

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

- 35% passing a U.S. Standard 100 mesh sieve

Use of blends and low-grade agricultural liming materials shall require prior approval. Lime shall be spread as soon as possible after delivery to site. Lime shall be applied evenly and uniformly distributed over the treated area. Lime shall be thoroughly mixed into the soil material. Lime subjected to adverse conditions before spreading will be deemed unacceptable. Failure to complete this phase shall result in nonpayment of this bid item.

Lime shall be applied at 3 ton/acre.

Fertilizer rates given for REVEGETATION are for 1,000 lbs. of 10-20-20 per acre. These rates are minimum and for bidding purposes.

Fertilizer shall be applied evenly and uniformly distributed over the treated area. Common complete fertilizers which meet the minimum standards are acceptable.

### 6.3 MULCH

Acceptable mulch for this project is wood fiber, hay, or straw.

Mulch: Wood Fiber @ 1.0 ton/Acre

Hay or straw mulch may be substituted at a rate of 2 tons/Acre

Seeding rate required is for pure live seed (pls) in pounds per acre. The use of annuals or cover crops will 6.4 <u>VEGETATIVE SPECIES</u> not be considered for vegetative success.

VEGETATIVE SPECIES 1	RATE/ACRE '
Orchard Grass	@ 30 lbs/acre
Orchard Class	@ 15 lbs/acre
Birdsfoot Trefoil <sup>2</sup>	@ 10 lbs/acre
Red Top	@ 10 lbs/acre
Switchgrass	
Perennial Ryegrass Alsike Clover	
Alsike Clover	
Black Locust	@ 1 lbs/acre
Foxtail Millet	@ 12 lbs/acre
Wheat or Rve	@ 50 lbs/acre
· I! Compared	live ceed in pounds

1. Seeding rate required is for pure live seed in pounds (lbs) per acre.

- 2. Herbaceous legumes must be treated with the appropriate bacterium before seeding.
- 3. This species to be utilized only for woodland post-mining land-use projects.
- 4. Spring Mix
- 5. Fall Mix

Scoth de Leasing Corp Trice 8 Hanter ZANDe Apad Fairmont un 26554

REQ. OR PO NO. PAGE BUYER **DEP14831** CB-23 SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

7.0 CONSTRUCTION STAKEOUT This work shall consist of furnishing, placing, and maintaining construction layout stakes necessary for the proper execution of the work required under the Contract, production of as-built drawings, and of performing topographic surveys and obtaining surveyed cross-sections for accurate determination of pay item quantities. Construction stakeout shall be under the supervision of a Registered Professional Engineer or Licensed Land Surveyor and all drawings signed and/or sealed by such. The Department shall provide control points for initial layout of the work. (Shall not exceed 5% of the total bid for this permit.)

### A. MATERIALS

Wooden stakes and other marking materials as described herein.

## B. CONSTRUCTION METHODS

- B(1). The Contractor shall locate and reference the construction baseline within the limits of work and shall establish bench marks for the proper layout of the work. The Contractor shall make all calculations involved and shall furnish and place all layout stakes or markers.
- B(2). The Contractor shall provide field forces and shall set all additional stakes needed, such as offset stakes, reference point stakes, slope stakes, pavement and grade stakes, stakes for roadway drainage, subdrains, trench drains, fence, culverts or other structures, supplementary bench marks and any other horizontal or vertical controls necessary to secure a correct layout of the work.
- B(3). The location of the slope stakes for grading work shall be determined by a calculation method. Elevation control hubs with guard stakes shall be set, at a convenient distance outside the construction limits, and at all stations where original cross-sections are taken. The centerline station, the distance from centerline, and the elevation of the hub shall be recorded on each guard stake.
- B(4). The Contractor shall be responsible for having the layout staking work conform to the lines, grades, elevations, and dimensions called for on the Plans. The Contractor shall be responsible for reporting any discrepancies to the Supervisor for clarification. Minor adjustments to suit field conditions are anticipated and it shall be the responsibility of the Supervisor to make decisions regarding adjustments.
- B(5). The Contractor shall survey cross-sections and/or profiles in areas of on-site excavation, off-site excavation, and ditch construction as necessary to permit accurate determination of pay item quantities. The locations and spacing of cross-sections and profiles shall be as approved or as directed by the Supervisor. Cross-sections and profiles shall be surveyed:
  - a) prior to any excavation
  - b) at the completion of excavation
- B(6). The Contractor shall furnish a copy of his survey records for the Supervisor and for the DEP's permanent file. These records shall be furnished as they are completed during the progress of the work. Any inspection or checking of the Contractor's layout by the Supervisor and the acceptance of all or any part of it shall not relieve the Contractor of his responsibility to secure the proper dimensions, grades and elevations of the required work.

0	11:02AM	UPS S	STORE			
<	170	Col	easi	NO C	bop =	ne
0	Humi	Jer	ZA	460	كهمكا	
0	- '		<u> </u>	N. 2	6554	<u></u>
1	airn	Non	المراد	~ ~		B
						<u> </u>

REQ. OR PO NO. PAGE UYER DEP14831 **B-23** SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

Provide all materials, excavate and construct ditch or channel as indicated on the attached typical plans, crosssection, specifications, and as discussed at the Pre-Bid Showing. Channels and ditches shall be free draining upon completion of construction. Length of channel may be adjusted to meet on site conditions. (See riprap specifications) R-5 limestone riprap shall be used at a thickness of 1 1/2 feet.

Unless otherwise noted shall be durable rock placed in a 1.5 foot thick blanket. Twenty-five percent (25%) of the rock will be 18 inches or larger. Ten percent (10%) of the rock shall be no smaller than six (6) inches. The remaining sixty-five percent (65%) of the rock shall be well graded between six (6) and eighteen (18) inches. Inplace rammed or hammered rock shall be acceptable.

The grout filler shall be composed of a mixture of one part Type II (sulfate resistant) portland cement and three parts sand, mixed with water to produce a workable consistency. The stone shall be thoroughly wet immediately before grout is applied. As soon as the grout is deposited on the surface, it shall be thoroughly worked into the joints. The stones shall then be brushed, so that their top surfaces are exposed. Grout shall penetrate 100% of the riprap thickness.

Provide all materials, excavate and construct disch as indicated on the attached typical plans, cross-section, 10.0 GRASSLINED DITCH specifications and/or discussions at the pre-bid showing. Lining shall be jute erosion control matting with 60 - 65% open area, anchored in place with six (6) inch "BioStakes" or equivalent, in accordance with Detail Drawings. "Bio-Stakes are made of a corn-based polymer and biodegrade fully in three (3) years. Installation is to be per manufacturers specification. Location determined after regrading. Length of ditch shall be adjusted to meet on site conditions.

Disturbed areas which have storm water runoff which does not pass through a sediment control structure 11.0 HAYBALE DIKE shall utilize the following method to manage storm water runoff: Max. Bid of \$5.00/L.F. Hay Bake Dike-

- 1. All bales shall be placed on the contour.
- 2. Bales shall be placed in a row with ends tightly abutting the adjacent bales and embedded as shown on the Haybale Dike Detail.
- 3. Bales shall be securely anchored in place by stakes driven through the bales. The first stake in each bale shall be driven toward previously laid bale to force the bales together. Construction of sumps (paid under bid Item 5) may become necessary to supplement the hay bale dikes.

12.0 SILT FENCE CONSTRUCTION Silt fence shall be placed on the contour. On slopes with grades greater than seven (7%) percent, the silt fence should be located at least five (5) to seven (7) feet beyond the base. Turn the ends of the silt fence upslope so that a certain depth of storm water may be retained in front of the silt fence. The impounded depth should be at least twelve (12) inches, but no more than the height of the silt fence. Hay bale dike shall be staked in place at the end of the row of silt fence as an emergency overflow. This will allow detained water, exceeding the capacity of the silt fence, to be filtered and released quickly. Silt fence shall not be installed in streams or swales or in any area where there is a reasonable chance of concentrated flow. In areas where concentrated flows can be expected, use haybale dike with the construction of sumps. The bottom edge of silt fence shall be entrenched and backfilled.

The silt fence should be purchased in a continuous roll cut to the length of the barrier to avoid the use of joints. When joints are unavoidable, filter cloth should be spliced together only at a supporting post, with a minimum six (6) inch overlap and securely sealed. See Silt Fence Details and installation requirements. Payment for silt fence will be by the linear foot installed. Cost of the Silt Fence shall include the removal from the project upon

) 11:03AM UPS STURE	<del></del>
SCIT Co-Leasing Corp-	-‡/\/ (
SCITI Co-Leasing Corp. 8 Hunter ZAND ROAC	<u> </u>
Fairmont, wu 2655	BC
Tarri V	CF SP

REQ. OR PO NO. PAGE JYER DEP14831 3-23 SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION SPECIAL RECLAMATION

3045999052

WV-36a REV, 5-26-09 VENDOR:

STATE OF WEST VIRGINIA

PURCHASING CONTINUATION SHEET

stabilization and permanent vegetation being established.

INSPECTION - Inspect silt fence before anticipated storm events (or series of storm events such as intermittent showers over one or more days) and within twenty-four (24) hours after the end of a storm event of 0.5 inches or greater, and at least once every fourteen (14) calendar days. Where sites have been finally or temporarily stabilized, such inspection may be conducted only once per month.

MAINTENANCE - Sediment should be removed once it has accumulated to one-half (1/2) the original height of the barrier. Filter fabric should be replaced whenever it has deteriorated to such an extent that the effectiveness of the fabric is reduced (approximately six (6) months). Silt fence should remain in place until disturbed areas have been permanently stabilized. All sediment accumulated at the fence should be removed and properly disposed of before the fence is removed. Price of the Silt Fence shall include the removal of it from the project upon stabilization and permanent vegetation being established.

PAYMENT - Payment will be by the linear foot installed.

Utilities shall be relocated at the direction of the utility company and reimbursed actual cost to the contractor. This is a "No Bid" item due to the method of reimbursement. It is the contractor's responsibility to determine the exact location of each utility in the project area where these utilities would be interrupted or damaged by performing work.

Liming of open pits is to be carried out at a rate of 40 tons/acre. All potentially toxic material shall be 14.0 LIMING cleaned from the pavement prior to spreading lime uniformly over the exposed pavement. This potentially toxic material shall be placed on a pad prepared in the backfill. The top of the pad shall be a minimum of 4 ft. above the pavement, located out of any water course and away from the highwall. Lime shall be blended with the toxic material or (lime shall be spread over top of toxic material.) Coal refuse shall be treated in the same manner as the toxic material above and according to the attached specifications. Lime at a rate of 40 tons/1000 tons. (Unless exact tons are specified in the Scope of Work)

Unless otherwise specified, all lime used shall be registered with the West Virginia Department of Agriculture, have an 85% minimum calcium carbonate equivalent, and meet the fineness classification no larger than that for ground. The following fineness classifications or combinations of are acceptable:

Pulverized - 100% passing a U.S. Standard 20 mesh sieve

70% passing a U.S. Standard 100 mesh sieve

- 90% passing a U.S. Standard 20 mesh sieve Ground

- 50% passing a U.S. Standard 60 mesh sieve

- 35% passing a U.S. Standard 100 mesh sieve

Use of blends and low-grade agricultural liming materials shall require prior approval. Lime shall be spread as soon as possible after delivery to site. Lime shall be applied evenly and uniformly distributed over the treated area. Lime shall be thoroughly mixed into the soil material. Line subjected to adverse conditions before spreading will be deemed unacceptable. Failure to complete this phase shall result in nonpayment of this bid item.

Scott do Leasing Corporate 8 Houter Zhine Apad Fairmout, WN 26554 BUY

REQ. OR PO NO. PAGE DEP14831 CB-23

SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 **VENDOR:** 

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

## BID PREPARATION INFORMATION

Prospective bidders may review files at the West Virginia Department of Environmental Protection, HISTORICAL INFORMATION Charleston, WV office, or the Regional West Virginia Department of Environmental Protection Office at 105 South Railroad St., Philippi, WV 26416. These files may contain additional information not included in the contract. Documents including, but not limited to, permit applications, permits, inspection reports, environmental documents, permit violation history, geological and geotechnical information, probable hydrologic consequences, maps, modifications, NPDES information and other related data. Copies may be obtained upon request and payment of copying fees.

# EXAMINATION OF BID PACKAGE AND SITE OF WORK

The bidder is required to examine, carefully, the bid package (plans, specifications, supplemental specifications, contract forms, etc.) and the site of the work contemplated. The submission of a bid shall be considered prima facie evidence that the bidder has made such examination and has judged for and satisfied themselves as to the character, quantity, and quality of work to be performed and the materials required to be furnished under the contract.

Only the prospective bidders on the sign-in sheet in attendance for the entire Pre-Bid Conference will be PREBID CONFERENCE eligible to submit bids for consideration of this project. Considerable foot travel over rough terrain and/or inclement weather may be required.

The information given at the pre-bid showing by the project contact person or the assigned person shall be VIDEO documented on video tape and shall be an integral part of this contract's requirements, but will not supersede the written contract. All information on video tape that is new or provides clarification to the specifications, will be issued in writing by a formal addendum and will become part of the written contract.

The intent of the contract is for the reclamation/restoration of forfeited mine lands as required by West INTENT OF CONTRACT Virginia Department of Environmental Protection. The contractor is to provide for the construction and completion in every detail of the work described. The Contractor shall furnish all labor, materials, equipment, tools, transportation, and supplies required to complete the work in accordance with the Plans, Specifications, and terms of the Contract.

Should any misunderstanding arise as to the intent or meaning of the Contract, or any discrepancy appear, the decision of the Director of Division of Land Restoration shall be final.

SCJL Co-Leasing dorp tric 8 Hunter ZAND Road Fairmont, WW 26554 BUT CB

REQ. OR PO NO. PAGE BUYER DEP14831 **CB-23** 

SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

## GENERAL PERFORMANCE STANDARDS

The performance standards and non-compliance penalties which govern special reclamation-bond forfeiture INTRODUCTION projects are in Chapter 22A, Article 3, of the Code of West Virginia and subsequent rules and regulations. The following performance standards are of a general nature and do not represent all the performance standards applicable to a special reclamation-bond forfeiture project. However, some or all of these standards will pertain to each project.

## BACKFILLING

- 1. Unless otherwise noted, the highwall shall be climinated and the disturbed area graded to the approximate original contour.
- 2. The material used to backfill and eliminate the highwall shall be sufficiently compacted so as to insure stability of the backfill throughout the warranty period.
- 3. The land above the highwall shall not be disturbed unless otherwise directed.
- 4. The best available material to support vegetation, sufficient to establish a permanent vegetative cover and to achieve the approved post mining land use, shall be used.

### BLASTING

The performance standards of the blasting regulations must be adhered to.

The purchase order contract becomes effective on the starting date as specified in the notice to proceed as LIFE OF CONTRACT issued by the Department of Environmental Protection. This contract extends for a period of one (1) year and may be renewed until such "reasonable time" thereafter as is necessary to complete the payment therefore. A responsible Contractor's Agent shall be on the site at all working times who demonstrates a knowledge of mined land reclamation, contract requirements and responds to DEP (owner) inspections.

## WORK PERFORMANCE PERIOD

The work performance period is a defined portion of the contract in which all items shall be completed. The work performance period is to be performed within 365 calendar days. Extensions may be granted based upon contractor's performance, weather conditions and site-specific site conditions.

A notice to proceed shall be issued to the Contractor by the project contact person for the Department of NOTICE TO PROCEED Environmental Protection. Actual construction may only begin after a Notice to Proceed is given and as specified. Such notice shall specify the starting date of the Purchase Order, the work performance period, and the completion date of the work performance period.

Hurster ZAM Apad Fairmont, WW 26554 B

REQ, OR PO NO. PAGE BUYER DEP14831 CB-23 SPENDING UNIT WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 VENDOR:

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

## PRE-CONSTRUCTION CONFERENCE

The Contractor in possession of the awarded purchase order shall schedule a Pre-Construction Conference on the site within ten (10) days after receiving the Notice To Proceed. The Contractor's foremen or the on-the-ground supervisor must be in attendance.

This contact is under the general supervision of the West Virginia Department of Environmental Protection's GENERAL SUPERVISION contact person for the purpose of contract compliance inspection only. Contractor shall supervise work being conducted at all times. All services rendered by the Engineer/Contact Person consist of professional opinions and recommendations made in accordance with generally accepted engineering practice. Under no circumstances is it the intent of the Engineer/Contact Person to directly control the physical activities of the Contractor or the Contractor's workmen's accomplishment of work on this project.

The contractor is responsible for compliance with all aspects of this written contract. No changes will be CONTRACTOR RESPONSIBILITY honored without prior approval from the Program Supervisor.

The Contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and LAWS TO BE OBSERVED regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority, which in any manner affect those engaged or employed on the work, or which in any way affect the conduct of the work. The Contractor shall at all times observe and comply with all such laws, ordinances, regulations, orders and decrees; and shall protect and indemnify the State and its representatives against any claim or liability arising from or based on the violation of any such laws, ordinances, regulations, orders, or decrees, whether by themselves, their subcontractors or their employees.

## PERMITS, LICENSES AND TAXES

The Contractor shall procure all permits and licenses, pay all charges, fees, and taxes, and give all notices necessary and incidental to the due and lawful prosecution of the work.

CONCURRENT RECLAMATION Reclamation of this project shall commence at a definite point as defined and shall progress from that point with total reclamation to include backfilling, grading/regrading, and revegetation. Changes may be granted based upon weather or differing site conditions with prior approval.

WATER QUALITY CONTROL Shall commence with initial start-up of the project and remain in effect for the extent of the backfilling, regrading and revegetation activity. DEP obtains a storm water permit for each project from the Water Resources Division. (General Water Pollution Control Permit WVO115924) The Contractor is responsible for performing the Adequate facilities shall be installed, operated and maintained using the best management practices of the U.S. Environmental Protection Agency's Non-Point Source (NPS) Program for sediment control during the active reclamation. The contractor shall take any and all steps necessary to prevent erosion or silting problems from occurring and to minimize pollution or sedimentation of the stream. If any such problems develop, the contractor shall be responsible to take immediate corrective action. No separate payment for this work will be honored. All impounded waters which require removal during reclamation, shall be pumped with

27

REQ. OR PO NO. PAGE BUYER DEP14831 SPENDING UNIT

WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION/SPECIAL RECLAMATION

WV-36a REV. 5-26-09 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

appropriate measures taken to prevent erosion from the discharge. The contractor shall be responsible for treatment of said waters to meet pH standards. The water shall be discharged only when the quality meets a pH equivalent to the pH of the receiving stream but not less than 6.0.

### DIFFERING SITE CONDITIONS

During the progress of the work, if subsurface or latent physical conditions are encountered at the site differing materially from those indicated in the contract or if unknown physical conditions of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inherent in the work provided by the contract, are encountered at the site, the party discovering such conditions shall promptly notify the other party in writing of the specific differing conditions before they are disturbed and before the affected work is performed.

Upon written notification, the Engineer/Contact Person will investigate the conditions, and if determined that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding loss of anticipated profits, will be made and the contract modified in writing accordingly. The Engineer/Contact Person will notify the Contractor of DEP's determination whether or not an adjustment of the contract is warranted.

No contract adjustment which results in a benefit to the Contractor will be allowed unless the Contractor has provided the required written notice.

No contract adjustment will be allowed under this clause for any effects caused on unchanged work.

## HANDLING AND STORAGE OF MATERIALS

Materials which are stored on site, before utilization, shall be stored so as to assure the preservation of their quality and fitness for the work. Stored materials, even though approved before storage, may be inspected again prior to their use in the work. Damaged or deteriorated materials shall be removed and replaced by materials meeting the original specifications.

Aggregate stockpiles shall be made on ground that is denuded of vegetation, hard, and well drained. Removal of aggregate from the stockpile shall be done in a manner which will not result in the inclusion of foreign material into the aggregate. The use of the aggregate will determine if exceptions are permitted.

All materials shall be handled in such a manner as to preserve their quality and fitness for the work.

MAINTENANCE DURING CONSTRUCTION The contractor shall maintain the work during construction and until the project is accepted. All cost of maintenance work during construction and before the project is accepted shall be included in the unit or lump sum prices on the various pay items.

### FINAL INSPECTION

A final inspection meeting by the Department of Environmental Protection's Specialist and the contractor is required for the construction phase and prior to demobilization.

The acreage quantities in this contract are for bidding purpose and are set (definite) number for the project ACREAGE QUANTITIES area as specified at the pre-bid showing. Only surveyed acreage's through figures the Contractor and/or the State develops will be honored to alter these acreage numbers.

Invoices must be submitted on prescribed Department of Environmental Protection, Special Reclamation **PAYMENT** Program forms and include verification. Certified contractor payrolls for operators directly involved in this project

SPENDING UNIT WEST VIRGINIA DEPARTMENT PROTECTIONSPECIAL RECL	it of environmental Amation
Fairmont, WW 2655 BUYER PAGE CB-23 SPENDING UNIT SPENDING UNIT SPENDING UNIT SPENDING UNIT SPENDING UNIT	REQ. OR PO NO. DEP14831
SCHL Co-Leasing Corp Fue Schlowter ZANG Road	29
2010 11:05AM UPS STORE	

WY-36a REV. 5-26-09 STATE OF WEST VIRGINIA **PURCHASING CONTINUATION SHEET** 

and a current workers compensation certificate must accompany each invoice for payment. Verification of wage rates may include employee interviews. Invoices shall be signed in blue ink so that it is easy to verify that document is an original. Vendor should submit with their bid the current remit-to address to be used for payment processing.

MOBILIZATION/DEMOBILIZATION shall be invoiced at fifty percent (50%) with the first invoice and the last 50% invoiced after demobilization and acceptance of the road abandonment or final invoice. Demobilization

SPILL CONTAINMENT AREA shall not exceed \$1,000.00 and will be payable in two payments. The first must have written approval. fifty percent (50%) payable with the first invoice and the remainder payable when all fuel tanks, containers and etc.,

Lump sum items shall be percentage payments based on work completed at time of invoice and paid upon are removed from the site. acceptance by the Department of Environmental Protection.

Unit items shall be invoiced by specified units completed and accepted by the DEP.

ROAD ABANDONMENT shall be included in the final construction invoice.

# FAILURE TO COMPLETE ON TIME AND LIQUIDATED DAMAGES

Time is an essential element of the Contract and it is important that the work be completed within the time specified. The cost to the Department of the administration of the Contract, including engineering, inspection and supervision, will increase as the time required to complete the work is increased.

The work performance period as specified in the contract's Notice to Proceed shall be complied with or result in liquidated damages. Such damages shall be assessed at an amount of two hundred and fifty dollars (\$250.00) per day for each and every day beyond the work performance period as specified in the Notice to Proceed. The total amount of daily charges will be deducted from any moneys due the Contractor, not as a penalty but as liquidated damages.

### REVEGETATION AND WARRANTY

The seeding date shall be at the discretion of the contractor once an approved seedbed has been prepared. In all cases a permanent vegetative cover capable of supporting the post-mining land use must be established. A warranty period of one (1) year shall commence upon completion and payment of the revegetation item of the contract. No payment will be made for additional seeding necessary to comply with warranty requirements. The warranty period will be extended for one (1) year from the date of the last augmented seeding done by the contractor. The performance bond and labor and materials bond shall remain in effect throughout the warranty period. The Standards for Evaluating Vegetative Cover as presented in Title 38, CSR2, Section 9 of the West Virginia Surface Mining Reclamation Regulations will apply.

Equipment for the retracking/scarification to eliminate rills and gullies shall be mobilized and utilized to produce slopes consistent with the regrading and topsoiling bid item prior to warranty reseeding. No additional

payment will be made by DEP for this warranty work. Water utilized for hydroseeding shall be free of injurious or other toxic substances harmful to plant life. The source of water is subject to the approval of the DEP contact person.

If in the opinion of the Department of Environmental Protection the contract is not in compliance with any CONTRACT NON-COMPLIANCE line item specification, that portion of the project shall cease until a compliance schedule and understanding is demonstrated in writing and accepted by the Director of Division of Land Restoration.

### CONTRACT DELETIONS

Any line item, or any portion thereof, may be deleted when determined by the project contact person that such line item, or portion thereof, is deemed unnecessary for the successful reclamation of this project. No claim for

p.32

30

Scot Co-Leasing Corptuc 8 Hounter ZANE ROad Fairmont, WW 26554 TBUYER

REQ. OR PO NO. PAGE BUYER DEP14831 SPENDING UNIT WEST VIRODIJA DEPARTMENT OF ENVIRONMENTAL PROTECTION SPECIAL REGLAMATION

WV-36a REV. 5-26-09 VENDOR

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

loss of anticipated profits will be considered.

The performance of work under contract may be terminated by the State in whole, or from time to time in CANCELLATION part whenever the State shall determine that such termination is in the best interest of the State. Any such termination shall be effected by delivery to the Contractor of a Notice of Termination specifying the extent to which performance of work under the Contract is terminated and the date upon which such termination becomes effective.

When contracts, or any portion thereof, are terminated before completion of all items of work in the Contract, payment will be made for the actual number of units or items of work completed and accepted at the contract unit price. No claim for loss of anticipated profits will be considered. Reimbursement for organization of the work, when not otherwise included in the Contract, and moving equipment to and from the job will be considered where the volume of work completed and accepted is too small to compensate the Contractor for these expenses under the contract unit prices, the intent being that an equitable settlement will be made with the Contractor.

Termination of the Contract or a portion thereof shall not relieve the Contractor of his responsibilities for the completed work, nor shall it relieve his surety of it's obligation for and concerning any just claims arising out of the

This contract may be cancelled in whole or in part in writing by the Director of Purchasing, without prejudice work performed. to any other right or remedy it may have, provided that the contractor is given not less than thirty (30) calendar days written notice, (delivered by certified mail, return receipt requested) of intent to terminate. This contract objective is to comply with the reclamation laws of this state and must be expedient to meet the time requirements for reclamation of revoked surface mine permits.

Catt de longing Corp	Ince
SCJL Co-Leasing Corp 8 Hunter ZAME ROO	محا
8 Hunder Charles	 ح د ظر ــ
Fairmont, Wh 26.	/
	: -

BUYER CB-23	PAGE	REQ. OR PO NO. DEP14831
SPENDING UN WEST VIRGINIA I PROTECTION/SPE	DEPARTMENT	OF ENVIRONMENTAL IATION

WV-36a REV. 5-26-09 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

General Requirements

### Project Construction Sign

### Work Required

The work to be performed under this Section consists of providing all labor, material and equipment necessary to install a project sign as indicated on the detail included herein and as specified herein.

### Materials

Paint Paint for the project sign shall be one (1) coat Exterior-Grade Wood Primer-Scaler, and two (2) coats Exterior-Grade Enamel by Glidden or equivalent.

Wood. Sign face shall be "X" X 4' X 8' Marine Exterior plywood, and posts and cross braces shall be treated.

Hardware. All hardware shall be manufactured from good, commercial-quality material and be rust resistant such as galvanized coated.

### Execution

<u>Project Sign.</u> The signboard shall be cut to the dimensions shown on the details herein. The sign shall be painted with one (1) coat of primer and two (2) coats of white enamel. All exterior cut edges shall be smooth sanded prior to painting. All edges shall be double primed. The letters, border and strips shall be painted as shown on the detail drawing.

The Contractor shall bolt the sign to posts and provide required cross bracing. The posts and sign shall be erected and posts set in gravel base, as shown on the drawings. One (1) sign is required and is to be located at the direction of WVDEP.

<u>Payment.</u> Payment for the work which shall include installation of the project sign shall be incidental to the lump sum bid item for "Mobilization/Demobilization"

<u>Note:</u> No construction work shall commence prior to the project sign being installed.

33 BUYER PAGE REQ. OR PO DEP14831 CB-23 WV-36a STATE OF WEST VIRGINIA SPENDING UNIT REV. 1/29/02 PURCHASING CONTINUATION SHEET MEST AIRCINIY DESYMPREMI OL EMAISONASINT VENDOR: SCHE CO-Leasing CONTINUATION SHEET
VENDOR: SCHE CO-Leasing Corp. Inc.

8 However ZAME Read
Fairmont, WM 26554 PROJECTION/OFFICE OF SPECIAL RECLARACION STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION Division of Land Restoration Office of Special Reclamation Joe Manchin, III. Governor Project Cost: \$XXX|XXX.00 Funding provided by the Special Rechanging Coal Tax paid by WV Coal before Companies Permit Name Ready C. Huifinen. Cabinet Secretary Permit Number Project Start Date: 01/01/01 Ken Ellison. Contractor: Joe Smith Contracting Director OFFICE OF SPECIAL RECLAMATION PROJECT CONSTRUCTION SIGN e ve

34 BUYER PAGE REO. OR PO DEP14831 CB-23 WV-36a STATE OF WEST VIRGINIA SPENDING UNIT REV. 1/29/02 PURCHASING CONTINUATION SHEET WEST VIRGINIA DEPARTMENT OF EMVIRONMENTAL 21 cmont, who 26554 PROTECTION/OFFICE OF SPECIAL RECLAMATION 1.2 bbd\_ 1 1/2" STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION 27345 15 3/4" Division of Land Restoration Office of Special Reclamation Joe Manchin, III. Geverant Project Cost SXXX,XXX.00 7 722 cles Cook Tex pold by WV Cook Mice Companies \$ dep 1 300 Permit Name Randy C. Hattaran Culturet Sporetury Permit Number 7 7/1 DH.R 1 Project Start Date: 01/01/01 Contractor: Joe Smith Contracting 2 164" Ken Ellison, \$ 374" Director 73 7/5 36\* OFFICE OF SPECIAL RECLAMATION PROJECT CONSTRUCTION SIGN

BUYER PAGE

DBP14831 CB-23 WV-36a STATE OF WEST VIRGINIA SPENDING UNIT REV. 1/29/02 PURCHASING CONTINUATION SHEET pest vercines department of experience by thanter ZANE Road airmont, Wh 26554 PROTECTION/OFFICE OF SYSCIAL MECLARITICS STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION Division of Land Restoration Office of Special Reclamation Joe Manchin, III, Governor Project Cost: \$XXX,XXX.00 Feeding provided by the Special Beckeration Coal Tax paid by WV Coal bine Compariso 45" Permit Name Permit Number Project Start Date: 01/01/01 Ken Ellisa Contractor: Joe Smith Contracting Diseases 778 81 3Æ" OFFICE OF SPECIAL RECLAMATION PROJECT CONSTRUCTION SIGN

WV-36a STATE OF WEST VIRGINIA

REV. 1/29/02 PURCHASING CONTINUATION SHEET

VENDOR: SC JL Co Leasing Corp Inc

STAULTEN ZAME ROAD


FOLLOWING WM 26554

BUYER PAGE REO. CE FO

CB-23 DEP14831

SPENDING UNIT

FEST STRIBUTE DEPARTMENT OF ENVIRONMENTAL PROJECTION/OFFICE OF SPECIAL RECLAMATION




BUXER PAGE DEP14831 CB-23 WV-36a STATE OF WEST VIRGINIA SPENDING UNIT REV. 1/29/02 PURCHASING CONTINUATION SHEET HEST AIRCIAIN DEBARIAGRI OF HEATEONNEALY! VENDOR: SCIL CO-LEGSING CURP IN 8 Hander Zale Road hotection/office of special reclaration Notes: 1 Sign Board to be 1/2" by 4"X 8"Marine Plywood 2. Sign Board Color is to be White and Letter Colors are to be Dark Green 7.2" N.M. Trested Cross Brace Let into Posts 4 Mount sign to Posts using 3/8" X 5" Calvanized Carriage Bolts S. Posts are to be Treated 4" X 4" X (7" Location determined WVDEP OFFICE OF SPECIAL RECLAMATION PROJECT SIGN

SCJL Collecting Curp Inc 8 Hanter ZANG Road Fairmont wh 26554

BUYER PAGE PAGE DEP14821 CB-23 SPENDING UNIT

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET



WOODLAND

PASTURELAND

SPECIAL RECLAMATION

LOYAL G. FORMAN & SON REVOKED PERMIT No. S-2009-01

Ì	SEEDING DETAIL MAP			
	SCALE:	DRAWN BY:		
	Not To Scale			
	DATE:	PROJECT NO.		

WV-36

SCIL do Leasing Corp Inco 8 Hunter ZANDROad Fairmout, un 26554

41

STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

REQUIPD.Ph. BUYER PAGE DEP14831 SPENDING UNIT
WEST VINCERA DEPARTMENT OF ENVIRONMENTAL WOOTECHERS
SPECIAL RECLAMATION CB-23

REV. 1/29/02	PURCHASING CONTINUATION	
VENDOR:		
		18·
1-		1 1000
F	BOOK T	
		100
	5050	
	1	
		***
		•
		:
		:

DEPTH (ft)	TOP WIDTH (ft)	LENGTH (ft)	FREE BOARD (fi) F	LINING
_ D		1000	*	GROUTED LIMESTONE
2.75	11	1000	-	GROUTED LIMESTONE
3	12	250	1	RIP-RAP
	8	250	1	GROUTED LIMESTONE RIP-RAP
	(ft) D	(ft) (ft)  D T  2.75 11	(ft) (ft) (ft) (ft)  D T  2.75 11 1000  3 12 250	DEPTH (ft) (ft) (ft) (ft) (ft) (ft) (ft) (ft)

SPECIAL RECLAMATION

LOYAL G. FORMAN & SON REVOKED PERMIT To. S-2009-01 TYPICAL V-DITCH No.'S 1, 4, & 6

TYPICAL V-DI	TCH No. 51, 4, 60 0
SCALE	DRAWNBY:
Not To State	PROJECT POS

SCJL do Leasing dorp Inc 8 Hunter ZANG Road Fairmont Wh 26554

DEP14831

WV-36 REV. 1/29/02 STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

BUYER PAGE CB-23 SPENDING UNIT
WEST VINGING CHARTISENT OF ENVIRONMENTAL PROTECTION
SPECIAL REGULARITION

· · · · · · · · · · · · · · · · · · ·	
· 7	
-	
:	18" F
B	
	500
. 0	
A TOTAL KE	
42020305050	<b>.</b>
A No.	
1	-
· :	
ŧ	
	1 B B B B B B B B B B B B B B B B B B B

DITCH	DEPTH (ft)	BOTTOM WIDTH	TOP WIDTH (ff)	LENGTH (ft)	FREE BOARD (fi)	LINING
NUMBER	D	B (¥)	T		F	70.670
2	.2.25	12	25.5	200	1	LIMESTONE RIP-RAP

SPECIAL RECLAMATION

LOYAL G. FORMAN & SON REVOKED PERMIT To. S-2009-01 TYPICAL TRAP-DITCH No. 2

I ALICHE I WAY	224
SCALE:	DEAWN BY:
Not To Scoke	PROMECT NO.
DATE	(Kina in a second
Į	<u> </u>


Scot Co-Leasing Coop Inic 8 Hunter Zand Road Fairmont, who 26554

43

WV-36 REV. 1/29/02 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET BUYER PAGE REGLANDO. No.

CB-23 DEP14831

SPENDING UNIT
WEST VERCENCE DEPARTMENT OF ENVIRONMENTAL PROTECTIONS
SPECIAL RECLARMINENT



DITCH NUMBER	DEPTH (ft)	BOTTOM WIDTH (ft) B	TOP WIDTH (ft)	LENGTH (ft)	FREE BOARD (ft) F	GRASS LINED WITH
	2.25	16	29.5	1000	1	JUTE EROSION CONTROL MATTING
3	1.5	14	23	650	1	GRASS LINED WITH IUTE EROSION CONTROL MATTING
5	1.5		1	<u> </u>		A CONTRACTOR OF THE CONTRACTOR

# GRASS LINED DITCH

SPECIAL RECLAMATION

LOYAL G. FORMAN & SON

REVOKED PERMIT TO S.2000.


REVOKED PERMIT To, S-2009-01 TYPICAL GRASS DITCH No. 3 & 5

NOTE: SEE TYPICAL ANCHURING DETAILS

LAbicat Grass	Directives of the
SCALE:	DRAWK BY:
Not To Scalo	
DATE:	PROJECTION
	<u></u>


ωπτ_36a.	STATE OF WEST VIRGINIA
44	THE PURCHASING CONTINUES
VENDOR:	SCITE W- Frank Road
	X 1 (0) 1 2 (0 5 5 7
	Fairment was

44 BUYER PAGE DEP14831 CB-23 SPENDING UNIT vest virginia department of environmental PROTECTION/OFFICE OF SPECIAL RECLARATION




### UPHILL ANCHOR SLOT:

Bury the uphill end of the mat within a trench at least 6" deep (12" deep for longer slopes). Tamp the soil firmly. Staple or stake at 12" intervals across the mail




### OVERLAP:

Overlap edges of the strips at least 3" (and preferably more for channels). Staple or stake every 12" down the center of the overlap.




## ANCHOR SLOT (WITHIN A CHANNEL):

Dig a slot 6" deep and 6" wide at end of the previous roll, and insert old roll on bottom and sides of anchor slot. Insert the new roll on bottom and sides of anchor slot, then install stakes or staples through both rolls at the bottom of the anchor slot. Fill anchor slot with soil, tamp firmly, and then install new roll in the upstream direction.



### CHECK SLOTS:

Check slots should be made every 50 feet on slopes and intermittent drainage channels. Insert a fold of the mat into a 6" deep trench and tamp firmly. Staple or stake at 12" intervals across the mat. Lay mas smoothly on the surface of the soil. Do not stretch the mat and do not allow wrinkles.



### ANCHORING ENDS AT STRUCTURES:

a 12" deep slot at the ace stakes or staples at slot. Fill trench and nat up the channel or

112"	Place end of mat in a side of structure. Place 12" intervals within tamp firmly. Roll m downhill as necessar

	•
t	OFFICE OF SPECIAL RECLAMATION
ŀ	LOYAL G. FORMAN & SON S-2009-01
1	LUYAL G. FORMANIA C. COMPANIA
-	100 M
1	

Typical Anchoring Details for Erosion Control Matting

Mer To Sante

SPECIAL RECLAMATION .

LOYAL G. FORMAN & SON 5-2009-01

SCALE: OF STATE PROJECT NO

. 48

TUIV I WAS THE CITETY A

BUYER PAGE BED. CO. SO.

CB-23 DEP14831

SPENDING UNIT
WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SPECIAL RECLAMATION

WV-36 REV. 1/29/02 VENDOR: STATE OF WEST VIRGINIA PURCHASING CONTINUATION SHEET

PLACEMENT OF SILT FENCE FILE SLOPE SET SET PENCE AS FAR FROM SIL! FEMCE THE TOE AS THENEGEZ. ORIGINAL GROUND LIGHT THE ON WOM STROMITT PARKET

SPECIAL RECLAMATION

LOYAL G. FORMAN & SON S-2009-01

1	
E STATESTAN	DRAWN BY:
Not To Scree	l
EATE:	PROJECT SOL
1 · ·	1

Leasing Corp Inic Jan 05 2010 11:11AM -WN 26554

BUYER PAGE REQ. or P.O. No. DEP14831 HAY/STRAW BALE DIKE SEDIMENT CONTROL NOT TO SCALE DESIGN TO FIT SITE CONDITIONS SEDIMENT BARRIER TOP VIEW STAKES MINIMUM OF 1' INTO GROUND ANCHORING BOUND BALES PLACED ON CONTOUR ù



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Guotation

ADDRESS/CORRESPONDENCE SQUARTENION OF

CHUCK BOWHAN 304-558-2157

RFQ COPY TYPE NAME/ADDRESS HERE.

ENVIRONNENTAL PROTECTION DEPT. OF OFFICE OF SPECIAL RECLAMATION

105 S. RAILROAD STREET PHILIPPI, WV

26416-9998

304-457-3219

<b>图</b> 上5	sicmont	,		ENCHT TERMS
	SWA		f years	I-Marito Indiana
GATE PROV		The state of the s	TIME 01:30P	<b>18</b>
12/89/ OPENING DATE		BID OPENIN	NATI PRICE	ARCHIVI
STATE OF STATE OF	CAL TEMPS			
136	****** ADDENDUM NO	· I HEENEENEEN	<b>存货货券签款</b>	
		Parkari S. Sii	M PRUJETI	
	ADDENDUM ISSUED FOR THE LOYAL TO DISTRIBUTE THE PRE-BID SIGN	-IN SHEETS AND	THE Q/A	
	TO DISTRIBUTE THE PRE-BID SIGN RESULTING FROM THE 12/02/09 MA	NDATORY DW-SI	E PKE-BID	
•				
	BID OPENING DATE & TIME REMAIN	UNCHANGED AS	01/05/2010	
	Laver 1 - 20 1788	• 1	į į	
	************ NO OTHER CI	ANGES *****	<b>经按关系经</b> 类类类类类	
	<b>米米米米米米米米米米米米米米米米米米</b>			
	**···	1 1		
		# P		
		:		
		#		
	1B 962-73			
0061		AMT		
	RECLAMATION: RESTORATION OF L	* NAMES		
		1	TOTAL :	
	***** THIS IS THE END OF R	FQ DEP14831	张校妆秋XX 16017C0	
		1		
		:		
		POR TEMBES AND CONDEREN		
		1304-290	124600 111	5/2010
BIGNATURE	WHEN RESPONDING TO RFQ, INSERT NAME		ADDRESS CHANGES'T	DE MOTED ABOVE
\				was ready to the second to the

	Agency
	AgencyREQ.P.O#
BID BOND	; ;
KNOW ALL MEN BY THESE PRESENTS, That we, the undersigned,	Discinal and
of a corporation	and and existing under the laws of the State of
OK a composition	Organization and stands from bround unto the State
of	by the payment of which.
eri Virginia as Obliges, in the penal sum of	(8
and truly to be made, we jointly and severally beau days.	
The Condition of the above obligation is such that whereas the Princ	ipal has submitted to the Purchasing Section of the
The Condition of the above obligation is such that whereas the Prince artment of Administration a certain bid or proposal, altrached hereto and r	nade a part hereof, to enter into a contract in writing for
	•
· · · · · · · · · · · · · · · · · · ·	· i
NOW THEREFORE.  (a) If said bid shall be rejected, or  (b) If said bid shall be accepted and the Principal shall enter into a complete condition of the principal shall enter into a complete condition of the principal shall enter into a condition of the c	de la la la companya de a companya de la companya d
(a) If said bid shall be rejected, or (b) If said bid shall be accepted and the Principal shall enter into a reto and shall furnish any other bonds and insurance required by the bid preement created by the acceptance of said bid, then this obligation shall be received that the liability of the creating amount of this obligation as herein stated. The Surety, for the value received, hereby stipulates and agrees the ay impaired or affected by any extension of the time within which the Obligation as the content of the content of the content of the content of the time within which the Obligation are content of the content o	es States for early carries and an another the transfer of the fire po
The same of the sa	
IN WITHESS WHEREOF, Principal and Surely have hereunto se	their hands and seals, and such of them as are corporation
IN WITHESS WHEREOF, Principal and Surely have the sales to be affected hereunto and these preserves caused their corporate seeds to be affected hereunto and these preserves.	its to be eigned by their proper officials, was
ave caused their corporate seems to a constant 20	•
day of20	•
Principal Corporate Seal	(Name of Principal)
	By
	(Must be President or Vice President)
	A lends & 3 and demonstrate
	(Title)
	(crear)
A	(Name of Swely)
Surety Corporate Seal	Statement on many by
	•
	Altoney-in-Fact
INSPORTANT — Surely executing bornis must be licensed in West V	iminis to transact surety insurance. Relead corporate or
INSTORTANT - Surely executing bords must be stocked.	SOUTH AND
IMPORTANT — Surely executing points must be altached. Thust be affixed, a power of alternat must be altached.	,

(A)

(C)

(D)

(E)

**(F)** 

(G)

(H)

**(I)** 

**(J)** 

(K)

(L)

(M)

(N)

**(O)** 

**(P)** 

(Q)

**(S)** 

(1)

(U)

(W)

NOTE:

### bid bond preparation instructions

•					AGENCY	(A)
		2			RFQ/RFP#_	(B)
		•				
		4	Bed Bond		~~~ «h»	
WV State Agency	=				That we, the unde	menco,
(Stated on Page 1 "Spending Unif")		of		·		
Request for Quotation Number (upper	es Principal, and		Of		(G) ki existing under f	a lawra
right corner of page #1)		a cospo	Ration or Bar	morat at	richides, were i	e inves E
Your Company Name	of the State of	4E)	े अकारण १६२२ दिया	and Co	office in the City of the City	e Cines
City, Location of your Company	<u>(5)</u>				(K)	N. A. P. CORNELL
State, Location of your Company	of West Virginia, as (	કર્માં વરસ્થા પ્રાપ્ત અના માત્ર કરાયા માત્ર	e President admin		, well and truly to	re made
Surety Corporate Name	(S (L) we jointly and severs	Line hand owner	good van pe	er anga	niminarascur. Cercecus	OUR.
City, Location of Surely	We jointly and server	r. Na sene oriez	Massa' area me	and man		~
State, Location of Surety	successors and assign	o. on of the above	mitesiide ou	1 is 5380	h that whereas the	Principal
State of Surety Incorporation	has submitted to the	Pertecino S	ention of the	Densei	enent of Administr	ation
City of Surety Incorporation	a certain bid or prope	ved attached	hereto and i	nade o	pert hereof to ente	into a
Minimum amount of acceptable bid	contract in writing fo	K. :				
bond is 5% of total bid. You may state "5% of bid" or a specific amount on	PONTE CONTRACTOR		(M)			
this line in words.	· · · · · · · · · · · · · · · · · · ·					
Amount of bond in figures						
Brief Description of scope of work	NOW THE	REFORE.				
Day of the month	(a) If said	bid shall be r	ejected, or			_
Month	(b) If said	bid shall be s	cocpted and	the Pri	ncipal shall enter i	ngo a
Year	congrect in accordan	ce with the b	iq ca bachos	al extec	hed hereto and sha	i ruman
Name of Corporation	any other bands and	insurance re	quired by th	bid or	proposal, and sas	n man
Raised Corporate Seal of Principal	other respects perfor	nn the agrees	nemi created	by the	acceptance of saw	med inco
Signature of President or Vice	thic chlication dali	be null and v	oid, otherwi	se this	obligacion shall re	usiù pi m
President	Enne and affect It	is expressiv t	nkierstood a	mi agré	ed that the Habitity	of the
Title of person signing	Surety for any and	di claims ber	epudez sirali	, in no	event, exceed the j	enej Period
Raised Corporate Scal of Surety	amount of this oblig	ption as bere	in stated		<b>.</b>	
Corporate Name of Surety	The Surety	for value re	cerved, here	by seem	ulates and agrees t	
Signature of Attorney in Fact of the	obligations of said	Surety and its	bond shall	e ii n	o way unpaired or	Miccell II
Surety	any extension of tir	ne within wh	ion the Cent	see man	y rezeșe serze oue: :	CONTRACTOR
Dated, Power of Attorney with Raises	Screey does bereby	Maine house	or suh ance	CAUCUS.	2011. Carrette Barrier Francesco	an not shak
Surety Seal must accompany this bid	IN WITH bands and scals, as	ess where	ut. Pincip	en commende de	Swely bave herew	gin cocasiancesco. Mili solar evente
bond.	hands and peats, at	o spen of us	n 82 (26 (7))	en be ei	issed by their brot se uses construer	se estimen
		day of	- other h	. 20	CP) .	- CARPER-L
	uds <u>tray</u>	LERY LFA				
•	Principal Corporat	inu?			(O)	
•	Kanatilas Cosbosos	to species		<del></del>	· (Pierre of Princ	med)
	4	man -		Ву	(5)	-p/p
	•	R)		· J.	(Niest be Presid	less or
		e 2			Vice Presiden	
•		- !			(T)	7
				,	Title	
		(U) :				
	Surety Corporate			•	. (V)	
	omera Corbonne	DVEST I		<u> </u>	(Name of Su	ety)
	·.	7			formation we save	- <b>y</b> /
					(W)	
				ş.	A AA B	

IMPORTANT - Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised Corporate Seals must be affixed and a Power of Attorney must be attached.

# AVS OFT Report - 10/21/2009 1:33:54 PM

all OFT's where the selected outly is lated as an outly or related early

d (9102) SCII. Co Leating Corporation
Lessing.
3
ST SCILL
(914)
Endly Solected
Endiv

Mail   Mail	Description Description Dissortion Dissortion Dissortion Character Shareholder Vice President Secretary Shareholder Character	Related Entity (1991093) Jeffrey Scott Lewitz (1991093) Jeffrey Scott Lewitz (1991093) Jeffrey Scott Lewitz (1991094) Clair Lawitz (1991094) Clair Lawitz (1991094) Clair Lawitz (1991095) Jeneph A Lawi	Description  Disocription  Disocription  Disocription  (P91093) Jeffrey Scott Loucin  Shareholder  Vive President  (P91093) Jeffrey Scott Loucin  Socretery  Shareholder  (P91094) Clair Leavin  (P91095) Jeneph A Laurin  (P
Related Entity (1991093) Jeffrey Scott Leurin (1991093) Jeffrey Scott Leurin (1991093) Jeffrey Scott Leurin (1991094) Clair Laurin (1991094) Clair Laurin (1991094) Clair Laurin (1991095) Joneph A Laurin (1991095) Joneph A Laurin (1991095) Joneph A Laurin (1991095) Joneph A Laurin (1991095) Jeneph A Laurin	Description  Description  Disscription  (ps) (ps) (ps) refirst Seven Learlin  Vice President  (ps) (ps) (ps) refirst Seven Learlin  Secretary  Shareholder  (ps) (ps) (ps) refirst Seven Learlin  (ps) (ps) (ps) refirst Seven Learlin  (ps) (ps) (ps) (ps) Learlin  (ps) (ps) (ps) (ps) Learlin  (ps) (ps) (ps) (ps) (ps) Learlin  (ps) (ps) (ps) (ps) (ps) Learlin  II  (ps) (ps) Learlin	Description  Director  Sharkolder  Vice President  Scretery  Sharkolder  Vice President  Sharkolder  Op 1093) Jeffrey Scott Learlin  Scretery  Shareholder  CO 1094) Cleir Lanrin  CO 1094) Lian Ann Laurin  CO 10954) Lianrin  CO 10954) Lianrin  CO 10954) Lianrin  CO 10954) Laurin  CO 1095	Description  Discourt  Shareholder  Vice President  Secretery  Shareholder  Or 1093) Jeffrey Scott Learlin  Or 1093) Jeffrey Scott Learlin  Secretery  Shareholder  Or 1094) Clair Learlin  Or 1095) Jeffrey Scott Learlin  Or 1095) J
Related Entity (191093) Jethry Scott Laudita (191093) Jethry Scott Laudita (191093) Jethry Scott Laudita (191093) Jethry Scott Laudita (191094) Clair Laudita (191094) Clair Laudita (191095) Joseph A Laudita (191095) Joseph A Laudita III (191095) Joseph A Laudita III (191095) Joseph A Laudita III	Description Discription Discription Opening Sharkolder Vice President Secretary Sharkolder Opening Sharkolder Cos 1093) Jeffrey Scott Learlia Secretary Sharkolder Cos 1094) Cleir Learlia Christor Charles Ann Learlia Christor Chestor Cos 1094) Cleir Learlia Chirator Cos 1094) Cleir Learlia Cos 1094) Cleir Cearlia Cos 109	Description  Director  Shareholder  Vice Presidual  Shareholder  Chicago (11134) Lias And Laurin  Director  Theasurer  Director  Chicago (11134) Lias And Laurin  Chicago (11134) Lias And Laurin  Director  Charitan  (11134) Lias And Laurin  (11135) Lias And Laurin  (11136) Lias And Laurin  (11137) Lias And Laurin  (11138) Lias And Laurin  (11138	Desertipiton Disector  Chistoria  Shareholder Vice President  Secretor  (191093) Jeffrey Scott Laurita  Vice President  (191094) Clair Laurita  (191095) Inachta Laurita  (191095) Inachta Laurita  (191095) Inachta Laurita  (191095) Inachta Laurita  (1910995) Inachta Laurita  (1910996) Inachta Laurita III
	Desertipiton Director Shareholder Vice Penaldunt Secretery Shareholder Director Theasurer Director Propidual Shareholder	Description  Director  Shareholder  Vice Paraidant  Scrietery  Shareholder  Director  Theaturer  Director  Shareholder  Comparator  Director  Shareholder  Shareholder  Shareholder  Shareholder  Shareholder  Shareholder  Shareholder  Shareholder  Shareholder	Director Director Constitution Director Constitution Cons
der	Deserty Dissolut Sharehol Vice Des Scoretes Sharehol Chectes C	Director Sharehol Vice Der Starehol Sharehol Director Sharehol Director Sharehol Director Sharehol Director Sharehol Director Sharehol Sha	Directory Directory Sharekol Vice Dre Secreted Shurchol Director Chectory Chectory Shurchol
	Darecty Director Sharehol Ves Pre Saurehol Director Theasun Director Director Director Director Director	Director Shareful Vice Der Shareful	Directory Directory Sharekof Vice Der Shorekof Shurchof Shurchof Shurchof Christory Christory Christory Christory Shurchof




**2042** 

į,



# State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STATE OF West Virginia
COUNTY OF MUNICIPALISTO-WIT:
I, Clair & Jauric after being first duly sworn, depose and state as follows:
1. I am an employee of SCOL CO Leasing Corp; and, (Company Name)
2. I do hereby attest that SCHOOLOGIAC (Company Name)
maintains a valid written drug free workplace policy and that such policy is in compliance with <b>West Virginia Code</b> §21-1D-5.
The above statements are sworn to under the penalty of perjury.
Soft Co-Leasing Corp. Tric
By: Clari B Januta
Title: Secretary prent
Date: <u>Jan 5, 2010</u>
Taken, subscribed and sworn to before me this 5th day of Jan, 2010
By Commission and St. 25-2017
NOTARY PUBLIC NOTARY PUBLIC STATE OF WEST VINGING AN EALIEN GENTRA BANK GENTRA
THE APPROACH MUST BE SUBMITTED WITH THE BID IN ORDER TO
COMPLY WITH THE BID SHALL RESULT IN DISQUALIFICATION OF
THE BIO.  Rev March 2009



RFO No. Dep 14831

### STATE OF WEST VIRGINIA Purchasing Division

## PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction confract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code. The vendor must make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the West Virginia Code and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the West Virginia Code may take place before their work on the public improvement is begun.

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies. equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/ noticeConfidentiality.pdf.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: SCAL COLL	ecosina	Corp INC		4	4	
Authorized Signature:	BAR		#/	5/	2010	
AUSTOLIZATION ASSISTANCE (DEMONS OF STREET	7	:	7	,	7	