



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
DMV100099A

PAGE
1

1114

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

**Whiteside Chevrolet**  
**50714 National Road**  
**St Clairsville, OH 43950**


SHIP TO

DIVISION OF MOTOR VEHICLES

1317 HANSFORD STREET  
 CHARLESTON, WV  
 25311 558-0002

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
10/08/2009	0% NET 30	CARRIER	CHARLESTON	NC
BID OPENING DATE: 11/04/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-48	\$35620.00	\$35620.00
2009 GMC YUKON XL OR EQUAL  THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY THE WEST VIRGINIA DIVISION OF MOTOR VEHICLES IS SOLICITING BIDS FOR ONE (1) 2009 GMC YUKON XL OR EQUAL VEHICLE FOR THE WEST VIRGINIA MOTORCYCLE SAFETY & AWARENESS PROGRAM, PER THE ATTACHED SPECIFICATIONS.  ALL THE TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OF VIA FAX AT 304-558-4115. DEADLINE FOR TECHNICAL QUESTIONS IS 10/20/09 AT 4:00 PM ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.  BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.  THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>Tom Huppelley</i>	800 610 0211	10/13/09	
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE	
Pres Man	341398756		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**DMV100099A**

PAGE  
**2**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**FRANK WHITTAKER**  
**304-558-2316**

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF MOTOR VEHICLES

1317 HANSFORD STREET  
 CHARLESTON, WV  
 25311 558-0002

DATE PRINTED <b>10/08/2009</b>	TERMS OF SALE <b>0% NET 30</b>	SHIP VIA <b>Carrier</b>	F.O.B. <b>CHARLESTON</b>	FREIGHT TERMS <b>N.C.</b>
-----------------------------------	-----------------------------------	----------------------------	-----------------------------	------------------------------

BID OPENING DATE: **11/04/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>VIRGINIA LEGISLATIVE RULES AND REGULATIONS.            NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF            THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: 44</p> <p>RFQ. NO.: DMV100099A</p> <p>BID OPENING DATE: 11/04/09</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY            TO CONTACT YOU REGARDING YOUR BID:            -----  <b>740 695 1756</b>            -----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE <b>800 610 0211</b>	DATE <b>10/13/09</b>
TITLE <b>Frederic Moore</b>	FEIN <b>34-1298756</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## SPECIFICATIONS

**NEW 2009 FORD EXPEDITION EL XLT, CHEVORLET SUBURBAN LT OR  
GMC YUKON XL (or equal to)**

- ✓ 1. White in color with gray cloth interior
- ✓ 2. Half ton 4x4 SUV capable of transporting 8 adult passengers
3. Six way power front bucket seats with console
4. 5.0 liter V8 Flex Fuel engine minimum
5. 6-speed automatic transmission
6. EPA rating of 14 city/20 highway
7. Wheelbase of 130 inches minimum
8. Cargo height of 41 inches minimum
9. Cargo volume of 130 cu ft minimum
10. 28 gallon fuel tank minimum
11. Front and side air bags
12. Power steering
13. 4 wheel disc brakes/ABS power brakes
14. AM/FM/CD stereo system with an auxiliary input jack
15. Left and Right outside mirrors
16. 17 inch wheels
17. All season tires with a full size spare tire
18. Tilt Wheel
19. Cruise Control
20. Keyless Entry
21. Power Windows and Door Locks
22. Rear Window Defogger
23. Air Conditioning
24. Front and rear all weather floor mats
25. All-weather rear cargo mat
26. Trailer and Towing hitch with wiring harness and 2" receiver
27. Tinted Glass

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### *ENTERTAINMENT*

- Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack
- Audio system feature, 6-speaker system
- Audio system controls, rear with 2 headphone jacks (headphones not included), power outlet and controls for volume, station selection and media
- XM Radio. XM Radio includes 3 trial months of service. XM turns your world on with commercial-free music channels from Rock to Jazz, Country to Classical, Latin Pop to Hip Hop, and virtually everything in between, all in amazing digital sound. Turn on your favorite Sports with every Major League Baseball game from Opening Day until the World Series, NHL Hockey, the PGA TOUR and college football and basketball. Plus XM brings you the biggest names in news and talk, outrageous comedy, award-winning family programming -- wherever you go from coast to coast. Exclusive live concerts, Oprah and Friends, Radio Disney, and so much more. Find what turns you on (Not available with (U3U) AM/FM stereo with MP3 compatible CD player and and multimedia navigation or (UVB) AM/FM stereo with MP3 compatible CD/DVD player and DVD-based navigation. Available only in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. Visit gm.xmradio.com for more details)
- Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface) with specific steering wheel controls

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### *EXTERIOR*

- Wheels, 4-17" x 7.5" (43.2 cm x 19.1 cm) aluminum, 5-spoke with smooth surface and rectangular pockets (1/2 ton models only.)
- Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)
- Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only.)
- Tire, spare P265/70R17 (1/2 ton models only. Upgradeable to SEO (4JP) P265/70R17 on-/off road, blackwall spare tire.)
- Tire carrier, lockable outside spare winch-type mounted under frame at rear
- Luggage rack side rails, roof-mounted, Black
- Luggage rack center rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Assist steps, Black
- Moldings, color-keyed bodyside
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Fog lamps, front, halogen
- Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are color-keyed.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wiper, rear intermittent with washer
- Door handles, color-keyed
- Liftgate with liftglass, rear door system with rear-window wiper/washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### *INTERIOR*

- Seats, front bucket with (AG1) 6-way power driver and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets
- Seats, second row 60/40 split-folding bench 3-passenger with center armrest. With cloth seats includes 2 cup holders.
- Seats, third row 50/50 split-bench, 3-passenger removable, all-belts-to-seat
- Console, floor with storage area, cup holders and integrated second row audio controls
- Floor mats, color-keyed carpeted first and second row, removable
- Floor covering, color-keyed carpeting
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, leather-wrapped
- Steering wheel controls mounted audio and cruise controls
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available as a Chevy Accessories.)
- Cruise control, electronic with set and resume speed
- Theft-deterrent system, vehicle, PASS-Key III
- Heater, rear auxiliary with rear passenger heating ducts
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Defogger, rear-window electric

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

- Power outlets, 5 auxiliary, 12-volt includes 2 on the instrument panel, 1 in the cargo area, 1 inside the center console and 1 at the back of the console.)
- Mirror, inside rearview manual day/night
- Headliner, cloth
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod
- Assist handles, front passenger and second row outboard
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### *MECHANICAL*

- Engine, Vortec 5.3L V8 SFI FlexFuel with Active Fuel Management capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)
- Transmission, 6-speed automatic heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)
- Rear axle, 3.42 ratio (1/2 ton models only. Standard on 4WD models. Required with (K5L) Heavy-Duty Trailing Package on 2WD models.)
- Suspension Package, Premium Smooth Ride (1/2 ton models only)
- Transfer case, electronic Autotrac with rotary controls (Not available on 2WD models.)
- 4-wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 160 amps (Standard on 1/2 ton models. Included and only available with (VYU) Snow Plow Prep Package on 4WD 3/4 ton models. Not available on 2WD 3/4 ton models.)
- Trailing equipment includes trailing hitch platform, 7-wire harness with independent fused trailing circuits mated to a 7-way sealed connector and (VR4) 2" trailing receiver
- Recovery hooks, front, frame-mounted (Standard with 4WD 1/2 ton models and all 3/4 ton models.)
- GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)
- Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)
- Suspension, rear multi-link with coil springs (1/2 ton models only.)
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power (1/2 ton models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:



**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **STANDARD EQUIPMENT**

---

#### **STANDARD EQUIPMENT - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### *SAFETY*

- StabiliTrak, stability control system with traction control
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor included third row seating positions with (AS3) 3-passenger third row bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- OnStar, 1-year of Directions and Connections plan. Includes the innovative easy to use Turn-by-Turn Navigation services which provide voice-guided directions (where available). Also includes Automatic Crash Notification, Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, a link to all Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist, Remote Horn and Lights, Information and Convenience Services, and Driving Directions (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Turn-by-Turn Navigation requires ABS and is not available in certain areas. Visit [onstar.com](http://onstar.com) or call 1-888-466-7827 for system limitations and details. For a list of vehicles with Automatic Crash Notification visit [onstar.com](http://onstar.com).)
- Safety belts, 3-point, driver and front passenger in all seating positions
- LATCH system (Lower Anchors and Top tethers for Children) for child safety seats

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### ***SELECTED MODEL & OPTIONS***

#### **SELECTED MODEL - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

<u>Code</u>	<u>Description</u>	<u>VQ2</u>
CK10906	2009 Chevrolet Suburban 4WD 4dr 1500 LT w/1LT	\$39,802.50

#### **SELECTED VEHICLE COLORS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

<u>Code</u>	<u>Description</u>
-	Interior: Light Titanium/Dark Titanium
-	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

#### **SELECTED OPTIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

##### **CATEGORY**

<u>Code</u>	<u>Description</u>	<u>VQ2</u>
<b>EMISSIONS</b>		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
<b>ENGINE</b>		
LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT capable of running on unleaded or up to 85% ethanol (310 hp [231.1 kW] @ 5200 rpm, 335 lb-ft of torque [452.3 N-m] @ 4400 rpm), aluminum block (STD) (Requires 4WD 1/2 ton models.)	\$0.00
<b>TRANSMISSION</b>		
MYC	TRANSMISSION, 6-SPEED AUTOMATIC heavy-duty, electronically controlled with overdrive and tow/haul mode (STD) (Requires 1/2 ton models.)	\$0.00
<b>AXLE</b>		
GU6	REAR AXLE, 3.42 RATIO (1/2 ton models only. Standard on 4WD models. Required with (K5L) Heavy-Duty Trailering Package on 2WD models.)	\$0.00

##### **PREFERRED EQUIPMENT GROUP**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>VQ2</u>
<b>PREFERRED EQUIPMENT GROUP</b>		
1LT	LT PREFERRED EQUIPMENT GROUP Includes Standard Equipment	\$0.00
<b>WHEEL TYPE</b>		
P46	WHEELS, 4-17" X 7.5" (43.2 CM X 19.1 CM) ALUMINUM, 5-SPOKE with smooth surface and rectangular pockets (STD) (1/2 ton models only.)	\$0.00
<b>TIRES</b>		
QAN	TIRES, P265/70R17 ALL-SEASON, BLACKWALL (STD) (Requires 1/2 ton models.)	\$0.00
<b>PAINT SCHEME</b>		
—	SOLID PAINT	\$0.00
<b>PAINT</b>		
50U	SUMMIT WHITE	\$0.00
<b>SEAT TYPE</b>		
A95	SEATS, FRONT BUCKET with (AG1) 6-way power driver and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets (STD)	\$0.00
<b>SEAT TRIM</b>		
83C	LIGHT TITANIUM/DARK TITANIUM, PREMIUM CLOTH SEAT TRIM	\$0.00
<b>RADIO</b>		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)	\$0.00
<b>ADDITIONAL EQUIPMENT</b>		
VK3	LICENSE PLATE BRACKET, FRONT (Will be forced on orders with ship-to states that require a front license plate.)	\$12.75
U2J	XM RADIO, DELETE (Requires a Fleet or Government order type. Not available with (UE1) OnStar, 1-year of Safe and Sound plan if the order type is FDR.) *CREDIT*	-\$127.50
VAV	LPO, ALL-WEATHER FLOOR MATS, FIRST AND SECOND ROW	\$117.30
VKN	LPO, ALL-WEATHER FLOOR MATS, THIRD ROW	\$58.65

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>VQ2</u>
ADDITIONAL EQUIPMENT		
VLI	LPO, REAR CARGO MAT	\$58.65
UE0	ONSTAR, DELETE (Requires a Fleet or Government order type. Requires (U2J) XM Radio, delete.) *CREDIT*	-\$72.25
<b>OPTIONS TOTAL</b>		<b>\$47.60</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

## ***WARRANTY INFORMATION***

---

### **WARRANTY INFORMATION - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

**WARRANTY**

**Basic:**

3 Years/36,000 Miles

**Drivetrain:**

5 Years/100,000 Miles

**Corrosion:**

6 Years/100,000 Miles

**Roadside Assistance:**

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **TECHNICAL SPECIFICATIONS**

---

#### **POWERTRAIN - BASIC SPECIFICATIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### **ENGINE**

Engine Order Code	LC9
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323 CID
SAE Net Horsepower @ RPM	310 @ 5200
SAE Net Torque (lb ft) @ RPM	335 @ 4400

##### **TRANSMISSION**

Transmission order code	MYC
Transmission Type Description	* 6-Speed Automatic w/OD
Drive Train	4-Wheel Drive

##### **MILEAGE**

City EPA fuel economy estimate (MPG)  
Hwy EPA fuel economy estimate (MPG)  
City cruising range (mi)  
Hwy cruising range (mi)

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### TECHNICAL SPECIFICATIONS

#### POWERTRAIN - ADVANCED SPECIFICATIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT

##### TRANSMISSION

Gear Ratio (:1)		
First Gear Ratio (:1)	4.03	
Second Gear Ratio (:1)	2.36	
Third Gear Ratio (:1)	1.53	
Fourth Gear Ratio (:1)	1.15	
Fifth Gear Ratio (:1)	0.85	
Sixth Gear Ratio (:1)	0.67	
Reverse Ratio (:1)	3.06	
Clutch size (in)		
Power Take-Off		

##### TRANSFER CASE

Transfer case model	NVG 246	
Gear Ratio (:1)		
Transfer case high gear ratio	1.00	
Transfer case low gear ratio	2.72	
Transfer case power take off		

##### DIFFERENTIAL

	Front	Rear
Axle Ratio (:1)	3.42	3.42

##### ELECTRICAL

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	160.00			

##### COOLING SYSTEM

Cooling system capacity	16.60
Engine oil cooler	- TBD -

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**TECHNICAL SPECIFICATIONS**

**PAYLOAD/TRAILERING SPECIFICATIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

<b>WEIGHT INFORMATION</b>	<b>Front</b>	<b>Rear</b>	<b>Total</b>
Gross Axle Wt Rating (lbs)	3,600.00	4,200.00	
Curb Weight (lbs)	3,100.00	2,835.00	5,935.00
Total Option Weight (lbs)	* -10.00	* -8.00	* -18.00
As Spec'd Curb Weight (lbs)	* 3,090.00	* 2,827.00	* 5,917.00
As spec'd payload (lbs)			* 1,483.00
Total Weight (lbs)	* 3,090.00	* 2,827.00	* 6,267.00
Reserve Axle Capacity (lbs)	* 510.00	* 1,373.00	* 1,883.00
Gross Vehicle Wt Rating (lbs)			7,400.00
Gross Combined Wt Rating (lbs)			11,500.00
<b>TRAILERING</b>	<b>Max Trailer Wt.</b>	<b>Max Tongue Load</b>	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 5,283.00	* 633.96	
Fifth Wheel Hitch (lbs)		*	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:



**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**TECHNICAL SPECIFICATIONS**

**CHASSIS SPECIFICATIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

<b>SUSPENSION</b>	<b>Front</b>	<b>Rear</b>	
Spring			
Spring Type	Coil springs	Coil springs	
Spring Capacity	3,600.00	4,200.00	
Axle			
Axle Type	Independent	Semi-floating	
Axle Capacity	3,925.00	4,200.00	
Shock Absorber Diameter (mm)	46.00	46.00	
Stabilizer Bar Diameter (in)	36.00	1.10	
<b>BRAKES</b>			
Brake type	Pwr		
ABS System	4-Wheel		
	<b>Front</b>	<b>Rear</b>	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.0 x 1.2	13.6 x 0.8	
Drum			
Drum Diam x Width (in)			
<b>TIRES</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Tire Order Code	QAN	QAN	ZRS
Tire Size	P265/70R17	P265/70R17	P265/70R17
Capacity	2,104.00	2,104.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
<b>WHEELS</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Wheel Size	17 x 7.5	17 x 7.5	17 x - TBD -
Wheel Type	Aluminum	Aluminum	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**TECHNICAL SPECIFICATIONS**

**CHASSIS SPECIFICATIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

**STEERING**

Steering type	Pwr
Ratio (:1)	
On Center	17.75
At Lock	17.75
Turning Diameter	
Curb-to-Curb	43.00
Wall-to-Wall	- TBD -

**FUEL TANK**

	<b>Main</b>	<b>Auxiliary</b>
Capacity	31.00	
Location	- TBD -	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### **TECHNICAL SPECIFICATIONS**

---

#### **DIMENSIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

##### **EXTERIOR DIMENSIONS**

Wheelbase (in)	130.00
Length, Overall w/rear bumper (in)	222.40
Width, Max w/o mirrors (in)	79.10
Height, Overall (in)	76.80
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	32.60
Ground Clearance	
Ground Clearance, Front	10.5
Ground Clearance, Rear	9.1
Rear Door	
Rear Door Type	Liftgate
Rear Door Opening Height	- TBD -
Rear Door Opening Width	- TBD -
Side Door	
Side Door Type	
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	

##### **CARGO AREA DIMENSIONS**

Length @ Floor	
Cargo Area Length @ Floor to Console (in)	
Cargo Area Length @ Floor to Seat 1	101.8
Cargo Area Length @ Floor to Seat 2	69.6

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
 administrator  
 Whiteside Fleet and Commercial  
 50714 National Road  
 St Clairsville, OH 43950  
 Phone: (800) 610-0211  
 Fax: (740) 695-1756  
 Email: fleet@whitesides.com

2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

**TECHNICAL SPECIFICATIONS**

**DIMENSIONS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

**CARGO AREA DIMENSIONS**

Cargo Area Length @ Floor to Seat 3	35.6
Cargo Area Length @ Floor to Console (in)	
Width	
Cargo Area Width @ Beltline	- TBD -
Cargo Box Width @ Wheelhousings	49.1
Cargo Box (Area) Height (in)	41.40
Cargo Volume	
Cargo Volume to Seat 1	137.4
Cargo Volume to Seat 2	90.0
Cargo Volume to Seat 3	45.8
Cargo Volume to Seat 4	

**INTERIOR DIMENSIONS**

Passenger Capacity	8		
Seating Position	Front	Second	Third
Head Room (in)	41.10	38.50	38.10
Leg Room (in)	41.30	39.50	34.90
Shoulder Room (in)	65.30	65.20	64.70
Hip Room (in)	64.40	61.80	49.40

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
 Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### ***WEIGHT RATINGS***

---

#### **WEIGHT RATINGS - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

Front Gross Axle Weight Rating:	3,600.00
Rear Gross Axle Weight Rating:	4,200.00
Gross Vehicle Weight Rating:	7,400.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared By:**  
administrator  
Whiteside Fleet and Commercial  
50714 National Road  
St Clairsville, OH 43950  
Phone: (800) 610-0211  
Fax: (740) 695-1756  
Email: fleet@whitesides.com

## 2009 Fleet/Non-Retail Chevrolet Suburban 4WD 4dr 1500 LT w/1LT CK1090

### ***PRICING SUMMARY***

---

**PRICING SUMMARY - 2009 Fleet/Non-Retail CK10906 4WD 4dr 1500 LT w/1LT**

---

	<u><b>VQ2</b></u>
Base Price	\$39,802.50
Total Options:	\$47.60
Vehicle Subtotal	\$39,850.10
Advert/Adjustments	\$0.00
Destination Charge	\$950.00
<b>GRAND TOTAL</b>	<b>\$40,800.10</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 154.3, Data updated 10/6/2009 12:27:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

No Preference

1. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Whiteside Chev, Inc., Signed: [Signature]  
Date: 10/13/09 Title: Fleet Mgr

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

**VENDOR OWING A DEBT TO THE STATE:**

*West Virginia Code* §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:**

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

**ANTITRUST:**

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**LICENSING:**

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

**CONFIDENTIALITY:**

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Whiteside Chew, Inc.

Authorized Signature: [Signature] Date: 10/13/09