



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210030

PAGE:
1

ADDRESS: CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

SHIP TO

RFQ COPY
 TYPE NAME/ADDRESS HERE
**R.E. Schults
 R.R. 1 Box 66A
 Colliers, WV
 26035**

SHIP TO

DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV
 26337
 304-643-2931

DATE PRINTED 08/27/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **09/17/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38	LS	#68,021.26
PLAYGROUND EQUIPMENT NORTH BEND STATE PARK REQUEST FOR QUOTATION (RFQ) THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FROM RESPONSIBLE VENDORS FOR NEW PLAYGROUND EQUIPMENT FOR NORTH BEND STATE PARK PER THE ATTACHED SPECIFICATIONS. TECHNICAL QUESTIONS MUST BE SUBMITTED TO KRISTA FERREL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 09/08/2009 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED. QUESTIONS CONCERNING THE PROCESS BY WHICH A VENDOR MAY SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT MAY BE DEEMED NULL AND VOID, AND TERMINATED WITHOUT FURTHER ORDER. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH						

RECEIVED
 2009 SEP 17 PM 1:16
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE **R.E. Schults** TELEPHONE **304-527-4251** DATE **9/17/09**

TITLE **OWNER** FEIN **555-49-5823** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210030

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

SHIP TO

**DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV
 26337
 304-643-2931**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
08/27/2009				

BID OPENING DATE: **09/17/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>VENDORS MUST PROVIDE UNIT PRICES FOR ALL LINE ITEMS. FAILURE TO PROVIDE UNIT PRICES WILL RESULT IN THE DISQUALIFICATION OF THE VENDORS BID.</p> <p>VENDORS MUST SUBMIT ALL UNIT PRICES IN THE UNIT OF MEASURE REQUESTED BY THE AGENCY. FAILURE TO PROVIDE UNIT PRICES IN THE GIVEN UNIT OF MEASURE WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p>VENDORS MUST SUBMIT PRICING ON THE PRICING SHEET PROVIDED IN THIS REQUEST FOR QUOTATION. FAILURE TO USE THIS FORM WILL RESULT IN THE DISQUALIFICATION OF THE VENDOR'S BID.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>R. Schick</i>	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

BFO NUMBER
DNR210030

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

SHIP TO

DIVISION OF NATURAL RESOURCES
 NORTH BEND STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 1, BOX 221
 CAIRO, WV
 26337
 304-643-2931

DATE PRINTED 08/27/2009	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
BID OPENING DATE: 09/17/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: KRISTA FERRELL - FILE 21</p> <p>RFQ. NO.: DNR210030</p> <p>BID OPENING DATE: 09/17/2009</p> <p>BID OPENING TIME: 1:30 PM</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: <u>304-527-4251 HM/DFC/FAX</u></p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY): <u>Rick Schultz</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: Rick Schultz TELEPHONE: _____ DATE: _____

TITLE: _____ FEIN: _____ ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WVDNR210030
North Bend State Park
Playground Equipment

To supply playground equipment to offer play activities for children ages five (5) to twelve (12) at North Bend State Park, Cairo, West Virginia. Playground equipment will be purchased for two separate areas in the park. Park personnel will install all playground equipment. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources. All items must be F.O.B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within thirty (30) days of purchase order award.

RECREATION AREA PLAYGROUND

PowerScape plus Fitness Fair, Item #85214, or equal. Structure must include the following components:

- One (1) stepped platform or equal. Platform must be constructed of a minimum 11 gauge punched steel.
- One (1) double wilder slide or equal. Must be constructed of color impregnated linear low density polyethylene.
- One (1) zip slide or equal. Must be constructed of color impregnated linear low density polyethylene.
- One (1) crunch bar or equal. Bar must be constructed of galvanized steel tubing.
- One (1) wavy tree climber or equal. Climber must be one-piece welded assembly.
- One (1) ADA gizmo panel or equal. Panel must be a minimum of 2 ½" in thickness.
- Two (2) slate roof or equal. Roof must be one-piece and constructed of double-wall rotationally molded linear low-density polyethylene.
- One (1) wishbone slide or equal. Slide must be constructed of color impregnated linear low density polyethylene.
- One (1) giant wave climber or equal. Climber must be constructed of color impregnated linear low density polyethylene.
- One (1) overhead ladder access package or equal.

**WVDNR210030
North Bend State Park
Playground Equipment**

- One (1) triangle transfer platform or equal. Platform must have a one-piece welded assembly.
- One (1) arch bridge or equal. Bridge must be fabricated from punched steel.
- One (1) flip slide with universal hood or equal. Slide must be constructed of color impregnated linear low density polyethylene.
- One (1) rockwall climber or equal. Climber must frame assembly must be an all-welded construction.
- One (1) cargo net wall attachment (single and double) or equal.
- One (1) overhead tree climber or equal. Climber must be all-welded construction.
- One (1) track ride or equal. Track ride must have an aluminum track system.
- One (1) challenge station base or equal. Main climber must be all-welded construction.
- One (1) crazy eight climber or equal. Climber must be all-welded construction.
- One (1) poly climbing wall or equal. Wall must be constructed of color impregnated polyethylene.
- One (1) clover climber or equal. Climber must be a one-piece welded assembly.
- One (1) 8' cosmix climber or equal. Climber must be one-piece with color impregnated linear low density polyethylene.
- One (1) bubble climber or equal. Climber must be all welded construction.
- One (1) cargo net wall attachment or equal. Cargo net assembly must be constructed of galvanized welded link chain.

PrimeTime swing, Item #12583, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

**WVDNR210030
North Bend State Park
Playground Equipment**

PrimeTime swing add-a-bay, Item #12584, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with a finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime tot seat package 3 ½" OD, Item #8696, or equal. Package must include all hardware necessary to attach seat to a minimum of a 3 ½ " top rail.

PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal. Package must include all hardware necessary to attach to a minimum of a 3 ½ " top rail.

GameTime tuffclad 6' bench with back in-ground (PS), Item #28009, or equal. Bench must have a minimum of 2 3/8 " OD galvanized powder coat; and seat bench and back must have punched steel with a plastic coating.

One (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacturer's guidelines.

LODGE AREA PLAYGROUND

PrimeTime kid coral, Item #g11823, or equal. Structure must include the following components:

- One (1) crunch bar or equal. Bar must be constructed of galvanized steel tubing.
- One (1) nature panel or equal. Panel must be a minimum of 2 ½" in thickness.
- One (1) transfer point with access attachment or equal. Must be constructed of a minimum of 11 gauge punched steel.
- One (1) wallcano vert wall climber or equal. Climber must be constructed of color impregnated rotationally molded linear low density polyethylene.
- One (1) slate roof or equal. Roof must be one-piece and constructed of double-wall rotationally molded linear low-density polyethylene.
- One (1) mini arch bridge or equal. Bridge must be fabricated from punched steel.

**WVDNR210030
North Bend State Park
Playground Equipment**

- One (1) clover leaf climber or equal. Climber must be one-piece welded assembly.
- One (1) double zip slide or equal. Slide must be constructed of color impregnated linear low-density polyethylene.
- One (1) ADA gizmo panel with three (3) gizmos or equal. Panel must be a minimum of 2 ½" in thickness.
- One (1) double steering wheel enclosure or equal. Steering wheel must withstand an impact of a minimum of 250 foot-pounds.

PrimeTime swing, Item #12583, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime swing add-a-bay, Item #12584, or equal. Top rail and arch must have a minimum 3 ½ " OD; arch must be a minimum of 11 gauge galvanized steel tubing; must include a minimum of 3 ½ " OD galvanized steel sleeve; must be polyester powder coat; must be a minimum of 8 foot high with a finished surface; must have a minimum of a 12 foot top rail; and must accommodate two (2) free standing swings.

PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal. Package must include all hardware necessary to attach to a minimum of a 3 ½ " top rail.

PrimeTime tot seat package 3 ½" OD, Item #8696, or equal. Package must include all hardware necessary to attach seat to a minimum of a 3 ½ " top rail.

GameTime tuffclad 6' bench with back in-ground (PS), Item #28009, or equal. Bench must have a minimum of 2 3/8" OD galvanized powder coat; and seat bench and back must have punched steel with a plastic coating.

One (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacturer's guidelines.

WVDNR210030
North Bend State Park
Playground Equipment

All playground equipment and engineered wood fiber must meet the following requirements:

- Compliance with U.S. Consumer Product Safety Commission, Handbook for Public Playground Safety.
- Compliance with ASTM Standard F 1487.
- Compliance with Architectural and Transportation Barriers Compliance Board, Americans with Disabilities Act (ADA) Accessibility Guidelines for Buildings and Facilities; Play Areas.
- Compliance with Consumer Product Safety Improvement Act (CPSIA) Section 101 lead limits.

Vendors must submit the following attachments:

- Complete manufacturer's parts specifications and warranties.
- Layout drawing to scale of the proposed play structure or equipment.
- ASTM and CPSC Statement of Compliance

Warranties:

- All equipment and engineered wood fiber must be guaranteed to be free of defects in workmanship and material for a minimum of one year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

Color scheme of equipment must be coordinated with North Bend State Park. Color of items will be selected from manufacturer's standard colors.

North Bend State Park
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Item
1	Recreation Area Playground PowerScape plus Fitness Fair, Item #85214, or equal.	WOW PLAYGROUNDS	QUEST
	One (1) stepped platform or equal gauge punched steel.	Wow Playgrounds	(1) 36" Transition Stair Unit
	One (1) double wilder slide or equal.	Wow Playgrounds	(2) Two Chute Slides Double Bedway Slide
	One (1) zip slide or equal.	Wow Playgrounds	(1) Straight Chute Slide
	One (1) crunch bar or equal.	Wow Playgrounds	(1) Crunch Bar Grab Handle Circ Station
	One (1) wavy tree climber or equal.	Wow Playgrounds	(1) Ribbon Climber
	One (1) ADA gizmo panel or equal.	Wow Playgrounds	(1) 1/2 Take Motion Panel
	Two (2) slate roof or equal.	Wow Playgrounds	(2) Square Shingle Roof
	One (1) wishbone slide or equal.	Wow Playgrounds	(1) Double Bedway Slide
	One (1) giant wave climber or equal.	Wow Playgrounds	(1) Chain link climber
	One (1) overhead ladder access package or equal.	Wow Playgrounds	(1) Stair unit
	One (1) triangle transfer platform or equal.	Wow Playgrounds	(1) ADA Transfer Point
	One (1) arch bridge or equal.	Wow Playgrounds	(1) Arched Bridge
	One (1) flip slide with universal hood or equal.	Wow Playgrounds	(1) Chute slide
	One (1) rockwall climber or equal.	Wow Playgrounds	(1) Education Climber
	One (1) cargo net wall attachment (single and double) or equal.	Wow Playgrounds	(1) Chain climbing wall
	One (1) overhead tree climber or equal.	Wow Playgrounds	(1) Big looped rung horizontal ladder
	One (1) track ride or equal.	Wow Playgrounds	(1) Track ride

North Bend State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
	One (1) challenge station base or equal.	Wow Playgrounds	(1) 48' Hexagon Platform
	One (1) crazy eight climber or equal.	Wow Playgrounds	(1) Tree Climber
	One (1) poly climbing wall or equal.	Wow Playgrounds	(1) Rock wall climber
	One (1) clover climber or equal.	Wow Playgrounds	(1) Clover Climber
	One (1) 8' cosmix climber or equal.	Wow Playgrounds	(1) Bubble wall climber
	One (1) bubble climber or equal.	Wow Playgrounds	(1) Quick climber
	One (1) cargo net wall attachment or equal.	Wow Playgrounds	(1) Chain climbing wall
2	Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	Wow Playgrounds	(1) 3.5" Arch Swing Frame
3	Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	Wow Playgrounds	(1) 3.5" Arch Swing Frame Double Bay
4	Recreation Area PrimeTime tot seat package 3 1/2" OD, Item #8696, or equal.	Wow Playgrounds	(2) Fill Bucket Seats
5	Recreation Area Playground PrimeTime swing belt seat package 3 1/2" OD, item #8910, or equal	Wow Playgrounds	(2) Belt Seats
6	Recreation Area Playground GameTime tuffclad in-ground bench, Item #28009, or equal.	Wow Playgrounds	(1) Regal Bench
7	Recreation Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	N/A	N/A
8	Lodge Area Playground PrimeTime kid coral, Item #g11823, or equal.	Wow Playgrounds	JOURNEY
	One (1) crunch bar or equal.	Wow Playgrounds	(1) Wow Bar → Grab Handle Crouch Station

North Bend State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
	One (1) nature panel or equal.	Wow Playgrounds	(1) Butterfly Lite Gaze Panel
	One (1) transfer point with access attachment or equal.	Wow Playgrounds	(1) 36" Transition Stair Out w/ ADA Transfer Point
	One (1) wallcano vert wall climber or equal.	Wow Playgrounds	(1) Chain link climber
	One (1) slate roof or equal.	Wow Playgrounds	(1) Square Ridge Roof
	One (1) mini arch bridge or equal.	Wow Playgrounds	(1) Transfer Platform
	One (1) clover leaf climber or equal.	Wow Playgrounds	(1) Clover Climber
	One (1) double zip slide or equal.	Wow Playgrounds	(1) Double Beltway Slide
	One (1) ADA gizmo panel with three (3) gizmos or equal.	Wow Playgrounds	(1) 1/2 Auto Shifter Panel
	One (1) double steering wheel enclosure or equal.	Wow Playgrounds	(1) Airplane Panel
9	Lodge Area Playground PrimeTime swing frame, Item #12583, or equal.	Wow Playgrounds	(1) 3.5" Arch Swing Frame
10	Lodge Area Playground PrimeTime swing a-bay, item #12584, or equal	Wow Playgrounds	(1) 3.5" Arch Swing Frame Double Bay
11	Lodge Area PrimeTime tot seat package 3 1/2" OD, Item #8696, or equal.	Wow Playgrounds	(2) Full Bucket Seats
12	Lodge Area Playground PrimeTime swing belt seat package 3 1/2" OD, item #8910, or equal.	Wow Playgrounds	(2) Belt Seats
13	Lodge Area Playground GameTime tuftclad in-ground bench Item #28009, or equal.	Wow Playgrounds	(1) Regal Bench
14	Lodge Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines	N/A	N/A

North Bend State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Recreation Area Playground PowerScape plus Fitness Fair, Item #85214, or equal.	46,911.23	46,911.23
2	1	Recreation Area Playground PrimeTime swing frame, Item #12583, or equal.	1,436.94	1,436.94
3	1	Recreation Area Playground PrimeTime swing add-a-bay, Item #12584, or equal.	726.25	726.25
4	2	Recreation Area PrimeTime tot seat package 3 1/2" OD, Item #8696, or equal.	97.85	195.70
5	2	Recreation Area Playground PrimeTime swing belt seat package 3 1/2" OD, item #8910, or equal.	97.85	195.70
6	4	Recreation Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	407.88	1,631.52
7	1	Recreation Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	475.-	475.-
8	1	Lodge Area Playground PrimeTime kid coral, Item #g11823, or equal.	13,011.45	13,011.45
9	1	Lodge Area Playground PrimeTime swing frame, Item #12583, or equal.	1,436.94	1,436.94
10	1	Lodge Area Playground PrimeTime swing-a-bay, item #12584, or equal.	726.25	726.25
11	2	Lodge Area Playground PrimeTime tot seat package 3 1/2" OD, Item #8696, or equal.	97.85	195.70

North Bend State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
12	2	Lodge Area Playground PrimeTime swing belt seat package 3 ½" OD, item #8910, or equal.	97.85	195.70
13	1	Lodge Area Playground GameTime tuffclad in-ground bench Item #28009, or equal.	407.88	407.88
14	1	Lodge Area Playground one (1) day of supervision by successful vendor. Park personnel will install all playground equipment and this will provide oversight to ensure that all equipment is assembled and installed properly according to manufacture's guidelines.	475.-	475.-
		TOTAL	—	\$68,021.26

Rev. 09/08

State of West Virginia
VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts) *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or** 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or**,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or**,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or**,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or**,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or**,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: R.E. Schultz Signed: R.E. Schultz

Date: 9-17-09 Title: OWNER

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive

RFQ No. DNR 210030

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.


LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: R.E. Scholz
 Authorized Signature:  Date: 9-17-09



General Warranties

WOW® Further Warranties:

Limited Lifetime Warranty

Limited Lifetime Warranty on galvanized steel posts, all stainless steel hardware, aluminum fittings and aluminum post caps.

15 Year Limited Warranty

Fifteen (15) Year Limited Warranty on all punched decks.

10 Year Limited Warranty

Ten (10) Year Limited Warranty on recycled posts.

1 Year Limited Warranty

One (1) Year Limited Warranty on all moving parts: swing seats & hangers and other materials not covered above.

10 Year Limited Warranty

Ten (10) Year Limited Warranty on all rails, rungs, loops, rotomolded and plastic sheet components.

This warranty is valid only if the structures are installed in conformity with the installation instructions provided by WOW® using approved parts by WOW®. All parts are to be subjected to normal use for the purpose of which the parts were designed. Prior to installation, these parts are not to be subject to vandalism, misuse, neglect or accident. Parts are not to be altered, modified or repaired by anyone other than WOW®.

This warranty does not cover cosmetic items (such as scratches, dents, fading, discoloring, weathering), paint or decorations, and normal wear and tear.

WOW® shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the cost of labor on replacing these parts. Replacement parts shall be covered under the original warranty.

This warranty is exclusive and is in lieu of all other warranties, whether expressed or implied, including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Further, no representation, oral or written, by any WOW® Sales Representative may be substituted for the afore described exclusive limited warranty. To the extent permitted by law, WOW® shall not be liable for any direct, indirect, special, incidental or consequential damages, which are expressly excluded from this sale.

WOW® Playgrounds reserves the right to alter product, design, material selection, or pricing without notice.

© 2008 WOW® Playgrounds. All Rights Reserved.

www.wowplaygrounds.com

General Warranty

141

Wow's Superior Services


- Complete Installation by Factory Certified Installers
- Experienced Local Sales and Playground Consultants
- Internet Playground Guide www.wowplaygrounds.com
- Site Amenities, Shade, Shelters, etc. to Complete Your Park




High Quality Products

Wow's Superior Innovations


- Clean "No Clamp" No Clutter Look
- Versatile Activity Panel System
- Wide Array of Products from Modular to Independent Play
- Direct Connect Component Attachment System
- Customized Playground Themed Designs
- 2D, 3D, CAD Drawings Available
- Exclusive Eclipse Roof Design



2D Plan View



3D Rendering





STANDARDS & GUIDELINES

Equipped with Knowledge!



American Society for Testing and Materials

100 Barr Harbor Drive
West Conshohocken, PA 19428-2959
Website: www.astm.org
E-mail address: service@astm.org

The American Society for Testing and Materials is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM's F15.29 committee, chaired by Dr. Francis Wallach, met consistently for over a decade in the continual development of the F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The current version is F1487-01, published in 2001.



IPEMA

8300 Colesville Road, Suite 250 Silver Spring, MD 20910
Website: www.ipema.org
E-mail address: nssea@aol.com

The International Playground Equipment Manufacturers Association. In the interest of public playground safety, IPEMA provides a third party certification service whereby a designated independent laboratory validates a manufacturer's certification of conformance to the ASTM F1487 (excluding section 10 and 12.6.1) Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use, standard. The use of this seal in WOW's catalog signifies that WOW has received written validation from the independent laboratory that the product associated with the use of this seal conforms with the requirements of ASTM F1487. A list of validated products may be found at IPEMA's web site: www.ipema.org



U.S. Consumer Product Safety Commission

Washington, DC 20207
Website: <http://www.cpsc.gov>
Handbook for Public Playground Safety: <http://www.cpsc.gov/cpsc/pub/pubs/325.pdf>
E-mail address: info@cpsc.gov

The Consumer Product Safety Commission is an independent agency within the United States Federal Government with the authority to inform the public of current product safety performance information and recommended practices. The CPSC first published their guidelines for public playgrounds in 1981 and have updated their publication several times over the past 19 years. The current CPSC Handbook for Public Playground Safety, publication #325, is an excellent guide for owners and operators of public play environments.



Access Board (ADAAG)

1331 F street, NW Washington, DC 20004-1111
Website: www.access-board.gov
Guidance Available on Play Area Guidelines: <http://www.access-board.gov/news/playguide.htm>
E-mail address: greenwell@access-board.gov

Access Board (The United States Architectural and Transportation Barriers Compliance Board) has completed Accessibility Guidelines for Play Facilities as set forth in the Americans with Disabilities Act of 1990. The Final Report of the Regulatory Negotiation Committee is available via the internet.



Why Choose WOW®?

Superior Products & Service


WOW's State-Of-The-Art Manufacturing Facility

- In-House Rotational Molding
- In-House Metal Fabrication
- In-House Powder Coating
- 110 Years of Combined Playground Manufacturing Experience
- 95% In-House Production of All Products
- IPEMA Certified In-House Testing Facility
- ISO 9001:2000 Certified
- Dedicated Customer Service
- On-Staff CPSI Certified Employees



WOW's Superior Products

- Allied® Heavy Wall Galvanized Steel Tubing
- Versatile Slide Choices
- Precise Welding Technology
- 3/8" Thick Double Wall Roto Molded Components
- Choose From Over 500 Components
- Vandal Resistant Stainless Steel Hardware
- Creative Theme Park Designs
- Eclipse Shade Roof System (40% More Shade)
- Strongest Product Warranty in the Industry
- Meets or Exceeds CPSC, ASTM and ADA Guidelines



Quest & Journey Systems




Posts	Quest	Journey
Steel Posts	5" O.D. 11 gauge galvanized steel 50,000 psi yield strength 55,000 psi tensile strength	3.5" O.D. 13 gauge galvanized steel 50,000 psi yield strength 55,000 psi tensile strength
Aluminum Cap	Factory installed. Corrosion resistant aluminum alloy, won't chip or crack	
Powder Coat Finish	Coating is baked on for superior, high gloss, no-peel, no-flake finish	
Corrosion Resistant	Triple Flo-Coated corrosion protection provides durability and dependability	
Lifetime Warranty	Limited lifetime warranty on vertical posts	

Fittings	Quest	Journey
C-Line Fittings	Causes zero clamp conflict and drastically cuts down on the climbing situation that the bulky clamps allow for on main upright poles	
Aluminum Alloy	Manufactured and tested in accordance with ASTM standards	
Vertical Post Mounts	Vandal resistant screws	
Available for Panel or Pipe Applications	Allows you to customize your playground to meet your needs	
Lifetime Warranty	Limited lifetime warranty on fittings	

Decks	Quest	Journey
Grid Pattern	48"x48"	36"x36", 36"x48" also available increase component availability
Perforated Surface	Holes measure .625" after plastisol coating to prevent finger injuries	
Plastisol Coating	Durable coating, 80-100 mills thick, increased traction, and resistant to abrasion	
Kickplates	Allows decks to be mounted at offset heights to create challenge and interest	
15-Year Warranty	Limited 15-year warranty on decks	

Plastics	Quest	Journey
Wall Thickness	3/8" Wall Thickness. 2,550 psi tensile strength, rotational molded for superior strength	
9 UV Stabilized Color Options	Best stabilizers on the market to prevent fading	
Mold and Mildew Resistant	Makes it very easy to clean	
Components	Choose From Over 100 Play Components. Each one meets a child's high standard for Freedom To Play	
15-Year Warranty	Limited 15-year warranty on plastics	

1-866-565-6451



Structure Size: 563 x 40
 ASTM Use Zone Size: 68 x 52
 ASTM Surface Area: 2624


Child Capacity: 70
 Age Range: 5-12
 Landscape Timber: 52
 Fall Height: 8

This play structure will meet ADA Accessibility guidelines for buildings and facilities with the addition of MA ground level play components of MA different types of play.



Drawn By: Paul Lee
 Date: 9/14/09
 Scale: None

Q-669




Structure Size:
 ASTM Use Zone Size:
 ASTM Surface Area:

Child Capacity:
 Age Range:
 Landscape Timber:
 Fall Height:

The play structure will meet ADA Accessibility
 guidelines for ballings and facilities with the
 addition of _____ ground level play components of
 _____ different types of play.



Drawn By:
 Date:
 Scale:



Structure Size: 25 X 10
 ASTM Use Zone Size: 37 X 22
 ASTM Surface Area: 632


Child Capacity: 31
 Age Range: 2-5
 Landscape Tankers: 24
 Fall Height: 4

This play structure will meet ADA Accessibility guidelines for buildings and facilities with the addition of 0 ground level play components of 0 different types of play.



Drawn By: Beverly Smith
 Date: 9/15/09
 Scale: None

J-670



J-670

Drawn By: Beverly Smith
 Date: 9/15/89
 Scale: None

WOW
Playgrounds

This play structure will meet ADA Accessibility
 guidelines for buildings and facilities with the
 addition of 0 ground level play components of
 0 different types of play.

Child Capacity: 31
 Age Range: 2-5
 # Landscape Features: 24
 Fall Height: 4

Structure Size: 25 X 16
 ASTM Use Zone Size: 57 X 22
 ASTM Surface Area: 622