



Dec. 4th 2009

To. Krista Ferrell
 RFQ # . DNR 210066
 Bid Opening Date. 12/8/2009
 Bid Opening Time. 1.30 PM

Please add the attached signed addendum # 2 and # 3 to American Playground bid for Greenbrier State Forest DNR # 210006.

Thank you,

Peter O'Scanail

RECEIVED
 2009 DEC -4 A 11: 02
 PURCHASING DIVISION
 STATE OF WV

RECEIVED

2009 NOV 19 PM 2: 37

800 541 1602 toll free | 765 642-0288 phone | 765 649-7162 fax
 6406 Production Drive | Anderson, Indiana 46013
 www.american-playground.com

WV PURCHASING
 DIVISION



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210066

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

*811141433 765-642-0288
AMERICAN PLAYGROUND
505 E 31ST ST
ANDERSON IN 46016

S.H.P.T.O.
DIVISION OF NATURAL RESOURCES
GREENBRIER STATE FOREST
ATTN: PARK SUPERINTENDENT
HC30, BOX 154
CALDWELL, WV
24925-9709 536-1944

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
11/20/2009				

BID OPENING DATE: 12/03/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 2						
THIS ADDENDUM IS ISSUED TO EXTEND THE BID OPENING DATE. TECHNICAL QUESTIONS WILL BE ANSWERED BY SUBSEQUENT ADDENDUM.						
BID OPENING DATE IS EXTENDED TO: 12/3/2009						
BID OPENING TIME REMAINS: 1:30 PM						
***** END ADDENDUM NO. 2 *****						
001	1	LS		650-38		
PLAYGROUND EQUIPMENT FOR GREENBRIER STATE PARK						
***** THIS IS THE END OF RFQ DNR210066 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 765 642 0288	DATE 12-4-09
TITLE President	FEIN 20-599-8546	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS PURCHASE ORDER/CONTRACT

1. **ACCEPTANCE:** Seller shall be bound by this order and its terms and conditions upon receipt of this order.
2. **APPLICABLE LAW:** The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
3. **NON-FUNDING:** All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
4. **COMPLIANCE:** Seller shall comply with all Federal, State and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
5. **MODIFICATIONS:** This writing is the parties final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
6. **ASSIGNMENT:** Neither this Order nor any monies due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
7. **WARRANTY:** The Seller expressly warrants that the goods and/or services covered by this order will: {a} conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; {b} be merchantable and fit for the purpose intended; and/or {c} be free from defect in material and workmanship.
8. **CANCELLATION:** The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
9. **SHIPPING, BILLING & PRICES:** Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
10. **LATE PAYMENTS:** Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the *West Virginia Code*.
11. **TAXES:** The State of West Virginia is exempt from Federal and State taxes and will not pay or reimburse such taxes.
12. **RENEWAL:** Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210066

PAGE:
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL
304-558-2596

VENDOR:
*811141433 765-642-0288
AMERICAN PLAYGROUND
505 E 31ST ST
ANDERSON IN 46016

SUPPLIER:
DIVISION OF NATURAL RESOURCES
GREENBRIER STATE FOREST
ATTN: PARK SUPERINTENDENT
HC30, BOX 154
CALDWELL, WV
24925-9709 536-1944

DATE PRINTED 11/25/2009	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE: 12/08/2009	BID OPENING TIME 01:30PM			

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 3		
				THIS ADDENDUM IS ISSUED TO:		
				1.) ANSWER ALL TECHNICAL QUESTIONS SUBMITTED IN ACCORDANCE WITH THE PROVISIONS OF THE REQUEST FOR QUOTATION AND		
				2.) EXTEND THE BID OPENING DATE.		
				BID OPENING DATE IS EXTENDED TO: 12/08/2009		
				BID OPENING TIME REMAINS: 1:30 PM		
				***** END ADDENDUM NO. 3 *****		
001	1	LS		650-38		
				PLAYGROUND EQUIPMENT FOR GREENBRIER STATE PARK		
				***** THIS IS THE END OF RFQ DNR210066 ***** TOTAL:		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: Krista Ferrell TELEPHONE: 765 642 0288 DATE: 12-4-09
 TITLE: President FEIN: 20-599-8546 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'




We at American Playground are grateful for the opportunity to submit a response to your request for quotation.

The package includes

1. The playground equipment sheet
2. The unit pricing sheet.
3. The general product specification sheet.
4. The equipment layout sheets.
5. The equipment warranty sheet.
6. The ASTM and CPSC compliance sheet.
7. The addendum acknowledgement sheet.

We look forward to hearing from you.



Peter O'Scanail
President
American Playground



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210066

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

*811141433 765-642-0288
**AMERICAN PLAYGROUND
 505 E 31ST ST
 ANDERSON IN 46016**

SHIP TO

**DIVISION OF NATURAL RESOURCES
 GREENBRIER STATE FOREST
 ATTN: PARK SUPERINTENDENT
 HC30, BOX 154
 CALDWELL, WV
 24925-9709 536-1944**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
0/22/2009				
ING DATE: 11/24/2009		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT FOR GREENBRIER STATE PARK</p> <p style="text-align: center;">REQUEST FOR QUOTATION (RFQ)</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH PLAYGROUND EQUIPMENT FOR GREENBRIER STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>NO INSTALLATION IS REQUIRED.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 11/16/2009 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.</p> <p>QUESTIONS CONCERNING THE PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p> <p>EXHIBIT 10</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

Scanall TELEPHONE **765 642 0288** DATE **11-19-09**
DRNT FEIN **20-599-8546** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210066

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

*811141433 765-642-0288

AMERICAN PLAYGROUND
 505 E 31ST ST



ANDERSON IN 46016

SHIP TO

DIVISION OF NATURAL RESOURCES
 GREENBRIER STATE FOREST
 ATTN: PARK SUPERINTENDENT
 HC30, BOX 154
 CALDWELL, WV
 24925-9709 536-1944

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
0/22/2009				

ISSUING DATE: **11/24/2009** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUISITION NO.:						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
NO. 1 ✓						
NO. 2						
NO. 3						
NO. 4						
NO. 5						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
 SIGNATURE 						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

Signature: *P. S. Scannell* TELEPHONE: **765 6420288** DATE: **11-19-09**

FEIN: **20-599-8546** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210066

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

*811141433 765-642-0288
**AMERICAN PLAYGROUND
 505 E 31ST ST
 ANDERSON IN 46016**

SHIP TO

**DIVISION OF NATURAL RESOURCES
 GREENBRIER STATE FOREST
 ATTN: PARK SUPERINTENDENT
 HC30, BOX 154
 CALDWELL, WV
 24925-9709 536-1944**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
0/22/2009				

ISSUE DATE: **11/24/2009** **BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>COMPANY <i>..... 11 - 19 - 09</i> DATE</p>						
<p>REV. 11/96</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

<i>Seannell</i>		TELEPHONE <i>765 642 0288</i>	DATE <i>11-19-09</i>
<i>ant</i>	FEIN <i>20-599-8546</i>	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
DNR210066

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

*811141433 765-642-0288
 AMERICAN PLAYGROUND
 505 E 31ST ST
 ANDERSON IN 46016

SHIP TO

DIVISION OF NATURAL RESOURCES
 GREENBRIER STATE FOREST
 ATTN: PARK SUPERINTENDENT
 HC30, BOX 154
 CALDWELL, WV
 24925-9709 536-1944

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
11/28/2009				
STARTING DATE:	11/24/2009	BID OPENING TIME		01:30PM

ITEM	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDENDUM NO. 1		
				THIS ADDENDUM IS ISSUED TO REPLACE THE SPECIFICATIONS PER THE ATTACHED REVISED SPECIFICATIONS AND PRICING SHEETS.		
				***** END ADDENDUM NO. 1 *****		
	1	LS		650-38		
				PLAYGROUND EQUIPMENT FOR GREENBRIER STATE PARK		
				***** THIS IS THE END OF RFO DNR210066 *****		
				TOTAL:		<u>\$ 54,213</u>

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

3: Seannell
 Telephone: 765 642 0288 DATE: 11-19-09
 FEIN: 20-599 8546 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Greenbrier State Forest
PLAYGROUND EQUIPMENT SHEET

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding in or equal inch brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Model
1	American Playground All Metal Senior Spiral Slide, #L1015, or equal.	American Playground	L 1015
2	American Playground All Metal Junior Spiral Slide, #L815, or equal.	American Playground	L 815
3	American Playground Finest Merry-Go-Round, #M1500, or equal.	American Playground	M 1500
4	American Playground See - Saw, #WA1002, or equal.	American Playground	WA 1002
5	American Playground All Metal Modular Play Structure, # APS60035.	American Playground	APS 60035

Greenbrier State Forest Playground Equipment

PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	American Playground All Metal Senior Spiral Slide, #L1015, or equal.	\$ 8,910.00	\$ 8,910.00
2	1	American Playground All Metal Junior Spiral Slide, #L815, or equal.	\$ 6,832.00	\$ 6,832.00
3	1	American Playground Finest Merry-Go-Round, #M1500, or qual.	\$ 4,959.00	\$ 4,959.00
4	1	American Playground See - Saw, #WA1002, or equal.	\$ 960.00	\$ 960.00
5	1	American Playground All Metal Modular Play Structure, #APS60035, or equal.	\$32,552.00	\$32,552.00
		TOTALS	\$54,213.00	\$54,213.00



AMERICAN PLAYGROUND

GENERAL PRODUCT SPECIFICATIONS

POWDER COAT FINISH: Shall be an electrostatic ally applied TGIC polyester powder. The coating shall have a super tough finish with maximum exterior durability and will have superior adhesion characteristics. Typical characteristics are: 3.0-5.0 mil thickness and oven cured between 375 to 400 degrees Fahrenheit, Pencil Hardness H (ASTM D-3363), Abrasion (ASTM1907), Impact (ASTMD-2794-69), Wedge Bend (ASTM D-522-68), Adhesion (Cross Hatch ASTM D-33549 & Knife Scratch ASTM D-2197), Environmental (Stain Resistance ASTM D-1308, Humidity ASTM D 2242, Salt Sp[ray ASTMB-117 & Fathometer 300 hrs. with no loss of gloss), Over bake Stability 100% at 400 degrees Fahrenheit.

PVC COATINGS: Shall be an oven cured matte finish polyvinyl chloride (PVC) plastisol coating with a minimum coating thickness of 0.080". The plastisol coating shall have a hardness of Shore A 82-86 durometer range. This material is classed as "Self Extinguishing" and contains ultraviolet inhibitors to help prolong the life of the coating.

COMPONENT STEEL TUBING: All tubing used to manufacture components shall be electrical resistance welded, cold rolled, high strength steel. Properties of each size are listed below. The Exterior coating will consist of an in line hot-dipped uniform zinc galvanizing, chromate conversion, and acrylic over – coating. The interior coating will consist of special organic acrylic modified polyester:

<u>DESCRIPTION</u>	<u>OUTSIDE DIAMETER</u>	<u>INSIDE DIAMETER</u>	<u>GAUGE</u>	<u>YIELD PSI</u>	<u>TENSILE PSI</u>
1 ¼" Sch. 40 Pipe	1.660"	1.380"	-	50,000	55,000
1 ½" Sch. 40 Pipe	1.900"	1.600"	-	50,000	55,000
2" Sch. 40 Pipe	2.375"	2.107"	-	50,000	55,000
3" Sch. 40 Pipe	3.500"	3.068"	-	50,000	55,000
0.750"OD Tube	0.750"	0.652"	18	45,000	48,000
1.029"OD Tube	1.029"	0.8363"	14	50,000	55,000
1.315"OD Tube	1.315"	1.075"	12	60,000	75,000
1.660"OD Tube	1.660"	1.420"	11	60,000	75,000
1.900"OD Tube	1.900"	1.660"	11	60,000	75,000
2.375"OD Tube	2.375"	2.107"	10	50,000	55,000
5"OD Tubing	5.000"	4.760"	11	45,000	48,000

HARDWARE: All nuts, bolts, screws, inserts, and lockwashers used in the assembly of all play equipment shall be yellow dichromate plated steel, stainless steel, mechanically or powder coated/yellow dichromate plated steel. Yellow dichromate treatment includes an elector-deposited 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate top coat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. Hardware shall be tamper resistant.

ALUMINUM HEXAGONAL ROOF: The Aluminum Hexagonal Roof panels shall be fabricated from .125" thick type 3003H14 aluminum with a minimum Tensile Strength of 22,000 psi and a minimum Yield Strength of 21,000 psi. This material shall meet or exceed the following specifications: ASTM B209, QQA

250/2. The roof assembly shall be a partially welded construction and shall be coated after fabrication with a formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

ARCHED ROOF: The Roof Supports Shall be fabricated from 5" outside diameter tubing, 1/8" wall thickness, extruded from 6000 Series aluminum alloy with a minimum Tensile Strength of 38,000 psi and minimum Yield Strength of 35,000 psi. This material shall meet or exceed the following specifications: ASTM-B221 and QQA-200/8. The shade canopy shall be fabricated from .048 thick aluminum with a 1/4" hole perforation pattern. The roof shall directly bolt to the 4 uprights. The roof assembly shall be a partially welded construction and shall be coated after fabrication with a formula of TGIC polyester powder coating in conformance with the specifications outlined herein.

METAL SLIDES STAINLESS STEEL SLIDES (SINGLE, DOUBLE, EXTRA WIDE, WAVE): The bedways shall be fabricated of .049" (18 gauge) type 304-2B stainless steel with a minimum Tensile Strength of 95,000 psi and a minimum Yield Strength of 40,000 psi. This material shall meet or exceed the following specifications: AMS 5513C, QQ-S-766 Amend, 1 Class, MIL-S-854 Amend. 4 Class 1. The bedway siderails shall be fabricated from American Playground's exclusive 14 gauge 1.375" wide by 4" deep steel "D" rail and shall be coated after fabrication with a formula of TGIC polyester powder coating in conformance with the specifications outlined herein. The lower end of the chute shall be formed to a radius so the exit end of the chute is nearly level to the ground to slow the user of landing, but still allow for water drainage. Specially designed 3" wide steel battens spaced every 14" apart shall support the bedway. The bedway of the double-wide slides shall be supported by 2" x 1/2" x 1/8" steel bar channel coated after fabrication with a formula of TGIC polyester powder coating in conformance with the specifications outlined herein spaced every 14" apart. The bedways for the Standard and Wave Slides shall be 18" wide with 4" high sides and the Double Slides shall be 36" or 40" wide with 4" high sides.

ALUMMINUM SPIRAL SLIDES: The chute shall be .125" thick type 3003H14 aluminum with a minimum Tensile Strength of 22,000 psi and a minimum Yield Strength of 21,000 psi. This material shall meet or exceed the following specifications: ASTM B209, QQA 250/2. The aluminum slide shall be coated with a TGIC polyester powder coating in conformance with the specifications outlined herein. Solid and continuous aluminum chute walls shall be .125" thick, reinforced by 1.0625" diameter safety railings. The sidewalls shall spiral from 9" to 16" high. The entry shall be 1/8" non-slip aluminum deck plate over 1/8" thick aluminum sheet formed with a 31" high safety enclosure. The support mast shall be one piece made of 5" Schedule 40 pipe (5.563 outside diameter and .258 wall). The chute exit shall be double wall construction.

L336 ALUMINUM SPIRAL SLIDE: Chute shall be a one piece 90 degree aluminum spinning to eliminate chute sections, and the platform height shall be 36". The slide shall be fabricated in left and right hand turn models.


L650 ALUMINUM SPIRAL SLIDE: Chute shall be a one piece, 270 degree aluminum spinning to eliminate chute sections, and the platform height shall be 60". Freestanding slides shall be furnished with a single piece stairway, handrails, and a canopy.


L700 ALUMINUM SPIRAL SLIDE: Chute shall be a one piece, 360 degree aluminum spinning to eliminate chute sections, and the platform height shall be 72". Freestanding slides shall be furnished with a single piece stairway, handrails, and a canopy




Capacity
Weight
Use Zone

55 Children
4,500lbs
48' x 39'






Capacity 30 Children
 Weight 1,100lbs
 Use Zone 6' Diameter



Platform Height 7'
 Weight 757
 Use Zone 22' x 15'



Platform Height 12'
 Weight 1,115lbs
 Use Zone 25' x 15'



Number of Seats 2
 Weight 260lbs
 Use Zone 18' x 22'



American Playground Warranty

15 YEAR LIMITED WARRANTY

Against 1) Structural failure due to corrosion
And/or natural deterioration or 2)
Manufacturing defects.

- *For all Modular Structure Post
- *For all Swing Set Castings
- * For all Bicycle Racks
- *For all Metal Components
- *For all Metal Post used in Swings, Slides
- *For all Merry-Go-Round Platforms and Handrails
- *For all Aluminum and Stainless Steel Slide Bedways

10 YEAR LIMITED WARRANTY

Against 1) Structural failure due to corrosion
And/or natural deterioration or 2)
Manufacturing defects

- *For all Basketball Posts, Backboards and Rims

5 YEAR LIMITED WARRANTY

Against 1) Structural failure due to corrosion
And/or natural deterioration or 2)
Manufacturing defects

- *For all Modular PVC coated Decks

All warranties extended to Customer assume the Equipment, was/is:

- a. Installed in accordance with AP's instruction
- b. Maintained in compliance with AP's Maintenance Guide and Warranty

In addition to any other exclusion identified in the Agreement, all warranties expressly exclude:

- a. Cosmetic items such as fading, discoloration, dents, marring, weathering, normal wear and tear or damages such as warping, checking or twisting.
- b. Damage caused by abuse, neglect, misuse, vandalism or improper maintenance, ACTS OF GOD, NATURE, WAR OR CIVIL UPRISING.
- c. Damage caused by alteration or modification of Equipment by non-AP- authorized installer

The warranty period shall commence on the date the Equipment is installed by AP or if AP is not installing the Equipment, the date upon which Customer receives delivery of the Equipment. For a claim to be considered, any such claim shall include:

- 1) A legible photograph of the items(s) or condition(s) with Equipment that are the subject of the warranty claim(s)
- 2) Copies of all AP inspection checklists from installation sub-contractor
- 3) A copy of Final Invoice
- 4) A brief written statement explaining the warranty claim

Terms of Sale

Terms of any sale will be in accordance with the terms listed on the American Playground website.

www.american-playground.com



American Playground

ASTM & CPSC COMPLIANCE

American Playground products are manufactured to ASTM and CPSC standards. All of our manufactured products are fully inspected before they leave our facility. Saving Lives and Keeping Families Safe is American Playground's number one priority.

The safety of each individual piece of playground equipment as well as the layout of the entire play area should be considered when designing or evaluating a playground for safety. There are several key factors to keep in mind when laying out a playground: Accessibility, Age separation, Conflicting activities, Sight lines, Signage and/or labeling. Because all playgrounds present some challenge and because children can be expected to use equipment in unintended and unanticipated ways, adult supervision is highly recommended.

On choosing playground surfacing American Playground always chooses ASTM approved Playground mulch. Loose-fill materials will compress at least 25% over time due to use and weathering. This must be considered when planning the playground surfacing. CPSC strongly recommends against installing playgrounds over hard surfaces, such as asphalt, concrete.

American Playground ensures that the users cannot ingest, inhale, or absorb potentially hazardous amounts of preservative chemicals or other treatments applied to the equipment as a result of contact with playground equipment. All of our paints and other similar finishes meet the current CPSC regulation for lead in paint (0.06% {600ppm} maximum lead by dry weight. American Playground recommends that all painted surfaces should be maintained to prevent corrosion and deterioration.

American Playground strongly encourages following all instructions from the manufacturer when assembling and installing equipment. After assembly and before its first use, equipment should be thoroughly inspected by a person qualified to inspect playgrounds for safety. American Playground has a certified installer in our facility that will be more than happy to answer any questions you may have when installing your playground structure.