



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210151

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR

*612152354 01 740-446-2412
 CARMICHAEL EQUIPMENT INC
 6777 MERRITTS CREEK ROAD
 HUNTINGTON WV 25702

SHIP TO

DIVISION OF NATURAL RESOURCES
 WILDLIFE RESOURCES
 219/250 WARD ROAD
 ELKINS, WV
 26241 304-637-0245

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/18/2010				

BID OPENING DATE: 03/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		020-89		26410.00
TRACTORS AND ACCESSORIES FOR VARIOUS WMA						
REQUEST FOR QUOTATION (RFQ)						
THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH (5) TRACTORS AND (8) ACCESSORIES FOR VARIOUS WILDLIFE MANAGEMENT AREAS PER THE ATTACHED SPECIFICATIONS.						
TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 03/03/2010 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS SUBMITTED, IF ANY, WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.						
QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WEST VIRGINIA ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.						
EXHIBIT 10						

RECEIVED

2010 MAR 17 PM 1:14

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>Dawn Mills</i>	304 736 2120	3/16/10	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
<i>Sale Manager</i>	31-1559816		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210151

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
FRANK WHITTAKER 304-558-2316

VENDOR



*612152354 01 740-446-2412
 CARMICHAEL EQUIPMENT INC
 6777 MERRITTS CREEK ROAD
 HUNTINGTON WV 25702


SHIP TO

DIVISION OF NATURAL RESOURCES
 WILDLIFE RESOURCES
 219/250 WARD ROAD
 ELKINS, WV 26241
 304-637-0245

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/18/2010				

BID OPENING DATE: 03/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUISITION NO.:						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO M PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
NO. 1						
NO. 2						
NO. 3						
NO. 4						
NO. 5						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
				 SIGNATURE  COMPANY		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
	304 736 2170	3/16/10	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Dale Mawryck	31-1559816		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210151

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

VENDOR

*612152354 01 740-446-2412
 CARMICHAEL EQUIPMENT INC
 6777 MERRITTS CREEK ROAD
 HUNTINGTON WV 25702

SHIP TO

DIVISION OF NATURAL RESOURCES
 WILDLIFE RESOURCES
 219/250 WARD ROAD
 ELKINS, WV
 26241 . 304-637-0245

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/18/2010				

BID OPENING DATE: 03/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>..... 3/16/10</p> <p>DATE</p>						
<p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Frank Whittaker</i>	TELEPHONE 304 736 2120	DATE
TITLE <i>State Manager</i>	FEIN 31-1559816	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Wildlife Management Areas
Purchase of Tractors and Accessories

The West Virginia Purchasing Division for the West Virginia Division of Natural Resources is requesting bids for the purchase of five (5) tractors and eight (8) accessories. All items are to be F O B. Destination. Freight or delivery charges must be included in the price of the goods. Delivery must be made within thirty (30) days of purchase order award. The award may be split if it is in the best interest of the West Virginia Division of Natural Resources.

General Specifications:

The tractors and accessories must be manufactured for commercial use. All items must be new.

Information for Bidders:

Bidders must submit a unit price bid for each item to furnish all items specified.

Damaged Items:

Damaged or defective items must be replaced at no additional expense to The West Virginia Division of Natural Resources.

Warranty:

The equipment must be guaranteed to be free of defects in workmanship and material for a minimum of one (1) year from date of acceptance. However, if manufacturer warranty periods are longer than the required minimum one year warranty, those warranties shall apply.

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

Four Wheel Drive, Diesel Farm Tractor

New Holland Model T4030 Farm Tractor with Loader or equal. Tractor must meet the following specifications:

- Must be 4X4 wheel drive;
- Must have a minimum 76 horsepower diesel engine;
- Must have a minimum PTO (Power Transmission Overdrive) horsepower of 62;
- Must have a synchronized mechanical shuttle transmission;
- Must have flexible link arms;
- Must have a front grill guard;
- Must have operational lights;
- Must have a Roll Over Protection System;
- Must have telescoping stabilizers;
- Must have dual rear remote valves with lever controls;
- Must have an open operators station;
- Must have a drawbar and clevis attached;
- Must have general farming rated tires (R-1 grade);
- Must be equipped with an engine block heater;
- Must have a free standing quick attachment system front end loader with a minimum capacity of 2,000 lbs., and a minimum front end lift height of 122 in. Loader must also include two open center, mid-mounted loader valves with a four-way joystick; and
- Must include service manual and a demonstration must be provided upon delivery by the dealer representative.

Two (2) Tractors delivered to the following locations:

One (1) Farm Tractor to:

Pleasant Creek Wildlife Management Area

Barbour County

Route 3 Box 180, Philippi, WV

Contact: Steve Rauch (304-825-6787) for delivery information

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

One (1) Farm Tractor to:

*Short Mountain Wildlife Management Area
Hampshire County
Fort Hill Road, Augusta, WV
Contact Rich Rogers (304-822-3551) for delivery information*

Six Foot, Heavy Duty Rotary Cutter

Bush Hog Model Tough 406 Series or equal. Rotary cutter must meet the following specifications:

- Must have a minimum cutting width of 6 ft ;
- Must have a three (3) point lift Category II type hitch;
- Must have a minimum deck thickness of ¼ inch;
- Must have a ASAE (American Society of Agricultural Engineers) Category driveshaft;
- Must have a gearbox rated for a minimum 540 RPM;
- Must have a heavy duty slip clutch driveline protection;
- Must have front and rear deflectors and front and rear chains;
- Must have extra heavy duty blades – minimum of 5/8 inch thick and 5 in. in width;
- Must have a laminated or caster wheel tire.

Two (2) Rotary Cutters delivered to the following locations:

One (1) Rotary Cutter to:

*Blackwater Wildlife Management Area
Tucker County
Parsons, WV
Contact Steve Rauch (304-825-6787) for delivery information*

One (1) Rotary Cutter to:

*Nathaniel Mountain Wildlife Management Area
Hampshire County
Grassy Lick Road
Romney, WV
Contact Rich Rogers (304-822-3551) for delivery information*

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

Fifty-five (55) Gallon three (3) Point Hitch Herbicide Sprayer. Sprayer must meet the following specifications:

- Must have a corrosion resistant polyethylene tank which holds a minimum of fifty-five (55) gallons;
- Must be equipped with a pump kit;
- Must have a minimum nine (9) ft. and a maximum ten (10) ft. boom with breakaway hinges;
- Must have a single manual lever valve with relief valve and pressure gauge;
- Must be equipped with two handguns and hoses (minimum 25 ft.);
- Must have a roller pump; and
- Must have a three (3) point lift Category II type hitch.

Three (3) Herbicide Sprayers to be delivered to the following locations:

One (1) Herbicide Sprayer to:

*Coopers Rock State Forrest
Monongalia County
Route 1 Box 80
Bruceeton Mills, WV
Contact Steve Rauch (304-825-6787) for delivery information*

One (1) Herbicide Sprayer to:

*Stonewall Jackson Wildlife Management Area
Lewis County
114 Old Georgetown Road, Roanoke, WV
Contact Rob Silvester (304-924-6211) for delivery information*

One (1) Herbicide Sprayer to:

*Greenbottom WMA
Cabell County
Route 1 Box 538, Lesage, WV
Contact Gary Sharp (304-675-0871) for delivery information*

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

Eight (8) Foot Heavy Duty Rotary Tiller

Bush Hog Model RTH88 or equal. Rotary tiller must meet the following specifications:

- Must have a minimum tilling width of eighty-eight (88) in.;
- Must have a three (3) point hitch Category I & II type hitch;
- Must be rated for a tractor range of 65-80 PTO (Power Transmission Overdrive);
- Must have a slip clutch standard driveline;
- Must have a position lock skid shoe system;
- Must have an adjustable cutting depth up to seven (7) in.;
- Must have a gear driven single speed power to rotor transmission;
- Must have a minimum rotor speed for 210 RPM/540 PTO; and
- Must be a minimum weight of 950 lbs.

One (1) Rotary Tiller to:

Bluestone Wildlife Management Area

Summers County

HC 65 Box 91, Indian Mills, WV

Contact Colin Carpenter (304-256-6947) for delivery information

No-Till Seed Drill

Great Plains Model 706NT No-Till Seed Drill or equal. Drill must meet the following specifications:

- Must have a minimum planting width of seven (7) ft.;
- Must have a primary seed box capacity of 2.5 bushels per ft.;
- Must have a small seed (legume) box for plants with small seeds (i.e. clover, alfalfa, switch grass) and a large grain seed box for plants with large seeds (i.e. wheat, soybeans, peas);
- Must have adjustable row spacing;
- Must have a warm season grass seed box;
- Must have an acre meter;
- Must have transport lights;
- Must have weight brackets;
- Must have water tight seed box lids;
- Must have lock out hubs and be 8 ply highway tire compatible; and
- Must have a folding hitch.

Two (2) Seed Drills to be delivered to:

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

One (1) Seed Drill to:

*Bluestone WMA
Summers County
HC 65, Box 91, Indian Mills, WV
Contact Colin Carpenter (304-256-6947) for delivery information*

One (1) Seed Drill to:

*Greenbottom Wildlife Management Area
Cabell County
Route 1 Box 538, Lesage, WV
Contact Gary Sharp (304-675-0871) for delivery information*

10 Foot Single Wing Flex Rotary Cutter

Bush Hog Model 2710L Single Wing Flex Rotary Cutter or equal. Rotary cutter must meet the following specifications:

- Must have a minimum cutting width of ten (10) ft. with a maximum 8 ft. transport width;
- Must have a minimum deck thickness of eleven (11) gauge steel;
- Must have a self-leveling hitch;
- Must have a minimum of Category V velocity joints;
- Must have a slip clutch;
- Must have chain deflectors;
- Must have laminated tires; and
- Must have a minimum wing flex of eighty-five (85) degrees up and a minimum twenty (20) degrees down.

One (1) Wing Flex Rotary Cutter to:

*Bluestone Wildlife Management Area
Summers County
HC 65, Box 91, Indian Mills, WV
Contact Colin Carpenter (304-256-6947) for delivery information*

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

Rear Mounted 8 Foot Heavy Duty Blade

Woods Model RB850 or equal Back blade must meet the following specifications:

- Must have a minimum moldboard length of 95 inches and include moldboard end plates;
- Must have Category II 3-point hitch;
- Must have a minimum moldboard height of 17 in.;
- Must have a parking stand;
- Must have an angle adjustment with hydraulic cylinder;
- Must have a minimum weight of 850 lbs;
- Must have a tilt adjustment with hydraulic cylinder; and
- Must be ASAE (American Society of Agricultural Engineers) quick hitch compatible.

Two (2) Heavy Duty Blades to be delivered to:

One (1) Heavy Duty Blade to:

Burnsville Wildlife Management Area

Braxton County

US Route 19, Falls Mill

Contact Rob Silvester (304-924-6211) for delivery information

One (1) Heavy Duty Blade to:

Bluestone Wildlife Management Area

Summers County

HC 65 Box 91, Indian Mills, WV

Contact Colin Carpenter (304-256-6947) for delivery information

Agriculture Grade 3-Point Hitch Post Hole Digger

Bush Hog Model 2102 or equal. Post Hole Digger must meet the following specifications:

- Must have shear bolt component protection;
- Must have a maximum digging depth of forty-eight (48) in;

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

- Must have a Category I and II type hitch;
- Must have a minimum two (2) in diameter output shaft;
- Must have a minimum 2 7/8 in. tubing yolk;
- Must have a minimum 3 ½ in. tubing on the reinforced rib boom;
- Must include a minimum 12 in. diameter auger;
- Must have a minimum driveshaft size of ASAE (American Society of Agricultural Engineers); Category III; and
- Must have a leveling handle and parking stand.

One (1) Post Hole Digger to:

*Nathaniel Mountain Wildlife Management Area
Hampshire County
Grassy Lick Road, Romney, WV
Contact Rich Rogers (304-822-3551) for delivery information*

8 Foot Tandem Disk

New Frontier Model DH1508 or equal. Disk must meet the following specifications:

- Must be tractor rated for 35 to 55 HP;
- Must have a minimum 8 ft. working width;
- Must have a minimum 3 in. square and 5X3 in. frame;
- Must have a drawn hitch with clovis and jack and safety chains;
- Must have an adjustable depth control with front to rear leveling;
- Must have adjustable front and rear gang axle;
- Must have sealed bearings;
- Must have a minimum 3X3 in. gang tube with minimum thickness of 3/16 in.;
- Must be equipped with hydraulic cylinder and hoses;
- Must have a minimum weight of 1,800 lbs.; and
- Must have a minimum blade size of 20 in.

One (1) Tandem Disk to:

*Stonewall Jackson Wildlife Management Area
Lewis County
114 Old Georgetown Road, Roanoke, WV
Contact Rob Silvester (304-924-6211) for delivery information*

DNR210151
Wildlife Management Areas
Purchase of Tractors and Accessories

Multi-Terrain Tractor with 54 inch Cutting Width Deck

John Deere Model X530 Multi-Terrain Tractor or equal. Tractor must meet the following specifications:

- Must have a minimum 25 HP gasoline engine with a minimum 675 cc displacement;
- Must have a minimum 4.5 gallon gas tank;
- Must have an automatic transmission with differential lock;
- Must have twin touch pedal controls;
- Must have cruise control;
- Must have a heavy duty welded frame with cast iron front axle;
- Must have an adjustable high back seat;
- Must have a hydraulic lift system;
- Must have a mowing deck (minimum 54 inch) with side discharge;
- Must have a front bumper;
- Must have power steering;
- Must have a fuel gauge and hour meter;
- Must have all front turf tires and rear all-purpose tires;
- Must have adjustable cutting heights; and
- Must have a heavy duty garden tractor transaxle.

Three (3) Multi-Terrain Tractors to be delivered to:

One (1) Multi-Terrain Tractor to:

Handley Wildlife Management Area

Pocahontas County

Route 1 Box 320, Marlinton, WV

Contact Rob Silvester (304-924-6211) for delivery information

One (1) Multi-Terrain Tractor to:

Lewis Wetzel Wildlife Management Area

Wetzel County

HC 62 Box 8, Jacksonburg, WV

Contact Steve Rauch (304-825-6787) for delivery information.

**Wildlife Management Areas
Purchase of Tractors and Accessories**

One (1) Multi-Terrain Tractor to:

Conaway Run Wildlife Management Area

Tyler County

HC 69 Box 54, Middlebourne, WV

Contact Jeff McCrady (304-420-4550) for delivery information

3-Point Hitch Landscape Rake

Bush Hog Model MLR Series 7 ft. Landscape Rake or equal. Rake must meet the following specifications:

- Must have a tubular welded frame;
- Must have a minimum working width of 84 in.;
- Must have a Category I or II quick hitch;
- Must have a minimum weight of 330 lbs;
- Must have adjustable forward and reverse positions;
- Must have minimum tine spacing of 1 in. and a maximum tine spacing of 2 in.;
- Must have a minimum rake height of 14 in. ; and
- Must have a maximum tractor PTO Rating of 50 PTO.

One (1) Landscape Rake to:

Rimel Wildlife Management Area

Pocahontas County

Route 39/Route 92, Marlinton, WV

Contact Shawn Head (304-637-0245) for delivery information

Ten (10) Ft. Heavy Duty Rotary Cutter

Taylor Pittsburgh 270 Series or equal. Rotary cutter must meet the following specifications:

- Must have a minimum cutting width of 10 ft. ;
- Must have slip clutch gearbox protection;
- Must have a minimum deck thickness of 1/4 inch steel;
- Must be equipped with a stump jumper;
- Must have a Category II quick hitch system;
- Must have safety chains;

**Wildlife Management Areas
Purchase of Tractors and Accessories**

- Must have a minimum 90 HP rated gearbox with 125 splitter;
- Must have a gearbox rated for a minimum 540 RPM;
- Must have extra heavy duty blades – minimum of 4/8 inch thick and 4 inches in width; and
- Must have a laminated or caster wheel tire

One (1) Heavy Duty Rotary Cutter to:

Greenbottom Wildlife Management Area

Cabell County

Route 1 Box 538, Lesage, WV

Contact Gary Sharp (304-675-0871) for delivery information

ATV Mounted 12 Volt Herbicide Sprayer

Sprayer must meet the following specifications:

- Must have a 20 to 25 gallon polyethylene corrosion resistance tank;
- Must have an adjustable pressure control and pressure gauge;
- Must have a handgun with an adjustable pattern nozzle with a minimum of fifteen (15) ft. of hose;
- Must have a universal ATV mounting kit;
- Must have a 10 to 12 ft. foldable boom;
- Must have a diaphragm pump with a minimum GPM rating of 2.1 GPM; and
- Must have a minimum horizontal spray distance of 30 ft. (handgun) and 18 ft. vertical (handgun)

One (1) Herbicide Sprayer to:

Elkins Operation Center

Randolph County

Route 219/250 South Ward Road, Elkins, WV

Contact Terry Jones (304-637-0245) for delivery information

Wildlife Management Areas
Purchase of Tractors and Accessories

ATV Mounted 12 Volt Seeder

Seeder must meet the following specifications:

- Must have a polyethylene hopper with lid which will hold a minimum of 1 bushel;
- Must have a 12 volt motor with variable seed control;
- Must include a universal ATV mounting kit;
- Must have a power cord with on/off toggle switch;
- Must be equipped with wiring harness; and
- Must have flow control lever.

One (1) 12 Volt Seeder to:

Burnsville Wildlife Management Area

Braxton County

US Route 19, Falls Mill, WV

Contact Rob Silvester (304-924-6211) for delivery information

Wildlife Management Areas
Tractor and Accessories
Manufacturer's List

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request for Quotation.

ITEM NO.	EQUIPMENT	MANUFACTURER	MODEL
1	NEW HOLLAND MODEL T4030 FARM TRACTOR WITH LOADER OR EQUAL		
2	BUSH HOG MODEL TOUGH 406 SERIES ROTARY CUTTER OR EQUAL		
3	55 GALLON, 3 POINT HITCH, HERBICIDE SPRAYER		
4	BUSH HOG MODEL RTH88 ROTARY TILLER OR EQUAL		
5	GREAT PLAINS MODEL 706NT NO-TILL SEED DRILL OR EQUAL	John (Frontier) DEERE	BD1307
6	BUSH HOG MODEL 2710L SINGLE WING FLEX ROTARY CUTTER OR EQUAL		
7	WOODS MODEL RB850 OR EQUAL		
8	AGRICULTURAL GRADE 3-POINT HITCH BUSH HOG MODEL 2102 POST HOLE DIGGER OR EQUAL		
9	NEW FRONTIER MODEL DH1508 8 FOOT TANDEM DISK OR EQUAL		
10	JOHN DEERE MODEL X530 MULTI-TERRAIN TRACTOR OR EQUAL		
11	BUSH HOG MODEL MLR SERIES 7 FT. LANDSCAPE RAKE OR EQUAL		
12	TAYLOR PITTSBURGH 270 SERIES HEAVY DUTY ROTARY MOWER OR EQUAL	John DEERE	MX 10
13	ATV MOUNTED 12 VOLT HERBICIDE SPRAYER		
14	ATV MOUNTED 12 VOLT SEEDER		

DNR210151
Wildlife Management Area
Tractors and Accessories
PRICING SHEET

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1	2	NEW HOLLAND MODEL T4030 FARM TRACTOR WITH LOADER OR EQUAL		
2	2	BUSH HOG MODEL TOUGH 406 SERIES ROTARY CUTTER OR EQUAL		
3	3	55 GALLON, 3 POINT HITCH, HERBICIDE SPRAYER		
4	1	BUSH HOG MODEL RTH88 ROTARY TILLER OR EQUAL		
5	2	GREAT PLAINS MODEL 706NT NO-TILL SEED DRILL OR EQUAL	20772. ⁰⁰	20772. ⁰⁰
6	1	BUSH HOG MODEL 2710L SINGLE WING FLEX ROTARY CUTTER OR EQUAL		
7	2	REAR MOUNTED 8 FOOT HEAVY DUTY BLADE WOODS MODEL RB850 OR EQUAL		
8	1	BUSH HOG 3-POINT HITCH POST HOLE DIGGER MODEL 2102 OR EQUAL		
9	1	NEW FRONTIER 8 FT. TANDEM DISK MODEL D1508 OR EQUAL		
10	3	JOHN DEERE MODEL X530 MULTI-TERRAIN TRACTOR OR EQUAL		
11	1	BUSH HOG MODEL MLR SERIES 7 FT. LANDSCAPE RAKE OR EQUAL		
12	1	TAYLOR PITTSBURGH 270 SERIES HEAVY DUTY ROTARY MOWER OR EQUAL	5638. ⁰⁰	5638. ⁰⁰
13	1	ATV MOUNTED 12 VOLT HERBICIDE SPRAYER		
14	1	ATV MOUNTED 12 VOLT SEEDER		
			TOTAL COST	26410. ⁰⁰

only bidding on 2 items going to
Grazebottom WMA

USERID: XP46590 PRICE INFORMATION 17MAR10 09:43:52 PAGE 1

ORDER NUMBER: REVIEW PRIOR PRICE: 17MAR10
SOLD TO ACCT: 039394 HUNTINGTON, WV REQUESTED DELIVERY:
SHIPPING MODE: SOLD: NEW ORDER:

ORDER CODE	QTY	DESCRIPTION	WEIGHT	SUGGESTED LIST PRICE
3011XE	1	BD1307 NO-TILL GRAIN DRILL	3360	25,130.00
1010	1	BD1307 GRAIN/NATIVE GRASS	156	2,932.00
2010	1	BD1307 SWIV SNGL DRILL HITCH	0	234.00
3000	1	BD1307 SM SEED BOX/DROP TUBE	309	IN BASE
4000	1	BD1307 2X13RUBBER PRESS WHL	0	117.00
TOTAL			3825	28,413.00

Bid price \$20722.00

BD1307 No-Till Grain Drill, 7 Ft. Wide, 7 In. Spacing, 12 Openers

Number of Openers: 12	Fertilizer/Native Grass Box: 11.5 Bushel
Available Row Spacings: 7 In.	Small Seed Box: 2.1 Bushel
Working Width: 7 Ft. 7 In.	Grain Agitator: Grain Box - Optional
Transport Width: 7 Ft. 6 In.	Dual Agitators Standard with Native Grass Configuration
Opener Type:	Depth Gauging Press Wheels:
14 In. Double Disk	2 In. x 15.5 In. Steel
1.5 In. Offset Staggered Pattern	2 In. x 13 In. Rubber
Seedboot Types: Cast Iron	Depth Bands: Optional
Opener Downpressure: 135 - 300 lbs.	Acrometer: Standard
Opener Travel Range: 10 In.	Row Markers: NA
Disk Soil Penetration: Up to 3 In.	Swivel Hitch: Optional, for Use on Sidehills and Rolling Terrain
Hydraulic Opener Lift: Standard	Native Grass Attachment: Optional, Includes Dual Agitators and Large Convoluted Seed Hoses with Separate Seed Boots
3 In. x 8 In. Cylinder, Hoses, Fittings, Fully Assembled	Small Seed (Legume) Box: Optional, Includes Drop Tubes to Separate from Openers
Metering: Infinitely Adjustable Meter	Assembly/Set-up Time: 1 Man Hour for Base Machine
Transport Ground Clearance: 7 In.	Warranty: 1 Year Parts and Labor
Weight with	
Combo Box: 3,360 lbs.	
Small Seed (Legume) Box: 3,492 lbs.	
Tires:	
9.5-14 8PR Farm Implement - Front Caster	
7.60-15 4PR Farm Implement - Rear Transport	
Box Capacity	
Grain Box: 12 Bushel	

Specifications are based on published information at the time of publication. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Specifications are subject to change without notice. Contact [your local John Deere dealer](#) for more detailed information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

USERID: XP46590 PRICE INFORMATION 17MAR10 09:46:58 PAGE 1

ORDER NUMBER: REVIEW PRIOR PRICE: 17MAR10
SOLD TO ACCT: 039394 HUNTINGTON, WV REQUESTED DELIVERY:
SHIPPING MODE: SOLD: NEW ORDER:

ORDER CODE	QTY	DESCRIPTION	WEIGHT	SUGGESTED LIST PRICE
2177P	1	MX10 LIFT TYP CD CUTTER 540	1827	6,426.00
1250	1	NO CONTENTS	0	IN BASE
1611	1	MX/HX10 FRONT SHIELDS CHAIN	136	IN BASE
1711	1	MX/HX10 REAR SHIELDS CHAIN	134	IN BASE
6095	1	NO CONTENTS	0	IN BASE
TOTAL			2097	6,426.00

Bid Price \$5638.00

MX10 Lift-Type Center Drive Rotary Cutter - 540 RPM PTO

Smooth, Easy Clean, Top Deck

Deck Thickness:

Upper Deck - 1/8" (3.0mm)

Lower Deck - 1/8" (3.0mm)

Total - 1/4" (6.0mm)

Three Gearcases, Power Ratings:

Center - 120 Continuous HP (89.4 kW);

130 Peak HP (97 kW)

Outer - 75 Continuous HP (56 kW);

100 Peak HP (74.5 kW)

2 In. Brush Cutting Capacity

Shock Absorbing Cross Shafts

Slip Clutch Protection

Unibody Frame:

8.5 In. (216mm) Body Depth

3/16 In. (4.5mm) Skirt Thickness

Cutting Width: 125.5 In. (3.19m)

Transport Width: 129 In. (3.28m)

Cutting Height: 1 to 12 In. (25 -

305mm)

Blade Tip Speed: 16275 ft/min (82.7 m/s)

Weld on Full Length Wear Shoes

Minimum Recommended Tractor PTO HP:

6000 Series or equivalent

Standard Driveline (Cat. 4) -

540 RPM 1-3/8 PTO

Hitch (Cat. II, III and IIIN

3-Point Hitch

with or without Quick Coupler)

Round Pan Bladeholder (Stump

Jumper)

Suction Blades (1/2 In. x 4 In.)

Two Wheel Supports (Swiveling,

Height Adjustable)

Two Puncture Proof Laminated Tires

Front Safety Shield - Chain

Rear Safety Shield - Chain

Front and rear safety shields reduce the risk of thrown objects which could be hazardous. The base rotary cutter complies with the Industrial Mower Safety Standard SAE J232

Specifications are based on published information at the time of publication. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Specifications are subject to change without notice. Contact your local John Deere dealer for more detailed information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37 (Does not apply to construction contracts) West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable

1. Application is made for 2.5% resident vendor preference for the reason checked:

Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,

X Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,

Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% resident vendor preference for the reason checked:

Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% resident vendor preference for the reason checked:

Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

4. Application is made for 5% resident vendor preference for the reason checked:

Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: CARMICHAEL EQUIPMENT INC Signed: Laraine Carmichael

Date: 3-16-10 Title: V. Pres.

*Check any combination of preference consideration(s) indicated above which you are entitled to receive

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (**West Virginia Code §61-5-3**), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: CARMICHAEL EQUIPMENT INC

Authorized Signature: Lorace Carmichael Date: 3-16-10

State of _____

County of _____, to-wit:

Taken, subscribed, and sworn to before me this 16 day of MARCH, 2010

My Commission expires 25 NOV 2013, 2010.

AFFIX SEAL HERE

NOTARY PUBLIC

Thomas R. Johnson

