



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
DNR210157

PAGE:
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

RFQ COPY

TYPE NAME/ADDRESS HERE

**BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net**

**DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV 26554 363-3319**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOBI	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		650-38		
<p>PLAYGROUND EQUIPMENT FOR VALLEY FALLS STATE PARK</p> <p>REQUEST FOR QUOTATION (RFQ)</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY. THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS TO PROVIDE PLAYGROUND EQUIPMENT TO VALLEY FALLS STATE PARK PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE PURCHASING DIVISION VIA MAIL AT THE ADDRESS LISTED IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 03/30/2010 AT THE CLOSE OF BUSINESS. ALL TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY ADDENDUM AFTER THE DEADLINE HAS LAPSED.</p> <p>QUESTIONS CONCERNING THE ACTUAL PROCESS BY WHICH A VENDOR MAY SUBMIT A BID TO THE STATE OF WV ARE NOT CONSIDERED TO BE TECHNICAL QUESTIONS AND MAY BE SUBMITTED AT ANY TIME PRIOR TO THE BID OPENING AND IN ANY FORMAT.</p> <p>EXHIBIT 5</p> <p>WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITA</p>						

RECEIVED
 2010 APR 15 A 11:51
 PURCHASING DIVISION
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: TELEPHONE: **540-797-2215** DATE: **4-14-10**

TITLE: **OFFICE MGR/SALES** FEIN: **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR210157

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
**KRISTA FERRELL
 304-558-2596**

RFQ COPY

TYPE NAME/ADDRESS HERE

BLUE RIDGE OUTDOOR DESIGNS

PO BOX 123

BLUE RIDGE, VA 24064

540-797-2215 office / 540-765-7586 cell

brokenground@verizon.net

DIVISION OF NATURAL RESOURCES

VALLEY FALLS STATE PARK

ATTN: PARK SUPERINTENDENT

ROUTE 6, BOX 244

FAIRMONT, WV

26554

363-3319

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UQP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED DRUG-FREE WORKPLACE AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED DRUG-FREE WORKPLACE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID.</p> <p>NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN 60 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR MARION COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: TELEPHONE: **540-797-2215** DATE: **4-14-10**

TITLE: **OFFICE MGR/SALES** FEIN: **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

VENDOR
 RFQ COPY
 TYPE NAME/ADDRESS HERE
BLUE RIDGE OUTDOOR DESIGNS
PO BOX 123
BLUE RIDGE, VA 24064
540-797-2215 office / 540-765-7586 cell
brokenground@verizon.net

SHIP TO
 DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPCTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BON COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE **540-797-2215** DATE **4/14/10**
 TITLE **Office mgr/sales** FEIN **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

RFQ COPY
 TYPE NAME/ADDRESS HERE

**BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell**

**DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV 26554 363-3319**

brokenground@verizon.net

DATE RE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2010			

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE **540-797-2215** DATE **4-14-10**
 TITLE **OFFICE MGR/SALES** FERN **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
DNR210157

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
**BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net**

SHIP TO

**DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	LOF	GAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p> <p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR TH</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Signature]* TELEPHONE **540-797-2215** DATE **4-14-10**
 TITLE **OFFICE MGR/Sales** FEIN **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

SUCCESS

RFQ COPY
 TYPE NAME/ADDRESS HERE
**BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net**

SHIP TO

**DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UQP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.						
REV. 11/96						
EXHIBIT 10						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NOS.:						
NO. 1						
NO. 2						
NO. 3						
NO. 4						
NO. 5						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 540-797-2215	DATE 4-14-10
TITLE Solis/OFFICE MGR	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

RFQ COPY
 TYPE NAME/ADDRESS HERE
**BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net**

DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p><i>[Handwritten Signature]</i> SIGNATURE</p> <p><i>Blue Ridge Outdoor Designs</i> COMPANY</p> <p><i>4/14/10</i> DATE</p> <p>REV. 11/96</p> <p>CONTRACTORS LICENSE</p> <p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY BE MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE: <i>Blue Ridge Habitats Inc</i></p> <p>CONTRACTORS NAME: <i>...d.ba. Blue Ridge Outdoor Designs...</i></p> <p>CONTRACTORS LICENSE NO.: <i>...WV 028830... exp. 8/27/10...</i></p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p>APPLICABLE LAW</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *[Handwritten Signature]* TELEPHONE **540-797-2215** DATE **4-14-10**

TITLE **Office Manager/Sales** FEIN **54-1732490** ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR210157

PAGE
 8

ADDRESS CORRESPONDENCE TO ATTENTION OF
 KRISTA FERRELL
 304-558-2596

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net

SHIP TO

DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: 04/16/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	QTY NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>REV. 5/2009</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Krista Ferrell</i>	TELEPHONE 540-797-2215	DATE 4-14-10
TITLE SOLICITATION MGR/OFFICE	FEIN 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF
**KRISTA FERRELL
 304-558-2596**

BROKEN GROUND

RFQ COPY
TYPE NAME/ADDRESS HERE
 BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net

SHIP TO

DIVISION OF NATURAL RESOURCES
VALLEY FALLS STATE PARK
ATTN: PARK SUPERINTENDENT
ROUTE 6, BOX 244
FAIRMONT, WV
26554 363-3319

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
03/18/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME: **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BUYER: KRISTA FERRELL-FILE 21 REQ. NO.: DNR210157 BID OPENING DATE: 04/13/2010 BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 423 839 2142 ----- PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE: ----- Jennifer Williams -----						
***** THIS IS THE END OF RFQ DNR210157 ***** TOTAL:						\$ 22,334.⁰⁰

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 540-797-2215	DATE 4-14-10
TITLE OFFICE MGR/Sales	FEN 5A-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR210157

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
KRISTA FERRELL
304-558-2596

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 BLUE RIDGE OUTDOOR DESIGNS
 PO BOX 123
 BLUE RIDGE, VA 24064
 540-797-2215 office / 540-765-7586 cell
 brokenground@verizon.net

SHIP TO

DIVISION OF NATURAL RESOURCES
 VALLEY FALLS STATE PARK
 ATTN: PARK SUPERINTENDENT
 ROUTE 6, BOX 244
 FAIRMONT, WV
 26554 363-3319

DATE FORFETTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/01/2010				

BID OPENING DATE: **04/16/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO ANSWER ALL TECHNICAL QUESTIONS SUBMITTED IN ACCORDANCE WITH THE PROVISIONS OF THE REQUEST FOR QUOTATION.						
BID OPENING DATE REMAINS: 04/16/2010						
BID OPENING TIME REMAINS: 1:30 PM						
***** END ADDENDUM NO. 1 *****						
0001	1	LS	650-38	PLAYGROUND EQUIPMENT FOR VALLEY FALLS STATE PARK		
***** THIS IS THE END OF RFQ DNR210157 ***** TOTAL:						22,334.⁰⁰

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 540-797-2215	DATE 4-14-10
TITLE OFFICE MGR/SALES	FAX 54-1732490	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Valley Falls State Park Playground Equipment
PRICING SHEET

Item No.	Quantity	Description	Unit Price	Amount
1	1	Shelter Area #1 Playground - Playworld custom playmaker or equal	14,665. ⁰⁰	14,665. ⁰⁰
2	1	Shelter Area #1 Playground - Playworld turbo tower, Item #ZZXX0399, or equal.	1,275. ⁰⁰	1,275. ⁰⁰
3	2	Shelter Area #1 Playground - Playworld single post swing, Item #SWING-SP8, or equal.	635. ⁰⁰	635. ⁰⁰
4	1	Shelter Area #1 Playground - Playworld add a bay, Item #SWING- SP8ADD, or equal.	545. ⁰⁰	545. ⁰⁰
5	2	Shelter Area #1 Playground - Playworld swing package including belt seat and vinyl coated chain, Item #0278, or equal.	75. ⁰⁰	150. ⁰⁰
6	1	Shelter Area #1 Playground - Playworld swing package including infant seat with vinyl chain, Item #0280, or equal.	105. ⁰⁰	105. ⁰⁰
7	1	Shelter Area #1 Playground - Playworld accessible swing seat for 8 feet, Item #0244, or equal.	359. ⁰⁰	359. ⁰⁰
8	1	Shelter Area #1 Playground - Installation of all the above referenced items for the Shelter Area #1 Playground. Prevailing heavy wage rates must be paid for Marion County, West Virginia (http://www.wvsos.com/adlaw/wagerates/heavyhighway/heavyhighway09/allhh.pdf .)	4,600. ⁰⁰	4,600. ⁰⁰
		TOTAL		22,334. ⁰⁰

BLUE RIDGE OUTDOOR DESIGNS

PO BOX 123

BLUE RIDGE, VA 24064

540-797-2215 office / 540-765-7586 cell

brokenground@verizon.net

DNR210157
Valley Falls State Park
PLAYGROUND EQUIPMENT SHEET

15

Please complete the below information concerning the brand(s) of equipment being bid in relation to this project. If bidding "or equal" brands, please attach manufacturer's literature documenting that it meets the mandatory requirements stated in the specifications. Vendors should note the areas of the provided manufacturer's literature that adheres to the mandatory requirements outlined in the Request For Quotation.

Item No.	Equipment	Manufacturer	Item
1	Shelter Area #1 Playground - Playworld custom playmaker or equal. The structure must include the following components:	Playland planview included	# P55-28626 #30022512 - Safety sign ⁵⁻¹²
2	Five (5) Playworld 5 inch OD x 132 inch steel post with riveted cap, Item #ZZPM0026, or equal.	Playland	#50003011 (5) 5"OD Post w/ CAP 132" Length
3	Seven (7) Playworld 5 inch OD x 144 inch steel post with riveted cap, Item #ZZPM0036, or equal.	Playland	#50003012 (7) 5"OD Post w/ CAP 144" Length
4	One (1) Playworld square coated deck assembly, Item #ZZPM0616, or equal.	Playland page 71 in catalog	#TEX01200 Platform - 48" Bolt on Square
5	Two (2) Playworld triangular coated deck assembly, Item #ZZPM0617, or equal.	Playland page 71 Catalog	#TEX01201 Platform - 48" Bolt on Triangular
6	Two (2) Playworld 45 degree tri-deck, Item #ZZPM0639, or equal.	Playland page 71 in catalog	#TEX02278 (2) Platform - 48" Right Angle
7	One (1) Playworld transfer station for a minimum 48 inch deck, Item #ZZPM2027, or equal.	Playland page 73 in catalog	#TEX02269 48" ADA Transfer Station 5"
8	One (1) Playworld approach step for transfer station, Item #ZZUN2019, or equal.	Playland	included with station above
9	Two (2) Playworld single post seat, Item #ZZPM4577, or equal.	Playland Page 107	#TFR14881 (2)FRSTD Single Lilly Pad 12"
10	One (1) Playworld arch bridge, Item #ZZPM6635, or equal.	Playland page 74	#TEX01957 Arch Bridge 96" - 5" CLine

BLUE RIDGE OUTDOOR DESIGNS
PO BOX 123
BLUE RIDGE, VA 24064
540-797-2215 office / 540-765-7586 cell
brokenground@verizon.net

Valley Falls State Park
PLAYGROUND EQUIPMENT SHEET

Item No.	Equipment	Manufacturer	Item
11	One (1) Playworld rockblocks climbing wall or equal. Climbing wall must include the following components:	Playland page 78	Bubble Wall Climber
12	One (1) Playworld minimum 24 inch deck to deck climber, Item #ZZPM6190, or equal.	" "	includes; #TFR 09267 (1)
13	One (1) Playworld cliff hanger with a minimum 60 inch deck, Item #ZZPM6977, or equal.	" "	Tall bubble wall w/ 5" Ftgs #TFR 09269 (1)
14	One (1) Playworld rockblocks deck access support for a minimum 36 inch to 48 inch deck, Item #ZZUN0167, or equal.	" "	Short bubble wall w/ 5" Ftgs #50003006
15	One (1) Playworld rockblocks Z support for a minimum 84 inch wall, Item #ZZUN0177, or equal.	" "	POST w/ cap 72" length #50003008
16	One (1) Playworld rockblocks kinked wall a minimum of 84 inches, Item #ZZUN8357, or equal.	" "	POST w/ cap 96" length #TEX 09269
17	One (1) Playworld rockblocks end wall a minimum of 84 inches, Item #ZZUN8369, or equal.	" "	5" half gate with D handle
18	Two (2) Playworld ground to ground babble-on, Item #ZZPM4467, or equal.	Playland page 72	#TEX 01933 (2) Talk tube w/ Ftgs
19	One (1) Playworld access gate, Item #ZZPM4288, or equal.	Playland	access gate included with all climbers
20	One (1) Playworld 6 feet horizontal loop ladder with access ladder, Item #ZZPM5780, or equal.	Playland Page 77	#Tex 01331 Tri-rung straight horizontal ladder
21	One (1) Playworld overhead even access ladder for a minimum 36 inch deck, Item #ZZPM5970, or equal.	Playland	#Tex 13093 36" Rung ladder
22	One (1) Playworld minimum 24 inch deck to deck climber, Item #ZZPM6190, or equal.	Playland page 72	#Tex 04324 24" panel ladder asm.

DNR210157
Valley Falls State Park
PLAYGROUND EQUIPMENT SHEET

17

Item No.	Equipment	Manufacturer	Item
23	One (1) Playworld slither slide entry/exit, Item #ZZPM3136, or equal.	Playland page 83	#TEX 00727 Slide - RIGHT
24	Three (3) Playworld slither slide right section, Item #ZZUN3157, or equal.	" "	Chute 5 Ft deck 5" system
25	One (1) Playworld slither slide support leg a minimum 2 feet-6 inch, Item #ZZUN3176, or equal.	" "	hood and support post included
26	One (1) Playworld playseat, Item #ZZPM4570, or equal.	Playland	*TEX 01000 Below deck bench
27	One (1) Playworld steering wheel (pipe wall mount), Item #ZZUN4300, or equal.	Playland page 89	# TEX 00500 5" Cline
28	One (1) Playworld centerline pipe wall barrier, Item #ZZPM4090, or equal.	" "	pipe wall with wheel
29	One (1) Playworld twist-n-shout slide with a minimum 48 inch deck, Item #ZZPM2727, or equal.	playland page 82	# TEX 08694 Triple Rail Slide 48"
30	One (1) Playworld cliff hanger with a minimum 60 inch deck, Item #ZZPM6977, or equal.	playland page 81	# TEX 03716 Rock wall climber 60"
31	One (1) Playworld rock climber, Item #ZZPM7439, or equal.	playland page 78	#TEX 14130 48" dh Bedrock Climber
32	Shelter Area #1 Playground - Playworld turbo tower, Item #ZZXX0399, or equal.	playland page 103	#TFR 05580 Fire Station climber Free Standing
33	Shelter Area #1 Playground - Playworld single post swing, Item #SWING-SP8, or equal.	Playland page 94	#90015101 5" Single Post, 8' 1 bay
34	Shelter Area #1 Playground - Playworld add a bay, Item #SWING-SP8ADD, or equal.	" "	#90015100 5" Single Post, 8' Add A Bay
35	Shelter Area #1 Playground - Playworld swing package including belt seat and vinyl coated chain, Item #0278, or equal.	Playland page 96	# 90015208 Belt seat Bay 8' Plastisol Chain 68"

BLUE RIDGE OUTDOOR DESIGNS
PO BOX 123
BLUE RIDGE, VA 24064
540-797-2215 office / 540-765-7586 cell
brokenground@verizon.net

DNR210157
Valley Falls State Park
PLAYGROUND EQUIPMENT SHEET


Item No.	Equipment	Manufacturer	Item
36	Shelter Area #1 Playground - Playworld swing package including infant seat with vinyl chain, Item #0280, or equal.	Playland page 95	#90015230 Full bucket seat, 8' Plastisol Chain 5/4"
37	Shelter Area #1 Playground - Playworld accessible swing seat for 8 feet, Item #0244, or equal.	Playland page 95	#90089888, Adaptive Swing Kit w/harness, chain
38	Installation of all the above referenced items for the Shelter Area #1 Playground. Prevailing heavy wage rates must be paid for Marion County, West Virginia (http://www.wvsos.com/adlaw/wagerates/heavyhighway/heavyhighway09/allhh.pdf .)	Blue Ridge outdoor Designs	Install of all above items for Shelter Area 1 Playground

* For safety Playland does not recommend combining tot seat and adaptive swing in the same bay.

* Color scheme to be selected - color choices shown on page 143

* Complete installation instructions and touch up paint are included with equipment when shipped.

47'-5"
[14.4M]



Notes:
1. This play structure design will meet ADA accessibility guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of 0 ground level play components of 0 different types of play and when installed over excessive surfacing.

2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.

3. The total of measure located in the center of the platform indicates the height above the protective surfacing level. The protective surfacing for this design must accommodate a full height of at least 8" unless otherwise noted.

4. The structure size for this unit is 36' X 20' requiring protective surfacing for an overall use area of 48' X 32'. The approximate surface area is 1087 sq. ft. by ASTM F 1487-07 guidelines.

5. The structure is designed to accommodate 30 children from 5-12 years of age.

6. Supervise Children as they play.

7. To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.

8. The customer's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.

9. Completely read your installation manual prior to beginning construction.

10. This design configuration is the property of this firm and copyright law and may not be reproduced or used in any manner without the expressed written consent of this firm and Playland.

11. Permitter Requires 34' Land Scope Timbers 4' Long

Structure #: PS5-28626

Date: 4/13/10

Drawn By: Beverly Smith

Sheet: 1 of 2

Scale: None

Valley Falls SP



The play structure design will meet ADA Accessibility Guidelines for Buildings and Facilities, effective November 17, 2000 as published by the Architectural and Transportation Barriers Compliance Board with the addition of ground level play components of different types of play and when installed over accessible surfacing.

2. This site plan should be checked against the actual site area prior to the purchase or installation of equipment.

3. The unit of measure located in the center of the platform includes the height above the protective surfacing level. The protective surfacing for this design must accommodate a fall height of at least 8 ft unless otherwise noted.

4. The structure size for this unit is _____ requiring protective surfacing for an overall use area of 100 X 50 ft. The approximate surface area is _____ sq. ft. by ASTM F 1487-07 guidelines.

5. The structure is designed to accommodate _____ children from _____ years of age.

6. Supervise Children as they play.


7. To ensure that accurate measurements are obtained from this site plan, print copies on 11 x 17 paper at full scale.

8. The customer's responsibility is to check local soil conditions and drainage within the site. The site must also be surveyed for underground utilities prior to excavation.

9. Completely read your installation manual prior to beginning construction.

10. This design configuration is the property of this firm and Payment for the same may not be reproduced or used in any manner without the expressed written consent of this firm and Payment for the same is required.

11. Payment requires _____ Land Scope Timbers 4 long.



Structure #: SP042010-036
 Date: 4/13/10
 Drawn By: Beverly Smith
 Sheet: 1 of 1
 Scale: None

Valley Falls SP

GENERAL PRODUCT SPECIFICATIONS

UPDATED 04/13/2006

ADVENTURE SERIES

- 3.5" O.D. vertical posts
- 36" deck grid / 48" deck grid
- 24" diameter plastic / 30" diameter plastic

EXPEDITION SERIES

- 5" O.D. vertical posts
- 48" deck grid
- 30" diameter plastic

VERTICAL POSTS (STEEL)

- 13 gauge galvanized steel (3.5" Series)
- 11 gauge galvanized steel (5" Series)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)
- Triple Flo-Coated corrosion protection (interior and exterior)
- Interior and exterior corrosion resistance (ASTM B-117)
- Contains a minimum of 30% recycled steel and is 95%-98% recyclable
- Manufactured per ASTM 500

VERTICAL POSTS (RECYCLED PLASTIC)

- Made of recycled milk jugs
- Polyethylene
- Minimum of 50% recycled material – up to 90% recycled material

PIPE

- Contains a minimum of 30% recycled steel and is 95%-98% recyclable
- Triple Flo-Coated corrosion protection (interior and exterior)
- Interior and exterior corrosion resistance (ASTM B-117)
- Manufactured per ASTM 500

1-1/4" O.D. ROUND

- 14 gauge galvanized steel
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

1.66" O.D. ROUND

- 13 gauge galvanized steel
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

1.90" O.D. ROUND

- 13 gauge galvanized steel
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

2-3/8" O.D. ROUND

- 13 gauge galvanized steel / 9 gauge steel (Bi-pod/Tri-pod top bar)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

3.5" O.D. ROUND

- 13 gauge galvanized steel (3.5" Series)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

4" O.D. SQUARE

- 11 gauge galvanized steel
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

5" O.D. ROUND

- 11 gauge galvanized steel (5" Series)
- 50,000 PSI yield strength (ASTM E-8)
- 55,000 PSI tensile strength (ASTM E-8)

POST CAPS

- Aluminum alloy (GM70B) manufactured and tested in accordance with ASTM Standards: ASTM B 179-68, ASTM B 108-68, ASTM E 10-66 and ASTM E 8-66
- Powder coat finish
- Available for 3.5" series or 5" series playgrounds

C-LINE FITTINGS

- Aluminum alloy (GM70B) manufactured and tested in accordance with ASTM Standards: ASTM B 179-68, ASTM B 108-68, ASTM E 10-66 and ASTM E 8-66
- Mounts to vertical posts with adhesive gasket and four 1/4"x1" TORX self-tapping screws with patch
- Powder coat finish
- Pre-drilled
- Available for panel or pipe applications

SEALING GASKET

- Neoprene rubber
- 60 +/- 5 durometer hardness
- Used for C-Line fittings
- Double sided adhesive

HARDWARE

- Conforms to ANSI/ASCE-8-90
- Security patch to insure screw locks into vertical pipe
- Tamper resistant

SWINGS

BI-POD / TRI-POD

FRAME

- 2-3/8" O.D. round galvanized pipe
- 9 gauge top bar / 13 gauge legs

SWING YOKE

- 356 aluminum alloy
- Heat treated to T-6 specifications
- 30.0 ksi tensile strength
- 20.0 ksi yield strength
- Powder coat finish

ARCH

3.5" FRAME

- 3.5" O.D. round galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

5" FRAME

- 5" O.D. round galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

TIRE SWING

- 5/0 heavy duty chain
- SH-40 clevis connector
- SH-51 tire swivel

SINGLE 5" POST

- 5" O.D. round galvanized pipe
- Powder coat finish

CLEVIS CONNECTOR (SH-40)

- Galvanized, forged steel
- Tamper resistant
- Galvanized hex pin shoulder bolt
- Special tool required for install

SWING HANGERS (SH-09 & SH-10)

- Grade 32510 hot-dipped, galvanized, malleable iron
- Manufactured per ASTM A339-55
- Rust proof
- Lubrication-free brass bearing
- Plated carriage bolts and machine bolts
- Will not twist on pipe
- SH-09 fits 2-3/8" O.D. pipe
- SH-10 fits 3-1/2" O.D. pipe
- Smooth, noiseless action

SWING HANGERS (SH-46 & SH-48)

- Grade 32510 hot-dipped, galvanized, malleable iron
- Manufactured per ASTM A339-55
- Rust proof
- Lubrication-free brass bearing
- Plated carriage bolts and machine bolts
- Will not twist on pipe
- SH-46 welded to top bar of 3-1/2" arch swings
- SH-48 welded to top bar of 5" arch swings and 5" single post swings
- Smooth, noiseless action

HEAVY DUTY TIRE SWIVEL (SH-51)

- Machined steel
- 90° universal cast steel joint covered by rubber boot
- Enamel coating
- Grease fittings for easy maintenance
- Secured with four plated machine bolts and nylon insert lock nut
- 3-point mounting system
- Sealed needle bearings

SWING HANGERS (SH-33R)

- Grade 32510 hot-dipped, galvanized, malleable iron
- Manufactured per ASTM A339-55
- Rust proof
- Lubrication-free brass bearing
- Plated carriage bolts and machine bolts
- Will not twist on pipe
- Used for trapeze rings
- Smooth, noiseless action

CHAIN (4/0)

- Hot dipped, galvanized for rust prevention (ASTM A-153)
- Zinc plated (ASTM B-633)
- Straight link coil
- Maximum working load limit 670 pounds (4/0 chain)
- Minimum ultimate break 2,680 pounds (4/0 chain)
- 0.85" OD – 0.414" ID (4/0 chain)
- 1.80" OAL (4/0 chain)

SWING SEATS

S-02 BELT SEAT

- 6" Wide
- Compression molded from EPDM co-polymer
- Steel inserts for strength and durability
- Galvanized hardware
- 5 color options

S-14 HALF BUCKET SEAT and S-11 FRONT SAFETY CHAIN

- Steel inserts for strength and durability
- Galvanized hardware
- 4 color options

S-11 FRONT SAFETY CHAIN

- Attaches to seat with S-hooks
- Closes with snap
- Protective plastic cover

S-16 FULL BUCKET SEAT

- One-piece co-polymer construction
- Steel inserts for strength and durability
- 5" wide band surrounds toddlers
- Galvanized hardware
- 5 color options

CHIN-UP BARS

- 1-1/4" O.D. round galvanized steel
- 3.5" O.D. vertical posts
- Powder coat finish

PVC COATED ITEMS

DECKS / PLATFORMS / ARCH BRIDGE / SUSPENSION BRIDGE / ADA PLATFORM / STAIRS / WIGGLE POD TOPS

- 12 Gauge HRPO Steel
- Perforated surface with holes spaced 1.25" apart o.c.
- Approx. 5/8" hole size after coating (5/16" hole diameter for wiggle pod tops)
- Polyvinyl Chloride (PVC) coating

POLY SHEET

ACTIVITY PANELS / ROCK WALL CLIMBER / PANEL GATE / RIDER BODY / LILY PAD STEPS / PANEL LADDER / CHALLENGE BRIDGE STEPS / SIGNS / INCH WORM BRIDGE STEPS

- 3/4" high density polyethylene sheeting (Densetec)
- Tested in accordance with ASTM D1928 Procedure C
- 4,400 psi tensile strength (ASTM D638)
- Textured finish
- UV stabilized
- 9 color options

GRAB HANDLE

- 1-1/4" O.D. round galvanized steel
- Pre-treatment wash primer
- Powder coat finish

KICK PLATES

- 12 gauge galvneal steel sheet metal
- Powder coated finish

OUTRIGGER RAPID ROCKER

FRAME

CENTER PIPE

- 2" O.D. square steel tube
- Pre-treatment wash primer
- Powder coat finish

HAND HOLDS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

SPRING RUBBER

- Black EPDM rubber
- M2AA307 B13 C12 F17 Z1
- Z1 = 26 +/-5 durometer hardness

TALK TUBE

CONE

- Aluminum alloy (ANSI AA319.0 f)
- 27 ksi tensile strength (ultimate)
- 18 ksi tensile strength (yield)
- 19 ksi compressive strength (yield)
- Powder coat finish

POST

- 1-1/4" O.D. round steel tube
- Powder coat finish

THREE WHEEL SWINGER

FRAME

- 2-3/8" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

WHEELS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

RUNG LADDER (FREESTANDING ONLY)

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

OUTRIGGER BOUNCY BOUNCE

SPRING RUBBER

- Black EPDM rubber
- M2CA 610 A25 B35 C32 F17 Z1 Z2
- Z1 = EPDM, Z2 = 65 +/-5 durometer hardness

HANDRAIL

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

PLATFORM

- End tabs 2" O.D. square 11 gauge steel tube
- 12 gauge HRPO steel
- 50,000 psi yield strength (ASTM E-8)
- 55,000 psi tensile strength (ASTM E-8)
- Perforated surface - approx. 5/8" diameter spaced 1.25" apart o.c.
- Polyvinyl Chloride (PVC) coating

HORIZONTAL LADDERS (STANDARD / 180 DEGREE / 360 DEGREE)

TOP RAIL

- 2-3/8" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

END PIPES (where applicable)

- 1.9" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

PLASTICS (TUBES / SLIDES / HEX ROOF / PYRAMID ROOF / HOODS / SPINNERS CRAWL TUNNELS / COLORED LANDSCAPE TIMERS / SPRING ANIMAL BODY/ ADA LANDSCAPE RAMP/ TORTOISE CLIMB/ TIRES)

- 1st quality linear low density Polyethylene (LDPE) – ExxonMobil LL8450
- Rotational molded
- 3/8" wall thickness
- 2,550 psi tensile strength (ASTM D638)
- Mold-in graphics
- UV stabilized
- UV 8 Rating (tested per ASTM G155 cycle 1 guidelines)
- Anti-static inhibitors
- 9 color options

LANDSCAPE TIMBERS - BLACK

- High density polyethylene copolymer resin – DMDA-6147 Natural 7
- Blow molded
- High moldability, toughness and stress-crack resistance
- Uniform wall thickness
- 5,000 psi tensile strength (ASTM D638)
- 3,600 psi yield strength (ASTM D 638)
- Stakes are A36 mild steel, hot dipped galvanized, ASTM A 153C

LANDSCAPE STAKES

- ¾"X30" Dome Spike Bolt
- Stakes are A36 mild steel, hot dipped galvanized
- Manufactured per ASTM A153C HDG

BRIDGES

Arched Bridge BRIDGE

- 12 gauge HRPO steel
- Perforated surface
- Polyvinyl Chloride (PVC) coating
- Perforated surface - approx. 5/8" diameter spaced 1.25" apart o.c.

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

Suspension Bridge BRIDGE

- 12 gauge HRPO steel
- Perforated surface - approx. 5/8" diameter spaced 1.25" apart o.c.
- Polyvinyl Chloride (PVC) coating

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

Chain Bridge BRIDGE

- 4/0 (.218") STR Coil H galvanized chain
- Polyvinyl Chloride (PVC) coating
- 7/8" O.D. x 18 gauge wall thickness tubing

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

Challenge Bridge

BRIDGE

- Poly Sheet
- 1-1/4" O.D. round steel tube
- Powder coat finish

HAND RAILS AND VERTICAL PICKETS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

Lily Pad Bridge

BRIDGE

- Poly Sheet
- 1-1/4" O.D. round steel tube
- Powder coat finish

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

VERTICAL PICKETS

- 2-3/8" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

Inch Worm Bridge

BRIDGE

- Poly Sheet steps
- Rubber torsion spring
- 2-3/8" O.D. round steel tube
- Powder coat finish

HAND RAILS

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

GATED ENTRY

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

RUBBER TORSION SPRINGS (INCH WORM BRIDGE / SEE SAW)

- 4 specially compounded rubber cords encapsulated between an outer metal tube and a solid inner core
- Self-dampening
- Reduced shock transmission
- Absorbs vibration
- No pinch points
- Progressive loading

SPRING ASSEMBLY FOR RIDERS

COIL SPRING

- 5160H steel alloy
- Carbon Chromium grade of spring steel
- 5-3/4" O.D. spring
- 13/16" O.D. bar
- Pre-treatment wash primer
- Black powder coat finish

C SPRING

- 3/4" thick steel
- Conforms with ASTM A36-77A
- 58,000 psi tensile strength
- 36,000 psi yield strength
- Pre-treatment wash primer
- Powder coat finish

SLIDES (TRIPLE RAIL / 90° CURVE / DOUBLE WALL / DOUBLE WIDE / WAVE / CHUTE / ALPINE THUNDER / SPIRAL / TUBE SLIDES)

- 1st quality linear low density Polyethylene (LDPE) – ExxonMobil LL8450
- Rotational molded
- 3/8" wall thickness
- 2,550 psi tensile strength (ASTM D638)
- UV stabilized
- Anti-static inhibitors
- 9 color options
- Triple Rail / Double Wide slide mount on 48" wide deck (use 3'x4' rectangle deck on Adventure Series)

SLIDE FOOT

- 3.5" O.D. support post
- Pre-treatment wash primer
- Powder coat finish

SLIDE SUPPORT

- 3.5" O.D. galvanized steel support post
- Post manufactured per ASTM 500
- Plate manufactured per ASTM A90, A568, A902, A924, D2092, E517, E646 and ISO3575
- Pre-treatment wash primer
- Powder coat finish

TORTOISE CLIMBER BRACKETS

- 16 gauge mild steel

LOG ROLL

LOG

- Plastic

GRAB HANDLES

- 1-1/4" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (WIGGLE POD)

WIGGLE POD STEPS

- 12 gauge HR steel
- Perforated surface -
- Polyvinyl Chloride (PVC) coating

GATED ENTRY

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (EDUCATION)

EDUCATION CLIMBER

- Plastic
- Mounts on 48" wide deck (uses 3'x4' rectangle deck on Adventure Series)

GATED ENTRY

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

WIDE SLIDE FOOT

- 1-1/4" O.D. pipe
- 12 gauge galvanized steel L-bracket
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (BEDROCK)

CLIMBER

- Plastic
- Mounts on 48" wide deck (uses 3'x4' rectangle deck on Adventure Series)

GATED ENTRY

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (CLOVER, COIL, SNAKE, TREE, DEEP RUNG ARCH, MOUNTAIN, RUNG LADDER, SLIDING POLE)

CENTER POLE

- 1.66" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

HAND/FOOT RUNGS

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

GATED ENTRY

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

BRACKET

- 9 gauge galvanized flat steel
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (CARGO NET)

CLIMBER

- 4/0 (.218") STR Coil H galvanized chain
- Polyvinyl Chloride (PVC) coating
- 7/8" O.D. x 18 gauge wall thickness tubing

BRACKET

- 9 gauge galvanized flat steel
- Pre-treatment wash primer
- Powder coat finish

CLEVIS CONNECTOR (SH-40)

- Galvanized, forged steel
- Tamper resistant – special tool required for install
- Galvanized hex pin shoulder bolt

GATED ENTRY

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

CLIMBER (LILY PAD)

LILY PAD

- Poly sheet

GATED ENTRY

- 1-1/4" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

SUPPORT POSTS

- 3.5" O.D. galvanized pipe
- Pre-treatment wash primer
- Powder coat finish

PIPE WALL

- 1-1/4" O.D. galvanized steel support post
- Pre-treatment wash primer
- Powder coat finish

STAIRS

TREADS & STRINGERS

- 12 gauge HR steel
- Perforated surface – 1.25" o.c. between perforations
- Polyvinyl Chloride (PVC) coating

ROD

- 1/4" diameter rod

HANDRAILS & GATES

- 1-1/4" O.D. pipe
- Pre-treatment wash primer
- Powder coat finish

BALANCE BEAM (ZIG ZAG & STRAIGHT)

BEAM

- 4" O.D. square steel tube
- Pre-treatment wash primer
- Powder coat finish

SUPPORT POSTS

- 2-3/8" O.D. round steel tube
- Pre-treatment wash primer
- Powder coat finish

TRAPEZE BAR

BAR

- 1.25" o.d. round steel tube
- Pre-treatment wash primer
- Powder coat finish

TRAPEZE RING

- A-09 ring
- Blue Plastisol coating
- Grip diameter: 1-1/4"
- Complies with ASTM and CPSC requirements

DOMES

- GE Plastics Lexan XL-10
- 1/8" thick
- Vacuum formed
- UV stabilized
- Crack/Break/Shatter resistant
- Self-extinguishing
- UV-94-HB fire rating

SHADE STRUCTURES

- 100% Virgin Polymer (high density polyethylene, polyester or polypropylene)
- Warp Knitted fabric (Rachel or tricot type)
- Fabric shall be stentered (heat set) during manufacture
- The knit structure shall be a minimum of 16 gauge / maximum of 24 gauge
- Tested in accordance with ASTM D 5035, ASTM D 2261, BS 6906: Part 4
- Minimum initial shade cover levels of 75% - 90% depending on color
- Minimum initial ultraviolet blockout levels of 86% - 92% depending on color
- Minimum lifespan of 10 years against UV degradation and shall have a minimum breaking strength of 50% of its initial breaking strength when tested in accordance with ASTM D5035 after 8 years of exposure to sunlight

PRE-TREATMENT WASH PRIMER

- 4860-420 primer / 1000-44 activator
- Polyvinyl-butylal resin based primer
- Used on all mild steel and all weld joints
- Designed to give adhesion along to a wide variety of metal substrates
- Provides added metal protection against rust
- Imparts extra durability to topcoat (powder coat)
- When reduced properly, it meets the definition of a "pre-treatment" primer found in many air quality regulations

COATINGS

Powder Coating

- TGIC polyester
- Electrostatic application
- Baked-on @ 400 degrees
- 5-7 mills thick
- Lead free
- High gloss
- No peel / No flake finish
- Resistant to salt spray (ASTM B-117)
- Resistant to humidity (ASTM D-2247)
- Direct/Indirect impact 120 in. pounds (ASTM D-2794)
- Good to excellent resistance to most solvents, oils, acids and alkalis
- 13 color options

Polyvinyl chloride (PVC) Coating

- MISTAFLEX V4612
- 80-100 mills thick
- Shore A, 65-70 durometer min. hardness (ASTM D2240-66T)
- 1,000 psi minimum tensile strength (ASTM D638, ASTM D412)
- Resistant to abrasion (ASTM D4060)
- UV stabilized
- Self-extinguishing
- Shows less dirt
- Increased traction
- 5 color options

TABLES

TOP AND SEATS

- 14 gauge steel
- ½" diameter on ¾" center perforation pattern
- Tops are 30" wide
- Seats are 10" wide
- PVC coating

FRAMES

- Main supports are 2-3/8" O.D. 12 gauge steel tubing
- Table braces are 12 gauge steel
- PVC coating or painted black

BENCHES

SEAT/BACK

- 14 gauge steel
- ½" diameter on ¾" center perforation pattern
- Seats are 10" or 12" wide (depending on style – inscription benches are wider)
- PVC coating

FRAMES

- Main supports are constructed of 2-3/8" O.D. 12 gauge tubing
- PVC coating or painted black
- Available in surface mount, in-ground mount or portable

TRASH RECEPTACLES

- 14 gauge steel
- ½" diameter on ¾" center perforation pattern
- Octagon comes with lid
- PVC coating
- Dome top, liner and mounts (surface or in-ground) are also available

PVC COATING FOR BENCHES, TABLES AND TRASH RECEPTACLES

- UV stabilized
- .050"-.080" thickness
- UL 94 HB Burn rating (once flame is removed, it will not continue to burn)
- Abrasion resistance testing – ASTM F510
- Exposure conditioning – ASTM D6662
- Salt spray resistance testing – ASTM B117

BASKETBALL BACKSTOPS

3.5" POST

- Made from a single piece of galvanized pipe with a 3' extension
- Backboard is made of aluminum
- Single rim goal
- Nylon net

4.5" POST

- Made from a single piece of galvanized pipe with a 4' extension
- Backboard is made of aluminum
- Double rim goal
- Steel chain net

BIKE RACKS

"M" STYLE

- Inline galvanized 2-3/8" steel tubing

TRADITIONAL

- Rod is .5" diameter HR – hot dipped galvanized steel
- Round tube is HR 1.66"x.118" hot dipped galvanized steel
- Zinc plated hardware



Warranty

Playland International, L.L.C. General Guarantee:

Playland warrants its products to be free from defect in materials or workmanship during normal use and installation.

Playland International, L.L.C. further warrants the following:

- Limited **Lifetime Warranty (100 years)** on Galvanized Steel Posts, all Stainless Steel Hardware, Aluminum Deck and Components Clamps and Aluminum Post Caps.
- Limited **15-Year Warranty** on all Punched Decks.
- Limited **15-Year Warranty** on all Rails, Rungs, Loops, Rotomolded and Plastic Sheet Components.
- Limited **3- Year Warranty** on support structure for spring animals
- Limited **1-Year Warranty** on all Moving Parts, Swing Seats & Hangers and other materials not covered above.

The warranty stated above is valid only if the structures are installed in conformity with the installation instructions provided by Playland International, L.L.C. using approved parts by Playland International, L.L.C. All parts are to be subjected to normal use for the purpose of which the parts were designed. Prior to installation, these parts are not to be subject to vandalism, misuse, neglect or accident. Parts are not to be altered, modified or repaired by anyone other than Playland International, L.L.C.

This warranty does not cover cosmetic items (such as scratches, dents, fading, discoloring, weathering), paint or decorations, and normal wear and tear.

Playland International, L.L.C shall deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the cost of labor on replacing these parts. Replacement parts shall be covered under the original warranty.

This warranty is exclusive and is in lieu of all other warranties, whether express or implied, including but not limited to any warranty of merchantability or fitness for a particular purpose. Further, no representation, oral or written, of any Playland International Sales Representative may be substituted for the aforescribed exclusive limited warranty. To the extent permitted by law, Playland International shall not be liable for any direct, indirect, special, incidental, or consequential damages, which are expressly excluded from this sale.



150 Adamson Industrial Blvd.
Carrolton, Georgia 30117
1-800-356-4727
www.playland-inc.com

April 12, 2010

State of West Virginia
Purchasing Division
Valley Falls State Park
Route 6, Box 244
Fairmont, WV 26554

This is our letter stating that the playground equipment provided for RFQ# DNR210157 meets or exceeds all guidelines and specifications of this bid as they pertain to CPSC Guidelines Publication #325 and ASTM – F 1487-07, ADA regulations.

It is IPEMA approved. For certificates for all play events listed in this bid go to www.ipema.org

All paints used are American made of lead free powder coated materials, and all resins for rotationally molded plastics are lead free products.

Thank you,

A handwritten signature in cursive script that reads "William B. Clapp, Jr.".

William B. Clapp, Jr.
billc@playland-inc.com
IPEMA Testing and Quality Control

PLAY LAND



Blue Ridge Outdoor Designs

PO Box 123
Blue Ridge, Virginia 24064
office: 540-797-2215
cell: 540-765-7586
fax: ~~540-797-2215~~ 423-839-2142
email: brokenground@verizon.net

"designing play that's fun"

Jim Jones, President



Building Tomorrow's Play Environments Today

a **SUPERIOR** company **Sii**



State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5

STATE OF Tennessee

COUNTY OF Hamblen, TO-WIT:

I, Jennifer Williams, after being first duly sworn, depose and state as follows:

- 1. I am an employee of Blue Ridge Outdoor Designs (Company Name)
- 2. I do hereby attest that Blue Ridge Outdoor Designs (Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code §21-1D-5**.

The above statements are sworn to under the penalty of perjury.


Blue Ridge Outdoor Designs
(Company Name)

By: [Signature]

Title: Office mgr/sales

Date: 4/14/10

Taken, subscribed and sworn to before me this 14 day of April, 2010
My Commission expires 03/31/2012



A. Marie Long
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Blue Ridge Outdoor Designs

Authorized Signature: [Signature] Date: 2/4/10

State of Virginia
City of Roanoke
County of Roanoke, to-wit:

Taken, subscribed, and sworn to before me this 4th day of February, 2010

My Commission expires January 31, 2014

AFFIX SEAL HERE

NOTARY PUBLIC [Signature]

Reg # 369579

