

Department of Administration
Purchasing Division
Building 15
2019 Washigton Street East
Charleston, WV 25305
RFQ-DPS1044

We are pleased to respond to your request for pricing for the voting modules.

The areas in the requirements that need to be clarified:

Item:

1.10.1: The requirement calls for less than .5% the product we are proposing is less than 1%

- 1.12.1. Our components are housed in a 19 inch rack mountable chassis
- 1.12.3 Racks are not requested therefore we cannot confirm space allocation
- 2.2 Audio input is -20dbm to +10dbm
- 3.2 The warranty is 24 months from the date of invoice. Additional warranty is available.

The price for the additional warranty is 3% of the total price, and is for factory limited warranty.

Sincerely,

John North

General Manager

Kenwood USA Corporation

Communications Sector-Systems

RECEIVED

2010 JUN 16 A 10: 09

STATE OF WV



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DPS1044

ADDE	ESS CORRESPONDENCESTO ATTENTION C
CRISTA	FERRELL

<u>304-558-2596</u>

REQ NUMBER

ort-p Ť

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

RFQ COPY TYPE NAME/ADDRESS HERE

Kenwood USA Corporation 3970 Johns Creek Court Suite 100 30024 Suwanee, GA

DATE PRINTER TERMS OF SALE SUID WA

05/19/ BID OPENING DATE								FREIGHT LENVS
EINE	180000000000000000000000000000000000000	<u>06/16/</u> ITITY	2010 UOP	CAT.) () 		l:30PM
T. I. M.L.				NO.	ITEM NUMBER		UNITPRICE	AMOUNT
0001		1	LS	·	725-50	***************************************	\$11,736	\$117 360
	SIGNAL	AND N	DISE	COMPA	RATORS			
	***************************************						•	
	-				ST FOR QUOTATION (RFQ) N END CONTRACT	N		
				STAT	E PURCHASING DI NIA STATE POLIC			
	BIDS TO	O PROV Gnal A	IDE T ND NO	HE AG Ise c	ENCY WITH AN OF OMPARATORS AND TACHED SPECIFIC	EN RE	END CONTRACT LATED	
	BE SUBI	MITTED	IN W	RITIN	NCERNING THIS S G TO KRISTA FER	RE	LL IN THE WEST	
	ADDRESS	S SHOW	N IN	THE B	ING DIVISION VI ODY OF THIS RFQ MAIL AT KRISTA.	۱ ر	VIA FAX AT	,
	DEADLIN	VE FOR DSE OF	ALL BUSI	TECHN NESS.	ICAL QUESTIONS ANY TECHNICAL RED BY FORMAL A	IS QI	06/03/2010 AT UESTIONS	
•	BY THE LAPSED	PURCH	ASING	DIVI	SION AFTER THE	DE	ADLINE HAS	
	EXHIBI	Г 10						,
					REQUISITION	NO	o.:	
-	ADDENDI	JM ACK	NOWLE	DGEME	NT			
	I HEREI	BY ACK	NOWLE	DGE R	ECEIPT OF THE F	OLL	OWING CHECKED	
IGNATURE (. \^	A ——		SEE REV	ERSE SIDE FOR TERMS AND C TELEPHONE		IDATE	
IDE .	1 MA	JFE!	N _O	2000	16787	<u>{7</u> (4-4700 106	-12-10

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation

DPS1044

ADDRESS CORRESPO

SH-P

T O

ADDRESS CORRESPONDENCE TO ATTENTION OF

304-558-2596

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

RFQ COPY TYPE NAME/ADDRESS HERE

Kenwood USA Corporation 3970 Johns Creek Court Suite 100 Suwanee, GA 30024

05/19/		, , , , , , , , , , , , , , , , , , ,	MS OF SA		SHIP V	IA .	F.Q.B.		FREIGHT/TERMS
BID OPENING DATE:		06/16/	2010			BID	DPENING TIME	01	:30PM
LINE		YTITY	UOP	CAT.	ITEM NUM		UNITPRICE		AMOUNT

	ADDEND	UM(S)	AND H	AVE M	ADE THE N	ECESSAR	Y REVISIONS TO	о му	,
					SPECIFICA				
	ADDEND	מוג אוו	10.						
	MDDERD	on no.	3.						
	NO. 1		• •		•				·
	NO. 2								
,	NU. Z	• • • • • •	• •						
	NO. 3		• •						
	ND. 4						,		·
	110. 4	• • • • •	• •						
	NO. 5		• •			***************************************			}
	T HADE	DCTAND	TUAT	EATI	HDE TO COL	JETOM T	HE RECEIPT OF	****	
	í			1	SE FOR RE.		· · · · · · · · · · · · · · · · · · ·	Inc	
			·						
					DERSTAND T			•	
							ADE DURING ANY REPRESENTATIVE		
	AND AN	Y STAT	E PER	SONNE	L'IS NOT E	BINDING	. ONLY THE		
					WRITING AN				
	SPEUIF	ICAIIU	N2 RA	AN U	-FICIAL AL	DENDOW	IS BINDING.		
,		ŀ				1 0 /	- 4		
					جي		W.E	• • •	
						_	GNATURE		
					. Ke	nmood	USH CORP		' .
				.		CO	MPANY		
							ĮΟ		
						DA	<i></i> .	* * 1	
				***************************************				.	
			j			. [. [,
SIGNATURE (Α ,			SEE REV	ERSE SIDE FOR TEI	RMS AND CON ELEPHONE		NATE	
\succ	- Jol V	De			[1.	678-4	14-4700	DATE	-14-10
TITLE C. COLOR	las uss	AIL ACTOR	IN:				ADDRESS CHAI	NGES .	TO BE NOTED ABOVE



MODZEA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQNUMBER Quotation

þ

DPS1044

..... ADDRESS CORRESPONDENCE TO ATTENTION OF

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE Kenwood USA Corporation 3970 Johns Creek Court Suite 100 Suwanee, GA 30024

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

DATE PRINTED TERMS OF SALE SHIP VIA FOB FREIGHTTERMS 05/19/2010 BID OPENING DATE: 06/16/2010 BID OPENING TIME 01:30PM LINE QUANTITY UOP: ITEM NUMBER UNIT PRICE AMOUNT NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID. REV. 09/21/2009 EXHIBIT 3 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE THE "REASONABLE TIME" PERIOD SHALL ORIGINAL CONTRACT. NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR. SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 1578-474-4700 notes. FEN95-2948901 ADDRESS CHANGES TO BE NOTED ABOVE. GENERAL MANA GCR



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

DPS1044

ADDRESS CORRESPONDENCE TO A FENTION OF

304-558-2596

KRISTA FERRELL

RFQ NUMBER

RFQ COPY TYPE NAME/ADDRESS HERE

Kenwood USA Corporation 3970 Johns Creek Court Suite 100 30024 Suwanee, GA

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

DATE PRIN	(ED	TER	IMS OF SALE	SHIP VIA		FCB.	FREIGHT TERMS
05/19/			•				
BID OPENING DATE:	Indiana kanasanaan	06/16/	CONTRACTOR OF THE PROPERTY OF		BID (OPENING TIME O	1:30PM
LINE	QUA	NTITY	UOP CAT	ITEM NUMBE	а	UNIT PRICE	AMQUNT
	DDEN M	ADVET	CLAUSE.	HE DIRECTOR	0 - DUF	TOU ACTIO MAY	
				UNIT TO PURC			To a second seco
						ITION OR COST	
				FIED ON THIS			
	1		1 3	1		TO UNFORESEEN	
	ľ		: :	1		ELAYS IN TRANS-	
	1		: 1	t t		IN THE VOLUME	
	OF WOR						
	QUANTI	TIES:	QUANTITIE	S LISTED IN	THE RE	EQUISITION ARE	
						S SUPPLIED BY	***
						TOOD AND AGREED	
***************************************						TITIES ACTUALLY	
_	1		1 1	•	,	THE CONTRACT,	
***************************************	WHETHE	R MORE	OR LESS	THAN THE QUA	NTITIE	S SHOWN.	
A							
				PENDING UNIT			
						BER WV-39) TO	
***************************************						THIS CONTRACT.	
	l				1	MAILED TO THE A SECOND COPY	1132
						A THIRD COPY	***************************************
,	l	3	3 1	ING UNIT.	, AND	A INTRO COLI	
			0,	THO ONLY			
	BANKRU	PTCY:	IN THE E	VENT THE VEN	DORZCO	NTRACTOR FILES	
				TION, THE ST			
						SUCH CONTRACT	
	WITHOU	T FURT	HER ORDER	•		•	
				•			,
,				,	I	THIS CONTRACT	
				ND ALL SUBSE			
						CHED PRINTED	
				CE LISTS, OR			
	AGKEEM	ENIS O	K MAINIEN	ANCE AGREEME	NIS, I	NCLUDING ANY	
	ELEUIR	ONIC W	EDIOM 200	H AS CD-ROM.	1		
			SEE	EVERSE SIDE FOR TERM			1
SIGNATURE	Sol	MAK		TELE	PHONE_ 11'	74-4700 DATE	(, ') T - 1A
TITLE			W_ 00.1=	701	· 10 4	ADDRESS OF STATE	6.15-10 8 TO BE NOTED ABOVE
GENERAL			15-2948				S TO BE NOTED ABOVE
WHI	EN RESP	UNDING 7	IO RFQ, INSE	RT NAME AND ADD	DRESS IN	N SPACE ABOVE LABEL	ED 'VENDOR'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

MANA 9PM 95-2948901

Request for Quotation

t

ō

HI	U NU	MPC	13 -333	30000000	ì
	DP	S1	04	4	

KRISTA FERRELL 304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE Kenwood USA Corporation 3970 Johns Creek Court Suite 100 Suwanee, GA 30024

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

DATE PRINTED TERMS OF SALE SHIP VIA FOR FREIGHT TERMS 05/19/2010 BID OPENING DATE: BID OPENING TIME 06/16/2010 01:30PM CAT. UOP UNIT PRICE LINE QUANTITY ITEM NUMBER AMOUNT REV. 05/26/2009 EXHIBIT 4 LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER. REV. 3/88 PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



DATE PRINTED

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

TERMS OF SALE

Request for Quotation

OT-P

SHIP VIA

DPS1044

FREIGHT TERMS

ADDRESS CORRESPONDENCE TO ATTENTION OF KRISTA FERRELL

304-558-2596

RFQ COPY TYPE NAME/ADDRESS HERE Kenwood USA Corporation 3970 Johns Creek Court Suite 100 Suwanee, GA 30024

DEPARTMENT OF PUBLIC SAFETY 4124 KANAWHA TURNPIKE

SOUTH CHARLESTON, WV 25309 746-2141

FOB

05/19/ BID OPENING DATE:		06/16/	2010		рт	ת	OPENING TIME		:30PM
LINE	QUAN		UOP	CAT. NO	ITEM NUMBER		UNIT PRICE		AMOUNT
EII4E	QUA.			NO.	T.C.W. NGWIDE		UNIT THE L		AMCOV
									7-11-11-11-11-11-11-11-11-11-11-11-11-11
					THIS INFORMAT D MAY NOT BE C		N ON THE FACE (SIDERED:)F	
g	SEALED	BID							
'	BUYER:				KRISTA FERRELL	-F	ILE 21		
:	RFQ. N	0.:			DPS1044				
	BID OP	ENING	DATE:		06/16/2010				
	BID OP	ENING	TIME:		1:30 PM				The state of the s
	то сои:		OU RE	GARDI	UMBER IN CASE NG YOUR BID:	IT	IS NECESSARY		
					PRINT CLEARLY):			
.	<u>(</u>	John	[2]	OICI	we and her use had not not not not made and one	,, .m.			·
William Willia	-								
:									
SIGNATURE	, , , , , , , , , , , , , , , , , , ,			SEE RE	VERSE SIDE FOR TERMS AND			TE.	
Har	2Mr	7			678	Ly	74-4700 "	6	-15-10
TITLE O. NO OL	MANI	MY CM FE	N C5-	294 S	2017 1		ADDRESS CHAN	GES	TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Signal to Noise Voter Comparator

The West Virginia State Police desire to establish an open-end contract for the purchase of Signal and Noise Voter Comparators, related accessories, and options. The contract shall be available for use by all other entities of state government, as well as counties and municipalities as this will assist in the State's Interoperable Radio Project.

•	Con	ply?
	Yes	<u>No</u>
1. Signal to Noise Voter Comparator		
1.1 Voting shall be accomplished by a signal to noise comparison of received signal.		***************************************
	X	
1.2 Voter shall have a capacity of 8 channels, expandable to at least 12 channels.		
, locate 12 one, more	X	
1.3 Voting shall take place continuously.		
	X	
1.4 Voting criteria will be as little as 2db difference between		
channels.	X	
1.5 Audio input level shall be between 100 mv and 10 V p-p.		
1.6 Each channel shall display visual indication of:		
1.6.1 Channel Active		
400 01 11/11	%	
1.6.2 Channel Voted		
1.7 Each channel should display visual indication of:	-X	
1.7.1 Channel Failed		
	X	
1.8 Each channel shall be capable of being disabled independently of others.		
	X	
1.8.1 Manual selection shall be by way of a toggle switch on		
the front panel of unit	X	,

		•	
	_		8
	•	•	
	Cor	nply?	1
	Yes	No	
1.8.2 Manual (forced) selection shall be reflected by a visua indication.	· ×		· ·
1.9 Each channel shall be independently selectable forcing votin to occur on that channel until manually deselected.	g	***************************************	
1.9.1 Manual selection shall be by way of a toggle switch or the front panel of unit	1 ×		
1.9.2 Manual (forced) selection shall be reflected by a visua indication.		-	-
1.10 Audio output shall be up to 1v p-p and adjustable.	X		···
1.10.1 Distortion shall be less than 0.5% at rated output Less Than 1 70		×	
1.11 Each channel shall be individually adjustable.	X		7
1.12 Mounting			
1.12.1 All components will be contained in a 19" rack.		<u>×</u>	
1.12.2 Boards will plug into a back plane			,
1.12.3 Space will be allocated in the rack for a power supply	×	<u> </u>	
module as required. RACK 15 NOT PROVIDE	<u> </u>		
1.13.1 Power supply will operate from 110v line input	×		
1.13.2 Modules will operate from +11 to +15 Volts DC provide by power supply in 1.13			
2.0 Receiver Interface			
2.1 Remotely mounted receivers shall utilize an interface module to provide COR indication over phone or radio interface. This may utilize pilot tones of either 1950 Hz 2175 Hz.	or X		
2.2 Audio output from this device shall be from -30 to +10db	om	<u></u>	

	Con	nply?
	Yes	No
3.0 General Specifications and Warranty	:	
3.1 Upon request and/or prior to bid award vendors shall provide manufacturer's certification indicating they are an authorized reseller of the product(s) they are offering/bidding.	×	: •
3.2 All equipment shall be warranted for a period of 3 years, including parts and labor, and beginning when the equipment is first placed in service.		_X_
3.3 Each item bid should include make and model on Attachment II: Equipment List.	X	
3.4 All pricing should be line itemed as indicated on Attachment I: Cost Sheet.	X	
3.5 Special / Promotional pricing offered by vendors for limited periods of time and any item pricing provided for items not requested in this RFQ shall not be considered for bid award and/or price comparison.	× -	

10

RFQ# DPS 1044 VHF and UHF Digital Mobile Radio Attachment I: Cost Sheet

Vendors should complete this pricing sheet in lieu of submission of manufacturer's quotes. evaluation purposes only. Actual quantities may vary based upon the needs of the agency. the cost of delivery. The estimated quantities contained on the cost sheet are intended for bid The vendor must provide pricing inclusive of all associated costs for the following items including

`				
		,		
Total Bid: \$117360,00	Total Bid:			
\$ 51,900,00	10	\$5,190,00	3 Expansion Module (4 channel minimum)	
00,000,1115	10	\$1,410,00	2 Receiver Interface Module	
\$51,360,00	10	1	1 Signal to Noise Voter Comparator	
The state of the s				
Extended Cost	Estimated Qty.	Unit Cost	Description	Item No.
		·		
				· · · · · · · · · · · · · · · · · · ·
				Commence of the Commence of th

RFQ# DPS: 1044

Signal to Noise Voter Comparator Attachment II: Equipment List

vendor's adhearance to the mandatory specifications as outlined in the specifications. with their bid, a copy of the manufacturer's product sheet and any other supporting documentation which demonstrates the Vendor must provide manufacturer, model number, and part number for the all equipment bid. Vendors should include Item No. 3 Expansion Module (4 channel minimum) 2 Receiver interface module 1 Signal to Noise Comparator Description RAY RAYTHEON Manufacturer Theon Theori Model Number EI-ANS SVM-2 21-1NS 5951-8000 5952-112000 Part Number 5951-8000

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and confinuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requiren	inderstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency sted from any unpaid balance on the contract or purchase order.
authorize the required deemed	nission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and es the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid ired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
and acc	enalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true urate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate suring the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder:	Signed:
Date:	Title:

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

Rayineon

SNV-12

Signal-and-Noise Voter Comparator



The SNV-12 modular receiver voting system uses individual Digital Signal Processing (DSP) channels to measure the quality of received signal for fast and accurate determination of the best signal. The SNV-12 chassis accommodates from 2 to 12 receiver Site Voter Modules and interfaces easily with standard dispatch consoles.

Benefits

- Detects and generates EIA keytones in addition to hard PTT.
- Can repeat voted audio.
- Local control plus IP and serial remote control.
- Automatic and manual transmit steering capability.
- Digital delay ensures no loss of initial syllables.
- System expansion to 36 sites by daisy-chaining multiple SNV-12s.
- 5.25" high by 19" wide rackmount modular card-cage package.
- System statistics and voted audio monitoring available via IP
- Dispatcher's transmit audio takes precedence over repeat of voted transmissions, or may be mixed with the repeat audio.

Overview

The SNV-12 uses Digital Signal Processors to continuously monitor multiple remote sites and select the receiver with the best signal quality. One application is a two-way radio application where mobiles and portables can hear a repeater, but due to lower transmit power and/or antenna placement, the repeater can't hear the mobiles and portables. Remote receivers can be positioned in the communications dead spots, with audio from each receiver linked to the voter via microwave, landline, twisted pair, or fiber optics. The voter will select the best quality signal from all remote receivers and forward this signal to the repeater for rebroadcast; providing greater talk back range for radios.

DSP Voting

The Site Voter Module (SVM) uses a spectral approach to continuously measure the

noise or Signal-to-Noise Ratio (SNR) of the audio signal from each receiver site. The signal and noise amplitudes are measured by proprietary speech detection and measurement algorithms. Each SVM continuously measures its receiver signal and calculates a Signal Quality Number in 31 discrete steps. The SNV-12 monitors all SVMs and votes the site with the best Signal Quality Number. The voting process ensures the best site is voted even if the received signal is emanating from a vehicle that is moving behind buildings or between remote voting receiver sites.

The SNV-12 parameters also allow the voter to be set to lock on the initially voted site, which is important in systems where no voted site transitions are desired during any individual field transmission.

The voting process is initiated

whenever any receiver is unsquelched. This is signalled either by loss of pilot tone or by a hardwired receiver signal (COR output or multiplexer Elead); individually configurable on each SVM. The SNV-12 will accept pilot tone frequencies of either 1950 or 2175 Hz, configured by dipswitch.

Transmit Steering

In automatic transmit steering applications, the transmitter associated with the currently voted receiver is used for the dispatcher's reply to the mobile or portable in the field that made the initial call. Manual control capability is also provided, allowing the dispatcher to decide which transmitter site to use for a reply. The voter can also be configured to group multiple voting receivers around individual remote transmitters.




Diagram: Repeater System using the SNV-12 Voter with 12 Receivers.

Site Voter Module Audio Inputs

Radio RX Input: Balanced 600 Ohms or 10k Ohms, unbalanced 10k Ohms.

Input Level: -30 to +10 dBm, adjustable.

Unsquelch Indications: 2175Hz pilot tone; 1950 Hz pilot tone; E-Lead input. Optional pilot tone generator accessory, PTG-10, enables the use of any receiver with a COR output.

Voting Audio Output

Output: Balanced 600 Ohms.

Output Level: -20 to +11 dBm, adjustable.

Frequency Response: 200 to 3200 Hz \pm 2dB. (300 to 3000 Hz \pm 1dB).

Keying: EIA Keytones or E&M.

Absolute Output Delay: Less than 10msec.

Voting Comparator

Switching Time Between Sites: Less than 1 msec.

Unselected Output Rejection: Greater than 60 dBm.

Voting Thresholds: 31 steps.

General/Environmental

Site Voter Module Front Panel (SVM-2): Select/Normal/Disable Switch, Voted LED, Unsquelched LED, TX LED, TX Select LED, Fault LED, Norm and Peak input audio level LEDs, test point, and adjustment.

Console Interface Front Panel (CIM-2A): Speaker Off/RX/RX and TX, Volume control, Norm and Peak audio level LEDs, Fault LED, Remote LED, Adjustments for Console TX audio in and Voted audio out.

Serial Port: RS-232 DCE connector (female DB9). Baud rates: 300 - 57,600

Network Interface: RJ-45 Connector; 10/100 Base-T Ethernet, T1 5409A DSP, Ethernet (built in web page), Telnet.

AC input Power: 115 or 230 VAC ± 15%, 47-63 Hz, 130 VA maximum when "fully loaded".

DC Input Power: +11 to +15 VDC @5A nominal.

Size: 5.25"H x 19"W x 11"D (13.3 x 48.3 x 28 cm).

Temperature: Operating: -20 to +60 degrees C. Storage: -40 to +85 degrees C.

Certifications: TUV, FCC Part 15. Class A.

Raytheon Company Civil Communications Solutions 5800 Departure Drive Raleigh, NC 27616 voter.sales@raytheon.com


www.raytheon.com



Raytheon

PTG-10

Pilot Tone Generator



Benefits

- Allows use of low cost receiver in voting system.
- Permits audio and COR to occupy same pair of wires.
- Produces two standard pilot tones: 1950Hz or 2175Hz.
- Insures the integrity of voting receive link.
- Allows voter to ignore faulty receiver site.
- Provides screwdriver type terminal block.
- Operates from +11 to +15 VDC.
- Balanced audio output for long distance link.
- Provides two LEDs: Power and COR.

PTG-10 Overview

In an LMR voting system, receivers are strategically placed around a geographic area (at voting sites) to fill dead spots where portable or mobile radios can not talk to the main repeater site. The audio from each receiver is linked to the voter which continuously compares the signal from all receivers and passes through the best quality signal to the dispatcher, and/or repeater. In this system, it is necessary to transfer a receiver's COR (Carrier Operated Relay) or COS (Carrier Operated Squelch) signal to the voter from a remote receiver site. COR is an indication that the receiver has broken squelch. A COR signal (DC logic) exits the receiver separately from the audio lines (AC signal), making it impossible to carry both on same audio pair. The function of the PTG-10 is to convert the COR

The PTG-10 produces a crystal controlled pilot tone as a means of transferring a COR signal from a remote receiver site to a local site containing a voter or repeater. Use of the PTG-10 transfers the COR signal over the same path as the receive audio, eliminating the need for a second communications path for the COR signal.


logic to a pilot tone and send via the audio lines to the voter; therefore, making a two wire telephone circuit suitable for a remote receiver connection.

System Overview

The PTG-10 produces a crystal controlled pilot tone as a means of transferring a COR signal from a remote receiver site to a local site containing a voter or repeater.

The PTG-10 converts the COR signal to a pilot tone. The pilot tone is injected on the audio lines whenever the associated receiver is squelched, and removes the tone whenever the receiver is unsquelched. When the receiver used in the voting application detects carrier (receives a signal), it unsquelches and issues a COR signal to the PTG-10. When the PTG-10 receives a COR signal the tone is removed from the audio link and the receiver audio is passed through the link to the voter.

The pilot tone from the PTG-10 functions as a line proving tone to insure the integrity of the audio link in the following way: the removal of the pilot tone on the link notifies the voter to begin looking for voice signals from the voting receiver. If the voter doesn't sense voice coming from the receiver within a programmed time, it faults that particular voting site on the assumption that either the voting receiver is not functioning, or the link is broken between receiver and the voter. A voter such as the SNV-12 disallows use of that voting input until voice is received from the distant receiver or until the pilot tone returns.



Electrical	
DC Input Power:	+12 VDC ranging from +11 to +15 VDC @ 40 mA
Input Impedence:	50k Ohms unbalanced
Output Impedence:	600 Ohms balanced
Frequency Response:	Conservatively rated: 50 to 20 kHz ± 2dB
Tone Frequencies:	1950Hz or 2175Hz, switch selectable
Tone Stability:	± 2Hz
Receiver Audio Input Rang	ge: -30 to + 4 dBm, variable
Pilot Tone Output level:	-20 to + 9 dBm, variable
General	
LED Indicators:	Power and COR
Size:	6.84" x 2.42"x 1.19"
Weight:	0.5lbs
Environmental	
Temperature:	Operating: -20 to +55 degrees C. Storage: -40 to +85 degrees C
Humidity:	Up to 95% @ +55 degrees C.
Shock:	MIL-STD-810D, method 516.3 procedure VI
Vibration:	MIL-STD-810D, method 514.3 procedure I

Raytheon Company Civil Communications Solutions 5800 Departure Drive Raleigh, NC 27616 legacy.sales@raytheon.com

www.raytheon.com



RFQ No.	
---------	--

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: KENWOOL USA CORPORATION		
Authorized Signature: John Mutt	Date:	
State of GEORGIA		
(22511)		
	, 20 <u>/0</u> .	
	\triangle	
	1 leh in 3 (May Butters)	
AFFIX SEAL HERE NOTARY PUBLIC_	Juse Copy por con	
Taken, subscribed, and sworp to before me this 15 day of / Me My Commission expires / 20/4.	nise an Bitter	

DENISE ANN BUTLER NOTARY PUBLIC FORBYTH COUNTY, GEORGIA 18Y CONMISSION EXPIRES JANUARY 6, 2014

1000 (100) (1000 (1000 (1000 (1000 (1000 (1000 (100) (1000 (1000 (100) (1000 (1000 (100) (1000 (100) (1000 (1000 (100) (1000 (1000 (100) (1000 (100) (1000 (100) (1000 (1000) (1000 (1000 (1000 (1000 (1000 (1000 (100) (1000 (1000 (100) (1000 (100) (1000 (1000 (100) (1000 (1000 (100) (1000 (100) (1000) (1000 (1000 (1000 (100) (1000 (1000 (100) (1000 (1000 (100) (1000 (100) (1000 (1000 (100) (1000 (100) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000) (1000

