



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

**Request for Quotation**

RFQ NUMBER:  
 PRI8989

PAGE:  
 1

ADDRESS CORRESPONDENCE TO/ATTENTION OF:  
 JO ANN ADKINS  
 304-558-8802

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE  
*Heritage International Trucks, Inc.*  
 322 Dry H. 11 Road  
 Beckley, W.V. 25801


SHIP TO

WV PRISON INDUSTRIES  
 617 LEON SULLIVAN WAY  
 CHARLESTON, WV  
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010				

BID OPENING DATE: 06/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		C70-53	\$ 74,246. <sup>36</sup>	\$ 74,246. <sup>36</sup>
<p>2010 DELIVERY TRUCK</p> <p><i>2011 International 4300 Truck</i></p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE WEST VIRGINIA CORRECTIONAL INDUSTRIES (AGENCY) IS SOLICITING BIDS FOR ONE (1) GMC MODEL C7500 DELIVERY TRUCK "OR EQUAL", PER THE ATTACHED SPECIFICATIONS.</p> <p>INQUIRIES</p> <p>WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON THURSDAY, JUNE 3, 2010. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED.</p> <p>ADDRESS INQUIRIES TO:</p> <p>JO ANN ADKINS          DEPARTMENT OF ADMINISTRATION          PURCHASING DIVISION          2019 WASHINGTON ST. E.          CHARLESTON, WV 25305          FAX: 304.558.4115          EMAIL: JO.A.ADKINS@WV.GOV</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.: .....</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE <i>John Adams</i>	TELEPHONE 304-254-7827	DATE 6-17-2010	
TITLE <i>Sales Manager</i>	FEIN 271476356	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS**  
**REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.htm](http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 PRI8989

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 JO ANN ADKINS  
 304-558-8802

VENDOR

RFQ COPY  
 TYPE NAME/ADDRESS HERE

*Heritage International Trucks, Inc.*

SHIP TO


WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY  
 CHARLESTON, WV  
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/26/2010				

BID OPENING DATE: 06/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UCF	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
TO REVISE COMMODITY SPECIFICATIONS:						
FROM: 2010 GMC MODEL C7500 DELIVERY TRUCK "OR EQUAL".						
TO: 2009 OR 2010 "NEW" GMC MODEL C7500 DELIVERY TRUCK "OR EQUAL".						
NOTE: NEW VEHICLE MEANS NEVER TITLED.						
***** END OF ADDENDUM NO. 1 *****						
0001	1	EA		070-53		
				2009 OR 2010 "NEW" DELIVERY TRUCK		



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Mr. [Signature]</i>	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER
PRI8989

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
JO ANN ADKINS 304-558-8802

RFQ COPY


TYPE NAME/ADDRESS HERE

SHIP TO

WV PRISON INDUSTRIES  
  
 617 LEON SULLIVAN WAY  
 CHARLESTON, WV  
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010				

BID OPENING DATE: 06/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
NO. 1	.....	✓				
NO. 2	.....					
NO. 3	.....					
NO. 4	.....					
NO. 5	.....					
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
				 ..... SIGNATURE		
				Heritage International Trucks, Inc. ..... COMPANY		

SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE			TELEPHONE		DATE	
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 PRI8989

PAGE  
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 JO ANN ADKINS  
 304-558-8802

AUCTION

RFQ COPY  
 TYPE NAME/ADDRESS HERE

SHIP TO

WV PRISON INDUSTRIES  
 617 LEON SULLIVAN WAY  
 CHARLESTON, WV  
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010				

BID OPENING DATE: 06/17/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
DATE						
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.						
REV. 09/21/2009						
THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATION IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 PRI8989

PAGE  
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF  
 JO ANN ADKINS  
 304-558-8802

RFQ COPY

TYPE NAME/ADDRESS HERE

SHIP TO

WV PRISON INDUSTRIES  
 617 LEON SULLIVAN WAY  
 CHARLESTON, WV  
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/18/2010				

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
------	----------	-----	----------	-------------	------------	--------

BID OPENING DATE: 06/17/2010 BID OPENING TIME 01:30PM

THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:  
 SEALED BID

BUYER: FILE 42  
 RFQ. NO.: PRI8989  
 BID OPENING DATE: 06/17/2010  
 BID OPENING TIME: 1:30PM

PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:  
 304-254-7827

CONTACT PERSON (PLEASE PRINT CLEARLY):  
 M. Ke Coburn

\*\*\*\*\* THIS IS THE END OF RFQ PRI8989 \*\*\*\*\* TOTAL: \_\_\_\_\_

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

# 2011 International 4300

5

## 2010 delivery truck

### 2010 GMC Model C7500 "OR EQUAL"

GVWR 33,000#, minimum

Diesel engine shall be a minimum of ~~230~~ <sup>260</sup> hp @ 2200 rpm, 660 lb-ft torque dry sleeve ✓

Fuel/water separator

Heavy-duty increased cooling capacity radiator

Engine block heater minimum of ~~1250~~ <sup>1000</sup> watt 110v *1000 watt*

No less than 160 amp alternator

Minimum two batteries with no less than 750 cca @ -18 degrees

Automatic engine shutdown w/ alarm

Single horizontal- driver side mounted inside frame rail exhaust system

Pto- electronic activation switch (electric hand throttle)

Transmission shall be manual 6-speed direct drive eaton-fuller FS6406A minimum

Clutch 14" valeo-single plate self adjusting minimum *14" 2-plate self adjusting*

Front axle 12,000 lbs. Minimum

Front oil seals with clear caps

Front suspension minimum of 12,000 lbs tapered leaf

*N/A* - Front stabilizer bar

Front & rear wheels steel disc 22.5" x 8.25", minimum

Front tires 11r22.5g rated 12,350lbs. Premium highway tread, minimum

Rear tires 11r22.5g rated 23000 lbs. Highway traction, minimum

Single speed rear axle 21,000 lbs., minimum

Axle ratio 3.90:1 or equal

Rear suspension multi-leaf 23,500 lbs, minimum

Rear auxiliary springs single leaf

Bolted rear suspension

Wheelbase no less than 260"

Frame rail 120,000 psi rated

*N/A* - Inverted "I" frame reinforcement 120,000psi with total frame increased rbm to a minimum of 3,229,200 *RBM = 2,526,000 (more than adequate)*

Nose cone on ~~top of cab~~ *Body*

Dual ~~75~~ <sup>Dual 70</sup> gallon step fuel tanks *70 gal.*

*N/A* - ~~Dual ac/dc fuel tank heaters~~ with manual switch to change from truck power to 110 ac power when plugged in via power cord

Abs-4- channel bendix air brake system 's' cam type

Rear dust shields

Minimum of 12.9 cfm water-cooled air compressor

Air intake compressor

Bumper front chromed steel thickness 5/32" minimum

Two front tow hooks

*N/A* - Hystec style cab to frame mounts

Dual electric horn

Single dual air horn mounted on roof

Tilt steering wheel

Cruise control

Interior roof lamp  
 Air conditioning  
 Am/fm stereo radio  
 Exterior mirrors shall be electric remote control, lighted, heated 102" wide load mirrors with built in 6"x7" convex section  
 Truck and body shall be painted white  
 Driver seat shall be air suspension, high - back cloth national 2000 series or equal with arm rest  
 Passenger seat shall be two man cloth (SEAT HOLDS TWO PEOPLE?)  
 Frame mounted tool box 18"x18"x36", minimum  
 On-spot chains mounted  
 24' dry freight van body  
 Plywood lined 3/8" full, minimum  
 Inside height 97.12"  
 Roll up rear door 94" w x ~~91.25" h~~ 90" H  
 Subframe 3" i-beam crossmembers on 12" centers with 4" longrail  
 4-extra crossmembers located at rear on 6" centers  
 1 1/8" hardwood floor, minimum  
 Threshold steel diamond plate 1/8" x 23"  
 Scuff-side galvanized steel 12 ga 16" high, minimum  
 Translucent roof  
 Two dome lights  
 Two rows e-track each side 84" x 50"  
~~3300~~ lb. Cap. Tuc-a-way lift gate with ~~80" x 48"~~ aluminum Platform 3000 lb. cap  
 Alum. Body sides  
 Fork lift package  
 1/2" plywood liner front, minimum  
 Scuff front galvanized steel 12ga. 16" high, minimum  
 Triangle kit & 5# fire exts  
 Side door, to be located on curb side of body

All bidders must provide a copy of the manufacturer's warranty



PRI8989  
WV Correctional Industries

Vehicle:	Description	Quantity	Unit Price	Extended Price
	2010 Delivery Truck	1	<del>\$74,246.46</del>	\$74,246.36
			\$74,246.36	

# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.  Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.  Application is made for 5% resident vendor preference for the reason checked:  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.  Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.  Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Heritage International Trucks, Inc Signed: [Signature]

Date: 6-17-2010 Title: Sales Manager

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

<u>Description</u>	<u>List</u> (USA DOLLAR)
Base Chassis, Model 4300M7 SBA 4X2 with 260.00 Wheelbase, 192.90 CA, and 94.00 Axle to Frame.	\$60,570.00
TOW HOOK, FRONT (2) Frame Mounted	\$73.00
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL	\$1,026.00
BUMPER, FRONT Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness	\$397.00
CROSSMEMBER, REAR, AF (01)	\$116.00
WHEELBASE RANGE 238" (605cm) Through and Including 311" (790cm)	\$468.00
AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity	\$600.00
<u>Notes</u>	
: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers	\$184.00
<u>Includes</u>	
: SPRING PINS Rubber Bushings, Maintenance-Free	
<u>Notes</u>	
: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	(\$339.00)
<u>Includes</u>	
: BRAKE LINES Color and Size Coded Nylon	
: DRAIN VALVE Twist-Type	
: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster	
: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel	
: PARKING BRAKE VALVE For Truck	
: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4	
: SLACK ADJUSTERS, FRONT Automatic	
: SLACK ADJUSTERS, REAR Automatic	
: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4	
<u>Notes</u>	
: Front and Rear Dust Shields not Included	
: Rear Axle is Limited to 19,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCL BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered.	
: Rear Axle is Limited to 20,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NCG BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered.	
AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$1,357.00
BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	\$0.00
BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	\$0.00
<u>Includes</u>	
: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Up To 54,000-lb.	
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	\$0.00
<u>Notes</u>	
: Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	

**Description**

**List**  
**(USA DOLLAR)**

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake \$0.00

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity \$69.00

DUST SHIELDS, FRONT BRAKE for Air Brakes \$35.00

DUST SHIELDS, REAR BRAKE for Air Brakes \$35.00

STEERING COLUMN Tilting \$125.00

STEERING WHEEL 2-Spoke, 18" Diam., Black \$0.00

STEERING GEAR {TRW (Ross) TAS-66} Power \$22.00

EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Right Side Back of Cab, Includes Horizontal Tail Pipe \$0.00

Includes

: NOTE: The Horizontal Tailpipe Includes a Temperature Control Device

ELECTRICAL SYSTEM 12-Volt, Standard Equipment \$0.00

Includes

: BATTERY BOX Steel

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

: FUSES, ELECTRICAL SAE Blade-Type

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

: HORN, ELECTRIC Single

: JUMP START STUD Located on Positive Terminal of Outermost Battery

: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

: STARTER SWITCH Electric, Key Operated

: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature

: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever

: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted

: WIRING, CHASSIS Color Coded and Continuously Numbered

HORN, ELECTRIC (2) \$20.00

ALTERNATOR {Leece-Neville LBP2203H} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted \$132.00

BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn \$63.00

BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total \$113.00

RADIO {Panasonic CQ120} AM/FM, Includes Multiple Dual Cone Speakers, Includes Auxiliary Input \$305.00

Includes

: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior

: SPEAKERS IN CAB (4) Coaxial with Premium Interior

HORN, AIR Black, Single Trumpet, Air Solenoid Operated \$48.00

<u>Description</u>	<u>List</u> (USA DOLLAR)
INDICATOR, LOW COOLANT LEVEL With Audible Alarm	\$0.00
STARTING MOTOR {Delco Remy 29MT} 12 Volt; Less Thermal Over-Crank Protection, With Integrated Magnetic Switch	\$0.00
HEADLIGHTS Halogen; Composite Aero Design for Two Light System	\$0.00
GRILLE Chrome	\$0.00
FRONT END Tilting, Fiberglass, With Three Piece Construction	\$0.00
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"	
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
CLUTCH {Eaton Fuller Solo 1402} Two-Plate, Stamped Angle Spring; 3 Super Button Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity	\$216.00
<u>Includes</u> : CLUTCH RELEASE BEARING Greasable	
BLOCK HEATER, ENGINE {Phillips} 120 Volt/1000 Watt	\$48.00
<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
ENGINE, DIESEL {MaxxForce 7} EPA 10, 260 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 260 Peak HP (Max)	\$1,284.00
<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type	
FAN DRIVE {Borg-Warner Series 790} Viscous Type, Screw On	\$0.00
<u>Includes</u> : FAN Nylon	
RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 817 SqIn Louvered, With 262 SqIn CAC	\$0.00
<u>Includes</u> : ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
AIR CLEANER With Service Protection Element	\$0.00
<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	\$0.00

<u>Description</u>	<u>List</u> (USA DOLLAR)
FEDERAL EMISSIONS for 2010; MaxxForce 7 Engines	\$6,000.00
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00
EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Regulations	\$0.00
TRANSMISSION, MANUAL {Fuller FS-6406N} 6-Speed Manual; Fully Synchronized, Short Shift Stroke	\$272.00
<u>Includes</u>	
: FILL PLUG, MAGNETIC	
AXLE, REAR, SINGLE {Meritor MS-21-14X-4DFR} Single Reduction, 21,000-lb Capacity, R Wheel Ends . Gear Ratio: 3.90	\$893.00
<u>Notes</u>	
: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	\$133.00
<u>Notes</u>	
: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	
FUEL TANK (2) Top Draw; D Style, Non Polished Aluminum, 70 U.S. Gal., 265L, Total Capacity 140 U.S. Gal., 530L; 19" Tank Depth, Mounted Under Cab Left and Right Side	\$944.00
<u>Notes</u>	
: N/A with 19.5" Tires	
FUEL FILTER {Racor} With Filter Restriction/Change Indicator For International V8 Engines	\$253.00
CAB Conventional	\$0.00
<u>Includes</u>	
: ARM REST (2) Molded Plastic; One Each Door	
: CLEARANCE/MARKER LIGHTS (5) Flush Mounted	
: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window	
: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel	
: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted	
: GLASS, ALL WINDOWS Tinted	
: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side	
: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side	
: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color	
: STEP (4) Two Steps Per Door	
GAUGE CLUSTER English With English Electronic Speedometer	\$0.00
<u>Includes</u>	
: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter	
: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout	
: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	\$157.00
<u>Includes</u>	
: SEAT BELT 3-Point, Lap and Shoulder Belt Type	

<u>Description</u>	<u>List</u> (USA DOLLAR)
SEAT, TWO-MAN PASSENGER {Gra-Mag} Fixed Back, Integrated Headrest in Both Occupant Positions, Cloth, Less Under Seat Storage Compartment	\$402.00
<u>Includes</u>	
: SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)	
MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostat Controlled, Power Both Sides Flat Glass Only, Clearance Lights LED,	\$414.00
ARM REST, RIGHT, DRIVER SEAT	\$39.00
AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	\$823.00
<u>Includes</u>	
: CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	
: HEATER HOSES Premium	
: REFRIGERANT Hydrofluorocarbon HFC-134A	
INSTRUMENT PANEL Center Section, Flat Panel	\$0.00
CAB INTERIOR TRIM Deluxe	\$0.00
<u>Includes</u>	
: "A" PILLAR COVER Molded Plastic	
: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering	
: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket	
: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors	
: FLOOR COVERING Rubber, Black	
: HEADLINER Soft Padded Cloth	
: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section	
: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door	
: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console	
WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	\$56.00
<u>Includes</u>	
: PAINT IDENTITY, FRONT WHEELS White	
: WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings	
<u>Notes</u>	
: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5	
WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	(\$82.00)
<u>Includes</u>	
: PAINT IDENTITY, REAR WHEELS White	
: WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings	
<u>Notes</u>	
: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22,5	
(2) TIRE, FRONT 11R22.5 HSR2 (CONTINENTAL) 498 rev/mile, load range G, 14 ply	\$112.00
(4) TIRE, REAR 11R22.5 HDR1 (CONTINENTAL) 495 rev/mile, load range G, 14 ply	\$300.00
<b>Total of Product Features</b>	<b>\$77,683.00</b>

Description

List  
(USA DOLLAR)

Cab schematic 100GA

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

**Total List Price Including Options:**

**\$77,683.00**

24' Van Body Per Your specs ( see attached quote)

\$13,779.00

**Total Body Allied:**

**\$13,779.00**

Spot On Air Operated Tire Chain System installed

\$1,817.00

Tool Box installed

\$500.00

**Total Goods Purchased:**

**\$2,317.00**



<u>Description</u>	<u>(USA DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$77,683.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$77,683.00
Total Goods Purchased:		\$2,317.00
Freight Charge	\$1,750.00	
Total Freight:		\$1,750.00
Total Factory List Price Including Freight:		\$81,750.00
Less Customer Allowance:		(\$21,282.64)
Total Vehicle Price:		\$60,467.36
Total Body/Allied Equipment:		\$13,779.00
Total Sale Price:		\$74,246.36
Total Per Vehicle Sales Price:		\$74,246.36
Net Sales Price:		\$74,246.36

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Approved by Seller:**

**Accepted by Purchaser:**

*Sales Manager*  
\_\_\_\_\_

**Official Title and Date**

\_\_\_\_\_  
**Firm or Business Name**

*[Signature]*  
\_\_\_\_\_

**Authorized Signature**

\_\_\_\_\_  
**Authorized Signature and Date**

**This proposal is not binding upon the seller without Seller's Authorized Signature**

*[Signature]*  
\_\_\_\_\_

**Official Title and Date**

**MICKEY TRUCK BODIES INC**1305 Trinity Ave., High Point NC 27261  
1-800-334-9061 or 1-336-882-6806Fax: 336-882-7565  
www.MickeyBody.com  
www.MickeyUsedTrucks.com

Contacts: Jim Hiatt/Lori Lynk

All Quoted Prices Firm for 15 Days

**Quotation**

Van Dry Freight Body

Page: 1 of 2

Date: 6/17/2010

Quote No.: Q9366V10

Sold To: HERITAGE TRUCK CENTERS 408 GOFF MOUNTAIN RD CROSSLANES, WV 25313 MIKE COBURN Phone: 800-350-5448 Fax: 304-254-9007 Final User: WV PRISON INDUSTRIES Contact Email: Invoice: HERITAGE TRUCK CENTERS  CROSSLANES, WV	Cust Id:
---	----------

<b>Model: VB24097W0102</b>	
* Interior Body Length:	24 (feet)
* Interior Body Height:	97 (Inches)
* External Body Width:	102 (Inches)
Decals not included	
Graphics: Range: (9366V10 - 9366V10)	
* Dimensions may vary depending on options selected.	

<b>Features</b> Front End Radius Design Prepainted White Exterior of .040 Aluminum 3" I Beam Crossmembers DOT Lights and Reflectors 12 Ga. Front Wall Reinforcements Back Up Alarm
--

*Amount To Be Invoiced:	\$13,779.00
-------------------------	-------------

Chassis Make: GMC	Model: C7500	Due:
VIN:		WB:
Chassis Del.: Drop Ship		C/A:
Dealer:		

Est. Delivery Date (based on receipt of chassis):	
Deliver: Yes	To: BECKLEY, WV
	Delivery Miles: 179
	FOB: Customer

<b>Standard Specifications Included in Price:</b> 1 1/8 " Laminated Hardwood Floor Z Post 16" on Center
---

RH:4.0 IH:097 RW:00.0 EW:102 PRRH:000 CC:12 ZC:16
---

<b>Contractual Acknowledgement:</b> Payment is due after unit is completed. Payment shall not be delayed if unit cannot be completed due to work delays caused by late chassis, tractor, decal shipment or other arrangements made by purchaser. It is agreed that this quotation, together with the specifications, prices and Mickey Truck Bodies Inc. Standard Terms & Conditions of Sale are satisfactory. <u>*The quoted prices do not include applicable sales tax or third party charges for duties, taxes or surcharges.</u>
---

Approved By: _____	PO#: _____	Date: _____
--------------------	------------	-------------

<b>Office Use Only</b>	Approved for Production:	Name: _____	Date: _____
<input type="checkbox"/> Credit Approved	<input type="checkbox"/> Cash Only	Name: _____	Date: _____

Form: OrderPrint\_VB

**MICKEY TRUCK BODIES INC**1305 Trinity Ave., High Point NC 27261  
1-800-334-9061 or 1-336-882-6806www.MickeyBody.com  
www.MickeyUsedTrucks.com

Contacts: Jim Hiatt/Lori Lynk

All Quoted Prices Firm for 15 Days

**Quotation**

Van Dry Freight Body

Page: 2 of 2

Date: 6/17/2010

Quote No.: Q9366V10

Option #	Description	Qty	Amount
7204032	<b>V-ACE Air Deflector-Fiberglass Mold &amp;Eng</b> Notes: NOSE CONE ON FRONT OF BODY	1	
7204420	<b>V-ACE Warning Triangles</b>	1	
7206538	<b>V-BSE Mickey HD L/G Dock Bumper w/24"Pad</b>	1	
7000326	<b>V-BSE Stirrup Step Installed</b> Notes: INSTALL AT SIDE DOOR	1	
7000329	<b>V-CCL Recessed Mount E Track/Ft</b> Notes: 2 ROWS REC E TRACK EA SIDE OF BODY LOCATIONS TBA	96	
7000345	<b>V-CHL Mount Van Body</b>	24	
7000324	<b>V-DRE Grab Handle Chrome Installed</b> Notes: INSTALL 2 GRAB HANDLES AT REAR & ONE AT SIDE DOOR	3	
7201694	<b>V-DRE Single Side Door Skin &amp; Post</b> Notes: CURBSIDE 40" X FH LOCATION TBA	1	
7000333	<b>V-ELE Dome Light With Rear Switch</b>	1	
7000334	<b>V-ELE Extra Dome Light</b>	1	
7000489	<b>V-FLE Additional X Members Added (each)</b>	4	
7000465	<b>V-FLE Recessed Threshold Tread Plate 24"</b>	1	
7000377	<b>V-INL Plywd Int. Side 3/8 96 H (both)</b>	24	
7213825	<b>V-LGWE Waltco EMW/AP-30 50" X 84"+WEDGE</b>	1	
7000346	<b>V-MIS Mud Flaps And Brackets</b>	1	
7000444	<b>V-PDE Paint Rear Door &amp; Frame - Mounted</b>	1	
7000289	<b>V-SCL I Beams 3" On 12" Centers</b>	24	
7207139	<b>V-SCL Translucent Roof .060 102"W</b>	24	
7200640	<b>V-SLE Scuff Liner Frt 16" 12Ga Galv</b>	1	
7200639	<b>V-SLL Scuff Lin 16"H 12ga Galv Both/Side</b>	24	

20 Options

Option Total Amount:

RFQ No. PRI 18989

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**

Vendor's Name: Heritage International Trucks, Inc.

Authorized Signature: Mike Brown Date: 6-17-2010

State of W.V.

County of Raleigh, to-wit:

Taken, subscribed, and sworn to before me this 17<sup>th</sup> day of June, 2010

My Commission expires Sept 16, 2012

AFFIX SEAL HERE

NOTARY PUBLIC Robert Slade

