

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER SAFETY10

Ċ		P	ΑL	ìÈ	ं
			7	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS

304-558-8802

*709035445 304-346-0875 AIRGAS MID AMERICA ONE OREGON ST

CHARLESTON WV 25312

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

05/13/2010 PENING DATE:	TERMS OF SALE	SHPVIA	FOB	FREIGHTTER
PENING DATE: 0	6/10/2010	DID	OPENING TIME	
	ITITY LIGE CAT	ITEM NUMBER		- 01:30РМ
	NO	TOWN WOMDEN	UNITPRICE	AMOUNT
		·		
	REQUEST FOR	OUTOTATION		
		QUOTALION		
THE PUR	CHASING DIVISTOR	IS SOLICITING	DUDG EOD A	
BLANKET	OPEN-END STATE	VIDE CONTRACT TO	CIDDIA CIDDIA	Í
SAFETY :	ITEMS TO ALL WES	T VIRGINIA STAT	POPPLI	
AND POL:	TICAL SUBDIVISI	ONS	E AGENCIES	
		,		
******	*****			
INQUIRI	ES			
				j
WRITTEN	QUESTIONS SHALL	BE ACCEPTED THE	OTICH CT OCH OH	
ひしゅていてつい	ON TUESDAY. JT	NTE 1 2010 OTT	PERMITONIA NAMES DE	
DEDIAT ATE	LUSPS, FAXI, COU	IRIER OR EMATI.	TN ODDED BO	
Apourt I	O ARNDOK KECEIA	ES AN UNFAIR ADV	MANTACE	
Mh 2082.1	ANTIVE		MILAGE,	
QUESTION	S WILL BE ANSWE	RED ORALLY TE	POSSIBLE,	
E-MAIL Q	UESTIONS ARE PR	EFERRED. ADDRES	S INCHIDIDE,	
Į.	i l		L THOUTHING IN	O:
A NNA QL	DKINS			
DEPARTME	NT OF ADMINISTR	ATION	23	RECEIVED
PURCHASI	NG DIVISION	-10		
2019 WAS	HINGTON STREET,	EAST		
CHARLEST	ON, WV 25305		20	110 JUN -8 AM 11:40
FAX:	304.558.4115			
EMAIL:	JO.A.ADKINS@WV.	GOV	,	W PURCHASING

	*****			DMISION
BITHER C	TOTT D GOVERN	. — —		
THECK DD.	TOTAL COMPLETE	ALL INFORMATION	REQUESTED.	
TYPE).	CTMG DHEELS ARE	DIVIDED BY CAT	EGORY (PRODUCT	·
1,14,				
NOTE: A	ATIT. OHANTTER A			
	SHOULD NOT BE CO	HOWN ARE ESTIMA	TES ONLY AND	į
}		NSTRUED AS ANY	SUARANTEE OF	
11 A A	SEE REVE	HSE SIDE FOR TERMS AND CON	DITIONS	
Valz Jah.	uzh			ATE 2
1 / 9-11	[ECIN	-7230	746 -0875	ATE 6-9-10

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications. Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
Only Management of Administration
Only Management of Administration
Only Management of Administration 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

RFQ NUMBER SAFETY10

Р	AGE	acceg
	2	

ADDRESS CORRESPONDENCE TO ATTENTION OF

ΦO ANN ADKINS 304-558-8802

*709035445 304-346-0875 AIRGAS MID AMERICA ONE OREGON ST

CHARLESTON WV 25312

ALL STATE AGENCIES S H AND POLITICAL SUBDIVISIONS P VARIOUS LOCALES AS INDICATED Ţ BY ORDER

DATE PE	RINTED	TERMS OF S	ALE	SHIP VIA	F:O:B	FREIGHT TERMS
05/13 BID OPENING DA	/2010					
BID OPENING DA	TE:	06/10/2010		DID		
LINE		ITITY UOP	CAT.	ITEM NUMBER	PENING TIME 01 UNIT PRICE	30-PM AMOUNT
			NO.		5/11/ TilOE	AWGGNI
	ļ					
		FUTURE CO	אזיחים א כיי	CODEDC		
-		1010111 00	THE TAKE.	ORDERS.		
	MINIMIN	ORDERS:				
		ombijo.				
	ALL ORD	ERS FROM T	יוודכ כל	NTRACT TOTALING	d100 00 00 2-00-	
	SHATIT B	E DELIVERE	ישרם כנ	DESTINATION WIT	STOU.UU OR MORE	
1	HANDLIN	G CHARGES	TNOT IT	DESIZNATION WIT	H SHIPPING AND	#
	FOR ALL	OBDEBS OF	TNCTOU	PRODUCTS IN EXC	CT IS MANDATORY	
	ORDERS	LESS THAN	4100 0	O MAY BE DIDGIT	ESS OF \$100.00.	
]	CONTRAC	T (AND ACE	MCTEC	0 MAY BE PURCHAS PAYING SHIPPING	ED THROUGH THIS	
	MAY BE	PURCHAGED	TICTED I	OCAL COURGE TO	CHARGES), OR AVE THE SHIPPING	
	CHARGES	- ORCHRODD	HICOM 1	OCAL SOURCE TO S	AVE THE SHIPPING	
			/ T C C T	TNC 7 CEDIES OF		
	TO CIRC	DILDULIG TUT TUTION	LMI DOU	ING A SERIES OF	REQUISITIONS	
	POLICY	AT.T. CHTD	DING C	T) IS A VIOLATIC OSTS WILL BE INV	N OF PURCHASING	
	SEPARAT	E CHARGE W		COLCINAL EDEL	HT BILL ATTACHED	
	TO THE	INVOICE.	7	D OKIGINAL FREIG	HI BILL ATTACHED	
		- 7		Í		
	IF BIDD	ING "OR EO	dal" B	RAND, SAMPLE LIT	FPATTIDE CHAIT D	
	BE RECE	IVED PRIOR	TO BI	D DATE.	BIGHTOKE SHOOLD	
	1	4	1			
	ATTACHMI			į		
		SPECIFICA				
		PRICING 1				
		ING AFFIDA			-	·
	RESIDENT	CVENDOR PI	(EFERE	NCE		
		İ				
	ļ	}	1			
				Ī		ļ
	1			ļ		
001					1	
001		JB	3 4	15-00-00-100	ļ	•
	FOUTT DMDA					
	COTEMEN	T, FIRST A	TD OK	SAFETY		
	1					
	· · · · · · · · · · · · · · · · · · ·	$\langle A^{\perp} \rangle$	SEE REVI	RSE SIDE FOR TERMS AND COND	OFTIONS	
SIGNATURE	Made	Jaka +	<u></u>		DATE .	
TITLE	, WVIIC	FEIN V				1-9-10
V P		FEIN 1 -	123	-7230	ADDRESS CHANGES 1	O BE NOTED ABOVE
1 4 22	IEN DECDO		11.10			



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
SAFETY10

P/	\GE	200
	3	

JO ANN ADKINS 304-558-8802-

*709035445 304-346-0875 AIRGAS MID AMERICA ONE OREGON ST

CHARLESTON WV 25312

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CORRESPONDENCE TO ATTENTION OF

DATE PRINTED	TERMS OF SAL	£	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010					
BID OPENING DATE:	06/10/2010		BID	OPENING TIME 01	:30PM
LINE QL	JANTITY UOP	CAT: NO:	ITEM NUMBER	UNITPRICE	AMOUNT
		-			
EXHIBI	ריידים				
4211110			^	· ·	
LIFE O	F CONTRACT:	יוויי	פ פירואיים א פיי די דיפרא	 ES EFFECTIVE ON	-
		AND	EXTENDS FOR A	ERIOD OF ONE (1)	
YEAR C	OR UNTIL SUCH	"REAS	SONABLE TIME" TH	EREARTED AC TO	
) NECESS	ARY TO OBTAI	N A M	EW CONTRACT OR F	ENEW THE	
AKTGIN	AL CONTRACT.	THE	"REASONABLE TIM	F" DEDTOD CHATT	
I INDI EX	CEED IMELVE!	(12) N	MONTHS DURTNG	THIS "DEAGONADIE	
1 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	THE ARMOOK M	YX JHT	RMINATE THIS CON	TRACT FOR ANY	
WCKAON WTTT AM	N NOTICE.	THE I	DIRECTOR OF PURC	HASING 30 DAYS	
	W NOTIGE.		•		
UNLESS	SPECIFIC PR	OVISTO	ONS ARE STIPULAT	ED ELCEWIEDE	
TIN THIT	S CONTRACT DO	OCUMEN	${ m VT}$. The terms of	OND THE ONG AND	
LKTCTN	C SEL HEKETM	ARE F	FIRM FOR THE LIF	E OF THE	
CONTRA	CT.			· · · · · · · · · · · · · · · · · · ·	
Talantan.	T TVITA GOVE				
AWANIAN יסייידי סוא	M CONCENTR OF	RACT M	MAY BE RENEWED U	PON THE MUTUAL	
SUBMTT'	TED TO THE D		PENDING UNIT ANDR OF PURCHASING	D VENDOR,	
DAYS P	RIOR TO THE	XPTRA	TION DATE. SUC	THIRTY (30)	
DE TN 7	ACCORDANCE MI	.TH TIH	E TERMS AND COM	DITTOME OF BUILD	
OKIGIM	AT CONTRACT. N	ND SH	ALL BE LIMITED	TO TWO (2) ONE	
(1) YEA	AR PERIODS.			(2) 01(2	
CANCEL	AMEON MILES				
RICHT	CONCET THE	TRECL	OR OF PURCHASIN	G RESERVES THE	
NOTICE	TO THE VENDO	D TE	TRACT IMMEDIATE	Y UPON WRITTEN AND/OR SERVICES	•
	ARE OF AN	I M H, HJK	TOP OTTAILTIVE OD F	A NOTE CONTRACTOR	
то тне	SPECIFICATIO	NS OF	THE BID AND CO	TRACT CONFORM	
			1	. [
OPEN MA	RKET CLAUSE:	THE I	DIRECTOR OF PUR	CHASING MAY	
HOIDOKI	AL A SPENDIN	G UNITT	T TO DITOCUACE AN	TOTAL ADDRESS	·
	一 ATTUONI THE	SEEWEAR L TTITU	NG OF A REQUISIT	ION OR COST	
GIGNATURE MAR	$\mathbf{N}_{\mathbf{k}} \mathbf{N}_{\mathbf{k}} \mathbf{N}_{\mathbf{k}} \mathbf{N}_{\mathbf{k}}$		TELEPHONE	14L 0875 DATE	
TILE 1		ר' ו	7 2 3		6-9-10
WHEN DEED	ONDING TO DEC.	1 1 2	3-7230	ADDRESS CHANGES	TO BE NOTED ABOVE
ANTIEN DEOK	CINDING TO REQ, I	NOEKII	VAME AND ADDRESS IN	SPACE ABOVE LABELE	O 'VENDOR'



*709035445

ONE OREGON ST

CHARLESTON WV

AIRGAS MID AMERICA

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25312

304-346-0875

Request for

SAFETY10

RFQ NUMBER

3618553	PAGE		3	į.	
	4				

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS

304-558-8802

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SALE SHIP VIA FO.B. FREIGHT TERMS 05/13/2 BID OPENING DATE: /2010 06/10/2010 BID OPENING TIME 01-30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN causes (including but not limited to delays in trans-PORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.) QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. drdering prodedure: spending unit(s) shall issue A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE vendor as authoridation for shipment, a second copy MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SHENDING UNIT. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATI-CALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER drder. THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM. REV. 04/11/2001 EXHIBIT 10 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 304 346 0875 TITLE

ADDRESS CHANGES TO BE NOTED ABOVE WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

30



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Roy 50120 Post Office Box 50130 Charleston, WV 25305-0130

AFQ NUMBER SAFETY10

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS 304-558-8802

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS PVARIOUS LOCALES AS INDICATED BY ORDER

V E N	*709 AIRO ONE	035 SAS ORI	5445 MID EGON	AMEI ST	304-34 RICA 25312	16-0875	5
DOR	CHAF	RLES	TON	WV	25312		

DATE PRIN	TED	TER	MS OF SAL	E	SHIP VIA	F.O.B.	FREIGHT TERMS
BID OPENING DATE:	010		. <u> </u>				
LINE	OUAN	5 /10/2	010 UOP	CAT	BID C		01:30PM
				NO.	WITH MONITURE	UNITPRICE	AMOUNT
				•		ļ	
					REQUISITION N	p.:	• •
A	DDENDU	ACKN	OWLED	GEMEN	Г		
I	HEREB	ACKN	OWLED	GE RE	CEIPT OF THE FOL	LOWING CHECKED	
A	DDENDU	1(S) A	ND HA	VE MA	DE THE NECESSARY SPECIFICATION, E	REVISIONS TO M	ı
A	DDENDUN	1 NO.	s:				
И	0.1	••••					
. N	0. 2	• • • • • •	.				
N	э. з		- [77711111			
N	D. 4			. ,			
N). 5						
I Ar	UNDERS DDENDUM	TAND I	THAT E	AILUF CAUS	RE TO CONFIRM THE FOR REJECTION	E RECEIPT OF TH OF BIDS.	E
RÆ	PRESEN	TATION	I MADE	OR 🗗	RSTAND THAT ANY SSUMED TO BE MA	OF DIDENC AND	
OF	CAL DIS	CUSSIP	N HEL	D BEI	WEEN VENDOR'S R IS NOT BINDING.	PRESENTATIVES	
IN	IFORMAT	ION IS	SUED	IN WR	ITING AND ADDED	TO THE	
SF	ECIFIC	ATIONS	BY A	N OFF	'ICIAL ADDENDUM	S BINDING.	
			Ì	1	SIG	IATURE	
				1.			
				-	СОМЕ	ANY	
GNATURE ///	$-\sqrt{\Lambda}$	/}		SEE REVE	RSE SIDE FOR TERMS AND CONI	DITIONS	
TLE . (1)	W Jo	Know			JELEPHONE 304	1-346-0875 DATI	6-9-10
	/	rein	<u>le)-</u>	123	5 - 7 - 2 3 0	ADDRESS CHANG	ES TO BE NOTED ABOVE
WHE	N RESPO	NDING TO	RFQ, I	NSERT	NAME AND ADDRESS IN	SPACE ABOVE LABE	LED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS B04-558-8802

*709035445 AIRGAS MID AMERICA ONE OREGON ST CHARLESTON WV

304-346-0875

25312

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED Ť BY ORDER

DATE PRI	NTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/13					
	06/10		BID	OPENING TIME 01	÷30PM
EINE	QUANTITY	UOP NO.	ITEM NUMBER	UNITPRICE	AMOUNT
				ļ	
			DA	TE	
	אוֹסייני. יינודפ	A DIDENTITURE A			
j	WITH THE BT	APDENDUM AC	KNOWLEDGEMENT SHO	PULD BE SUBMITTED	
	REV. 09/21/	2009	,		-
,	DOPENING AND DESCRIPTIONS DOPENING TIME 01.30PM DATE ROTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID REV. 09/21/2009 PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST SEE REVEASE SIDE FOR THRUMS AND CONDITIONS PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST SEE REVEASE SIDE FOR THRUMS AND CONDITIONS PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST ADDRESS CHAMSES IN EXAMPLE TO ADDRESS CHAMSES IN EXAMPLE TO ADDRESS CHAMSES IN EXPLICATION BUILDING 15 2019 WASHINGTON STREET, EAST ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATE & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATER & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATER & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 314 -0750 WATER & -97-100 ADDRESS CHAMSES IN EXPLICATION FILEPHONE 29 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				
			•••••••		
	PURCHASING (CARD ACCEPT	ANCE: THE STATE	OF WEST VIRGINIA	
	LOUVEMENT O	TILLIZES A V	+SA PURCHASING CA	RD PROGRAM WHICH	
	TO TOOURD IN	HROUGHIA BA	NK. THE CHACLE	מסמאים עד דודי	
	CARD FOR PA	YMENT OF AL	AL MEST AIRGINIA	VISA PURCHASING	
1	AGENCY AS A	CONDITION	OF AWARD.	Y ANY STATE	
		NOT	ICE	·	
]		ļ
I	SIGNED BIL	MUST BE ST	BMITTED TO:		
	יום היו איני איני	4111777 07 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		j	
İ	DEPARTM	THE DIVICE	NISTRATION		
			1	3	
			REET, EAST	i	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,		
		 			ļ
					·
IGNATURE	$\alpha / \alpha - A$	SEE REV	ERSE SIDE FOR TERMS AND COND	DITIONS	
	Mark John	ite	TELEPHONE 3	Y 3UL -AYT DATE	6-9-10
TLE VP		10/ ~ 12	J- 1230	ADDRESS CHANGES TO	O DE NOTED ADOVE
WHE	N RESPONDING	TO RFQ, INSER	NAME AND ADDRESS IN	SPACE ABOVE LABELED	D DE MOIED ABOVE
		•		· O' YOU YOU'VE LABELED	AFUDOR.

SAFETY10 Specifications

<u>Purpose</u>

The West Virginia Division of Purchasing, "State", is soliciting quotations for a blanket, open-end statewide contract to provide safety supplies to all West Virginia State Agencies, and political sub-divisions. Attached is a list of the most common safety items that the State purchased in the previous year.

Award

- The lowest cost, most complete bid meeting specifications shall be awarded a contract. The discount from list shall remain the same during the entire contract period, including any renewals. The award shall be based on the entire catalog.
- 2. Vendor shall quote a percentage discount from the lowest price listed in the price list(s)/catalogs submitted. The state prefers a single percentage discount from the price list / categories, but will consider bids containing different percentage discounts for different brands, lists or categories of supplies. Vendors MAY submit alternate bids using a separate or additional catalog(s). All items in the discount category must have the exact same discount. (For example, if a Eye Wear product on the pricing page has a discount of 40%, EVERY Eye Wear product sold must have the 40 % discount.) Bids must plainly and clearly indicate the different classes of products with percentage discount for each. Bids that are not clearly identified, by easily identified classes, may be disqualified. Bids that have multiple discounts by category MUST list a discount for a miscellaneous category that would be applied to any product not identified by a category discount shown. For evaluation purposes, an estimate of quantity has been inserted to give the miscellaneous category a value in the bid evaluation. NOTE: The category discount must be for all items in that category. Bidders shall not offer greater discounts for items on the pricing pages than the category discount offered for that item.

Bidders should mark the items in the catalogs that appear on the pricing pages, to assist in the evaluation and verification of the bids. This is an excel document and will be available electronically after the mandatory pre-bid. Failure to indicate the minimum order quantity on the pricing sheets shall require the vendor to ship any quantity of that product ordered, regardless of size.

Additional Information

All pricing is firm for a period of one (1) year. If the manufacture should change or discontinue a model number, then the vendor shall provide an alternate model with the same performance and construction features at the original bid price.

If bidding "or equal" brand, samples and specification sheets should be received prior to bid date.

The item(s) as specified is (are) shown only as an example of the quality level and operational characteristics requested by the agency and not intended to mean the only acceptable brand. Vendors who are bidding alternates must so state and include pertinent literature and specifications. Failure to provide information for any alternates may be grounds for rejection of the bid.

If any proprietary, trade, brand, or manufacture's name or part number is used herein in describing the required equipment, it shall be understood to indicate the minimum standard of composition and quality required, and shall not be construed to exclude equipment that equals or exceeds the functional capability and quality of the named equipment.

The equipment bid herein shall be of standard manufacture and shall be new and shall be of the current production model.

Verification of product quality is the responsibility of the vendor. The State of West Virginia may require certified mail test data, certifications or samples for testing of material bid.

Vendor may request that the catalog be updated at renewal. Purchasing reserves the right to demand the net prices remain firm from original bid. If new catalog is accepted, certified spreadsheet reflecting any price changes shall be required comparing the original net price to the changed cost. If new Catalog is submitted for such renewal, such catalog must be the catalog published by vendor that contains the lowest prices quoted in any catalog published by vendor and one that is used by the general public. If the Purchasing Division extends the offer to renew, and feels there are significant price increases, Purchasing reserves the right to re-bid the contract. If new catalog is accepted and the vendor rearranges the catalog and item classification changes, the highest discount of the two (the old and the new) shall apply to all items.

Orders shall be delivered within five (5) working days after orders are received. Emergency orders shall be delivered within one (1) working day after orders are received. Spending units must be advised in writing if orders will be delayed for

any reason. Vendor shall carry an adequate stock to insure such delivery service for the duration of the contract.

Nonconforming products and materials shall be returned to the vendor at no expense to the State of West Virginia at any time during the life of this contract.

All items stating a "must" or "shall" are mandatory requirements. Failure to provide or meet any of these mandatory requirements shall be grounds to disqualify the entire quotation.

Bidders should sign and complete the contract coordinator information at the end of the pricing pages.

Vendor Responsibilities

- 1. Successful vendor shall provide catalogs/price lists, etc. at no charge, upon request by any state agency or political subdivision. Additional price lists/ catalogs may be required from the vendor at any time. These shall be provided at no cost to the State.
- 2. Contractor shall carry an adequate stock to insure such delivery service for the duration of the contract. Excessive out of stock and back orders will not be tolerated. Substitutions of products shall only be accepted if cleared by the agency prior to shipping of such substitution.
- 3. Each delivery shall be placed as requested in any one location at the delivery site. Dock deliveries are not acceptable unless so requested by the agency. All deliveries must be made during normal working hours for the delivery location. All orders (including back orders) shall not be invoiced until the actual item is delivered. Agencies shall have 30 days in which to return un-opened/un-used items at no charge. Normal returns may be done during a future delivery from the vendor. Agencies may request non-ordered items to be picked up within five days of delivery, even if there are no deliveries within this five-day time frame.
- Successful vendor must be able to accept orders via phone, fax, internet, USPS.
- 4. Credits must be handled quickly and efficiently, promptly replacing incorrect items and processing credits in a timely manner..

- 5. Internet Access Vendor must be able to provide internet ordering access. The successful bidder shall be responsible for training agency personnel in using their internet site for placing orders and coordinating the return pick ups. Successful vendor must be able to ensure the discounts shall be given through the internet site.
- 6. Vendor must send packing slip in each order.

Reports

Successful vendor shall provide quarterly reports and annual summaries showing the quantities, dollar value, agencies and political subdivisions which have used this contract. Additionally, the reports must show the method of order placement (internet, fax, etc.) both by the percentage and dollar amount. Successful vendor shall also be able to provide report showing the top 100 items purchased during the contract period. This report is mandatory and failure of the successful bidder to supply such reports may be grounds for cancellation of contract.

Send to: jo.a.adkins@wv.gov

SAFETY07 PRICING PAGE - RAINWEAR

Line	ICING SHEET - SAFETY10						Р	age 1 of	2 * Rainwe
lten	- 1	Est. Q	ty Size	Disct fi List (%	· 1.	a Total	#/Case	Color Bio	
	Rainwear: Polyester, PVC Coating Outside	55	Small	50	3.88	213240	24	14	
	Waterproof, resists oils and acids, detachable hood, storm fly front, lapped and locked seams, color yellow, minimum	110	Medium	50	3.88	101.6	4-	14	4148S 4148M
<i>**</i>	length 48", sizes S - XXXXL. Rainfair #2100-8000 or equal.	165	Large	50	3.88	640,20		1	4)486
(1)	Good or oqual.	605	X-Large	50	3,88	3 2347.40		1 1	4148 x2
		55	XX-Large	50	3.88	213.45		V	
		55	XXX-Large	50	4.00			4	414822
······································	Polocult To-	55	XXXX-Larg	e 50	4.12			1/	
	Rainsuit, Three piece: Polyester, PVC Coating outside	45	Medium	50	4.70		10	1 1/	41484XL
	Outside, 100% waterproof, resist oils and acids, suit includes jacket - 29" in length	67	Large	5D	4.70	100		-7 V	40356
(2)	with raglan sleeve, detachable hood and coverall, srotm fly front, detachable hood,	225	X-Large	50	4.70	1057.90		1/	
	lapped and locked seams, color yellow, rainfare #0000-8005 or equal	68	XX-Large	50	4.70	3A.60			4035XL
		23	XXX-Large	50	4.82	110.84			40353XZ
		22	XXXX-Large	50	4,94	108.68	1	$-\frac{1}{3}$	
į	Rainsuit, Three piece: Nylon, Rip-Stop Material, PVC Coating inside & out		Small	50	4.70	 			403541
	PVC coating inside and outside, 100% waterproof, resists oils and acids, suit		Medium	1	1	103.4P		Yelow	4035252
	includes jacket 29" in length with raglan sleeve, detachable hood and coverall		Large			108.10	AT SECOND	- Action	
3)	storm fly front, lapped and locked seams, color yellow, minimum length 48" sizes S-		X-Large				Action March	- State of the sta	
	(XXXL. Rainfair #0000-7020 or equal.		XX-Large			314.90		100	20
			XXX-Large			108,10 man		-3453 m	7.00
		ľ	CXXX-Large		4.94	72.30 H4 D D	,		122
F	Rain Jacket: 3 oz. Oxford Weave Nylon olyurethane coated inside		Small	50	4.0			7 12 \	<i>V</i>
ĮP	olyurethane coated inside, flame resistant. leets federal 191B, method 5903.0 fire			1 +	K,1/		20 /	telow.	4036452
re	etaradancy. Stitched & tape sealed seams,		<u>Medium</u>			17.43		- Tribunian	(althornoop)
si	zes S - XXXXL. Rainfair #1100-8197.]	arge			50.22		200	
			-Large		1 /	967.84	-	_	· was
		7	X-Large			47,43	1-1-	NE CONTRACTOR	- 12-24-Co-10
			XX-Large			25,92	<u> </u>		my perfect the
		9 X	XXX-Large		2.99	26.91	$U \mid$	V	$\sqrt{}$

RECEIVED

2010 JUN -8 AH 11: 40

WV PURCHASING DIVISION

SAFETY07 PRICING PAGE - RAINWEAR

	CING SHEET - SAFETY07						Pa	ge 2 of 2	* Rainwea
Line Item	Item	Quantity	Size	Disct fr List (%)	Price Ea	Total	#/Case	Color Bid	Mfg
	Rain pants: 3 oz Oxford weave nylon, polyurethane	5	Small	50	2,13	14,13	20		Wasteker
	Coated inside, flame resistant. Meets federal 191B, method 5903.0 fire	5	Medium			14.15	1		4037+52
5 y	etardency. Stitched and tape sealed seams, snap fly, storm fly front, color	15	Large			4,2,45			and county.
	yellow, sized S - XXXXL. Rainfair #1900- 8497 or equal.	45	X-Large			127.35			a constant
		20	XX-Large		1	46.20			and the same of th
		5	XXX-Large		2.25	11.25		- Agendarija	The second second
		5	XXXX-Large	V	2,35	11.75	V	V	V.
	Rain Pants: Nylon	2	Smali		2.13	4,1le			and the second s
	Fully vulcanized, stitched and taped sealed seams, storm fly front, length 29", colors	3	Medium			6.29		A COLLEGE OF THE COLL	للمد مؤويه و يؤووان
_	yellow and green. Sizes S-XXXXL. Rainfair #1900-1403 or equal.	8	Large			17,04			
6		22	X-Large			46.86	and Comments to		100
		10	XX-Large			1930		¥.00	- Argundan (
		3	XXX-Large		2,25	6.75			
	Rain Overall: Nylon, Neoprene outside	2	XXXX-Large	V	2.35	4.70		V	V
	coating Fully culcanized, stitched and taped sealed	2	Small	The second secon	2.79	5.58		in the second	ध्येऽशिक्ता थ्येऽनिक्त
	seams, storm fly front, length 29", solors y ellow and green. Sizes S-XXXXL. Rainfair	3	Medium			8.11			493b-5z
	#1700-8152 or equal.	8.	Large			22.32		and the second	
		22	X-Large			le 1.38		- Land American	····
		10	XX-Large		<u> </u>	27.90		ADALLA MARIAN	
	·	3	CXX-Large		2.88	8,64	J		
		2	XXX-Large	~V	2.99	5.98	·	V	

SAFETY07 PRICING PAGE - FOOTWEAR

Pricing	Pricing Sheet - SAFETY10						Dago	~ ~	
Line Item	ltem	Est. Quantity	Disct fr List (%)	Price per Pair	Total	#10000	- aye	- 5	F
	Footwear					nocote	color Bla	lVITG	
	Pullover Boot: Pullover Boot Sz. 6-16, Rainfair #2400-9085 or Equal, Sizes 6 - 13			0.3	87, 40			O ANG SANKED	1
8)	Knit lining, cleated outsole, adjustable top strap, height 17", color: yellow. Rainfair #2400-9085 or equal.	50	<i>w</i>	9 M	× 7.		0/40	PA 252 BAS 83310	
	Puckle Boot: Rubber, over-the-shoe, Plain Toe Sz. 6 - 14, Rainfair #2400- 9011 or Equal, Sizes 6 - 14		, pr		09 71TT		N	RAINSTON	*
8	Knit lining, self draining gusset, cleated outsole, five buckles, height 14", Color: Black, Rainfair #2400-9011 or equal.	25	0	3/ 5			J.	125-06119800	
(c)	Knee Boot: Hand piled rubber, Steel Toe Sz. 6 - 13, Rainfair #2400-9043 or Equal, Sizes 6 - 13 Ansi 741 PT 83 M 4 76 776		2.5	0671	27.8	A WEST AND THE SECOND S	7		
	insole, net lining, cleated outsolde, steel shank, Color: Black. Rainfair #2400-9043 or equal.	30))	è	>			1/4, astain	
ĺ.	Hip Boot: Pull-on, hand piled rubber, steel toe, Rainfair #24009091 or Equal, Sizes 6 - 13		25		7 6 501		3		
(11)	Ansi Z41 PT 83 M 1-75 C75, Sponge insole, net lining, cleated outsolde, steel shank, Color: Black. Rainfair #2400-9091 or equal.	175		20, 62	61.11.62.0	-			
(13)	Hip Boot. Pull-on, hand piled rubber, sponge insole Sz 6 - 13, Rainfair #2400-9089 or Equal, Sizes 6 - 13 msore, Ivet Infing, created outsore, steer chank. Rainfair #2400-9080 or seer chank.	25	35	39.65	991.25		2 2		
	and a second contains								

SAFETY07 PRICING PAGE - EYEWEAR

Unless edition	Unless otherwise noted, all eyewear must meet Ansi Z87.1-1989 or latest edition of this standard.	ear must	t meet Ansi Z87.1.	-1989 or late	est		-			Dage 4 of 4 *Every	**************************************
Line Item	n Item	Est. Quantity	MFG	Model	Frame Color	Lense Tint	Lense Tint Packaging	Disct fr List (%)	Price Per Pair	Total	Eyewear
	Eyewear	* Unless of	* Unless otherwise noted, all eyewear must meet Ansi Z87.1-1989 or latest edition of this standard	wear must me	et Ansi 287.	.1-1989 or la	test edition of	this standa	1		D C C C C C C C C C C C C C C C C C C C
(43)	Safety Glasses: Aviator Style Shields, wire reinforced temples, scratch resistant polycarbonate lenses, 99.9% effective filter of UV Radiation. Packaged in individual poly-Bag.	724	L-1, 1650L	11.50%	Metal	OR	E A	73	783	2917.72	2
(14)	Style Shields, wire reinforced temples, brow protector, scratch resistant polycarbonate lenses (clear, green, grey), 99.9% effective filter of UV Radiation. Packaged in individual poly- Bag.	122	RADESER	6405 127	Sook	J.K. CB	63	w .	5-	228.82	2
	Style Shields, reinforced temples, scratch resistant polycarbonate lenses, 99.9% effective filter of UV Radiation. Packaged in individual poly bag. Crews #9800B or equal.	456	CREWS	9886	BIK	BIK CIR	D A	N M	12.	279.12	2)
19	Protective Goggles Wrap- around Clear Vinyl Frame, indirect ventilation or chemincal splash style, acetate anto-fog coated lens, elastic headband packaged in individual poly-bag. Crews	113	RADDOR	2500	CM	W	K Z	\ldots \cdot	72	143,51	
(2)	Protective Goggles: Wrap Around, Clear Vinyl Frame, perforated style, acetate anto-fog coated lens, elastic headband, Packaged in individual poly-bag.	96	KADOOR	50%	OSR OSP		EA	72		163.20	14

SAFETY10 PRICING PAGE - PROTECTIVE CLOTHING

SPECIFICATIONS: Dupont Tyvek Coverall: Long torso length, full cut seat and leg opening, non-sparking zipper, skid resistant material for attached boots, serged seams.

Page 1 of 1 *Protective Clothing

Minimum specifications for large size:

Torso length:

Center front seam

29"

Center back seam

38"

Zipper length

26"

Inseam length

29"

Protective coverall may be used for asbestos removal, general maintenance, dry particulate protection, light splash protection. Lakeland or equal. (Alternate garment materials will be considered with manufacturer's documentation.)

Line			Est.	Disct fr	1		- [
Item		Size	Quantity	List (%)	Price Ea	Total	#/Case	Color Bid	Mfg
Pro	tective Clothing, Disp	osable							Westchesses
and the same of th	Coverall: Zipper Front, Brand	Small	12	.50	4,76	57,12	25	W	3600 5
	Name: Lakeland 1412 or	Medium	13	50	4.76	6).88	25	لي	M
	Equal. Tyvek or Equal. NOTE: the weight of this	Large	38	50	4.76	180,89	25	W	
(18)	garmet is very important.	X-Large	112	50	4.76	533,M	25	W	大人
	Consideration will be given for bidding lighter weight	XX-Large	50.	50	5,06	253,00	25	W	274
	garment.	XXX-Large	13	50	5.39	70.07	25	W	3×2
ļ	Coverall: Zipper Front Attached	XXXX-Large	12	50	5,68	68,16	25	W	V 4XL
	Hood & Non Skid Boots Brand	Small	13	50	5,77	75,01	25	W	3609 3
	Name: Lakeland #1414 or Equal.	Medium	14	52	3,77	80,78	25	W_	M
		Large	41	50	5,77	236.57	25	W	
(19)		X-Large	125	50	5,77	721.25	25	W	XL
		XX-Large	55	9D	Le,3 D	346.50	25	W	2 7 4
		XXX-Large	14	20	6,44	90,14	25	<i>W</i>	3×L
	Coverall: Zipper Front, Elastic	XXXX-Large	13	50	413	87,49	25	W	446
	Wrists and Ankles Brand Name	Small	1	50	5,05	505	25	W	36025
	Lakeland 1417 or Equal	Medium	1	200	5.05	5.05		W	1 M
(20)		Large	2	5D	5,05	19,10		ul.	
(20)	!	X-Large	6	50	5195	30 30	White the second	W	75
	[XX-Large	3	50	5.37	16,))	<u> </u>	W,	
	i	XXX-Large	1	50 JØ	5.76	5,76		W	27.6
	Coverall: Zinner Front Attached	XXXX-Large			1006	6.06	V	<i>s</i> ./	432
	Hood, Elastic Wrists and Ankles	Small	1	50	5,32	5,32	25	<u> </u>	3696 5
	Equal 1	Medium	1	30 30	5,32	5:32	-	W.	1 M
(21)	·	Large	2		5,32	10,64		W W	4 4
	·	X-Large	- 6	50	グラマ	31,92		W	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Г	XX-Large	3	30	5,65	16.95		N N	2xL
	Ī	XX-Large	1	50	5.87	5.87			334
		CXXX-Large	1 .	JD	6,12	6,12		, , ,	4 4XL
(55)	Wrap-around Safety Chaps, Stihl #0000-886-3204 or Equal. Constructed of six layers of cut retardant material such as Dupont Engtex to protect lower legs and reduce the risk of injury due to moving saw chains STIHL #888-886-3204 or equal.	36"	50	50	8500	42500	10	SK9	E50 JE-9136 Elvex

SAFETY10 PRICING PAGES - EAR PROTECTION

* Unle	* Unless otherwise noted, all ear protection must meet Ansi S3 19 or latest edition	protect	tion mu	st meet	Ansi S3	19 or late	et edition			***************************************		
of this	of this standard.						35 64100				Page 1 of 1 *Ear Protection	Protection
Line		Est. Qty	Usict fr List (%)	Price Per Pair	Total	Count Per Carton	Carton Price	# Cartons Per Case	Total Per Case	Case Price	3.46.5	
(23)	Vinyl Foam Earplugs - Cylinder Shape Ear canal, min. NRR:29 - Individually bagged earplugs in dispenser box, approx. 2,000 pair per case.	20	35	60'	3600	Ook	2081		1 .		EAR	Wind A William
(53)	Vinyl Foam Earplugs - Cylinder Shape Ear canal, minimum NRR:29 - bulk pak, not individually bagged earplugs in dispenser box. Approximately 2,000 pair per case.	rO	K	190'	070 100,	0901	00/0	40	0406	2/ at	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3/6
(24)	Vinyl Foam Earplugs - Bell Shaped, smaller size Conforms to ear canal, minimum NRR:29 - bulk pak, individually bagged earplugs in dispenser box, approximately 2,000 pair per case.	40	W JV	110,	09/9	700	QH.S)	6	2007	as it so	Z A Z	SES SES
(25)	Ear Muffs - Economy grade, plastic construction, foamed filled cushions, Adj. Foam-filled cushions, adjustable headband, minimum over-the-head NRR:22. Packaged individually in box.	့ မ	N m	25	32,25		Sh'a	O.	es by	60	Height Leight	## # P P P P P P P P P P P P P P P P P
26	Ear Muns - wrap-around style, plastic const., foam filled Foam-filled cushions, adjustable metal headband, minimum over-the-head NRR:22. Packaged individually in box.	ιO	5	211	32.56		01-1	6	. 4	2/2	Larger	HLI 1010 922
(ZZ)	Ear Murffs - Maximum Protection, Adj. Headband includes crown strap for use when wearing under _the_chin or behind_the_head minimum NRR-25. Packaged inidividually in box.	90	13	6.45	32,28		54.9	6.4	04	0.000	Leight	7777

SAFETY10 PRICING PAGE - RESPIRATORS

Pricing	Pricing Sheet - SAFETY07							Page 1 of 1 *Respirators	Respirators
Line Item	lfem	Est. Qty	Disct fr List (%)	Price Ea	Total	Case Price	#Per Case	Wfa	Model
	Respirators								200
	Respirator, Dust/Mist, Disposable: Two Membranes								Sation
(Two membranes filled with filtering fiber stiff outer		10	14	017500	ah'b	6.) O	KADUOK	0155
(78)	membrane, soft inner membrane,	125)				
`	foam seal, Two heavy duty head straps. Nice annoyed TC 240.	-		*		-			
	351 or latest standard.								
	Respirator, nuisance dust mask		`			9/7		AND WAS ARRESTED THE WAS ARRESTED THE PARTY OF THE PARTY	1000
(29)	Single woven membrane, adjustable metal nose piece	10	20	77	and the LA	;	80	RADASOR	8/10
	single elastic head strap. Not				•				
	Niosh approved.					-		<u>;</u>	

SAFETY10 PRICING PAGE - FIRE EXTINGUISHERS

SPECIF steel sh For Fire is made charge,	SPECIFICATIONS: Fire extinguishers, dry chemical, general purpose, stored pressure, steel shell with corrosion resistant finish, aluminum valves, easy to read guages. NOTE: For Fire Extinguishers only, vendor may include a hazardous material charge when delivis made by ups or smaller carrier. An original invoice from the carrier, clearly showing the charge, must be attached to the vendor's invoice for payment.	uishers, stant finis endor ma ier. An c	dry chen sh, alumi y include yriginal ir	nical, gene num valve e a hazard nvoice froi e for payn	eral purpos is, easy to ous materia m the carrie	iical, general purpose, stored pressure, num valves, easy to read guages. NOTE: a hazardous material charge when delivery ivoice from the carrier, clearly showing the e for payment.	essure, s. NOTE: nen delivery nowing the	£ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
Line Item	ltem	Est. Quantity	Disct fr List (%)	Price Ea	Total	Case Price	# Per Case	rage 1 of 1 =	rage 1 of 1 Fire Extinguishers
	Fire Extinguishers	,							DATE OF THE PARTY
2 HE S. S. S. S. S. S. S. S. S. S. S. S. S.	Fire Extinguisher 2 1/2 lb. W/Vehicle Bracket, Rated 1A-10B:C	50	0/0	76'HB	1247.00 24.94	34.94		Amerek	75/127
6	Fire Extinguisher, 5 lb. W/Vehicle Bracket. Rated 4A-60B:C	12	5	324/4P	32.14 395.28	32,44		the properties the	1808 E
(32)	Fire Extinguisher, 10 lb. W/Wall Hook, Rated 4A- 60B:C	40	25	48.11	dr 4861	11.34		14 page 6 pl act 3	19 6 / 5 mm (c)
(3)	Fire Extinguishers 2 1/2 lb. W/Vehicle Bracket, Rated 10B:C	ıひ	OK	35.70	128.52	7570		Ansal	A 86 42.9101

SAFETY10 PRICING PAGE - GLOVES

Pricina	Pricina Sheet - SAFFTV07									
)									Pa	Page 1 of 2 * Gloves
Line Item		Size	est. Qty / Dz	Disct fr List (%)	Price Per Dozen	Total	Case Price	# Per Case	Mfo	1 -
	Gloves								Sites	wouen online
	Glove: Memphis, #1200S or Equal Full feature Gunn cut	Small	13	53	19,01	28.06	120 AM	hh/	Randor	120575013
48	pattern, full leather palm, index finger and thumb, fingertips	Medium	13	53	16,62	o70'8E1	720.021			\$13L59 to
	and knuckle strap, remainder	Large	50		10,62	as 163	123,944			64057515
	cuff.	XLarge	50	Ż	00'11	230 rac	13/20	3		4) 51,5007
	Glove: Memphis, #1200D or	Small	6	53	11,72	35.16	67'0/11	JAH	(A) WOR	C4057520
(35)	Equal. Same specs as Item 34 with the following exception.	Medium	3		11.72	35,16	140,64		KADISOK	64057524
)	Comes with 2 1/2" Denim cuff and back	Large	10		11,72	11/12	13.04		31711	1,405 75 22
		XLarge	10	ſ	12,71	17.10	152.52	>	7	64057523
	Glove: Memphis #1430 or	Small	τ	23	2611	2611	140,44	149	RANDOK	02563841
(36)	Equal. Same specs as Item 34 with the following exception	Medium	L		Will	2111	140,64			124057521
·	Comes with 2 1/2" Leather	Large	7		11.72	ne 11	400tm/			22212017
	cuii, Lalye size.	XLarge	1	>	12.74	12.71	152,52		1	EZ21 2049
	Glove: Memphis #1700 or	Small	4	53	32.62	(30.48	391.94	144	A CASA	5050 507
(33)	Equal. Full feature Gunn cut Pattern, selected heavy side	Medium	9		32.62	21.861	791.94	MAI		6,405 7586
	leather palm sewn with heavy tread, 2 3/4" safety outf	Large	16			521.92	391.44	1401		64057587
		XLarge	16	>	34.00	345,28	968ah	hel		88525949
	Glove Memphis #7100 or	Small	58	6	4.38	45/186	52,5k	KM/	240xor	64057128
8	Equal. Economy brown jersey,	Medium	88		4,38	384,44	52.57	441		64057128
	minimum fabric weight.	Large	204		4.38	993,52	52.5h	144		64057129
		XLarge	233		2,30	102013	52.56	144	<u>></u>	64057129

SAFETY10 PRICING PAGE - GLOVES

Pricing	Pricing Sheet - SAFETY07							And the state of t		
				Diece fr			THE PARTY NAMED IN COLUMN		Pa	Page 2 of 2 *Gloves
Line Item			Qty / Dz	List (%)	Dozen	Total	Case	# Per Case	Mf	N N
	Gloves (contrd)									lylodel
	Glove Memphis #7100C or Faus	Small	2	53	884	276	57.5%	194	X47.30%	30 / June 1.1
®	Economy Glove, brown jersey, clute pattern, knit wrist 10.22	Medium	က	-		13,14	`l		1 () In have by the constraints	(100/1/28)
	minimum fabric weight.	Large	10			43.80				1000129
		XLarge	10	>	>	43.80	13	1	13	001000
	Glove Memphis #8200 or Equal.	Small	10	23	4.65	46.50	5580	*	Property	1 4 4 4 6
(4 ₀)	Straight thumb, knit wrist. Choice	Medium	10			B199	->		100000	
	of sizes, 12 oz., minimum fabric weight.	Large	40		465	Cr. 92 7	5580	かかく	N. J. S.	2012 3477
		XLarge	40	7		146	- 44			3,69
(Glove Memphis #8300 or Equal.	7	2	4/57	4.68	436	54,15		Mr was a loss of	5000
<u></u>	straight thumb, knit wrist. Choice	8	က	14/14		14.04		 		
	of sizes, 12 oz. minimum fabric weight.	6	10	53	4,68	46.85	56,15	ph/	Nom Ph.	300
		10	10	4/14		05.97				2020
	Glove Memphis #8526C or Equal.	7	20	A)SI	9.73	19416	116.76		A SA	
(42)	All gold fleece, full chore style, quilted material, knit wrist, size	8	20	R. long		Call Light	,			0702776
)	large, 26 oz., minimum fabric weight,	6	80	63	9,73	778,410	11/2.71	55'	JON SOLD	
		10	80	AR		3418LL	1			65450 117 hun
		7	7	53	hE'61	19.34	300		Monday	
(43)	Black neoprene, .030" flock lined,	8	2	77	NE' 61	38.48		. Kr.		N.
	iz rengun, rolled cutt.	6	4	20	19,34	773		7/1		
		10	5	53	19.34	01.76	3	100.		
(Glove, Memphis Glove #5430 or	7	4	3	12'01	80 1/F	10,27		Wastell	22 30 4 W
44	Equal. Neoprene/Natural Latex Blend, .022", flock lined, 12"	8	5		10,27	51.35				33724
<u>-=</u>	ength, scalloped cuff.	6	17		12'01	194.59		. ,		222H
		10	18	7	12.91	184.86			>	12

SAFETY10 PRICING PAGE - SAFETY ILLUMINATORS

ICC regulations, Bureau of Explosive Specifications and approved by the underwriters lab. * Red Emergency Flares: Visible in fog, rain or snow, self contained striker, complies with These items may be used by the Department of Highways and the Department of Public Safety.

STATE OF THE PROPERTY OF THE P		an desired and their principal principals		en ye taa kaasaa kaasaa ka Marie Mallet Copyright State of the Copyright	the expect of the Color flow that we have property of the Pos	State and the second se	ANALES MARKET STATE STAT	Page 1 of 1 "Illuminators	mmators	
Line Item	ltem	Est. Quantity	Disct fr List (%)	Price Each	Total	Price Per Case	# Per Case	Mfa	Model	Min Order Ofv
	Safety Illuminators				indomination of the Company of the C					
45	Flares, Emergency 30 min Spikeless	275	O/O	200	138,64	138.63 5745 36	36	(Va 170)	02190	34
46	Flares, Emergency 30 min W/Spike	20	S.	1.734	34.68 WH 36	12 H	36	BRIDE	1730	36
(47)	Cyalume Light Sticks, 12 hr Green	20	40	169	(3,90	13.90 345.00 5 00	20	Cyalume	C. S.	00/
(48)	Cyalume Light Sticks, 30 min High Intensity Red	10	40	69.	0,0	34500 500	200		Wall of Man	00/
(4	Cyalume Light Sticks, 30 Min High Intensity Yellow	10	oh '	29	96.9	2450 Ses	2,80	7	20/ 20/10D	201

SAFETY10 PRICING PAGE - SAFETY CAPS

High der metal pa size 6 1//	High density Polyethylene, slotted for accessories, metal parts, headband, neck strap, sweatband and size 6 1/2" to 8", meets Ansi Z89.1. Colors: White an	sories, i id and a Vhite an	ncludes djustab d Yellov	ratchet le crown v. Bullar	includes ratchet suspension with no adjustable crown straps, standard nd Yellow. Bullard #RT5100 or equal.	n with no andard or equal.				Congression and the Congre
									Page 1 of 1 *Safety Caps	fety Caps
Line Item	ltem	Est. Qty	Disct fr List (%)	Price Each	Total	Case Price	# Per Case	Mfa	Wodel	Min Order
	Safety Caps				-	and the state of t				(1)
90	Safety Caps - High Density Polyethylene, Slotted for accessories W/ Ratchet Suspension, Bullard #RT5100 or Equal	400	40	6.17	346800	40 6.17 2468° 172.40 20	20	PASSOR	PASSON 6405 1020W	
(3)	Safety Caps - High Density Polyethylene, Slotted for accessories W/ Standard Suspension, Bullard #5100 or Equal	10		3.77	3,77 37.70	15.40	07	->	MO10/15049	
(52)	Cold Weather Cap Liner	006		1.59	1.59 1431 0	1.59		Occonomy	Occourant R& 200	-
53	Sweatband: Cellulose, Kappler #155 or Equal	. 10		71.	ah'l	2017	201	→	58100	00/
42	Safety Cap with Nylon Full Face Shield	5	>	8011	or 35 8011	20	-	RADION	64051016 64051062 64051052	

SAFETY10 PRICING PAGE - MISCELLANEOUS

Pricing Sheet - SAFETY07

		Commence of the Control of the Contr	The state of the s							
Line Item	ltem	Size	Est, Qty / Dz	Disct fr List (%)	Price Per Dozen	Total	Case Price	# Per Case	Wfg	Wodel/Style
55	Miscellaneous	All other ca	All other catalog items - Discount from list.	Discount fro	m list.				S / %	2,5

%	%	8	%	%	%	%	%	%	%	
EAR	VEAR	EAR	PROTECTIVE CLOTHING	EAR PROTECTION	RESPIRATORS	FIRE EXTINGUISHERS	S	SAFETY ILLUMINATORS	SAFETY CAPS	
RAINWEAR	FOOTWEAR	EYEWEAR	PROTE	EAR PF	RESPIR	FIRE E	GLOVES	SAFET	SAFET	

29	35	35	6	13	5	0 0 0	5	2	ati	ک
V)			, , , , ;		/		4	7	C/	
%	%	%	%	%	/ %	%	%	%	<i>₹</i> %	/ %

VENDOR INFORMATION

Mark Johnston

Contract Coordinator:

304- 246-0875

Phone Number:

Email Address:

304-592-2580

Fax Number:

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
<u></u>	Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. 1	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. 	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requirer against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
authoriz the requ	nission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and es the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid lired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
and acc	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate is during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder:	AIRGAS Signed: There well
Date:	6-4-10 Title: Sufety Specialist
*Check ar	ny combination of preference consideration(s) indicated above, which you are entitled to receive.



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE **MONROE, OHIO 45050** WWW.WEST-CHESTER.NET

TEL: 1.800.647.1900 • FAX: 1.513.539.2827

DATE: Thursday, June 03, 2010 UPDATED: Nov 7 2008 12:00PM

DIVISION: Industrial

UOM: EA


UNITS PER INNER: N/A

UNITS PER CASE: 24 AVAIL, SIZES: S-5XL MIN, ORDER QTY: 1 EA

BASE PART #: 4148

ITEM NAME: 35mil PVC Polyester 48" Raincoat

ITEM DESCRIPTION: Rainwear 35ml PVC over Polvester 48" Raincoat = Yellow



MARKETING COPY:

The .35mm PVC on polyester 48" Rain coat is perfect for light to medium-duty applications.

FEATURES AND BENEFITS:

· Vented cape back with storm flap for wide range of motion. Detachable hood and corduroy collar.

 Two outside pockets with flaps to protect valuables.
 Snap front closures with sorm flap to keep the elements out Rain, Rainwear, Coat, Raincoat, Clothing

APPLICATIONS

Survey Crews, Law Enforcement, Military, Ranching, Forestry,

MATERIAL CONTENT:		NUMBER OF POCKETS:	2	TESTING AVAILABLE:	0.038
BASE MATERIAL:	.35mm PVC on polyester	ZIPPER:		STITCHING MATERIAL:	
COLOR:		BUTTON TYPE:		STITCHES PER INCH:	
CONFIGURATION:	I piece	STORM FLAPS:	Yes	ADDITIONAL INFO:	
SEAM CONSTRUCTION:	Welted	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

					SORDINA CARGADON					Visit Service	**********		NAME OF PERSONS				San Paris
		-1	INNE					(N)	VER.		DIMEN		CONTRACT AND CONTRACT	LEKE	ARTON I ii	WGI	Tiol.
		PIECE	PAC					L	. "			17		1 "	1 "	11.07	l Fris
SKU	PIECEUPC	WGT	CTL		STER	PACK G	TEN										
4148/L	662909414830		N/A	10	662909	414837		N/A	N/A	. N/	A	N/A	A 20	14.5	9.25	63.5	1.552
4148/M	662909414823		N/A	10	662909	414820		N/A	N/A	. N/	A	N/A	20	14	9.5	59.3	1.539
4148/S	662909414816		N/A	10	662909	414813		N/A	N/A	. N/	A	N/A	20.5	14	9.5	53.9	1.578
4148/XL	662909414847		N/A	10	662909	414844		N/A	N/A	. N/	A	N/A	20	14	9.5	58,7	1.54
4148/XXL	662909414854		N/A	10	662909	414851		N/A	N/A	. N/	A	N/A	20	14	9.5	62.5	1.539
4148/XXXL	662909414861		N/A	10	662909	414868		N/A	N/A	. N/	A	N/A		14.5		61.2	1.679
4148/XXXXL	662909414878		N/A	10	662909	414875		N/A	N/A	. N/	A	N/A	A 20	14	9.5	61.9	1.54
	STANDAR	7)	- 1.	arge	Me	dim		mall		X.	arge	23	Large	3X	Large	-83	Large
	DIMENSIO	WS	IN	CM	IN.	CM	IN.	C	9	IN	CM	EN	CM	EN	CM	IN.	CNI
A.		(TOL +/- 1/2")	53,9	136,906	52.0	132.08	50.0	12	27	55.9	141.986	57,9	147.066	59.1	150.114	60.2	152.908
B.		(TOL +/- 1/2")	NA	NA	NA	NA	NA	N	_	NA	NA	NA	NA	NA ·	NA	NA	NA
C.		(TOL +/- 1/2")	31.9	81,026	30.7	77.978	29.9			32.7	83.058	33.5	85.09	34.3	87.122	35.4	89,916
<u>D.</u>		(TOL +/- 1/2")	48.0	121.92	48,0	121,92	48.0		-	48.0	121.92	48.0	121.92	48.0	121.92	48.0	121.92
<u>E.</u>		(TOL +/- 1/4")	0	0	0	0	0	(-	0	0	0	0	0	0	0	0
<u>F.</u>		(TOL +/- 1/4") (TOL +/- 1/4")	0	0	0	0	0	(_	0	0	0	0	0	0	0	0
G. H		(TOL +/- 1/4")	<u> </u>	0 .	0	0	0		\rightarrow	0	0	0	0	0	0	0	0
F		(TOL +/- 1/4")	0	0	0	0	0		-	0	0	0	0	0	0	ō	0
J.		(TOL +/- 1/4")		o o	0	0	0	0)	0	0	0	0	0	0	0	0
K		(TOL +/- 1/4°)	0	0	0	0	0)	0	0	0	0	0	0	0	0

Disclaimer: West Chester Holdings, Inc. and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. Anyone intending to use these items should first verify that the items (s) selected is suitable for the intended use and meets all appropriate health standards. No oral presentation inconsistent with the above shall be binding to West Chesters Holdings, Inc. Do not use for fire protection. Avoid intense heat or open flame.



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE MONROE, OHIO 45050 WWW.WEST-CHESTER.NET

TEL: 1.800.647.1900 • FAX: 1.513.539.2827

DATE: Thursday, June 03, 2010 UPDATED: Nov 7 2008 12:00PM

DIVISION: Industrial

UOM: EA

UNITS PER INNER: N/A


UNITS PER CASE: 20

MIN. ORDER QTY: 1 EA

AVAIL SIZES: M-4XL

BASE PART #: 4036 ITEM NAME: 35 mil PVC over Polyester Jacket

ITEM DESCRIPTION: Rainwear 35 mil PVC over Polyester Jacket - Yellow



MARKETING COPY:

This Rain Jacket of .35mm PVC on polyester is perfect worn alone on rainy days or can be used with protective bibs or pants. For light to medium-duty applications.

FEATURES AND BENEFITS:

- Jacket has a vented cape back for breathability.
- Five-Snap front closure with storm flap to keep water out.
 Two front pockets with flaps for storage and a corduroy collar for comfort.Rain, Rainwear, Jacket, Clothing

APPLICATIONS

Construction, Road Work, Utilities, Survey Crews, Forestry

MATERIAL CONTENT:		NUMBER OF POCKETS:	2	TESTING AVAILABLE:	0.038
BASE MATERIAL:	.35mm PVC on polyester	ZIPPER:		STITCHING MATERIAL:	L
COLOR:		BUTTON TYPE:		STITCHES PER INCH:	
CONFIGURATION:	1 piece	STORM FLAPS:	Yes	ADDITIONAL INFO:	
SEAM CONSTRUCTION:	Welted	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

SEMMI COMPTIV	OCTION, WEIGH	u				*****				· · · ·						
								INNER	PACK	DIMENSI	ONS	MAS	FFR C	ARTON	DIMEN	SIONS
SKU	PIECE UPC	PIECE	INNER PACK CTEN	NIAS	TERF	ACK G1	IN	1	1"	WGT	VOL. FT3	I.	W	fi	WGT	VOL FI3
1036/L	662909403629		N/A			103626	CHAIN PROPERTY.	/A N/.	4 N/A	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	N/A	15	9.5	11	37.9	0.907
1036/M	662909403612		N/A	1066	529094	103619	N	/A N/.	A N/A	\	N/A	14.5	9	11	36.1	0.83
1036/XL	662909403636	1	N/A	1066	529094	103633	N	/A N/.	A N//	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	N/A	20	14.5	7.5	42	1.259
4036/XXL	662909403643		Ň/A	106	529094	103640	N	/A N/.	A N/A	1	N/A	20.5	14.5	7.5	42.6	1.29
4036/XXXL	662909403650		N/A	1060	529094	103657	Ŋ	/A N/.	A N/A	V	N/A	0	0	0	30.87	1.28
4036/XXXXL	662909403667		N/A	1060	529094	103664	N	/A N/.	A N/A	\ \	N/A	20.25	14	8.25	41.4	1.354
		STANI	147211		1.	иеде	34	dium	X	Large	2X	Large	3%	Large	4%	Large
	diam'r leisi	DIMEN			ĪΝ	CM	IN.	CM	n.	CM	EN	СМ	iN	CM	IN	Си
	A.		(TOL +/- i	1/2")	53.9	136,906	52.0	132.08	55.9	141.986	57.9	147,066	59.1	150.114	60,2	152.9
	B.		(TOL +/-)	1/2")	NΑ	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	C.		(TOL +/- 1		31.9	81.026	30.7	77,978	_	83.058	33,5	85.09	34.3	87.122		89.91
	D.		(TOL +/-	-	30.7	77.978	29.9	75.946		-	33.1	84.074	33.9		35.00	
	<u>E.</u>		(TOL +/- I	_	0	0	0	0	0	0	0	0	0	0	0	0
	<u>F.</u>		(TOL +/-	_	0	0	0	0	0	0	0	0	0	0	0	0
	<u>G.</u>		(TOL +/-	_	0	0	0	0	0	0	0	0	0	0	0	0
	H.		(TOL +/-		0	0	0	0	0	0	0	0	0	0	0	0
	1.		(TOL +/-	_	0	0	0	0	o o	0	0	0	0	0	0	0
	у. К		(TOL +/-	_	0	0	0	0	0	0	0	0	0	0	0	0

Disclaimer: West Chester Holdings, Inc. and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. Anyone intending to use these items should first verify that the items (s) selected is suitable for the intended use and meets all appropriate health standards. No oral presentation inconsistent with the above shall be binding to West Chesters Holdings, Inc. Do not use for fire protection. Avoid intense heat or open flame.



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE MONROE, OHIO 45050 WWW.WEST-CHESTER.NET

TEL: 1.800.647.1900 • FAX: 1.513.539.2827

DATE: Thursday, June 03, 2010

UPDATED: September 2,2009

DIVISION: Industrial BASE PART # 101-9000 4075

UNITS PER INNER: N/A

UNITS PER CASE: 10

MIN. ORDER QTY: 1 EA

AVAIL. SIZES: S-7XL

ITEM NAME: 35ml PVC over Polyester 3pcs Rainsuit

ITEM DESCRIPTION: Rainwear 35ml PVC over Polyester 3pcs Rainsuit - Yellow

MARKETING COPY:


This 3 piece rainsuit is constructed from .35mm PVC on polyester for light to medium applications. Loaded with features such as vented cape back and adjustable Snap closures on wrist and ankles for a great fit and wide range of motion.

FEATURES AND BENEFITS:

- · Jacket has a vented cape back for breathability, five-Snap front closure with storm flap to keep water out, two front pockets with flaps for storage and a corduroy collar for comfort.
- . Drawstring hood with four Snaps and a chin strap for secure fit,
- Overalls have adjustable elastic suspenders and nonconductive/noncorrosive triangular D-ring buckles and studs for the perfect fit. Single Snap fly.Rain, Rainwear, Suit, Clothing

APPLICATIONS

Construction, Road Work, Utilities, Survey Crews, Forestry



MATERIAL CONTENT:		NUMBER OF POCKETS:	2	TESTING AVAILABLE:	0.038
BAŞE MATERIAL:	.35mm PVC on polyester	ZIPPER:	·	STITCHING MATERIAL:	
COLOR:		BUTTON TYPE:		STITCHES PER INCH:	
CONFIGURATION:	3 piece	STORM FLAPS:		ADDITIONAL INFO:	
SEAM CONSTRUCTION:	Welted	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

SEAW CONSTRUC	11011.							**** * * * *											1	
										IN	NER P	ACK D	INIF	NSIGNS	1	8145	TER E	ARTON	DIMEN	SIONS
0.00	1		PIECE	INN	R PACK	1				L	W	Н	TO CHICAGO	TO REAL SHOWING PARTY.	OL.	ı.	¥¥'	П	WGT	VOL.
SICU	PIECE UP	C	WOT		GTIN	M	STERP	ACK G	THN						T3					FT3
101-9000-S	604669212776	,				506	04669212	2771		N/A	N/A	N/A		И	Ά	14	10.5	9.58	32.7	0.808
101-9000-M	604669212783					506	04669212	2788		N/A	N/A	N/A		N	Α	14	10.5	10	29,1	0.851
101-9000-L	604669212790)				506	04669212	2795		N/A	N/A	N/A		N	Ά	14	11	10	30.9	0.891
101-9000-XL	604669212806	,		T		506	04669212	2801		N/A	N/A	N/A		N.	ſΑ	14.5	10.5	10	34.5	0.851
101-9000-2XL	604669212813					506	04669212	2818		N/A	N/A	N/A	T	N	A	14	10.5	10	33	0.851
101-9000-3XL	604669212820)		1		506	04669212	2825		N/A	N/A	N/A	Т	Ň.	A.	14	10.5	11	35.2	0.936
101-9000-4XL	604669212837			1	***	506	04669212	2832		N/A	N/A	N/A	Т	N.	'A	14	10.5	10	36.9	0.851
101-9000-5XL	604669212844			1		506	04669212	2849		N/A	N/A	N/A	1	N,	Α	0	0	0	30.87	0.859
101-9000-6XL	604669212851			1		506	04669212	2856		N/A	N/A	N/A	Т	N,	Ά	0	0	0	30.87	0.859
			mall .	1	dium		arye	1.0	arge	1 2	XLarge		337	nrge	- 48	Large		Large	63	Large
STAND. DIMENS		IN.	CM		CM	IN	CM	IN	CM		i er			CM	IN	CM	TN	CM		CM
		ALCOHOLD TO	0.000	Secretary of the second					Silving and section		35 2007-9010	080000	0	0		0	0	0	0	A SECURITION OF THE PARTY OF TH
Α.	(TOL +/- 1/2") (TOL +/- 1/2")	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
Б.	(TOL +/- 1/2")	0	0	0	0	0	0	0	0	0	0		0		. 0	0	0	ó	0	0
n.	(TOL +/- 1/2")	0	0	0	0	0	o o	ō	0	0	1 0	_	0	o o	0	0	0	0	0	0
F	(TOL +/- 1/4")	0	o o	0	0	0	0	0	0	0	0		ō	0	0	0	0	0	0	0
F.	(TOL +/- 1/4")	0	0	0	0	0	0	Ö	0	0	0	,	0	0	0	0	0	0	0	0
G.	(TOL +/- 1/4")	0	0	. 0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
H.	(TOL +/- 1/4")	0	0	0	0	0	. 0	0	0	0	0)	0	0	0	0	0	0	0	0
I.	(TOL +/- 1/4")	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0
J.	(TOL +/- 1/4")	0	0	0	0	0	0	0	0	0	0	_	0	0	0	0	0	0	0	0
K.	(TOL +/- 1/4")	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0

Disclaimer: ORS Nasco and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. In accordance with 29 CFR 1910.138. Anyone intending to use these items should first

verify with a safety director that the items (s) selected is suitable for the intended use. No oral presentation inconsistent withe above shall be binding to West Chester Holdings, Inc.	:h



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE MONROE, OHIO 45050 WWW.WEST-CHESTER.NET

TEL: 1.800.647.1900 • FAX: 1.513.539.2827

DATE: Thursday, June 03, 2010 UPDATED: Nov 7 2008 12:00PM

DIVISION: Industrial BASE PART #: 4037

UOM: <u>EA</u>

UNITS PER INNER: <u>N/A</u>


UNITS PER CASE: 20

MIN. ORDER QTV: 1 EA

AVAIL SIZES: M-4XL

ITEM NAME: 35 mil PVC over Polyester Bib Overalls

ITEM DESCRIPTION: Rainwear 35 mil PVC over Polyester Bib Overalls - Yellow



MARKETING COPY:

The Bib Overalls of .35mm PVC on polyester is perfect worn alone on rainy or windy days. Can be used alone or with a protective jacket. For light to medium-duty applications.

FEATURES AND BENEFITS:

- Overalls have adjustable elastic suspenders to fit most body lengths.
- nonconductive/noncorrosive triangular D-ring buckles and studs.
 Single Snap fly Rain, Rainwear, Bibs, Overalls, clothing

Construction, Road Work, Utilities, Survey Crews, Remediation, Foundry work

MATERIAL CONTENT:		NUMBER OF POCKETS:	0	TESTING AVAILABLE:	0.038
BASE MATERIAL:	.35mm PVC on polyester	ZIPPER:		STITCHING MATERIAL:	
COLOR:		BUTTON TYPE:		STITCHES PER INCH:	
CONFIGURATION:	1 piece	STORM FLAPS:		ADDITIONAL INFO:	
SEAM CONSTRUCTION:	Welted	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

SEAM CONSTR	OCTION. Welle	.1			IVE LI DICE	110 111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	:			,					
							INN	ee p	ACK.	DIVIENS	ions.	IMA	STER (ARTON	DIME	SIONS
SKU	PIECE UPC	PIECE	INNER PACK CTIN	MASTEI	CPACK O	IIN	L	ų	F	WG	1111	i. L	V		WGT	
4037/L	662909403728		N/A		9403725		N/A	N/A	N/A		N/A	10.5	14	10	31.6	0.851
4037/M	662909403711		N/A	_	9403718		N/A	N/A	N/A		N/A	14.2	5 10	.5 9	24.6	0,779
4037/XL	662909403735		N/A	1066290	9403732	1	N/A	N/A	N/A		N/A	. 14	10	9	30.9	0.729
4037/XXL	662909403742		N/A	1066290	9403749		N/A	N/A	N/A		N/A	. 14	10	.5 9	31.2	0.766
4037/XXXL	662909403759		N/A	1066290	9403756	j	N/A	N/A	N/A		N/A	14	10	_	32.8	0.808
4037/XXXXL	662909403766		N/A	1066290	9403763	- 1	N/A	N/A	N/A		N/A	14.5	.10	.5 10	36.1	0.881
		STAND	ARD		arge	M	edium		XI.	arge	233	Large	38	Large	4X	Large
		DIMENS		18	CM	IN	CV.		IN	€M.	110	CM	IN	CM	IN	CM
	A.		(TOL +/- 1/	2") NA	NA	NA	N/		NA							
Section 1	В.		(TOL +/- I/			28.0	71.1	_	29.9	75.946	31.1	78,994	32.3	82,042	_	86.100
	C.		(TOL +/- 1/			NA	N/		NA	NA NA						
	<u>D.</u>		(TOL +/- 1/			NA	NA 0	`	NA 0	NA 0	NA 0	NA 0	NA 0	NA 0	NA 0	NA 0
	E. F.		(TOL +/- 1/-		0	0	0	+	0	0	. 0	0	0	0	0	0
	G.		(TOL +/- 1/-		0	0	0	+	0	0	0	0	0	ő	0	0
	H		(TOL +/- 1/		0	0	0	\top	0	0	0	0	0	0	0	0
	I.		(TOL +/- 1/-	_	0	0	0		0	0	0	0	0	0	0	0
	J.		(TOL +/- I/	4") 0	0	0	0		0	0	0	0	0	0	0	0
	K.		(TOL +/- 1/-	4 ^a) 0	0	0	0		0]	0	0	0	0	0	0	0

Disclaimer: West Chester Holdings, Inc. and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. Anyone intending to use these items should first verify that the items (s) selected is suitable for the intended use and meets all appropriate health standards. No oral presentation inconsistent with the above shall be binding to West Chesters Holdings, Inc. Do not use for fire protection. Avoid intense heat or open flame.





800-323-2668

PRINT

a lagrosse

WORK

RECREATION

ACCOUNT

CART

Search...

SHARE

Utah Brogue Overshoes

Style No. 00300060

Resists tears, not the call of duty. Weterproof. Oil & slip resistant.

Write a Review Read 1 Review

\$50.00 FREE SHIPPING & FREE RETURNS

1 Select a Size/Width

▼ ADD TO SHOPPING CART



OVERVIEW

SIZE & FIT

REVIEWS

The Utah Brogue™ overshoe is made from 100% waterproof premium rubber, which has both tear and abrasion resistance, and comes in an easy-to-clean satin finish. Designed to fit over heavy-soled, protective toe or high-vamp work boots, it has a nylon net lining for easy-on/off and a large adjustable calf. Fits size for size over leather boots.

Features

- Ozone-resistant, vulcanized rubber offers 100% waterproof protection.
- Outsole is a diamond chevron pattern, offering traction in wet conditions and is designed not to track mud or dirt.
- 14" height.
- 4.4 lbs per pair.



MORE IDEAS

Premium 2-Buckle Overshoes

\$50.00



Premium 5-Buckle Overshoes

\$76.00



Black Overshoe - 17" \$22.00

CUSTOMER SERVICE

800-323-2668 Contact Us

Warranty Info

ORDERING

Shipping Order Tracking

Reiums & Exchanges

COMPANY

Employment investors

Privacy, Security, & Terms

FIND A STORE

Find a Local Store
EMAIL NEWSLETTER

Sign up to receive the LaCrosse email newsletter,

Enter email

©2010 LaCrosse Footwear, Inc.

800-323-2668

PRINT

A LACROSSE

WORK

RECREATION

ACCOUNT

CART

Search..

SHARE

Economy Steel Toe Hip Boots

Style No. 24009091


Waterproof. Mud proof. The worst conditions you can imagine proof. Safely too.

Write a Review

\$61.00 FREE SHIPPING & FREE RETURNS

Select a Size/Width

... ADD TO SHOPPING CART



OVERVIEW

SIZE & FIT

REVIEWS

The rugged Economy Hip Boot provides great protection in muddy, grimy jobsites. They are made of 100% waterproof, abrasion-resistant rubber and have a steel toe that meets or exceeds ASTM F2413-05 M I/75 C/75 EH. A slip-resistant Diamond Bar outsole provides excellent traction. Steel shank

Features

- Ozone-resistant, abrasion-resistant rubber offers 100% waterproof protection.
- * Steel toe meets ASTM F2413-05/75 C/75 EH certification for protective footwear and has long been the standard for safety.
- Slip-resistant Diamond Bar outsole for excellent traction.
- Extra rubber protective toecap.
- 32" height.
- Weight: 7 lbs per pair.



MORE IDEAS

insulated Storm Steel Toe Hip Bools - 31" \$110.00



Trac-Lite Rust Steel Toe Pac Work Books \$92.00



ZXT Irrigation Work Boots - 26" \$80.00

CUSTOMER SERVICE

800-323-2668 Contact Us

Warranty Info

ORDERING

Shipping Order Tracking

Returns & Exchanges

COMPANY

Employment Investors

Privacy, Security, & Terms

FIND A STORE

Find a Local Store EMAIL NEWSLETTER

Sign up to receive the LaCrosse email

©2010 LaCrosse Footwear, Inc.



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE MONROE, OHIO 45050 WWW.WEST-CHESTER.NET TEL: 1.800.647.1900 • FAX: 1.513.539.2827 DATE: Thursday, June 03, 2010

UPDATED: Nov 7 2008 12:00PM

DIVISION: Industrial

UOM: CS


UNITS PER INNER: N/A

UNITS PER CASE: 25 AVAIL. SIZES: M-5XL MIN. ORDER QTY: 1 CS

BASE PART #: 3600

ITEM NAME: PosiBA Microporous Basic Coverall

ITEM DESCRIPTION: Protective Clothing Posi Wear BA.- Microporous Coverall, zipper front and collar



MARKETING COPY:

PosiWear BA: Breathable Advantage - Patented technology against dry particulates and liquid sprays without sacrificing breathability.

FEATURES AND BENEFITS:

- · Full length zipper front and exceptional strength for easy donning.
- ANSI Sized for a wide range of motion.
 Extremely low linting Clothing, Apparel, Coverall, Posiwear, Breathable, Advantage, BA, Microporous

Manufacturing, pressure washing, painting, resurfacing or fiberglass handling

MATERIAL CONTENT:		NUMBER OF POCKETS:	N/A	TESTING AVAILABLE:	0
BASE MATERIAL:	Polypropylene/Film Laminate/Polypropylene	ZIPPER:	Nylon	STITCHING MATERIAL:	
COLOR:		BUTTON TYPE:	N/A	STITCHES PER INCH:	7 stiches/inch
CONFIGURATION:	Coverall	STORM FLAPS:	Ň/A	ADDITIONAL INFO:	
SEAM CONSTRUCTION:	Serged	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

									NNER P	KCK D	MENSI)NS	MAS	TER C	ARTON	DIMEN	SIONS
		PIECE	IN	NER				I.	W	11	WGT	VOI.	L	**	#	WOT	YOL.
SKU	PIECE UPC	WGT	PACI	COTTN	MAST	FR PA	CK GIA					FTS					F13
3600/2XL	662909360007		N/A		10662	909360	0004	N/A	N/A	N/A		N/A	15.75	13	12.0	11.907	1.42
3600/3XL	662909360014		N/A		10662	909360	011	N/A	. N/A	N/A		N/A	15.75	13	13.4	11.907	1.59
3600/4XL	662909360021		N/A		10662	909360	0028	N/A	N/A	N/A		N/A	15.75	13	13.4	11.907	1.59
3600/5XL	662909360038		N/A		10662	909360	035	N/A	N/A	N/A		N/A	15.75	13	13.4	11.91	1.59
3600/L	662909360045		N/A		10662	909360	042	N/A	N/A	N/A		N/A	15.75	13	10.2	11.907	1.21
3600/M	662909360052		N/A		10662	909360	059	N/A	N/A	N/A		N/A	15.75	13	10.2	11.907	1.21
3600/XL	662909360069		N/A		10662	909360	1066	N/A	N/A	N/A		N/A	15.75	13	12.0	11.7	1.42
	STANDA	D.D.		287	arge	3%	Large	43	arge	630	arge	L	erge	M	edium	IX.	arge
	DIMENSI			TN.	CM	n	CM	IN.	CM	IN	CNL	in	CM	īN	CM	TN.	CM
	Α.	(TOL +/-	1/2"ነ	29.1	73.914	31.5	80.01	33.1	84,074	34.6	87.884	26	66.04	24.4	61.976	5 276	276
Santa Park Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa San	В.	(TOL +/-	_	30.3	76.962	31.5	80.01	32.7	83.058	33.5	85.09	29.1	73,914	28	71.12	29.5	74.93
	C.	(TOL +/-		35,8	90.932	37	93,98	37.4	94.996	38,2	97,028	33.5	85.09	32.7	83,058	35	88.9
-	D.	(TOL +/-		41.3	104.902	43,3	109.982	45.7	116,078	46.5	118.11	38.2	97.028	36.6	92.964	42	106.68
	E.	(TOL +/-	1/4")	7.1	18.034	7.5	19,05	7.5	19.05	7.5	19.05	7.1	18.034	7,1	18.034	4 7.1	18.034
1	F.	(TOL ÷/-	1/4 ^H)	11.4	28,956	11.4	28.956	11.4	28,956	11.4	28.956	9,8	24.892	9.8	24.892	2 10.6	26.924
	G.	(TOL +/-	1/4 ^H)	29.9	75.946	31.9	81,026	31.9	81.026	31,9	81.026	29.9	75,946	27.6	70.104	_	75,946
	H.	(TOL +/-	1/4")	23.6	59,944	23.6	59.944	23.6	59.944	23.6	59.944	23,6	59.944	23.6	59,944		59.944
	Ĭ.	(TOL ÷/-	1/4")	N/A	N/A	N/A	N/A_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	J.	(TOL +/-	1/4")	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	K.	(TOL +/-	1/4")	N/A	N/A	N/A	N/A_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Disclaimer: West Chester Holdings, Inc. and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. Anyone intending to use these items should first verify that the items (s) selected is suitable for the intended use and meets all appropriate health standards. No oral presentation inconsistent with the above shall be binding to West Chesters Holdings, Inc. Do not use for fire protection. Avoid intense heat or open flame.



WEST CHESTER HOLDINGS, INC. 100 CORRIDOR PARK DRIVE MONROE, OHIO 45050 WWW.WEST-CHESTER.NET

TEL: 1.800.647.1900 • FAX: 1.513.539.2827

DATE: 6/3/2010

UPDATED: Nov 7 2008 12:00PM

DIVISION: Industrial

UOM: DZ

UNITS PER INNER: 1

UNITS PER CASE: <u>12</u>

MIN. ORDER QTY: 1 DZ

BASE PART #: 33224

AVAIL. SIZES: Medium-XXXlarge

ITEM NAME: Standard Neoprene Over Latex Flocked Lined

ITEM DESCRIPTION: Neoprene over latex. 22 mil, flock lined 13" length, blue/yellow

MARKETING COPY:

Neoprene over latex gloves are chemical resistant with outstanding dexterity

FEATURES AND BENEFITS

- · Neoprene over latex, 22 mil
- · Flock lined, 13" length, blue/yellow
- · Bulk packed

APPLICATIONS:

Food Service, Janitorial, Hazardous Cleanup, Chemical Handling



MATERIAL CONTENT:		SEWN IN LABEL:	N/A	WASHING INSTRUCTIONS:	N/A
CUFF CONST:	Beaded	LINING/SHELL:	Flock Lined	TESTING AVAILABLE:	
PALM STYLE:	Diamond embossed	QUALITY LEVEL:	Standard	COATING:	Neoprene/Latex
THUMB TYPE:	Wing Thumb	MIL/GUAGE:	22 mil	COLOR:	Industrial
GLOVE PATTERN:	Unsupported	MATERIAL WEIGHT:	N/A	ADDITIONAL INFO:	

						INN	ER I	ACR DIMENSIONS	(INCHES)	ı	MASI HMENS			
SKU	PIECETPO	PIECE	INNER PACK	MASTER PACK CTIN	ì.	۳	Ħ	WGT LBS	VOL. CUFEET	L	**	H	WGT LBS	STREET, STREET
	662909332240	NA	20662909332244	10662909332247	12	4	4	2.633333333333333	0.11111111111	14	11	12.5	31.6	1.114
33224/M	662909332257	NA	20662909332251	10662909332254	12.5	5.5	4	3.14166666666667	0.15914351852	13	12.25	17.5	37.7	1,613
33224/XL	662909332264	ΝA	20662909332268	10662909332261	12	6.25	2.5	2.76666666666667	0.10850694444	14	H	12.5	33.2	1.114
33224/XXL	662909332271	NA	20662909332275	10662909332278	12	5	2	3.2	0.069444444444	13	12,5	18	38.4	1.693
33224/XXXL	662909332288	NA	20662909332282	10662909332285	12	6	2.2	3.74166666666667	0.091666666667	13	12.5	18	44.9	1.693

	STANDARD (SLOVE	L	urge	Me	dium	χı	arge	3.3	large	XXX	Carge
Company of the second	DIMENSIO	N8	ΤN	CM .	IN	CM	ΙN	CM	7	Ē	Z	CM
	A. Total Glove Length	(TOL +/- 1/4")	12.69	32.2326	13,13	33.3502	12.81	32.5374	13	33.02	12.88	32.7152
Contract Contract Contract	B. Pinkie Length	(TOL +/- 1/8")	2.5	6.35	2.13	5.4102	2.38	6,0452	2.5	6.35	2.81	7.1374
	C. Ring Length	(TOL +/- 1/8")	3.38	8,5852	2.88	7.3152	3	7.62	3,25	8.255	3.38	8.5852
CASA CARAMANA CANADA CA	D. Middle Length	(TOL +/- 1/8")	3.25	8.255	3.33	8,4582	3.5	8.89	3.63	9.2202	3,75	9.525
	E. Index Length	(TOL +/- 1/8")	2.88	7,3152	2.75	6.985	2.88	7.3152	3.25	8.255	3.38	8.5852
	F. Thumb Length	(TOL +/- 1/8")	2.38	6.0452 -	2.38	6,0452	2.63	6.6802	2.38	6,0452	3	7.62
	G. Cuff Length	(TOL +/- 1/8")	4	10.16	4.25	10.795	5	12.7	5.25	13.335	5.5625	14.12875
	H. Cuff Width	(TOL +/- 1/4")	5.63	14.3002	4.75	12,065	5.13	13.0302	5.63	14,3002	5.75	14.605
	f. Palm Width	(TOL +/- 1/4")	4.25	10,795	4.13	10.4902	4.38	11.1252	4.25	10.795	4.88	12.3952
	HEM COLOR		ì	V/A	1	V/A	ì	N/A		√/A	N	/A

Disclaimer: West Chester Holdings, Inc. and its suppliers make no guarantee of results and assume no obligation or liability relative to the use of the items contained herein. In accordance with 29 CFR 1910.138. Anyone intending to use these items should first verify with a safety director that the items (s) selected is suitable for the intended use. No oral presentation inconsistent with the above shall be binding to West Chester Holdings, Inc.



Search

Fil

Search Results:

Displaying results 1 - 2 of 2 matches (0.13 seconds)

1. [100.00%] Product Details

Winter Liners Product: **RG200** Description: Super Economy Collection 100% Cotton Flannel Size: One Size Case Qty: 12/144 MSRP: \$2.90 Detail: Regular Length, Gold. Cotton flannel and binding are flame retardant until washed. No insulated ear

http://www.occunomix.com/details2009.php?id=359&cat_id=66&subcat_id=0 - 26.0kb




2. [100.00%] OccuNomix Winter Liners

RB420 RB430 RC100 RF450 **RG200** RK800FR RQ300 RQ301 SB505 SB520 SC570 SD580 SF560 SN530 SP590 SQ500 SS550 SS551 ST540 SW750 SX700 XX301 XX405 XX550 XX600 ZZL ZZS The Cold Stress Equation View Hi-Viz Cold Weather Glove 485W New! Deluxe http://www.occunomix.com/winterliners2009.php - 59.2kb

Result page: 1

Back

OccuNomix International LLC @2009 1-800-466-0071



Pricing: Part Number: Unit Price: Extended Price: Reg. Price: \$6.386 Web Price: \$5.170 WL\$11150800 Min Purchase Qty Features: Affordably priced 9-base Polycarbonate hardcoated lenses Frame with Nickel-free top coat. Soft adjustable saddle nose bridge Complies with ANSI Z87+ high impact standard. Complies with CSA Z94.3 standard Available with Clear Hardcoat, Clear Fog-Ban®, Gray Hardcoat, Gray Fog-Ban®, and Silver Mirror Hardcoat Hinged-stoppers on the metal temples Benefits: Economical for your business Fashionable Metal Frame to add to your mix of affordably priced products Secure wrap-around fit with comfort Distortion free 180° field of vision Soft nose bridge conforms to varying nosebridge shapes. Prevents slipping. Options for both indoor and outdoor work applications Specs: Frame Color Lens Color Black **Brand Name** Lens Type Willson® Safety Hard Coat Replaceable Lenses

Corporate Information

About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Privacy Statement Website Help Open an Account

Medical & Healthcare

Catalogs


Specialty Gases Metal Fabrication Workplace Safety Site Map Product Reference



»Lost Username or

RADNOR


Printer-Friendly Page



Radnor® Action Series Eyewear is a full frame design with telescoping, adjustable wraparound ratchet temple with soft tips and a molded nose piece. The form fitting single lens blocks 99.9% of harmful UV rays.



Enlarge Image



Corporate Information

Password?

»<u>Leam More</u>

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Catalogs Privacy Statement


Medical & Healthcare Metal Fabrication Site Map


Specialty Gases Workplace Safety Product Reference

Home / Terms and Conditions / Privacy Statement / Contact Us Copyright @ 2010 Airgas, Inc. v3.00.36 [b]

Website Help

Open an Account






Easy to use cylindrical shape; Soft, low pressure for all day comfort; Non-allergenic, moisture resistant and non-flammable; Yellow for high visibility. E-A-R® Classic® earplugs are proven performers. Their proven size has been tested to be the right size to fit the widest range of ear canals while the cylinderical shape has been shown to protect better than tapered plugs. E-A-R® is the only manufacturer to make its own foam, so it can regularly test for optimum and consistant performance. No wonder they've been the most requested hearing protector in the world for over 30 years.

Add to Current Order

View Related Products and Accessories Below

Enlarge Image



Corporate Information

Careers About Airgas News

Investor Information Services

Markets

Customer Service

Site Locator

Privacy Statement Website Help Terms and Conditions Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference



Catalog Medical and Healthcare Metal Fabrication Gases Workplace Safety Construction Company Information Order Management Customer Service Account Management

Search Product Catalog

1 products

Scarch Advanced Search

»Lost Username or Password?



»Learn More

Earplugs

Box)

A Shopping Cart

> All Categories > Safety Products > Hearing Protection > Earplugs AOSafety® Single Use E-A-R® Classic® Cylinder Shaped PVC And Foam Uncorded Earplugs (1 Pair Per Poly Bag, 1000 Pair Per Econopack Dispenser



Printer-Friendly Page



Enlarge Image

popular in the world. Today, they are still the leading seller across the world because of their outstanding advantages including: Excellent protection with an NRR 29dB; Easy to use cylindrical shape; Soft, low pressure for all day comfort; Non-allergenic, moisture resistant and non-flammable; Yellow for high visibility. E-A-R® Classic® earplugs are proven performers. Their proven size has been tested to be the right size to fit the widest range of ear canals while the cylinderical shape has been shown to protect better than tapered plugs. E-A-R® is the only manufacturer to make its own foam, so it can regularly test for optimum and consistant performance. No wonder they've been the most requested hearing protector in the world for over 30 years.

E-A-R® Classic® earplugs were the first foam earplugs ever and are the most

Investors Store Locator Contact Us Careers Register/Login

Whatever your needs, Econopack meets them with a choice of 500 corded or uncorded pairs, or 1000 pairs of uncorded product-each individually packaged in polybags. You save with both choices and get the best selling earplugs in the



Add to Current Order

View Related Products and Accessories Below

Accessories & Related Products Overview Pricina: Extended Price: Unit Price: Part Number: \$100,000 CAS312-1082 Web Price: \$0.100 Min Purchase Qty 1000 PR Features: Most popular earplug in the world. Laboratory tested NRR 29dB. The E-A-R® yellow color is your assurance of proven protection. Moisture resistant dermatological safe foam is not irritating. Slow recovery PVC foam provides comfort with low pressure Flame retardant - critical for storage considerations. Specification: Meets ANSI S3.19-1974 Standards Specs:

Corporate Information

Careers About Airgas News

investor information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Catalogs

Privacy Statement Medical & Healthcare Metal Fabrication Website Help Site Map Open an Account

Specialty Gases Workplace Safety Product Reference



Search

Advanced Search

»Lost Username or Password?



»Leam More



> All Categories > Safety Products > Hearing Protection > Earplugs

AOSafety® Single Use E-A-Rsoft™ FX Bell Foam And Polyurethane Uncorded Earplugs (1 Pair Per Poly Bag, 200 Pair Per Box)



Printer-Friendly Page




E.A.Rsoft™ FX earplugs feature a patented shape to more effectively fit the ear canal. The result? Tests in an accredited NVLAP laboratory showed E.A.Rsoft™ canal. The result? Tests in an acceleration with abordary showed in the industry-NRR 33 dB. You can't get any higher protection. E.A.Rsoft FX earplugs are made of a custom polyurethane foam formulation for slow recovery and increased softness in the ear canal. In a plug-to-plug comparison, a panel of wearers voted E.A.Rsoft™ FX earplugs the softest and best fitting earplug. If given the choice, they'd choose to wear E.A.Rsoft™ FX earplugs.



Add to Current Order

View Related Products and Accessories Below

Enlarge image



Corporate Information

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Catalogs


Privacy Statement

Open an Account

Website Help

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference





When you're in a tough industrial environment and need to block noise, Bilsom's Leightning series' steel wire construction provides high performance and robust durability. Leightning stands up to daily use and abuse without compromising comfort. Bilsom has optimized the Leightning series to deliver the highest level of comfort available, featuring an exclusive padded foam headband and super soft ear cushions that eliminate that "squeezing pressure" on the head.



Add to Current Order

View Related Products and Accessories Below

Enlarge Image

Pricing:			
Part Number: HLI1010922	Unit Price: Reg. Price: \$11.248 Web Price: \$8.150 Min Purchase Qty 1 EA	Extended Price: \$8,150	
Features:			
 Padded foam head Better, consistent 	tband delivers long-wearing comfort with n attenuation, especially at low frequencies for almost all noise frequency environmen		
 Provides a custom 	y duty hearing protection. fit for any size or shape head. ments for a personalized fit.		
Application:			
 Three attenuation Robust steel head 	levels allow for targeted attenuation for a v band withstands demanding use, especial	ariety of applications y in tough environments	
Specs:			
Specs: Safety Product Type Earmuff		NRR [max] 25	

Corporate Information

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions Privacy Statement Website Help Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference



Catalog Medical and Healthcare Metal Fabrication Gases Workplace Safety Construction Account Management > Order Management

R Shopping Cart Linvestors Store Locator

Contact Us Careers Register/Login

Search Product Catalog

Earmuffs & Bands

Customer Service

▶ Company Information

Printer-Friendly Page

Search

Advanced Search

1 products

> All Categories > Safety Products > Hearing Protection > Earmuffs & Bands

Bilsom® Viking™ V1 Earmuff With Multi-Position Headband And 23 NRR



»Lost Username or Password?



»Learn More



The Viking™ provides maximum protection with the highest attenuation available. Protects from both high and low frequency noise levels. Extremely lightweight and comfortable at only 8.8 oz. Extra-wide ear cushions are filled with soft foam for a complete low pressure, self-adjusting seal. Padded headband is adjustable for a secure fit. NRR 29. Tested to ANSI S3.19



Add to Current Order

View Related Products and Accessories Below

Enlarge Image

Overview Accessories & Related Products Pricing: Extended Price: Part Number: HLI1010925 Reg. Price: \$10:228 \$7,420 Web Price: \$7.420 Min Purchase Qty Features: Extra wide ear cushions are filled with soft foam. Low pressure self adjusting seal.
 Padded headband. NRR 29. Benefits: Highest attenuation available in a muff. Lightweight and comfortable at only 8.8 ounces Meets ANSI S3.19 standard. Specs: NRR [max] Safety Product Type Earmuff Wearing Position **Brand Name** Multi Position Viking™

Corporate Information

Careers About Airoas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions Privacy Statement Website Help Open an Account

Catalogs


Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference



Radnor® N95 Particulate Disposable Respirator With Adjustable Nose Clip -NIOSH 42CFR84 (20 Each Per Box) »Lost Username or

> All Categories > Safety Products > Respiratory Protection > Disposable Masks



RAD64059510

Radnor® N95 Disposable Particulate Respirators come in three different styles to meet your respiratory needs. The Radnor® N95 disposable respirator is the standard respirator which can be used in most applications where the removal of airborne particulate is a must. For added breathability and comfort, use the Radnor N95 disposable respirator with exhalation valve. Use the Radnor® N95 disposable flame resistant respirator with exhalation valve to protect against containments when welding and when oil aerosols are not present. Whatever your needs are, you'll be able to find the right Radnor® mask for your application. All Radnor® N95 respirators are NIOSH 42CFR84 approved.



Enlarge Image View Related Products and Accessories Below Accessories & Related Products Pricing: Unit Price: Extended Price: Part Number: \$0.680 \$13,600

Min Purchase Qty 20 FA Features: Adjustable nose clip Latex-free Soft nose foam Patented filter media

 NIOSH 42CFR84 approved Specs:

Exhalation Valve Mask Type

Standard Respirator Size NIOSH 42CFR84 One Size Fits Most

Corporate Information

Careers About Airgas News

Search

Advanced Search

Password?

»Learn More

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Privacy Statement

Website Help Open an Account

Medical & Healthcare Metal Fabrication Site Map

Catalogs

Specialty Gases Workplace Safety Product Reference

Printer-Friendly Page

RADNOR

INFORMATION FOR YOUR SAFETY

🕽 Fire Extinguishers

The most current issue of NFPA-10 should be consulted for minimum recommended fire extinguisher types, placement and travel distances. Contact your representative to help you evaluate and implement these recommendations.

CLASS A Ordinary Combustibles: wood, paper, cloth, trash, and other ordinary materials.

CLASS B Flammable Liquids: gasoline, oils, paint lacquer and tar.



CLASS C Fire Involving Live Electrical Equipment




CLASS D **Combustible Metals** or Combustible Metal Alloys (No picturé symbol)



A61

B272NM



A. ABC Dry Chemical Extinguishers

Stored pressure ABC or Multi-Purpose extinguishers are used for common combustibles, flammable liquids and live electrical equipment
Dependable drawn steel construction cylinders feature aluminum valves

and include mounting brackets

ana ,,	· · · · · · · · · · · · · · · · · · ·			
Part Number	Description	Ratings	Capacity	Price
Añ1 B417	Dry Chemical Extinguisher, Wall Bracket	1A:10B:C	2.5 lbs	39.25
A61 B417T	Dry Chemical Extinguisher, Vehicle-Marine Bracket	1A:10B:C	2.5 lbs	40.00
A61 B500	Dry Chemical Extinguisher, Wall Bracket	2A:10B:C	5 lbs	53.40
A61 B500T	Dry Chemical Extinguisher, Vehicle-Marine Bracket	2A:10B:C	5 lbs	54.06
A61 B456	Dry Chemical Extinguisher, Wall Bracket	4A:80B:C	10 lbs	80.19
A61 A411	Dry Chemical Extinguisher, Wall Bracket	20A:120B:C	20 lbs	156.32

B. Halotron | Fire Extinguishers

Designed for use in computer rooms, telecommunications facilities, clean

rooms, data storage areas, offices, boats and vehicles
Stored pressure Halotron I is discharged as a rapidly evaporating liquid

which leaves no residue EPA approved Clean Agent HCFC for Class A, B, and C hazards, it has a low GWP (Global Warming Potential), low ODP (Ozone Depletion Potential), and a low atmospheric lifetime


 Dependable drawn steel construction cylinders feature aluminum valves (Models 397 and 398 have a brass, chrome plated valve) and include mounting brackets

moditaria practica			
Part Number Description	Ratings	Сараспу	Price
A61 A384T Halotron I Extinguisher, Vehicle Bracket	1B:C	1.4 lbs	111.32
A61 B385TS Halotron i Extinguisher, Vehicle Bracket	2B:C	2.5 lbs	116.98
A61 B386T Halotron I Extinguisher, Vehicle Bracket	5B:C	5 lbs	201.89
A61 397 Halotron I Extinguisher, Wall Bracket	1A:10B:C	11 lbs	425.47
A61 398 Halotron i Extinguisher, Wall Bracket	2A:10B:C	15.5 lbs	620.76

C. Carbon Dioxide Extinguishers

CO₂ is a clean, non-contaminating, odorless gas discharged as a white cloud of *snow* which smothers a fire by eliminating oxygen Effective for flammable liquids and is electrically non-conductive Rust free aluminum cylinders, metal valve construction and includes wall brackets

 Meets mai 	ny hospital medical equipment requ	iirements		
Part Number	Description	Ratings	Capacity	Price
A61 322	CO₂ Extinguisher, Wall Bracket	5B:C	5 lbs	172.64
A61 330	CO₂ Extinguisher, Wall Bracket	10B:C	10 lbs	250.94
A61 332	CO₂ Extinguisher, Wall Bracket	10B:C	20 lbs	363.21



D. Water Mist Extinguishers

A61 322

A61 330

Best used for common combustible hazards where a potential electrical hazard exists

A61 332

Stored pressure water mist is discharged as a fine spray through a user friendly wand providing safety with no electrical conductivity back to the operator

Use of de-ionized water extinguishing agent leaves no powder residue making them the best extinguishers for protection of hospital environments, valuable books and documents, telecommunications facilities and clean room manufacturing facilities (sold separately)

Non-magnetic construction tested by an independent agency for use in MRI facilities

Antiseptic white painted stainless steel cylinders with all metal construction includes non-magnetic wall bracket

Part Number	Description	Ratings	Capacity	Price
A61 B270NM	Water Mist Extinguisher, NM Wall Bracket	2A:C	1.8 gals	177.55
A61 B272NM	Water Mist Extinguisher, NM Wall Bracket	2A:C	2.5 gals	194.43


E. Class D Extinguisher

Contains a special blended Sodium Chloride based dry powder extinguishing agent for use in combustible metal fires

Extinguish fires involving magnesium, sodium, potassium and sodium-potassium alloys, there is also data showing that zirconium, uranium, titanium and powdered aluminum fires can be controlled and extinguished with this

unique extinguisher Dependable drawn steel cylinders with all metal valve construction, feature on applicator to keep the operators hands away from the extreme heat

	UIT CATOLIGI	of applicator to troop are operatore management, i.e.		
B	Part Number	Description	Capacity	Price
4	A61 B570	Class D Extinguisher, Wall Bracket	30 lbs	445.66
4	A61 B571	Class D Extinguisher, Wall Bracket (contains a copper	30 lbs	797.55
1		extinguishing agent specifically for lithium alloy fires)		



About Airgas Services **Contacts**

Investor Information Markets

Site Locator Terms and Conditions

Privacy Statement Website Help Open an Account

Metal Fabrication Site Map

Workplace Safety Product Reference






featured gunn pattern work gloves come with absorbent cotton lining for extra warmth and comfort and reinforced knuckle strap for extra protection. Wing thumb construction

Add to Current Order View Related Products and Accessories Below

Enlarge Image



Corporate Information

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Privacy Statement Website Help Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map


Specialty Gases Workplace Safety Product Reference




RADMOR



Radnor® Brown Jersey Gloves - Soft Knit Fabric Stretches To Workers' Hands For Perfect All-Purpose Gloves. Clute Cut For A Comfortable Fit, 9 Ounce Brown Jersey Glove Features A Knitwrist.



Enlarge Image



Corporate Information

Careers <u>About Airgas</u> News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions Privacy Statement

Website Help Open an Account Catalogs

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference

	Register/Login Actalog Medical and Healthcare Metal Fabrication Gases Workplace Safety Construction Cotton Canvas & Jersey Gloves 1 products All Categories > Safety Products > Gloves > Cotton Canvas & Jersey Gloves
»Lost Username or Password?	Radnor® Mens 10 Ounce Cotton/Polly Canvas Gloves With Knit Wrist (300 Pair Per Case)
	General all-purpose work gloves. Strong and comfortable, they provide reliable abrasion resistance. Add to Current Order View Related Products and Accessories Below Enlarge image
	Overview Accessories & Related Products Pricing:
	Part Number: Unit Price: Extended Price: RAD64057102 Reg. Price: \$0.730 \$0.570 Web Price: \$0.570 Min Purchase Qty 1 PR
	Features: Strong and comfortable.
	Reliable abrasion resistance. Benefits:
	Perfect all-purpose glove. Application:
	Use for light assembly, fabrication and general use in dry applications. Specs:

Corporate Information

Careers About Airgas News Investor Information Services Markets Customer Service

Site Locator Privacy Statemen
Contacts Website Help
Terms and Conditions Open an Account

Catalogs

Privacy Statement Website Help Metal Fabrication
Open an Account Site Map

Specialty Gases Workplace Safety Product Reference



Enlarge Image

Pricing:			
Part Number: RAD64057192	Unit Price: Reg. Price: \$1.530 Web Price: \$1.190 Min Purchase Qty 1 PR	Extended Price: \$1.190	
Benefits:	el,bonded with rubber based adhesive to 1	00% cotton lining.	
Long wearing heat 18 Ounce knitwrist Clute Cut	ry napped		
 Long wearing heav 18 Ounce knitwrist 	ry napped		
Long wearing heat 18 Ounce knitwrist Clute Cut Specs:	ry napped Color Yellow		

Corporate Information

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions

Privacy Statement

Medical & Healthcare Website Help Metal Fabrication Open an Account Site Map

Catalogs

Specialty Gases Workplace Safety Product Reference

		etal Fabrication Gases Workplace Sa	
Search Product Catalog	Hardhats & Caps 1 products > All Categories > Safety Products > 1	▶ Order Management ▶ Custo ### Custo ###################################	Description Company Information Printer-Friendly Page Caps
»Lost Username or Password?	Radnor® White SmoothD With Ratchet Suspension		KALINGR
»Learn More		Add to Current Order View Related Products a	
	Enlarge image Overview Accessories & Related Pricing:	1 Products	
	Part Number: RAD64051020	Unit Price: Reg. Price: \$10.290 Web Price: \$7.290 Min Purchase Qty 1 EA	Extended Price: \$7.290
	Features: Dielectric properties All-day comfort Popular smooth-crowned Specification:	d design	
	 SmoothDome™ Caps m 	eet or exceed applicable requirements E (electrical high voltage).	for a Type I (top-impact) helmet as outlined in
	ANSI Type Cap Type Hard Cap	Cap Class E Color White	
	Material Polyethylene	Suspension Ratchet	

Corporate Information

Careers About Airgas News Investor Information Services

Markets

Customer Service

Site Locator Privacy, Statement
Contacts Website Help
Terms and Conditions Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map Specialty Gases Workplace Safety Product Reference

		Fabrication Gases Workplace Safety Constru Order Management Customer Service	uction
Search Product Catalog Advanced Search	Hardhats & Caps 1 products > All Categories > Safety Products > Head	Eye & Face Protection > Hardhats & Caps	<u>Printer-Friendly Page</u>
»Lost Username or Password? »Learn More	Radnor® White SmoothDom With Standard Suspension	e™ Class E Type I Polyethylene Slot Sturdy but lightweight, SmoothDome™ polysmooth silhouette to accomedate welders's Add to Current Order View Related Products and Accessoria	/ethylene Slotted Caps feature a shields.
	Enlarge image Overview Accessories & Related Pro Pricing:	CONTRACTS TO THE STORE OF THE PARTY OF THE P	
	Part Number: RAD64051010 Features: Dielectric properties All-day comfort Popular smooth-crowned de	Reg. Price: \$6.290 \$4.890 Web Price: \$4.890 Min Purchase Qty 1 EA	ded Price:
	Specification: SmoothDome™ Caps meet ANSI Z89.1-2003, Class E (€ Specs:	or exceed applicable requirements for a Type I (to electrical high voltage).	op-impact) helmet as outlined in
	ANSI Type I Cap Type Hard Cap Material Polyethylene	Cap Class E Color White Suspension Standard	

Corporate Information

Careers About Airgas News Investor Information Services

Markets

Customer Service

Site Locator Privacy Statement
Contacts Website Help
Terms and Conditions Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map Specialty Gases Workplace Safety Product Reference



Radnor® Dielectric Plastic Faceshield Frame For Use With Hard Caps »Lost Username or

RADNOR

Printer-Friendly Page




Password?

»Learn More

Radnor® faceshield frame for caps features include front drip-edge splash protection, an unlimited number of lift stop positions and a lockdown clip on the brim. You can attach a faceshield easily to a cap wih this faceshield frame (visor sold separately).



Enlarge image



Corporate Information

Careers About Airgas News

Investor Information Services Markets

Customer Service

Site Locator Contacts Terms and Conditions Privacy Statement Website Help Open an Account

Catalogs

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference

J			_				Ü
Aligas	Catalog Medical and Heal	Shopping Cart		Store Locator			Register/Login
	Home Account Manag		er Manageme				Information >
Search Product Catalog	Headgear & Face: 1 products > All Categories > Safety P		& Face Protecti	on > Headgear & Fa	aceshields	Pri	inter-Friendly Page
	Radnor® 8" X15 1	./2" X .040" C	lear Polyca	arbonate Visc	r		RADNOR
*Login *Login *Login *Password?	<u>1</u>						
मध्याताच्यु »Learn More			polycarbonate Add to Co	carbonate visors a visors are availat urrent Order ated Products and	ole in several siz	ės.	tection. Clear
	Enlarge Image Overview Accessorie	s & Related Products	5				
	Pricing:						
	######################################				*** **** ** * * * * * * * * * * * * * *		
	Part Number: RAD64051052	R W M	nit Price: eg. Price: \$4.95 /eb Price: \$4.25 in Purchase Qt EA	50	Extended I \$4.250	Price:	
	 Excellent cold 	visor for good pen temperature resiste					
	Excellent visual Caution:	ii cianty					
	s Always wear vi	isor with primary ey	/e protection.				
	Specification:						
	Meets ANSI Z	37.1-2003 Standard	d for high impac	ct requirements			
	Specs:						

Corporate Information

Careers <u>About Airgas</u> News

Investor Information Services Markets

Customer Service

Head & Face Product Type

Faceshield Lens Size

8" X15 1/2" X .040"

Site Locator Contacts Terms and Conditions Open an Account

Privacy Statement Website Help

Catalogs

Lens Color Clear

Material

Polycarbonate

Medical & Healthcare Metal Fabrication Site Map

Specialty Gases Workplace Safety Product Reference





Enlarge Image Overview Accessories & Related Products Pricing: Unit Price: Extended Price: Part Number: Reg. Price: \$57.090 \$44.700 BAS85310-10 Web Price: \$44.700 Min Purchase Qty Features: Scientifically formulated urethane PVC compound Built-in arch support Contoured cut-off band Highly slip and abrasion resistant outsole Benefits: Features our patented Tunnel Sole for superior traction and control. Application: Red Meat Processing Chemical Plants Packing plants and canneries Slaughter Houses Specs:

Corporate Information **Customer Service** Catalogs Careers Investor Information Site Locator Privacy Statement Medical & Healthcare Specialty Gases About Airgas Services Website Help Metal Fabrication Workplace Safety News Markets Terms and Conditions Open an Account Site Map Product Reference





OSHA Standards and Regulations

Logging, farming and work environments such as grounds maintenance that require the use of chain saws and other power equipment tools are among the occupations with the highest incidents of occupational injuries. Not only is the incidence rate high in these industries, but the severity of the accidents that occur are often very dramatic. The U.S. Consumer Products Safety Commission reported over 42,800 chain saw injuries to both professionals and amateurs during 1994

OSFIA's Logging Operation Safety Rule (29 CFR 1910.266) became effective on February 9, 1995. The logging Rule covers all aspects of logging: work rules and procedures, equipment and equipment maintenance, training, record keeping, safe work practices and the mandatory use of safety equipment. The ruling makes the employer responsible for providing the safety equipment and enforcing its use. The logging standard specifically requires the use of the following equipment by chain saw operators; gloves, boots, leg protection, safety caps, hearing, eye and face protection and first aid kits. All this equipment (except boots) shall be provided by the employer at no cost to the employee.

New 2008 ASTM Leg Protection Standard

In 2008 new regulations governing test standards for Chainsaw Leg Protective Clothing have been enacted. This revision to ASTM F-1897-2008 increases the performance requirement for chainsaw test speed, to 2750 fpm (from 2500 fpm), Elvex's R&D program to meet higher chainsaw speed requirement, began years ago; with the objective to increase cut resistance, while providing comfort, and limiting excess weight. Through earlier experience with commercial products, we had already established a performance threshold exceeding 2500 fpm. Now with ASTM's standard change to 2750 fpm, Elvex's design


is fully developed, tested, and proven to increase cut resistance for chains operating at the higher contact speed. The result is a new generation Elvex ProChaps tested by Underwriter's Laboratories in accor dance with ASTM F-1414, Measurement of Cut Resistance to Chain. Saw Lower Body Protective Clothing

Proler

Prolar" Protective Pads

Prolar is Elvex brand name for our exclusive chain saw protective pad development. Prolar is not a static product, but is going through continuous development, in order to improve the compromise between comfort and performance. The Prolar protective pads combine a unique fibre composition with special weaving to create one of the most effective chain saw protective pads on the market. The unique "explosive" action of Prolar works by jamming the chain against the bar and the sprocket. Prolar combines light weight and flexibility for superior user acceptance with highly effective protection.

Elvex Prolar pads have been tested in accordance with the APA and ASTM Standards, by Underwriters Laboratories. The Prolar pads have passed the performance requirements, including the 2,750 feet per minute chain stopping capability. This test establishes a pass or fail and does not establish maximum performance.





Elvex Provest"

Elvex ProVest is the first genuine chain saw resistant upper body protection. It is intended to offer limited protection from chain saw kick back injuries. Arborists, landscapers and utility company employees are the potential beneficiaries of this protection.

- The upper body protection concept has been patented. U.S. Pat. # 5,101,511.
- Prolar protection is provided on the shoulders and the front of the chest. The water resistant sleeveless jacket has extended shoulders and large front and back vents. A longer back panel helps repel water and debris.
- An inside zippered pocket is provided
- Fligh visibility orange top and blue bottom makes an attractive. looking product. The vest is made from 420 denier Nylon. Available in Medium, Large and Extra Large: JL-50M (38-40).

BeginDon 1

JE 50L (42"-44"), JE-50XL (46"-48").

90 Series ProChaps™ with Calf Protection

Elvex best selling chap model has sold in hundreds of thousands. A long list of unique standard features explains the popularity of this design.

- Patented asymmetric design provides extended protection on the left side of each leg, where most injuries occur (US Pat. #5,095,544).
- The 90 series chaps conform to ASTM requirements as well as APA Class A requirements.
- Lightweight, flexible and strong 420 denier Nylon cover fabric.
- Easy on, easy off apron-style design.
- Quick release buckles for waist and legs.
- A zippered front pocket is a standard feature not found on other brands.


Available in safety orange color in four lengths: JE-9028, JE-9033, JE-9036 and JE-9039. The last two digits of the product number indicate the length in inches, waist to bottom, not the inseam.

94 Series ProChaps"

Elvex 94 Series ProChaps, are designed for the professional chain saw user. In addition to meeting the requirements of the ASTM Standard, Elvex 94 Series chap maintains the quality and features, which have made the Elvex brand name famous.

- Lightweight Prolar protective pads add comfort and prevent heat buildup.
- Patented asymmetric design
- 1,000 denier Cordura Nylon cover fabric, which is more abrasive resistant.
- Three sets of leg straps and buckles help the stiffer cover fabric conform comfortably to the legs.
- A zippered front pocket is standard.

Elvex 94 Series ProChaps are available in orange safety color in 28, 33, 36 and 39 inches lengths, model numbers JE-9428, JE-9433, JE-9436 and JE-9439. The last two digits of the product number indicate the length in inches, waist to bottom.



ProChaps

91 Series ProChaps!" with Calf Protection

Certain work conditions may require extra precaution, with regards to lower leg protection. Elvex ProChaps with wrap around calf protection, provide the solution for these situations

- This model maintains all basic features of Elvex 94 series chaps, while it also maximizes lower leg protection.
- The outer shell is made of 1,000 Denier Cordura nylon, designed for durability even in severe environments.
- Each leg is secured by a total of three sets of buckles. The wrap-around section, below knees, is secured by two sets of buckles.

Available in three sizes: JE-9133, JE-9136 and JE-9139. The last two dig its describe the total length of the garment, from waist to bottom.

ArborChaps. One-size-fits-all

Users have long asked us to provide a lower cost chap, and the trade has frequently requested a universal size chap to help control their inventory. The ArborChap may just be the answer to these requests, since it addresses both of these concerns. We stripped the ArborChap of some features such as the zippered pocket, but we maintained all the safety features that really count.





- where most injuries occur. Elvex famous Prolar protective pads, no compromise on safety.
- Universal size, three sets of belt loops allow length adjustment from 33 to 36 inches.
- Easy on, easy off apron style design, with two sets of leg straps and buckles
- Hunter green 420 denier Nylon cover fabric, with attractive black Nylon edging.

Available in one universal size only: JE-8000, Elvex ArborChaps



REQ No. SAFETY 10

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE			
Vendor's Name: AIRGAS MI	O AMERICA	24_	
Authorized Signature: Mark John	eln	Date:	6/8/10
State of WV			
County of Kashwha, to-wit:			
Taken, subscribed, and sworn to before me this 🤱 da	ay of <u>June</u>		, 20 <u>]O_</u> .
My Commission expires <u>Ougust</u> 15	, 20 16 .		
AFFIX SEAL HERE	NOTARY PUBLIC _	Cheryl	Beth Josephi

