



June 16, 2010

WV Purchasing Division  
2019 Washington St. E  
Charleston, WV 25305

RE: RFQ #SAFETY10

To Whom It May Concern:

Thank you for giving Fisher Safety the opportunity to present to you our proposal for your company's safety/medical needs.

Fisher Scientific acknowledges the draft agreement and/or proposed terms and conditions contained within your RFP. As a matter of company policy, Fisher Scientific is unable to agree in advance that such terms and conditions will definitively govern any potential relationship that may arise out of this proposal, and accordingly takes exception to the proposed agreement and/or terms and conditions contained within your RFP. If Fisher Scientific is selected for a potential relationship based on your RFP and this Proposal, Fisher Scientific looks forward to working with you to expeditiously develop a mutually satisfactory agreement and/or terms and conditions that may govern our relationship.

Fisher Safety works with a large number of customers on a daily basis and is confident that City and Fisher will be able to agree upon mutually agreeable contract language relative to these and any other outstanding issues.

Please see our attached pricing support file that shows Fisher Safety standard unit of measure pricing highlighted in yellow. All items MUST be purchased according to Fisher Safety standard unit of measure.

Please feel free to contact your Fisher Safety Specialist, Amanda Silvey-Donchez, at (412) 490-1282.

Sincerely,,

A handwritten signature in black ink, appearing to read 'Michael Vernier'.

Michael Vernier  
Manager, Bids & Quotes

RECEIVED

2010 JUN 17 A 10:14

PURCHASING DIVISION  
STATE OF WV

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.htm](http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

SAFETY10  
Questions and Answers

2

1Q	On all of the spreadsheets there are columns labeled Price each/pair/doz What do you want in this column?
1A	This will allow agencies to purchase by the each/pair or by the case.
2Q	List price, price after discount?
2A	List price is before the discount is applied.
3Q	Another column is "total" What do you want in this column?
3A	Example: Page 1 of 2 – Rainwear. Total = Est. Qty multiplied by Price Ea.
4Q	Discounted price by each, doz, carton, case ??
4A	See 1A.



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JO ANN ADKINS  
304-558-8802

\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010				

BID OPENING DATE:

06/10/2010

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUEST FOR QUOTATION						
THE PURCHASING DIVISION IS SOLICITING BIDS FOR A BLANKET OPEN-END STATEWIDE CONTRACT TO SUPPLY SAFETY ITEMS TO ALL WEST VIRGINIA STATE AGENCIES AND POLITICAL SUBDIVISIONS.						
***** INQUIRIES						
WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON TUESDAY, JUNE 1, 2010. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR EMAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:						
JO ANN ADKINS DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305 FAX: 304.558.4115 EMAIL: JO.A.ADKINS@WV.GOV						
*****						
BIDDER SHOULD COMPLETE ALL INFORMATION REQUESTED. THESE PRICING SHEETS ARE DIVIDED BY CATEGORY (PRODUCT TYPE).						
NOTE: ALL QUANTITIES SHOWN ARE ESTIMATES ONLY AND SHOULD NOT BE CONSTRUED AS ANY GUARANTEE OF						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Michael G. Varnell</i>	412 444 3368	6/16/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
MGR BIDS (0407e)	23-2442737	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS  
304-558-8802

VENDOR  
\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

SHIP TO  
ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010				

BID OPENING DATE:

06/10/2010

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
FUTURE CONTRACT ORDERS.						
MINIMUM ORDERS:						
ALL ORDERS FROM THIS CONTRACT TOTALING \$100.00 OR MORE SHALL BE DELIVERED FOB: DESTINATION WITH SHIPPING AND HANDLING CHARGES INCLUDED. THIS CONTRACT IS MANDATORY FOR ALL ORDERS OF THESE PRODUCTS IN EXCESS OF \$100.00. ORDERS LESS THAN \$100.00 MAY BE PURCHASED THROUGH THIS CONTRACT (AND AGENCIES PAYING SHIPPING CHARGES), OR MAY BE PURCHASED FROM LOCAL SOURCE TO SAVE THE SHIPPING CHARGES.						
NOTE: STRINGING (ISSUING A SERIES OF REQUISITIONS TO CIRCUMVENT THIS LIMIT) IS A VIOLATION OF PURCHASING POLICY. ALL SHIPPING COSTS WILL BE INVOICED AS A SEPARATE CHARGE WITH THE ORIGINAL FREIGHT BILL ATTACHED TO THE INVOICE.						
IF BIDDING "OR EQUAL" BRAND, SAMPLE LITERATURE SHOULD BE RECEIVED PRIOR TO BID DATE.						
ATTACHMENTS: SAFETY10 SPECIFICATIONS SAFETY10 PRICING PAGES PURCHASING AFFIDAVIT RESIDENT VENDOR PREFERENCE						
0001	1	JB		345-00-00-100		
EQUIPMENT, FIRST AID OR SAFETY						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 412 490 3368	DATE 6/10/10
TITLE MGR BIDS QUOTES	FEIN 23-2942737	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS  
304-558-8802

V  
E  
N  
D  
O  
R

\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

S  
H  
I  
P  
T  
O

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
05/13/2010						
BID OPENING DATE: 06/10/2010 BID OPENING TIME 01:30PM						
LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
EXHIBIT 3						
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON ..... AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.						
UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.						
RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.						
CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.						
OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
ESTIMATE ITEMS SPECIFIED ON THIS CONTRACT FOR						
SIGNATURE		TELEPHONE			DATE	
M68 8104 AUCO		412 490 8368			6/16/10	
TITLE		FEIN			ADDRESS CHANGES TO BE NOTED ABOVE	
M68 8104 AUCO		23-2442737				

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

4

ADDRESS CORRESPONDENCE TO ATTENTION OF

JO ANN ADKINS  
304-558-8802

\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010				

BID OPENING DATE:

06/10/2010

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 04/11/2001</p> <p>EXHIBIT 10</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Michael A. Williams</i>	412 440 3368	6/10/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
MR BID QUOTE	23-2442737	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JO ANN ADKINS  
304-558-8802

VENDOR  
\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

SHIP TO  
ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010				

BID OPENING DATE:

06/10/2010

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
REQUISITION NO.: SAFETY10						
ADDENDUM ACKNOWLEDGEMENT						
I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED						
ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO M						
PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.						
ADDENDUM NO.'S:						
NO. 1 ..... X						
NO. 2 .....						
NO. 3 .....						
NO. 4 .....						
NO. 5 .....						
I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE						
ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.						
VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL						
REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY						
ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES						
AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE						
INFORMATION ISSUED IN WRITING AND ADDED TO THE						
SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.						
SIGNATURE ..... COMPANY						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
.....	412 496 3368	6/16/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
MR BIDS QUOTE	23-2442737	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'





State of West Virginia  
Department of Administration  
Purchasing Division  
2019 Washington Street East  
Post Office Box 50130  
Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER

SAFETY10

PAGE

6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

JO ANN ADKINS  
304-558-8802

\*709005419 02 412-490-8300  
FISHER SCIENTIFIC COMPANY LLC  
2000 PARK LANE  
PITTSBURGH PA 15275-9089

ALL STATE AGENCIES  
AND POLITICAL SUBDIVISIONS  
VARIOUS LOCALES AS INDICATED  
BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/13/2010				

BID OPENING DATE:

06/10/2010

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
DATE 6/16/10						
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.						
REV. 09/21/2009						
PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD.						
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Michael G. Warden</i>	412 490 3368	6/16/10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
MR BIDDING QUOTE	23-2942737	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

## SAFETY10

### Specifications

#### Purpose

The West Virginia Division of Purchasing, "State", is soliciting quotations for a blanket, open-end statewide contract to provide safety supplies to all West Virginia State Agencies, and political sub-divisions. Attached is a list of the most common safety items that the State purchased in the previous year.

#### Award

1. The lowest cost, most complete bid meeting specifications shall be awarded a contract. The discount from list shall remain the same during the entire contract period, including any renewals. The award shall be based on the entire catalog.
2. Vendor shall quote a percentage discount from the lowest price listed in the price list(s)/catalogs submitted. The state prefers a single percentage discount from the price list / categories, but will consider bids containing different percentage discounts for different brands, lists or categories of supplies. Vendors **MAY** submit alternate bids using a separate or additional catalog(s). All items in the discount category must have the exact same discount. (For example, if a Eye Wear product on the pricing page has a discount of 40%, EVERY Eye Wear product sold must have the 40 % discount.) Bids must plainly and clearly indicate the different classes of products with percentage discount for each. Bids that are not clearly identified, by easily identified classes, may be disqualified. Bids that have multiple discounts by category **MUST** list a discount for a miscellaneous category that would be applied to any product not identified by a category discount shown. For evaluation purposes, an estimate of quantity has been inserted to give the miscellaneous category a value in the bid evaluation. **NOTE:** The category discount must be for all items in that category. Bidders shall not offer greater discounts for items on the pricing pages than the category discount offered for that item.

Bidders should mark the items in the catalogs that appear on the pricing pages, to assist in the evaluation and verification of the bids. This is an excel document and will be available electronically after the mandatory pre-bid. Failure to indicate the minimum order quantity on the pricing sheets shall require the vendor to ship any quantity of that product ordered, regardless of size.

### **Additional Information**

All pricing is firm for a period of one (1) year. If the manufacture should change or discontinue a model number, then the vendor shall provide an alternate model with the same performance and construction features at the original bid price.

If bidding "or equal" brand, samples and specification sheets should be received prior to bid date.

The item(s) as specified is (are) shown only as an example of the quality level and operational characteristics requested by the agency and not intended to mean the only acceptable brand. Vendors who are bidding alternates must so state and include pertinent literature and specifications. Failure to provide information for any alternates may be grounds for rejection of the bid.

If any proprietary, trade, brand, or manufacture's name or part number is used herein in describing the required equipment, it shall be understood to indicate the minimum standard of composition and quality required, and shall not be construed to exclude equipment that equals or exceeds the functional capability and quality of the named equipment.

The equipment bid herein shall be of standard manufacture and shall be new and shall be of the current production model.

Verification of product quality is the responsibility of the vendor. The State of West Virginia may require certified mail test data, certifications or samples for testing of material bid.

Vendor may request that the catalog be updated at renewal. Purchasing reserves the right to demand the net prices remain firm from original bid. If new catalog is accepted, certified spreadsheet reflecting any price changes shall be required comparing the original net price to the changed cost. If new Catalog is submitted for such renewal, such catalog must be the catalog published by vendor that contains the lowest prices quoted in any catalog published by vendor and one that is used by the general public. If the Purchasing Division extends the offer to renew, and feels there are significant price increases, Purchasing reserves the right to re-bid the contract. If new catalog is accepted and the vendor rearranges the catalog and item classification changes, the highest discount of the two (the old and the new) shall apply to all items.

Orders shall be delivered within five (5) working days after orders are received. Emergency orders shall be delivered within one (1) working day after orders are received. Spending units must be advised in writing if orders will be delayed for

any reason. Vendor shall carry an adequate stock to insure such delivery service for the duration of the contract.

Nonconforming products and materials shall be returned to the vendor at no expense to the State of West Virginia at any time during the life of this contract.

All items stating a **"must"** or **"shall"** are mandatory requirements. Failure to provide or meet any of these mandatory requirements shall be grounds to disqualify the entire quotation.

Bidders should sign and complete the contract coordinator information at the end of the pricing pages.

### **Vendor Responsibilities**

1. Successful vendor shall provide catalogs/price lists, etc. at no charge, upon request by any state agency or political subdivision. Additional price lists/ catalogs may be required from the vendor at any time. These shall be provided at no cost to the State.
2. Contractor shall carry an adequate stock to insure such delivery service for the duration of the contract. Excessive out of stock and back orders will not be tolerated. Substitutions of products shall only be accepted if cleared by the agency prior to shipping of such substitution.
3. Each delivery shall be placed as requested in any one location at the delivery site. Dock deliveries are not acceptable unless so requested by the agency. All deliveries must be made during normal working hours for the delivery location. All orders (including back orders) shall not be invoiced until the actual item is delivered. Agencies shall have 30 days in which to return un-opened/un-used items at no charge. Normal returns may be done during a future delivery from the vendor. Agencies may request non-ordered items to be picked up within five days of delivery, even if there are no deliveries within this five-day time frame.
3. Successful vendor must be able to accept orders via phone, fax, internet, USPS.
4. Credits must be handled quickly and efficiently, promptly replacing incorrect items and processing credits in a timely manner..

5. Internet Access – Vendor must be able to provide internet ordering access. The successful bidder shall be responsible for training agency personnel in using their internet site for placing orders and coordinating the return pick ups. Successful vendor must be able to ensure the discounts shall be given through the internet site.
6. Vendor must send packing slip in each order.

### **Reports**

Successful vendor shall provide quarterly reports and annual summaries showing the quantities, dollar value, agencies and political subdivisions which have used this contract. Additionally, the reports must show the method of order placement (internet, fax, etc.) both by the percentage and dollar amount. Successful vendor shall also be able to provide report showing the top 100 items purchased during the contract period. This report is mandatory and failure of the successful bidder to supply such reports may be grounds for cancellation of contract.

Send to: [jo.a.adkins@wv.gov](mailto:jo.a.adkins@wv.gov)

SAFETY07  
PRICING PAGE - RAINWEAR

11

PRICING SHEET - SAFETY10

Page 1 of 2 \* Rainwear

Line Item	Item	Est. Qty	Size	Disct fr List (%)	Price Ea	Total	#/Case	Color Bid	Mfg
1	Rainwear: Polyester, PVC Coating Outside	55	Small	35%	\$7.22	\$397.10	20	yellow	MCR
	Waterproof, resists oils and acids, detachable hood, storm fly front, lapped and locked seams, color yellow, minimum length 48", sizes S - XXXXL. Rainfair #2100-8000 or equal.	110	Medium	35	\$7.45	\$819.50	20	yellow	MCR
		165	Large	35	\$7.45	\$1,229.25	20	yellow	MCR
		605	X-Large	35	\$7.45	\$4,507.25	20	yellow	MCR
		55	XX-Large	35	\$7.82	\$430.10	20	yellow	MCR
		55	XXX-Large	35	\$8.20	\$451.00	20	yellow	MCR
		55	XXXX-Large	35	\$8.57	\$471.35	20	yellow	MCR
2	Rainsuit, Three piece: Polyester, PVC Coating outside	45	Medium	35	\$9.50	\$427.50	20	yellow	MCR
	Outside, 100% waterproof, resist oils and acids, suit includes jacket - 29" in length with raglan sleeve, detachable hood and coverall, storm fly front, detachable hood, lapped and locked seams, color yellow, rainfare #0000-8005 or equal	67	Large	35	\$9.50	\$636.50	20	yellow	MCR
		225	X-Large	35	\$9.50	\$2,137.50	20	yellow	MCR
		68	XX-Large	35	\$9.98	\$678.64	20	yellow	MCR
		23	XXX-Large	35	\$10.46	\$240.58	20	yellow	MCR
		22	XXXX-Large	35	\$10.92	\$240.24	20	yellow	MCR
3	Rainsuit, Three piece: Nylon, Rip-Stop Material, PVC Coating inside & out	15	Small	35	\$23.00	\$345.00	20	yellow	MCR
	PVC coating inside and outside, 100% waterproof, resists oils and acids, suit includes jacket 29" in length with raglan sleeve, detachable hood and coverall, storm fly front, lapped and locked seams, color yellow, minimum length 48", sizes S - XXXXL. Rainfair #0000-7020 or equal.	22	Medium	35	\$23.00	\$506.00	20	yellow	MCR
		23	Large	35	\$23.00	\$529.00	20	yellow	MCR
		67	X-Large	35	\$23.00	\$1,541.00	20	yellow	MCR
		23	XX-Large	35	\$24.37	\$560.51	20	yellow	MCR
		15	XXX-Large	35	\$24.59	\$368.85	20	yellow	MCR
		15	XXXX-Large	35	\$25.70	\$385.50	20	yellow	MCR
4	Rain Jacket: 3 oz. Oxford Weave Nylon Polyurethane coated inside	9	Small	35	\$27.76	\$249.84	40	yellow	MCR
	Polyurethane coated inside, flame resistant. Meets federal 191B, method 5903.0 fire retardancy. Stitched & tape sealed seams, raglan sleeve, storm fly front, color yellow, sizes S - XXXXL. Rainfair #1100-8197.	17	Medium	35	\$27.76	\$471.92	40	yellow	MCR
		18	Large	35	\$27.76	\$499.68	40	yellow	MCR
		96	X-Large	35	\$27.76	\$2,664.96	40	yellow	MCR
		17	XX-Large	35	\$29.14	\$495.38	40	yellow	MCR
		9	XXX-Large	35	\$30.54	\$274.86	40	yellow	MCR
		9	XXXX-Large	N/A	N/A	N/A	N/A	N/A	N/A

SAFETY07  
PRICING PAGE - RAINWEAR

12

PRICING SHEET - SAFETY07							Page 2 of 2 * Rainwear		
Line Item	Item	Quantity	Size	Disct fr List (%)	Price Ea	Total	#/Case	Color Bid	Mfg
5	Rain pants: 3 oz Oxford weave nylon, polyurethane	5	Small	35	\$19.04	\$95.20	40	yellow	MCR
	Coated inside, flame resistant. Meets federal 191B, method 5903.0 fire retardency. Stitched and tape sealed seams, snap fly, storm fly front, color yellow, sized S - XXXXL. Rainfair #1900-8497 or equal.	5	Medium	35	\$19.04	\$95.20	40	yellow	MCR
		15	Large	35	\$19.04	\$285.60	40	yellow	MCR
		45	X-Large	35	\$19.04	\$856.80	40	yellow	MCR
		20	XX-Large	35	\$20.00	\$400.00	40	yellow	MCR
		5	XXX-Large	35	\$20.94	\$104.70	40	yellow	MCR
		5	XXXX-Large	N/A	N/A	N/A	N/A	N/A	N/A
6	Rain Pants: Nylon	2	Small	30	\$19.31	\$38.62	25	yellow	Neese
	Fully vulcanized, stitched and taped sealed seams, storm fly front, length 29", colors yellow and green. Sizes S-XXXXL. Rainfair #1900-1403 or equal.	3	Medium	30	\$19.31	\$57.93	25	yellow	Neese
		8	Large	30	\$19.31	\$154.48	25	yellow	Neese
		22	X-Large	30	\$19.31	\$424.82	25	yellow	Neese
		10	XX-Large	30	\$19.31	\$193.10	25	yellow	Neese
		3	XXX-Large	30	\$21.25	\$63.75	25	yellow	Neese
		2	XXXX-Large	30	\$21.25	\$42.50	25	yellow	Neese
7	Rain Overall: Nylon, Neoprene outside coating	2	Small	35	\$32.33	\$64.66	30	yellow	MCR
	Fully vulcanized, stitched and taped sealed seams, storm fly front, length 29", colors yellow and green. Sizes S-XXXXL. Rainfair #1700-8152 or equal.	3	Medium	35	\$32.33	\$96.99	30	yellow	MCR
		8	Large	35	\$32.33	\$258.64	30	yellow	MCR
		22	X-Large	35	\$32.33	\$711.26	30	yellow	MCR
		10	XX-Large	35	\$33.94	\$339.40	30	yellow	MCR
		3	XXX-Large	35	\$35.57	\$106.71	30	yellow	MCR
		2	XXXX-Large	N/A	N/A	N/A	N/A	N/A	N/A

SAFETY07  
PRICING PAGE - FOOTWEAR

Pricing Sheet - SAFETY10					Page 1 of 1 * Footwear			
Line Item	Item	Est. Quantity	Distct fr List (%)	Price per Pair	Total	#/Case	Color Bid	Mfg
<b>Footwear</b>								
8	Pullover Boot: Pullover Boot Sz. 6-16, Rainfair #2400-9085 or Equal, Sizes 6 - 13	50	30	\$27.20	\$1,360.00	N/A	yellow	Onguard
	Knit lining, cleated outsole, adjustable top strap, height 17", color: yellow. Rainfair #2400-9085 or equal.							
9	Buckle Boot: Rubber, over-the-shoe, Plain Toe Sz. 6 - 14, Rainfair #2400-9011 or Equal, Sizes 6 - 14	25	30	\$34.16	\$854.00	N/A	black	Onguard
	Knit lining, self draining gusset, cleated outsole, five buckles, height 14", Color: Black, Rainfair #2400-9011 or equal.							
10	Knee Boot: Hand piled rubber, Steel Toe Sz. 6 - 13, Rainfair #2400-9043 or Equal, Sizes 6 - 13	30	30	\$28.99	\$869.70	N/A	black	Lacrosse
	Ansi Z41 PT 83 M 1-75 C75, Sponge insole, net lining, cleated outsole, steel shank, Color: Black. Rainfair #2400-9043 or equal.							
11	Hip Boot: Pull-on, hand piled rubber, steel toe, Rainfair #2400-9091 or Equal, Sizes 6 - 13	175	30	\$64.22	\$11,238.50	N/A	black	Lacrosse
	Ansi Z41 PT 83 M 1-75 C75, Sponge insole, net lining, cleated outsole, steel shank, Color: Black. Rainfair #2400-9091 or equal.							
12	Hip Boot: Pull-on, hand piled rubber, sponge insole Sz 6 - 13, Rainfair #2400-9089 or Equal, Sizes 6 - 13 insole, net lining, cleated outsole, steel shank. Rainfair #2400-9089 or equal.	25	30	\$76.01	\$1,900.25	N/A	black	Onguard



SAFETY07  
PRICING PAGE - EYEWEAR

Unless otherwise noted, all eyewear must meet ANSI Z87.1-1989 or latest edition of this standard.							Page 1 of 1 *Eyewear				
Line Item	Item	Est. Quantity	MFG	Model	Frame Color	Lense Tint	Packaging	Disct fr List (%)	Price Per Pair	Total	# / Case
* Unless otherwise noted, all eyewear must meet ANSI Z87.1-1989 or latest edition of this standard.											
Eyewear											
13	Safety Glasses: Aviator Style Shields, wire reinforced temples, scratch resistant polycarbonate lenses, 99.9% effective filter of UV Radiation. Packaged in individual poly-Bag.	724	MCR	6110	gold	clear	12/PK	35	\$7.61	\$5509.64	144
	Safety Glasses: Conventional Style Shields, wire reinforced temples, brow protector, scratch resistant polycarbonate lenses (clear, green, grey), 99.9% effective filter of UV Radiation. Packaged in individual poly-Bag.	122	MCR	7110	gold	clear	12/PK	35	\$7.76	\$946.72	144
15	Safety Glasses: Wrap-around Style Shields, reinforced temples, scratch resistant polycarbonate lenses, 99.9% effective filter of UV Radiation. Packaged in individual poly bag. Crews #9800B or equal.	456	MCR	9800B	clear	clear	12/PK	35	\$2.40	\$1094.40	144
	Protective Goggles Wrap-around Clear Vinyl Frame, indirect ventilation or chemical splash style, acetate anti-fog coated lens, elastic headband packaged in individual poly-bag. Crews #235 or equal.	113	MCR	2235R	clear	clear	12/PK	35	\$3.73	\$421.49	144
17	Protective Goggles: Wrap Around, Clear Vinyl Frame, perforated style, acetate anti-fog coated lens, elastic headband, Packaged in individual poly-bag.	96	MCR	2225R	clear	clear	12/PK	35	\$3.42	\$328.32	144

14

**SPECIFICATIONS:** Dupont Tyvek Coverall: Long torso length, full cut seat and leg opening, non-sparking zipper, skid resistant material for attached boots, serged seams.

Page 1 of 1 \*Protective Clothing

Minimum specifications for large size:

Torso length:	Center front seam	29"
	Center back seam	38"
	Zipper length	26"
	Inseam length	29"

Protective coverall may be used for asbestos removal, general maintenance, dry particulate protection, light splash protection. Lakeland or equal. (Alternate garment materials will be considered with manufacturer's documentation.)

Line Item	Item	Size	Est. Quantity	Disct fr List (%)	Price Ea	Total	#/Case	Color Bid	Mfg
<b>Protective Clothing, Disposable</b>									
18	Coverall: Zipper Front, Brand Name: Lakeland 1412 or Equal. Tyvek or Equal. NOTE: the weight of this garment is very important. Consideration will be given for bidding lighter weight garment.	Small	12	36	\$5.10	\$61.20	25	white	Dupont
		Medium	13	30	\$5.10	\$66.30	25	white	Dupont
		Large	38	30	\$5.10	\$193.80	25	white	Dupont
		X-Large	112	30	\$5.10	\$571.20	25	white	Dupont
		XX-Large	50	30	\$5.40	\$270.00	25	white	Dupont
		XXX-Large	13	30	\$5.72	\$74.36	25	white	Dupont
		XXXX-Large	12	36	\$6.18	\$74.16	25	white	Dupont
19	Coverall: Zipper Front Attached Hood & Non Skid Boots Brand Name: Lakeland #1414 or Equal.	Small	13	30	\$6.26	\$81.38	25	white	Dupont
		Medium	14	30	\$6.26	\$87.64	25	white	Dupont
		Large	41	30	\$6.26	\$256.66	25	white	Dupont
		X-Large	125	30	\$6.26	\$782.50	25	white	Dupont
		XX-Large	55	30	\$6.64	\$365.20	25	white	Dupont
		XXX-Large	14	30	\$7.03	\$98.42	25	white	Dupont
		XXXX-Large	13	30	\$7.60	\$98.80	25	white	Dupont
20	Coverall: Zipper Front, Elastic Wrists and Ankles Brand Name Lakeland 1417 or Equal	Small	1	30	\$5.75	\$5.75	25	white	Dupont
		Medium	1	30	\$5.75	\$5.75	25	white	Dupont
		Large	2	30	\$5.75	\$11.50	25	white	Dupont
		X-Large	6	30	\$5.75	\$34.50	25	white	Dupont
		XX-Large	3	30	\$6.10	\$18.30	25	white	Dupont
		XXX-Large	1	30	\$6.47	\$6.47	25	white	Dupont
		XXXX-Large	1	30	\$6.99	\$6.99	25	white	Dupont
21	Coverall: Zipper Front, Attached Hood, Elastic Wrists and Ankles Brand Name Lakeland 1428 or Equal	Small	1	30	\$6.17	\$6.17	25	white	Dupont
		Medium	1	30	\$6.17	\$6.17	25	white	Dupont
		Large	2	30	\$6.17	\$12.34	25	white	Dupont
		X-Large	6	30	\$6.17	\$37.02	25	white	Dupont
		XX-Large	3	30	\$6.54	\$19.62	25	white	Dupont
		XXX-Large	1	30	\$6.93	\$97.02	25	white	Dupont
		XXXX-Large	1	30	\$7.48	\$7.48	25	white	Dupont
55	Wrap-around Safety Chaps, Stihl #0000-886-3204 or Equal. Constructed of six layers of cut retardant material such as Dupont Extex to protect lower legs and reduce the risk of injury due to moving saw chains STIHL #888-886-3204 or equal.		50	30	\$43.60	\$2,180.00	5	black	3M

## SAFETY10

\* Unless otherwise noted, all ear protection must meet Ansi S3.19 or latest edition of this standard.

Page 1 of 1 \*Ear Protection\*

Line Item	Item	Est. Qty	Dsct List (%)	Price Per Pair	Total	Count Per Carton	Carton Price	# Cartons Per Case	Total Per Case	Case Price	Mfg	Model
22	Vinyl Foam Earplugs - Cylinder Shape Ear canal, min. NRR:29 - Individually bagged earplugs in dispenser box, approx. 2,000 pair per case.	20	30	\$1.08	\$1.60	200	\$16.00	10	2000	\$160.00	Sperian	MTX-1-OR
23	Vinyl Foam Earplugs - Cylinder Shape Ear canal, minimum NRR:29 - bulk pak, not individually bagged earplugs in dispenser box. Approximately 2,000 pair per case.	5	30	\$1.08	\$4.40	200	\$16.00	10	2000	\$160.00	Sperian	MTX-OR-LS4
24	Vinyl Foam Earplugs - Bell Shaped, smaller size Conforms to ear canal, minimum NRR:29 - bulk pak, individually bagged earplugs in dispenser box, approximately 2,000 pair per case.	40	30	\$1.12	\$4.80	200	\$24.00	10	2000	\$240.00	Sperian	MAX-1
25	Ear Muffs - Economy grade, plastic construction, foamed filled cushions, Adj. Foam-filled cushions, adjustable headband, minimum over-the-head NRR:22. Packaged individually in box.	5	30	\$7.04	\$35.20	N/A	N/A	N/A	N/A	N/A	MSA	1006123
26	Ear Muffs - wrap-around style, plastic const., foam filled Foam-filled cushions, adjustable metal headband, minimum over-the-head NRR:22. Packaged individually in box.	5	30	\$5.26	\$26.30	N/A	N/A	N/A	20	\$105.20	3M	4000
27	Ear Muffs - Maximum Protection, Adj. Headband includes crown strap for use when wearing under the chin or behind the head minimum NRR-25. Packaged individually in box.	50	30	\$6.95	\$347.50	N/A	N/A	N/A	N/A	N/A	Sperian	VILKING VI

SAFETY10  
PRICING PAGE - RESPIRATORS

Pricing Sheet - SAFETY07							Page 1 of 1 *Respirators		
Line Item	Item	Est. Qty	Disct fr List (%)	Price Ea	Total	Case Price	# Per Case	Mfg	Model
	<b>Respirators</b>								
28	Respirator, Dust/Mist, Disposable: Two Membranes	125	30	\$ .46	\$57.50	\$73.60	160	3M	8200
	Two membranes filled with filtering fiber, stiff outer membrane, soft inner membrane, adjustable metal nose piece with foam seal, Two heavy duty head straps, Niosh approved TC-21C-351 or latest standard.								
29	Respirator, nuisance dust mask Single woven membrane, adjustable metal nose piece, single elastic head strap. Not Niosh approved.	10	30	\$ .10	\$1.00	\$5.00/pk	50/pk	Sperryan	14110094CC

SAFETY10  
PRICING PAGE - FIRE EXTINGUISHERS

<p><b>SPECIFICATIONS:</b> Fire extinguishers, dry chemical, general purpose, stored pressure, steel shell with corrosion resistant finish, aluminum valves, easy to read gauges. <b>NOTE:</b> For Fire Extinguishers only, vendor may include a hazardous material charge when delivery is made by ups or smaller carrier. An original invoice from the carrier, clearly showing the charge, must be attached to the vendor's invoice for payment.</p>									
Line Item	Item	Est. Quantity	Disct fr List (%)	Price Ea	Total	Case Price	# Per Case	Mfg	Model
	<b>Fire Extinguishers</b>								
30	Fire Extinguisher 2 1/2 lb. W/Vehicle Bracket, Rated 1A-10B:C	50	35	\$58.63	\$2,931.50	N/A	N/A	Amerex	B417T
31	Fire Extinguisher, 5 lb. W/Vehicle Bracket. Rated 4A-60B:C	12	35	\$77.87	\$934.44	N/A	N/A	Amerex	B402T
32	Fire Extinguisher, 10 lb. W/Wall Hook, Rated 4A-60B:C	40	35	\$96.20	\$3,848.00	N/A	N/A	Anso	436500
33	Fire Extinguishers 2 1/2 lb. W/Vehicle Bracket, Rated 10B:C	5	35	\$60.71	\$303.55	N/A	N/A	Amerex	B403T

Page 1 of 1 \* Fire Extinguishers

SAFETY10  
PRICING PAGE - GLOVES

Pricing Sheet - SAFETY07											Page 1 of 2 * Gloves	
Line Item	Item	Size	Est. Qty / Dz	Disct fr List (%)	Price Per Dozen	Total	Case Price	# Per Case	Mfg	Model/Style		
Gloves												
34	Glove: Memphis, #1200S or Equal Full feature Gunn cut pattern, full leather palm, index finger and thumb, fingertips and knuckle strap, remainder canvas. With 2 1/2" starched cuff.	Small	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Medium	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	50	35	\$21.76	\$1,088.00	\$130.56	72 PR	MCR	1200S		
		XLarge	50	35	\$21.76	\$1,088.00	\$130.56	72 PR	MCR	1200S		
35	Glove: Memphis, #1200D or Equal. Same specs as Item 34 with the following exception. Comes with 2 1/2" Denim cuff and back.	Small	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Medium	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	10	35	\$19.50	\$195.00	\$234.00	144 PR	MCR	1220D		
		XLarge	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
36	Glove: Memphis #1430 or Equal. Same specs as Item 34 with the following exception. Comes with 2 1/2" Leather cuff, Large size.	Small	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Medium	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	1	35	\$23.95	\$23.95	\$143.76	72 PR	MCR	1240		
		XLarge	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
37	Glove: Memphis #1700 or Equal. Full feature Gunn cut Pattern, selected heavy side leather palm sewn with heavy tread, 2 3/4" safety cuff.	Small	4	35	\$65.21	\$260.84	\$391.26	72 PR	MCR	1700		
		Medium	6	35	\$65.21	\$391.26	\$391.26	72 PR	MCR	1700		
		Large	16	35	\$65.21	\$1,043.36	\$391.26	72 PR	MCR	1700		
		XLarge	16	35	\$71.53	\$1,144.48	\$429.18	72 PR	MCR	1700		
38	Glove Memphis #7100 or Equal. Economy brown jersey, clute pattern, knit wrist. 9 oz., minimum fabric weight.	Small	58	35	\$6.71	\$389.18	\$167.75	300 PR	MCR	7102		
		Medium	88	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	204	35	\$6.71	\$1,368.84	\$167.75	300 PR	MCR	7100		
		XLarge	233	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

SAFETY10  
PRICING PAGE - GLOVES

Pricing Sheet - SAFETY07											Page 2 of 2 *Gloves	
Line Item	Item		Qty / Dz	Disct fr List (%)	Price Per Dozen	Total	Case Price	# Per Case	Mfg	Model		
Gloves (cont'd)												
39	Glove Memphis #7100C or Equal. Economy Glove, brown jersey, clute pattern, knit wrist. 10 oz. minimum fabric weight.	Small	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Medium	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	10	35	\$8.19	\$81.90	\$204.75	300 PR	MCR	7100C		
		XLarge	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
40	Glove Memphis #8200 or Equal. All cotton canvas, clute pattern, straight thumb, knit wrist. Choice of sizes, 12 oz., minimum fabric weight.	Small	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Medium	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		Large	40	35	\$8.74	\$349.60	\$218.50	300 PR	MCR	8200		
		XLarge	40	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
41	Glove Memphis #8300 or Equal. All cotton canvas, clute pattern, straight thumb, knit wrist. Choice of sizes, 12 oz. minimum fabric weight.	7	2	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		8	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		9	10	35	\$9.67	\$96.70	\$241.75	300 PR	MCR	8300		
		10	10	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
42	Glove Memphis #8526C or Equal. All gold fleece, full chore style, quilted material, knit wrist, size large, 26 oz., minimum fabric weight.	7	20	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		8	20	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
		9	80	35	\$20.05	\$1,604.00	\$240.60	240 PR	MCR	8526C		
		10	80	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
43	Glove Memphis #5430 or Equal. Black neoprene, .030" flock lined, 12" length, rolled cuff.	7	1	35	\$34.01	\$34.01	\$408.12	144 PR	MCR	5435		
		8	2	35	\$34.01	\$68.02	\$408.12	144 PR	MCR	5435		
		9	4	35	\$34.01	\$136.04	\$408.12	144 PR	MCR	5435		
		10	5	35	\$34.40	\$172.00	\$412.80	144 PR	MCR	5435		
44	Glove, Memphis Glove #5430 or Equal. Neoprene/Natural Latex Blend, .022", flock lined, 12" length, scalloped cuff.	7	4	35	\$20.98	\$83.92	\$251.76	144 PR	MCR	5430		
		8	5	35	\$20.98	\$104.90	\$251.76	144 PR	MCR	5430		
		9	17	35	\$20.98	\$356.66	\$251.76	144 PR	MCR	5430		
		10	18	35	\$20.98	\$377.64	\$251.76	144 PR	MCR	5430		

SAFETY10  
PRICING PAGE - SAFETY ILLUMINATORS

\* Red Emergency Flares: Visible in fog, rain or snow, self contained striker, complies with ICC regulations, Bureau of Explosive Specifications and approved by the underwriters lab. These items may be used by the Department of Highways and the Department of Public Safety.

Page 1 of 1 \*Illuminators

Line Item	Item	Est. Quantity	Disct fr List (%)	Price Each	Total	Price Per Case	# Per Case	Mfg	Model	Min Order Qty
	<b>Safety Illuminators</b>									
45	Flares, Emergency 30 min Spikeless	275	35	\$2.54	\$698.50	\$91.44	36	Standard Fusee	0730	1CS
46	Flares, Emergency 30 min W/Spike	20	35	\$2.74	\$54.80	\$98.64	36	Standard Fusee	2730	1CS
47	Cyalume Light Sticks, 12 hr Green	20	30	\$3.47	\$69.40	\$34.70 per PK	10/PK	Jackson Safety	3015078	1PK
48	Cyalume Light Sticks, 30 min High Intensity Red	10	30	\$3.39	\$33.90	\$33.90 per PK	10/PK	Jackson Safety	3001771	1PK
49	Cyalume Light Sticks, 30 Min High Intensity Yellow	10	30	\$3.37	\$33.70	\$33.70 per PK	10/PK	Jackson Safety	3015076	1PK



SAFETY10  
PRICING PAGE - SAFETY CAPS

Page 1 of 1 *Safety Caps										
High density Polyethylene, slotted for accessories, includes ratchet suspension with no metal parts, headband, neck strap, sweatband and adjustable crown straps, standard size 6 1/2" to 8", meets Ansi Z89.1. Colors: White and Yellow. Bullard #RT5100 or equal.										
Line Item	Item	Est. Qty	Disct fr List (%)	Price Each	Total	Case Price	# Per Case	Mfg	Model	Min Order Qty
	Safety Caps									
50	Safety Caps - High Density Polyethylene, Slotted for accessories W/ Ratchet Suspension, Bullard #RT5100 or Equal	400	30	\$11.03	\$4,412.00	N/A	N/A	Bullard	SS1YLR	20
51	Safety Caps - High Density Polyethylene, Slotted for accessories W/ Standard Suspension, Bullard #5100 or Equal	10	30	\$6.43	\$64.30	N/A	N/A	Bullard	SS1YLP	20
52	Cold Weather Cap Liner	900	30	\$3.29	\$2,961.00	\$394.80	120	Occunomix	LB600	12
53	Sweatband: Cellulose, Kappler #155 or Equal	10	30	\$2.00	\$2.00	\$5.00/PK	25/PK	Occunomix	SB25	1 PK
54	*Face Shield Only Safety Cap with Nylon Full Face Shield	5	30	\$4.38	\$21.90	N/A	N/A	Bullard	840M	50
54a	Bracket for Face Shield that attaches to Safety Cap	5	30	\$13.45	\$67.25	N/A	N/A	Bullard	300BW	25

SAFETY10  
PRICING PAGE - MISCELLANEOUS

Pricing Sheet - SAFETY07

Line Item	Item	Size	Est. Qty / Dz	Disct fr List (%)	Price Per Dozen	Total	Case Price	# Per Case	Mfg	Model/Style
55	Miscellaneous									% see below

All other catalog items - Discount from list.

RAINWEAR	%	25
FOOTWEAR	%	25
EYEWEAR	%	25
PROTECTIVE CLOTHING	%	25
EAR PROTECTION	%	25
RESPIRATORS	%	25
FIRE EXTINGUISHERS	%	25
GLOVES	%	10.57
SAFETY ILLUMINATORS	%	25
SAFETY CAPS	%	25
MISCELLANEOUS	%	4.57

VENDOR INFORMATION

Contract Coordinator:

AMANDA SILVEY-DONCHEZ

Authorized Signature:

*M. A. Donchez*

Phone Number:

(412) 490-1282

Date:

6/16/10

Fax Number:

(412) 490-1205

Email Address:

safety\_quotes@thermofisher.com

State of West Virginia  
**VENDOR PREFERENCE CERTIFICATE**

N/A

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**  
☐ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
☐ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
☐ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**  
☐ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**  
☐ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**  
☐ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
☐ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**  
☐ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: FISHER SCIENTIFIC COLLEGE N/A Signed: \_\_\_\_\_  
 Date: 6/16/10 Title: \_\_\_\_\_

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. SAFETY10STATE OF WEST VIRGINIA  
Purchasing Division**PURCHASING AFFIDAVIT**

**West Virginia Code §5A-3-10a states:** No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**Vendor's Name: Fisher Scientific Company, LLCAuthorized Signature: [Signature] Date: 6/16/10State of Commonwealth of PennsylvaniaCounty of Allegheny, to-wit:Taken, subscribed, and sworn to before me this 16th day of June, 2010.My Commission expires November 18, 2012.

AFFIX SEAL HERE

NOTARY PUBLIC

Amy M Schroeder**COMMONWEALTH OF PENNSYLVANIA**

Notarial Seal

Amy M. Schroeder, Notary Public  
North Fayette Twp., Allegheny County  
My Commission Expires Nov. 18, 2012

Member, Pennsylvania Association of Notaries

Purchasing Affidavit (Revised 12/15/09)



**Fisher Safety**  
Part of Thermo Fisher Scientific

Date: June 16, 2010  
Customer: STATE OF WV  
RFQ #: SAFETY10  
Fisher Safety Account Number 353180-001

REF #	Qty	Customer Unit of Measure	Fisher Safety Catalog Number	Description	Manufacturer	Manufacturer Part Number	Fisher Safety Standard Unit of Measure	Qty in Fisher Safety Standard Unit of Measure	List Price	Discount off List	Unit Price in Customer Unit of Measure	Extended Price in Customer Unit of Measure	Unit Price in Fisher Safety Unit of Measure
				RAINWEAR									
1	55	EA	19832007	RAINCOAT 49" W/DET HOOD SMALL	MCR SAFETY	200C-S	EA	1	\$ 11.11	35.0%	\$ 7.22	\$ 397.10	\$ 7.22
1a	110	EA	19060424	RAINCOAT 49" W/DET HOOD MEDIUM	MCR SAFETY	200C-M	EA	1	\$ 11.46	35.0%	\$ 7.45	\$ 819.50	\$ 7.45
1b	165	EA	19060425	RAINCOAT 49" W/DET HOOD LARGE	MCR SAFETY	200C-L	EA	1	\$ 11.46	35.0%	\$ 7.45	\$ 1,229.25	\$ 7.45
1c	605	EA	19060430	RAINCOAT 49" W/DET HOOD XL	MCR SAFETY	200C-XL	EA	1	\$ 11.46	35.0%	\$ 7.45	\$ 4,507.25	\$ 7.45
1d	55	EA	19069294	RAINCOAT 49" W/DET HOOD 2X	MCR SAFETY	200C-X2	EA	1	\$ 12.03	35.0%	\$ 7.82	\$ 430.10	\$ 7.82
1e	55	EA	19060481	RAINCOAT 49" W/DET HOOD 3X	MCR SAFETY	200C-X3	EA	1	\$ 12.61	35.0%	\$ 8.20	\$ 451.00	\$ 8.20
1f	55	EA	19999746	RAINCOAT 49" W/DET HOOD 4X	MCR SAFETY	200C-X4	EA	1	\$ 13.18	35.0%	\$ 8.57	\$ 471.35	\$ 8.57
2	45	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,M	MCR SAFETY	2403-M	EA	1	\$ 14.61	35.0%	\$ 9.50	\$ 427.50	\$ 9.50
2a	67	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,L	MCR SAFETY	2403-L	EA	1	\$ 14.61	35.0%	\$ 9.50	\$ 636.50	\$ 9.50
2b	225	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,XL	MCR SAFETY	2403-XL	EA	1	\$ 14.61	35.0%	\$ 9.50	\$ 2,137.50	\$ 9.50
2c	68	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,2X	MCR SAFETY	2403-X2	EA	1	\$ 15.35	35.0%	\$ 9.98	\$ 678.64	\$ 9.98
2d	23	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,3X	MCR SAFETY	2403-X3	EA	1	\$ 16.09	35.0%	\$ 10.46	\$ 240.58	\$ 10.46
2e	22	EA	NON CAT	RAINSUIT, 3 PIECE, POLYESTER, PVC,4X	MCR SAFETY	2403-X4	EA	1	\$ 16.80	35.0%	\$ 10.92	\$ 240.24	\$ 10.92
3	15	EA	19063747	RAINSUIT 3 PIECE SMALL	MCR SAFETY	3003-S	EA	1	\$ 35.39	35.0%	\$ 23.00	\$ 345.00	\$ 23.00
3a	22	EA	19063748	RAINSUIT 3 PIECE MEDIUM	MCR SAFETY	3003-M	EA	1	\$ 35.39	35.0%	\$ 23.00	\$ 506.00	\$ 23.00
3b	23	EA	19063749	RAINSUIT 3 PIECE LARGE	MCR SAFETY	3003-L	EA	1	\$ 35.39	35.0%	\$ 23.00	\$ 529.00	\$ 23.00
3c	67	EA	19063750	RAINSUIT 3 PIECE XL	MCR SAFETY	3003-XL	EA	1	\$ 35.39	35.0%	\$ 23.00	\$ 1,541.00	\$ 23.00
3d	23	EA	NON CAT	RAINSUIT 3 PIECE 2X	MCR SAFETY	3003-X2	EA	1	\$ 37.49	35.0%	\$ 24.37	\$ 560.51	\$ 24.37
3e	15	EA	19022420	RAINSUIT 3 PIECE 3X	MCR SAFETY	3003-X3	EA	1	\$ 37.83	35.0%	\$ 24.59	\$ 368.85	\$ 24.59
3f	15	EA	19022421	RAINSUIT 3 PIECE 4X	MCR SAFETY	3003-X4	EA	1	\$ 39.54	35.0%	\$ 25.70	\$ 385.50	\$ 25.70
4	9	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP SMALL	MCR SAFETY	550J-S	EA	1	\$ 42.71	35.0%	\$ 27.76	\$ 249.84	\$ 27.76
4a	17	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP MEDIUM	MCR SAFETY	550J-M	EA	1	\$ 42.71	35.0%	\$ 27.76	\$ 471.92	\$ 27.76
4b	18	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP LARGE	MCR SAFETY	550J-L	EA	1	\$ 42.71	35.0%	\$ 27.76	\$ 499.68	\$ 27.76
4c	96	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP XL	MCR SAFETY	550J-XL	EA	1	\$ 42.71	35.0%	\$ 27.76	\$ 2,664.96	\$ 27.76
4d	17	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP 2X	MCR SAFETY	550J-X2	EA	1	\$ 44.83	35.0%	\$ 29.14	\$ 495.38	\$ 29.14
4e	9	EA	NON CAT	JACKET/ATTACHED HOOD STORM FLP 3X	MCR SAFETY	550J-X3	EA	1	\$ 46.98	35.0%	\$ 30.54	\$ 274.86	\$ 30.54
4f	9	EA	NO BID	DOES NOT COME IN THIS SIZE									
5	5	EA	NON CAT	RAIN PANTS STORM FLP SMALL	MCR SAFETY	550BP-S	EA	1	\$ 29.29	35.0%	\$ 19.04	\$ 95.20	\$ 19.04
5a	5	EA	NON CAT	RAIN PANTS STORM FLP MEDIUM	MCR SAFETY	550BP-M	EA	1	\$ 29.29	35.0%	\$ 19.04	\$ 95.20	\$ 19.04
5b	15	EA	NON CAT	RAIN PANTS STORM FLP LARGE	MCR SAFETY	550BP-L	EA	1	\$ 29.29	35.0%	\$ 19.04	\$ 285.60	\$ 19.04
5c	45	EA	NON CAT	RAIN PANTS STORM FLP XL	MCR SAFETY	550BP-XL	EA	1	\$ 29.29	35.0%	\$ 19.04	\$ 856.80	\$ 19.04
5d	20	EA	NON CAT	RAIN PANTS STORM FLP 2X	MCR SAFETY	550BP-X2	EA	1	\$ 30.77	35.0%	\$ 20.00	\$ 400.00	\$ 20.00
5e	5	EA	NON CAT	RAIN PANTS STORM FLP 3X	MCR SAFETY	550BP-X3	EA	1	\$ 32.22	35.0%	\$ 20.94	\$ 104.70	\$ 20.94
5f	5	EA	NO BID	DOES NOT COME IN THIS SIZE									
6	2	EA	NON CAT	RAIN PANTS ELASTIC WAIST SMALL	NEESE INDUSTRIES	236EIF-S	EA	1	\$ 27.58	30.0%	\$ 19.31	\$ 38.62	\$ 19.31
6a	3	EA	NON CAT	RAIN PANTS ELASTIC WAIST MEDIUM	NEESE INDUSTRIES	236EIF-M	EA	1	\$ 27.58	30.0%	\$ 19.31	\$ 57.93	\$ 19.31
6b	8	EA	NON CAT	RAIN PANTS ELASTIC WAIST LARGE	NEESE INDUSTRIES	236EIF-L	EA	1	\$ 27.58	30.0%	\$ 19.31	\$ 154.48	\$ 19.31
6c	22	EA	NON CAT	RAIN PANTS ELASTIC WAIST XL	NEESE INDUSTRIES	236EIF-XL	EA	1	\$ 27.58	30.0%	\$ 19.31	\$ 424.82	\$ 19.31
6d	10	EA	NON CAT	RAIN PANTS ELASTIC WAIST 2X	NEESE INDUSTRIES	236EIF-2X	EA	1	\$ 27.58	30.0%	\$ 19.31	\$ 193.10	\$ 19.31



Date: June 16, 2010  
Customer: STATE OF WV  
RFQ #: SAFETY10  
Fisher Safety Account Number 353180-001

REF #	Qty	Customer Unit of Measure	Fisher Safety Catalog Number	Description	Manufacturer	Manufacturer Part Number	Fisher Safety Standard Unit of Measure	Qty in Fisher Safety Standard Unit of Measure	List Price off list	Discount	Unit Price In Customer Unit of Measure	Extended Price In Customer Unit of Measure	Unit Price in Fisher Safety Unit of Measure
6e	3	EA	NON CAT	RAIN PANTS ELASTIC WAIST 3X	NEESE INDUSTRIES	23GEIF-3X	EA	1	\$ 30.35	30.0%	\$ 21.25	\$ 63.75	\$ 21.25
6f	2	EA	NON CAT	RAIN PANTS ELASTIC WAIST 4X	NEESE INDUSTRIES	23GEIF-4X	EA	1	\$ 30.36	30.0%	\$ 21.25	\$ 42.50	\$ 21.25
7	2	EA	NON CAT	S BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-S	EA	1	\$ 49.74	35.0%	\$ 32.33	\$ 64.66	\$ 32.33
7a	3	EA	NON CAT	M BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-M	EA	1	\$ 49.74	35.0%	\$ 32.33	\$ 96.99	\$ 32.33
7b	8	EA	NON CAT	L BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-L	EA	1	\$ 49.74	35.0%	\$ 32.33	\$ 258.64	\$ 32.33
7c	22	EA	NON CAT	XL BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-XL	EA	1	\$ 49.74	35.0%	\$ 32.33	\$ 711.26	\$ 32.33
7d	10	EA	NON CAT	2XL BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-X2	EA	1	\$ 52.22	35.0%	\$ 33.94	\$ 339.40	\$ 33.94
7e	3	EA	NC9930943	3XL BIB/PANTS W SNAP FLY FRONT	MCR SAFETY	800BP-X3	EA	1	\$ 54.73	35.0%	\$ 35.57	\$ 106.71	\$ 35.57
7f	2	EA	NO BID	DOES NOT COME IN THIS SIZE									
FOOTWEAR													
8	50	EA	19258408E	BT 17" RUBBER SLICKER	ONGUARD INDUSTRIES	88070-SIZE	PR	1	\$ 38.85	30.0%	\$ 27.20	\$ 1,360.00	\$ 27.20
9	25	EA	19024404	ARTIC 5 BUCKLE OVERSHOE	ONGUARD INDUSTRIES	86065-SIZE	PR	1	\$ 48.80	30.0%	\$ 34.16	\$ 854.00	\$ 34.16
10	30	EA	19817608	BLACK KNEE BOOT	LACROSSE	2400-9043	PR	1	\$ 41.42	30.0%	\$ 28.99	\$ 869.70	\$ 28.99
11	175	EA	19817619	HIP BOOT STEEL TOE	LACROSSE	2400-9091	PR	1	\$ 91.74	30.0%	\$ 64.22	\$ 11,238.50	\$ 64.22
12	25	EA	19024379	HIP BOOT PLAIN TOE	ONGUARD INDUSTRIES	86055-SIZE	PR	1	\$ 108.58	30.0%	\$ 76.01	\$ 1,900.25	\$ 76.01
EYEWEAR													
13	724	EA	NON CAT	GLS AVIATOR SMOKE FRM CLR LNS	MCR SAFETY	61110	PK	12	\$ 11.70	35.0%	\$ 7.61	\$ 5,509.64	\$ 91.25
14	122	EA	19022174	SPEC ENG CLR GLD FRM 58MM 12PK	MCR SAFETY	71110	PK	12	\$ 11.94	35.0%	\$ 7.76	\$ 946.72	\$ 93.05
15	456	EA	NON CAT	GLS WRAP STYLE SHLDS SR 12PK	MCR SAFETY	9800B	PK	12	\$ 3.69	35.0%	\$ 2.40	\$ 1,094.40	\$ 28.78
16	113	EA	19065166	GOGGLE AP LENS CLR 144EA/CS	MCR SAFETY	2235R	CS	144	\$ 5.74	35.0%	\$ 3.73	\$ 421.49	\$ 532.86
17	96	EA	19808737	PROTECTIVE GOGGLES	MCR SAFETY	2225R	EA	1	\$ 5.26	35.0%	\$ 3.42	\$ 328.32	\$ 3.42
PROTECTIVE CLOTHING													
18	12	EA	013611A	CVL TYVEK ZPR FRONT SM 25/CS	DUPONT	TY120SWHSM002500	CS	25	\$ 7.28	30.0%	\$ 5.10	\$ 61.20	\$ 127.50
18a	13	EA	013611B	CVL TYVEK ZPR FRONT MD 25/CS	DUPONT	TY120SWHMD002500	CS	25	\$ 7.28	30.0%	\$ 5.10	\$ 66.30	\$ 127.50
18b	38	EA	013611C	CVL TYVEK ZPR FRONT LG 25/CS	DUPONT	TY120SWHLG002500	CS	25	\$ 7.28	30.0%	\$ 5.10	\$ 193.80	\$ 127.50
18c	112	EA	013611D	CVL TYVEK ZPR FRONT XL 25/CS	DUPONT	TY120SWHXL002500	CS	25	\$ 7.28	30.0%	\$ 5.10	\$ 571.20	\$ 127.50
18d	50	EA	013611E	CVL TYVEK ZPR FRONT 2X 25/CS	DUPONT	TY120SWH2X002500	CS	25	\$ 7.71	30.0%	\$ 5.40	\$ 270.00	\$ 135.00
18e	13	EA	013611F	CVL TYVEK ZPR FRONT 3X 25/CS	DUPONT	TY120SWH3X002500	CS	25	\$ 8.17	30.0%	\$ 5.72	\$ 74.36	\$ 148.00
18f	12	EA	013611G	CVL TYVEK ZPR FRONT 4X 25/CS	DUPONT	TY120SWH4X002500	CS	25	\$ 8.83	30.0%	\$ 6.18	\$ 74.16	\$ 154.50
19	13	EA	013612A	CVL TYVEK ELS HD/WR/BT SM 25/CS	DUPONT	TY122SWHSM002500	CS	25	\$ 8.94	30.0%	\$ 6.26	\$ 81.98	\$ 156.50
19a	14	EA	013612B	CVL TYVEK ELS HD/WR/BT MD 25/CS	DUPONT	TY122SWHMD002500	CS	25	\$ 8.94	30.0%	\$ 6.26	\$ 87.64	\$ 156.50
19b	41	EA	013612C	CVL TYVEK ELS HD/WR/BT LG 25/CS	DUPONT	TY122SWHLG002500	CS	25	\$ 8.94	30.0%	\$ 6.26	\$ 256.66	\$ 156.50



**Fisher Safety**  
Part of Thermo Fisher Scientific

Date: June 16, 2010  
Customer: STATE OF WV  
RFQ #: SAFETY10  
Fisher Safety Account Number 353180-001

REF #	Qty	Customer Unit of Measure	Fisher Safety Catalog Number	Description	Manufacturer	Manufacturer Part Number	Fisher Safety Standard Unit of Measure	Qty in Fisher Safety Standard Unit of Measure	List Price	Discount off List	Unit Price in Customer Unit of Measure	Extended Price in Customer Unit of Measure	Unit Price in Fisher Safety Unit of Measure
19c	125	EA	013612D	CVL TYVK ELS HD/WR/BI XL 25/CS	DUPONT	TY122SWHXL002500	CS	25	\$ 8.94	30.0%	\$ 6.26	\$ 782.50	\$ 156.50
19d	55	EA	013612E	CVL TYVK ELS HD/WR/BI 2X 25/CS	DUPONT	TY122SWH2X002500	CS	25	\$ 9.48	30.0%	\$ 6.64	\$ 365.20	\$ 166.00
19e	14	EA	013612F	CVL TYVK ELS HD/WR/BI 3X 25/CS	DUPONT	TY122SWH3X002500	CS	25	\$ 10.04	30.0%	\$ 7.03	\$ 98.42	\$ 175.75
19f	13	EA	013612G	CVL TYVK ELS HD/WR/BI 4X 25/CS	DUPONT	TY122SWH4X002500	CS	25	\$ 10.85	30.0%	\$ 7.60	\$ 98.80	\$ 190.00
20	1	EA	013614A	CVRL TYVK ZPR ELS WA SM 25/CS	DUPONT	TY125SWHSM002500	CS	25	\$ 8.22	30.0%	\$ 5.75	\$ 5.75	\$ 143.75
20a	1	EA	013614B	CVRL TYVK ZPR ELS WA MD 25/CS	DUPONT	TY125SWHMD002500	CS	25	\$ 8.22	30.0%	\$ 5.75	\$ 5.75	\$ 143.75
20b	2	EA	013614C	CVRL TYVK ZPR ELS WA LG 25/CS	DUPONT	TY125SWHLC002500	CS	25	\$ 8.22	30.0%	\$ 5.75	\$ 11.50	\$ 143.75
20c	6	EA	013614D	CVRL TYVK ZPR ELS WA XL 25/CS	DUPONT	TY125SWHXL002500	CS	25	\$ 8.22	30.0%	\$ 5.75	\$ 34.50	\$ 143.75
20d	3	EA	013614E	CVRL TYVK ZPR ELS WA 2X 25/CS	DUPONT	TY125SWH2X002500	CS	25	\$ 8.72	30.0%	\$ 6.10	\$ 18.30	\$ 152.50
20e	1	EA	013614F	CVRL TYVK ZPR ELS WA 3X 25/CS	DUPONT	TY125SWH3X002500	CS	25	\$ 9.24	30.0%	\$ 6.47	\$ 6.47	\$ 161.75
20f	1	EA	19308647	CVRL TYVK ZPR ELS WA 4X 25/CS	DUPONT	TY125SWH4X002500	CS	25	\$ 9.98	30.0%	\$ 6.99	\$ 6.99	\$ 174.75
21	1	EA	013617A	CVL TYVK HD ELS WA SM 25/CS	DUPONT	TY127SWHSM002500	CS	25	\$ 8.81	30.0%	\$ 6.17	\$ 6.17	\$ 154.25
21a	1	EA	013617B	CVL TYVK HD ELS WA MD 25/CS	DUPONT	TY127SWHMD002500	CS	25	\$ 8.81	30.0%	\$ 6.17	\$ 6.17	\$ 154.25
21b	2	EA	013617C	CVL TYVK HD ELS WA LG 25/CS	DUPONT	TY127SWHLC002500	CS	25	\$ 8.81	30.0%	\$ 6.17	\$ 12.34	\$ 154.25
21c	6	EA	013617D	CVL TYVK HD ELS WA XL 25/CS	DUPONT	TY127SWHXL002500	CS	25	\$ 8.81	30.0%	\$ 6.17	\$ 37.02	\$ 154.25
21d	3	EA	013617E	CVL TYVK HD ELS WA 2X 25/CS	DUPONT	TY127SWH2X002500	CS	25	\$ 9.34	30.0%	\$ 6.54	\$ 19.62	\$ 163.50
21e	14	EA	013617F	CVL TYVK HD ELS WA 3X 25/CS	DUPONT	TY127SWH3X002500	CS	25	\$ 9.90	30.0%	\$ 6.93	\$ 97.02	\$ 173.25
21f	1	EA	19308661	CVL TYVK HD ELS WA 4X 25/CS	DUPONT	TY127SWH4X002500	CS	25	\$ 10.69	30.0%	\$ 7.48	\$ 7.48	\$ 187.00
55	50	EA	NON CAT	WRAP AROUND SAFETY CHAPS	3M	70-0050-6310-5	CS	5	\$ 42.28	30.0%	\$ 43.60	\$ 2,180.00	\$ 218.00
<b>EAR PROTECTION</b>													
22	20	EA	NON CAT	MATRIX NO-ROLL EARPLUG	SPIERIAN	MIX-1-OR	CS	2000	\$ 0.12	30.0%	\$ 0.08	\$ 1.60	\$ 160.00
23	5	EA	19161464	MATRIX ONG NORLL PLG 2000PR/CS	SPIERIAN	MIX-OR-LS4	CS	2000	\$ 0.11	30.0%	\$ 0.08	\$ 0.40	\$ 160.00
24	40	EA	19021229	EARPLUG MAX1 W/O CORD 200PR/PK	SPIERIAN	MAX-1	PK	200	\$ 0.17	30.0%	\$ 0.12	\$ 4.80	\$ 24.00
<b>EAR MUFFS, ECONOMY GRADE, PLASTIC CONSTRUCTION, FOAM FILLED CUSHIONS, ADJUSTABLE HEADBAND, MIN OVER-THE-HEAD NRR: 22, PACKAGED INDIVIDUALLY IN BOX</b>													
25	5	EA	NON CAT	MODEL 4000 EARMUFF 20/CS	MSA	10061273	EA	1	\$ 10.05	30.0%	\$ 7.04	\$ 35.20	\$ 7.04
26	5	EA	19145470	VIKING V1 EARMUFF	3M	70-0710-4066-4	CS	20	\$ 7.51	30.0%	\$ 5.26	\$ 26.30	\$ 105.20
27	50	EA	19161068	VIKING V1 EARMUFF	SPIERIAN	1010925	EA	1	\$ 9.93	30.0%	\$ 6.95	\$ 347.50	\$ 6.95
<b>RESPIRATORS</b>													
28	125	EA	19168175	3M RESPIRATOR 8200, N95 20/PK	3M	8200	PK	20	\$ 0.65	30.0%	\$ 0.46	\$ 57.50	\$ 9.20
29	10	EA	19005184	RESPIRATOR NUIS DUST DISP 50/PK	SPIERIAN	14110094CC	PK	50	\$ 0.14	30.0%	\$ 0.10	\$ 1.00	\$ 5.00
<b>FIRE EXTINGUISHERS</b>													
30	50	EA	19029134	2 1/2 LB. WITH VEHICLE BRACKET, RATED 1A-10B:C	AMEREX	B417T	EA	1	\$ 90.20	35.0%	\$ 58.63	\$ 2,931.50	\$ 58.63
31	12	EA	19041331	5 LB. WITH VEHICLE BRACKET, RATED 4A-60B:C	AMEREX	B402T	EA	1	\$ 119.80	35.0%	\$ 77.87	\$ 934.44	\$ 77.87





**Fisher Safety**  
Part of Thermo Fisher Scientific

Date: June 16, 2010  
Customer: STATE OF WV  
RFQ #: SAFETY10  
Fisher Safety Account Number 353180-001

REF #	Qty	Customer Unit of Measure	Fisher Safety Catalog Number	Description	Manufacturer	Manufacturer Part Number	Fisher Safety Standard Unit of Measure	Qty In Fisher Safety Standard Unit of Measure	List Price	Discount off List	Unit Price in Customer Unit of Measure	Extended Price in Customer Unit of Measure	Unit Price in Fisher Safety Unit of Measure
32	40	EA	NON CAT	10 LB. WITH WALL HOOK, RATED 4A-40BC	ANSUL	436500	EA	1	\$ 148.00	35.0%	\$ 96.20	\$ 3,848.00	\$ 96.20
33	5	EA	19860501	2 1/2 LB. WITH VEHICLE BRACKET, RATED 10B-C	AMEREX	B403T	EA	1	\$ 93.40	35.0%	\$ 60.71	\$ 303.55	\$ 60.71
				<b>GLOVES</b>									
34	13	DZ	NO BID	DOES NOT COME IN THIS SIZE									
34a	13	DZ	NO BID	DOES NOT COME IN THIS SIZE									
34b	50	DZ	NON CAT	GLV LEATHER ECONOMY 12PR/DZ									
34c	50	DZ	19161058	GLV LEATHER ECONOMY 12PR/DZ	MCR SAFETY	1200S/L	DZ	12	\$ 33.48	35.0%	\$ 21.76	\$ 1,068.00	\$ 21.76
35	3	DZ	NO BID	DOES NOT COME IN THIS SIZE									
35a	3	DZ	NO BID	DOES NOT COME IN THIS SIZE									
35b	10	DZ	NON CAT	Glove, same specs as 1200S except with a 2 1/2" Denim cuff and back									
35c	10	DZ	NO BID	DOES NOT COME IN THIS SIZE									
36	1	DZ	NO BID	DOES NOT COME IN THIS SIZE									
36a	1	DZ	NO BID	DOES NOT COME IN THIS SIZE									
36b	1	DZ	NON CAT	Glove, same specs as 1200S except with a 2 1/2" Leather cuff									
36c	1	DZ	NO BID	DOES NOT COME IN THIS SIZE									
37	4	DZ	NON CAT	GLV PREM LEA PLM SC SML 12PR	MCR SAFETY	1240	DZ	12	\$ 36.84	35.0%	\$ 23.95	\$ 23.95	\$ 23.95
37a	6	DZ	NON CAT	GLV PREM LEA PLM SC MED 12PR	MCR SAFETY	1700/S	DZ	12	\$ 100.32	35.0%	\$ 65.21	\$ 260.84	\$ 65.21
37b	16	DZ	NON CAT	GLV PREM LEA PLM SC LRG 12PR	MCR SAFETY	1700/M	DZ	12	\$ 100.32	35.0%	\$ 65.21	\$ 391.26	\$ 65.21
37c	16	DZ	NON CAT	GLV PREM LEA PLM SC XL 12PR	MCR SAFETY	1700/L	DZ	12	\$ 100.32	35.0%	\$ 65.21	\$ 1,043.36	\$ 65.21
38	58	DZ	NON CAT	Glove, Memphis # 7100, Economy brown jersey, clute pattern, knit wrist, 9 oz	MCR SAFETY	1700/XL	DZ	12	\$ 110.04	35.0%	\$ 71.53	\$ 1,144.48	\$ 71.53
38a	88	DZ	NO BID	DOES NOT COME IN THIS SIZE									
38b	204	DZ	NON CAT	Glove, Memphis # 7100, Economy brown jersey, clute pattern, knit wrist, 9 oz	MCR SAFETY	7102	DZ	12	\$ 10.32	35.0%	\$ 6.71	\$ 389.18	\$ 6.71
38c	233	DZ	NO BID	DOES NOT COME IN THIS SIZE									
39	2	DZ	NO BID	DOES NOT COME IN THIS SIZE									
39a	3	DZ	NO BID	DOES NOT COME IN THIS SIZE									
39b	10	DZ	NON CAT	Glove, Memphis # 7100C, Economy brown jersey, clute pattern, knit wrist, 10 oz	MCR SAFETY	7100C	DZ	12	\$ 12.60	35.0%	\$ 8.19	\$ 81.90	\$ 8.19
39c	10	DZ	NO BID	DOES NOT COME IN THIS SIZE									
40	10	DZ	NO BID	DOES NOT COME IN THIS SIZE									
40a	10	DZ	NO BID	DOES NOT COME IN THIS SIZE									
40b	40	DZ	NON CAT	GLOVE, MEMPHIS # 8200, ALL COTON CANVAS, CLUTE PATTERN, STRAIGHT THUMB, KNIT WRIST, CHOICE OF SIZES, 12 OZ. MINIMUM FABRIC WEIGHT	MCR SAFETY	8200	DZ	12	\$ 13.44	35.0%	\$ 8.74	\$ 349.60	\$ 8.74
40c	40	DZ	NO BID	DOES NOT COME IN THIS SIZE									
41	2	DZ	NO BID	DOES NOT COME IN THIS SIZE									
41a	3	DZ	NO BID	DOES NOT COME IN THIS SIZE									
				GLOVE, MEMPHIS # 8300, ALL COTON CANVAS, CLUTE PATTERN, STRAIGHT THUMB, KNIT WRIST, CHOICE OF SIZES, 12 OZ. MINIMUM FABRIC WEIGHT									
41b	10	DZ	NON CAT		MCR SAFETY	8300	DZ	12	\$ 14.88	35.0%	\$ 9.67	\$ 96.70	\$ 9.67





Part of Thermo Fisher Scientific


Date: June 16, 2010  
Customer: STATE OF WV  
RFQ #: SAFETY10  
Fisher Safety Account Number 353180-001

REF #	Qty	Customer Unit of Measure	Fisher Safety Catalog Number	Description	Manufacturer	Manufacturer Part Number	Fisher Safety Standard Unit of Measure	Qty in Fisher Safety Standard Unit of Measure	List Price	Discount off List	Unit Price in Customer Unit of Measure	Extended Price in Customer Unit of Measure	Unit Price in Fisher Safety Unit of Measure
41c	10	DZ	NO BID	DOES NOT COME IN THIS SIZE									
42	20	DZ	NO BID	DOES NOT COME IN THIS SIZE									
42a	20	DZ	NO BID	DOES NOT COME IN THIS SIZE									
42b	80	DZ	NON CAT	GLOVE, MEMPHIS # 8526C, ALL GOLD FLEECE, FULL CHORE STYLE, QUILTED MATERIAL, KNIT WRIST, SIZE LARGE, 26 OZ. MINIMUM FABRIC WEIGHT	MCR SAFETY	8526C	DZ	12	\$ 30.84	35.0%	\$ 20.05	\$ 1,604.00	\$ 20.05
42c	80	DZ	NO BID	DOES NOT COME IN THIS SIZE									
43	1	DZ	NON CAT	Glove, Memphis # 5430, black neoprene, .030" flock lined, 12" length, rolled cuff	MCR SAFETY	5435/S	DZ	12	\$ 52.32	35.0%	\$ 34.01	\$ 34.01	\$ 34.01
43a	2	DZ	19823868	Glove, Memphis # 5430, black neoprene, .030" flock lined, 12" length, rolled cuff	MCR SAFETY	5435/M	DZ	12	\$ 52.32	35.0%	\$ 34.01	\$ 68.02	\$ 34.01
43b	4	DZ	19823867	Glove, Memphis # 5430, black neoprene, .030" flock lined, 12" length, rolled cuff	MCR SAFETY	5435/L	DZ	12	\$ 52.32	35.0%	\$ 34.01	\$ 136.04	\$ 34.01
43c	5	DZ	19097480D	Glove, Memphis # 5430, black neoprene, .030" flock lined, 12" length, rolled cuff	MCR SAFETY	5435/XL	DZ	12	\$ 52.92	35.0%	\$ 34.40	\$ 172.00	\$ 34.40
44	4	DZ	NON CAT	Glove, Memphis # 5430, neoprene/natural latex blend, .022" flock lined, 12" length, scalloped cuff	MCR SAFETY	5430/7	DZ	12	\$ 32.28	35.0%	\$ 20.98	\$ 83.92	\$ 20.98
44a	5	DZ	NON CAT	Glove, Memphis # 5430, neoprene/natural latex blend, .022" flock lined, 12" length, scalloped cuff	MCR SAFETY	5430/8	DZ	12	\$ 32.28	35.0%	\$ 20.98	\$ 104.90	\$ 20.98
44b	17	DZ	NON CAT	Glove, Memphis # 5430, neoprene/natural latex blend, .022" flock lined, 12" length, scalloped cuff	MCR SAFETY	5430/9	DZ	12	\$ 32.28	35.0%	\$ 20.98	\$ 356.66	\$ 20.98
44c	18	DZ	NON CAT	Glove, Memphis # 5430, neoprene/natural latex blend, .022" flock lined, 12" length, scalloped cuff	MCR SAFETY	5430/10	DZ	12	\$ 32.28	35.0%	\$ 20.98	\$ 377.64	\$ 20.98
45	275	EA	NON CAT	SAFETY ILLUMINATORS									
46	20	EA	19030511	RED FLARE W/OUT SPIKE 30MIN 36/CS	STANDARD FUSEE	0730	CS	36	\$ 3.90	35.0%	\$ 2.54	\$ 698.50	\$ 91.37
47	20	EA	NON CAT	RED FLARE W/SPIKE 30MIN 36/CS	STANDARD FUSEE	F2730I	CS	36	\$ 4.22	35.0%	\$ 2.74	\$ 54.80	\$ 98.56
48	10	EA	NON CAT	CYALUME LGHT STICK, 12 HR GRN	JACKSON SAFETY	3015078	PK	10	\$ 4.95	30.0%	\$ 3.47	\$ 69.40	\$ 34.70
49	10	EA	NON CAT	CYALUME LGHT STICK, 30 MIN RED	JACKSON SAFETY	3001771	PK	10	\$ 4.84	30.0%	\$ 3.39	\$ 33.90	\$ 33.90
		EA	NON CAT	CYALUME LGHT STICK, 30 MIN YLW	JACKSON SAFETY	3015076	PK	10	\$ 4.82	30.0%	\$ 3.37	\$ 33.70	\$ 33.70
50	400	EA	173591B	SAFETY CAP 4PT RATCHET YELLOW	BULLARD	51YLR	EA	1	\$ 15.75	30.0%	\$ 11.03	\$ 4,412.00	\$ 11.03
51	10	EA	NON CAT	SAFETY CAP PIN LOCK YELLOW	BULLARD	51YLP	EA	1	\$ 9.19	30.0%	\$ 6.43	\$ 64.30	\$ 6.43
52	900	EA	19816253	WTLNR SKTR CTN FR RTRD NTL WS	OCCUNOMIX	LB600	EA	1	\$ 4.70	30.0%	\$ 3.29	\$ 2,961.00	\$ 3.29
53	10	EA	19822633	BL PREMIM CELLLOS SW/IB MDL SB25	OCCUNOMIX	SB25	EA	1	\$ 0.28	30.0%	\$ 0.20	\$ 2.00	\$ 0.20
54	5	EA	17361	VISOR CLEAR ACETATE	BULLARD	840M	EA	1	\$ 6.25	30.0%	\$ 4.38	\$ 21.90	\$ 4.38
54a	5	EA	19037891	BRCKT/GSKT TO HOLD/SEAL VISOR	BULLARD	300BW	EA	1	\$ 19.21	30.0%	\$ 13.45	\$ 67.25	\$ 13.45

# Line Item #1

## Rainwear Specification Sheet For 200C Coat

Item Number:	200C	Case Dimensions:	21" x 15" x 9"
Item Series:	Classic	Weight Each:	S-2.10 lb. M-2.20 lb. L-2.40 lb. XL-2.40 lb. X2-2.50 lb. X3-2.87 lb. X4-2.95 lb. X5-2.95 lb. X6-3.15 lb.
Case Pack:	20 COATS PER CARTON	Case Weight:	S-42 lb. Cs. M-44 lb. Cs. L-48 lb. Cs. XL-48 lb. Cs. X2-50 lb. Cs. X3-57.4 lb. Cs. X4-59 lb. Cs. X5-59 lb. Cs. X6-63 lb.

Description	Image
<p>0.35MM PVC/POLYESTER WELDED SEAMS SIZES PER SIZE CHART 'A'</p> <p>AVAILABLE IN YELLOW (200C), AND FLUORESCENT ORANGE (201C) 49 INCHES LONG BLACK PLASTIC SNAP STORM FLY FRONT BLACK PLASTIC TAKE UP SNAPS AT THE WRISTS DETACHABLE DRAWSTRING HOOD (CORD COLOR SAME AS MATERIAL) ROUNDED COLLAR OF SAME MATERIAL CAPE VENTILATED BACK WITH 3 MESH HOLES 2 PATCH POCKET OF SAME MATERIAL W/ FLAP W/ BLACK PLASTIC SNAPS RAGLAN SLEEVES UNDERARM AIR VENTS</p> <p>EACH COAT W/ RIVER CITY LABEL AND RIVER CITY POLYBAG PACKED 20 COATS PER CARTON</p>	

Materials			
Material:	0.35MM PVC/POLYESTER	Seam Construction:	WELDED SEAMS
Color:	YELLOW	Configuration:	COAT


Sizing										
Coat	S	M	L	XL	X2	X3	X4	X5	X6	X7
Chest:	49	52	54	57	60	63	65	67	69	
Sweep:	49	52	54	57	60	63	65	67	69	
Back Length:	49	49	49	49	49	49	49	49	49	
Top Of Sleeve:	28.5	30	31.5	32.5	33.5	34.5	35.5	36.5	37.5	
Bottom Of Sleeve:	16	17	17	19	19	19	21	21	22	
Cuffs On Sleeve:	7	7.25	7.5	7.5	7.75	7.75	8	8	8.5	
Collar:	17.5	17.5	18	18	18.5	18.5	19	19	19.5	
Hood Height:	14	14	14.5	14.5	15	15	15.5	15.5	15.5	
Hood Crown Width:	11	11	11.5	11.5	12	12	12.5	12.5	12.5	

Notes
** 201C AVAILABLE IN SIZES S-X3

# Line Item # 2

## Rainwear Specification Sheet For 2403 Rain Suit

Item Number:	2403	Case Dimensions:	21" x 15" x 10"
Item Series:	Classic Plus	Weight Each:	S-2.91 lb. M-3.00 lb. L-3.23 lb. XL-3.78 lb. X2-3.84 lb. X3-4.22 lb. X4-4.50 lb.
Case Pack:	20 SUITS PER CARTON	Case Weight:	S-58.2 lb. Cs. M-60 lb. Cs. L-64.6 lb. Cs. XL-75.6 lb. Cs. X2-76.8 lb. Cs. X3-84.3 lb. Cs. X4-90 lb. Cs.

Description	Image
<p>0.35MM PVC/POLYESTER WELDED SEAMS SIZES PER SIZE CHART 'A' AVAILABLE IN YELLOW (2403), FLAT ORANGE (2413), BLACK (2473), BLUE (2433), OD GREEN (2483), CAMO (2493) ** SEE CHART "B" 240J AND 200BP PACKED TOGETHER EACH SUIT IN A RIVER CITY POLYBAG PACKED 20 SUITS PER CARTON</p> <p>BLACK PLASTIC SNAP STORM FLY FRONT BLACK PLASTIC TAKE UP SNAPS AT THE WRISTS DETACHABLE DRAWSTRING HOOD (CORD COLOR SAME AS MATERIAL) ROUNDED CORDUROY COLLAR (CORD SAME AS MATERIAL) CAPE VENTILATED BACK WITH 3 MESH HOLES 2 PATCH POCKETS W/FLAP OF SAME MATERIAL RAGLAN SLEEVES UNDERARM AIR VENTS</p> <p>ELASTIC INSERT ADJUSTABLE SUSPENDERS BLACK PLASTIC TAKE UP SNAPS AT WAIST AND ANKLE NO POCKETS REINFORCED CROTCH BLACK PLASTIC SNAP FLY FRONT</p>	

### Materials

Material:	0.35MM PVC/POLYESTER	Seam Construction:	WELDED SEAMS
Color:	YELLOW	Configuration:	RAINSUIT

### Sizing

Jacket	S	M	L	XL	X2	X3	X4	X5	X6	X7
Chest:	49	52	54	57	60	63	65			
Sweep:	49	52	54	57	60	63	65			
Back Length:	28	30	31	32	33	34	35			
Top Of Sleeve:	28.5	30	31.5	32.5	33.5	34.5	35.5			
Bottom Of Sleeve:	16	17	17	19	19	19	21			
Cuffs On Sleeve:	7	7.25	7.5	7.5	7.75	7.75	8			
Collar:	17.5	17.5	18	18	18.5	18.5	19			
Hood Height:	14	14	14.5	14.5	15	15	15.5			
Hood Crown Width:	11	11	11.5	11.5	12	12	12.5			

## Rainwear Specification Sheet For 2403 Rain Suit

Pants	S	M	L	XL	X2	X3	X4	X5	X6	X7
Waist	44	46	48	50	52	54	56			
Inseam	26.5	27.5	28.5	29.5	30.5	31.5	32.5			
Outseam	39.5	41	42.5	44	45.5	47	48.5			
Top/Bib to crotch	21	21	22	23	23	25	26			
Cuff	10	10	10.5	10.5	10.5	11	11			

### Notes

\*\* 2413 IS THE ONLY SUIT AVAILABLE UP TO X5

# Line Item #3

## Rainwear Specification Sheet For 3003 Rain Suit

Item Number:	3003	Case Dimensions:	20.5" x 13" x 10.5"
Item Series:	Wizard	Weight Each:	S-2.25 lb. M-2.60 lb. L-2.60 lb. XL-2.76 lb. X2-2.95 lb. X3-3.09 lb. X4-3.29 lb. X5-3.38 lb.
Case Pack:	20 SUITS PER CARTON	Case Weight:	S-45 lb. Cs. M-52 lb. Cs. L-52 lb. Cs. XL-55.2 lb. Cs. X2-59 lb. Cs. X3-61.8 lb. Cs. X4-65.8 lb. Cs. X5-67.6 lb. Cs.

Description	Image
<p>0.28MM PVC/NYLON SCRIM/PVC</p> <p>WELDED SEAMS SIZES PER SIZE CHART 'A' AVAILABLE IN YELLOW</p> <p>300J AND 300BP PACKED TOGETHER FLAME RESISTANT TO ASTM D6413 STANDARD PACKED 20 SUITS PER CARTON</p> <p>BLACK PLASTIC SNAP STORM FLY FRONT BLACK PLASTIC TAKE UP SNAPS AT WRISTS DETACHABLE DRAWSTRING HOOD (CORD COLOR SAME AS MATERIAL) ROUNDED COLLAR OF SAME MATERIAL PLAIN BACK RAGLAN SLEEVES NO POCKET NO UNDERARM AIR VENTS</p> <p>ELASTIC INSERT ADJUSTABLE SUSPENDERS BLACK PLASTIC TAKE UP SNAPS AT WAIST AND ANKLE BLACK PLASTIC SNAP FLY FRONT NO POCKET REINFORCED CROTCH</p> <p><i>*also comes w/ detachable hood</i></p>	

Materials										
Material:	0.28MM PVC/NYLON SCRIM/PVC			Seam Construction:		WELDED SEAMS				
Color:	YELLOW			Configuration:		RAINSUIT				
Sizing										
Jacket	S	M	L	XL	X2	X3	X4	X5	X6	X7
Chest:	49	52	54	57	60	63	65	67		
Sweep:	49	52	54	57	60	63	65	67		
Back Length:	28	30	31	32	33	34	35	36		
Top Of Sleeve:	28.5	30	31.5	32.5	33.5	34.5	35.5	36.5		
Bottom Of Sleeve:	16	17	17	19	19	19	21	21		
Cuffs On Sleeve:	7	7.25	7.5	7.5	7.75	7.75	8	8		
Collar:	17.5	17.5	18	18	18.5	18.5	19	19		
Hood Height:	14	14	14.5	14.5	15	15	15.5	15.5		
Hood Crown Width:	11	11	11.5	11.5	12	12	12.5	12.5		


## Rainwear Specification Sheet For 3003 Rain Suit

<b>Pants</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>X2</b>	<b>X3</b>	<b>X4</b>	<b>X5</b>	<b>X6</b>	<b>X7</b>
Waist	44	46	48	50	52	54	56	58		
Inseam	26.5	27.5	28.5	29.5	30.5	31.5	32.5	33.5		
Outseam	39.5	41	42.5	44	45.5	47	48.5	50		
Top/Bib To Crotch	21	21	22	23	23	25	26	27		
Cuff	10	10	10.5	10.5	10.5	11	11	11		
<b>Notes</b>										

# Line Item #4

## Rainwear Specification Sheet For 550J Jacket

Item Number:	550J	Case Dimensions:	22" x 14" x 9"
Item Series:	Navigator	Weight Each:	S-.85 lb. M-.85 lb. L-.90 lb. XL-.95 lb. X2-1.00 lb. X3-1.01 lb.
Case Pack:	40 EA.	Case Weight:	S-34 lb. Cs. M-34 lb. Cs. L-36 lb. Cs. XL-38 lb. Cs. X2-40 lb. Cs. X3-40.4 lb. Cs.

Description	Image
<p>0.22MM POLYURETHANE/NYLON 210D (701 FR MAT'L)</p> <p>DOUBLE STITCHED AND TAPED SEAMS (PU TAPE) SIZES PER SIZE CHART 'B' AVAILABLE IN YELLOW</p> <p>DELUXE BLACK PLASTIC SNAP STORM FLY FRONT BLACK PLASTIC TAKE UP SNAPS AT WRISTS DETACHABLE DRAWSTRING HOOD (CORD COLOR SAME AS MATERIAL) PLAIN BACK 2" STAND UP MILITARY COLLAR NO POCKET RAGLAN SLEEVES NO UNDERARM AIR VENTS</p> <p>EACH JACKET W/ RIVER CITY LABEL WHICH READS "FLAME RETARDANT TESTED NFPA 701" EACH JACKET IN A RIVER CITY POLYBAG PACKED 40 JACKETS PER CARTON</p>	

### Materials

Material:	0.22MM POLYURETHANE/NYLON 210D (701 FR MAT'L)	Seam Construction:	DOUBLE STITCHED AND TAPED SEAMS (PU TAPE)
Color:	YELLOW	Configuration:	JACKET


### Sizing

Jacket	S	M	L	XL	X2	X3	X4	X5	X6	X7
Chest:	54	56	58	60	62	64				
Sweep:	50	52	54	56	60	62				
Back Length:	29.5	30.5	31.5	32	33	34				
Top Of Sleeve:	31	32	33	34	35	36				
Bottom Of Sleeve:	18	19	20	21	22	22				
Cuffs On Sleeve:	7	7	7.5	7.5	8	8				
Collar:	19	20	20	20	21	22				
Hood Height:	16	16	16	16	16	16				
Hood Crown Width:	11.5	11.5	11.5	11.5	11.5	11.5				

# Line Item #5

## Rainwear Specification Sheet For 550BP Bib Pant

Item Number:	550BP	Case Dimensions:	21" x 13" x 8"
Item Series:	Navigator	Weight Each:	S-.73 lb. M-.73 lb. L-.75 lb. XL-.78 lb. X2-.83 lb. X3-.83 lb.
Case Pack:	40 EA.	Case Weight:	S-29.2 lb. Cs. M-29.2 lb. Cs. L-30 lb. Cs. XL-31.2 lb. Cs. X2-33.2 lb. Cs. X3- 33.2 lb. Cs.

Description	Image
<p>0.22MM NYLON/POLYURETHANE 210D (701FR MAT'L)</p> <p>DOUBLE STITCHED AND TAPED SEAMS (PU TAPE) SIZES PER SIZE CHART 'B' AVAILABLE IN YELLOW</p> <p>ALL ELASTIC WHITE ADJUSTABLE SUSPENDERS WITH EASY RELEASE SNAPS (LIKE 8402) DELUXE BLACK PLASTIC TAKE UP SNAPS AT WAIST AND ANKLES NO POCKET EACH PLASTIC SNAP FLY FRONT</p> <p>EACH PANT WITH A NYLON RIVER CITY LABEL WHICH READS "FLAME RETARDANT TESTED NFPA 701" PACKED 40 PANTS PER CARTON</p>	

### Materials

Material:	0.22MM NYLON/POLYURETHA- NE 210D (701 FR MAT'L)	Seam Construction:	DOUBLE STITCHED AND TAPED SEAMS (PU TAPE)
Color:	YELLOW	Configuration:	BIB OVERALL

### Sizing

Bib Pants	S	M	L	XL	X2	X3	X4	X5	X6	X7
Waist	44	46	48	50	52	54				
Inseam	29	30	31	32	33	33				
Outseam	42	43	44	45	46	46				
Top/Bib to crotch	20.5	21	22	22.5	23.5	24.5				
Cuff	10	10	11	11	11.5	11.5				



# Line Item #6

## 236 ETF Garment Specifications – Neese Industries, Inc.

### General

The elastic waist trousers are constructed of a fabric that is a PVC coated cotton.

Colors available: Safety Yellow

### Features/specs

- 1) Elastic waist . The elastic is a combination of 70% rubber and 30% polyester (2 gauge rubber and 1/150 textured polyester)
- 2) Fly front with snap closure

### Stitching

All seams are electronically heat sealed to insure liquid proof seal. The unfinished hems are single lock stitched


### Fabric Specifications

Fabric weight:	8.0 oz/sq.yd (+/- .05)
Thickness:	.44mm
Coating:	PVC
Base fabric:	Cotton
Tear:	11 x 10
Mullen Hydrostatic:	85 + PSI
Fire Retardant:	NFPA 701

# Line Item #7

## Rainwear Specification Sheet For 800BP Bib Pant

Item Number:	800BP	Case Dimensions:	21" x 15" x 8"
Item Series:	Concord	Weight Each:	S-1.63 lb. M-1.79 lb. L-1.87 lb. XL-1.90 lb. X2-2.00 lb. X3-2.13 lb.
Case Pack:	30 EA.	Case Weight:	S-48.9 lb. Cs. M-53.7 lb. Cs. L-56.1 lb. Cs. XL-57 lb. Cs. X2-60 lb. Cs. X3-63.9 lb. Cs.

Description	Image
<p>0.35MM NEOPRENE NYLON, FLAME RESISTANT DOUBLE STITCHED AND TAPED SEAMS SIZES PER SIZE CHART 'B' AVAILABLE IN YELLOW</p> <p>ALL ELASTIC ADJUSTABLE SUSPENDERS WITH EASY RELEASE SNAPS BLACK PLASTIC TAKE UP SNAP AT ANKLES AND WAIST BLACK PLASTIC SNAP FLY FRONT FULL DOUBLE STITCHING WITH TAPE OVER STITCH</p> <p>EACH PANT W/ RIVER CITY LABEL AND RIVER CITY POLYBAG PACKED 30 PANTS PER CARTON</p>	

### Materials

Material:	0.35MM NEOPRENE NYLON, FLAME RESISTANT	Seam Construction:	DOUBLE STITCHED AND TAPED SEAMS
Color:	YELLOW	Configuration:	BIB OVERALL


### Sizing

Bib Pants	S	M	L	XL	X2	X3	X4	X5	X6	X7
Waist	44	46	48	50	52	54				
Inseam	29	30	31	32	33	33				
Outseam	42	43	44	45	46	46				
Top/Bib to crotch	20.5	21	22	22.5	23.5	24.5				
Cuff	10	10	11	11	11.5	11.5				

Line Item # 8

## Boot / Shoe Covers

*An extra layer of protection for various applications*




#97590

### #97590 15" PVC Boot/Shoe Cover (Men's sizes M-XL)

#### Features & Benefits:

- 100% waterproof
- Heat welded protection
- .20mm PVC upper
- Hard, embossed .50mm PVC sole
- Elastic top for a secure and snug fit



#97591

### #97591 12" Latex "Hazmat" Boot Cover (Men's sizes LG-2XL)

#### Features & Benefits:

- 100% waterproof
- Dipped construction
- .60mm latex rubber
- Ribbed and textured sole

Men's Boot Size	Overboot Size
6 - 8	Medium (MD)
9 - 11	Large (LG)
12 - 14	Extra Large (XL)

6 - 8	Medium (MD)
9 - 11	Large (LG)
12 - 14	Extra Large (XL)

Men's Boot Size	Overboot Size
7 - 9	Large (LG)
10 - 12	Extra Large (XL)
13 - 16	Extra Extra Large (2XL)

7 - 9	Large (LG)
10 - 12	Extra Large (XL)
13 - 16	Extra Extra Large (2XL)

*All are excellent for use in: spill clean-ups, municipalities, and utilities*

## Rubber Slicker

*The most economical overboot protection available*

### #88070 17" with Cleated Ripple Outsole (Men's sizes 7-18)

#88070



#### Features & Benefits:

- Built-up rubber construction
- 100% waterproof while offering a comfortable fit
- Moderate chemical resistance
- Non-absorbent polyester liner to keep feet dry and warm
- Non-conductive, adjustable polyester strap with plastic buckle and snap for better fit
- Fits over most work boots
- Self-cleaning, cleated ripple soles
- Order by shoe size

*Excellent for use in: construction, concrete work, and utilities*



**The  
World  
Leader in  
Personal  
Protection**




Line Item #9

## Buckle Arctics

Premium ozone resistant overboots

#86061



#86061 4" 2-Buckle Overboot with Cleated Ripple Outsole  
(Men's sizes 6-15)

#86063 11" 4-Buckle Overboot with Cleated Ripple Outsole  
(Men's sizes 6-15)

#86065 14" 5-Buckle Overboot with Cleated Ripple Outsole  
(Men's sizes 6-15)

### Features & Benefits:

- Built-up rubber construction
- Premium, ozone resistant rubber
- Non-corrosive buckles
- Heavy duty stretch-net cotton lining
- Self-draining gusset
- Fits over most work shoes and boots
- Self-cleaning, cleated soles
- Order by shoe size

#86063



#86065



All are excellent for use in: construction, utilities, roadwork, and foul weather

19

## Tundra

General purpose cold weather

#83045 11" Plain Toe Boot with Ripple Outsole (Men's sizes 6-13)

### Features & Benefits:

- Built-up construction
- Synthetic leather and nylon upper
- Premium, ozone resistant rubber lower and sole
- Bellows tongue for easy entry and exit
- Non-corrosive brass eyelets and strong taslon laces
- Reinforced, leather pull-on strap and kick-off lug for easy on and off
- Lightweight and removable Thinsulate® 3M liner for warmth and comfort
- Protection to -35° F

#83045



Excellent for use in: freezer lockers and cold storage units, cold weather industrial environments, and cold weather sports



The  
World  
Leader in  
Personal  
Protection



Steel Toe



Puncture Resistant  
Steel Mid-Sole




Steel Shank Protects  
and Supports Arch

Line Item #12

## Gator

Over the shoe protection for a wide range of work applications



#89810 5" with Lug Outsole (Men's sizes S-2XL)

#89802 12" with Lug Outsole (Men's sizes S-2XL)

### Features & Benefits:

- 100% waterproof, durable, injection molded black PVC overshoe
- Closure buttons are molded onto the boots for added strength
- Self-cleaning large lug outsole for added traction in most conditions
- Elastic closure loops with stitched tabs can be easily secured with gloves
- Molded extra large kick-off lugs
- Size-for-size fit over work boots

All are excellent for use in: farming and utilities.

## Storm King/Hip Wader

Superior, waterproof protection to the hips

#86049



#86049 Steel Toe Storm King with Cleated Outsole (Men's sizes 6-13) (Shown)

#86055 Plain Toe Hip Wader with Cleated Outsole (Men's sizes 6-13)

#86056 Steel Toe Hip Wader with Cleated Outsole (Men's sizes 6-13) (Shown)

#86856 Steel Toe & Steel Midsole Hip Wader with Ultragrip® Sipe Outsole (Men's sizes 6-13) (Shown)

### Features & Benefits:

- Injected molded seamless boot construction
- Steel toe style complies with ASTM F2413-05
- Steel safety toe in selected styles
- Steel midsole in selected styles
- Excellent cold weather flexibility
- Lightweight/durable PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resist oil, grease, gasoline, saltwater and ozone
- Non-absorbent lining
- Replaceable cushion insoles

#86056



#86856



### WADER MEASUREMENTS

	Inseam	Outseam
86049	27"	27"
86055	32"	35"
86056	32"	35"
86856	32"	35"

From heel to top of wader

All are excellent for use in:  
utilities, municipalities, aquaculture  
and commercial fishing

Order  
Toll Free  
1-800-  
365-2282




Made in America

# Line Item #13

## Specification Sheet For 61110 Safety Glasses

Item Number:	61110	Series:	Engineer
Description:	Engineer gold frame, clear lens, with flat fold side shields	Features:	Frame made of high-grade nickel silver Temples made from brass alloy 58mm Aviator shape lens Duramass® scratch-resistant coating Meets or Exceeds ANSI Z87.1 standard Meets CAN/CSA Z94.3-99 standard
Benefits:	lens retention Ease of adjustment Superior fit For superior resistance to scratches Meets the ANSI standards for high impact	Case Pack:	144 pr.
		Weight:	2.14 oz.
		Case Weight:	308.02 oz.




Materials			
Frames		Lens	
Material:	Metal	Material:	Polycarbonate
Temples:	Spatula	Coatings:	Duramass® scratch-resistant
Color:	Gold	Colors:	See Below
Options:	Black frame	Options:	54mm Aviator lens Option available

More Information				
Available Lens:	Clear:	X	Clear Anti-Fog:	
	Grey:	X	Grey Anti-Fog:	
	Filter 3.0	X	Filter 5.0	X
Country of Origin:	Taiwan			
Ratings:	Meets or Exceeds ANSI Z87.1 Safety Standards. Meets CAN/CSA Z94.3-99 Safety Standards.			

# Line Item #14

## Specification Sheet For 71110 Safety Glasses

Item Number:	71110	Series:	Engineer
Description:	Engineer gold frame, clear lens	Features:	Frame made of high-grade nickel silver Temples made from brass alloy 58 mm Duramass® scratch-resistant coating Meets or Exceeds ANSI Z87.1 standard Meets CAN/CSA Z94.3-99 standard
Benefits:	lens retention Ease of adjustment Superior fit For superior resistance to scratches Meets the ANSI standards for high impact	Case Pack:	144 pr.
		Weight:	1.900 oz.
		Case Weight:	273.60 oz.



### Materials

Frames		Lens	
Material:	Metal	Material:	Polycarbonate
Temples:	Spatula	Coatings:	Duramass® scratch-resistant
Color:	Gold	Colors:	See Below
Options:		Options:	


### More Information

Available Lens:	Clear:	X	Clear Anti-Fog:	
	Grey:	X	Grey Anti-Fog:	
	Vermilion:		Brown Anti-Fog:	
	Amber:		Silver Mirror:	
	Indoor/Outdoor Clear Mirror		Filter 2.0	
	Filter 3.0		Filter 5.0	
Country of Origin:	Taiwan			
Ratings:	Meets or Exceeds ANSI Z87.1 Safety Standards. Meets CAN/CSA Z94.3-99 Safety Standards.			

# Line Item #15

## Specification Sheet For 9800 Safety Glasses

Item Number:	9800	Series:	Yukon
Description:	Yukon clear frame, clear uncoated lens	Features:	Integral sideshields Integral brow guard Vented sideshields Meets or Exceeds ANSI Z87.1 standard Meets CAN/CSA Z94.3-99 standard
Benefits:	Wraparound style for improved angular coverage and peripheral vision Meets the ANSI standards for high impact	Case Pack:	144 pr.
		Weight:	2.306oz.
		Case Weight:	332.064oz.



### Materials

Frames		Lens	
Material:	Polycarbonate	Material:	Polycarbonate
Temples:	Spatula	Coatings:	Uncoated
Color:	Clear	Colors:	See Below
Options:		Options:	
Packaging	Dispenser Box (D) and Individual Box Options are available (B)		

### More Information


Available Lens:	Clear Uncoated:		Green:	X
	Grey Uncoated:	X	Filter 2.0	X
	Clear:	X	Filter 5.0	X
	Grey:	X		
Country of Origin:	Taiwan			
Ratings:	Meets or Exceeds ANSI Z87.1 Safety Standards. Meets CAN/CSA Z94.3-99 Safety Standards.			



Line Item # 16

**Specification Sheet For 2235R Safety Glasses**

<b>Item Number:</b>	2235R	<b>Series:</b>	Economy Goggle
<b>Description:</b>	Economy goggle, Indirect Ventilation, Clear lens, adjustable rubber strap	<b>Features:</b>	Adjustable rubber strap .060mm lens thickness Duramass® scratch-resistant coating Exclusive Duramass® AF4 anti-fog coating Meets or Exceeds ANSI Z87.1 standard
<b>Benefits:</b>	Maximum protection Easy adjusting strap design offers each user a personal fit Rubber straps are latex-free For superior resistance to scratches Meets the ANSI standards for high impact	<b>Case Pack:</b>	144 pr.
		<b>Weight:</b>	3.817 oz.
		<b>Case Weight:</b>	549.65 oz.



**Materials**

Frames		Lens	
<b>Material:</b>	PVC - plastic	<b>Material:</b>	Polycarbonate
<b>Strap:</b>	Rubber – Latex Free	<b>Coatings:</b>	Duramass® scratch-resistant
<b>Color:</b>		<b>Colors:</b>	See Below
<b>Options:</b>		<b>Options:</b>	

**More Information**

<b>Available Lens:</b>	<b>Clear:</b>	X	<b>Clear Anti-Fog:</b>	X
	<b>Grey:</b>		<b>Grey Anti-Fog:</b>	
	<b>Vermilion:</b>		<b>Brown Anti-Fog:</b>	
	<b>Amber:</b>		<b>Silver Mirror:</b>	
	<b>Indoor/Outdoor Clear Mirror</b>		<b>Indoor/Outdoor Clear Mirror Anti-Fog</b>	
	<b>Filter 3.0</b>		<b>Filter 5.0</b>	
<b>Country of Origin:</b>	China			
<b>Ratings:</b>	Meets or Exceeds ANSI Z87.1 Safety Standards.			

# Line Item #17

## Specification Sheet For 2225R Safety Glasses

Item Number:	2225R	Series:	Perforated Goggle
Description:	Perforated goggle, regular lens	Features:	Perforated Adjustable strap Duramass® scratch-resistant coating Exclusive Duramass® AF4 anti-fog coating Meets or Exceeds ANSI Z87.1 standard
Benefits:	Maximize airflow, reduce fogging Comfort, fit For superior resistance to scratches Helps prevent fogging Meets the ANSI standards for high impact	Case Pack:	144 pr.
		Weight:	3.489 oz.
		Case Weight:	502.416 oz.

No  
Image

### Materials

Frames		Lens	
Material:	PVC - plastic	Material:	Polycarbonate
Strap:	Rubber	Coatings:	Duramass® scratch-resistant, AF4 anti-fog
Color:		Colors:	See Below
Options:	Also available without anti-fog coating	Options:	

### More Information


Available Lens:	Clear:	X	Clear Anti-Fog:	
	Grey:		Grey Anti-Fog:	
	Vermillion:		Brown Anti-Fog:	
	Amber:		Silver Mirror:	
	Indoor/Outdoor Clear Mirror		Indoor/Outdoor Clear Mirror Anti-Fog	
	Filter 3.0		Filter 5.0	
Ratings:	Meets or Exceeds ANSI Z87.1 Safety Standards.			

## Safety &amp; Protection

Customer Service: 1-800-931-3456 or personalprotection@usa.dupont.com

Tyvek®

Style: TY120S

☐ Print Page**Garment Description and Features**

Coverall with zipper front and collar. No elastic. Set sleeve pattern for greater arm movement. Serged seams.

**Fabric Description**

Tyvek® - Tyvek® flashspun polyolefin is a unique, nonwoven material. Resistant to penetration, it is chemically and biologically inert, low linting and anti-static treated.

Color: White

Line Item  
# 18

**Seam Type**

**Serged** - A seam produced when three thread are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.

**Specifications**

1. The suit shall be constructed from Tyvek®, a Dupont nonwoven fabric.
2. The suit shall be white in color.
3. The suit shall be anti-static treated and low-linting.
4. The seams shall be serged and the suit shall have a 28" (71cm) polyester zipper.
5. The suit shall have a collar and open wrists and ankles (no elastic).
6. The suit shall have encapsulated elastic at the waist

**Fabric Data****Tyvek® - Fabric Data**

Properties	Test Method	Results
Basis Weight	ASTM D3776	1.2 oz/yd <sup>2</sup>
Wearing Apparel Flammability	16 CFR 1610	Class 1
Static - Log R	ASTM D257	<9.8
Strip Tensile (lb/in)	ASTM D1682	MD 7.9/ CD 8.7
Thickness	ASTM D1777	5.4 mils

Tongue Tear

ASTM D2261


MD 2.2/ CD 2.3

## Components




## BOOTS

No Boots Included



## GLOVES

Plain wrists, no elastic; no gloves included.




## ZIPPER

28" (71cm) polyester zipper without storm flap

## Other Information



## TEMPERATURE RANGE

Unavailable at this time. **Caution** Tyvek®Garments are not flame resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments.

## WEIGHT PACK

25 per case  
9 lb / 4.1kg


## Safety &amp; Protection



Customer Service: 1-800-931-3456 or personalprotection@usa.dupont.com

Tyvek®

Style: TY122S

☐ Print Page

## Garment Description and Features

Coverall with zipper front, skid resistant boots and attached hood. Elastic around hood & wrists. Set sleeve pattern for greater arm movement. Serged seams.

## Fabric Description

Tyvek® - Tyvek® flashspun polyolefin is a unique, nonwoven material. Resistant to penetration, it is chemically and biologically inert, low linting and anti-static treated.

Color: White

Line Item  
# 19

## Seam Type

**Serged** - A seam produced when three thread are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.

## Specifications

1. The suit shall be constructed from Tyvek®, a Dupont nonwoven fabric.
2. The suit shall be white in color.
3. The suit shall be anti-static treated and low-linting.
4. The seams shall be serged and the suit shall have a 32" (81cm) polyester zipper.
5. The suit shall have attached respirator fit hood and skid resistant boots with elastic around hood and wrists.
6. The suit shall have encapsulated elastic at the waist.

## Fabric Data

## Tyvek® - Fabric Data

Properties	Test Method	Results
Basis Weight	ASTM D3776	1.2 oz/yd <sup>2</sup>
Wearing Apparel Flammability	16 CFR 1610	Class 1
Static - Log R	ASTM D257	<9.8
Strip Tensile (lb/in)	ASTM D1682	MD 7.9/ CD 8.7
Thickness	ASTM D1777	5.4 mils

Tongue Tear

ASTM D2261

MD 2.2/ CD 2.3

## Components




## BOOTS

Attached skid-resistant boots with elastic at the ankle.



## GLOVES


Elastic wrists, no gloves included.



## ZIPPER

32" (81cm) polyester zipper without storm flap

## Other Information



## TEMPERATURE RANGE

Unavailable at this time. **Caution** Tyvek® Garments are not flame resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments.

## WEIGHT PACK


25 per case  
11 lb / 5kg

## Safety &amp; Protection

Customer Service: 1-800-931-3456 or [personalprotection@usa.dupont.com](mailto:personalprotection@usa.dupont.com)

Tyvek®

Style: TY125S

☐ Print Page

## Garment Description and Features

Coverall with zipper front and collar. Elastic around wrists & ankles. Set sleeve pattern for greater arm movement. Serged seams.

## Fabric Description

Tyvek® - Tyvek® flashspun polyolefin is a unique, nonwoven material. Resistant to penetration, it is chemically and biologically inert, low linting and anti-static treated. Color: White

Line Item  
# 20

## Seam Type

**Serged** - A seam produced when three thread are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.

## Specifications

1. The suit shall be constructed from Tyvek®, a Dupont nonwoven fabric.
2. The suit shall be white in color.
3. The suit shall be anti-static treated and low-linting.
4. The seams shall be serged and the suit shall have a 28" (71cm) polyester zipper.
5. The suit shall have a collar and elastic around wrists and ankles.
6. The suit shall have encapsulated elastic at the waist.

## Fabric Data

## Tyvek® - Fabric Data

Properties	Test Method	Results
Basis Weight	ASTM D3776	1.2 oz/yd <sup>2</sup>
Wearing Apparel Flammability	16 CFR 1610	Class 1
Static - Log R	ASTM D257	<9.8
Strip Tensile (lb/in)	ASTM D1682	MD 7.9/ CD 8.7
Thickness	ASTM D1777	5.4 mils
Tongue Tear	ASTM D2261	MD 2.2/ CD 2.3

## Components




## BOOTS

No Boots Included



## GLOVES

Elastic wrists, no gloves included.



## ZIPPER

28"(71cm) polyester zipper without storm flap

## Other Information



## TEMPERATURE RANGE

Unavailable at this time. **Caution** Tyvek®Garments are not flame resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments.



## WEIGHT PACK

25 per case  
9 lb / 4.1kg




## Safety &amp; Protection

Customer Service: 1-800-931-3456 or personalprotection@usa.dupont.com

Tyvek®

Style: TY127S

☐ Print Page

## Garment Description and Features

Coverall with zipper front, attached hood with elastic around face, elastic wrists and ankles. Set sleeve pattern for greater arm movement. Serged seams.

## Fabric Description

Tyvek® - Tyvek® flashspun polyolefin is a unique, nonwoven material. Resistant to penetration, it is chemically and biologically inert, low linting and anti-static treated.  
Color: White

Line Item  
# 21

## Seam Type

**Serged** - A seam produced when three thread are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.

## Specifications

1. The suit shall be constructed from Tyvek®, a Dupont nonwoven fabric.
2. The suit shall be white in color.
3. The suit shall be anti-static treated and low-linting.
4. The seams shall be serged and the suit shall have a 32" (81cm) polyester zipper.
5. The suit shall have attached respirator fit hood with elastic around face, wrists and ankles.
6. The suit shall have encapsulated elastic at the waist.

## Fabric Data

## Tyvek® - Fabric Data

Properties	Test Method	Results
Basis Weight	ASTM D3776	1.2 oz/yd <sup>2</sup>
Wearing Apparel Flammability	16 CFR 1610	Class 1
Static - Log R	ASTM D257	<9.8
Strip Tensile (lb/in)	ASTM D1682	MD 7.9/ CD 8.7
Thickness	ASTM D1777	5.4 mils

Tongue Tear

ASTM D2261

MD 2.2/ CD 2.3

## Components




## BOOTS

No Boots Included



## GLOVES


Elastic wrists, no gloves included.



## ZIPPER

32" (81cm) polyester zipper without storm flap

## Other Information



## TEMPERATURE RANGE

Unavailable at this time. **Caution** Tyvek® Garments are not flame resistant and should not be used around heat, flame, sparks, or in potentially flammable or explosive environments.



## WEIGHT PACK

25 per case  
9 lb / 4.1kg


**3M™ Chainsaw Chaps 93049-80000 UL Approved, 5/Case**

These UL approved chaps are designed to protect your legs from a chainsaw by jamming the chain on contact. Made of durable multi-layered nylon. Extra Long length and quick release buckles. ASTM 1897, 2004 Class A65

Line Item #55

## Matrix Single-Use Earplugs

No-roll design, enhanced communication



Learn more about our products at [howardleight.com](http://howardleight.com) >  
Learn more about hearing conservation at [hearforever.org](http://hearforever.org) >



View More

### Overview

#### Key Features

- Patented no-roll design makes insertion fast and easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection upon proper insertion – no need to wait for foam to expand
- Uniform attenuation profile blocks out noise while voice frequencies can be heard more naturally
- Three attenuation levels for targeted attenuation
- Bulk refills for Leight Source 400 and Leight Source 500 Earplug Dispensers save time, waste and space

#### Hazards

- Noise

#### Regulations

- 29 CFR 1910.95 - OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 - Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) - Canada Labour Code
- Z94.2-1994 - Attenuation Test Protocol (CAN)
- 2003/10/EC - EU Hearing Directive
- 89/686/EEC - EU Directive/PPE
- Category II - EC Category/PPE
- NOHSC: 1007 (2000) - National Standard for Occupational Noise (AUS/NZ)
- NR 15 - Security and Health of Work, Annexes 1 and 2, n°3.214/1978 - Occupational Noise Regulations (BR)
- ANSI S12.6/1997 - Method B - Attenuation Test Protocol (BR)

## Matrix Single-Use Earplugs

### Historical Brand

Howard Leight

### Specifications

<b>Color</b>	Orange [high], Green [medium], Blue [low]
<b>Shape</b>	Cylinder
<b>Material</b>	TPE Foam
<b>Packaging</b>	• Polybag • Bulk Refill for Leight Source 400 or Leight Source 500 Dispenser
<b>Cord Options</b>	• Uncorded • Polycord

### SKUs & Ordering Information

SKUs	Details
<b>MTX-30-BU</b>	<b>Matrix Blue - corded</b> NRR 23 Canada Class A(L)
<b>MTX-1-BU</b>	<b>Matrix Blue - uncorded</b> NRR 23 Canada Class A(L)
<b>MTX-BU-LS4</b>	<b>Matrix Blue - uncorded bulk refill for Leight Source 400</b> NRR 23 Canada Class A(L)
<b>MTX-1-BU-D</b>	<b>Matrix Blue - uncorded bulk refill for Leight Source 500</b> NRR 23 Canada Class A(L)
<b>MTX-30-GR</b>	<b>Matrix Green - corded</b> NRR 27 Canada Class A(L)
<b>MTX-1-GR</b>	<b>Matrix Green - uncorded</b> NRR 27 Canada Class A(L)
<b>MTX-GR-LS4</b>	<b>Matrix Green - uncorded bulk refill for Leight Source 400</b> NRR 27 Canada Class A(L)
<b>MTX-1-GR-D</b>	<b>Matrix Green - uncorded bulk refill for Leight</b>

## Matrix Single-Use Earplugs

	<b>Source 500</b> NRR 27 Canada Class A(L)
<b>MTX-30-OR</b>	<b>Matrix Orange - corded</b> NRR 29 Canada Class A(L)
<b>MTX-1-OR</b>	<b>Matrix Orange - uncorded</b> NRR 29 Canada Class A(L)
<b>MTX-OR-LS4</b>	<b>Matrix Orange - uncorded bulk refill for Leight Source 400</b> NRR 29 Canada Class A(L)
<b>MTX-1-OR-D</b>	<b>Matrix Orange - uncorded bulk refill for Leight Source 500</b> NRR 29 Canada Class A(L)

### Training & Proper Use


1. Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.
2. Stop pushing earplug when your finger touches your ear.
3. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front.
4. Proper Fit – If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
5. Removal – Gently twist earplug while slowly pulling in an outward motion for removal.
6. Acoustical Check – In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

### Promotions

#### CARE + MAINTENANCE

- **INSPECT** – Inspect prior to fitting, examine your earplugs for dirt, damage or extreme hardness—discard immediately if compromised.
- **DISCARD** – For proper hygiene, discard Single-Use earplugs after use.
- **HYGIENE** – To maintain hygiene standards, Single-Use earplugs should be discarded at the end of every shift.

## RELATED PRODUCTS



 View More

## Max Single-Use Earplug

Highest attenuation in single-use earplugs



Learn more about our products at [howardleight.com](http://howardleight.com) >  
Learn more about hearing conservation at [hearforever.org](http://hearforever.org) >

**HOWARD  
LEIGHT**   
by SPERIAN

### Overview

#### Key Features

- The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Bulk refills for Leight Source 400 and Leight Source 500 Earplug Dispensers save time, waste and space

#### Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Fire Protection
- Forestry
- Government
- Law Enforcement
- Manufacturing
- Medical
- Military
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical

## Max Single-Use Earplug

- Steel and Metals
- Transportation
- Utilities
- Welding

### Hazards

- Noise

### Regulations

- 29 CFR 1910.95 - OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 - Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) - Canada Labour Code
- Z94.2-1994 - Attenuation Test Protocol (CAN)
- 2003/10/EC - EU Hearing Directive
- 89/686/EEC - EC Directive/PPE
- Category II - EC Category/PPE
- EN 352-2:2002 - EU Standards
- NOHSC: 1007 (2000) - National Standard for Occupational Noise (AUS/NZ)
- NR 15 - Security and Health of Work, Annexes 1 and 2, n°3.214/1978 - Occupational Noise Regulations (BR)
- ANSI S12.6/1997 - Method B - Attenuation Test Protocol (BR)

### Historical Brand

Howard Leight

## Specifications

<b>Color</b>	Coral
<b>Shape</b>	Bell
<b>Material</b>	Polyurethane Foam
<b>Packaging Options</b>	• Polybag • Paper Bag • Bulk Refill for Leight Source 400 or Leight Source 500 Dispenser
<b>Cord Options</b>	• Uncorded • Polycord
<b>NRR</b>	33
<b>Canada Class</b>	A(L)
<b>SNR</b>	37
<b>SLC80</b>	26 dB / Class 5

### EU Certifications



## Max Single-Use Earplug

- European Directives – 89/686/EEC
- EC Category PPE – Category II
- Standards – EN 352-2:2002
- EC Certification Number – 1219
- EC Attestation Number – 040366
- Laboratory – INSPEC
- 

### AUS Certifications

- Standardsmark License #1579

## SKUs & Ordering Information

SKUs	Details
<b>MAX-30</b>	<b>Max - corded</b> NRR 33 Canada Class A(L)
<b>MAX-30-PB</b>	<b>Max - corded / paper bag</b> NRR 33 Canada Class A(L)
<b>MAX-1</b>	<b>Max - uncorded</b> NRR 33 Canada Class A(L)
<b>MAX-5</b>	<b>Max - uncorded / 5 pair pack</b> NRR 33 Canada Class A(L)
<b>MAX-1-PB</b>	<b>Max - uncorded / paper bag</b> NRR 33 Canada Class A(L)
<b>MAX-LS4</b>	<b>Max - uncorded bulk refill for Leight Source 400</b> NRR 33 Canada Class A(L)
<b>MAX-1-D</b>	<b>Max - uncorded bulk refill for Leight Source 500</b> NRR 33 Canada Class A(L)

## Training & Proper Use

1. With clean hands, roll the entire earplug into narrowest possible crease-free cylinder.
2. Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.
3. Hold for 30 – 40 seconds, until the earplug fully expands in your ear canal. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front.
4. Proper Fit – If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
5. Removal – Gently twist earplug while slowly pulling in an outward motion for removal.

## Max Single-Use Earplug

6. **Acoustical Check** – In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

### Additional Information

#### CARE + MAINTENANCE

- **INSPECT** – Inspect prior to fitting, examine your earplugs for dirt, damage or extreme hardness—discard immediately if compromised.
- **DISCARD** – For proper hygiene, discard Single-Use earplugs after use.
- **HYGIENE** – To maintain hygiene standards, Single-Use earplugs should be discarded at the end of every shift.

### RELATED PRODUCTS

---



For general inquiries  
800.343.3411

View other Sperian Sites  
© 2010 Sperian Protection



Line Item # 25

## Multi-Position Muff & Economuff™ Models



### Approvals & Standards

All hearing protection is tested according to ANSI S3.19-1974 standards.

### Applications

Agriculture  
Chemical  
Construction  
Hazardous Materials  
Mining  
Nuclear  
Oil and Gas  
Paper & Pulp  
Sanding & Grinding  
Firearms Shooting Range

### Hazards

Confined Space  
Noise

### Product Information

The multi-position headband model muff features comfortable ear pads that help ensure all-day wearing without fatigue. The durable design provides protection in tough, dirty environments while incorporating a support strap for use when wearing the muff behind the head or under the chin. The multi-position muff NRR is 24 db.

The lightweight, eight-ounce Economuff headband model is a low-cost, quality earmuff with an NRR of 20 db.

### Additional Product Information

- **Bulletin - EPA Proposed Revisions to Labeling of Hearing Protection Devices (Bulletin No. 0900-63)**
- **Bulletin - Economuff Ear Muff (Bulletin No. 0900-42)**
- **Bulletin - Economuff Multi-Position Earmuff (Bulletin No. 0900-41)**

**Ordering Information**

<b>Passive Muffs</b>	<b>Part Number</b>
Economuff™ Multi-Position Earmuff Over-the-Head (NRR -24dB)	10061273
Behind-the-Neck or Under-the-Chin (NRR-23db)	

**How to Order From MSA:**

- **General Instructions**
- **Locate an MSA Distributor**
- **Locate an MSA Sales Manager**

© MSA 2010. All Rights Reserved. Click to submit Website feedback

# SOUND CONTROL™

Line Item #25 (cont)

## Economuff Multi-Position Earmuff

The Economuff Multi-Position Earmuff comes with comfortable ear pads and padded headband to ensure all-day wearing without fatigue, and the durable design provides protection in dirty environments.

- Extremely lightweight
- Multi-position (over head/under chin/behind head)
- Includes crown strap

Economuff Multi-Position Earmuff..... 10061273



## Under-The-Chin

### ANSI S3.19-1974 Data - NRR 23dB

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Mean	19	23	28	33	33	33	36	38	37
Stand. dev. (dB)	3.4	2.7	2.9	2.4	3.2	3.8	2.9	2.7	3.3

Noise Reduction Rating (NRR) is third-party certified in accordance with ANSI S3.19-1974, and meets CSA Class B.

## Behind-The-Head

### ANSI S3.19-1974 Data - NRR 23dB

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Mean	18	21	27	32	33	34	36	38	36
Stand. dev. (dB)	3.3	2.7	2.7	2.2	2.0	2.5	2.2	2.5	3.6

Noise Reduction Rating (NRR) is third-party certified in accordance with ANSI S3.19-1974, and meets CSA Class B.

## Over-The-Head

### ANSI S3.19-1974 Data - NRR 24dB

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Mean	17	22	29	35	33	33	36	37	36
Stand. dev. (dB)	2.9	2.6	3.0	3.2	1.9	2.5	1.8	3.8	3.2

Noise Reduction Rating (NRR) is third-party certified in accordance with ANSI S3.19-1974, and meets CSA Class B.

PASSIVE HEARING PROTECTION



**E-A-R™ Earmuffs 331-4000, Model 4000 20 EA/Case**[Click to Enlarge](#)

Outstanding comfort and protection at a budget-conscious price.

**Where To Buy**[Where to Buy](#)**Quick Links**[Contact Us](#)[Material Safety Data Sheets \(MSDS\)](#)[OH&ES Distributor Login](#)[Industrial Distributor Login](#)**Additional Information**

- Vertical adjustment system for quick and easy fitting.
- Large earcup openings to fit most ear sizes.
- Soft, wide cushions for even pressure and extra comfort.
- NRR 27dB.
- ANSI S3.19; CSA Class A.

**3M ID:** 70-0715-1542-6

**GTIN(UPC/EAN):** 1 00 80529 31025 2

Line Item #26

SKU: 1010925

## Viking V1 Multiple-Position Earmuff



Line Item  
# 27

[View More](#)

### Overview

**Reference Number**  
1010925

**Product Type**  
Hearing Protection

**Range**  
Earmuffs

**Line**  
Noise Blocking Earmuffs

**Brand**  
Howard Leight by Sperian

**Brand formerly known as**  
BILSOM

#### Industry

- Metal steel • Mining and Quarrying • Offshore • Paper Industries • Petro-chemical
- Printing Industries • Services • Telecoms • Textile Industries • Transportation
- Utilities • Water treatment • Welding • Wood Industries • Laboratory • Ship Building
- Industry • Administration • Agriculture • Army - Defence • Automotive and Part Manufacturer
- ATEX environment • Aviation • Building and Construction • Catering • Chemical Industries

## Viking V1 Multiple-Position Earmuff - 1010925

- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Logistics
- Maintenance
- Medical and Pharmaceutical

### Product Use

Noise Blocking Earmuff

### Features & Benefits

#### Feature

Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin. Now features Bilsom's patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies, without increasing earcup size or weight. Alternative to cap-mounted earmuffs - wear with hard hats, face shields, respirators and other PPE. Non-deforming outer headband withstands rough treatment in the toughest workplaces. Snap-in ear cushions make replacement quick and easy. Includes headband strap for better positioning when worn behind-the-head or under-the-chin. Dielectric construction suitable for all workplaces, especially electrical environments.

#### Benefit

The Viking™ series multiple-position earmuff gives workers flexibility to wear their earmuffs over-the-head, behind-the-head and under-the-chin. Viking earmuffs can be worn with other PPE, including hard hats, visors, face shields, respirators and welding shields. Plus, Viking's robust non-deforming dielectric construction withstands use and abuse, while protecting your workers in electrical environments. NOW FEATURING AIR FLOW CONTROL™ TECHNOLOGY

### Technical Description

#### SNR (dB)

30

#### H (dB)

32

#### M (dB)

28

#### L (dB)

21

#### Attenuation Data

	63	125	250	500	1000	2000	4000	8000
Frequency (Hz)								
Frequenz (Hz)								
Fréquence (Hz)								
Mean Attenuation (dB)	17.9	14.1	20.6	25.8	32.0	32.1	33.7	34.4
Mittlere Dämmung (dB)								
Atténuation moyenne (dB)								
Standard Deviation (dB)	2.4	2.3	3.1	2.5	2.8	2.5	3.1	2.5
Standardabweichung								



## Viking V1 Multiple-Position Earmuff - 1010925

(dB) Déviation standard (dB)								
Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)	15.5	11.8	17.5	23.3	29.2	29.6	30.6	31.9

### Earmuff Construction

Plastic [or Dielectric]

### Other Material

PP webbing, POM, LDPE, PA, EPDM, ABS, PUR-E, PP, PVC

### Dielectric

Yes

### Color

Black and Light Blue

### Batteries Needed

None

### Weight (grs)

191

### Design Patents

Air Flow Control™

### Headband Style

Multiple-Position

### Sound Amplification

No

### AM/FM Radio

No

### Automatic Shut-Off Function

No

### Audio Input Jack

No

### Hi-Visibility

No

## Certifications

### EC Category PPE

2

### EC Standards

EN-352-1:2002

### EC Directives

89/686/EEC

### Quality Assurance

ISO 9001 / 2000

**EC Declaration Date**

2006-05-19

**EC Declaration Place**

Sweden

**Signature**

Signature

**EC Certificate Number**

1486

**EC Attestation**

 EC Attestation

**EC Attestation Number**

060353

**EC Laboratory**

INSPEC

**Maintenance**

**Life Cycle**

Cushions should be replaced periodically to retain maximum attenuation. Use the following as a guideline for replacement of ear cushions and insert foam. General use and wear - Ear cushions and foam inserts should be replaced at least every 6 months. Heavy use or wear in humid/extreme climates - Ear cushions and foam inserts should be replaced at least every 3 months. Cracking or leakage is visible - replace ear cushions and foam inserts immediately.

**Storage Information**

When not in use, the earmuffs should be stored in a clean dry container or locker. Do not use solvents or petroleum-based products. Do not immerse the earmuffs in water.

**Care Instructions**

Earmuffs are an important safety product and should be inspected regularly. Its use, care and maintenance are critical to its effective performance. Earmuffs and in particular ear cushions may deteriorate with use and should be examined at frequent intervals for cracking and leakage. If the ear cushions become hard, damaged or deteriorated, they should be replaced promptly using recommended Hygiene Kits. Earmuffs should be maintained by regular cleaning. Use a mild disinfectant solution. A gentle wipe is all that is required.

**Parts & Accessories**

**Accessories**


Hygiene Kit - Packed in a plastic bag, including two ear cushions and two foam pads. Ref. # 1006018 for V1

Beltdclip - For carrying purpose. Old Ref. # 1000252 New Ref. # 1016730 Cool II Pads - Sweat absorbing pads. Ref. # 1000365 5-pair, Ref. # 1000364 100-pair

Optisorb - cotton sleeve slides over earcup. Ref. # 3302101

Polar Hood - Ref. # 1016870 Lg/XLg; Ref. # 1016871 Sm/Med

## 3M™ Particulate Respirator 8200/07023(AAD), N95 160/Case

[Click to Enlarge](#)

Patented filter media with advanced electrostatically charged microfibers help make breathing easier and cooler for enhanced user comfort. Lightweight construction enhances worker comfort and wear time.

### Where To Buy

[Where to Buy](#)

### Quick Links

[Contact Us](#)[Material Safety Data Sheets \(MSDS\)](#)[OH&ES Distributor Login](#)[Industrial Distributor Login](#)


### Additional Information

Adjustable noseclip reduces eyewear fogging and helps ensure a better seal and fit. Two-strap design with dual point attachment helps provide a secure fit.

**3M ID:** 70-0715-3449-2

**GTIN(UPC/EAN):** 5 00 51131 07023 8

Line Item #28



[View More](#)

## Nuisance Dust Mask

The disposable Nuisance Dust Mask provides basic protection against non-toxic dust, pollen, mold and dander.



**SPERIAN**

### Overview

#### Key Features

- Basic protection against non-toxic dust, pollen, mold and dander
- Adjustable nose bridge clip offers a secure fit

#### Recommended Industries/Use

- Agriculture
- Construction
- Forestry

#### Historical Brand

Willson

#### Warranty Information

1 year from purchase date

### Specifications

<b>Size</b>	Universal, One Size
<b>Packaging</b>	50 masks per box

## Nuisance Dust Mask

### SKUs & Ordering Information

SKUs	Details
14110094CC	<b>Disposable Dust Mask</b> Nuisance Disposable Dust Mask (1 box of 50)

### Training & Proper Use

Refer to User Instructions for proper use.

### Additional Information

800.821.7236

### Technical Support

800.394.0410



For general inquiries  
800.343.3411

View other Sperian Sites  
© 2010 Sperian Protection

Line Item # 45 + #46

WILDFIRE/FORESTRY | MARINE  
OUTDOOR/WILDERNESS

HIGHWAY

Signaling Guide

Products




Facts

[About Us](#) [Contact Us](#)[Where to Buy](#)[Highway Fusees/Flares](#)[Consumer Packaged Flares](#)[Flare Holders](#)[New Highway/Roadside Emergency Safety Kits](#)[First Aid Kits](#)[Lightsticks](#)[Performance, quality information, and Emergency Flare Storage and Handling Procedures \(FACTS section\) >>](#)**Roadside Safety Flares - Highway Fusees/Flares**

**The Reliable, Economical, Easy Way to Protect Police Officers, Fire and Road Personnel, and the General Public, as well as their Equipment.**

Municipal, county and state police continue to specify and use Orion Safety Flares to help keep one accident from turning into another. Orion's comprehensive signal product line meets or exceeds the needs of every municipal department, with the built-in quality to perform to DOT and Bureau of Explosives specifications. Orion Safety Flares have the unique patented PlasTcaps™ with the Non-Roll feature, ignite easily and continue to burn in all kinds of weather.

For a distributor near you or a FREE DVD on flare training call 800-637-7807 or email us at [customerservice@orionsignals.com](mailto:customerservice@orionsignals.com)

Item No.	Description	Case Qty.	Std. Case Lbs.	Cu. Ft.
	<b>With Wire Stand</b> <a href="#">View image &gt;&gt;</a>			
9240	20 Min Red	72	40	0.9
1240	20 Min Red	36	20	0.4
9340	30 Min Red	36	27	0.6
	<b>No Spike/No Stand</b> <a href="#">View image &gt;&gt;</a>			
0715	15 Min Red	72	30	0.5
0720	20 Min Red	72	36	0.6
7200	20 Min Red	36	19	0.4
0730	30 Min Red	36	26	0.5
	<b>With Spike</b> <a href="#">View image &gt;&gt;</a>			
2715	15 Min Red	72	31	0.6
2720	20 Min Red	72	38	0.7
1720	20 Min Red	36	19	0.4
2730	30 Min Red	36	26	0.5
<b>Wax/No Spike • a no spike/no stand flare with a wax coating resistant to humidity.</b>				
0715-02	15 Min Red	72	32	0.5
0720-02	20 Min Red	72	39	0.6
0730-02	30 Min Red	36	26	0.5
<b>Paper Bonnet/No Spike • a no spike/no stand flare with a paper bonnet cap and ignitor system.</b>				

Item #'s 47,48 & 49



Kimberly-Clark Announces Jackson Safety Rebranding Campaign >>

OUR COMPANY

OUR PRODUCTS


CUSTOMER SERVICE

Product Search:

Search

## Cyalume Lightsticks

- Ideal for traffic control, utility operations, and in-plant use
- 12-hour green or hi-intensity red and yellow with 30 minute duration
- Just bend, snap and shake for instant light
- Sold by case quantity only



[View Larger Image](#)

[Category View](#)

[Locate Distributor](#)

## Items Available:

- 3015078, 12 HOUR GREEN (10/PACK), (2057655)
- 3001771, 30 MIN. HI-INT RED (10/PACK), (2056601)
- 3015076, 30 MIN. HI-INT YELLOW (10/PACK), (2056596)

[Welding Helmets \(Passive\)](#) | [Welding Helmets \(Auto-Darkening\)](#) | [Welding Goggles](#) | [Welding Blankets](#) | [Welding Curtains](#)  
[Traffic Cones](#) | [Traffic Safety Signs](#) | [Traffic Barricades](#) | [Traffic Delineators](#)  
[Safety Vests](#) | [Hearing Protection](#) | [Hard Hat](#)

[Privacy Policy](#) | [Terms](#) | [Site Map](#) | © 2008 Jackson Safety, Inc.


Line Item # 52



Go!

[OVERVIEW](#) [MORE INFO](#) [REVIEWS](#)**Detail:**

- 100% Flame Retardant Cotton Twill outer shell
- Fleece Lining
- Cotton Twill and binding are flame retardant until washed

[Download Flyer](#)**Related Products**[Back](#)





OVERVIEW


MORE INFO

REVIEWS

**Detail:**

Ultra thin yet absorbent. Won't tear, break, flake or become dry and brittle. Contains no chemicals. Never requires hydration to soften. Made of viscose cellulose.

- Available in 25 & 100 Pack Assortments




You may also like...



[SCIENTIFIC](#) | [SAFETY](#) | [HEALTHCARE](#) | [SCIENCE EDUCATION](#)[Safety Home](#) | [Browse by: Product - Supplier - Application](#)[Shopping Cart](#) | [Rapid Order](#)Username: Password: [New User?](#) | [Forgot Password?](#)[Help](#) | [Order Catalogs](#) | [MSDS](#) | [Part of Thermo Fisher Scientific](#)**Search**

17361

**Submit**  
Substructure Search  
Certificate Of Analysis[Custom Oligos >](#)[Back to Search Results](#)**Bullard\* Faceshield Visors**

For use with Bullard headgear

Line Item # 54

**Shopping Cart**  
No Items in Cart [View Cart](#)For security reasons you will  
be automatically logged out  
after 30 minutes of inactivity.**Items Details Images****Description**

- Clear visors accommodate safety spectacles, goggles, and respirators to protect face from numerous industrial hazards
- Flat acetate visors are for chemical applications and light impact protection
- Heat-formed polycarbonate visors are for high-heat operations with little or no chemical exposure, and are curved for easy attachment and reduced stress cracking
- Visors are 15 in. wide (20.3cm) and available in 6, 8, and 10 in. lengths (15.2, 20.3, 25.4cm)

**Specifications & Ordering Information:**

Do not use any face shield unless suitable primary eye protection is used.

Compliance: When used with Bullard headgear or brackets, visors conform to ANSI Z87.1-1989 standards

Visor Length	Thickness	Mfr. No.	Cat. No.	Quantity	Price
--------------	-----------	----------	----------	----------	-------

**Flat Acetate Visor**

6 in. (15cm)	1/32 in. (.10mm)	840	19-021-413		<input checked="" type="radio"/> Each for \$5.15 <input type="radio"/> Case of 50 for \$194.45
8 in. (20cm)	1/32 in. (.10mm)	840M	17-361		

# Line Item # 54

## Bullard Face Protection

### Brackets

When the job calls for both head and face protection, choose from the complete line of dielectric or gold anodized aluminum brackets from Bullard. Brackets are available in several mounting styles designed to attach securely to Bullard hard hats and caps.

- Quickly and easily fit any Bullard hat or cap;
- Securely hold visors in place in both raised and working positions; and
- Feature a cam-lever design for easy and snug visor attachment.

### Dielectric Brackets

Dielectric brackets are formed from lightweight, durable nylon and are ideal for general duty applications.

- Non-conductive when used with a non-conductive visor;
- Flexible, but durable construction;
- Available in band-mounting or slot-mounting styles;
- Adjustment knobs lock visors in place and adjust up or down;
- Models 300BW and 400W feature a neoprene gasket that prevents debris and condensation from falling into the workers face.

### Gold Line Brackets®

Gold Line brackets are constructed from rugged, gold anodized aluminum. They are ideal for chemical handling and high-heat applications.

- Available in band-mounting or slot-mounting styles;
- Adjustment knobs lock visors;
- Highly resistant to corrosion and heat.


### Sentinel Headgear

The Bullard Sentinel Series headgear offers the ultimate value in lightweight, comfortable face protection. This lightweight molded ABS plastic headgear is non-conductive when used with a non-conductive visor. It includes a Flex-Gear® ratchet suspension and a Sportek™ brow pad to pull moisture away from the skin. Available with or without a chin protector.


- Adjustable headband fits sizes 6 1/2 to 8;
- Hand washable replaceable brow pad; and
- Easily accommodates primary eye protection and half-facepiece style respirators.

### Bullard Brackets


Model	Description	Material	Standard	Fits Hard Hat Models										No Hard Hat Needed
				C30	S61	S62	S51	C33	S71	Advent	Vector	MK2V		
300B	Dielectric, band mounting	Nylon	Z87/Z87+	x	x	x	x							
300BW	Dielectric, band mounting with neoprene gasket	Nylon	Z87/Z87+	x	x	x	x							
400	Dielectric, slot mounting	Nylon	Z87/Z87+	x	x	x	x							
400W	Dielectric, slot mounting with neoprene gasket	Nylon	Z87/Z87+	x	x	x	x							
312B	Dielectric, band mounting	Nylon	Z87/Z87+					x	x					
100G	Gold Line, band mounting	Aluminum	Z87/Z87+	x	x	x	x							
110G	Gold Line, band mounting for reverse orientation	Aluminum	Z87/Z87+	x	x	x	x							
112G	Gold Line, band mounting	Aluminum	Z87/Z87+					x	x					
500	Gold Line, slot mounting	Aluminum	Z87/Z87+	x										
GL5	Dielectric	Nylon	Z87/Z87+									x		
GL5W	Dielectric with neoprene gasket	Nylon	Z87/Z87+									x		
SENTINEL1	Headgear	ABS	Z87/Z87+										x	
SENTINEL2	Headgear with chin protector	ABS	Z87/Z87+										x	
ADFB	Accessory blades and hardware	ABS	Z87/Z87+							x	x			



300BW Dielectric bracket



100G Gold Line bracket



Sentinel 2