

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

### Request for Quotation

SH-P

T

6611C018

RFQ NUMBER

PA	GE
	1

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

\*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

84062

FEIN 87-0661865

Managers

PLEASANT GROVE UT

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B FREIGHT TERMS 03/09/2011 BID OPENING DATE: 03/31/2011 BID <u>OPENING TIME</u> 01:30PM CAT NO LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT 0001 . EΑ 975-66 1 ROAD AND HIGHWAY EQUIPMENT RENTALS REQUEST FOR QUOTATION (RFQ) OPEN END CONTRACT THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE FOR LEASE OF EQUIPMENT FROM INDIVIDUALS AND ORGANIZATIONS FOR PURPOSES AND LOCATIONS TO BE DETERMINED BY THE DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS NOTE: SCHEDULE I-IS FOR EQUIPMENT WITHOUT DELIVERY AND WITHOUT AN OPERATOR. SCHEDULE II-IS FOR EQUIPMENT WITHOUT DELIVERY AND WITH RECEIVE AN OPERATOR. 2011 HER 25 AM IO: 10 TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO SHERI SLONE IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT VW Park -THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, VIA EMAIL AT SHERI.D.SLONEAWV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 03/21/2011 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 801-847-*3*200

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

### GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

SH-P

Ţ

6611C018

PAGE 2

BUYER 33
304-558-2402

\*228 ASPH 310 PLEA

HODER

\*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRIN	TED	TEF	MS OF SAL	E		SHIP VIA		FOB	FREIGHTTERMS
03/09/	2011						SAN CARACTER		
BID OPENING DATE		03/31/	2011			В	ID (	OPENING TIME 0	L:30PM
LINE	QUAN	NTITY	UOP	CAT NO	ITE	MINUMBER		UNITPRICE	AMOUNT
	RECEIV ISSUED HAS LA	BY TH	L BE E PUR	ANWER CHASI	ED BY NG DI <b>V</b>	FORMAL ISION A	ADDE FTE	ENDUM TO BE R THE DEADLINE	
	EXHIBI	T 10			RF	QUISITI	n Ni Ji	NO •	of the second of
		į				QUISTII:	014 1	YU.:	
	ADDEND	UM ACK	NOWLE	DGEME	<b>1</b> T				
	ADDEND	UM(S)	AND H	AVE MA	ADE TH	OF THE E NECESS ECIFICA	SARIY	LOWING CHECKED REVISIONS TO	
	ADDENDI	סא שר.	's:						
	NO. 1	• • • • • • • • • • • • • • • • • • • •							
	NO. 2 .		••						
,	NO. 3 .								
·	NO. 4 .								
	NO. 5 .	• • • • • •	.						
	I UNDER THE ADD	STAND ENDUM	THAT (S) MA	FAILU Y BE	RE TO CAUSE	CONFIRM FOR REJ	1 TH	E RECEIPT OF ION OF BIDS.	
	REPRESE DRAL DI AND ANY (NFORMA	NTATIO SCUSSI STATE	ON MAI ON HE PERS	DE OR LD BE SONNEL D IN W	ASSUME TWEEN IS NO RITING	'VENDOR IDNIB TC AND AD	MA S R NG.	DE DURING ANY EPRESENTATIVES ONLY THE	
				SEE REVE	RSE SIDE F	OR TERMS AND	COMP	ITIONS	
SAMU U	leston					ITELEPHONE		DATE	
TKE -no			87- 0	11.1 15	· · · · · · · · · · · · · · · · · · ·		- 87	· · · · · · · · · · · · · · · · · · ·	3-22-11
// ///////////////////////////////////	AGEA NEESPO	NDING TO	0 1 C	)66 18(	DO NAME AT	VID ADDDE	00 11	ADDRESS CHANGES	IO BE NOTED ABOVE
*****		TENTO I	o ma,	HADEU I	INAINE A	NO ADDRE	22 IV	SPACE ABOVE LABELEI	D 'VENDOR'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

SH-P

T O

6611C018

BUYER 33

304-558-2402

888-947-7378 \*228144554 ASPHALT ZIPPER INC 310 WEST 700 SOUTH PLEASANT GROVE UT

DATE PRINT	ED	TEF	MS OF SAL	E	SHIP VI	4		FOB		FREIGHT TERMS
03/09/	2011									
BID OPENING DATE:	***************************************	03/31/	2011			BID (	<u>OPENINO</u>	<u> TIME</u>	01;	30PM '
LINE	QU	ANTITY	UOP	CAT. NO	ITEM NUM	BER	U	NITPRICE		AMOUNT
,				•	Jan asp	halt.	OLST GNATURE LYGOL MPANY	1/ac.	•••	
	WITH	THE BIL		UM AC	KNOWLEDGEI	DA		E SUBMIT	TED	
	EXHIE	OF CONT	RACT:		IS CONTRA					
	YEAR NECES ORIGI NOT E TIME' REAS	OR UNTI	L SUC D OBTA NTRACT WELVE NDOR GIVIN	H "RE IN A . TH (12) MAY T	FOR A PE ASONABLE NEW CONTR E "REASON MONTHS. ERMINATE DIRECTOR	TIME" T ACT OR ABLE TI DURING THIS CO	HEREAF RENEW ME" PE THIS NTRACT	TER AS I THE RIOD SHA "REASONA FOR AN)	LL BLE	
	IN TH PRICE CONTE	HIS CONTING SET	TRACT HERE I	DOCUM N ARE	IONS ARE ENT, THE FIRM FOR MAY BE R	TERMS, THE LI	CONDIT FE OF	IONS ANI THE		
SIGNATURE AM	1 20 /2	Destor		I SEE RE	VERSE SIDE FOR T	TELEPHONE O		320 d	DATE	3-22-1)
TITELS	nno	1	FEIN 8	1-06	61865					TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25205 0460 Charleston, WV 25305-0130

ō

6611C018

AD	DRESS CORRESPONDENCE TO ATTENTION OF
BUYER	··-
304-59	58-2402

\*228144554 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

888-947-7378

PLEASANT GROVE UT 84062

DATE PRIN		TER	MS OF SAL	Æ	SHIP VIA	F.(	0.B	FREIGHTTERMS
03/09/ BID OPENING DATE						222		
BID OPENING DATE	: Parantananan	<u>03/31/</u>	2011	(Marine and Constant	BID	OPENING	TIME 0	1:30PM
LINE	QUAN	ITITY	UOP	CAT. NO	ITEM NUMBER	UNFI	TPRICE	AMOUNT
	1 1111111111111111111111111111111111111	9901 0000 <u>000</u> 0 0000 000	2000 1000 1000 1000					
	WRITTE	N CONS	ENT O	C THE	CDENDING HUIT A		_	
	SURMIT	TED TO	TUE	T INE	SPENDING UNIT A	ND VENDO	IR,	ļ.
	DAVS PI	ינו עם: ד פחזם	U THE	DIKEC	TOR OF PURCHASIN RATION DATE. SU			·
	BE TN	VCCUDD VIOK	ANCE :	EVLT	RAITUN DAIE. SU	CH RENEW	AL SHALL	
	ORIGIN	AL COND	TDACT	V N D	THE TERMS AND CO	NDILIONS	OF THE	
•	(1) YE	AR PER	TODE	AND	SHALL BE LIMITED	IO IWO	(2) ONE	
		, , , , , ,	1003.			•		
	CANCEL	ATTON	· THE	DIPE	CTOR OF PURCHASI	NO DECED	W=0	
	RIGHT	TO CAN	CEL T	D 1 O C	ONTRACT IMMEDIAT	NG RESER	VES THE	
	NOTICE	TO TH	E VENI	DUD I	F THE COMMODITIE	ELY UPUN	MRILLEN	<b>.</b>
•	SUPPLIF	D ARE	UE VI	N TNE	ERIOR QUALITY OR	S AND/UK	SERVICES	
	TO THE	SPECI	FICAT	TONS	OF THE BID AND C	IUN UU	CONFORM	
			10,41	10113	OF THE BID AND C	DNIRACI	HEKEIN.	
	OPEN MA	ARKET	CLAUS	=: ТН	E DIRECTOR OF PU	PCUACTNO	MAY	
	AUTHOR	ZE A	SPEND	ING U	NIT TO PURCHASE	UN THE U	PAY .	
	MARKET,	WITH	DUT TH	HE FI	LING OF A REQUIS	IN INC U	COST	
	ESTIMAT	E, IT	EMS SE	PECIF	IED ON THIS CONT	TITON OK	C021	
	IMMEDIA	TE DE	IVER	YIN	EMERGENCIES DUE	TO HAROD	ECEEN	i
	CAUSES	(INCL	JDING	BUT	NOT LIMITED TO D	IO UNFUR Ilave ta	TDANC	
į	PORTATI	ON OR	AN UN	TTNAN	CIPATED INCREASE	TN THE	IKANS-	
	OF WORK	(.)	· · · · · · · · · · · · · · · · · · ·		THE THEREASE	TH THE	VOLUME	ļ
						•	•	· [
ì	QUANTIT	TES: 0	DUANT	ITIES	LISTED IN THE R	OUTSTITE	ÁN ADE	
	APPROXI	MATION	IS ONL	Y . B	ASED ON ESTIMATES	- GOTOTIT	UN AKE	
	THE STA	TE SPE	NDING	ÚNI	T. IT IS UNDERS	1000 VND	VCDEED En bi	·
-	THAT TH	E CONT	RACT	SHALL	COVER THE QUAN	TITIES A	AGKEE <i>u</i> Ctualiv	
	ORDERED	FOR	DELIVE	RY D	JRING THE TERM OF	THE COL	CIUALLI Ntdact	
	WHETHER	MORE	OR LE	SS T	AN THE QUANTITIE	S SHUMN	HIKACI,	
		ŀ			Z - Z - Z - Z - Z - Z - Z - Z - Z - Z -	. C CHOWK	•	
ļ.	ORDERIN	G PRO	EDURE	: SPE	NDING UNIT(S) S	ALL TSS	UF A	
Д	MKTITEN	STATE	CONT	RACTI	ORDER (FORM NUME	RED WV-30	D) TO	
	IHE AFM	DOK FC	ik Coll	TILDOMI	TIES COVERED BY h	HIS CON.	TDACT	
1	THF AKT	GINAL	COPY	OF TH	IE WV-39 SHALL RE	MATIED	TO THE	
ין	<b>VENDOK</b>	AS AUT	HORIZ	ATION	l FOR SHIPMENT. A	SECOND	CUBA	
ļr.	TAILED	IU INE	PURC	HASIN	IG DIVISION. AND	A THIRD	COPY	·
[F	RETAINE	D BY T	HE SP	ENDIN	IG UNIT.		· ·	
		Sec. 10.000	*******					
IGNATURE	(1) - L	<u>~</u>		OFF HEVI	FISE SIDE FOR TERMS AND CONI			
IGNATURE AMUS (	Nesto		····		TELEPHONE 1-8	347-320	O DATE 3	3-22-11
U2C // I	age)	FEIN	877-	0661	865			TO BE NOTED ABOVE
		NDING TO	O ŘFQ. I	INSERT	NAME AND ADDRESS IN	I SPACE AD	OVELABELE	D 'VENDOD'
			,		/ /	A OI VOE VD	~ VE LADELE	D AEINDOR.



**\*228144554** 

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston WV 25205 0420 Charleston, WV 25305-0130

888-947-7378

BUYER 33

304-558-2402

8 H P Ť

PLEASANT GROVE UT

ASPHALT ZIPPER INC

310 WEST 700 SOUTH

DATE PRINT	ED	TER	MS OF SAL	E	SHI	VIA		FOB		FREIGHTTERMS
03/09/	2011					r				
BID OPENING DATE:		03/31/	2011			BID	OPEN	ING TIME	01	:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	1TEM N	UMBER		UNITPRICE		AMOUNT
				1,10						
						!	1			
			ll			UENDOD (0	LONT D	ACTOD ET	LEC	
						VENDOR/C			LES	
	FOR BA	ANKRUPI	CY PR	UIECI	IUN, IHE	STATE MERMINATE	CHUN NA 1 T	L CUNTOVO	·T	
		AC! NUL JT FURT			, AND 10	RITINATE	3001	CONTRAC	• •	
	MILHOU	JI FUKI	HER U	KDEK.						
	THE TE	EDMS AN	ם כטא	חודום	NS CONTA	INED IN	THIS	CONTRAC	T	
	SHALL	SUPFRS	FDF A	NY AN	D ALL SI	BSEQUENT	TER	RMS AND		
	CONDI	TIONS W	HICH	MAY A	PPEAR ON	ANY ATT	ГАСНЕ	D PRINTE	מ	
	DOCUME	ENTS SU	CH AS	PRIC	E LISTS,	ORDER F	ORMS	S, SALES		
	AGREE	MENTS O	R MAI	NTENA	NCE AGRE	EMENTS,	INCL	LUDING AN	ĮΥ	
	ELECTI	RONIC M	EDIUM	SUCH	AS CD-F	ROM.	1			
	REV. (	05/26/2	009				1			
				00507	ANGE	CHE CTATE	- 05	MECT VIE	CTNT/	
	PURCHA	ASING C	ARD A	CCEPT	ANUE:	THE STATE		MESI ATE	MHIU	
						SUCCESS			MILLO	
						VIRGINIA			ASING	,
						S PLACED				
					OF AWAR				_	
	AGLIC	. 40 4	CONDI	2011			1			
ļ										
1										
	EXHIB	IT 4								
	LOCAL	GOVERN	MENT	BODIE	S: UN	LESS THE	VEN	DOR INDI	CATES	
ľ	IN TH	E BID H	IS RE	FUSAL	. TO EXT	END THE	PRIC	ES, TERMS	S ,	
	AND C	ONDITIO	NS OF	THE	BID TO	COUNTY, S	SCHO	DL, MUNI	CIPAL	
,	AND O	THER LO	DCAL G	OVERN	MENT BO	DIES, THE	E BI	D SHALL I	EXIEN.	<b>لا</b>
	1	LITICAL	SUBI	IVIS	UNS UF	THE STATE	L Ur	ME21	THE	
	VIRGI					NOT WISE			IUE	
	PRICE	S, IERP	ID, AN	ID LUN	INTITUDE	OF THE D	LITE A	VENDUD WI	HST	
	LOLI	TOAL SU	ICVIE NDNTA1	GIIUD PETONS	DEEHGVI	IN HIS	BID	SUCH R		
	CLEAR	L THD	CATE	1					_,	
	•			SEERE	VERSE SIDE FO	R TERMS AND CO	ONDITIO	NS	<b>1</b>	
SIGNATURE						TELEPHONE			DATE	
TITLE		ļr	EIN					ADDRESS	CHANGE	S TO BE NOTED ABOVE
										ED 'VENDOD'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

### Request for Quotation

SHIP TO

66110018

ΡΔε	GEWWW
A CONTRACTOR	
	6

BUYER 33
304-558-2402

HODNE -

\*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

03/09/	<u>ungagananangananan</u> .	TER	MS OF SAL	E	SHIF	VIA	F.O.B.	FREIGHTTERMS
BID OPENING DATE		03/31/	2011			BID	OPENING TIME	01:30PM
LINE	QUAN	NTITY	UOP	CAT NO	ITEM N		UNIT PRICE	AMOUNT
`	SHALL MANNER REV. 3	•	EJUDI	CE TH	E AWARD	OF THIS	CONTRACT IN AN	IY
	A SIGN	ED BID	MUST	NOT BE S	ICE UBMITTED	то:		
•	PI BI 21	URCHAS UILDIN	ING D G 15 SHING	IVISI	INISTRAT ON TREET, E,	AST		
	THE BIT THE ENV	/ELOPE	LD CON	TAIN IE BII	THIS INF D MAY NOT	CORMATIO BE CON	N ON THE FACE SIDERED:	OF
	BUYER: RFQ. NO BID OPE			66]	ERI SLONE 11C018 '31/2011	FILE	33	
	BID OPE		-		0 PM	CASE IT	IS NECESSARY	
IGNATURE A MO CO	10	L.,		SEE REVE	RSE SIDE FOR T	ERMS AND CON	DITIONS	
The Man	<del></del>	P) FEIN		0.1.1	10/ -	80	1.091-3200	ATE 3-22-11
$\omega \omega \omega + \omega \omega \omega$	ager		$X^{t}$	- 064 NOCOT	1865	ADDDD	ADDRESS CHAN	GES TO BE NOTED ABOVE
4 A 1 J C	INTESFU	NDING I	U KFQ, I	NZEKI	NAME AND	ADDRESS I	N SPACE ABOVE LAB	ELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

8 H P

Ţ

\*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRIN	y-1	TER	MS OF SAL	E		SHIP VIA			F.(	) B			GHT TERMS
03/09/ BID OPENING DATE:		3/31/	2011				BID	OPEN	ING	TIME	01	:30PM	
LINE	QUAN		UOP	CAT. NO:	П	rem NUMB	EA		UNIT	PRICE			AMOUNT
					_				31001400446		500000000000000000000000000000000000000	200300000000000000000000000000000000000	<u> </u>
	TO CONT	TACT Y	OU RE	GARDI	NG YD	UR BI	D:					1	
	-		801	- 84	7-3	3250							
								1				i	-
	CONTACT	F PERS	ON (P	LEASE	PRIN	T CLE	ARLY):						
		uT.	UE_	Me	STOI	J							
•													
											•		
	*****	THIC	TOT	HE EV	n OF	RFO	66110	018	***	€ <b>*</b> * T	OTAL:		
	****	(1113				4							
											•		
												ŀ	
									•				
											,		-
	i												
													•
			<b> </b> .						•				
	43345345555			0000	ENEBSE SI	DE EOD TE	RMS AND C	ONDITIO	NS				
SIGNATURE				ಿಂದಲ್ಲಿ	EARLINGE: 01		TELEPHONE				DATE	<u> </u>	
TITLE			FEIN						ΑC	DRESS	CHANGE	S TO BE N	OTED ABOVE
	UEN DESD	CNIDING	TO DE	O INCE	DT NAM	E AND	ADDDESS	S INI S					

The following sections of the West Virginia Divisions of Highways Standard Specifications Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications shall apply to the administration of this contract: Sections 101; 102.4; 102.5; 102.6, except the second sentence of the first paragraph is deleted; 102.7, except numerals IV and V are deleted; 102.12; 102.13; 107; 108.8; 108.9; 109; 110; and all other related sections of the Specifications.

The terms "Contractor", "Vendor" and "Equipment Owner" used in the above specifications and throughout this contract are interchangeable. Contractor shall mean Vendor and Equipment Owner, Vendor shall mean Contractor and Equipment Owner and Equipment Owner shall mean Contractor and Vendor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010, and the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Building 5, Room 722 1900 Kanawha Boulevard, East Charleston, WV 25305-0430 Phone 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

### **BIDDING INSTRUCTIONS**

The WV Department of Transportation, Division of Highways (WVDOH) is issuing this Request for Quotation to provide equipment for lease from individuals and organizations for purposes and locations to be determined by the WVDOH. Vendors may quote the cost the cost to supply any or all of the equipment listed on the attached Bid Schedules.

Vendors shall not qualify bids. Any qualification of bids or any modification of the specifications or conditions governing the bids will be cause to reject bids.

Vendors are requested to type prices on bid schedule sheets. Bid schedules <u>must not</u> be altered. If bid schedules are altered in any way, the bid will be disqualified.

For a quotation to be considered valid, the owner should provide the manufacturer's name and model number of the equipment offered for lease and the rental rate in dollars per day, dollars per week and dollars per month. Also, equipment owners shall quote the cost to deliver leased equipment to the location specified by the WVDOH. This quotation shall be the cost to deliver the

equipment the first road mile and the cost to deliver the equipment each additional road mile thereafter.

In-state delivery route mileage will be calculated by the WVDOH from the equipment owner's location of the equipment to the WVDOH job site by utilizing the WVDOH Straight Line Diagrams. These Diagrams for WV Primary Routes and WV Secondary Routes are available in each WVDOH District office and the WVDOH Central Office. The WVDOH will determine the route to be taken due to bridge and/or road restrictions.

Out-of-state delivery route mileage will be calculated by the WVDOH utilizing "Mapquest" or a similar source for routing from the equipment owner's location of the equipment to the WV State line at which time, the Straight Line Diagrams will be sourced to the WVDOH job site.

The quoted rates for leased equipment, with operator or without operator (i.e., \$/day, \$/week and \$/month), shall be for lease days, lease weeks and lease months as defined under the heading "DEFINITION OF LEASE PERIOD". Quotations which do not conform to all requirements of this specification will not be honored.

### LEASING INSTRUCTIONS

The WVDOH District wishing to lease a specific type of equipment will compute, for each applicable bid, the cost of renting the equipment during the estimated lease period plus the cost of delivering the equipment to the job site and award the Agency Release for lease equipment to the equipment owner who can furnish the equipment to the WVDOH at the least overall cost.

Example: Rental of an Aerial Bucket Truck for 3 days (with or without Operator) at \$100.00/day with 10 mile delivery at \$1.00/1st mile and \$.50/each additional mile:

To calculate: \$100.00/per day x 3 days = \$300.00 for rental of the equipment only + \$1.00/1st mile + \$4.50/add'l 9 miles = \$305.50 total rental for three days.

Equipment owners shall furnish the WVDOH, the serial numbers of all equipment being leased. Said serial numbers shall be recorded on the Agency Release

### **DEFINITION OF LEASE PERIOD**

The date of official receipt of leased equipment by the WVDOH shall be considered the first day of lease.

The date immediately preceding the date on which leased equipment is officially returned to the owner shall be considered the last day of lease.

(10) days following termination of lease, whichever is appropriate. The equipment owner may obtain this information sooner by calling the WVDOH District that is leasing the equipment.

NOTE 2: The period of need for leased equipment as specified in the Agency Release is only an estimate of need and shall not be used for invoicing purposes.

### LEASE AGREEMENT

The WVDOH, through the Purchasing Division of the Department of Administration, hereby requests a proposal for the lease of certain highway equipment. Such equipment will be required for the completion of maintenance or construction projects or any other such condition as may result in equipment needs beyond fleet capacity. A twenty-four (24) hour notice will be given to all Vendors prior to the need of equipment by the WVDOH District Engineer or his representative except when emergency situations require need upon demand.

Quotations may be submitted by vendor on any, or all, type and size equipment listed on Schedules I and II, attached hereto and made a part hereof. Vendors should display manufacturer's name(s), model number(s) and serial number(s) of those vehicles being bid. Quotations are requested "without operator" unless quotations are specifically requested "with operator" see Schedule II.

Quotations for mobilization shall be by the mile. Submission of mobilization quotes in any form other than mileage shall be grounds to disqualify the quotation. Delivery/Mobilization fees shall be paid one way only, by the WVDOH.

Award for equipment lease will be made, from time to time, as the need arises. Proximity of equipment as to job site shall be a factor in determination of each award. It is understood between the WVDOH and all Vendors whose bids are accepted that, in the event the low bidder for any given job location is unable to perform; the award will be made to the next lowest bidder. In the event that no bidder can be found to perform his duties and obligations under the contract, then the WVDOH, upon authorization of the Director of Purchasing, may lease said equipment on the open market.

PAYMENT: The WVDOH District that is leasing the equipment shall furnish a written order known as an Agency Release to the proper Vendor for such equipment as needed. This order shall constitute confirmation to the Vendor and shall reveal all pertinent data such as model year, model number and serial number of such equipment being furnished.

### **LABOR RATES**

All labor rates paid by the Vendor under this contract must be in compliance with, The West Virginia State Code Chapter 21, Article 5A: Wages for Construction of Public Improvements.

### THIS REQUEST FOR QUOTATION, GENERAL TERMS AND SCHEDULES I AND II FORM THE QUOTATION AND CONSTITUTE ONE INSTRUMENT THAT MUST BE READ IN ITS ENTIRETY.

### **GENERAL TERMS**

### DEFINITION OF "LEASE" AND DESIGNATION OF PARTIES

"Lease" shall mean an agreement wherein the WVDOH leases the equipment set forth and described in Schedule I, attached to and made a part hereof, for periods of time not to exceed ninety (90) days unless otherwise clearly specified in the Agency Release, which said Agency Release shall define the period of time of any particular lease of equipment.

### II DELIVERY/MOBILIZATION

Any Vendor whose bid is accepted by the WVDOH shall deliver such equipment requested by the WVDOH at any given time, assembled and ready to operate, to any location or locations designated by WVDOH.

### III ACCEPTANCE: BEGINNING OF TERM

Upon delivery of each item of equipment by the Vendor to the location described in the individual Agency Release, the WVDOH shall have an authorized representative to test and inspect the same and, if such item of equipment is found to be in good order, to accept such item of equipment and to acknowledge the same in whatever form reasonably required by the Vendor. Such item of equipment shall be deemed to have been delivered to and accepted by the WVDOH on the date specified in such acknowledgment and the term of the agreement covering such item of equipment shall be deemed to begin on that date.

### IV PAYMENT IN ARREARS

The WVDOH is prohibited by Law from paying in advance for equipment, commodities or services. Therefore, all monthly payments made pursuant to a lease agreement shall be made in arrears, for the preceding month.

### ٧

### MAINTENANCE OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED BY THE WV DIVISION OF HIGHWAYS

- V1. The WVDOH shall repair or replace any part of the leased equipment which shall be destroyed, damaged or made inoperative by reason of the ordinary negligence, abuse or improper operation by its personnel. The WVDOH shall not be responsible for any such replacement or repair caused by any defect existing in such equipment at the time of delivery of such equipment by the Vendor to the WVDOH or if the need for such replacement or repair resulted from normal usage. The WVDOH shall replace or repair any part of said equipment which shall become lost, stolen or damaged by reason of the failure of the WVDOH and its personnel to use ordinary care for the protection of such equipment.
- V2. Down Time: All such equipment inoperable by reason of the necessity of replacement of parts or repair of damage for a period of time greater than four (4) hours shall be considered by the WVDOH as "down" and no payment shall be made by the WVDOH for the use of such equipment for such periods unless such "down time" is due to the negligence or lack of reasonable care by the WVDOH.

### VI FUEL, OIL AND OTHER LUBRICANTS

The WVDOH shall, at its expense, provide <u>only</u> fuel, oil and other lubricants (which are necessary for the operation, maintenance and use) of the equipment leased <u>without</u> the vendor's operators. Equipment leased with the vendor's operators shall have fuel, oil and other lubricants supplied by the vendor. Vendors shall be responsible for performance of regular, routine, preventive maintenance, according to Manufacturer recommendations of equipment and parts/supplies associated with regular, routine, preventive maintenance activities.

### VII RISK OF LOSS, DAMAGE OR THEFT WHERE OPERATORS OF EQUIPMENT ARE FURNISHED BY THE WV DIVISION OF HIGHWAYS

All loss, damage, or destruction of such leased equipment, partial or complete, or loss by reason of theft, to or of any of the subject equipment, while in the possession or under the control of the WVDOH, due to or caused by the ordinary negligence of the WVDOH or its personnel or by the failure of the WVDOH or its personnel to exercise ordinary care for the protection of such equipment, shall be borne by the WVDOH from and after the delivery of such equipment by the Vendor to a location designated by the WVDOH and its acceptance by the WVDOH, subject however, to the terms and conditions hereinafter set forth. The WDOH shall not be responsible for any such loss, damage or destruction, partial or complete, caused by a defect in such equipment existing at the time of delivery thereof by Vendor to the WVDOH.

The total or partial loss of use or possession of any of said equipment resulting, as herein above set forth, shall not abate any payments required to be made by the WVDOH to the Vendor if such loss of use or possession is caused by the ordinary negligence or the lack of ordinary care of such equipment by the WVDOH or its personnel.

The subject equipment shall be deemed to be a total loss by reason of its disappearance or if it has sustained physical damage and the estimated cost of repairs is determined, as hereinafter provided, to exceed seventy-five percent (75%) of the market value of such equipment. If a claim is made by the Vendor against the WVDOH for the loss or damage to such equipment, the Commissioner of the West Virginia Division of Highways shall, pursuant to the provisions of Section 4, Article 3, Chapter 17 of the Code of West Virginia 1931, as amended, review such claim and if, after such review, the said Commissioner shall determine that a sum of money is due the Vendor as a result of any such claim shall, if such determination or finding is acceptable to the Vendor, issue a requisition to the Auditor of the State of West Virginia for the payment of such agreed sum to the Vendor.

Nothing herein contained shall prevent the Vendor from proceeding in the West Virginia Court of Claims as to any claim he, she or it may have against the WVDOH for such loss, damage or destruction.

In the event that, prior to the payment of any claim to the Vendor by the WVDOH, the Vendor shall receive any sum of money from any insurance company or from any person, firm or corporation by reason of such loss, damage or theft, any such sum of money so paid to Vendor shall be deducted by the WVDOH from any claim to be paid by it to the Vendor. If the Vendor shall receive any sum of money from any insurance company, person, firm or corporation for such loss, damage or theft, subsequent to the payment to the Vendor by the WVDOH of a sum of money for a claim for such loss or damage the Vendor will pay to the WVDOH the amount so received or such part of said amount that equals the amount WVDOH has paid to said Vendor.

### VIII MAINTENANCE AND RISK OF LOSS, DAMAGE OR THEFT OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED WITH EQUIPMENT BY VENDOR

In the event operators are furnished by the Vendor to operate such equipment leased to the WVDOH, the Vendor shall be responsible for maintenance of such equipment, for all loss to such equipment or destruction of or damage thereto, and shall repair all damage to such equipment and replace any such equipment lost or destroyed. The WVDOH may deduct that part of any rental to be paid to Vendor for the use of such equipment for such period of time the equipment is not available for such use during the time of such repair or replacement due to such damage or loss or during the time involved in the replacement of any piece of equipment.

The WVDOH shall be responsible for any loss of such equipment or any part thereof during the time that such equipment is not in use or is not required to be attended by Vendor's operators provided, however, that such equipment is delivered by the Vendor through its operators to a place designated by the WVDOH's employees or agents, in which case the WVDOH shall be responsible for the security of such equipment, and, provided further, however, that the WVDOH's responsibility or liability for such security will be limited to ordinary care.

Such operators so furnished by the Vendor, while under the direction of the WVDOH, shall remain the employees of and under the control of the Vendor, and shall not be considered as agents of the WVDOH.

### IX LIENS

The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge, encumbrance or claim on or with respect to the subject equipment, except with respect to the respective rights of the Vendor and the WVDOH as herein provided.

### X ENJOYMENT OF EQUIPMENT

The Vendor covenants to provide the WVDOH during the term of the applicable agreement with quiet use and enjoyment of the subject equipment, and the WVDOH shall, during the term peaceably and quietly have, hold, and enjoy the subject equipment, without suit, trouble or hindrance from the Vendor, except as expressly set forth in this agreement. Any assignee of the Vendor shall not interfere with such quiet use and enjoyment during the term of the agreement so long as the WVDOH is not in default.

### XI INSPECTION OF EQUIPMENT

To the extent that the WVDOH has the authority to grant or permit, the Vendor shall have the right, during work hours, to enter upon the premises where the subject equipment is located for the purpose of inspecting or observing the use of the leased equipment.

### XII RETURN OF EQUIPMENT

Upon the expiration of the term of this agreement, the WVDOH shall return the equipment leased hereunder, at its expense, to the Vendor at the original location at which such equipment was delivered to the WVDOH. Equipment must be washed and clean, upon return to the vendor.

### XIII DAMAGE BEYOND CONTROL OF LESSEE

The WVDOH shall not be liable for damage to or loss of any leased equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the WVDOH's control.

### XIV DEFAULT

Upon default of any of the provisions or terms of this Agreement by either the WVDOH or the Vendor, the parties hereto shall have recourse to the remedies provided by the laws of the State of West Virginia and the United States of America.

### XV INSURANCE

The WVDOH is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, i.e., over thirty (30) consecutive days equipment lease. Insurance coverage for short term rental/lease equipment will be the responsibility of the owner/Vendor. The WVDOH will, at its option, either replace or pay to Vendor the fair market value of any of the subject equipment or any part thereof, lost, destroyed or stolen by reason of the negligence of or lack of ordinary care on the part of its employees as herein-before provided in Section VII.

### XVI INDEMNITY

Article X, Section 6 of the Constitution of the State of West Virginia provides that "...the credit of the State shall not be granted nor shall the State ever assume or become responsible for the debts or liabilities of any person." As a result, the WVDOH, as Lessee, will assume only those liabilities permitted by law for all obligations, losses, damages, injuries, claims, demands, penalties, actions, costs and expenses of whatsoever kind and nature, without recourse to Vendor, or its assigns, arising out of the manufacture, use, condition, operation, removal and return of the subject equipment, regardless of where, how and by whom operated.

### XVII NOTICES

All notices to be given under the terms of this Agreement, or required by the laws governing the same, shall be in writing and mailed to the proper party or parties at his, her or its address set forth in the Agency Release or at such address as any such party or parties may provide in writing to the other party or parties from time to time.

### XVIII SUCCESSORS OR ASSIGNS

The terms of this agreement will apply to all lessees, successors or assigns of the parties hereto.

Note: Vendor should type Bid Schedule.

All contracts on Schedule II which requires equipment "with operator" Vendors should submit a copy of WV Contractor's License.

Vendor shall indicate that area which he wishes to lease equipment to the WVDOH by placing a check beside those Counties in said area. If Vendor fails to state which County or Counties he wishes to lease equipment to the WVDOH, it will be assumed that Vendor's bid is for statewide.

( )	Statewide				
()	Barbour	( )	Lincoln	( )	Ritchie
()	Berkeley	( )	Logan	( )	Roane
()	Boone	( )	McDowell	( )	Summers
( )	Braxton	( )	Marion	( )	Taylor
()	Brooke	( )	Marshall	( )	Tucker
()	Cabell	( )	Mason	( )	Tyler
( )	Calhoun	( )	Mercer	( )	Upshur
()	Clay	( )	Mineral	( )	Wayne
()	Doddridge	( )	Mingo	( )	Webster
()	Fayette	( )	Monongalia	( )	Wetzel
( )	Gilmer	( )	Monroe	( )	Wirt
()	Grant	( )	Morgan	( )	Wood
()	Greenbrier	( )	Nicholas	( )	Wyoming
()	Hampshire	( )	Ohio		, ,
( )	Hancock	( )	Pendleton		
()	Hardy	( )	Pleasants		
( )	Harrison	( )	Pocahontas		
()	Jackson	( )	Preston		
( )	Jefferson	( )	Putnam		
()	Kanawha	( )	Raleigh		
( )	Lewis	( )	Randolph		

The "Bid Schedule" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

### .

Schedule I

Vendor Should Type Bid Schedule

AERIAL BUCKET TRUCK Highway Rated TRK. MTD Sor Reach Min. 367 Reduces Boom Rotation @ level position AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 40 Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55 Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55 Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 55 Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Elliot Model L55 or similar AERIAL PLATFORM TRUCK Elliot Model L55 or similar ARROW BOARDS ASPHALT HOT BOX ASPHALT RECYLING ATTACHMENT The Mid wispray bar ASPHALT HOT BOX ASPHALT HOT BOX ASPHALT HOT BOX ASPHALT RECYLING ATTACHMENT The Well wispray bar ASPHALT HOT BOX ASPHALT RECYLING ATTACHMENT ASPHALT ASPHALT ASPHALT ASPHALT RECYLING ATTACHMENT ASPHALT		Equipm	Equipment Offered	Rental Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equi Delive	Equipment Delivery Fee
Asphalt  Asphalt  Asphalt  Asphalt  Asphalt  Asphalt  An  Approve	-				Operato	٦٢		
Asphalt Asphalt Apphalt Anin, Zuper Approx Anin, Az 500B Az 500B Age Adup Az 500B Age Adup	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day		\$ / Month	1st Mile	Add. Mi.
Asphalt Asphalt Aphalt Aphalt Aphalt Aphalt Apple2 Approx	AERIAL BUCKET TRUCK							
60 degrees  Asphalt Asphalt Apphalt Ap	Highway Rated TRK. MTD	,						
Asphalt Asphalt Asphalt Az 500B Az 500B Ago attacked # Ago attacked #	50' Reach Min. 43.5' Radious 360 degrees							
Asphalt Asphalt Apphalt Apphal	Boom Rotation @ level position						eç+	
Asphalt IMENT Apphalt	AERIAL PLATFORM TRUCK						,	
Asphalt IMENT Appart Ap	Highway Rated TRK. MTD							
Asphalt Asphalt Aphalt Aphalt Apple	40' Reach Min. 360 degrees							
Asphalt Asphalt Apphalt AzsooB Asport Ading Approx	Boom Rotation @ level position							
Asphalt Asphalt  Asphalt  Applicat	AERIAL PLATFORM TRUCK							
Asphalt Asphalt hhalt hp min.  ZupeR  dup  Az 500B  become a factored #	Highway Rated TRK. MTD							
Asphalt Asphalt Approx	55' Reach Min. 360 degrees							
Asphalt Asphalt hp min.  ZuppeR  dup  Az 500B  Dec.  Az 500B	Boom Rotation @ level position							
Asphalt hp min.  21006.03500.00 dup	AERIAL PLATFORM TRUCK							
Asphalt Asphalt phalt hp min. ZlopeR dup  Age Offtock #	Elliott Model G50 or similar							
Asphalt Asphalt hip min.  Zuper dup  Asphalt Azsoub 1060, 3500, 35	AERIAL PLATFORM TRUCK							
Asphalt  Ment  Hophalt  Hophalt  Hophalt  Az 500B  Moso 3500 of the Min.	Elliott Model L55 or similar							
Asphalt Asphalt  hp min.  ZippeR  App Outborked #	AIR TRACK DRILL	-						
Asphalt  Asphalt  Asphalt  Apphalt  App	w/800 CFM Air Comp.							
Asphalt  MENT  HSphalt  Hp min.  ZVDER  AZ500B  1060.0 3500.00  d up	ARROW BOARDS							
Asphalt  MENT  Phalt  Phalt  Phalt  Phalt  AZ500B  A2500°  Aup  A2500°  A42500B  A42500B  A42500B  A42500B  A42500B  A42500B  A42500B  A42500B	4'x8'panel 15 lamp							
Asphalt  Asphalt  Asphalt  Apphalt  App	ASPHALT DISTRIBUTOR							
Asphalt  MENT  HSphalt  Hp min.  ZVDER  ALDORA  A DE OFTOCHED  A D	Trk. Mtd. w/spray bar							
Asphalt  MENT  ASphalt  AZ500B  Meco.  Az500B  Ag60.  Ag60	ASPHALT HOT BOX						٠	
phalt AZ500B \$ 1060.0 3500.00 hp min. Zupper2								
phalt HOPPOUL MEDIUS 1060, 350		7 7 -0	משבט בע	× <b>.</b> e	1			
oding Sippers  dup  A See Outbooked #		H5pnan1	71£300£	8 8 8 8	3280.°	0055), <sup>88</sup>		\$ 1 <del>5</del>
dn p		2 ipper	*****		•	}		•
-			4					
		The Cott	DUNGA A					

Schedule I

	Equipme	Equipment Offered	Rental I Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	nent / Fee
				Operator	_		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
AUGER							
Trk. Mtd.							
ВАСКНОЕ							
Crawler Mech./Hyd. 0.75 Cyd.							
24,000 lbs 28,000 lbs. Working Weight							
ВАСКНОЕ							
Crawler Mech./Hyd. 0.75 Cyd.							
29,000 lbs 35,800 lbs. Working Weight							
ВАСКНОЕ							
Crawler Mech./Hyd. 1.00 Cyd.						•	
36,000 lbs 40,000 lbs. Working Weight							i
ВАСКНОЕ							
Crawler Mech./Hyd. 1.25 Cyd.							
128 - 141 HP							
42,700 lbs 45,900 lbs. Working Weight							
BACKHOE (HY-RAM)		,					
Crawler 2,000 ft./lbs. min.							
24,400 lbs 35,800 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
36,000 lbs 42,900 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
43,000 lbs 60,000 lbs. Excavator Size							
HYRAM ATTCH ONLY							
2,000 ft./lbs. min							
ВАСКНОЕ							
Crawler with a thumb							
BACKHOE LOADER							
Rubber Tired 55-85 DHP							

Eauipment Description	Equipme	Equipment Offered	Rental Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment v Fee
				Operator	_		}
	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
BACKHOE LOADER (HY-RAM)							
Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM)							
Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact							
Rubber Tired 20-30 HP max. height - 83"							
BASE WIDENER SP							
(Shoulder Stone)							
BULLDOZER							
Crawler GD 65 -75 DHP D			-				
BULLDOZER							
Crawler GD 80 -90 DHP D							
BULLDOZER							
Crawler GD 100 -120 DHP D							
BULLDOZER							
Crawler GD 130 -140 DHP D							
BULLDOZER							
Crawler TC 150 - 250 EHP D							
BULLDOZER							
Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER							
Crawler/Winch TCP 181 - 250 EHP D							
						•	•
CHIP SPREADER SP							
COMPRESSOR							
125 - 160 CFM Portwhl.							
COMPRESSOR							
170 - 210 CFM Portwhl.							
COMPRESSOR							
250 - 300 CFM Portwhl.							

Schedule I

	Eauipme	Equipment Offered	Rental F	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment v Fee
				Operator	ř		,
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	*	\$ / Month	1st Mile	Add. Mi.
COMPRESSOR							
350 - 375 CFM Portwhl.							
COMPRESSOR							
600 CFM Portwhi.							
COMPRESSOR							
700 - 800 CFM Portwhl.							
CONCRETE MIXER							
Trk. Mtd. 6.0 Cyd.						·	
CONCRETE PUMP							
Trir. Mtd. w/Hoses w/o Boom							
CONCRETE SAW							
Full Depth CAP - 24" Blade							
CONCRETE VIBRATORY SCREED							
Air Powered - 36 ft. max.							
CONCRETE VIBRATOR							
Mech.							
CONCRETE VIBRATOR							
Air							
CONCRETE VIBRATOR							
Electric							
CONVEYER							
Port. Elev, W/Dumpster 2T min. @ 32							
deg. Incline - 18" width 60' length -							
PTO Gas or Diesel Engine Self-Elev.						٠. ا	
CRACK SEALING MACHINE							<u>.</u>
Trlr. Mtd. Dbl. Drum							
100 -125 GLN. D							
CRANE 10 T Hyd.							
1 0 0 0 miles							

Schedule i

		Equipment Offered	Withou	Without Delivery/Without	Without	Delivery Fee	elivery Fee
				Operator	۶ <b>۲</b>		•
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE 12 - 1/2 T Hyd.				:			
Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T							
Hyd. Rough Terrain							
CRANE 20 - 25 T							
Cable D Crawler							
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hvd.							
CRANE, TELEBOOM 30 - 35 T SP							
CRANE, TELEBOOM 30 - 35 T Trk. Mtd. D							
CRANE 35 T Hvd.							
COANE AS 4 Live							
CRANE 50 T Hyd.					·		
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank							
1400 PSI min.							
CULVERT CLEANER							
HOLIW HOLIW							

Schedule I

\$ / Month 1st Mile		Equipme	Equipment Offered	Rental I Withou	Rental Rate of Equipment Without Delivery/Without Operator	uipment Without	Equipment Delivery Fee	ment y Fee
DRILL     EXCAVATOR - TELEBOOM     EXCAVATOR - TELEBOOM     Track Mad SP 0.5 Cyd. D     EXCAVATOR - TELEBOOM     Track Mad SP 0.5 Cyd. D     EXCAVATOR - TELEBOOM     Truck Mad SP 0.5 Cyd. D     EXCAVATOR     EXCAVATOR     Winder SP 0.5 Cyd. D     EXCAVATOR     Winder SP 0.5 Cyd. D     EXCAVATOR     Winder SP 0.5 Cyd. D     EXCAVATOR     EXCAVATOR     EXCAVATOR     EXCAVATOR     EXCAVATOR     EXCAVATOR     SP 0.5 Cyd. D     SP	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add Mi.
Track Hoe Mtd.  EXCAVATOR - TELEBOOM  Track Mtd. SP 0.5 Cyd. D  EXCAVATOR - TELEBOOM  Track Mtd. SP 0.5 Cyd. D  EXCAVATOR - TELEBOOM  Track Mtd. SP 0.5 Cyd. D  EXCAVATOR  Withold and Rev Drill Model 18 or similar  EXCAVATOR  Withold and Rev Drill Model 27 or similar  EXCAVATOR  Withold and Rev Drill Model 25 or similar  EXCAVATOR  EXCAVATOR  Withold and Rev Drill Model 35 or similar  EXCAVATOR  EXCAVATOR  Withold and Rev Drill Model 35 or similar  EXCAVATOR  EXCAVATOR  Within-Hyd. Track Mtd. 2,600 lbs. max.  EXCAVATOR  EXCAVATOR  EXCAVATOR - 1/8 Cyd.  SO HP D Track Width 5 out-to-out  EXCAVATOR - 1/4 Cyd.  SO HP D Track Width 6 out-to-out  EXCAVATOR - 1/4 Cyd.  SO HP D Track Width 6 out-to-out  EXCAVATOR - 1/4 Cyd.  SO HP D Track Width 6 out-to-out  EXCAVATOR - 1/4 Cyd.  SO HP D Track Width 6 out-to-out  Track Width 6 out-to-out  Track Width 6 out- to-out  Track Midth 6 out- to-out  Track Midth 6 out- to-out  Track Mtdh 6 out- to-out	DRILL							
EXCANATOR - TELEBOOM Track Mid. Sp. Sc. Scyd. D EXCANATOR - TELEBOOM Track Mid. Sp. Cyd. D EXCANATOR  EXCANATOR Wildowillien extreme duty earth auger or similar EXCANATOR - 1/8 Cyd. 30 HP D Track Wildth 6' out-to-out EXCANATOR - 1/8 Cyd. 30 HP D Track Wildth 6' out-to-out EXCANATOR - 1/4 Cyd. 55 HP D 14,000 Is. Bucket Track Wildth 6' out-to-out EXCANATOR - 1/4 Cyd. Track Wildth 6' out-to-out Frack Wildth 6' out-to-out Track Wildth 6' out-to-out Track Wildth 6' out-to-out	Track Hoe Mtd.							
EXCAVATOR - TELEBOOM  Who while nextreme duty earth auger or similar  EXCAVATOR  Who while meat Rev Drill Model 18 or similar  EXCAVATOR  which and Rev Drill Model 27 or similar  EXCAVATOR  which and Rev Drill Model 35 or similar  EXCAVATOR  Which and Rev Drill Model 35 or similar  EXCAVATOR  Which and Rev Drill Model 35 or similar  EXCAVATOR  Which are the count of	EXCAVATOR - TELEBOOM							
EXCAVATOR - TELEBOOM Truck Mid. SP 0.5 Cyd. D EXCAVATOR Withdollian extreme duty earth auger or similar EXCAVATOR Withdollian extreme duty earth auger or similar EXCAVATOR Withorth and Rev Drill Model 27 or similar EXCAVATOR Withorth and Rev Drill Model 35 or similar EXCAVATOR Withorth and Rev Drill Model 35 or similar EXCAVATOR Withorth and Rev Drill Model 35 or similar EXCAVATOR Withorth and Rev Drill Model 35 or similar EXCAVATOR Mini-Hyd. Track Mid. 2,600 lbs. max. EXCAVATOR Mini-Hyd. Track Midth 6,500 lbs. max. EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 6' out-to-out EXCAVATOR - 1/6 Cyd. 44 HP D 11,000 lbs. Track Width 6' out-to-out EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket Track Width 6 out - to - out Track Width 6 out - to - out								
Truck Mid. SP 0.5 Cyd. D  EXCAVATOR  w/McMillen extreme duty earth auger or similar  EXCAVATOR  w/which and Rev Drill Model 18 or similar  EXCAVATOR  w/which and Rev Drill Model 35 or similar  EXCAVATOR  w/Lodri attachment or similar  EXCAVATOR  Wini-Hyd. Track Mid. 2,600 lbs. max.  EXCAVATOR - 1/8 Cyd.  SO HP D Track Width 6 out-to-out  EXCAVATOR - 1/8 Cyd. 44 HP D  11,000 lbs. Track Width 6 out-to-out  EXCAVATOR - 1/4 Cyd.  55 HP D 14,000 lbs. Bucket  Track Width 6 out - to - out  FLATBED TRUCK  1 min.	EXCAVATOR - TELEBOOM							
EXCAVATOR  w/McMillen extreme duty earth auger or similar  EXCAVATOR  w/winch and Rev Drill Model 18 or similar  EXCAVATOR  w/winch and Rev Drill Model 27 or similar  EXCAVATOR  w/winch and Rev Drill Model 35 or similar  EXCAVATOR  W/Lodri atachment or similar  EXCAVATOR  Mini-Hyd. Track Mtd. 2,600 lbs. max.  EXCAVATOR  Mini-Hyd. Track Mtd. 6,500 lbs. max.  EXCAVATOR  Mini-Hyd. Track Width 6 out-to-out  EXCAVATOR - 1/8 Cyd.  EXCAVATOR - 1/8 Cyd.  EXCAVATOR - 1/8 Cyd.  EXCAVATOR - 1/4 Cyd.  EXCAVATOR - 1/4 Cyd.  55 HP D 14,000 lbs. Bucket  FLATBED TRUCK  1 min.	Truck Mtd. SP 0.5 Cyd. D							
W/McMillen extreme duty earth auger or similar EXCAVATOR w/winch and Rev Drill Model 18 or similar EXCAVATOR w/winch and Rev Drill Model 27 or similar EXCAVATOR w/winch and Rev Drill Model 35 or similar EXCAVATOR w/Lodri attachment or similar EXCAVATOR Mini-Hyd. Track Mtd. 2,600 lbs. max. EXCAVATOR Mini-Hyd. Track Mtd. 6,500 lbs. max. EXCAVATOR Wini-Hyd. Track Mtd. 6,001 lbs. cout EXCAVATOR Wini-Hyd. Track Width 6 out-to-out EXCAVATOR I Covid. 44 HPD 11,000 lbs. Track Width 6 out-to-out EXCAVATOR - 1/4 Cyd. EXCAVATOR - 1/4 Cyd. 65 HP D 14,000 lbs. Bucket Track Width 6 out-to-out FIRACK WIGH 6 out-to-out FIRACK WIGH 6 out-to-out FIRACK WIGH 6 out-to-out FIRACK WIGH 6 out-to-out	EXCAVATOR							
EXCAVATOR         Winder of the control of the co	w/McMillen extreme duty earth auger or similar							
Winder and Rev Drill Model 18 or similar  EXCAVATOR Winder and Rev Drill Model 27 or similar  EXCAVATOR Winder attachment or similar  EXCAVATOR Winder Similar  EXCAVATOR  I factor  I food lbs. Track Width 6° out-to-out  EXCAVATOR  EXCAVATOR  I factor  EXCAVATOR  EXCAVATOR  I factor  EXCA	EXCAVATOR							
EXCAVATOR           wowinch and Rev Drill Model 27 or similar         EXCAVATOR           EXCAVIATOR         EXCAVIATOR           woll off attachment or similar         EXCAVATOR           woll off attachment or similar         EXCAVATOR           Mini-Hyd. Track Mtd. 2,600 lbs. max.         EXCAVATOR           EXCAVATOR         Mini-Hyd. Track Mtd. 6,500 lbs. max.           EXCAVATOR - 1/8 Cyd.         EXCAVATOR           Mini-Hyd. Track Mtd. 6, out-to-out         EXCAVATOR - 1/8 Cyd.           EXCAVATOR - 1/8 Cyd.         30 HP D Track Width 6' out-to-out           EXCAVATOR - 1/8 Cyd.         55 HP D 14,000 lbs. Bucket           EXCAVATOR - 1/4 Cyd.         55 HP D 14,000 lbs. Bucket           Track Width 6' out- to- out         FLATBED TRUCK           1 T min.         1 T min.	w/winch and Rev Drill Model 18 or similar	-						
w/winch and Rev Drift Model 27 or similar  EXCAVATOR  w/winch and Rev Drift Model 35 or similar  EXCAVATOR  w/Lodri attachment or similar  EXCAVATOR  Win-Hyd. Track Mtd. 2,600 lbs. max.  EXCAVATOR  Mini-Hyd. Track Mtd. 6,500 lbs. max.  EXCAVATOR - 1/8 Cyd.  EXCAVATOR - 1/8 Cyd.  SO HP D Track Width 6' out-to-out  EXCAVATOR - 1/4 Cyd.  EXCAVATOR - 1/4 Cyd.  55 HP D 14,000 lbs. Bucket  Track Width 6' out - to - out  EXCAVATOR - 1.0 cout  EXCAVATOR - 1.0 cout  EXCAVATOR - 1.0 cout  FLATBED TRUCK  1 min.	EXCAVATOR							
EXCAVATOR         Wivinide and Rev Drill Model 35 or similar         Model 35 or similar           EXCAVATOR         W.Lodril attachment or similar         EXCAVATOR           Wilni-Hyd. Track Mtd. 2,600 lbs. max.         EXCAVATOR           Mini-Hyd. Track Mtd. 6,500 lbs. max.         EXCAVATOR           EXCAVATOR - 1/8 Cyd.         Mini-Hyd. Track Width 6' out-to-out           EXCAVATOR - 1/5 Cyd. 44 HP D         11,000 lbs. Track Width 6' out-to-out           EXCAVATOR - 1/4 Cyd.         EXCAVATOR - 1/4 Cyd.           55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out           Track Width 6' out - to - out         FLATBED TRUCK           1 T min.         FLATBED TRUCK	w/winch and Rev Drill Model 27 or similar							
w/winch and Rev Drill Model 35 or similar         EXCAVATOR           w/Lodri attachment or similar         EXCAVATOR           w/Lodri attachment or similar         EXCAVATOR           Mini-Hyd. Track Mtd. 2,600 lbs. max.         EXCAVATOR           Mini-Hyd. Track Width 5' out-to-out         EXCAVATOR - 1/8 Cyd.           30 HP D Track Width 6' out-to-out         EXCAVATOR - 1/4 Cyd.           EXCAVATOR - 1/4 Cyd.         EXCAVATOR - 1/4 Cyd.           55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out           Track Width 6' out - to - out         FLATBED TRUCK           1 T min.         T min.	EXCAVATOR							
EXCAVATOR           w/Lodri attachment or similar         (a) Code in tachment or similar           EXCAVATOR         (b) S. max.           Mini-Hyd. Track Mtd. 5,500 lbs. max.         (c) Code in the c	w/winch and Rev Drill Model 35 or similar							
w/Lodrli attachment or similar         w/Lodrli attachment or similar           EXCAVATOR         Mini-Hyd. Track Mtd. 2,600 lbs. max.           EXCAVATOR         Mini-Hyd. Track Mtd. 6,500 lbs. max.           EXCAVATOR - 1/8 Cyd.         Sout-to-out           EXCAVATOR - 1/8 Cyd.         Sout-to-out           EXCAVATOR - 1/8 Cyd.         Sout-to-out           EXCAVATOR - 1/6 Cyd.         EXCAVATOR - 1/6 Cyd.           11,000 lbs. Track Width 6' out-to-out         EXCAVATOR - 1/4 Cyd.           55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out           FLATBED TRUCK         Track Width 6' out - to - out           1 T min.	EXCAVATOR							
EXCAVATOR         Mini-Hyd. Track Mtd. 2,600 lbs. max.         Additional control of the control of	w/Lodril attachment or similar							
Mini-Hyd. Track Mtd. 2,600 lbs. max.       EXCAVATOR         EXCAVATOR       Mini-Hyd. Track Mtd. 6,500 lbs. max.         EXCAVATOR - 1/8 Cyd.       30 HP D Track Width 6' out-to-out         EXCAVATOR - 1/5 Cyd. 44 HP D       11,000 lbs. Track Width 6' out-to-out         EXCAVATOR - 1/4 Cyd.       55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out       Track Width 6' out - to - out         FLATBED TRUCK       17 min.	EXCAVATOR							
EXCAVATOR         Mini-Hyd. Track Mtd. 6,500 lbs. max.         Mini-Hyd. Track Mtd. 6,500 lbs. max.           EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out         EXCAVATOR - 1/5 Cyd. 44 HP D         Processed of the control of the cyd.         Processed of the cyd	Mini-Hyd. Track Mtd. 2,600 lbs. max.							
Mini-Hyd. Track Mtd. 6,500 lbs. max.  EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out  EXCAVATOR - 1/5 Cyd. 44 HP D  11,000 lbs. Track Width 6' out-to-out  EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket  Track Width 6' out - to - out  FLATBED TRUCK  1 min.	EXCAVATOR							
EXCAVATOR - 1/8 Cyd.         30 HP D Track Width 5' out-to-out       30 HP D Track Width 6' out-to-out         EXCAVATOR - 1/5 Cyd. 44 HP D       44 HP D         11,000 lbs. Track Width 6' out-to-out       55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out       FLATBED TRUCK         FLATBED TRUCK       17 min.	Mini-Hyd. Track Mtd. 6,500 lbs. max.							
30 HP D Track Width 5' out-to-out  EXCAVATOR - 1/5 Cyd. 44 HP D  11,000 lbs. Track Width 6' out-to-out  EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket  Track Width 6' out - to - out  FLATBED TRUCK  1 T min.	EXCAVATOR - 1/8 Cyd.							
EXCAVATOR - 1/5 Cyd. 44 HP D         11,000 lbs. Track Width 6' out-to-out <ul> <li>EXCAVATOR - 1/4 Cyd.</li> <li>55 HP D 14,000 lbs. Bucket</li> <li>Track Width 6' out - to - out</li> </ul> It an in. <ul> <li>It min.</li> <li>It min.</li> </ul> It min. <ul> <li>It min.</li> <li>It min.</li> </ul> It min. <ul> <li>It min.</li> <li>It min.</li> </ul> It min.	30 HP D Track Width 5' out-to-out							
11,000 lbs. Track Width 6' out-to-out  EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket Track Width 6' out - to - out FLATBED TRUCK 1 T min.	EXCAVATOR - 1/5 Cyd. 44 HP D							
EXCAVATOR - 1/4 Cyd.         55 HP D 14,000 lbs. Bucket         Track Width 6' out - to - out         FLATBED TRUCK         1 T min.	11,000 lbs. Track Width 6' out-to-out							
55 HP D 14,000 lbs. Bucket  Track Width 6' out - to - out  FLATBED TRUCK  1 T min.	EXCAVATOR - 1/4 Cyd.							
Track Width 6' out - to - out         FLATBED TRUCK           1 T min.         1 T min.	55 HP D 14,000 lbs. Bucket							
FLATBED TRUCK 1 T min.	Track Width 6' out - to - out							
1 T min.	FLATBED TRUCK							
	1 T min.							:

Schedule I

	Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment y Fee
				Operator	ľ		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
FORKLIFT TRUCK							
Rough Terrain, 5 - 10 K lb, lift cap,							
GRAPPLE BUCKET							
Trk. Mtd.							
HAMMER (MOBILE) SP							
HAMMER (DELMAG) PILE-D.							
D8-22							
HIGH FLOW SKID STEER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							
Attachment: Auger of any diameter							
Attachment: Trencher of any width							
HYDKO-SEEDEK							
HYDRO-SEEDER							
Trk. Mtd. 1,500 - 2,500 Gal.							
LAUNCH FRAME							
To Set Pre-stressed Concrete Beams							
LIGHT TOWERS PORT.							
4 - 1,000 w/bulbs							
MANLIFT						·	
40 ft.							
MANLIFT SP 80 ft.							
MANLIFT SP 130 ft.							·   
MESSAGE SIGN - PROGRAMMABLE							

Schedule I

	Fattipme	Equipment Offered	Rental F	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment v Fee
		}		Operator	2		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
MILLING PLANER / ON SKID STEER LDR.							
Operating capacity of at least 2150 lbs.							
MILLING PLANER / ON SKID STEER LDR.							
1 ft. cut min. to 5 ft. cut max.							
MORTAR MIXER							
6 CF 5 HP G							
MOTOR GRADER							
35,000-45,000 lbs. class							
MOWER TRACTOR							-
Disc Type Attachment							
3 pt. hitch							
PAVER							
Curb Extruding Type SP G							
PAVER			/				
НМА							
RADIO REMOTE CONTROLLED TRACK LOADER							
20 HP Minimum and 44" Max Overall Height							
RIGGING SYSTEM							
(Catenary Scaffolding System) To Provide	-						
Inspection Access to Underside of Bridges							
ROCKDRILL - SP							
Hyd, Excav./Boom Mtd.							
3" Holes/20' deep min.							
ROCK HAMMER FOR EXCAVATOR							
5000-7000 lbs. class							
ROCK WAGON							
20 -30 T							
ROLLER							
5 T w/O stool drums							

Schedule I

	Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	nent / Fee
				Operator	ميد		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
ROLLER							
5-6T PNEUTR TOW/Trk. Mtd.							
ROLLER				-			
10 T PNEUTR							
ROLLER							
7-15 T PNEUTR, Articulated							
ROLLER SP							
PNEUTR - 10K GVW G							
ROLLER SP							
PNEUTR - 20K GVW G							
ROLLER - TRENCH VIB							
Dual Drum Approx. 10 HP							
Approx. Width 2.5 ft./length 8.3 ft.							
ROLLER - VIB							
SP 1 Drum 2XL 10 - 15 K GVW D				\			
ROLLER - VIB							
SP 1 Drum 2XL 10 - 20 K GVW D							
SCREENERS, Material							
Mobile - Diesel							
SHADOW TRUCK w/Attenuator							
min. 30,000 GVW							
SHOULDER MAINTAINER PORT.						•	
Pull-type Adj. 1 - 5 ft.	4,444						
Spreadmaster AI-100 T or similar							
SHOULDER MAINTAINER SP							
w/G (min. 67 HP) or w/D (min. 46 HP)							
asphalt or stone width							
1' - 6' and 6" - 12" depth							
STABILIZER (BO-MAG) SP	***************************************						
250 UD min	-1-4					,	

Schedule I

Manufacturer's Name   Model/Serial # \$ / Day \$ / Week		Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without Operator	uipment Without r	Equipment Delivery Fee	ment y Fee
STRAW / MULCH BLOWER  Tr. Mtd.  STREET SWEEPER SP  3.0 Cyd. (min.)  STREET SWEEPER SP  8.0 Cyd. (min.)  STREET SWEEPER SP  8.0 Cyd. (min.)  STREET SWEEPER SP  Tr. Type  STREET SWEEPER-HYDROSTATIC  STREET SWEEPER-HYDROSTATIC  STREET SWEEPER-HYDROSTATIC  STREET SWEEPER-HYDROSTATIC  TRACTOR  T	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
STREET SWEEPER SP 3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP  Waterless Unit 8.0 Cyd. (min.)  STREET SWEEPER SP  Tht. Type  STREET SWEEPER HYDROSTATIC  Eigh Pelican III or similar  TRACTOR  170-185 hp class, 50,000 to 60,000 bs.  TRACTOR  TRACTOR  170 to 120 hp, class  TRAFFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE 45 ft to 75 ft.  TRENCH PAVER  (Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT	STRAW / MULCH BLOWER			-				
STREET SWEEPER SP     3.0 Cyd. (min.)     STREET SWEEPER SP     8.0 Cyd. (min.)     STREET SWEEPER SP     Waterless Unit 8.0 Cyd. (min.)     STREET SWEEPER     Waterless Unit 8.0 Cyd. (min.)     STREET SWEEPER     Thir Type     STREET SWEEPER + HYDROSTATIC     Eigin Pelican III or similar     TRACTOR     STREET SWEEPER + HYDROSTATIC     Eigin Pelican III or similar     TRACTOR     STREET SWEEPER + HYDROSTATIC     Eigin Pelican III or similar     TRACTOR     STREET SWEEPER + HYDROSTATIC     STREET SWEEPER + HYDROSTATIC     Eigin Pelican III or similar     TRACTOR     STREET SWEEPER + HYDROSTATIC     STREATOR     STREET SWEEPER + HYDROSTATIC     STREATOR     S	ŧ							
3.0 Cyd. (min.)  STREET SWEEPER SP 8.0 Cyd. (min.)  STREET SWEEPER SP Waterless Unit 8.0 Cyd. (min.)  STREET SWEEPER SP Waterless Unit 8.0 Cyd. (min.)  STREET SWEEPER THI. Type Eigh Pelican III or similar  TRACTOR  1.70-185 hp class, 50,000 to 60,000 lbs.  TRACTOR  80,000 lb GVW Tandem  TRACTOR BOOM MOWER  110 to 120 hp, class  TRACTOR BOOM MOWER  120 th class operation D/E  TRAILER, EXTENDABLE  45 ft. to 75 ft.  TRENCH PAVER  (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT								
STREET SWEEPER SP  8.0 Cyd. (min.)  STREET SWEEPER SP  Waterless Unit 8.0 Cyd. (min.)  STREET SWEEPER  Trir. Type  STREET SWEEPER  Trir. Type  STREET SWEEPER  Trir. Type  STREET SWEEPER  Trir. Type  STREET SWEEPER  TRACTOR  170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR  170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR  80,000 lb GVW Tandem  TRACTOR  80,000 lb GVW Tandem  TRAFIC SIGNALS - PORT  2 Phase Cheration DE  TRAILER, EXTENDABLE  45 ft. to 75 ft.  TRENCH PAVER  180-80 security Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  10 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  10 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  10 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT	3.0 Cyd. (min.)							
8.0 Cyd. (min.)  STREET SWEEPER SP STREET SWEEPER SP STREET SWEEPER SP STREET SWEEPER  Tot. Tyde Street SWEEPER HYDROSTATIC Eigin Pelican III or similar  TRACTOR  170-185 pp class, 50,000 to 60,000 tbs, TRACTOR  170-185 pp class, 50,000 tbs, TRACTOR  170-185 pp class								
STREET SWEEPER SP     Waterless Unit 8.0 Cyd. (min.)	8.0 Cyd. (min.)							
Waterless Unit         8.0 Cyd. (min.)           STREET SWEEPER           Trir. Type         STREET SWEEPER-HYDROSTATIC           Eigh Pelican III or similar         TRACTOR           170-185 hp class, 50,000 to 60,000 lbs.         TRACTOR           170-185 hp class, 50,000 to 60,000 lbs.         TRACTOR           170-185 hp class, 50,000 to 60,000 lbs.         TRACTOR           170-185 hp class         10 class           2 Phase Operation D/E         TRALER           170 to 120 hp, class         TRALER, EXTENDABLE           2 Phase Operation D/E         TRENCH PAVER           (Base Widening Machine)         UNDERBRIDGE INSPECTION UNIT           20 ft. maximum horizontal reach         UNDERBRIDGE INSPECTION UNIT           30 ft. maximum horizontal reach         UNDERBRIDGE INSPECTION UNIT           40 ft. maximum horizontal reach         UNDERBRIDGE INSPECTION UNIT           40 ft. maximum horizontal reach         UNDERBRIDGE INSPECTION UNIT								
STREET SWEEPER           Trir. Type           STREET SWEEPER-HYDROSTATIC           Eigh Pelican III or similar           TRACTOR           170-155 the class, 50,000 to 60,000 lbs.           TRACTOR           80,000 lb GWW Tandem           TRACTOR BOOM MOWER           110 to 120 hp, class           TRAFFIC SIGNALS - PORT           2 Phase Operation D/E           TRAILER, EXTENDABLE           45 ft. to 75 ft.           TRENCH PAVER           (Base Widening Machine)           UNDERBRIDGE INSPECTION UNIT           20 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           30 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           An experiment horizontal reach								
Trit. Type  STREET SWEEPER-HYDROSTATIC  Eigin Pelican III or similar  TRACTOR  170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR BOOM MOWER  110 to 120 hp, class  TRAFFIC SIGNALS - PORT  2 Phase Operation D/E  TRAFIC SIGNALS - PORT  2 Phase Operation D/E  TRENCH PAVER  (Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT								
STREET SWEEPER-HYDROSTATIC	Trir. Type				·			
Eigin Pelican III or similar  TRACTOR  170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR  80,000 lb GVW Tandem  TRACTOR BOOM MOWER  110 to 120 hp, class  TRAFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE  45 ft. to 75 ft.  TRENCH PAVER  (Base Widering Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT	STREET SWEEPER-HYDROSTATIC							
TRACTOR  170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR  80,000 lb GVW Tandem  TRACTOR BOOM MOWER  110 to 120 hp, class  TRAFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE  45 ft. to 75 ft.  TRENCH PAVER  (Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT	Elgin Pelican III or similar							
170-185 hp class, 50,000 to 60,000 lbs.  TRACTOR 80,000 lb GVVV Tandem TRACTOR BOOM MOWER 110 to 120 hp, class 110 to 120 hp, class TRAFIC SIGNALS - PORT 2 Phase Operation D/E TRAILER, EXTENDABLE 45 ft. to 75 ft. TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRACTOR							
TRACTOR           80,000 lb GVW Tandem           TRACTOR BOOM MOWER           110 to 120 hp, class           TRAFFIC SIGNALS - PORT           2 Phase Operation D/E           TRAILER, EXTENDABLE           45 ft. to 75 ft.           TRENCH PAVER           (Base Widening Machine)           UNDERBRIDGE INSPECTION UNIT           20 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           30 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           30 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT	170-185 hp class, 50,000 to 60,000 lbs.							
80,000 lb GVW Tandem  TRACTOR BOOM MOWER  110 to 120 hp, class  110 to 120 hp, class  TRAFFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE 45 ft. to 75 ft.  TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRACTOR							
TRACTOR BOOM MOWER           110 to 120 hp, class           TRAFFIC SIGNALS - PORT           2 Phase Operation D/E           TRAILER, EXTENDABLE           45 ft. to 75 ft.           TRENCH PAVER           (Base Widening Machine)           UNDERBRIDGE INSPECTION UNIT           20 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           30 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT           40 ft. maximum horizontal reach           UNDERBRIDGE INSPECTION UNIT	80,000 lb GVW Tandem							
110 to 120 hp, class  TRAFFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE 45 ft. to 75 ft.  TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRACTOR BOOM MOWER							
TRAFFIC SIGNALS - PORT  2 Phase Operation D/E  TRAILER, EXTENDABLE  45 ft. to 75 ft.  TRENCH PAVER  (Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach  UNDERBRIDGE INSPECTION UNIT	110 to 120 hp, class							
2 Phase Operation D/E  TRAILER, EXTENDABLE 45 ft. to 75 ft. TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRAFFIC SIGNALS - PORT							
TRAILER, EXTENDABLE 45 ft. to 75 ft. TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	2 Phase Operation D/E							
TRENCH PAVER  (Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRAILER, EXTENDABLE							
TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	45 ft. to 75 ft.							
(Base Widening Machine)  UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	TRENCH PAVER							
UNDERBRIDGE INSPECTION UNIT  20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	(Base Widening Machine)							
20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	UNDERBRIDGE INSPECTION UNIT							
UNDERBRIDGE INSPECTION UNIT  30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	20 ft. maximum horizontal reach							
30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT	UNDERBRIDGE INSPECTION UNIT							
UNDERBRIDGE INSPECTION UNIT	30 ft. maximum horizontal reach							
10 ft maximum borizantol rooch	UNDERBRIDGE INSPECTION UNIT							
40 K. IIIaXIIIIdii iidizolilai leacii	40 ft. maximum horizontal reach							

Schedule I

	Equipme	Equipment Offered	Rental I Withou	Rental Rate of Equipment Without Delivery/Without Operator	lipment Without	Equipment Delivery Fee	ment y Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
UNDERBRIDGE INSPECTION UNIT							
50 ft. maximum horizontal reach							
UNDERBRIDGE INSPECTION UNIT							
60 ft. maximum horizontal reach							
UNDERBRIDGE PLATFORM							
Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trir. Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trlr. Mtd., Hyd. SP Min. 60 ft. horizontal reach							
VACUUM/SPRAY UNIT							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft. teleboom w/swivel/rotating hose reel				·			
WATER PUMPS - 3"							
W/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4"							
W/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6"							
W/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12"							
W/SUCTION & DISCHARGE HOSES							
WORK PLATFORM SP							
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							
St. 35' High Platform 1,500# CAP							

# Vendor Should Type Bid Schedule

	Equipment Offered	Offered	Rental Rate of Equipment Without Delivery/ WITH OPERATOR	quipment livery/ RATOR	Equip Delive	Equipment Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day   \$ / Week	\$ / Month	1st Mile	Add. Mi.
BACKHOE - CRWLR - HY-RAM						
24,000 lbs 35,800 lbs.						
BACKHOE - CRWLR - HY-RAM						
36,000 lbs 42,900 lbs.						
BACKHOE - CRWLR - HY-RAM						
43,000 lbs 60,000 lbs.						
BACKHOE - CRWLR 1.25 Cyd.						
128 - 141 HP					-o	
42,700 lbs 45,900 lbs.					-	
CONCRETE PUMP Trir. Mid.			*********			
w/hoses w/o Boom						
CONCRETE PUMP Trk. Mtd.					-	
w/hoses and Boom up to 30 meters						
CONCRETE PUMP						
Trk. Mtd. with hoses						
and Boom over 30 meters						
CRANE 15-25 TON Hyd.					**********	
Rough Terrain						
CRANE - Hyd., Trk. Mtd. D					·	
30 TON						
CRANE - Hyd., Trk. Mtd. D						
35 TON						
CRANE - Hyd., Trk. Mtd. D						
40 TON						

# Vendor Should Type Bid Schedule

			Rental Rate of Equipment	ate of Eq	uipment	Equip	Equipment
÷	Equipment Offered	Offered	With WIT	Without Delivery/ WITH OPERATOR	/ery/ ITOR	Delivery Fee	гу Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$	\$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE - Hyd., Trk. Mtd. D							
50 TON							
CRANE - Hyd., Trk. Mtd. D			······				
60 TON							
CRANE - Hyd., Trk. Mtd. D					•		33, 2344
75 TON							
CRANE - Hyd., Trk. Mtd. D		·					
90 TON							
CRANE - Hyd., Trk. Mtd. D					•		***************************************
100 TON							
CRANE - Hyd., Trk. Mtd. D							
110 TON							
CRANE - Hyd., Trk. Mtd. D			***	·			
120 TON							
CRANE - Hyd., Trk. Mtd. D							
150 TON							
CRANE - Hyd., Trk. Mtd. D							
165 TON							
CRANE - Hyd., Trk. Mtd. D							- 100 · 100
175 TON							
CRANE - Hyd., Trk. Mtd. D				•			-
225 TON							

# Vendor Should Type Bid Schedule

:			Rental Rate of Equipment	f Equipment	Equip	Equipment
	Equipment Offered	Offered	Without Delivery/	Without Delivery/ WITH OPERATOR	Delive	Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	ek \$ / Month	1st Mile	Add. Mi
CRANE - Hyd., Trk. Mtd. D						
300 TON						
CRANE - Hyd., Trk. Mtd. D						
500 TON						
CRANE - TELEBOOM SP						
30 TON						
CRANE - TELEBOOM SP						
35 TON						
CRANE - TELEBOOM SP			· W=0			
50 TON						
MILLING PLANER						
5' cut min EHP 280						
cutter drum min.						
RADIO REMOTE CONTROLLED TRACK LOADER						
20 HP Minimum and 44" Max Overall Height						
UNDERBRIDGE INSPECTION UNIT						
(Small, Bucket Type) 30 ft. max. horizontal	-					
UNDERBRIDGE INSPECTION UNIT						
(Large - Platform or Bucket Type)						
50 ft. max. horizontal						
UNDERBRIDGE INSPECTION UNIT				<del>1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1</del>		
Snooper Series 230 or similar						
(Including driver and operator)						

# Vendor Should Type Bid Schedule

REQ. NO. 66-11-C018

	Equipment Offered	Offered	Rental	Rental Rate of Equipment Without Delivery/	quipment very/	Equi Delive	Equipment Delivery Fee
			ν.	WITH OPERATOR	4 <i>TOR</i>		ı
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Day   \$ / Week   \$ / Month   1st Mile   Add. Mi.	1st Mile	Add. Mi.
UNDERBRIDGE INSPECTION UNIT							
Snooper Series 260 or similar							
(Including driver and operator)							
VACUUM TRUCK/JETT-RODDER							
1" hose							
65 - 85 GPM @ 3,000 PSI							

31



IJHE MORLD LEADERNIN PORTABLE RECUAMATION

March 22, 2011 West Virginia Purchasing Division Charleston, WV. 25305-0130 Attn: Buyer #33

Ref: RFQ# 6611C018 (Attachment 1)

Asphalt Zipper, Inc. will require a 1-week advance notice of intended rental. This will provide Asphalt Zipper the necessary time to deliver the machine as well as to arrange for our Authorized Manufacturer's Representative to provide the required training in the operation and maintenance of the Zipper. This will ensure that the user has the most productive experience.

As part of the rental price, 25 replacement bits will be delivered with the machine. Bits are replaced as they wear; this provides higher performance and help with pulverized material consistency. Part of the training process will be how to recognize bit wear and how to replace the bits as they wear.

--Bits may be purchased at a cost of \$200.00 per bucket of 25 bits.

Asphalt Zipper also offers an attachment for the Zipper called a Grind Box containment system and is used in thin, cracked asphalt. The containment box keeps the material in the process longer, enabling the user to control the consistency of the material and eliminating the chunks.

--Grind Box Rental is available for \$250.00 per day/week or \$1000.00 per month.

Asphalt Zipper <u>requires</u> the use of water during the pulverization process. This not only helps with dust control but also reduces bit wear and aides in compaction. We offer a 150 gallon water tank which mounts on the back of the host loader.

--Water Tank Rental is available for \$60.00 per day/week or \$250.00 per month.

Jamie Weston Area Manager Asphalt Zipper, Inc. Rev. 09/08

1.

### State of West Virginia

### **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

Application is made for 2.5% resident vendor preference for the reason checked:

Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4)
years immediately preceding the date of this certification; or,  Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
<ul> <li>Application is made for 5% resident vendor preference for the reason checked:</li> <li>Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,</li> </ul>
Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  Bidder is a resident vendor who is a veteran of the United States amed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.
By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.
Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder: Asphalt Zipper signed: Jame Weston
Date: 3-22-2011 Title: Wea Manager.
*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	6611 <b>0</b> 018

### STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE
Vendor's Name: ABBhatt ZIDDER Inc.
Authorized Signature: Lamil Wester Date: 3-22-2011
State of <u>Wah</u>
County of Wat, to-wit:
Taken, subscribed, and sworn to before me this 22 day of March , 2011.
My Commission expires August 18 , 20 13.
AFFIX SEAL HERE NOTORY PUBLIC Ashley Thompson
ASHLEY THOMPSON