

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

ō

PA	GE	
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

ADDRESS CHANGES TO BE NOTED ABOVE

***709033348** 276-326-1145 POUNDING MILL QUARRY 171 ST CLAIRS CROSSING

BLUEFIELD VA 24605

ĐẠTE PRIN	red	TER	MS OF SAI	E	SHIP VIA	FOB .	FREIGHTTERMS
02/23/							
BID OPENING DATE:	1 200 000000000000000000000000000000000	03/22/	2011		BID_	OPENING TIME	01:30PM
LINE	QUAN	ITITY	UOP	CAT	ITEM NUMBER	UNIT PRICE	AMOUNT
0001		1	EΑ		750-35		
	STONE,	AGGRE	GATE	AND C	INDERS		
			RE		FOR QUOTATION (RFQ)		
	AGENCY SOLICI ALL LA AND AG FOR DI	, THE TING B BOR, M GREGAT STRICT	WEST IDS F ATERI E FOR S 1,3	STAT VIRGI OR AN ALS, DIST	N END CONTRACT E PURCHASING DIV NIA DIVISION OF OPEN END CONTRA AND EQUIPMENT TO RICTS 1 THRU 10 AND 7 PER THE AT	HIGHWAYS, IS CT TO PROVIDE SUPPLY STONE AND CINDERS	
	BE SUB VIRGIN ADDRES	CAL QU MITTED IA STA S SHOW	ESTIO IN W TE PU N IN	RITIN RCHAS THE B	NCERNING THIS SO G TO SHERI SLONE ING DIVISION VIA ODY OF THIS RFQ, MAIL AT SHERI.D.	IN THE WEST MAIL AT THE VIA FAX AT	
	DEADLI AT THE RECEIV	NE FOR CLOSE ED WIL BY TH	ALL OF B L BE	TECHN USINE ANSWE	ICAL QUESTIONS I	S 03/11/2011 AL QUESTIONS DENDUM TO BE R THE DEADLINE	RECEIVED OHMAR 21 PM 1: 18
	EXHIBI.	T 10			REQUISITION	NO.:	WY PURCH/SING DIVISION
SIGNATURE /	1 00	•		SEE RE)	VERSE SIDE FOR TERMS AND CON		E 2- 71-11

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for

SH-P

Ť

6611C021

PA	GÉ∵∵
	2

....ADDRESS:CORRESPONDENCE:TO ATTENTION OF:

BUYER 33 304-558-2402

276-326-1145 *709033348 POUNDING MILL QUARRY 171 ST CLAIRS CROSSING

BLUEFIELD VA 24605

DATE PRINT	************	JEF	RMS OF SAL	E	SHIP	ViA	F.(3.8	FREIGHT TERMS
02/23/ BID OPENING DATE:		13/22/	2011		<u></u>	BID	OPENING	TIME 0	L:30PM
			UOP	ÇAT	ITEM NU			TPRICE	AMOUNT
LINE	GUAN ADDENDU I HEREF ADDENDU MY PROF ADDENDU NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDEF THE ADI VENDOR REPRESE ORAL DI AND ANY INFORMA	JM ACK BY ACK JM (S) JM NO. RSTANE DENDUM MUST ENTATI ISCUSS Y STAT	NOWLE NOWLE AND H PLAN 'S: THAT (S) M CLEAR ON H E PER ISSUE	DGEME DGE R DGE R AV OR ELD R ELD NE ELD NE D IN	URE TO CONTROL OF THE	ONFIRM TO BE MENDOR'S BINDING AND ADDE	LLOWING Y REVISI N, ETC. Y VERBAL ADE DURI REPRESEN ONLY D TO THE IS BINI	CHECKED ONS TO IPT OF BIDS. ING ANY STATIVES THE	
					!.	SI Sunding CO	GNATURE M://Qu MPANY	arry Corp	•
SIGNATURE //		<u></u>		SEERE	VERSE SIDE FOR	TERMS AND CO	NULHONS	IDATE	
SIGNATURE CINA	4 Cler	mar	L	•		LLEI HONE			
TITLE	1	F	EIN				ADI	DRESS CHANGE	S TO BE NOTED ABOVE
16/11	ENDECDO	ZVIDIVIO	TO DEO	INCED	T NIAME AND	ADDDESS	IN SPACE A	POVE LAREL	ED 'VENDOR'



NOD ZEV

TITLE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

6611C021

E C	AGE		
		3	

ADDRESS:CORRESPONDENCE:TO	D:ATTENTION:OF:
BUYER 33	J
304-558-2402	

ADDRESS CHANGES TO BE NOTED ABOVE

*709033348 276-326-1145
POUNDING MILL QUARRY
171 ST CLAIRS CROSSING
BLUEFIELD VA 24605

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

%±-¤ +0

02/23/	2011				,	· 						
PENING DATE:		03/22/		CAT	.		SID	OPENING		01	:30PM	
LINE	QU	YTITM	UOP	NO.	ΠE	M NUMBER		UN	ITPRICE		AM	OUNT
				a _{je} :	• •							
							DA	TE		1		•
		:										. *
	NOTE:	THIS A	DDENDI	IM AC	KNUMI E.	DEEMENT	SH	OULD BE	SUBMIT	TED		
		THE BID	1 1	,,,		DOLIILI.		JOLD DL	002			
			-									
-	REV.	09/21/2	009									
	EXHIB	IT 3								i		
											4	
		OF CONT						MES EFF		ŀ		
								SIX (6				
								THEREA		IS		
1								RENEW T				
		NAL CON						ME" PER		L L		
		KCEED S						S "REAS				
								NTRACT CHASING				
i i		EN NOTI) INC	DIKEC	IUK UF	FUR	CUASING	JU DAT	3	•	
	W. (C _ 1 . 1 .	-11 11011										
	UNLES	S SPECI	FIC P	ROVIS	IONS A	RE STIP	ULA	TED ELS	EWHERE	-		
								CONDITI				
			HEREI	1 ARE	FIRM (FOR THE	LI	FE OF T	HE ,			i i
	CONTRA	ACT.										
	RENEW	∆1 • THT	S LUNIA	ይልሶፕ	MAV DI	- DENCH	IED	UPON TH	E MUTUA	,		
1							1	ND VEND		-		
								G THIRT				
								CH RENE		LL		
								NDITION				
								TO TWO				
	(1) Y	EAR PER	IODS.		•	1	.]				٠	
	0. NOT:			TO 10 TO 10	ATAR 6:					_		
	CANCE	LATION	HE	DIRE	CTOR O	PURCH	ASI	NG RESE	RVES TH	E		
		000000000000000000000000000000000000000		Seeses	ERSE SIDE		<u></u>	and the second s			***********************	

FEIN



DOCKE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

Ţ

ADDRESS:CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

*709033348 276-326-1145 POUNDING MILL QUARRY 171 ST CLAIRS CROSSING

BLUEFIELD VA 24605

DATE PRINTED	TERMS OF SA	ALE SHIF	'VIA	FO.B.	FREIGHT TERMS
02/23/2011 BID OPENING DATE:	67 (00 (00 5			DENTILA TIVE	11.7004
BID OPENING DATE:	03/22/2011	·	BID OI	PENING TIME ()1:30PM
LINE QUA	ANTITY UOP	NO ITEM N	JMBER	UNITPRICE	AMOUNT
NOTICE SUPPL TO THE OPEN I AUTHOR MARKET ESTIMA	E TO THE VEI IED ARE OF A E SPECIFICA MARKET CLAUS RIZE A SPENS T, WITHOUT SATE, ITEMS	THIS CONTRACT NDOR IF THE CO AN INFERIOR QU FLONS OF THE B SE: THE DIRECT DING UNIT TO P THE FILING OF SPECIFIED ON T	MMODITIES ALITY OR I ID AND COI OR OF PURI URCHASE OI A REQUISIT	N THE OPEN TION OR COST ACT FOR	•
CAUSES	S (INCLUDING	RY IN EMERGENC BUT NOT LIMI JNANTICIPATED	TED TO DEI	LAYS IN TRANS-	
APPROX THE ST THAT TORDERE	KIMATIONS OF TATE SPENDIF THE CONTRACTED FOR DELIV	SHALL COVER	ESTIMATES S UNDERSTO THE QUANT E TERM OF	SUPPLIED BY OOD AND AGREED ITIES ACTUALLY THE CONTRACT,	
WRITTE THE VE THE OF VENDOR MAILEI	EN STATE COMENDOR FOR CORRESPONDED TO THE PURPORTS	RE: SPENDING UNTRACT ORDER (DMMODITIES COV OF THE WV-39 IZATION FOR SH RCHASING DIVIS SPENDING UNIT.	FORM NUMBI ERED BY TI SHALL BE IPMENT, A	ER WV-39) TO HIS CONTRACT. MAILED TO THE SECOND COPY	
FOR BACONTRA	ANKRUPTCY PI ACT NULL ANI JT FURTHER (ERMS AND COI	OTECTION, THE	STATE MAY RMINATE SI INED IN TI	UCH CONTRACT	
SIGNATURE Condy (SEE REVERSE SIDE FOR	TERMS AND CONDI	ITIONS	3-21-11
TITLE	FEIN			ADDRESS CHANG	ES TO BE NOTED ABOVE
WHEN RESF	PONDING TO REC	Q, INSERT NAME AND	ADDRESS IN	SPACE ABOVE LABE	LED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SH-P

Ī

PAC	3E
	5

BUYER 33 304-558-2402

DOGZMK

*709033348 276-326-1145 POUNDING MILL QUARRY 171 ST CLAIRS CROSSING

24605 BLUEFIELD VA

DATE PRINT	ED	TEF	IMS OF SAI	E	SHIP	/IA		FOB.	FREIGHT TERMS
02/23/	2011							·	
BID OPENING DATE:		03/22/	2011			BID	OPENIN	G TIME ()1:30PM
LINE	QL	JANTITY	UOP	CAT NO:	ITEM NUI	WBER.		UNIT PRICE	AMOUNT
				7,0					
	l	•	4		PPEAR ON		l		
í	l		1	f .	E LISTS,		l		
!	l		1		NCE AGREE	-	INCLUD	ING ANY	
	ELECI	RUNIC M	FDIOW	SUCH	AS CD-RO	М.			
	DEV	05/26/2	0.00						
	KEV.	03/26/2	009						
									•
·	BUBCH	ASTNE C	ARD A	CCEPT	ANCE: TH	F STATE	OF WE	ST VIRGIN	ГА
	l			L			1	OGRAM WHIC	li di
	l	SUED TH		ì	ì	SUCCESS			
	l		l l	ì			1	PURCHASING	g 🖟
					L ORDERS				
	AGENO	Y AS A	CONDI	TION	OF AWARD.				
								V.	
	EXHIB	SIT 4						and the second	
						,			_
	1	and the second s	1			i	i	INDICATES	5
	ł		5		TO EXTEN		(
	ı		1				l	MUNICIPAL	
	ı		1 :				1	HALL EXTER	י יי
	ŧ		1		ONS OF TH				
	VIRGI		1 :		OR DOES N		ŀ		
	l	-	1 .	1	DITIONS O		(
					REFUSAL I			CUCH REFUSA	A. I
l	l						5	CT IN ANY	1
	MANNE		LJUDI	CL III	L AWARD C	11113	CONTRA	O IN ART	
	IAMIL	. K •				,		·	
	REV.	3/88							
		0,00	1.						
				`				•	
				NOT	ICE				
				1					
	200000000000000000000000000000000000000								
RIGNATURE				SEERE	VERSE SIDE FOR T	ERMS: AND: COI	NUTIONS	DAT	F
SIGNĄTURE	·			•		, LLLI HOIVE		, DATI	<u> </u>
TITLE		FI	EIN					ADDRESS CHANG	ES TO BE NOTED ABOVE
14.61		DONDING	TO DEO	INOFE	T NIANAT AND	ADDUCCO	INLODACI	= ABOVE LABE	LED WENDOR'



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

6611C021

PAGE
6

ADDRESS:CORRESPON	IDENCE TO ATTENTION OF
BUYER 33	
304-558-2402	

Ø#-₽ ∓0

*709033348 276-326-1145
POUNDING MILL QUARRY
171 ST CLAIRS CROSSING

BLUEFIELD VA 24605

02/23/201	<u> </u>	IMS OF SALE	SHIP VIA	5-O:B	FREIGHT (ENWS
BID OPENING DATE:	03/22/	2011 💀	BID	OPENING TIME 0	1:30PM
LINE	QUANTITY	UOP CAT	ITEM NUMBER	UNITPRICE	TAUOMA
A S	DEPARTM	MUST BE S	SUBMITTED TO: MINISTRATION ON		
	BUILDIN 2019 WA	G 15	TREET, EAST		
THE			THIS INFORMATION THIS INFORMATION	N ON THE FACE OF SIDERED:	
BUY RFQ	ER: . NO.:		SHERI SLONE -	FILE 33	
	OPENING		03/22/2011 1:30 PM		
		I I	UMBER IN CASE IT ING YOUR BID: 276-322-36		
CON	TACT PERS		PRINT CLEARLY): ANdy Clevin	ge (
SIGNATURE //	<i></i>	SEERE	VERSE SIDE FOR TERMS AND CO TELEPHONE	DATE	2-27.44
TITLE Grody	Comp	EIN	276-3	324-1145	3-21-11 S TO BE NOTED ABOVE
1A/LITAL D	FORONDINO	TO DEC INCE	T NAME AND ADDRESS	IN SPACE APOVE LAREI	ED 'VENDOB'



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50120 Post Office Box 50130 Charleston, WV 25305-0130

SH-P

T O

6611C021

ADDRESS CORRESPONDENCE:	O ATTENTION OF
BUYER 33	,
304-558-2402	

*709033348 276-326-1145 POUNDING MILL QUARRY 171 ST CLAIRS CROSSING

BLUEFIELD VA 24605

02/23/		·	MO OF SALE		3-111V.I	dice;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	F. G.D.	***************************************	meres i i Lince
BID OPENING DATE:		03/22/				BID	OPENING TIM	E 01:	30PM
LINE	QUAN	ITITY	UOP	CAT. NO.	ITEM NUM	3ER	UNITPRIC	E	AMOUNT
	***** ·	THIS	IS TH	E END	OF RFQ	6611C	021 *****	TOTAL:	
						1			
		The state of the s							
									-
							•		
	·		•						
PIONATURE				SEE:REVER	SE SIDE FOR TE	RMS AND CON	DITIONS	Inate	
SIGNATURE And	Clevn	igu FE	in			276-3	26-1185	DATE 5	
	- DEOD		,	NOEDT N			ADDRESS		O BE NOTED ABOVE

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2, and 401.9.3.

The requirements of the West Virginia Department of Transportation, Division of Highways, Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor. West Virginia Division of Highways shall mean WVDOH.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010, and the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Building 5, Room 722 1900 Kanawha Boulevard, East Charleston, West Virginia 25305 (Phone) 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

MATERIAL SPECIFICATIONS ARE AS FOLLOWS:

MATERIAL (NOTE 1)	WVDOH STANDARD SPECIFICATION SECTION
Fine Aggregate	702 (Note 5)
Coarse Aggregate	703 (Note 5)
Riprap	704.2
Stone for Gabions	704.3
Shot Rock	704.8
Abrasives (Note 2)	Note 3
Aggregate for Base and Sub-base	704.6 (Note 5)
#8 Modified and #9 Modified	Note 4

NOTE 1: Fine aggregate on the bid schedule shall be considered to be fine aggregate for Portland cement concrete or mortar sand, the particular type to be specified in the Agency Release. Coarse aggregate on the bid schedule is identified by an AASHTO standard size; e.g., AASHTO Size No. 1, AASHTO Size No. 467, etc. Aggregate for

base and sub-base on the bid schedule is identified by class; e.g., Class 1, Class 2, and Class 9, etc.

NOTE 2: Abrasives shall conform to the following specifications:

A. Quality

- 1. Crushed sandstone shall not be used as an abrasive.
- 2. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample.
 Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #4 (4. 75 mm) sieve.
- 4. When gravel is used as an abrasive, the material retained on the #8, sieve shall have a majority of crushed particles.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT			
	Standard	Modified		
1/2 inch	100	100		
3/8 inch	85–100	85100		
#100	0–10	0–4		

NOTE 3: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2.5% passing the #200 sieve as determined by AASHTO T-11 and T-27. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

NOTE 4: With exception of the following contract items, grading on all specified sieve sized for material furnished shall be determined by AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

Item J, AASHTO #7
Item K, AASHTO #8
Item L, AASHTO #9
Item S, AASHTO #8 Modified
Item T, AASHTO #9 Modified

The grading for the above items shall be determined by AASHTO T-27 and AASHTO T-11.

NOTE 5: Cinders (Power Plant Slag) shall conform to the following specifications:

A. Definition

Cinders (Power Plant Slag) consists of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

B. Quality

Total deleterious substances (including but not limited to metal, glass, clay, shale, and thin or elongated pieces) shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard #4 (4.75 mm) sieve.

C. Gradation

The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT
1/2 inch	100
3/8 inch	85-100
#100	0-20

NOTE 6: Number 11 Limestone for SRIC shall conform to the following specifications:

A. Quality

- 1. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- 2. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

2. BIDDING INSTRUCTIONS

Vendors may bid any or all items on the bid schedule. Vendors <u>shall</u> provide the information requested in Subsection 12.1 paragraphs (a), (b), (c) and (d) on the bid schedule. Failure to provide required information will be sufficient grounds to invalidate the bid.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

The WVDOH may purchase aggregate and stone F.O.B. Vendor's Storage Site. The bid price F.O.B. Vendor's Storage Site shall include the loading of WVDOH's trucks by Vendor.

Vendor shall have the capacity to deliver a minimum quantity of 300 tons per day to any designated site when directed by the District Engineer/Manager.

DETERMINING LOW BID

Bids will be evaluated by the WVDOH on the basis of cost per cubic yard F.O.B. at the designated site. Cost per cubic yard will be determined by multiplying the Vendor's bid price in dollars per ton by a "Tons per cubic yard factor" which is listed in the following table:

AGGREGATE
TONS PER CUBIC YARD FACTORS

	TYPE OF MATERIAL					
				BLAST		
ITEM	LIMESTONE	SANDSTONE	GRAVEL	FURNANCE SLAG	STEEL SLAG	
Class 1, 2, 9, 10	1.46	1.46 (2920)	1.46 (2920)	1.36 (2720)	1.81 (3620)	
AASHTO Sizes #1 thru Size #7	1.30 (2600)	1.30 (2600)	1.30 (2600)	1.04 (2080)	1.61 (3220)	
AASHTO Sizes #8 thru Size #10	1.32 (2640)	1.32 (2640)	1.32 (2640)	1.20 (2400)	1.61 (3220)	
Gabions	1.31 (2620)	1.31 (2620)	1.31 (2620)			
Fine Aggregate	1.40 (2800)	1.40 (2800)	1.40 (2800)	1.36 (2720)	1.77 (3540)	
Abrasives	1.36 (2720)	1.36 (2720)	1.36 (2720)	1.28 (2560)	1.75 (3500)	
Riprap/Shot Rock	1.31 (2620)	1.31 (2620)		direction of the control of the cont		

^{*}Numbers in parenthesis are pounds per cubic yard.

CINDERS

Source (Note 1)	Tons per Cubic Yard Factor (Note 2)
Albright Power Albright, WV	0.90 (1,792)
Burger Power Dilles Bottom, OH	1.29 (2,579)
Fort Martin Power Fort Martin, WV	0.94 (1,883)
Harrison Power Haywood, WV	0.95 (1,900)
John Amos Power Winfield, WV	0.82 (1,631)
Pleasants Power Plant Willow Island, WV	1.09 (2,185)
Mountaineer Power New Haven, WV	0.65 (1,305)
Bruce Mansfield Plant Shippingport, PA	1.09 (2,160)
Virginia Electric Power Mt. Storm, WV	0.79 (1,585)
Hatfield Power Masontown, Pa	0.85 (1,700)

Note 1: In the event the bidding source is not listed, it will be necessary for the WVDOH to establish the weight per unit volume of said source prior to award.

Note 2: Numbers in parenthesis are pounds per cubic yard.

4. CONTRACT AWARD

All qualified Vendors who submit a valid bid "F.O.B. Vendor' Storage Site" will be awarded a contract to establish a unit price for those items bid (See Subsection 12.1):

a. An Agency Release, specifying WVDOH pick up or Vendor delivery to project site, will be issued to the low bidder when a specific type and quantity of material is to be purchased for use on a designated project.

b. An Agency Release, specifying WVDOH F.O.B. Vendors' Storage Site, may only be issued when material for routine highway maintenance operations at various locations is to be purchased. When material is secured on an Agency Release of this nature, the District Engineer/Manager shall take those steps necessary to assure that material is secured from the Vendor which results in the lowest cost to the WVDOH. Factors to be considered shall include, but are not limited to; bid price of material, haul cost at \$1.50 for the first ton-mile and \$0.25 for each additional mile.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract to establish a unit price for those locations and items for which their bid is low based on cost per cubic yard (see Subsection 12.2). An Agency Release, with the required delivery schedule, will be issued for the actual quantity of material to be delivered to the location specified. If the Vendor is unable to furnish material in accordance with the specified delivery schedule the District Engineer/Manager shall be advised in writing within five (5) working days of the reason for failure to conform to delivery requirements.

a. All qualified Vendors who are awarded F.O.B. Division Storage Sites must have the awarded items available for delivery thirty (30) days after the contract award date.

In the event a Vendor fails to conform to the requirements stated in this contract document, the Agency Release or the governing specifications, the Agency Release may be cancelled and reissued to the next lowest bidder.

The Vendor is not authorized to ship, nor is the WVDOH authorized to receive materials prior to the issue of an Agency Release.

SUPPLYING OTHER ORGANIZATIONAL ENTITIES

In accordance with Chapter 5A, Article 3, Section 9 of the Code of West Virginia the commodities or services contracted for herein shall be available to all local governmental bodies in accordance with the same prices, terms and conditions afforded to the State of West Virginia.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to all political sub-divisions of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to political sub-divisions of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the WVDOH. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

6. HAULING AGGREGATE TO STATE PROJECTS BY CONTRACTOR

The most direct suitable route from the Vendor's aggregate storage site to the midpoint of the project will be determined by the WVDOH and used to compute haul distance for the purpose of determining low bid, and also for the purpose of determining payment. The Contractor shall deposit aggregates at the project site at the locations and in the manner directed by the WVDOH. This may include tailgating the aggregate into an aggregate spreader or onto a roadway, or dumping the aggregate into a stockpile.

7. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways Standard Specifications Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications.

8. WEIGHING MATERIALS DELIVERED BY MODES OF TRANSPORTATION OTHER THAN TRUCKS

Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the WVDOH, and the weights of materials so shipped shall be certified, by the Vendor or his authorized agent, to be correct.

The minimum barge delivery requested will be approximately 6,500 tons per the Agency Release. When barge delivery is required contract item will be ordered in 1500 ton increments.

9. SAMPLING AND TESTING

Sampling and testing for quality of all items furnished in this contract will be the responsibility of the WVDOH. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the WVDOH's "commercial source" approval) will be at least one sample every six days of shipment (or if tested during production, at least one sample every six (6) days of production).

Other minimum frequencies shall be in accordance with the following:

<u>Property</u>	Frequency
Gradation-Delivered Material	One sample per each day of shipment (or if tested during production, one sample per each day of production). See Note 1 below.
Gradation-WVDOH Pick-up	(WVDOH pick up; A-1 Source) One sample per each week of shipment per MP 700.00.52; or if tested during production, one sample per each day of production. See Note 1 below.

Moisture Content (See Note 2)

All samples taken by the Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector.

NOTE 1:

The Vendor will be responsible for providing test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable.

NOTE 2:

In the event visual inspection of the aggregate indicates excess or unusual moisture beyond that normally expected in the aggregate, the WVDOH reserves the right to determine the moisture content by standard methods. If this becomes necessary, the net weight of the portion represented will be adjusted utilizing the test results obtained by the WVDOH in accordance with MP 700.00.22. Items "O" & "P" (Abrasives) will be considered fine aggregate outlined in MP 700.00.22.

10. ACCEPTANCE PLAN

Material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be on the basis of test results, provided and certified by the Vendor to be true test results and representative of the material supplied to the WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sublots). A sublot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the sublot and lot will be considered the same. Frequency of sampling and testing shall be in accordance with the Vendor's quality control plan outlined in MP 700.00.51. The Vendor shall provide the gradation test results to the WVDOH within 72 hours.

Gradation test results shall be averaged in accordance with MP 300.00.51. When the average falls outside the applicable limits, the lot of material represented thereby will be considered nonconforming to the extent that the last of its sublots is nonconforming. When a lot of material is nonconforming, then the last sublot contained therein shall have its degree of nonconformance determined as set forth below.

When a sublot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table I.

	TABLE 1	-
NONCONFORMING SIEVE SIZE		MULTIPLICATION FACTOR
SIEVE SIZE		
Plus #40		1
#40		1.5
#50		1.5
#100		2.0 (1.3 for abrasives and cinders)
#200		2.5 `
1/2"		1
3/8"		1

The total measure of nonconformance of an individual sublot is the sum of all nonconformances on the various sieve sizes of that sublot. In no case, however, shall a sublot of material have its price adjusted more than once, and the first adjustment which is determined shall apply.

When the total degree of nonconformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

DEGREE OF NONCONFORMANCE	TABLE 2	PERCENT OF CONTRACT PRICE TO BE REDUCED
1.0 TO 3.0 3.1 TO 5.0 5.1 TO 8.0 8.1 TO 12.0 Greater than 12		2 4 7 11 *

*The WVDOH will make a special evaluation of the material and determine the appropriate action.

In the event a Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from his certified test data that a nonconforming sublot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the nonconforming sub-lot. The quantity represented by the nonconforming sublot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of nonconforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

Example:

If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing material) which equals 1.5 tons. These 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

WHERE T: = tonnage delivered

P = percent price reduction

D = cost per ton

Qn = quantity of nonconforming sublot(s)

Qt = quantity of total stockpile

If two (2) sublots are nonconforming within the stockpile, calculate each separately for the adjusted payment on the quantity delivered (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage delivered (TD). If three (3) sublots are nonconforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage delivered, and so on. <a href="Example: Example: "Example: Example: "Example: "Example

(AP1 + AP2) - TD = Final price to be paid after adjustments

OR

(AP1 + AP2 + AP3) - 2 TD = Final price to be paid after adjustments

WHERE:

AP = price to be paid after initial adjustment for one nonconforming

sublot determined by the above equation.

T = tonnage delivered

D = cost per ton

In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.

11. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by WVDOH Agency Releases as a condition of award.

Vendors are encouraged to utilize a paperless invoice process submitting the following information via e-mail to the WVDOH ordering locations:

- a. All weigh ticket numbers for material delivered during the invoicing period.
- b. WVDOH Agency Release number and this contract number.

LI

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications, shall apply to the administration of this contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2, and 401.9.3.

The requirements of the West Virginia Department of Transportation, Division of Highways, Standard Specifications, Roads and Bridges, Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications of this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor. West Virginia Division of Highways shall mean WVDOH.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010, and the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Building 5, Room 722 1900 Kanawha Boulevard, East Charleston, West Virginia 25305 (Phone) 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

MATERIAL SPECIFICATIONS ARE AS FOLLOWS:

MATERIAL (NOTE 1)	WVDOH STANDARD SPECIFICATION SECTION
Fine Aggregate	702 (Note 5)
Coarse Aggregate	703 (Note 5)
Riprap	704.2
Stone for Gabions	704.3
Shot Rock	704.8
Abrasives (Note 2)	Note 3
Aggregate for Base and Sub-base	704.6 (Note 5)
#8 Modified and #9 Modified	Note 4

NOTE 1: Fine aggregate on the bid schedule shall be considered to be fine aggregate for Portland cement concrete or mortar sand, the particular type to be specified in the Agency Release. Coarse aggregate on the bid schedule is identified by an AASHTO standard size; e.g., AASHTO Size No. 1, AASHTO Size No. 467, etc. Aggregate for

base and sub-base on the bid schedule is identified by class; e.g., Class 1, Class 2, and Class 9, etc.

NOTE 2: Abrasives shall conform to the following specifications:

A. Quality

- 1. Crushed sandstone shall not be used as an abrasive.
- 2. The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- 3. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #4 (4. 75 mm) sieve.
- 4. When gravel is used as an abrasive, the material retained on the #8, sieve shall have a majority of crushed particles.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT	
	Standard	Modified
1/2 inch	100	100
3/8 inch	85–100	85100
#100	0–10	0-4

NOTE 3: In addition to meeting the gradation requirements of AASHTO #8 and #9 aggregate in table 703.4, Modified AASHTO #8 and Modified AASHTO #9 aggregate shall have a maximum of 2.5% passing the #200 sieve as determined by AASHTO T-11 and T-27. Modified AASHTO #8 and Modified AASHTO #9 aggregate shall meet all other requirements for AASHTO #8 and AASHTO #9 aggregate.

NOTE 4: With exception of the following contract items, grading on all specified sieve sized for material furnished shall be determined by AASHTO T-27 (Dry Test Only) or by AASHTO T-27 with AASHTO T-11:

Item J, AASHTO #7
Item K, AASHTO #8
Item L, AASHTO #9
Item S, AASHTO #8 Modified
Item T, AASHTO #9 Modified

The grading for the above items shall be determined by AASHTO T-27 and AASHTO T-11.

NOTE 5: Cinders (Power Plant Slag) shall conform to the following specifications:

A. Definition

Cinders (Power Plant Slag) consists of Wet Bottom Boiler Slag (shiny, black, glassy material) formed when molten ash from the burning of coal drops into water and shatters at the bottom of the boiler, and/or Bottom Ash formed when ash particles from the burning of pulverized coal is allowed to air cool at the bottom of the furnace.

B. Quality

Total deleterious substances (including but not limited to metal, glass, clay, shale, and thin or elongated pieces) shall not exceed 3% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the US Standard #4 (4.75 mm) sieve.

C. Gradation

The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT
1/2 inch	100
3/8 inch	85-100
#100	0-20

NOTE 6: Number 11 Limestone for SRIC shall conform to the following specifications:

A. Quality

- The liquid limit shall not exceed 25 and the plasticity index shall not exceed 6.
- 2. Total deleterious substances including but not limited to metal, glass, clay, shale, and thin or elongated pieces shall not exceed 1% of the dry weight of the total sample. Deleterious content shall be determined on that fraction of material retained on the U.S. Standard #8 (2.36 mm) sieve.

B. Gradation

1. The material shall conform to the following gradation requirements determined in accordance with AASHTO T-27.

SIEVE SIZE	% PASSING BY WEIGHT
3/8 inch	100
#4	40-90
#8	10-40
#100	0-5

2. BIDDING INSTRUCTIONS

Vendors may bid any or all items on the bid schedule. Vendors <u>shall</u> provide the information requested in Subsection 12.1 paragraphs (a), (b), (c) and (d) on the bid schedule. Failure to provide required information will be sufficient grounds to invalidate the bid.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause to reject bids.

The WVDOH may purchase aggregate and stone F.O.B. Vendor's Storage Site. The bid price F.O.B. Vendor's Storage Site shall include the loading of WVDOH's trucks by Vendor.

Vendor shall have the capacity to deliver a minimum quantity of 300 tons per day to any designated site when directed by the District Engineer/Manager.

DETERMINING LOW BID

Bids will be evaluated by the WVDOH on the basis of cost per cubic yard F.O.B. at the designated site. Cost per cubic yard will be determined by multiplying the Vendor's bid price in dollars per ton by a "Tons per cubic yard factor" which is listed in the following table:

AGGREGATE TONS PER CUBIC YARD FACTORS

	TYPE OF MATERIAL						
		BLAST					
ITEM	LIMESTONE	SANDSTONE	GRAVEL	FURNANCE SLAG	STEEL SLAG		
Class 1, 2, 9, 10	1.46	1.46 (2920)	1.46 (2920)	1.36 (2720)	1.81 (3620)		
AASHTO Sizes #1 thru Size #7	1.30 (2600)	1.30 (2600)	1.30 (2600)	1.04 (2080)	1.61 (3220)		
AASHTO Sizes #8 thru Size #10	1.32 (2640)	1.32 (2640)	1.32 (2640)	1.20 (2400)	1.61 (3220)		
Gabions	1.31 (2620)	1.31 (2620)	1.31 (2620)		2 H = 4 =		
Fine Aggregate	1.40 (2800)	1.40 (2800)	1.40 (2800)	1.36 (2720)	1.77 (3540)		
Abrasives	1.36 (2720)	1.36 (2720)	1.36 (2720)	1.28 (2560)	1.75 (3500)		
Riprap/Shot Rock	1.31 (2620)	1.31 (2620)					

^{*}Numbers in parenthesis are pounds per cubic yard.

CINDERS

Source (Note 1)	Tons per Cubic Yard Factor (Note 2)
Albright Power Albright, WV	0.90 (1,792)
Burger Power Dilles Bottom, OH	1.29 (2,579)
Fort Martin Power Fort Martin, WV	0.94 (1,883)
Harrison Power Haywood, WV	0.95 (1,900)
John Amos Power Winfield, WV	0.82 (1,631)
Pleasants Power Plant Willow Island, WV	1.09 (2,185)
Mountaineer Power New Haven, WV	0.65 (1,305)
Bruce Mansfield Plant Shippingport, PA	1.09 (2,160)
Virginia Electric Power Mt. Storm, WV	0.79 (1,585)
Hatfield Power Masontown, Pa	0.85 (1,700)

Note 1: In the event the bidding source is not listed, it will be necessary for the WVDOH to establish the weight per unit volume of said source prior to award.

Note 2: Numbers in parenthesis are pounds per cubic yard.

4. CONTRACT AWARD

All qualified Vendors who submit a valid bid "F.O.B. Vendor' Storage Site" will be awarded a contract to establish a unit price for those items bid (See Subsection 12.1):

a. An Agency Release, specifying WVDOH pick up or Vendor delivery to project site, will be issued to the low bidder when a specific type and quantity of material is to be purchased for use on a designated project. b. An Agency Release, specifying WVDOH F.O.B. Vendors' Storage Site, may only be issued when material for routine highway maintenance operations at various locations is to be purchased. When material is secured on an Agency Release of this nature, the District Engineer/Manager shall take those steps necessary to assure that material is secured from the Vendor which results in the lowest cost to the WVDOH. Factors to be considered shall include, but are not limited to; bid price of material, haul cost at \$1.50 for the first ton-mile and \$0.25 for each additional mile.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract to establish a unit price for those locations and items for which their bid is low based on cost per cubic yard (see Subsection 12.2). An Agency Release, with the required delivery schedule, will be issued for the actual quantity of material to be delivered to the location specified. If the Vendor is unable to furnish material in accordance with the specified delivery schedule the District Engineer/Manager shall be advised in writing within five (5) working days of the reason for failure to conform to delivery requirements.

a. All qualified Vendors who are awarded F.O.B. Division Storage Sites must have the awarded items available for delivery thirty (30) days after the contract award date.

In the event a Vendor fails to conform to the requirements stated in this contract document, the Agency Release or the governing specifications, the Agency Release may be cancelled and reissued to the next lowest bidder.

The Vendor is not authorized to ship, nor is the WVDOH authorized to receive materials prior to the issue of an Agency Release.

5. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

In accordance with Chapter 5A, Article 3, Section 9 of the Code of West Virginia the commodities or services contracted for herein shall be available to all local governmental bodies in accordance with the same prices, terms and conditions afforded to the State of West Virginia.

In the event any Vendor does not wish to extend the prices, terms and conditions of his bid and subsequent contract to all political sub-divisions of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to political sub-divisions of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the WVDOH. That is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

6. HAULING AGGREGATE TO STATE PROJECTS BY CONTRACTOR

The most direct suitable route from the Vendor's aggregate storage site to the midpoint of the project will be determined by the WVDOH and used to compute haul distance for the purpose of determining low bid, and also for the purpose of determining payment. The Contractor shall deposit aggregates at the project site at the locations and in the manner directed by the WVDOH. This may include tailgating the aggregate into an aggregate spreader or onto a roadway, or dumping the aggregate into a stockpile.

7. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways Standard Specifications Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications.

8. WEIGHING MATERIALS DELIVERED BY MODES OF TRANSPORTATION OTHER THAN TRUCKS

Materials delivered to the designated site by barge, or other non-truck modes shall have their weight determined by a means acceptable to the WVDOH, and the weights of materials so shipped shall be certified, by the Vendor or his authorized agent, to be correct.

The minimum barge delivery requested will be approximately 6,500 tons per the Agency Release. When barge delivery is required contract item will be ordered in 1500 ton increments.

SAMPLING AND TESTING

Sampling and testing for quality of all items furnished in this contract will be the responsibility of the WVDOH. Minimum frequency of sampling and testing for quality on all materials (other than those sources already covered by the WVDOH's "commercial source" approval) will be at least one sample every six days of shipment (or if tested during production, at least one sample every six (6) days of production).

Other minimum frequencies shall be in accordance with the following:

Property	Frequency
Gradation-Delivered Material	One sample per each day of shipment (or if tested during production, one sample per each day of production). See Note 1 below.
Gradation-WVDOH Pick-up	(WVDOH pick up; A-1 Source) One sample per each week of shipment per MP 700.00.52; or if tested during production, one sample per each day of production. See Note 1 below.

(WVDOH pick up; A-2 Source)
One sample per 250 tons shipped and a minimum of one per week of shipment.

Moisture Content (See Note 2)

All samples taken by the Vendor shall be by a Certified Aggregate Sampler or Certified Aggregate Inspector. Tests shall be performed by a Certified Aggregate Inspector.

NOTE 1:

The Vendor will be responsible for providing test results attesting to the gradation of materials delivered. Gradation results from the production source will be acceptable.

NOTE 2:

In the event visual inspection of the aggregate indicates excess or unusual moisture beyond that normally expected in the aggregate, the WVDOH reserves the right to determine the moisture content by standard methods. If this becomes necessary, the net weight of the portion represented will be adjusted utilizing the test results obtained by the WVDOH in accordance with MP 700.00.22. Items "O" & "P" (Abrasives) will be considered fine aggregate outlined in MP 700.00.22.

ACCEPTANCE PLAN

Material failing to comply with the quality requirements will not be accepted. Acceptance for gradation shall be on the basis of test results, provided and certified by the Vendor to be true test results and representative of the material supplied to the WVDOH, on consecutive random samples from a lot. A lot shall consist of a quantity of material represented by an average value (not to exceed 5 sublots). A sublot shall consist of the quantity of material represented by a single gradation test. In the case where only one sample is taken to represent the total quantity, the sublot and lot will be considered the same. Frequency of sampling and testing shall be in accordance with the Vendor's quality control plan outlined in MP 700.00.51. The Vendor shall provide the gradation test results to the WVDOH within 72 hours.

Gradation test results shall be averaged in accordance with MP 300.00.51. When the average falls outside the applicable limits, the lot of material represented thereby will be considered nonconforming to the extent that the last of its sublots is nonconforming. When a lot of material is nonconforming, then the last sublot contained therein shall have its degree of nonconformance determined as set forth below.

When a sublot of material is to have its price adjusted, the percentage point difference between the nonconforming test value and the specification limit shall be determined for each sieve size determined to be nonconforming, and this value shall be multiplied by its appropriate multiplication factor as set forth in Table I.

NONCONFORMING	TABLE 1	MULTIPLICATION
SIEVE SIZE		<u>FACTOR</u>
Plus #40		1
#40		1.5
#50		1.5
#100		2.0 (1.3 for abrasives and cinders)
#200		2.5
1/2"		1
3/8"		1

The total measure of nonconformance of an individual sublot is the sum of all nonconformances on the various sieve sizes of that sublot. In no case, however, shall a sublot of material have its price adjusted more than once, and the first adjustment which is determined shall apply.

When the total degree of nonconformance has been established and it is 12 or less, the material will be paid for at an adjusted contract price as specified in Table 2.

	TABLE 2	
DEGREE OF		PERCENT OF CONTRACT
NONCONFORMANCE		PRICE TO BE REDUCED
1.0 TO 3.0		2
3.1 TO 5.0		4
5.1 TO 8.0		7
8.1 TO 12.0		11
Greater than 12		*

^{*}The WVDOH will make a special evaluation of the material and determine the appropriate action.

In the event a Vendor delivers a specific quantity of material from a stockpile, and said quantity is less than the total quantity contained in the stockpile, and it has been determined from his certified test data that a nonconforming sublot(s) is contained in said stockpile, the price reduction shall be calculated for the specific quantity as follows:

The percent price reduction shall be determined as set forth above for the nonconforming sub-lot. The quantity represented by the nonconforming sublot shall then be calculated as a percent of the total (total material contained in the stockpile). To determine the price reduction on the specific quantity delivered, multiply the percent of nonconforming material contained in the stockpile by the quantity delivered, and reduce this quantity by the percent price reduction as determined.

Example:

If it has been determined that a stockpile of 100 tons contains 10 percent failing material, and said material is to have its price reduced by 4 percent, then the actual quantity delivered, say 15 tons, will be multiplied by 0.10 (10 percent failing material) which equals 1.5 tons. These 1.5 tons will thus have its price reduced by 4 percent. The remaining 13.5 tons will be paid for at full contract price.

WHERE T: = tonnage delivered

P = percent price reduction

D = cost per ton

Qn = quantity of nonconforming sublot(s)

Qt = quantity of total stockpile

If two (2) sublots are nonconforming within the stockpile, calculate each separately for the adjusted payment on the quantity delivered (as above). Add these two adjusted payments together and subtract from the total the price to be paid before adjustment for tonnage delivered (TD). If three (3) sublots are nonconforming, calculate each separately and subtract twice the price to be paid before adjustment for tonnage delivered, and so on. Example:

(AP1 + AP2) - TD = Final price to be paid after adjustments

OR

(AP1 + AP2 + AP3) - 2 TD = Final price to be paid after adjustments

WHERE:

AP = price to be paid after initial adjustment for one nonconforming

sublot determined by the above equation.

T = tonnage delivered

D = cost per ton

In the event material is delivered from a continuous stockpile, that is, a stockpile which is continuously being replenished while also having material removed for these applications, certification shall be based on the shipment samples.

11. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by WVDOH Agency Releases as a condition of award.

Vendors are encouraged to utilize a paperless invoice process submitting the following information via e-mail to the WVDOH ordering locations:

- a. All weigh ticket numbers for material delivered during the invoicing period.
- b. WVDOH Agency Release number and this contract number.

c. Total quantity and unit price with the total cost of each type of material furnished. (Total quantity invoiced shall be scale weights (supported by weigh tickets) adjusted in accordance with Section 9, Note 2.)

NOTE: Under no circumstances will the WVDOH accept, or pay for, quantities of material in excess of the quantity stated on the Agency Release.

12. BIDDING SCHEDULE

12.1 Bidding F.O.B. Vendor's Storage Site

 SOURCE OF MATERIAL (State all sources for which bid prices apply) (e.g., Quarry location if Sandstone or Limestone; dredging or pit location if Gravel; production plant name and location if Slag)

Bluefield, VA, Pounding Mill, VA, Rocky Gap, VA, Ingleside, WV

b) EXACT LOCATION OF VENDOR'S STORAGE SITE(S) A separate bid schedule must be submitted when bid price varies between Vendors storage sites.

Bluefield, VA, Pounding Mill, VA, Rocky Gap, VA, Ingleside, WV

Contract Item	Description of Material	Bid Price per Ton F.O.B. Vendor's Storage Site		
		LIMESTONE	BLAST	
		SANDSTONE,	FURNACE	STEEL
		GRAVEL, SAND	SLAG	SLAG
Α	Class 1 Aggregate	7.40		
В	Class 2 Aggregate	7.40		
С	Class 10 Aggregate	7.40		
D	AASHTO #1 Aggregate	8.40		
Ε	AASHTO #3 Aggregate	8.40		
F	AASHTO #4 Aggregate	8.40		
G	AASHTO #467 Aggregate	8.40		
Н	AASHTO #57 Aggregate	8.40		
1	AASHTO #67 Aggregate	8.40		
J	AASHTO #7 Aggregate			
K	AASHTO #8 Aggregate	10.00		
L	AASHTO #9 Aggregate	11.50		-
M	Stone for Gabions	10.00		
N	Fine Aggregate	11.50		
0	Standard Abrasives	10.00		

BIDDING SCHEDULE (Continued)

12.1 Bidding F.O.B. Vendor's Storage Site (Continued)

Contract item	Description of Material		d Price per Ton (endor's Storage Site	
<u>oomraat non</u>	Bosonption of Material	LIMESTONE SANDSTONE, GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
P Q R S T U V	Modified Abrasives Riprap Shot Rock AASHTO #8 Modified AASHTO #9 Modified Pea Gravel #11 Limestone Abrasives	11.50 10.00 10.00 10.00 11.50		
W	Haul by Vendor (Except Item @ \$ for Fi @ \$ for Ea			
X	Haul by Vendor (Items R and @ \$ for Fig32 \$ for Ea			
Υ	6" Crusher Run (Pick Up Only)	10.00		
Contract Item	Description of Material		l Price per Ton dor's Storage Site	
AA	Cinders (See Note 1.)			
Note	1: Bid price shall include cost of V	endor Loading Departn	nent trucks.	
c)	SOURCE OF MATERIAL Name	and Location of plant w	hich produces the ma	terial:
	EXACT LOCATION OF VENDOR submitted when bid price varies be			edule must be

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Item	of Aggregate	(TONS)	DOH Storage Site		Storage Site	
· · · · · · · · · · · · · · · · · · ·	LINCOLN (COUNTY		LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
Α	Class 1	1000	Harts	GITAVEE, DAIND	OL/(O	02/10
-	Class 2	500	Harts			
•	No. 3	500	Harts			
	No. 57	500	Harts			
	No. 8	1000	Harts		·····	
	Gabion Stone	1000	Harts			
	Standard Abr.	1000	Harts			
	Shot Rock	1000	Harts			
	#11 Limestone Abr.	1000	Harts			
	Rip Rap	500	Harts	· · · · · · · · · · · · · · · · · · ·		<u></u>
	LOGAN C	OUNTY				
Α	Class 1	5000	Wilkinson			
	No. 3	1000	Wilkinson			
Н	No. 57	1000	Wilkinson			
	No. 8	2000	Wilkinson			
M	Gabion Stone	1500	Wilkinson			
0	Standard Abr.	2000	Wilkinson			
Р	Modified Abr.	500	Wilkinson		· ···-	
R .	Shot Rock	1500	Wilkinson			
٧	#11 Limestone Abr.	2000	Wilkinson			
	LOGAN C	OUNTY				
Α	Class 1	1000	Man	22.00		
Ē	No. 3	500	Man	22.50		
H	No. 57	500	Man	24.00		
K	No. 8	2000	Man	26.00		
M	Gabion Stone	1000	Man	24.00		
0	Standard Abr.	1000	Man	26.00		
P	Modified Abr.	500	Man	27.00		
R	Shot Rock	1000	Man	28.00		
	#11 Limestone Abr.	1000	Man			

BIDDING SCHEDULE

DISTRICT TWO

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	Bid Price (\$Ton) F.O.B. DOH Storage Site		
CORRIDOR G & LOGAN COUNTY				LIMESTONE BLAST SANDSTONE FURNACE STEEL GRAVEL, SAND SLAG SLAG		
Α	Class 1	2000	Chapmanville			
E	No. 3	500	Chapmanville			
K	No. 8	1500	Chapmanville			
M	Gabion Stone	1000	Chapmanville			
0	Standard Abr.	1000	Chapmanville			
Р	Modified Abr.	500	Chapmanville			
R	Shot Rock	1000	Chapmanville			
V	#11 Limestone Abr.	3000	Chapmanville			
MINGO COUNTY						
Α	Class 1	5000	Miller Creek			
D	No. 1	500	Miller Creek			
Ē	No. 3	1000	Miller Creek			
H	No. 57	1000	Miller Creek			
K	No. 8	1500	Miller Creek			
M	Gabion Stone	800	Miller Creek			
0	Standard Abr.	2000	Miller Creek			
P	Modified Abr.	500	Miller Creek			
R	Shot Rock	1000	Miller Creek			
Ÿ	#11 Limestone Abr.	3000	Miller Creek			
	MINGO (COUNTY				
Α	Class 1	1000	Gilbert	20.85		
Ď	No. 1	1000	Gilbert	22.85		
Ē	No. 3	500	Gilbert	22.85		
H	No. 57	500	Gilbert	22.85		
K	No. 8	500	Gilbert	24.85		
M	Gabion Stone	1000	Gilbert	22.85		
0	Standard Abr.	200	Gilbert	24.85		
P	Modified Abr.	200	Gilbert	26.80		
R	Shot Rock	500	Gilbert	27.85		
v	#11 Limestone Abr.	1000	Gilbert	27.00		

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	t Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site		(\$/Ton) F.O.B. torage Site	
<u> </u>	MONRO	DE COUNTY		LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
Α	Class 1	6000	Union			
В	Class 2	20000	Union			
Ē	No. 3	1500	Union			
Н	No. 57	2000	Union			
I	No. 67	2000	Union			
K	No. 8	3000	Union			
L	No. 9	3000	Union			
M	Gabion Stone	1000	Union			
R	Shot Rock	500	Union			
		DE COUNTY				
Α	Class 1	2000	Peterstown	15.10		
B	Class 2	6000	Peterstown	15.10		
Ε	No. 3	500	Peterstown	17.10		
Н	No. 57	500	Peterstown	17.10		
K	No. 8	1500	Peterstown	17.10		
L	No. 9	2000	Peterstown	19.00		
M	Gabion Stone	500	Peterstown	16.10		
٨	NICHOLAS C	<u>OUNTY WV Rt</u> 12000	. 39 Summersville			
A B	Class 1 Class 2	5000	Summersville			
E	No. 3	1000	Summersville			
H	No. 57	1000	Summersville			
п]	No. 67	1000	Summersville			
K	No. 8	1500	Summersville			
L	No. 9	10000	Summersville			
M	Gabion Stone	1500	Summersville			
P P	Modified Abr.	1000	Summersville			
R	Shot Rock	1000	Summersville			<u> </u>
1.	CHOLINOUN	1000	Carrierorovino			

12:2 Bidding F.O.B. Division's Storage Site (Continued)

Contract	t Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	,	\$/Ton) F.O.B. torage Site			
				LIMESTONE	BLAST			
	MCDO\	WELL COUNTY		SANDSTONE	FURNACE	STEEL		
	Olaca 4	40000	Havaaa	GRAVEL, SAND	SLAG	SLAG		
A G	Class 1 No. 467	10000 3000	Havaco Havaco	18.60 19.30				
H	No. 57	1000	Havaco	19.80				
M	Gabion Stone	1500	Havaco	20.30				
P	Modified Abr.	5000	Havaco	22.20				
R	Shot Rock	1500	Havaco	24.30				
K	No. 8	1000	Havaco	21.10				
	MCDOWELL COUNTY							
Α	Class 1	5000	Raysal	15.23				
G	No. 467	2000	Raysal	16.45				
Н	No. 57	1000	Raysal	16.45				
K	No. 8	500	Raysal	18.25				
M	Gabion Stone	1000	Raysal	17.25				
O R	Modified Abr. Shot Rock	2000 1000	Raysal	20.50 21.25				
В	Class 2	2000	Raysal Raysal	15.23				
D	Olass E	2000	raysar	10.20	<u>I</u>			
	MCDO/	WELL COUNTY						
	MODO	VLLL OCCIVIT						
Α	Class 1	3000	Yukon	16.73				
G	No. 467	1000	Yukon	18.00				
Н	No. 57	1000	Yukon	18.00				
M	Gabion Stone	600	Yukon	18.00				
Р	Modified Abr.	2000	Yukon	19.00				
R	Shot Rock	800	Yukon	22.50				
В	Class 2	1000	Yukon	16.73				
	MCDOWELL COUNTY							
٨	Class 4	2000	Jahannianian B#4	40.47	ı			
A G	Class 1 No. 467	3000 1000	Johnnycake Mtn.	18.17				
M	Gabion Stone	500	Johnnycake Mtn. Johnnycake Mtn.	21.20 21.20				
ivi P	Modified Abr.	2000	Johnnycake Mtn.	23.20				
r R	Shot Rock	2000 800	Johnnycake Mtn.	25.20				
Н	No. 57	1000	Johnnycake Mtn.	21.20				
В	Class 2	1000	Johnnycake Mtn.	18.17				
Ð	U1033 Z	1000	Johnny Care Will.	10.17				

12. BIDDING

BIDDING SCHEDULE

DISTRICT TEN

12.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item A G K L M E	Description of Aggregate MEF Class 1 No. 467 No. 8 No. 9 Gabion Stone No. 3	Estimated Quantity (TONS) RCER COUNTY 20000 1000 2500 15000 3500 2000	Princeton - WV 20	Bid Price (\$/Ton) F.O.B. DOH Storage Site LIMESTONE BLAST SANDSTONE FURNACE STEEL GRAVEL, SAND SLAG SLAG 14.10 15.40 15.70 17.10 15.50 15.40		
_						
	<u>ME</u>	RCER COUNTY				
Α	Class 1	8500	Flat Top	14.24		
G	No. 467	2000	Flat Top	17.00		
K	No. 8	500	Flat Top	17.00		
L	No. 9	7500	Flat Top	19.50		
М	Gabion Stone	500	Flat Top	16.00		
Ε	No. 3	2000	Flat Top	16.00		
A	MERCI	<u>ER COUNTY (I-77</u> 500	Princeton - I 77	14.10		
L	No. 9	3000	Princeton - I 77	17.10		
RALEIGH COUNTY						
Α	Class 1	10000	Skelton			
E	No. 3	1000	Skelton			
H	No. 57	300	Skelton			
Ĺ	No. 9	10000	Skelton			
M	Gabion Stone	500	Skelton			
RALEIGH COUNTY						
Α	Class 1	7000	Bolt			
Ε	No. 3	1200	Bolt			
Н	No. 57	2500	Bolt			
L	No. 9	3000	Bolt			
M	Gabion Stone	600	Bolt			

12. BIDDING SCHEDULE

DISTRICT TEN

32.2 Bidding F.O.B. Division's Storage Site (Continued)

Contract Item	Description of Aggregate	Estimated Quantity (TONS)	Location of DOH Storage Site	_	DOH S	\$/Ton) F.O.B. torage Site	
	RALEIG	H COUNTY (I-64	1		LIMESTONE SANDSTONE GRAVEL, SAND	BLAST FURNACE SLAG	STEEL SLAG
Α	Class 1	10000	Bragg	Ī			
Е	No. 3	1200	Bragg				
L	No. 9	5000	Bragg				
М	Gabion Stone	400	Bragg		,		
Н	No. 57	2000	Bragg				
WYOMING COUNTY							
Α	Class 1	3000	Still Run	Г	17.22		
В	Class 2	2000	Still Run	ľ	17.22	·	
Ē	No. 3	1500	Still Run	Ī	20.00		
H	No. 57	2500	Still Run	Ī	20.00		
L	No. 9	2000	Still Run		22.00		
M	Gabion Stone	1500	Still Run		20.00		
	WYON	ING COUNTY					
Α	Class 1	3000	Hanover		19.79		
В	Class 2	2000	Hanover		19.79		
L	No. 9	2000	Hanover		22.80		
E	No. 3	1000	Hanover	L	20.80		
	WYON	ING COUNTY					
Α	Class 1	400	Pineville - WV 97	Γ	17.33		
В	Class 2	2000	Pineville - WV 97	ſ	17.33		
L	No. 9	2000	Pineville - WV 97		22.00		_
Н	No. 57	2500	Pineville - WV 97		20.35		



*709033348

171 ST CLAIRS BLUEFIELD VA

POUNDING MILL QUARRY

171 ST CLAIRS CROSSING

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

24605

276-326-1145

Request for Quotation

6611C021

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 33

304-558-2402

DATE PRINTED	151	RMS OF SALE	SHIP VIA	F.O.B.	FREIGHTH ERMS
03/11/2011 BID OPENING DATE:	03/22/2	2011	BTD C	PENING TIME 01	:30PM
LINE	QUANTITY	UOP CAT.	ITEM:NUMBER	UNIT PRICE	AMOUNT
		אידורו א	IDUM NO. 1		
1.			NOM NO. 1		the second second
THIS	ADDENDUM	IS ISSUEI	TO:		
			, 6"CRUSHER RUN THE ATTACHED	TO BIDDING	
2.)	PROVIDE A	COPY OF I	HE VENDOR PREFER	ENCE CERTIFICATE	
3.)	BID OPENI	NG DATE RE	MAINS 03/22/2011 ADDENDUM NO. 1***	AT 1:30 PM	
001	<u>E</u> 1	BA 7	750-35	andy Cle	em
STON	_	ATE AND CI	INDERS -	8	
* * * *	** THIS	IS THE ENI	OF RFQ 6611C0)21 ***** TOTAL:	
		SEER	UEVERSE SIDE FOR TERMS AND CO	DINDITIONS	1
SIGNATURE Condy	10.		TELEPHONE	326-1145 DATE	3-21-11
TITLE	- severy	EIN			S TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

6611C021

ADDRESS:GORGESPONDENCESTO ATTENTION OF

BUYER 33 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

RFQ COPY TYPE NAME/ADDRESS HERE

DATE PRIN		TERMS OF S	ALE	SAIP	VIA	F.O.B.		FAEIGHT	BAMS.
03/16/		22 /22 /22 4	•			·			
LINE	S DOSSO - O - O - O - O - O - O - O - O - O	03/22/2011 NTITY UOP	CAT	, ITEM NC		PENING TIME UNITPRICE	01:	30PM	(B)T
FHAC	90%		CAT NO		Ween	UNI PAICE		AMOL	JNI
* .			ADDEN	DUM NO.	n				
	ŧ		ADDEN	DOM NO.	4	<u> </u>		ŧ	
		DDENDUM IS							
1	MITTISI	ONE LOCATIO	m BID	SCHEDULE	PER THE	ATTACHED.			
	*****	*****	*END A	DDENDUM 1	VO. 2***	*****	****	•	
			,			·	-	• • .	
		,							
·	,	••		•			.		
					·				
				. •	٠.		٠.		
0001		FIΔ		50-35		1.			• .
		1	1 1	J0-JJ	,	Undy,	levu	, '/	
8	STONE,	AGGREGATE	AND CI	NDERS	, -		7		•
					.*				
*	*****	THIS IS T	HE END	OF RFQ	6611C0	21 ***** TO	OTAL:		
-	İ					, , , , , , , , , , , , , , , , , , ,			
					,•				
		·		:					
	•					•			
					,				•
									,
	<u> </u>		SEEREV	ERSE SIDE FOR	EHMS AND CO	VDITIONS			
SIGNATURE And	e Clar	mi,_a		<u>, and an environmentally the </u>	TELEPHONE	26-11 45	DATE	3-21-11	
TITLE	ð	FEIN		······································	<u>, </u>		/	TO BE NOTED A	BOVE
1A/L	EN DECD	ONDING TO DE	O INICED	C NAME AND	ADDDECO	N ODACE ADOVE	1 4 22 21 22	3 D 453 13 0 00 1	

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

and ac	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate es during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
authorize the req deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
require against or dedu	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty t such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
	ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
1. 	Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the
1.	Application is made for 2.5% resident vendor preference for the reason checked:

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	6611C021

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

DONNA K. CROUSE
NOTARY ID # 7120268
NOTARY PUBLIC
COMMONWEALTH OF VIRGINIA
MY COMMISSION EXPIRES NOVEMBER 30, 2011