



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
MICHAEL AUSTIN 304-558-2402

VENDOR

*709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD

 FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
05/18/2010	NET30	Truck	Destination	Prepaid

BID OPENING DATE: **06/30/2010** **BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-59	\$ 7956.56	\$7956.56
<p>CONTRACT: TO PROVIDE POWER REVERSIBLE SNOWPLOW</p> <p>Monroe MP36R10-ISCT-WV (10 Foot) Monroe MP36R11-ISCT-WV (11 Foot)</p> <p>OPEN END CONTRACT</p> <p>TO PROVIDE 10 FOOT AND 11 FOOT HENDERSON OR EQUAL POWER REVERSIBLE SNOWPLOW. PER THE ATTACHED.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>MANDATORY PRE-BID</p> <p>A MANDATORY PRE-BID WILL BE HELD ON THURSDAY, 06/10/10 AT 10 AM IN BUILDING 15, CAPITAL COMPLEX, CHAS, WV. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS MEETING FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER.</p> <p>AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE</p>						<p>We will honor this price for the 10 or 11 foot plow.</p>

RECEIVED

2010 JUL 20 A 8:19

PURCHASING DIVISION
STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>Z. Maul</i>	304-366-4690	07-17-10	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Aftermarket Mgr.	550547175		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010	NET30	Truck	Destination	Prepaid
BID OPENING DATE: 06/30/2010		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER-S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p> <p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>QUESTIONS: WRITTEN QUESTIONS WILL BE ACCEPTED THROUGH CLOSE OF BUSINESS (5:00 PM EST) ON TUESDAY, 06/01/2010.</p> <p>SEND YOUR QUESTIONS TO: PURCHASING DIVISION ATTENTION MICHAEL AUSTIN 2019 WASHINGTON ST., E., CHARLESTON, WV 25305</p> <p>QUESTIONS MAY BE SENT VIA FAX, E-MAIL, OR REGULAR MAIL. E-MAIL: MICHAEL.D.AUSTIN@WV.GOV FAX: 304-558-4115</p> <p>IT IS THE VENDORS RESPONSIBILITY TO VERIFY THAT THEIR QUESTIONS HAVE BEEN RECEIVED BY CALLING 304-558-2402.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	304-366-4690	07-17-10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Aftermarket Mgr.	550547175	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010	NET30	Truck	Destination	Prepaid

BID OPENING DATE: **06/30/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
EXHIBIT 2						
<p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>J. Mark</i>	304-366-4690	07-17-10	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Aftermarket Mgr.	550547175		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 05/18/2010	TERMS OF SALE NET30	SHIP VIA Truck	FOB Destination	FREIGHT TERMS Prepaid
-----------------------------------	------------------------	-------------------	--------------------	--------------------------

BID OPENING DATE: **06/30/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>(INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FUTHER ORDER.</p> <p>REV. 5/2009</p> <p>EXHIBIT 10</p> <p style="text-align: right;">REQUISITION NO.: .7010EC010.....</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>J. Marshall</i>	TELEPHONE 304-366-4690	DATE 7-17-10
TITLE Aftermarket Mgr.	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
7010EC010

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR

*709043751 304-366-4690
MIDDLETOWN TRACTOR SALES
2345 WHITEHALL BLVD

FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010	NET30	Truck	Destination	Prepaid

BID OPENING DATE: **06/30/2010** **BID OPENING TIME 01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 .X.....</p> <p>NO. 2 .X.....</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">..... SIGNATURE</p> <p style="text-align: center;">..... Middletown Tractor Sales..... COMPANY</p> <p style="text-align: center;">07-17-10 </p> <p style="text-align: center;">DATE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE 	TELEPHONE 304-366-4690	DATE 07-17-10
TITLE Aftermarket Mgr.	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR
 *709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO
 DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED 05/18/2010	TERMS OF SALE NET30	SHIP VIA Truck	FOB Destination	FREIGHT TERMS Prepaid
-----------------------------------	------------------------	-------------------	--------------------	--------------------------

BID OPENING DATE: **06/30/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p> <p>REV. 3/88</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 304-366-4690	DATE 07-17-10
TITLE Aftermarket Mgr.	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
7

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN
304-558-2402

VENDOR
 *709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO
 DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
05/18/2010	NET30	Truck	Destination	Prepaid

BID OPENING DATE: **06/30/2010** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	SEALED BID					
	BUYER: 33					
	RFQ. NO.: 7010EC010					
	BID OPENING DATE: 06/30/2010					
	BID OPENING TIME: 1:30 PM					
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
----- 304-366-4698 -----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
----- Zach Marsh -----						
***** THIS IS THE END OF RFQ 7010EC010 ***** TOTAL:						\$7956.56
This price will be honored for either plow.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Z. Marsh</i>		TELEPHONE 304-366-4690	DATE 7-17-10
TITLE Aftermarket Mgr.	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS
NO. 021-2-D

OPEN END CONTRACT
10 FOOT OR 11 FOOT POWER REVERSIBLE SNOWPLOW (HYDRAULIC)

NOTE TO BIDDER: Procurement Specification No. 021-2-D, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report.

FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 7010EC010

Bidder's Name: Middletown Tractor Sales

Address: 2345 Whitehall Blvd. Fairmont, WV 26554

Telephone Number: 304-366-4690

Years Bidder has been registered to do business with the State of West Virginia: 26 YRS.

Years Company has been an authorized dealer for proposed unit: 3 YRS.

X3.2 Have you complied with all mandatory specifications? YES NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 45 Calendar Days After
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 135 Calendar Days After Receipt of
Purchase Agreement

NOTE: Vendor should type Bidder's Evaluation Report

The *Bidder's Evaluation Reports* are ready for download on Purchasing's Web site at
www.state.wv.us/admin/purchase

X5.0 AWARD CRITERIA;

X5.1 Price per unit:

\$7956.56 per unit

X6.0 SPECIFICATIONS - GENERAL

X6.1 Manufacturer, model, series, and date of manufacture of proposed unit:

2010 Monroe Model: MP36R10-ISCT-WV (10 Foot) 2010 Monroe Model: MP36R11-ISCT-WV (11 Foot)

Is descriptive literature, fully describing proposed unit attached to your bid? YES NO

If not, why? _____

X6.2 Will the required number of service manuals, and complete parts list be delivered to the Equipment Division at Buckhannon upon completion of delivery of total units?

YES NO

Will the required Equipment Preventive Maintenance Form (Section X6.2 of Bidders Evaluation Report) be provided upon inspection of the pilot unit?

YES NO

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training
 YES NO

Will you conduct training with each purchase order against this open end contract?
 YES NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?
 YES NO

If NO, explain time frame _____

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?
 YES NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?
 YES NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?
 YES NO
 If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications
 YES NO

Is warranty literature attached? YES NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?
 YES NO

Describe:

Products purchased as a result of this bid will be covered by the Manufacturers basic parts and labor warranty for a period of 24 months. Normal wear items or failures resulting from misuse or abuse are not covered by this warranty see the attached warranty statement.

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.
(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

See the attached warranty statement. Failures resulting from defects in parts or
workmanship are covered by the manufacturer's warranty for 24 months. Misuse
or abuse and normal wear items are not covered.

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at
manufacturer's representative facility. List name and location of manufacturer's representative.

Routine repairs can be made at the DOH facility. Repairs requiring in-depth fabrication
or deemed as non-routine by the servicing dealer shall be made at the dealer's location.

Middletown Tractor Sales' Fairmont location is the manufacturer's repair facility.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

Middletown Tractor Sales is the location of parts inventory within the state
of West Virginia. A stocking list of over 30 line items of varying quantities
is readily available at Middletown Tractor Sales.

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that
bidder will sell the parts to owner.

A. Terms: Net 30	Manufacturer's published list price less:	<u>5</u>	% discount
B. Terms: Net 60	Manufacturer's published list price less:	<u>0</u>	% discount
C. Terms: Net 90	Manufacturer's published list price less:	<u>0</u>	% discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways?
 X YES NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate	\$ <u>55.00</u> per mechanic hour
B. Travel Time Charge (Specify if one-way)	\$ <u>60.00</u> per mechanic hour _____ ; port to port <u>Port to Port</u>
C. Mileage Charge (Specify if one-way)	\$ <u>N/A</u> per vehicle mile _____ ; port to port _____
D. Field Mechanic Rate	\$ <u>60.00</u> per mechanic hour

E. Specify period of time that prices are in effect: During the life of this contract

F. Surcharge for miscellaneous items:	<u>10</u>	%	Fuel Surcharge added for travel time.
---------------------------------------	-----------	---	---------------------------------------

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? YES NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?

YES NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?

YES NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?

YES NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Is the snowplow designed for mounting on a single axle or tandem dump truck

YES NO

Is the snowplow capable of plowing to the right or left at an angle approximately 35° discharging to the right or left

YES NO

Does it have a center mounted trip spring leaving the plow area outside the reversing arc free for nesting close to the pushing vehicle

YES NO See Addendum # 2

Is it a straight blade type with an integral type snow shield

YES NO

Will you supply the hose and fittings to connect both systems to the valve located under the front bumper

YES NO

Is the blade section type, made up of three (3) and four (4) foot sections to total 10 feet or 11 feet wide, having a tungsten carbide inserted cutting edge

YES NO

Manufacturer: Monroe

Model: MP36R

X7.1 Moldboard:

X7.1.1 Overall Width:

X7.1.1.1 **OPTION #1** – 10 Foot YES NOX7.1.1.2 **OPTION #2** – 11 Foot YES NOX7.1.2 Overall height: 36 inchesX7.1.3 **Moldboard construction:** 10 U.S. Gauge 304 Stainless steel and rolled to give the snow a free rolling action YES NOX7.1.4 **Travel arc:** 35 ° each way; total 70 °X7.1.5 **Moldboard has a cutting edge attach angle with three (3) adjustments from 5 degree, 10 degree, and 20 degree vertical measurement from ground using 3/4 inch pins** YES NOX7.1.6 Weight of plow: 10 foot 1750 Lbs. 11 foot 1815 Lbs.X7.1.7 **Number of vertical ribs** 8 1/2 x 3-1/2 Formed steelX7.1.8 Is an additional rubber snow shield provided? YES NOSize of belting 5/16x12 Run entire length of plow? YES NOMounted so it won't add to overall height? YES NOX7.1.9 Continuously welded ribs, moldboard, and angles YES NOX7.1.10 **Reinforced at top and bottom edges?** YES NOTop of moldboard reinforced with integrally structural channel? YES NOSize of channel: 3-1/2 x 2-1/2 x 3/8Bottom angle 4 x 4 x 3/4 angle gusseted.

X7.2 Cutting Edge:

X7.2.1 **Sectioned, standard AASHO punched, in three (3) foot and four (4) foot lengths?**
 YES NO

X7.2.2 Blade Sections:

X7.2.2.1 3/4 inch thick by 6 inches wide having a Grade WC cemented tungsten carbide insert of approximately 88 Rockwell A scale hardness?

YES NO

X7.2.2.2 Insert silver soldered on all sides of a milled slot near the center of the working edge?

YES NO

X7.2.2.3 Braze joint transverse rupture strength: 345000 PSI

X7.2.2.4 Blade section identifiable by manufacturer, name and part number stamped on the reverse side of each section?

YES NO

X7.2.2.5 Will wrap around curb guards be mounted on right and left side of plow

YES NO

X7.2.2.6 Curb guards are 5/8 inch thick, 6 inches high and 8 inches long

X7.3 Safety Trip Mechanism:

X7.3.1 Tripping mechanism attached to semi-circle and moldboard ribs use two (2) compression springs

YES NO

X7.3.2 Are springs two (2) external compression springs sitting inside (2) moldboard adjusting struts made from (2) 1/2 inch x 2.5 inch bars sliding to a 3/4 x 2.5 inch center bar with an overall length of 39.5 inches

YES NO

X7.3.3 Does the trip mechanism hold the plow rigid in plowing position and trip automatically when cutting edge comes in contact with an obstruction then returns to normal plowing position?

YES NO

X7.4 Push Frame:

X7.4.1 All welded construction designed per manufacturer's heavy duty specifications?

YES NO

Push frame length for 10 foot: 120 inches Structural tube size: 4" x 3/8

Push frame length for 11 foot: 132 inches Structural tube size: 4" x 3/8

X7.4.2 Number of hinges in moldboard to push frame connection? 7

Each hinge has a fully welded in bushing to house pin YES NO

Bushings are 1 1/4 inch mounted to two 5/8 inch mounting ears for total bearing surface per bushing of 2 1/2 inches YES NO

X7.4.3 Equipped with an oscillating center pin of plow portion hitch of 2 inch with push plate being 1 inch x 33 inches x 5 inches feature to permit plow to follow uneven road surfaces?

YES NO

Semi-circle is 3 ½ inches x 3 ½ inches x ½ inch

YES NO

X7.4.3.1 Is push frame equipped with a quick hitch connection system specific for WVDOH?

YES NO

X7.4.4 Hydraulic Power Reversing Mechanism:

X7.4.4.1 Consist of two (2) double acting 4 inch x 2 inch x 10 inch power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame? YES NO

Are cylinders mounted above the semi-circle

YES NO

X7.4.4.2 Does hydraulic power reverse mechanism include a dual cross-over relief cushion valve?

YES NO

Rated at 40 GPM

X7.4.4.3 The "A" frame is made from 4 inch channel with 2.5 inch flanges supporting a 2 inch center reversing pin mounted in a 3 inch, 1/2 inch wall tube and having a grease fitting

YES NO

Push ends are welded to a 1 inch x 33 inch x 5 inch base plate having a 2 inch pivot hole for the oscillator bar to attach to

YES NO

X7.4.5 Skid Shoes:

X7.4.5.1 Are caster mounted carbide mushroom type shoes included? YES NO

One on each side YES NO

X7.4.5.2 Manufacturer's standard adjusting mechanism included?

YES NO

X7.5 Hitch:

X7.5.1 Universal heavy duty type designed to carry plows of weight specified when mounted on a 32,000 pound class truck minimum?

YES NO

X7.5.2 Bumper to frame type universally adaptable to any conventional truck and to accommodate a tilt front end on the carrier?

YES NO

X7.5.2.1 Is hitch attached in truck's frame rails?

YES NO

X7.5.2.2 Does hitch include a lift system YES NO

Designed at a rated capacity of 8000 lbs.

Is lift cylinder the same size as plows reversing cylinder for WVDOH interchangeability

YES NO

X7.5.3 Hitch to Bumper Attachment:

X7.5.3.1 Is hitch frame height 33 5/8 inches and hitch width 26 inches YES NO

X7.5.3.2 Hitch members are 1/2 inches x 4 inches x 4 inches structural angle or tubing
 YES NO

Hitch is low profile for access to the truck's engine compartment YES NO

X7.5.3.3 Is the lift arm and lift frame designed to accept a 4 inch lift cylinder with nitrided cylinder tube? YES NO

Cylinder pins are 1 inch cold rolled steel YES NO

X7.5.3.4 Does unit have self-storing arm YES NO

Is this accomplished by pulling one (1)- one (1) inch pin and folding the cylinder up which allows you to re-pin to store? YES NO

X7.5.3.5 Axle clamp allows longitudinal motion but not vertical and horizontal motion?

YES NO

X7.5.4 Does unit provide custom 1/2 inch Grade 50 or better check plates which are bolted welded or bolted to main hitch and allows for bolting to truck's frame rail YES NO

X7.6 Hydraulic System:

Will you supply the following hydraulic components YES NO

X7.6.1 Provide one (1) 4 inch lift cylinder with 10" stroke double-acting nitrided hydraulic lift cylinder, clevis pinned top and bottom? YES NO

X7.6.2 Provide two (2) four (4) inch double acting nitrided hydraulic reversing cylinders? YES NO

X7.6.3 Provide three (3) pieces of two (2) wire hydraulic pressure hose one-quarter (1/4) inch diameter by approximately ten (10) feet long? YES NO

Is each hose equipped with the following YES NO

- X7.6.3.1 Each hose equipped with one (1) quick coupler at plow end with dust cap?
 YES NO
 Manufacturer/Model: Snap Tite
- X7.6.3.2 Each hose equipped with two (2) crimp-type fittings with male JIC 370 threads (one (1) to mate with swivel and the other to mate with quick coupler)? YES NO
- X7.6.3.3 Each hose equipped with one (1) JIC 370 - swivel - 90° elbow/male JIC 370?
 YES NO
- X7.6.3.4 Each hose equipped with one (1) adaptor to mate bank valve port to JIC swivel?
 YES NO
- X7.7 Other Standard Features:
 List other standard features offered and not addressed above:
Unit is equipped with all of the manufacturers standard features
 as described in the product literature.
- X7.8 Does the proposed unit meet or exceeds the OSHA of 1970 and/or subsequent changes?
 YES NO
- X7.9 Is snowplow close fitting, simple, reversible snowplow that will be designed to operate as close as possible to the vehicle pushing it, to maintain truck balance within reasonable limits
 YES NO
- Is it a relatively light weight compact unit YES NO
- Is push frame and/or hitch assembly designed with regard to overall distance of truck to front of plow which would jeopardize truck balance?
 YES NO
- X7.10 Paint:
- X7.10.1 Will unit be sandblasted and prepped prior to painting as stated in 7.10.1? YES NO
- X7.10.2 Will complete assembly receive one (1) layer of powder coating YES NO
- X7.10.3 Describe painting of front of plow: Powder Coat Yellow
- X7.10.4 Describe painting of rear of plow: Powder Coat Flat Black
- X7.10.5 Paint for push frame and hitch Powder Coat Flat Black
- Will push frame and hitch be completely covered YES NO
- X7.11 Does the unit conform to the advertising guidelines? YES NO
- X7.12 Will all loose hardware be in separate containers for each plow and be shipped with each plow?
 YES NO



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
MICHAEL AUSTIN 304-558-2402

VENDOR

*709043751 304-366-4690
 MIDDLETOWN TRACTOR SALES
 2345 WHITEHALL BLVD
 FAIRMONT WV 26554

SHIP TO

DIVISION OF HIGHWAYS
 EQUIPMENT DIVISION
 ROUTE 33
 BRUSHY FORK ROAD
 BUCKHANNON, WV
 26201 304-472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
06/25/2010	NET30	Truck	Destination	Prepaid

BID OPENING DATE: 07/14/2010 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		765-59		
***** ADDENDUM NO. 1 ***** ADDENDUM ISSUED FOR THE POWER REVERSIBLE SNOWPLOW CONTRACT ADVERTISEMENT TO DELAY THE BID DATE. ADDENDUM NO.2 WILL CONTAIN SPECIFICATION CLARIFICATION AND WILL BE ISSUED SHORTLY. BID DATE AND OPENING TIME ARE EXTENDED FROM 06/30/10 TO 07/14/10 AT 1:30 PM. ***** NO OTHER CHANGES *****						
POWER REVERSIBLE SNOWPLOW Monroe MP36R10-ISCT-WV (10 Foot) Monroe MP36R11-ISCT-WV (11 Foot)						
***** THIS IS THE END OF RFQ 7010EC010 ***** TOTAL:						\$ 7956.56

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE 304-366-4690	DATE 7-17-10
-----------	------------------------	--------------

TITLE Aftermarket Mgr.	FEIN 550547175	ADDRESS CHANGES TO BE NOTED ABOVE
------------------------	----------------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7010EC010

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION FOR
BUYER 33
304-558-2402

RFQ COPY

TYPE NAME/ADDRESS HERE

Middletown Tractor Sales
 2345 Whitehall Blvd
 Fairmont, WV 26554

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 **304-472-1750**

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/08/2010	NET30	Truck	Destination	Prepaid
BID OPENING DATE: 07/20/2010		BID OPENING TIME 01:30PM		

LINE	QUANTITY	LOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 2 *****						
ADDENDUM ISSUED FOR THE POWER REVERSIBLE SNOWPLOW CONTRACT ADVERTISEMENT TO DISTRIBUTE THE PRE-BID SIGN-IN SHEETS AND THE REVISIONS TO THE BIDDER'S EVALUATION REPORT AND THE SPECIFICATIONS RESULTING FROM THE MANDATORY PRE-BID ON 06/10/10.						
BID OPENING DATE & TIME ARE EXTENDED FROM 07/14/10 TO 07/20/10 AT 1:30 PM.						
***** NO OTHER CHANGES *****						
0001	1	EA		765-59		
POWER REVERSIBLE SNOWPLOW						
Monroe MP36R10-ISCT-WV						
Monroe MP36R11-ISCT-WV						
***** THIS IS THE END OF RFQ 7010EC010 ***** TOTAL:						\$7956.56

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	304-366-4690	7-17-10
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Aftermarket Mgr	550547175	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

PREBID ADDENDUM
OPEN END CONTRACT
7010EC10

10 FOOT AND 11 FOOT POWER REVERSIBLE SNOWPLOW

CHANGES TO SPECIFICATIONS:

FROM:

7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
(1st Paragraph)

The hydraulically reversible snowplow to be designed for mounting on a single axle or tandem dump truck. The snowplow to be capable of plowing to the right or left at an angle of approximately thirty-five degrees (35°) discharging snow to the right or left. It should have a center mounted trip spring leaving the plow area outside the reversing arc free for nesting close to the pushing vehicle. It should be a straight blade type with an integral type snow shield.

TO:

7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
(1st Paragraph)

The hydraulically reversible snowplow to be designed for mounting on a single axle or tandem dump truck. The snowplow to be capable of plowing to the right or left at an angle of approximately thirty-five degrees (35°) discharging snow to the right or left. It should be a straight blade type with an integral type snow shield. It should have two (2) trip springs setting inside the two (2) moldboard struts.

FROM:

7.1.6 Weight of plow: 10 foot – 1750 pounds 11 foot – 1815 pounds

TO:

7.1.6 **Weight of plow: 10 foot – 1750 pounds minimum**
11 foot – 1815 pounds minimum

DELETE:

7.4.3.1 **Push frame shall be equipped with a quick hitch connection system specific for WVDOH**

Page 2
PreBid Addendum
70-10-EC010

FROM:

7.4.4.1 Shall be two (2) double acting 4 inch x 2 inch x 10 inch power reversing nitrided hydraulic cylinders fitted with the fixed base end near the center of the push frame. Cylinders shall be mounted above the semi-circle.

TO:

7.4.4.1 Shall be two (2) double acting 4 inch x 2 inch power reversing nitrided hydraulic cylinders fitted with the fixed base end near the center of the push frame. Cylinders shall be mounted above the semi-circle.

FROM:

7.5.2 The hitch shall be a bumper to frame type universally adaptable to any conventional truck and to accommodate the tilt front end on the carrier.

TO:

7.5.2 The hitch shall be a bumper frame type adaptable to any conventional truck and to accommodate the tilt front end on the carrier.

FROM:

7.10.2 The complete assembly to receive one (1) layer of powder coating.

TO:

7.10.2 The complete assembly to receive one (1) layer of powder coating. The front may be sprayed in enamel.

PREBID ADDENDUM
OPEN END CONTRACT
7010EC10

10 FOOT AND 11 FOOT POWER REVERSIBLE SNOWPLOWS

CHANGES TO BIDDER'S EVALUATION REPORT:

DELETE:

X7.0 SPECIFICATIONS OF THE QUOTED UNIT
(4th Paragraph)
Does it have a center mounted trip spring leaving the plow area outside the reversing arc free for nesting close to the pushing vehicle YES NO

ADD:

X7.0 SPECIFICATIONS OF THE QUOTED UNIT
Does it have two (2) trip springs setting inside the two (2) moldboard struts
 x YES NO

NO CHANGE REQUIRED:

X7.1.6 Weight of plow: 10 foot 1750 Lbs. 11 foot 1815 Lbs.

DELETE:

X7.4.3.1 Is push frame equipped with a quick hitch connection system specific for WVDOH YES NO

FROM:

X7.4.4.1 Consist of two (2) double acting 4 inch x 2 inch x 10 inch power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame? YES NO
Are cylinders mounted above the semi-circle YES NO

TO:

X7.4.4.1 Consist of two (2) double acting 4 inch x 2 inch power reversing hydraulic cylinders fitted with the fixed base end in the center of the push frame?
 x YES NO
Are cylinders mounted above the semi-circle x YES NO

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

Page 2
PreBid Addendum
Bidder's Evaluation Report

FROM:
X7.5.2 Bumper to frame type universally adaptable to any conventional truck and to accommodate a tilt front end on the carrier? YES NO

TO:
X7.5.2 Bumper to frame type adaptable to any conventional truck and to accommodate a tilt front end on the carrier? YES NO

FROM:
X7.10.2 Will complete assembly receive one (1) layer of powder coating YES NO

TO:
X7.10.2 Will complete assembly receive one (1) layer of powder coating?
 YES NO

Will front be sprayed in enamel? YES NO It will be powder coated

SIGN IN SHEET

RFQ # 7010ECD10
Date: 6.10.10

Firm & Representative Name:

Mailing Address:

Phone, Fax, & E-Mail:

1. WUDH Lewis Kelly

P _____
F _____

E-mail _____

2. UNTRACTOR
GARY GRAY

P.O. BOX 473
CHARLESTON WV 25322

P 346-5301
F 346-5305

E-mail untractor@msk.com

3. Henderson Products INC.
Todd Stritzel

Manchester Iowa
P.O BOX 40 52057

P 800-359-4970
F 563-927-7031

E-mail tstritzel@Henderson-MFG

4. Baker Truck Equipment Hurricane WV
Virgil MAYSE

PO Box 482
Zip 25524

P 304-722-3814
F 304-722-3829

E-mail Virgil@Baker WV.com

5. ROPE, INC.
JOE HOOVER

P.O. Box 99
FALLING ROCK, WV 25079

P 304-548-6701
F 304-548-7186

E-mail joe@ropeincorporated.com

Please print or write legibly!

Your fax # is essential to contact you timely!

SIGN IN SHEET
RFQ # 70-10EC010
Date: 6.10.10

Firm & Representative Name:	Mailing Address:	Phone, Fax, & E-Mail:
1. <u>Middletown Tractors</u> <u>Zach Marsh</u>	<u>2345 Whitehall Blvd.</u> <u>Fairport WV 26554</u>	P <u>304 366 4690</u> F <u>304 366 4698</u>
		E-mail <u>Zach @ Middletown Tractors</u> <u>Co.</u>
2. <u>Karen Cochran</u> <u>Marie Lee</u>	<u>DOH</u> <u>DOH</u>	P _____ F _____
		E-mail _____
3. <u>Angie Steerman</u>	<u>DOH</u>	P _____ F _____
		E-mail _____
4. _____	_____	P _____ F _____
		E-mail _____
5. _____	_____	P _____ F _____
		E-mail _____

Please print or write legibly!

Your fax # is essential to contact you timely!




MONROE REVERSIBLE SNOWPLOW FULL TRIP MOLDBOARD




Standard Specifications:

- * 10 Gauge Roll Formed Moldboard
- * Six 1pc 1/2" Flame Cut Ribs
- * Dual Compression Trip Spring Assemblies
- * Two 3" x 10" Double Acting Power Reverse Cylinders with Cushion Valve
- * Built-In Monroe Level Lift Assembly
- * Stress Proof Machined Pins
- * All Hardware Zinc Plated
- * Moldboard and Pushframe 100% Continuously Welded
- * Moldboard Painted Powder Coat Orange
- * Pushframe Painted Powder Coat Black
- * 14" Push Height
- * Available in 10', 11' & 12'

STANDARD




INTEGRAL



Standard Moldboard vs 12" Extension on Integral Shield Moldboard



CAUTION: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.




Simple Three Position Adjustment for Plow Cutting Edge Attack Angle

Options:


- * Rubber Snow Deflector
- * Wrap Around Curb Guards
- * Flexible Plastic or Cable Markers
- * Adjustable Parking Jack
- * Moldboard Shoes
- * 3/4" x 6" Carbide Cutting Edge
- * 4" Reversing Cylinders
- * Mechanical or Canister Trip
- * Polymer Moldboard
- * Skid Shoes, Steel Casters & Pneumatic Tires



Shown Polymer Moldboard



The Patented Level Lift allows plow to be parallel to the road surface at all times - raised, lowered, or angled.



Force Required to Trip Moldboard
LIGHT TRIP **MEDIUM TRIP** **HARD TRIP**

THE MONROE SNOWPLOW SPECIFICATIONS

PLOW MODEL NO.	OVERALL LENGTH	HEIGHT W/ $\frac{3}{8}$ " CUTTING EDGE	NO. OF $\frac{1}{2}$ " VERTICAL RIBS	SEMI CIRCLE	MOLDBOARD BOTTOM ANGLE	MOLDBOARD TOP ANGLE	CUTTING EDGE SIZE	APPROX. WEIGHT (LBS)	MOLDBOARD THICKNESS	CUTTING WIDTH AT 35 DEGREES
MP36R10-CT	10'	36"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1475	10 GA	8'2"
MP36R10-ISCT	10'	36"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1500	10 GA	8'2"
MP36R11-CT	11'	36"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1500	10 GA	9'0"
MP36R11-ISCT	11'	36"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1525	10 GA	9'0"
MP41R10-CT	10'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1575	10 GA	8'2"
MP41R10-ISCT	10'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1575	10 GA	8'2"
MP41R11-CT	11'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1625	10 GA	9'0"
MP41R11-ISCT	11'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1650	10 GA	9'0"
MP41R12-CT	12'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1695	10 GA	9'10"
MP41R12-ISCT	12'	41"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1725	10 GA	9'10"
MP48R11-CT	11'	48"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1755	10 GA	9'0"
MP48R11-ISCT	11'	48"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1800	10 GA	9'0"
MP48R12-CT	12'	48"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	1845	10 GA	9'10"
MP48R12-ISCT	12'	48"	6	3 $\frac{1}{2}$ " X 3 $\frac{1}{2}$ " X $\frac{1}{2}$ "	4" X 4" X $\frac{3}{4}$ "	2" X 3" X $\frac{3}{4}$ "	$\frac{5}{8}$ " X 8"	2000	10 GA	9'10"

Manufactured by:
Monroe Snow & Ice Control
 1051 W. 7th Street • Monroe, WI 53566
 800-880-0109 • 608-329-8105
 608-328-8390 Fax
 Web Site: www.monroetruck.com
 E-mail: snowandicecontrol@monroetruck.com

Distributed by:

MONROE TRUCK EQUIPMENT, INC. WARRANTY SNOW & ICE CONTROL PRODUCTS

Monroe Truck Equipment, Inc. warrants to *West Virginia*, that if any part of the *plow* proves to be defective in workmanship or material within **TWO YEARS** of the original installation, and is returned to us within 30 days of the discovered defect, we will (at our option) repair or replace the defective part. This warranty does not apply to damage resulting from misuse, neglect, accident, improper installation, normal wear items or lack of maintenance. This warranty is exclusive and supersedes all other warranties, whether expressed or implied. **Monroe Truck Equipment, Inc.** neither assumes, nor authorizes anyone to assume for it, any other obligation or liability in connection with this warranty and will not be liable for consequential damages.

All engines, pumps, motors, cylinders and valves are warranted by their manufacturer and not by **Monroe Truck Equipment, Inc.**. The manufacturer's warranty will apply to these parts. Electrical and hydraulic components are not to be disassembled without the express written permission of Monroe Truck Equipment. Use of replacement parts other than original equipment voids this warranty.

All defective parts returned must be accompanied by the model number, serial number, date installed, date of defect, description of defect, and the name of the distributor from whom it was purchased. All warranty claims must have prior written approval from **Monroe Truck Equipment, Inc.**

Please return the warranty registration card that accompanies this manual to confirm receipt of this parts catalog and acknowledge the information contained within. Failure to return the attached card may result in a voided warranty.

State of West Virginia VENDOR PREFERENCE CERTIFICATE


Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. Application is made for 5% resident vendor preference for the reason checked:
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Middletown Tractor Sales Signed: 
 Date: 7-17-10 Title: Aftermarket Mgr.

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Middletown Tractor Sales

Authorized Signature: *[Signature]* Date: 7-19-10

State of WV

County of Marion, to-wit:

Taken, subscribed, and sworn to before me this 19th day of December, 2010.

My Commission expires April 5th, 2020.

AFFIX SEAL HERE

NOTARY PUBLIC *[Signature]*

