

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-P

7011EC05

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

VENDOR

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR

LEMONT FURNACE PA 15478

DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD BUCKHANNON, WV 26201 304-

| TO TH AT A 10 IN FA DI RE | QUANTITY QUANTITY 1 PROVIDE IN THE WEST VIRENT TACHED SPENDER TO AMPLIES TO | EA VIBRA COUBLE GINIA CIFIC PRE-B WASHI | OPEN DRUM DIVI ATION MAN ID WI NGTON S ARE | TEMNUMBER 760-75 ROLLER/COMPACTOR END CONTRACT VIBRATORY ROLLE SION OF HIGHWAYS S. DATORY PRE-BID LL BE HELD ON TH | S28,873.00 R/COMPACTOR FOR PER THE URSDAY, 10/28. AT ON WV 25305. ALL | *28,873.00 |
|---|--|--|---|---|---|---|
| OOO1 TO TH AT A 10 IN FA DI RE | QUANTITY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | EA VIBRA COUBLE GINIA CIFIC PRE-B WASHI | TORY DRUM DIVI ATION MAN ID WI NGTON S ARE | TEMNUMBER 760-75 ROLLER/COMPACTOR END CONTRACT VIBRATORY ROLLE SION OF HIGHWAYS S. DATORY PRE-BID LL BE HELD ON TH ST E., CHARLEST | S28,873.00 R/COMPACTOR FOR PER THE URSDAY, 10/28. AT ON WV 25305. ALL | \$28,873.00 |
| TO TH AT IN FA DI RE | PROVIDE IF WEST VIENT ACHED SPENDENT AMPLIES TO A STEEL FOR A STEE | VIBRA OUBLE GINIA CIFIC PRE-B WASHI | OPEN DRUM DIVI ATION MAN ID WI NGTON S ARE | ROLLER/COMPACTOR END CONTRACT VIBRATORY ROLLE SION OF HIGHWAYS S. DATORY PRE-BID LL BE HELD ON TH ST E., CHARLEST | R/COMPACTOR FOR . PER THE URSDAY, 10/28. AT ON WV 25305. ALL | |
| A 10 IN FA DI RE | MANDATORY AM, 2019 TERESTED F | OUBLE GINIA CIFIC PRE-B WASHI | DRUM DIVI ATION MAN ID WI NGTON S ARE | VIBRATORY ROLLE SION OF HIGHWAYS S. DATORY PRE-BID LL BE HELD ON TH ST E., CHARLEST | . PER THE URSDAY, 10/28. AT ON WV 25305. ALL | |
| A 10 IN FA DI RE | MANDATORY AM, 2019 TERESTED F | RGINIA CIFIC PRE-B WASHI PARTIE | DIVI ATION MAN ID WI NGTON S ARE | SION OF HIGHWAYS S. DATORY PRE-BID LL BE HELD ON TH ST E., CHARLEST | . PER THE URSDAY, 10/28. AT ON WV 25305. ALL | |
| 10 IN FA DI RE | AM, 2019 TERESTED F LILURE TO A | WASHI PARTIE | ID WI NGTON S ARE | LL BE HELD ON TH ST E., CHARLEST | ON WV 25305. ALL | |
| AN | PRESENT MC | TION | OF TH | MANDATORY PRE-BI E BID. NO ONE P | D SHALL RESULT IN | 1000 |
| PO OF PR RE IN | TENTIAL BIFICIAL DOC E-BID. FA PRESENTATI DISQUALIF | DDERS UMENT ILURE VE NA ICATI | TO C VERI TO P ME ON ON OF | FYING ATTENDANCE ROVIDE YOUR COMP THE ATTENDANCE | ILL SERVE AS THE AT THE MANDATORY ANY AND SHEET WILL RESULT TATE WILL NOT | |
| TH CO SH WI FA AD | E BIDDER I MPLETED TH EET. THE LL NOT ASS ILURE TO C | S RES E INF PURCH UME A OMPLE REQU | PONSI ORMAT ASING NY RE TE TH EST T | BLE FOR ENSURING ION REQUIRED ON DIVISION AND TH SPONSIBILITY FOR E PRE-BID ATTEND | THEY HAVE THE ATTENDANCE E STATE AGENCY A BIDDER-S | PIEUEIVEU GIONOV 17 AM 10: 2 WY PURCHASING GV30N |
| ILE U | had L |) (| SPERE | VERSE SIDE FOR TERMS AND COL | NOTIONS DATE 24) 437-1578 | 11/08/10 |

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

7011EC05

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR

LEMONT FURNACE PA 15478

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 304-4

| DATE PRI | T T | ERMS OF SALE | SHIP VIA | FOB | FREIGHT TERMS |
|-----------------|--------------|--------------|---------------------------------------|-----------------------|----------------------|
| 09/29 | | (2010 | חזמ | OPENING TIME | 11.70DM |
| ID OPENING DATE | 11/10 | /2010 | | |)1:30PM |
| LINE | QUANTITY | UOP NO | ITEM NUMBER | UNIT PRICE | AMOUNT |
| | | | | | |
| | | | | | |
| | | | ARE REQUESTED TO | | |
| | 1 | 1 1 | THE PRE-BID. BI | 1 | Ξ |
| | - | 1 8 | DISMISSAL OF TH | 1 | |
| | | | WILL BE PERMITT | | |
| | | | TER CONCLUSION OF DURING ANY | | r |
| | 1 | | T BE PERMITTED T | | 1 (|
| | ATTENDANCE | 1 | , DE TERMITITES . | o brow the | |
| 3 | | | | | · |
| | | | | | |
| | , - | | JESTIONS WILL BE | | (|
| | CLOSE OF BU | ISINESS (5:0 | O PM, EST) ON TH | URSDAY, 10/21/1 | 0. |
| | OFUD DUFOTI | OUC TO D | IDOUACING DIVICIO | | |
| | SEND MAESI | 1 | PRCHASING DIVISION TENTION SHERI SL | | . |
| | | š | 19 WASHINGTON ST | | ` |
| | | | ARLESTON, WV 25 | | |
| | | | | | |
| ė | QUESTIONS M | | VIA FAX, E-MAIL, | ľ | L • |
| | | 1 1 | HERI.D.SLONEOWV. | GOV | |
| | | FAX: 3 | 04-558-4115 | | |
| | IT IS THE V | FNDOR'S RES | PONSIBILITY TO V | FRIEV THAT THEI | R |
| | I | 1 [| CEIVED BY CALLIN | | ` |
| | | | | | |
| | - | | | | |
| | EXHIBIT 2 | | | | |
| | | ITDACT. TH | TO CONTRACT BECOM | EC EFFECTIVE ON | |
| | FIFE OF COM | | IS CONTRACT BECOM EXTENDS FOR A PE | | |
| | YEAR OR HAT | | EASONABLE TIME" T | 1 | |
| | l . | | NEW CONTRACT OR | | |
| | ORIGINAL CO | 1 1 | HE "REASONABLE TI | 1 - | L [|
| | 1 | TWELVE (12) | | THIS "REASONAB | LE |
| | TIME" THE V | /ENDOR MAY 1 | TERMINATE THIS CO | NTRACT FOR | |
| | <i>/////</i> | SAFER | LEVERSE SIDE FOR TERMS AND CO | NDITIONS | |
| IGNATURE / | | 111 11/1 | | 24) 437–1578 DAT | E 11/08/10 |
| TLE | anay | | u' | | |
| V.Pre | es. | 25-1389 | 795 | ADDRESS CHANG | ES TO BE NOTED ABOVE |



SIGNATURE

V.Pres.

TITLE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

7011EC05

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

***709015804** 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR

LEMONT FURNACE PA 15478

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201 304-472-1750

DATE PRINTED TERMS OF SALE SHIP VIA FOR FREIGHT TERMS 09/29/2010 BID OPENING DATE: 11/10/2010 **BID OPENING TIME** 01:30PM CAT NO LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT. RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR. SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS. THE DIRECTOR OF PURCHASING RESERVES THE CANCELLATION: RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICE SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMME-DIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK). QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY DRDERED FOR DELIVERY DURING THE TERM OF CONTRACT. WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN. SEE REVERSE SIDE FOR TERMS AND CONDITIONS

25-1389795

TELEPHONE

(724) 437-1578

11/08/10

ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

724-437-1578

Request for Quotation

Ť

RFQ NUMBER 7011EC05 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 33 304-558-2402

***709015804** UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR LEMONT FURNACE PA

15478

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201

| DATE PRINTE | <u>3000000000000000000000000000000000000</u> | IEH | MS OF SAL | E | SHIP VIA | | FOB | FREIGHT TERMS |
|---|--|---------------|-----------|--------|--|------------|----------------------------------|---|
| 09/29/2 BID OPENING DATE: | | 11/10/ | 2010 | | | פדם | OPENING TIME O | 1:30PM |
| 0.00.0000000000000000000000000000000000 | | | | CAT | in the state of th | | | |
| LINE | QUAN | 31 3 Y | UOP | NO. | ITEM NUMBE | H | UNITPRICE | AMOUNT |
| | | ! | | | | İ | | 11-11-11-11-11-11-11-11-11-11-11-11-11- |
| | RDERI | NG PRO | CEDURE | E: S | PENDING UNI | T(S) | SHALL ISSUE A | |
|) 1 | | - | | | | | NUMBER WV-35) | |
| | | | | | | | CT. THE ORIGINA | \L |
| 1 | | | 1 | | THE PURCHAS | 1 | | |
| 1 | | | | | DMINISTRATI | : | AFTER APPROVAL ASE ORDER WILL | , |
| | | | | | | | NE COPY FOR- | |
| | | | | | | | FOR SHIPMENT. | |
| | | | | | SS APPROVED | | | |
| B | Y THE | PURCH | ASING | DIVI | SION. | | | |
| | | n TOV | T. 1. T. | | ENT THE MEN | DOD (0 | 0NT040T00 E11-0 | |
| | | | | | | | ONTRACTOR FILES AY DEEM THE | |
| | | | | | | | SUCH CONTRACT | |
| (| VITHOU | | L L | | , | | out out that | |
| | | | | | | | | |
| R | REV. 5 | /2009 | | | | | | |
| | | | | | | | | |
| | XHIBI. | T 10 | | | | | | |
| . 5 | XIII | . 10 | | | | | | |
| | • | | | | REQUISI | TION | No.: 7011EC05 | ٠ |
| | | | | | | | | |
| ^ | DDEND | JM ACK | NOWLEI | DGEME | NT . | | | |
| · | HERE | RV ACK | NUMI ET | JOE B | ECEIDT OF T | HE EU | LLOWING CHECKED | |
| | | | | | | | Y REVISIONS TO M | ı v |
| | | | | | SPECIFICAT | | | |
| | | | | | | | • | |
| A | DDENDU | . ОИ МС | 'S: | | | | | |
| | 10. 1 | Х | | | | | | |
| l I | 10. 1 | • • • • • • | | | | | | |
| . N | 10. 2 | | | | | | | |
| | | , | | | | | | |
| | 10.3 | • • • • • | •• | | | | | |
| | -1 10 | | | SEE RE | ERSE SIDE FOR TERM | IS AND CON | IDITIONS | |
| SIGNATURE | Mr. | Las | 1 /1 | 1/1 | TELE | PHONE (7 | 24) 437-1578 DATE | 11/08/10 |
| V.Pres. | | FE | 25-1 | 38979 | 95 | | ADDRESS CHANGE | S TO BE NOTED ABOVE |



VENDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

7011EC05

| ΑĐ | DRESS C | ORRESPO | NDENCE T | OATTEN | FION OF: |
|-------|---------|---------|----------|--------|----------|
| BUYER | 33 | | | | |

304-558-2402

| ¥7 | 090 | 15 | 804 | | | 72 | 24- | 43 | 7 – : | 157 | 8 |
|----|-----|-----|-----|-----|-----|------|-----|----|-------|-----|----|
| JN | ION | ITO | ИN | IND | US' | TR J | [AL | Εſ | วบ | ΙP | CO |
| 22 | 66 | IIN | TVF | RST | TΥ | DE | > | | | | |

LEMONT FURNACE PA

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33

BRUSHY FORK ROAD ō **BUCKHANNON, WV**

26201

| p roposition | ···· | | | | , | ÷ | | | |
|-----------------------------|--|--------------|--------------------------------------|---|--|--|--|---------------|------------------|
| DATE PRINT | 000000000000000000000000000000000000000 | TE | RMS OF SAL | F | SHIP | /IA | F.O.B. | | FREIGHT TERMS |
| 09/29/ BID OPENING DATE: | | 11/10 | /2010 | | | DID | ODENING TIME | 0.7 | 70014 |
| BID OPENING DATE. | | 11/10 | /2010 | Ax | | RID | OPENING TIME | 01: | :30PM |
| LINE | QUAI | VTITY | UOP | NO. | ITEM NUI | VBER. | UNIT PRICE | | AMOUNT |
| LINE | QUAI NO. 4 NO. 5 I UNDE ADDEND VENDOR REPRES ORAL D AND AN INFORM SPECIF | THIS A | CLEAR ION MAION HIE PER ISSUED NS BY | FAIL E CAU LY UN DE OR ELD B SONNE D IN AN O | URE TO CO SE FOR RE DERSTAND ASSUMED ETWEEN VE L IS NOT WRITING A FFICIAL A | NFIRM T JECTION THAT AN TO BE M NDOR'S BINDING ND ADDE DDENDUM SI Ontown I CO Tember 0 | UNITPRICE HE RECEIPT OF OF BIDS. Y VERBAL ADE DURING AN REPRESENTATIV . ONLY THE | TH Y ES | AMOUNT |
| | LOCAL | | | | | | VENDOR INDICA | | |
| | TN IHF | מוח ו | 112 KE | | | | RICES, TERMS, | | |
| | - ' <u>'</u> | , <i>I</i> , | . // | SEE RE | VERSE SIDE FOR T | | | | |
| SIGNATURE | Mas | |). [li | | | TELEPHONE 72 | 24) 437–1578 | DATE . | 11/08/10 |
| V. PRES | | | EIN 2 | 5-1389 | 9795 | | ADDRESS CH | ANGES T | O BE NOTED ABOVE |



***709015804**

2266 UNIVERSITY DR

LEMONT FURNACE PA

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

UNIONTOWN INDUSTRIAL EQUIP CO

724-437-1578

15478

Request for Quotation

FFQ NUMBER 7011EC05

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

T

DIVISION OF HIGHWAYS **EQUIPMENT DIVISION** ROUTE 33 BRUSHY FORK ROAD

BUCKHANNON, WV 26201

| DATE PRINT | ED | TER | MS OF SAL | £:::::::: | SH | IIP VIA | | F.O.B. | | FREIGHT TERMS |
|-------------------|--|---|--|--|---|--|--|---------------------------------------|------------|-------------------|
| 09/29/ | 2010 | | | | | tada anagarana ira ira darah darah bada darah darah darah | | - | | |
| BID OPENING DATE: | | 11/10/ | 2010 | | <u> </u> | BID | ΩP | ENING TIME | 01 | :30PM |
| LINE | P\$11A | NTITY | UOP | CAT | (PEC S.E | NUMBER | | UNITPRICE | | |
| LINE | GUA | MI-IFY | UUP | NO. | II EIN | NOMBER | | UNITER | | AMOUNT |
| | AND OT TO POL VIRGIN PRICES POLITI CLEARL | HER LO ITICAL IA. I , TERM CAL SU Y INDI NOT PR | CAL G SUBD F THE S, AN BDIVI CATE | OVERN IVISI VEND D CON SIONS SUCH | MENT BO ONS OF OR DOES DITIONS OF THE REFUSAL | DIES, THI THE STATI NOT WISI OF THE I STATE, IN HIS I | E B E O H T B I D T H E B I D | O EXTEND THE TO ALL VENDOR MUST | END SAL | |
| | REV. 3 | /88 | | | | | | | | Y |
| | D P B | EPARTM URCHAS UILDIN | ENT O ING D G 15 SHING | F ADM IVISI TON S | UBMITTE INISTRA | TION | | | | |
| | THE BT | п ѕнои | מס מו | ΝΤΔΤΝ | THIS T | NEORMATT | DΝ | ON THE FACE | ΩF | |
| | 1 | IVELOPE | : 1 | | | OT BE CO | | | · | |
| | BUYER: | | | | 33 | | | | | |
| | RFQ. N | | | | 7011 | | | , . | | |
| PIGNATURE 7 | V) | / | -/ | A REP | VERSE SIDE FO | OR TERMS AND CO | de contractor de la con | | NATE | |
| SIGNATURE | 14 11 | last. | 10.7 | 111 | _ | TELEPHONE 7 | 24) |) 437-1578 | DATE | 11/08/10 |
| TITLE V.PRE | e l | TA PE | IN L |) F 1 2 4 | 20705 | | | ADDRESS CHAI | NGES | TO BE NOTED ABOVE |
| | | | | 25-138 | | | | DAGE ADOVE LA | | |



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

7011EC05

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33 304-558-2402

*709015804 724-437-1578 UNIONTOWN INDUSTRIAL EQUIP CO 2266 UNIVERSITY DR

LEMONT FURNACE PA 15478 DIVISION OF HIGHWAYS EQUIPMENT DIVISION ROUTE 33 **BRUSHY FORK ROAD** BUCKHANNON, WV 26201 304-472-1750

| DATE PRIN | | TEF | MS OF SAL | Ē | SH | P.VIA | Ę. | O.B. | FREIGHT TERMS |
|-------------|--------------|--------|-------------------------|------------------|---------------|-------------------|----------------|-------------|-------------------------------|
| PENING DATE | | 1/10/ | 2010 | | | BID | OPENING | TIME O | 1:30PM |
| LINE | QUANT | | UOP | CAT NO | ITEM | NUMBER | | TPRICE | AMOUNT |
| | | | | | | | | | |
| | BID OPE | NING | DATE: | | 11/10 | 72010 | | | |
| | | | | | | | | | · |
| | BID OPE | NING | TIME: | | 1:30 | PM | | | |
| | | | | | | | | | |
| | DIEACE | DDOVI | DE 4 | CAY N | UMDED IL | L CACE II | TO NECE | COADY | |
| - | | | | | NG YOUR | V CASE IT BID: | 15 NECE | SSARY | |
| | | 4 | | | | | | | |
| | | | -(- <i>1-2</i> -4-) | 4-3- <i> -</i> - | -2098. | | | | |
| | CONTACT | PERS | ON (P | LEASE | PRINT (| CLEARLY): | | | |
| | | | MICHA | AEL W. | CLOWER | | | | |
| | | | | | | | | · | |
| | | | | | | | | | |
| | | | | | | | : | | |
| | | | | | | | | | #20 072 00 |
| | ***** | THIS | IS T | HE EN | D OF RFO | 7011E | C05 *** | *** TOTAL | \$28,873.00 |
| | | | | | | | | | |
| | | | | | • | | | | |
| | | | | ٠ | | | | | |
| | | | | | | | | • | |
| | | | | | | | | | |
| | | | - | | | | | | |
| | | | | | | | | | |
| | : | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | ' | | - | | | | | · | |
| -6/1 | 1 - | ~. | ΔA | SEERF | VERSE SIDE FO | R TERMS AND CO | NDITIONS | | |
| URE // | is loss I | /1) | 1 Vo | <u> </u> | | TELEPHONE | | DATE | 11/00/10 |
| V.PRES | muce (| FE | IN 25- | 138979 | 15 | 1 (/24) | 437-157 ADD | | 11/08/10 TO BE NOTED ABOVE |
| | | | | | | | | BOVE LABELI | |

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

PROCUREMENT SPECIFICATIONS NO. 591-2-M

OPEN END CONTRACT DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

1.0 PURPOSE

It is the purpose of these specifications to describe a Double Drum Vibratory Roller/Compactor (hereinafter referred to as a "roller" or a "unit") to be purchased for use by the West Virginia Division of Highways (DOH) on an Open End Contract basis.

2.0 BIDDING PROCEDURES

The current purchasing procedures regarding bidding as established by the Department of Administration, Purchasing Division, shall apply. Failure to submit the "Request for Quotation" forms, complete in its entirety and according to directions indicated, may subject the bidder to disqualification. Each bid submitted shall also be accompanied by a Bidder's Evaluation Report completed in detail. Addendums in order, along with exception sheets, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THE BIDDER'S EVALUATION REPORT, COMPLETE IN ITS ENTIRETY, SHALL RESULT IN AUTOMATIC DISQUALIFICATION.

3.0 SPECIFICATIONS

The specifications named herein, mandatory and non-mandatory, establish the acceptable level of quality only and are not intended to reflect a preference or favor any particular brand or vendor.

3.1 EXCEPTIONS TO NON-MANDATORY SPECIFICATIONS

Exception to a non-mandatory unit specification may be made by the bidder, providing the exception is not available from the manufacturer. Any such exception must be noted on the bidder's evaluation report and should be accompanied by supporting documentation/literature from the manufacturer. Any exception must be indicated on a separate attachment to the bidder's evaluation report and labeled as "Exception to Specifications". The state reserves the right to determine whether the stated exception does or does not reduce the quality and performance of the unit. Failure to provide information for any exceptions may be grounds for rejection of the bid. The state reserves the right to waive minor irregularities in bids or specifications in accordance with §148-1-4(f) of the WV Legislative Rules and Regulations.

3.2 MANDATORY SPECIFICATIONS

All specifications preceded by "shall, will, and/or must" or are stated as a "minimum and/or maximum" are mandatory as stated in Purchasing Divisions Policies and Procedures. Any bid failing to meet any mandatory item shall be immediately disqualified. Failure to respond in the appropriate evaluation section may also be grounds for immediate disqualification at the discretion of the State.

A mandatory pre-bid conference is scheduled for this equipment purchase as stated in the RFQ. Vendors having products with variations or exceptions in specified mandatory items are expected to address any such variations or exceptions during the pre-bid conference. The State shall review and consider any such variation or exception, and may at its sole discretion, issue an addendum to change mandatory specifications deemed to be in the State's best interest. Bids from any vendor failing to attend the mandatory pre-bid shall be disqualified. Bids containing any variation or exception to a mandatory specification that was not addressed during the pre-bid conference and accepted by the issuance of an Addendum shall be disqualified.

4.0 REPRESENTATIVE UNIT FOR TEST

The successful vendor must (if specified) provide DOH one (1) completed representative unit to be observed and evaluated on each order to insure compliance with specification. If requested, the time period for testing and evaluation shall be seven (7) working days following receipt of the unit. DOH will incur no obligation for deterioration of surfaces, finishes, seals, and mechanical or electrical parts on the unit resulting from operation and testing within the limits of these specifications; nor will DOH incur obligation for damage to the unit resulting from failure to meet specifications when due care and attention is given by DOH and testing is done within the limits of these specifications. Failure of the pilot unit to satisfactorily meet specifications as bid shall be cause for cancellation of the purchase order, and return of the delivered unit along with all associated equipment to the vendor at the vendor's expense.

4.1 CONDITION OF UNIT(S) UPON DELIVERY

All units must arrive at the prescribed delivery point having been completely preserviced with oil, lubricants, and coolant. All prescribed precautions pertaining to first operations and break-in of the unit are to be posted conspicuously on the unit for ready observance by the operator.

4.2 DELIVERY

Delivery point of the completely assembled representative unit will be the DOH, Equipment Division, Route 33 at Brushy Fork Road, Buckhannon, West Virginia (26201).

The vendor is responsible for guaranteeing delivery of the completed units within the time specified and agreed to by the State. Delivery is preferred within 120 days after

receipt of purchase agreement. The vendor is responsible for establishing and coordinating delivery terms with allied manufacturers or suppliers. Delivery terms shall be stated in the bid and the State reserves the right to accept or negotiate such terms. Failure to reach an agreement may result in rejection of the bid. The successful bidder shall provide their manufacturer's confirmation of the order to the WVDOH contact person within seven (7) working days after receiving the approved purchase order.

A completed pilot model for inspection must be provided within 45 calendar days after receipt of the purchase agreement by the successful vendor.

Delivery is an integral part of this specification and failure to comply will be cause to initiate a D.O.T. Administrative Form WV-82, Vendor Performance Form. The WV-82 Form will provide a means of officially notifying the Purchasing Division and the vendor of unsatisfactory performance; such as late deliveries, poor service, inadequate parts supplies, etc.

The decision to initiate subject Form will be at the sole discretion of the D.O.H. Commissioner's established Equipment Review Board.

Issuance of the WV-82 Vendor Complaint Form on unsatisfactory delivery against any vendor will be cause to refuse to consider similar items from those vendors on future Request For Quotations.

(NOTE: Delivery time could be altered due to labor strikes, severe inclement weather conditions, etc.)

5.0 AWARD CRITERIA

- 5.1 DOH will recommend the award in accordance with the RFQ evaluation criteria described in the requisition. The award shall be made to the lowest unit cost vendor that meets or exceeds the specifications. DOH reserves the right to place multiple orders in any quantity.
- 6.0 SPECIFICATIONS AND GUIDELINES GENERAL
- 6.1 IDENTIFICATION OF THE UNIT BEING PROPOSED

The bidder must identify the unit by manufacturer, model, series, and year of manufacture, in the bid to enable identification by DOH in the manufacturer's specifications of the proposed unit. The bidder will submit complete descriptive literature of the proposed unit, to establish that the bid is the manufacturer's most current model, including latest engineering improvements, which have been, or will imminently be, regularly advertised and sold on the open market. The unit specified herein and offered to be manufactured after January 1, 2010 and be clearly identified and marked with date of manufacture.

6.2 OPERATING AND SERVICE MANUALS AND PARTS LISTS

An operator's manual must be included with each unit upon delivery. A "line sheet" (if applicable) and Equipment Preventative Maintenance Questionnaire (as shown in X6.2 of the Bidder's Evaluation Report) must be with pilot unit upon delivery. In addition, there must be 12 service, shop, or maintenance manuals; ten (10) to be distributed to the Districts and two (2) for the Equipment Division. Also, there must be 14 parts manuals; ten (10) to be distributed to the Districts and four (4) for Equipment Division use. CD ROM is preferred in lieu of parts or service manuals.

* NOTE: MANUALS SHALL BE DELIVERED UPON COMPLETION OF DELIVERY OF TOTAL UNITS. FAILURE TO DO SO WILL DELAY PAYMENT.

6.3 TRAINING:

Manufacturers and/or dealers will be required to stage a thorough seminar on the subjects of Preventative Maintenance, Operator and Mechanic Training. In order to keep the operators and mechanics updated, the successful vendor shall conduct training with each purchase order against this open end contract. Training is preferred within 2 working days after delivery of the pilot unit on the individual purchase order.

Manufacturers and/or dealers shall be required to furnish the Training Academy with one (1) Operator's Manual to be shipped direct to WVDOH Training Academy, Post Office Box 610, Buckhannon, West Virginia 26201 prior to delivery of the pilot.

The seminar to be held at the W. Va. Division of Highways, Equipment Division, Buckhannon, West Virginia.

6.4 PREVENTIVE MAINTENANCE AND OPERATOR PROCEDURES:

Manufacturers and/or dealers will be required to submit to the Equipment Division, in addition to the operating and service manuals, booklets and pamphlets explaining the Preventive Maintenance and Operator Procedures to be used by the operators of this equipment, and must include such things as daily prestart inspection procedure, service schedule, and routine maintenance required, safety precautions, etc.

The successful vendor shall furnish all training aids; i.e., videos, projectors, etc. required in conducting the training.

6.5 WARRANTY AND SERVICE POLICY

The Manufacturers warranty or service policy is to apply to the unit. Such warranty or service policy is to be recognized at any authorized unit dealer, representing manufacturer of proposed unit throughout the State of West Virginia. The applicable

warranty or service policy will not be contingent upon obtaining routine service, lubrication, and servicing of the unit from factory authorized agencies. It will be the responsibility of the bidder to have available labor to repair or replace any defective replacement parts, components and materials, and to have available those replacement parts, components, and/or materials found to be defective during the terms of the warranty period. The bidder should state the labor rates, locations where parts will be stocked, availability of parts, and discounts offered for parts, when terms of the warranty offer a pro-rated cost for parts and labor. In addition, the successful bidder should offer field work to repair or replace defective parts, components, and materials found to be defective during the terms of the warranty and should provide mechanic's travel rates, mileage charges, field mechanic rates, and any surcharge for miscellaneous items, if applicable, for field work during the warranty period. Submit to Division of Highways any technical or engineering improvements during the term of the warranty. The unit must be accompanied upon delivery by the unit's manufacturer's executed warranty or service policy.

A mandatory minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items is required for this unit.

THE "WARRANTY AND SERVICE POLICY QUESTIONNAIRE" ATTACHED IN THE BIDDER'S EVALUATION REPORT MUST BE COMPLETED IN ITS ENTIRETY BY THE SUCCESSFUL BIDDER OR MANUFACTURER PRIOR TO DELIVERY OF THE PILOT MODEL. (SEE SECTION X6.5 OF BIDDER'S EVALUATION REPORT).

6.6 EVALUATION COMMITTEE REQUIREMENTS

Detailed component specifications, product literature, component models, required for specification compliance determination by the Evaluation Committee should be provided with each bid. Any information supplied that is contrary to/or conflicting with the specifications and/or attached Bidders Evaluation Report may be sufficient cause for rejection of bid.

6.7 UNSPECIFIED ACCESSORIES & FEATURES

All parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, must be furnished with each unit and required to conform to strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry.

All parts and accessories advertised and regularly supplied as standard shall be included, except those which would represent duplication of these specified, and except those which, by specification, are not to be furnished. All standard safety features, required by Federal and State Law, shall be included.

- 7.0 SPECIFICATIONS OF THE QUOTED UNIT ARE AS FOLLOWS:
- 7.1 Roller(s) shall be equipped with ROPS and FOPS canopy.
- 7.2 Engine shall be manufacturers water/air cooled diesel powered and shall provide a minimum of 28 horsepower and sufficient torque to operate machine and hydraulic system at maximum efficiency.
- 7.3 Steering system shall be of hydraulic, full power, articulated design.
- 7.4 Unit shall be of a low profile design.
- 7.5 Unit weight to be approximately 6000 pounds.
- 7.6 Wheel base to be approximately 68 inches.
- 7.7 Roller(s) shall have dual drum drive with hydrostatic propulsion.
- 7.8 Unit shall be equipped with manufacturers vandalism package.
- 7.9 Unit shall travel 0 to 6 M.P.H. forward and reverse minimum.
- 7.10 Engine:
- 7.10.1 Engine to have a manufacturer's heaviest duty dual fuel filtering system offered.
- 7.10.2 Full pressure lubrication with oil filter and oil by-pass system.
- 7.10.3 Manufacturers standard governor with key shut off, wire sealed by manufacturer.
- 7.10.4 Cooling system shall be filled with permanent type Dex-Cool extended life (or equal) anti-freeze protected to a point of -34° F if unit is water cooled.
- 7.11 Brakes:
- 7.11.1 Service brake to be through hydrostatic propulsion system.
- 7.11.2 Parking brake to be of spring-applied, hydraulically released on each drum drive.

| 7.12 Drums: | |
|--------------|--|
| 7.12.1 | Drums shall be of manufacturer's heavy duty design. |
| 7.12.2 | Drum width approximately 48 inches. |
| 7.12.3 | Drum diameter approximately 28 inches. |
| 7.12.4 | Wiper bars shall be mounted front and rear of each drum. |
| 7.12.5 | Wiper bars shall be spring loaded, self adjusting. |
| 7.12.6 | Wiper bars shall have replaceable rubber/neoprene drum cleaners. |
| 7.12.7 | Front and rear drums shall be of vibratory compaction type. |
| 7.12.8 | Vibrating parts must be isolated from rest of roller. |
| 7.12.9 | Vibrating system isolators shall be replaceable. |
| 7.12.10 | Unit must be equipped with automatic vibration switch. |
| 7.13 Electri | cal: |
| 7.13.1 | Electrical system shall be manufacturer's heavy duty 12 volt D.C. negative ground. |
| 7.13.2 | Manufacturers recommended heavy duty maintenance free battery shall be provided. |
| 7.13.3 | Battery CCA 500 minimum. |
| 7.13.4 | Alternator to be 65 AMP with internal regulator. |
| 7.14 Gauge | s to be illuminated and to be equipped with visual or audible warning that will e operator when manufacturer recommended safe operating ranges are exceeded. |
| 7.14.1 | Unit shall be provided with hour meter operable from engine operation (not key switch.) |
| 7.14.2 | Ignition switch water sealed. |
| 7.14.3 | Fuel gauge. |

| 7.14.4 | Volt/Amp meter gauge or light. |
|--------------|--|
| 7.14.5 | Oil pressure gauge or light. |
| 7.14.6 | Engine temperature gauge or light |
| 7.14.7 | Operators station to have manufacturer's fully adjustable isolation mounted seat with seat belt. |
| 7.14.8 | OSHA approved back-up alarm shall be provided and installed by manufacturer. |
| 7.14.9 | Unit to have a parking brake "on" indicator. |
| 7.14.10 | A neutral start safety switch shall be provided. |
| 7.15 Water | System: |
| 7.15.1 | Tank capacity to be 50 gallon approximately. |
| 7.15.2 | Water system shall be pressurized. |
| 7.15.3 | Water flow must be variable. |
| 7.15.4 | Water filter(s) shall be provided in system. |
| 7.15.5 | Screened back nozzle type sprayers for drums. |
| 7.15.6 | Empty water tank indicator to be provided. |
| 7.15.7 | Water pump shall be capable of "Run Dry" situation without damage to pump or components. |
| 7.15.8 | Water tank and complete water system shall be constructed of rust proof materials. |
| 7.15.9 | Water tank shall have drain plug. |
| 7.16 Lightii | ng: |
| 7.16.1 | Unit shall be equipped with flashers visible from front and rear of roller. |
| 7.16.2 | Work lights shall be installed front and rear of roller. Two (2) front and two (2) rear. |

- 7.16.3 Low profile high intensity dual flash strobe light shall be mounted on top of cab/canopy. Aero Flash Model number M420 or equivalent. (Amber in color)
- 7.17 Unit shall be delivered to WV DOH with all manufacturers recommended safety related decals and safety features intact.
- 7.18 One (1) complete set of replacement filters shall be provided with each unit upon delivery.
- 7.19 Paint:
- 7.19.1 The Manufacturer's recommended paint preparation and color to be provided.
- 7.20 Vendor must certify that roller offered will meet or exceed the "Occupational Safety and Health Act of 1970" or subsequent changes that are in effect at time of manufacturer of unit.
- 7.21 Advertising: Only one (1) manufacturer name plate, which must include model number, may appear on exterior of unit. Logos created through the stamping or casting process of manufacturer are also acceptable. No logo will interfere with the Department's striping and logo.
- 7.22 Preventive Maintenance and Operators Orientation/Training:
- 7.22.1 The Manufacturer or Dealer shall provide preventive maintenance/operator orientation seminar to be conducted at the Equipment Division, Buckhannon. The successful vendor shall furnish all training aids; i.e. videos, projectors, etc., required in conducting the training.

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT NO. 591-2-M

OPEN END CONTRACT DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

NOTE TO BIDDER: Procurement Specification No. 591-2-M, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

| | Reference Requisition No.: 7011EC05 | |
|-----------------------|--|------|
| | Bidder's Name: Uniontown Industrial Equipment Co Inc. | |
| | Address: 2266 University Drive Lemont Furnace PA 15456 | |
| | Telephone Number: (724) 437-1578 | |
| | Years Bidder has been registered to do business with the State of West Virginia: 13 | YRS |
| | Years Company has been an authorized dealer for proposed unit: 9 | YRS. |
| X3.2 | Have you complied with all mandatory specifications? X YESNO | |
| X4.2 X4.2.1 | DELIVERY: Delivery date of completed representative unit: 45 Calendar Days After Receipt of Purchase Age | |
| X4.2.2 | Delivery date of balance of completed units: 120 Calendar Days After Recei | |
| NOT | TE: Vendor should type Bidder's Evaluation Report | |

The "Bidder's Evaluation Report" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

| X5.0 | AWARD CRITERIA; | | | | |
|------|--|----------------------------|--------|-----------|------------|
| X5.1 | Price per unit: | \$28,873.00 | p | er unit | |
| | SPECIFICATIONS - GENERAL Manufacturer, model, series, and date of manufacturer | facture of proposed unit: | | | |
| | Terex TV1200 | | | | |
| | Is descriptive literature, fully describing proposed | unit attached to your bid? | X | _ YES _ | NO |
| | If not, why? | | | | |
| | | | | | |
| X6.2 | Will the required number of service manuals, a Equipment Division at Buckhannon upon com | A 4 | l uni | ts? | |
| | | - | Α . | YES | NO |
| | Will the required Equipment Preventive Main | tenance Form (Section X | 6.2 of | f Bidders | Evaluation |
| | | | | | |

X6.2 2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

| DESCRIPT) | ION: | | | MA | KE: | |
|-------------|------------------------|---------------|-------------|-------------|--|---------|
| MO | DDEL: | · | YEAR: | PU | RCHASE AMOUNT: | |
| ENGINE: | MAKE: | | MODEL: | | FUEL TYPE: | |
| | HORSEPOWER: _ | | CYLINDER: _ | EN | GINE SERIAL: | |
| | COOLING SYSTE | M CAPACITY: _ | | | | |
| BELTS: | DESCRIPTION: | | | PART NUM | BERS: | |
| | | | | | | |
| GVW: | | AXLE CAPAC | ITY:FRONT: | | | REAR: |
| TIRES: | FRONT MAKE & S | SIZE: | | | | |
| - | REAR MAKE & SI | ZE: | | | | |
| DIMENSIO | NS OF UNIT: | LENGTH: | | WIDTH: | | LENGTH: |
| VENDOR C | CONTACT PERSON | | | | PHONE: | |
| PARTS: | | | | | | |
| BATTERY | MAKE: | | MODEL: | | CCA: | |
| TOP OR SII | DE POST: | | DIMENSIONS | S: LENGTH | — WIDTH | HEIGHT |
| SPARK PLU | JGS OR FUEL INJE | CTORS MAKE: | | PART# | ······································ | |
| FUEL PUM | P OR INJECTION P | UMP MAKE: | | MODEL: | | |
| ALTERNA | TOR MAKE: | | **** | PART #: | · · · · · · · · · · · · · · · · · · · | |
| STARTER I | MAKE: | | | PART #: | | |
| TURBO CH | ARGER MAKE: | MODE | NT. | PART #: | 447700000000 | |
| HVDRAIII | AKE: IC PIIMP MAKE: | MODE | :L: | MODEI : | AUTO/MANUAL: | |
| III DIGIOD. | iciona mance | | | MODEL. | | |
| FILTERS | | PART NO. | | RICANT | MANUFACTUR | |
| OIL | | | ENGI | NE | | |
| AIR INNER | <u> </u> | | TRAN | MOISSIMSI | | |
| AIR OUTER | 7. | | POW. | ER STEERING | | |
| FUEL PRIM | IAKY | | | KAULIC | | |
| LOEF PECC | JNDAK I | | DIFF | ERENTIALS | | |
| COOLANT | | | BRAI | KE FLUID | | |
| HYDRAUL | | | COO | LANT | | |
| OTHER | | | OTH | ER | | |

| X6.3 | TRAINING: | |
|-------------|--|--|
| | Will training seminar be conducted on Preventive Maintenance, Operato | or and Mechanic Training _YES NO |
| | Will you conduct training with each purchase order against this ope | en end contract? X YESNO |
| | Will training be conducted within 2 working days from the delivery of t purchase order? | he pilot unit on the individual YES X NO |
| | If NO, explain time frame 2 weeks | |
| | Will an Operator's Manual be furnished directly to Training Acade delivery of the pilot? | emy prior to the X YES NO |
| X6.4 | If you are the successful vendor, will you furnish all training aids, i. in conducting the training? _X_YESNO | e., videos, projectors, required |
| X6.4.1 | , , I BI | X YES NO |
| X6.5 | WARRANTY AND SERVICE POLICY | |
| | Will the warranty and service you provide comply with all areas as state | |
| | Is warranty literature attached? X | YESNO |
| | Is a minimum two (2) year bumper to bumper basic parts and laborand normal wear items included? Nescribe: | r warranty excluding abuse YES NO |
| | | |

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID. (If additional lines are needed, make copies of form.)

| 1. De: | | ndard warranty. If not offered, so state. (Attach copy) ., whichever occurs first |
|-----------------|--|---|
| Ugupana | and the second s | |
| | | |
| | | be performed at DOH facilities and warranty service to be performed at e facility. List name and location of manufacturer's representative. e done at Uniontown Industrial Equipment Co Inc. in |
| Carca, painting | Lemont Furnace | PA. |
| 3. Lis | n. Terex has parts | entories that are within the State of West Virginia. Also, list availability levels, if |
| | supported by So | uthern, Miss parts facility. |
| | ring the term of warran r will sell the parts to o | ty, list the guarantee discount to manufacturer's published list price for parts that wner. |
| A. B. C. | Terms: Net 30 Terms: Net 60 Terms: Net 90 | Manufacturer's published list price less: 0 % discount Manufacturer's published list price less: 0 % discount Manufacturer's published list price less: 0 % discount |
| | ring the term of warran ways? | ty, will all manufacturers or engineering improvements be submitted to Division ofXYESNO |
| 6. Du | ring the term of warran | ty, list the guaranteed rates charged for repair to the unit. |
| A. | Shop Rate | \$0 per mechanic hour |
| B. | Travel Time Charge (Specify if one-way) | \$ 0 per mechanic hour 0; port to port |
| C. | Mileage Charge (Specify if one-way | \$ o per vehicle mile; port to port |
| D. | Field Mechanic Rate | \$o per mechanic hour |
| E. | Specify period of tim | e that prices are in effect: Terms of Warranty |
| F. | Surcharge for miscell | aneous items:% |

| X6.6 | EVALUATION COMMITTEE REQUIREMENTS | 3 | | | | |
|--------|---|---|---------------------------------------|-----------------------------------|--------------------------------|-----------------------------|
| | Is all component specifications, product literature, Committee bid determination? | component | models pr | ovided f _ YES _ | or Evalua | tion |
| X6.7 | Will all parts, equipment, accessories, material, specified herein, but which are necessary to pro and conform in strength, quality of material, an advertised and provided to the market in general | vide a com d quality (| plete unit of workma nit indust | , be furi inship to ry? | nished wi | th the unit |
| X6.7.1 | Are all parts and accessories adequate and reguthose which may be duplications of specification to be furnished? | llarly supp ns herein, a | and except | these b | o be inclu y specific NO | ided except ation are no |
| X6.7.2 | Are all standard safety features that are require | ed by Fede — | ral and St X YES | ate stat | utes of lav O | w included? |
| X7.0 | SPECIFICATIONS OF THE QUOTED UNIT The bidder should complete the following schedul unit to the specifications. Should the bidder excep the basis that such feature is not offered by the ma discretion as to whether the bidder's substitution manufacturer: Terex | ot a required nufacturer. neets the rec | nent, then The Divis | such exc sion will of the s | ception make the | ay be only or sole |
| X7.1 | Are roller(s) equipped with ROPS and FOPS ca | anopy? | | X | _YES | NO |
| X7.2 | Is engine manufacturer's water/air cooled diese | el powered | | X | _YES_ | NO |
| | HP: 33 and has sufficient torque to operate efficiency | ate machin | e and hyd | | ystem at : YES | |
| X7.3 | Is steering of hydraulic, full power, articulated | design? | | X | _YES | NO |
| X7.4 | Is unit a low profile design? | | | <u>X</u> | _YES | NO |
| X7.5 | Unit weight: 6,447 pounds | | | | | |
| X7.6 | Wheel base: 65.94 inches | | | | | |
| X7.7 | Does unit have dual drum drive with hydrostat | tic propuls | ion? | Х | YES | ЙО |

| X7.8 | Is unit equipped with manufacturer's vandalism package? | X | _YES _ | NO | |
|------------------------|--|--------------|--------------------|----------------------|------------|
| X7.9 | Unit has travel 6.2 MPH to 6.2 MPH forward and reverse | | | | |
| X7.10 | Engine: | | | | |
| X7.10.1 | Is manufacturer heaviest duty dual fuel filtering system offered? | | X | _YES | _NO |
| X7.10.2 | 2 Has full pressure lubrication with oil filter and oil by pass system | 1? | _X | _YES | _NO |
| X7.10.3 | Is governor manufacturer's standard with key shut off, wire seale | ed by ma | anufacti _YES _ | urer? NO | |
| X7.10.4 | Is cooling system filled with permanent type Dex-Cool extend point of -34° if unit is water cooled | led life | (or equ | al) to a fre _YES | eze _NO |
| X7.11 | Brakes: | | | | |
| X7.11.1 | Is service brake through hydrostatic propulsion system | X | YES _ | NO | |
| X7.11.2 | Is parking brake spring-applied, hydraulically released on each d | rum dri X | ve? _YES _ | NO | |
| X7.12 X7.12 | Drums: Are drums manufacturers heavy duty design | | X | _YES | NO |
| X7.12.2 | 2 Drum width: 47.24 inches | | | | |
| X7.12. | 3 Drum diameter: 27.5 inches | | | | |
| X7.12. | Are wiper bars mounted front and rear of each drum? | X_ | _YES | NO | |
| X7.12. | 5 Are wiper bars spring loaded, self adjusting | <u>X</u> | _YES | NO | |
| X7.12. | 6 Do wiper bars have replaceable rubber/neoprene drum clear | ners? | _X_ | _YES | NO |
| X7.12. | 7 Are front and rear drums of vibratory compaction type? | <u> </u> | _YES | NO | |
| X7.12. | 8 Are vibrating parts isolated from rest of roller? | X | _YES | NO | |
| X7.12. | 9 Are vibrating system isolators replaceable? | X | _YES | NO | |
| X7.12. | .10 Will unit be equipped with automatic vibration switch? | _X_ | _YES | NO | |
| X7.13 X7.13. | Electrical: Does electrical system have manufacturer's heavy duty 12 vo | | negati YES | ve ground' NO | ? |

| ×7.13.2 | Is manufacturers recommended heavy duty maintenance free | batter; | y provided: YES | NO |
|-----------------------|---|--------------|----------------------|-----------------------|
| X7.13.3 | Battery CCA: 830 | | | |
| X7.13.4 | Alternator:55_AMP with internal regulator | | | |
| X7.14 Will g manuf | auges be illuminated and equipped with visual or audible warning tacturer recommended safe operating ranges are exceeded? | hat wil | l advise ope YES | erator when _NO |
| X7.14.1 | Is unit provided with hour meter operable from engine operate | tion (no | ot key switc _YES | eh)? _NO |
| X7.14.2 | Is ignition switch water sealed? | X | YES | _NO |
| X7.14.3 | Fuel gauge? | X | YES | _NO |
| X7.14.4 | Volt/amp meter gauge or light | <u>X</u> | _YES | _NO |
| X7.14.5 | Oil pressure gauge or light | X | _YES | _NO |
| X7.14.6 | Engine temperature gauge or light | X | _YES | _NO |
| X7.14.7 | Does operators station have manufacturer's fully adjustable isolated | tion mo | ounted seat v | with seat belt _NO |
| X7.14.8 | Is OSHA approved back-up alarm provided and installed by | manuf _X_ | acturer _YES | _NO |
| X7.14.9 | Does unit have a parking brake "on" indicator? | | _YES _x_ | _NO |
| **When ma X7.14.10 | chine in neutral parking brake is applied by I Is a neutral start safety switch provided | hydra _X | ulics. _YES | _NO |
| X7.15 Wate | r System: | | | |
| X7.15.1 | Tank capacity: 11.6 gallons | | | |
| X7.15.2 | Is water system pressurized? | _X_ | _YES | _NO |
| X7.15.3 | Is water flow variable? | _X_ | _YES | _NO |
| X7.15.4 | Water filter(s) provided in system? | _X_ | YES | _NO |
| X7.15.5 | Screened back nozzle type sprayers on drums | <u>X</u> | YES | _NO |
| X7.15.6 | Is empty water tank indicator provided? | | _YES <u>x</u> | _NO |
| **Vis | ual Ease Indicator*** | | | |

| X7.15.7 | Is water pump capable of "Run Dry" situation without dan | | | | s? |
|--------------|---|------------|--------------|------------|-------|
| | | X | _YES | _NO | |
| X7.15.8 | Is water tank and complete water system constructed of ru | st proof n | naterials | | |
| | • | X | _YES | _NO | |
| X7.15.9 | Does water tank have drain plug? | X | _YES | _NO | |
| X7.16 Lighti | ng: | | | | |
| X7.16.1 | Is unit equipped with flashers visible from front and rear of | of roller | XY | ES | NO |
| X7.16.2 | Are work lights installed front and rear of roller X | YES | NO | | |
| | Are there 2 in front and two in rear | <u> X</u> | _YES | NO | |
| X7.16.3 | Is a low profile high intensity dual flash strobe light mount | ted on top | of cab/ca | пору | |
| | X | YES_ | NO | | |
| | Manufacturer: Aero Flash Model: 420 | | | | |
| X7.17 Will u | mit be delivered to WVDOH with all manufacturers recomm | nended sa | ifety relate | ed decals | and |
| safety | features intact | x_YES_ | NO | | |
| X7.18 Is one | (1) complete set of replacement filters provided with each u | ınit upon | delivery? | | |
| | `` | x YES | NO | | |
| X7.19 Paint: | | | | | |
| X7.19.1 | Is manufacturer's recommended paint preparation and color pa | rovided? | | | |
| | | × YES | NO | | |
| X7.20 Does v | vendor certify that roller offered meets or exceed the "OSH. | A of 1970 | '' or chans | es that a | re in |
| | · | × YES | NO | • | |
| X7.21 Does | unit conform to the advertising guidelines? | x_YES | NO | | |
| X7.22 Preven | ntive Maintenance and Operators Orientation/Training: | | | | |
| X7.22.1 | Have you attached a copy of proposed training program a | _ | | of course. | ì |
| | Will you furnish all training aids? | _X_YES. | NO | | |

Uniontown Industrial Equipment Co., Inc.

2266 University Drive

Lemont Furnace, PA 15456

Telephone (724) 437-1578

Fax (724) 437-2098

"EXCEPTIONS TO SPECIFICATIONS" RFQ # 7001EC05


- 7.14.9 When machine in neutral parking brake is applied by hydraulics
- 7.15.6 Visual Ease Indicator













\$709015804

2266 UNIVERSITY DR

EMONT FURNACE PA

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

UNIONTOWN INDUSTRIAL EQUIP CO

724-437-1578

15478

Request for

RFQ NUMBER 7011EC05

PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF: BUYER 33

304-558-2402

DIVISION OF HIGHWAYS SQUIPMENT DIVISION ROUTE 33 BRUSHY FORK ROAD **BUCKHANNON**, WV 26201

| DATE PRI | NTED I | TEC | MS OF SAL | F | SHIP VIA | F.O.B | FREIGHTTERMS |
|------------------|----------|--|------------|-------------------|--------------------------------------|----------------------|----------------------|
| 11/10/2 | | | | | | | THEIGHT TENING |
| BID OPENING DATE | | /17/20 | 10 | | BID O | PENING TIME 01 | :30PM |
| LINE | QUAN | TITY | UOP | CAT. NO. | ITEM NUMBER | UNIT PRICE | AMOUNT |
| | | | P . | DDEND | UM NO. 1 | | |
| T | HIS ADD | ENDUM | IS IS | SUED | TO: | | |
| D | 1 - | D AND | AGREE | D UPC | CONCERNS TO SPEC N DURING MANDATO | | |
| | .) TO E | | BID C | PENIN | G DATE FROM 11/1 | 0/2010 TO | |
| | .) PROVI | IDE A | COPY | OF TH | E MANDATORY PRE- | BID ATTENDEE | |
| | | | NO | отне | R CHANGES | · | |
| 3 | | | | 4 | | · | |
|)1 | | EA 1 | | 76 | 0-75 | \$28,873.00 | \$28,873.00 |
| D | UBLE DE | RUM VI | BRATO | RY RO | LLER/COMPACTOR | \$20,073.00 | \$20,073.00 |
| | | To a system of the state of the | 7-72-1 | 1 | | | |
| * | ***** 7 | rhis i | S THE | END | OF RFQ 7011ECC | 5 ***** TOTAL: | \$28,873.00 |
| | <i>y</i> | | | \$ 4 E,REV | ERSE SIDE FOR TERMS AND COI | VDITIONS: | |
| GNATURE / | 11 10 6 | . 1 | 11) | ///. | TELEPHONE (7 | 24) 437-1578 DATE | 11/15/10 |
| TLE V DI | <u> </u> | FE | N 3 [| 1200 | | | ES TO BE NOTED ABOVE |
| | RESIDENT | | | -13897 | | IN SPACE ABOVE LABEL | |

PREBID ADDENDUM 70-11-EC05

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

CHANGES TO SPECIFICATIONS:

LEAVE AS WRITTEN:

7.1 Roller(s) shall be equipped with ROPS and FOPS canopy.

LEAVE AS WRITTEN:

7.15.6 Empty water tank indicator to be provided.

LEAVE AS WRITTEN:

7.15.7 Water pump shall be capable of "Run Dry" situation without damage to pump or Components

FROM:

7.16.3 Low profile high intensity dual flash strobe light shall be mounted on top of cab/canopy. Aero Flash Model number M420 or equivalent. (Amber in color)

TO:

7.16.3 Class 1 LED beacon shall be mounted on top of cab/canopy.

PREBID ADDENDUM 70-11-EC05

DOUBLE DRUM VIBRATORY ROLLER/COMPACTOR

| CHANGES | TO BIDDER'S EVALUATION REPORT: | | | | |
|-----------------------|---|-------|---------------|-----------------|--------|
| | E REQUIRED: oller(s) equipped with ROPS and FOPS car | nopy? | X | _YES | NO |
| X7.15.6 | E REQUIRED: Is empty water tank indicator provided? ase Indicator | | YES | X NO | |
| | E REQUIRED: Is water pump capable of "Run Dry" situ components? | | | _ | |
| FROM: X7.16.3 | Is a low profile high intensity dual flash st | | _ | ounted on NO | top of |
| | Manufacturer: ECCO | Mode | l: <u>716</u> | 0 | |
| TO: X7.16.3 | Is a Class 1 LED beacon mounted on top | | | y? NO | |
| | Manufacturer: ECCO | Mode | 1:71 | 60 | |

MUSINGANI. COM

Represenative Attending:

Phone Number:

Fax Number:

Email Address:

PRE-BID CONFERENCE

SIGN IN SHEET

Request for Quotation Number:

DOH-7011EC05

Date:

10/28/2010 at 10:00 am

(

Project Description:

Double Drum Vibratory Roller/Compactor

| - | | | 1 1 1 |
|--|--|--|---|
| ENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO IG IMPORTANT BID INFORMATION. | CHARLESTOWN 25322 | 1 | FISH EGUITAMENT CONFAM D.O. BOX 906 BRIDGEPORT, M 06330 |
| ENTIAL TO CONTACT THE ATTENDEES IN A IG IMPORTANT BID INFORMATION. | Firm Name: Firm Address: | Represenative Attending: Phone Number: Fax Number: Email Address: | Firm Name: Firm Address: |
| PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CON | WV State Purchasing Division 2019 Nashington St., East Charleston, WV 25:205 | Krista Ferrell, BuyerSupervisor 304: 558: 2596 304: 558: 4115 Krista. 6. ferrell @ wv.gov | MVDOH |
| PLEASE PRINT LEGIBLY | Firm Address: | Represenative Attending: Phone Number: Fax Number: Email Address: | Firm Name: Firm Address: |

| Firm Name: | C.T. WALKER MACHALLERY (2) |
|--------------------------|--|
| Firm Address: | D.C. Bex 2427 |
| | CHARLESTON, WY 353399 |
| | American Company of the Company of t |
| Represenative Attending: | MATTHEW G. CONVER |
| Phone Number: | (304) 543-5406 |
| Fax Number: | (454) 759 - (HOY |
| Email Address: | Miconner (D. Labilter - Cat. Com |

2 Selario @ rish.com

201-849-10126 三名かったなったる

ANTONO B. SELVETTE

Represenative Attending:

Represenative Attending:

Phone Number:

Email Address:

Fax Number:

Firm Address:

Firm Name:

Phone Number:

Email Address. Fax Number:

PRE-BID CONFERENCE SIGN IN SHEET

| (3) |
|-----|
| |
| |

Request for Quotation Number:

DOH-7011EC05

Date:

10/28/2010 at 10:00 am

Project Description:

Double Drum Vibratory Roller/Compactor

PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION.

PARK

BUNCHER COMMERCE

15056

LEERSON

Represenative Attending:

Phone Number:

ANE,

6-156 -

Firm Address:

Firm Name:

| MAI NESOLI IN DELAIS | MAI NESOLI IN DELATS IN TOOR COMPANT GETTING INFORTANT BIL |
|--------------------------|--|
| Firm Name: | . Leslie Equipment Co |
| Firm Address: | 284 VAN KIRK Drive |
| | FAIRMONT, WU 26554 |
| | • |
| | |
| Represenative Attending: | Timothy C. WAGNER |
| Phone Number: | 304-534-5454 |
| Fax Number: | 304-534-5888 |
| Email Address: | WAGNITIMOLECICOM |
| | |

RUDD EQUIPMENT, COM

BRIAN REED (304) 319-1495 (472) 741-6236

BREED (B)

Email Address:

Fax Number:

| Firm Name: Firm Address: | Rope Inc. 5522 ELK RIVER ROAD ELKVIELD, LIN 25071 |
|---|---|
| Represenative Attending: Phone Number: | JOE HOOVER 304-548-6701 |
| Fax Number: Email Address: | 304-548-7186 |

| Firm Name: | Graye Massingn |
|--------------------------|----------------|
| Firm Address: | |
| | HOUMA |
| | |
| | |
| Represenative Attending: | |
| Phone Number: | |
| Fax Number: | |
| Email Address: | |
| | |
| Firm Name: | Warren Las |
| Firm Address: | |
| | DOH |
| | |
| | |
| Represenative Attending: | |
| | |

| Firm Name: | 1 Designation Tod Ep 10 100 |
|--------------------------|-----------------------------|
| Firm Address: | 2266 Clasiveralty Parish |
| | |
| | |
| | |
| Represenative Attending: | Mike ("looked |
| Phone Number: | 800-229-5948/124-437-157 |
| Fax Number: | 724-437-2698 |
| Email Address: | MC BESER WIRC CON |

Phone Number:

Email Address:

Fax Number:

PRE-BID CONFERENCE

SIGN IN SHEET

Request for Quotation Number:

DOH-7011EC05

Date:

10/28/2010 at 10:00 am

Project Description:

Double Drum Vibratory Roller/Compactor

| PLEASE PRINT LEGIBLY. THIS INFORMATION IS ESSENTIAL TO CONTACT THE ATTENDEES IN A TIMELY MANNER. FAILURE TO DO SO MAY RESULT IN DELAYS IN YOUR COMPANY GETTING IMPORTANT BID INFORMATION. | TIAL TO CONTACT THE ATTENDEES IN A 'MPORTANT BID INFORMATION. | TIMELY MANNER. FAILURE TO DO SO |
|--|---|---------------------------------|
| · | Firm Name: | |
| .; SS: | Firm Address: | |
| | | |
| Representative Attending: | Represenative Attending: | |
| Phone Number: | Phone Number: | |
| Fax Number: | Fax Number: Email Address: | |
| | | |
| Firm Name: W. Kurchasi ac Division | Firm Name: | |
| Firm Address: | Firm Address: | · · |
| | | |
| | | |
| Representative Attending: | Represenative Attending: | |
| Florie Number. | Friorie number. | |
| Email Address: | Email Address: | |
| | | |
| Firm Name: | Firm Name: | |
| Firm Address: | Firm Address: | |
| | | |
| | | |
| | | |
| Represenative Attending: | Represenative Attending: | |
| Phone Number: | Phone Number: | |
| Fax Number: | Fax Number: | |
| Email Address: | Email Address: | |



COMPACTION ROLLER

Specifications

Operating Weight Net Engine Power Static Linear Load Centrifugal Force 5664 / 6447 lbs

33 hp 71.9 / 68.2 lbs/in

5167 / 6740 lbs

Features

- Powerful and reliable water cooled engines.
- Superb service access and easy to service components.
- "Rental Tough" high quality heavy duty design.
- Heavy duty vibration system with high centrifugal force, frequency and static liner load reduces the number of passes required.

Meren Com

- Unique side control arm for increased operator leg room and comfort.
- Unique 6-in-1 control lever for simple and easy operation of all functions.
- Lockable instrumental panel, water tank filler flap and hood to reduce theft and vandalism.
- Simple lever selection of twin drum vibration or rear drum vibration.

WORKS FOR YOU.

SPECIFICATIONS

Performance

| | TV1000 | TV12001 |
|----------------------------------|------------------------------|------------------------------|
| Operating Weight | 5664 lbs (2570 kg) | 6447 lbs (2925 kg) |
| Basic Weight | 5257 lbs (2385 kg) | 6040 lbs (2740 kg) |
| Static Linear Load | 71.9 lbs/in (12.85 kg/cm) | 68.2 lbs/in (12.18 kg/cm) |
| Frequency (Hz) VPM | 3360 (56 Hz) | 3360 (56 Hz) |
| Amplitude | .022 in (0.6 mm) | .022 in (0.6 mm) |
| Gradeability (% - vibration on) | 30% | 30% |
| Gradeability (% - vibration off) | 40% | 40% |
| Centrifugal Force (low / high) | 3819/5167 lbs (17/23 kN) | 4943/6740 lbs (22/30 kN) |
| Drum Thickness | .39 in (10 mm) | .51 in (13 mm) |

Engine

| | TV1000 TV1200 |
|--------------------------|--|
| Engine | Kubota D1703-M 3-cylinder, diesel engine |
| Cooling System | Water |
| Power | 33 hp (24.5 kW) at 2,500 rpm |
| Drive | Duai radial piston drive motors |
| Braking System - Service | Hydrostatic drive provides dynamic braking |
| Braking System - Parking | Spring applied brakes |

Electrical System

| | | TV | 1000 | TV1200 |
|------------|------|--------|------|--------|
| Battery | | | 830 | CCA |
| Alternator | | | 55 . | Amp |

Transmission

| *************************************** |
|---|
| Hydrostatic drive. Forward and reverse selected from joystick. Infinitely |
| variable speed control forward and reverse. 0 - 6.2 mph (0 - 10 km/hr) |

TV1000

TV1200



Steering

| | TV1000 ₹V1200 ₹ | | | | | |
|----------------------------|----------------------------------|--|--|--|--|--|
| Туре | Heavy-duty articulated steering | | | | | |
| Frame Articulation | 30° | | | | | |
| Frame Oscillation | 15° | | | | | |
| Turning Radius - Inside 10 | 3 in (2,625 mm) 99 in (2,525 mm) | | | | | |

Fluid Capacities

| | TV1000 TV1200 |
|----------------------------------|------------------|
| Fuel Tank | 11.6 gal (44 L) |
| Hydraulic System (includes tank) | 11.6 gal (44 L) |
| Water Tank | 47.5 gal (180 L) |

Operator's Area


| 1,000 TV1200 | | | | _ | | - |
|--|-----------|--|------|-----|------|---|
| the state of the s | 14-31 | | | : : | | |

Open operator's seat with functional design, excellent all-round visibility and user-friendly operator controls.

Operator's suspension seat with hydraulic cushioning and lap belt; weight, height and longitudinally adjustable.



DIMENSIONS



| | | | | | _ | | | |
|---|-----|----|---|---|----|---|---|---|
| 3 | 773 | a. | 7 | c | ā, | n | 7 | 8 |

TV1000 TV1200

Total Width 42.12 in (1,070 mm) 50 in (1,270 mm)

Total Length 93.5 in (2,375 mm)

Total Height 104.33 in (2,650 mm)

Standard Equipment

Vandal Protection Package Back-up alarm

2 scraper bars per drum Hydraulic test points

Tow valve 12 volt battery disconnect

Pressure and gravity water ROPS

Electrical diagnostics system (LED lights)

terex.com

Effective Date: May 2010. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Terex makes no other warranty, express or implied. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation and/or its subsidiaries in the USA and other countries. All rights are reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. © 2010 Terex Corporation.

8800 Rostin Road, Southaven, MS 38671 USA 1.888.90.TEREX (83739)





Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

| | plication is made for 2.5% resident vendor preference for the reason checked: |
|-------------------------------|---|
| <u>X</u> Bidding ing | der is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced- the date of this certification; or, |
| Bido bus owr mai | der is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of siness continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the nership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has intained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately ceding the date of this certification; or, |
| and | der is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents if which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) are immediately preceding the date of this certification; or, |
| Bidd | plication is made for 2.5% resident vendor preference for the reason checked: der is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees king on the project being bid are residents of West Virginia who have resided in the state continuously for the two years nediately preceding submission of this bid; or, |
| Bido affili mini emp | plication is made for 2.5% resident vendor preference for the reason checked: der is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an liate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a simum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the ployees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state stinuously for the two years immediately preceding submission of this bid; or, |
| 4. Apr | plication is made for 5% resident vendor preference for the reason checked: der meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or, |
| X Bido | plication is made for 3.5% resident vendor preference who is a veteran for the reason checked: der is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard I has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is omitted; or, |
| Bido purp cont | plication is made for 3.5% resident vendor preference who is a veteran for the reason checked: der is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for poses of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and attinuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are idents of West Virginia who have resided in the state continuously for the two immediately preceding years. |
| requirements against such | erstands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ts for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty in Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency from any unpaid balance on the contract or purchase order. |
| authorizes th the required | ion of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid business taxes, provided that such information does not contain the amounts of taxes paid nor any other information the Tax Commissioner to be confidential. |
| and accurat | alty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true te in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate uring the term of the contract, Bidder will notify the Purchasing Division in writing immediately. |
| Bidder: Un: | iontown Industrial Equip. Signed / Wal W. Chr. |
| Date:11/ | /08/10 Title: V. President |

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

| RFQ No. | 7011EC05 |
|---------|----------|
| | |

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

WITNESS THE FOLLOWING SIGNATURE

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: <u>Uniontown Industrial Equipment</u> State of Pennsylvania County of Fayette Taken, subscribed, and sworn to before me this 15 day of Nov. 20_10. NOTORY PUBLIC . AFFIX SEAL HERE

COMMONWEALTH OF PENNSYLVANIA Notarial Seal

Tammy L. Mauk, Notary Public Bullskin Twp., Fayette County My Commission Expires June 29, 2011

Member Reenry Varie With relation of Nataries