



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 33
304-558-2402

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 472-1750

DATE PRINTED

02/14/2011

TERMS OF SALE

Net 30 Days

SHIP VIA

Truck

F.O.B.

Buckhannon

FREIGHT TERMS

Prepaid

BID OPENING DATE:

04/20/2011

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
------	----------	-----	----------	-------------	------------	--------

0001

EA

765-64

1

SELF PROPELLED CHIP SPREADER

ETNYRE Hydrostatic AWD Chipspreader

REQUEST FOR QUOTATION
(RFQ)
OPEN END CONTRACT

THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE SELF PROPELLED CHIP SPREADER, PER THE ATTACHED SPECIFICATIONS.

TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO SHERI SLONE IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA MAIL AT THE ADDRESS SHOWN IN THE BODY OF THIS RFQ, VIA FAX AT 304-558-4115, OR VIA EMAIL AT SHERI.D.SLONE@WV.GOV. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 03/17/2011 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING DIVISION AFTER THE DEADLINE HAS LAPSED.

MANDATORY PRE-BID

A MANDATORY PRE-BID WILL BE HELD ON THURSDAY 03/24/2011 AT 10 AM IN CHARLESTON, WV 25305, 2019 WASHINGTON ST E. ALL INTERESTED PARTIES ARE REQUIRED TO ATTEND THIS

RECEIVED
2011 APR 20 AM 9:10
WV PURCHASING
DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TITLE

President

FEIN

550621655

TELEPHONE 304-346-5301

DATE 4/11/2011

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS

REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the **West Virginia Code**.
7. Vendor preference will be granted upon written request in accordance with the **West Virginia Code**.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the **Legislative Rules** of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33
304-558-2402

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 472-1750

V
E
N
D
O
R

S
H
I
P
T
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
02/14/2011				

BID OPENING DATE: 04/20/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>MEETING. FAILURE TO ATTEND THE MANDATORY PRE-BID SHALL RESULT IN DISQUALIFICATION OF THE BID. NO ONE PERSON MAY REPRESENT MORE THAN ONE BIDDER.</p> <p>AN ATTENDANCE SHEET WILL BE MADE AVAILABLE FOR ALL POTENTIAL BIDDERS TO COMPLETE. THIS WILL SERVE AS THE OFFICIAL DOCUMENT VERIFYING ATTENDANCE AT THE MANDATORY PRE-BID. FAILURE TO PROVIDE YOUR COMPANY AND REPRESENTATIVE NAME ON THE ATTENDANCE SHEET WILL RESULT IN DISQUALIFICATION OF THE BID. THE STATE WILL NOT ACCEPT ANY OTHER DOCUMENTATION TO VERIFY ATTENDANCE. THE BIDDER IS RESPONSIBLE FOR ENSURING THEY HAVE COMPLETED THE INFORMATION REQUIRED ON THE ATTENDANCE SHEET. THE PURCHASING DIVISION AND THE STATE AGENCY WILL NOT ASSUME ANY RESPONSIBILITY FOR A BIDDER'S FAILURE TO COMPLETE THE PRE-BID ATTENDANCE SHEET. IN ADDITION, WE REQUEST THAT ALL POTENTIAL BIDDERS INCLUDE THEIR E-MAIL ADDRESS AND FAX NUMBER.</p> <p>ALL POTENTIAL BIDDERS ARE REQUESTED TO ARRIVE PRIOR TO THE STARTING TIME FOR THE PRE-BID. BIDDERS WHO ARRIVE LATE, BUT PRIOR TO THE DISMISSAL OF THE TECHNICAL PORTION OF THE PRE-BID WILL BE PERMITTED TO SIGN IN. BIDDERS WHO ARRIVE AFTER CONCLUSION OF THE TECHNICAL PORTION OF THE PRE-BID, BUT DURING ANY SUBSEQUENT PART OF THE PRE-BID WILL NOT BE PERMITTED TO SIGN THE ATTENDANCE SHEET.</p> <p>EXHIBIT 10</p> <p>7011EC19</p> <p>REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING 'CHECKED</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
7011EC19

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 33 304-558-2402

***709051756 304-346-5301**
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
02/14/2011				

BID OPENING DATE: **04/20/2011** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 ^x</p> <p>NO. 2</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p><i>George H. Hoad</i> SIGNATURE</p> <p>West Virginia Tractor company COMPANY</p> <p>4/11/2011 DATE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER

7011EC19

PAGE

4

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

*709051756 304-346-5301

WV TRACTOR COMPANY

PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS

EQUIPMENT DIVISION

ROUTE 33

BRUSHY FORK ROAD

BUCKHANNON, WV

26201

472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2011				

BID OPENING DATE:

04/20/2011

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.						
REV. 09/21/2009						
EXHIBIT 2						
LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON UPON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING THIRTY (30) DAYS WRITTEN NOTICE.						
UNLESS SPECIFIC PROVISIONS ARE STIPULATED IN THIS CONTRACT DOCUMENT, THE TERMS, CONDITIONS, AND PRICING SET HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.						
RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.						
CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO REQ INSERT NAME AND ADDRESS IN SPACE ABOVE LABELLED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

5

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

V
E
N
D
O
R

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

S
H
I
P
T
O

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 472-1750

DATE PRINTED

TERMS OF SALE

SHIP VIA

F.O.B

FREIGHT TERMS

02/14/2011

BID OPENING DATE:

04/20/2011

BID OPENING TIME

01:30PM

LINE

QUANTITY

UOP

CAT
NO

ITEM NUMBER

UNIT PRICE

AMOUNT

OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).

QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIES BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.

ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN EQUIPMENT CONTRACT ORDER (FORM NUMBER WV-35) FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL WV-35 MUST BE SENT TO THE PURCHASING DIVISION OF THE DEPARTMENT OF ADMINISTRATION. AFTER APPROVAL AND ENCUMBRANCE, ONE COPY OF THE PURCHASE ORDER WILL BE RETURNED TO THE SPENDING UNIT AND ONE COPY FORWARDED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT. NO ORDER IS VALID UNLESS APPROVED AND ENCUMBERED BY THE PURCHASING DIVISION.

BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FUTURE ORDER.

REV. 5/2009

EXHIBIT 4

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TELEPHONE

DATE

TITLE

FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

6

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33

304-558-2402

*709051756 304-346-5301

WV TRACTOR COMPANY

PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS

EQUIPMENT DIVISION

ROUTE 33

BRUSHY FORK ROAD

BUCKHANNON, WV

26201

472-1750

V
E
N
D
O
RS
H
I
P
T
O

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
02/14/2011				

BID OPENING DATE:

04/20/2011

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.						
REV. 3/88						
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER: SHERI SLONE - FILE 33						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

7

ADDRESS CORRESPONDENCE TO ATTENTION OF

BUYER 33
304-558-2402

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV
26201 472-1750

DATE PRINTED

02/14/2011

TERMS OF SALE

SHIP VIA

FOB

FREIGHT TERMS

BID OPENING DATE:

04/20/2011

BID OPENING TIME

01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
RFQ. NO.: 7011EC19						
BID OPENING DATE: 04/20/2011						
BID OPENING TIME: 1:30 PM						
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
-----304-346-5305-----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
-----Gary W. Grady-----						
***** THIS IS THE END OF RFQ 7011EC19 ***** TOTAL: _____						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TELEPHONE

DATE

TITLE

FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

7011EC19

PAGE

1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 33

304-558-2402

*709051756 304-346-5301
WV TRACTOR COMPANY
PO BOX 473

CHARLESTON WV 25322

DIVISION OF HIGHWAYS
EQUIPMENT DIVISION
ROUTE 33
BRUSHY FORK ROAD
BUCKHANNON, WV

26201

472-1750

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS		
03/30/2011	Net 30 Days	Truck	Buckhannon	Prepaid		
BID OPENING DATE: 04/20/2011		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
THIS ADDENDUM IS ISSUED TO:						
1.) ADDRESS SPECIFICATION CHANGES PER THE ATTACHED.						
2.) PROVIDE A COPY OF THE MANDATORY PRE-BID SIGN IN SHEET.						
3.) BID OPENING REMAINS 04/20/2011 AT 1:30 PM.						
*****END ADDENDUM NO. 1*****						
0001	1	EA		765-64		
SELF PROPELLED CHIP SPREADER						
***** THIS IS THE END OF RFQ 7011EC19 ***** TOTAL:						
SEE REVERSE SIDE FOR TERMS AND CONDITIONS						
SIGNATURE		TELEPHONE		DATE		
		304-346-5301		4/11/2011		
TITLE		FEIN		ADDRESS CHANGES TO BE NOTED ABOVE		
President		550621655				

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
EQUIPMENT DIVISION

BIDDER'S EVALUATION REPORT

PROCUREMENT SPECIFICATIONS FOR OPEN END CONTRACT
NO. 553-1-E

SELF PROPELLED CHIP SPREADER

NOTE TO BIDDER: Procurement Specification No. 553-1-E, Paragraph 2.0 recommends the completion and submittal of this Report with your bid. Purpose of this Report is to enable the West Virginia Division of Highways Evaluation Committee to make full and fair evaluation of the bid. Addendums in order, along with a summary of exception as a separate attachment, should be with Bidder's Evaluation Report. FAILURE TO SUBMIT THIS REPORT, COMPLETE IN ITS ENTIRETY, MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

Reference Requisition No.: 7011EC19

Bidder's Name: West Virginia Tractor Company

Address: P.O. Box 473 Charleston, WV 25322

Telephone Number: 304-346-5301

Years Bidder has been registered to do business with the State of West Virginia: 29 YRS.

Years Company has been an authorized dealer for proposed unit: 29 YRS.

X3.2 Have you complied with all mandatory specifications? x YES NO

X4.2 DELIVERY:

X4.2.1 Delivery date of completed representative unit: 90 Calendar Days After
Receipt of Purchase Agreement

X4.2.2 Delivery date of balance of completed units: 120 Calendar Days After Receipt of
Purchase Agreement

X5.1 Price per unit:

X6.0 SPECIFICATIONS - GENERAL

__E.D. Etnyre & Co. Hydrostatic Drive AWD ChipSpreader 2011 and later as ordered

If not, why? _____

 x **YES** **NO**

 x YES NO

X6.2
2-10-00

EQUIPMENT PREVENTATIVE MAINTENANCE QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY BY SUCCESSFUL BIDDER OR MANUFACTURER'S TECHNICAL REPRESENTATIVE PRIOR TO DELIVERY OF PILOT MODEL TO THE WVDOH.

DESCRIPTION: _____ MAKE: _____

MODEL: _____ YEAR: _____ PURCHASE AMOUNT: _____

ENGINE: MAKE: _____ MODEL: _____ FUEL TYPE: _____

HORSEPOWER: _____ CYLINDER: _____ ENGINE SERIAL: _____

COOLING SYSTEM CAPACITY: _____

BELTS: DESCRIPTION: _____ PART NUMBERS: _____

GVW: _____ AXLE CAPACITY: FRONT: _____ REAR: _____

TIRES: FRONT MAKE & SIZE: _____

REAR MAKE & SIZE: _____

DIMENSIONS OF UNIT: LENGTH: _____ WIDTH: _____ LENGTH: _____

VENDOR CONTACT PERSON: _____ PHONE: _____

PARTS:

BATTERY MAKE: _____ MODEL: _____ CCA: _____

TOP OR SIDE POST: _____ DIMENSIONS: LENGTH _____ WIDTH _____ HEIGHT _____

SPARK PLUGS OR FUEL INJECTORS MAKE: _____ PART # _____

FUEL PUMP OR INJECTION PUMP MAKE: _____ MODEL: _____

ALTERNATOR MAKE: _____ PART #: _____

STARTER MAKE: _____ PART #: _____

TURBO CHARGER MAKE: _____ PART #: _____

TRANS. MAKE: _____ MODEL: _____ AUTO/MANUAL: _____

HYDRAULIC PUMP MAKE: _____ MODEL: _____

FILTERS	MAKE	PART NO.	LUBRICANT	MANUFACTURER TYPE
OIL	_____	_____	ENGINE	_____
AIR INNER	_____	_____	TRANSMISSION	_____
AIR OUTER	_____	_____	POWER STEERING	_____
FUEL PRIMARY	_____	_____	HYDRAULIC	_____
FUEL SECONDARY	_____	_____	DIFFERENTIALS	_____
COOLANT	_____	_____	BRAKE FLUID	_____
HYDRAULIC	_____	_____	COOLANT	_____
OTHER	_____	_____	OTHER	_____

X6.3 TRAINING:

Will training seminar be conducted on Preventive Maintenance, Operator and Mechanic Training
☒ YES ☐ NO

Will you conduct training with each purchase order against this open end contract?
☒ YES ☐ NO

Will training be conducted within 2 working days from the delivery of the pilot unit on the individual purchase order?
☒ YES ☐ NO

If NO, explain time frame _____

Will an Operator's Manual be furnished directly to Training Academy prior to the delivery of the pilot?
☒ YES ☐ NO

X6.4 If you are the successful vendor, will you furnish all training aids, i.e., videos, projectors, required in conducting the training?
☒ YES ☐ NO

X6.4.1 Will all manuals, booklets, etc. explaining preventive maintenance, operator procedures, and service schedule be delivered with each unit?
☒ YES ☐ NO
If NO, explain _____

X6.5 WARRANTY AND SERVICE POLICY

Will the warranty and service you provide comply with all areas as stated in Section 6.5 of specifications
☒ YES ☐ NO

Is warranty literature attached?
☒ YES ☐ NO

Is a minimum two (2) year bumper to bumper basic parts and labor warranty excluding abuse and normal wear items included?
☒ YES ☐ NO

Describe:

☐ Two years bumper to bumper parts and labor _____

X6.5 WARRANTY AND SERVICE POLICY QUESTIONNAIRE

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND SUBMITTED WITH YOUR BID.

(If additional lines are needed, make copies of form.)

1. Define the terms of the standard warranty. If not offered, so state. (Attach copy)

Standard one year warranty extended to two years bumper to bumper parts and labor

2. Define warranty service to be performed at DOH facilities and warranty service to be performed at manufacturer's representative facility. List name and location of manufacturer's representative.

Most work under warranty to be performed at West Virginia Tractor Company in Charleston, WV.

3. List locations for parts inventories that are within the State of West Virginia. Also, list availability levels, if known.

Etnyre parts to be provided by West Virginia Tractor Company in Charleston, WV.

4. During the term of warranty, list the guarantee discount to manufacturer's published list price for parts that bidder will sell the parts to owner.

A. Terms: Net 30 Manufacturer's published list price less: ____ - ____ % discount

B. Terms: Net 60 Manufacturer's published list price less: _____ - _____ % discount

C. Terms: Net 90 Manufacturer's published list price less: - % discount

5. During the term of warranty, will all manufacturers or engineering improvements be submitted to Division of Highways? x YES NO

6. During the term of warranty, list the guaranteed rates charged for repair to the unit.

A. Shop Rate \$ 75.00 per mechanic hour

B. Travel Time Charge \$ 75.00 per mechanic hour
(Specify if one-way) _____; port to port x _____

C. Mileage Charge \$ 2.00 per vehicle mile
(Specify if one-way _____; port to port x _____)

D. Field Mechanic Rate \$ 75.00 per mechanic hour

E. Specify period of time that prices are in effect: During warranty

F. Surcharge for miscellaneous items: holidays and overtime 150%.

X6.6 EVALUATION COMMITTEE REQUIREMENTS

Is all component specifications, product literature, component models provided for Evaluation Committee bid determination? ☒ YES ☐ NO

X6.7 Will all parts, equipment, accessories, material, design and performance characteristics not specified herein, but which are necessary to provide a complete unit, be furnished with the unit and conform in strength, quality of material, and quality of workmanship to those which are advertised and provided to the market in general by the unit industry?

☒ YES ☐ NO

X6.7.1 Are all parts and accessories adequate and regularly supplied as standard to be included except those which may be duplications of specifications herein, and except these by specification are not to be furnished?

☒ YES ☐ NO

X6.7.2 Are all standard safety features that are required by Federal and State statutes of law included?

☒ YES ☐ NO

X7.0 SPECIFICATIONS OF THE QUOTED UNIT

The bidder should complete the following schedule in order for the Division to compare the actual bid unit to the specifications. Should the bidder except a requirement, then such exception may be only on the basis that such feature is not offered by the manufacturer. The Division will have the sole discretion as to whether the bidder's substitution meets the requirements of the specifications.

Manufacturer: E. D. Etnyre & Co. Model: Hydrostatic AWD ChipSpreader

X7.1 Hydrostatic Drive:

X7.1.1 Is unit 4 wheel hydrostatic drive? ☒ YES ☐ NO

X7.1.2 Are both axles driven by minimum 125 cc variable displacement hydrostatic pump? ☒ YES ☐ NO

X7.1.3 Is variable displacement motors of approximately 166 cc provided? ☒ YES ☐ NO

Please specify: 160

X7.1.4 Does unit have traction control? ☒ YES ☐ NO

X7.1.5 Specify infinitely variable speed 0 to 19.5 M.P.H.

X7.2 Engine:

X7.2.1 Is turbo charged diesel engine provided? ☒ YES ☐ NO

X7.2.2 Is engine a Cummins OSD Tier 3 with approximately 240 HP or equal? ☒ YES ☐ NO

Please specify: ☐ Cummins QSB Tier 3 240 HP

X7.2.3 Is engine equipped with manufacturers heavy duty 12 volt electrical system? ☒ YES ☐ NO

X7.2.4 Does unit have dry type air cleaner provided? ☒ YES ☐ NO

X7.2.5 Does unit have manufacturers heavy duty cooling system capable of maintaining engine temperature within manufacturers recommended range during continuous operation?
☒ YES ☐ NO

X7.2.6 Is Anti-Freeze permanent type to -30°F? ☒ YES ☐ NO

X7.3 Brakes:

X7.3.1 Does front axle have hydraulic internal drum brakes? ☒ YES ☐ NO

X7.3.2 Will front brakes be controlled by pressing down on floor pedal accuator? ☒ YES ☐ NO

X7.3.3 Does rear axle have manufacturers hydraulic actuated brakes? ☒ YES ☐ NO

X7.3.4 Does unit have a spring applied, hydraulic release fail-safe parking brake in drive line?
☒ YES ☐ NO

X7.3.5 Does SAHR automatically apply if hydraulic power is lost? ☒ YES ☐ NO

X7.4 Steering:

X7.4.1 Is full hydrostatic power steering provided? ☒ YES ☐ NO

X7.4.2 Does steering have a dedicated hydraulic flow independent of engine speed?
☒ YES ☐ NO

X7.5 Conveyors:

X7.5.1 Are conveyor belts heavy duty 24 inch width? ☒ YES ☐ NO

X7.5.2 Are belts activated by electric switches? ☒ YES ☐ NO

X7.5.3 Does conveyors have a high torque hydraulic motor with direct drive to head pulley?
☒ YES ☐ NO

X7.5.4 Does unit have hooded adjustable aggregate deflector located at head of each conveyor?
☒ YES ☐ NO

- X7.5.5 Does unit have quick removable type troughing idlers? ☒ YES ☐ NO
- X7.5.6 Is tail pulley adj. for insuring proper belt alignment? ☒ YES ☐ NO
- X7.5.7 Does unit have an automatic conveyor control that starts and stops conveyor belts to control aggregate level in hopper? ☒ YES ☐ NO
- X7.5.8 Unit has the override control to enable operator to start and stop conveyors?**
☒ YES ☐ NO
- X7.5.9 Does conveyor have a valve control to provide flexibility of belt speed?
☒ YES ☐ NO
- X7.6 Spread Hopper:
- X7.6.1 Is hopper spread width 10 foot minimum?** ☒ YES ☐ NO
Please specify: 10'
- X7.6.2 Is struck capacity of hopper approximately .2 cubic yards per foot of hopper width?
☒ YES ☐ NO
Please specify: .2 cu. yd./ft. of hopper width
- X7.6.3 Does spread roll have 6 inch diameter heavy wall tubing? ☒ YES ☐ NO
- X7.6.4 Does agitator have 2 ½ inch tubing and quick disconnect pins? ☒ YES ☐ NO
- X7.6.5 Does each gate have individual air operated controls? ☒ YES ☐ NO
- X7.6.6 Will gates have adjustable, reversible wear plates? ☒ YES ☐ NO
- X7.6.7 Will gate widths be 6 inches at hopper ends and 12 inch in center? ☒ YES ☐ NO
- X7.6.8 Will spread roll and agitator be driven by a high torque hydraulic motor with quick coupler hose connection? ☒ YES ☐ NO
- X7.6.9 Does unit have a full width metal type screen with 1 ½ inch openings provided over top of hopper to return oversized materials/foreign objects?
☒ YES ☐ NO
- X7.7 Truck Hitch:
- X7.7.1 Is unit equipped with a self-locking railroad type adjustable truck hitch?** ☒ YES ☐ NO
- X7.7.2 Will hitch be electrically released from operators position? ☒ YES ☐ NO
- X7.7.3 Will hitch height be electrically controlled from operators seat? ☒ YES ☐ NO
- X7.7.4 Will hitch be capable of maintaining positive engagement over irregular terrain?
☒ YES ☐ NO

X7.8 Computer Application:

X7.8.1 **Does the application rate computer monitor the actual speed of spreader while varying the gate opening to maintain the set application rate in pounds and yards of selected aggregate regardless of spreader speed?** ☒ YES ☐ NO

X7.8.2 Will computer store five (5) different aggregate and application rate combinations in memory? ☒ YES ☐ NO

X7.8.3 Will application rate be varied as desired while operating? ☒ YES ☐ NO

X7.8.4 Will computer be capable of monitoring fuel level, engine oil pressure, hydraulic oil temperature, engine coolant temperature, hours on engine and miles chipped? ☒ YES ☐ NO

X7.8.5 Will all operator controls be easy access from either right or left side? ☒ YES ☐ NO

X7.9 Does unit have headlights, stop and tail lights and turn signals with flasher switch? ☒ YES ☐ NO

X7.10 Does unit have an electric horn? ☒ YES ☐ NO

X7.11 **Does unit have electric backup alarm?** ☒ YES ☐ NO

X7.12 Does unit have a steel, lockable tool box mounted under main deck? ☒ YES ☐ NO

X7.13 Will unit be equipped with four (4) 385/65R 22.5J wide base tires mounted on heavy duty steel disc wheels? ☒ YES ☐ NO

X7.14 **Will unit provide all features considered manufacturers standard equipment not addressed above?** ☒ YES ☐ NO

X7.15 **Will unit be delivered to DOH with all manufacturers safety related decals and safety features intact?** ☒ YES ☐ NO

X7.16 **Will unit be delivered with one (1) complete set of replacement filters?** ☒ YES ☐ NO

X7.17 Paint:

X7.17.1 Will unit be provided with manufacturers recommended paint preparation and color? ☒ YES ☐ NO

X7.18 **Does unit meet or exceed OSHA requirements?** ☒ YES ☐ NO

X7.19 **Does unit meet advertising requirements as specified in the specifications?** ☒ YES ☐ NO

X7.20 Preventive Maintenance and Operators Orientation/Training:

X7.20.1 **Will the mandatory preventive maintenance/operators orientation/training/training aids be conducted/or furnished by the manufacturer, dealer, or successful vendor?** ☒ YES ☐ NO

PREBID ADDENDUM
7011EC19

SELF PROPELLED CHIP SPREADER

CHANGES TO BIDDER'S EVALUATION REPORT:

X4.2 DELIVERY:

**X4.2.1 Delivery date of completed representative unit: 90 Calendar Days After
Receipt of Purchase Agreement**

X4.2 Delivery date of balance of completed units: 120 Calendar Days After Receipt of
Purchase Agreement

FROM:

X7.17 Paint:

X7.17.1 Will unit be provided with manufacturers recommended paint preparation and
color? _YES_ _NO


TO:

X7.17 Paint: Will paint be manufacturer's standard color? _x_ YES _____ NO

DELETE:

X7.20 Preventive Maintenance and Operators Orientation/Training:

**X7.20.1 Will the mandatory preventive maintenance/operators
orientation/training/training aids be conducted/or furnished by the
manufacturer, dealer, or successful vendor? _____ _YES_ _NO**



WEST VIRGINIA TRACTOR COMPANY

CONSTRUCTION, MINING, MUNICIPAL & INDUSTRIAL EQUIPMENT

P.O. BOX 473, 214 VIRGINIA ST. W., CHARLESTON, WEST VIRGINIA 25322/25302 • (304) 346-5301

WEST VIRGINIA TRACTOR COMPANY

7011EC19 Exceptions to Specifications

- 7.2.2 The engine is a Cummins QSD Tier 3 240 HP. The spec had a typo that showed the engine being a Cummins OSD.
- 7.1.3 The variable displacement motors are 160 cc instead of the approximate 166 cc specified.



Customer Service

[About Us](#) [Products](#) [Customer Service](#) [Dealers](#) [Used Equipment](#)

[Parts Ordering](#)

[Parts Manuals](#)

[Warranty](#)

WARRANTY

E. D. Etnyre & Co. warrants to the original Purchaser, its new product to be free from defects in material and workmanship for a period of twelve (12) months after date of delivery to original Purchaser. The obligation of the Company is limited to repairing or replacing any defective part returned to the Company and will not be responsible for consequential damages or any further loss by reason of such defect.

The company excludes all implied warranties of merchantability and fitness for a particular purpose. There are no warranties, express or implied, which extend beyond the description of the goods contained in this contract.

This warranty does not obligate the Company to bear the cost of machine transportation in connection with the replacement or repair of defective parts, nor does it guarantee repair or replacement of any parts on which unauthorized repairs or alterations have been made or for components not manufactured by the Company except to the extent of the warranty given by the original Manufacturer.

This warranty does not apply to:

- (1) Normal startup services, normal maintenance services or adjustments usually performed by the selling dealer, factory service representative or customer personnel.
- (2) Any product manufactured by E. D. Etnyre & Co. purchased or subjected to rental use.
- (3) Any product or part thereof which shows improper operation, improper maintenance, abuse, neglect, damage or modification after shipment from factory.
- (4) Any product or part thereof damaged or lost in shipment. Inspection for damage should be made before acceptance or signing any delivery documents releasing responsibility of the delivering carrier.

This warranty and foregoing obligations are in lieu of all other obligations and liabilities including negligence and all warranties of merchantability or otherwise, express or implied in fact or by law.

[| About Us |](#) [Products |](#) [Service |](#) [Dealers |](#) [Used Equipment|](#) [Home |](#) [Photo Gallery |](#) [Terms and Conditions |](#)

E. D. ETNYRE & CO. 1333 South Daysville Road Oregon, Illinois 61061
Phone 815-732-2116 Toll-Free 800-995-2116 Fax 815-732-7400 E-mail sales@etnyre.com

This is the standard warranty, which is being extended to (24) months bumper to bumper parts and labor

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
☐ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
☒ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
☐ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
☒ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
☐ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
☒ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
☐ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
☐ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: West Virginia Tractor Company

Signed: 

Date: 4/11/2011

Title: President

7011EC19

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: West Virginia Tractor Company

Authorized Signature: *[Signature]* Date: 4/11/2011

State of West Virginia

County of Kanawha, to-wit:


Taken, subscribed, and sworn to before me this 11 day of ~~December~~ XXXXXXX April, 2011

My Commission expires August 12, 2012

AFFIX SEAL HERE

NOTARY PUBLIC

Steven B. Basham



SPECIFICATIONS

for Hydrostatically Driven Front Wheel Drive Self-Propelled ChipSpreader

It is the intent of these specifications to describe a hydrostatically driven, self-propelled Chipspreader in sufficient detail to secure bids on comparable equipment. All parts not specifically mentioned, which are necessary to provide a complete Chipspreader, shall be included in the bid and shall conform in strength and quality of material and workmanship to what is generally provided to the industry. The unit shall be a current model in standard production by the manufacturer.

Any units not conforming to these specifications will be rejected and it will be the responsibility of the manufacturer to conform with all requirements unless deviations have been specifically cited by the bidder and acceptance made on the basis of such deviations.

Function

The self-propelled Chipspreader shall be designed and constructed to apply a uniformly distributed application of cover and seal coat aggregates.

I. POWER TRAIN

ENGINE: Cummins 6 cylinder, turbocharged, diesel engine. Manufacturers maximum rating 240 H.P. Includes electric start, alternator, voltage regulator and 12 volt batteries. Engine to have dry type air cleaner, disposable element type oil filter, heavy duty cooling system, cable throttle actuator. Control/instrument panel to have lockable cover to prevent accidental starting and pilferage.

HYDROSTATIC DRIVE: Mechanical front wheel drive steer axle, full oscillating, 75" wheel track, 20.37:1 gear ratio, 25,000 lb. rated, single speed differential. Driven by direct engine bell housing mounted 125 cc hydrostatic pump and 160 cc hydrostatic motor. Rear axle is 25,000 lb. rated with 95" wheel track. Infinitely variable speed from 0 to 19.5 M.P.H..

BRAKES: Mechanical front axle has hydraulic internal drum brakes controlled by foot pedal. Rear axle has hydraulic actuated drum brakes, 16 1/2" x 7". Also includes spring applied, hydraulic release fail-safe parking brake in the drive line, automatically applies if hydraulic power is lost.

STEERING: Full hydrostatic power steering from 1.22 cc fixed displacement gear pump, with dedicated flow independent of engine speed.

TIRES & WHEELS: (4) 385/65R 22.5 tires on disc wheels.

II. FRAME ASSEMBLY

The complete power train, diesel engine, hydrostatic pump and motor, front and rear axles, shall be mounted to the lower removable main frame. Upper removable main frame assembly includes both conveyors, right and left access ladders and walkways, 95 gallon built in hydraulic oil reservoir, 82 gallon diesel fuel tank for engine, rear 4 cubic yard hopper and truck hitch. Complete main frame is 3/16" steel construction.

CONVEYORS: To have heavy duty 24" conveyor belts which are independently activated by electric switches. To be powered by a load sensing 74 cc variable displacement pressure compensated hydraulic pump, high torque 14.8 C.I.R. hydraulic motors, with direct drive to head pulley. Electric switches for each conveyor control to have easy access mechanical override. Hooded, adjustable aggregate deflector to be located at head of each conveyor. Troughing idlers to be quick removable type and tail pulley to be adjustable for insuring proper belt alignment. Electric/hydraulic folding wings on rear receiving hopper.

AUTOMATIC CONVEYOR CONTROL: Automatically starts and stops the conveyor belts to control the aggregate level in the spread hopper. Shall include override control enabling the driver/operator to start or stop the conveyors, and each conveyor to have valve control providing flexibility in belt speed.

SPREAD HOPPER: Spread width to be ft. Struck capacity of hopper to be .2 cubic yard per foot of hopper width. Spread roll to be 6" diameter machine welded heavy wall tubing. Agitator to be 2 1/2" tubing and have quick disconnect pin. Each radial gate to have individual, air operated controls. Each gate to have adjustable, reversible wear plates. To include (4) 6" gates each end with 12" gates in center. Spread roll and agitator to be driven by a high torque 12.0 C.I.R. hydraulic motor with quick coupler hose connection.

FRONT HOPPER REJECT SCREEN: A full width rock type screen with 1 1/2" openings shall be placed over the top of the spread hopper to retain all oversized materials and foreign objects.

RECEIVING HOPPER

Hopper shall be a minimum of 132 inches wide with a capacity of approximately 4 cubic yards. Hopper to have hydraulically folding paver style wings controlled from the operator's station. Shall include heavy duty hopper skirting and an adjustable flow gate for each conveyer belt.

TRUCK HITCH: The unit shall be equipped with a positive, self-locking "railroad" type adjustable truck hitch, which can be electrically released from the drivers or operators position. Hitch height to be electrically controlled from drivers seat. The truck hitch shall be the type which will permit hooking and unhooking of aggregate trucks without stopping the Chipspreader and be capable of maintaining positive engagement over irregular terrain.

APPLICATION RATE COMPUTER: The Application Rate Computer monitors the actual speed of the Etnyre ChipSpreader, and varies the gate opening in order to maintain the set application rate, in lbs./yd², of the selected aggregate, regardless of the speed of the Chipspreader. The computer can store five different aggregate/application rate combinations in it's memory. The preset aggregate can be selected together with it's application rate at any time. In addition, the application rate can be varied as desired while operating, or a different preset combination may be selected at any time.

The computer can also be set to control the chipspreader's forward speed for consistent speed when following the distributor. The computer speed sensor replaces the need for radar ground speed system. Computer also monitors fuel level, engine oil pressure, hydraulic oil temperature, engine coolant temperature, hours on engine and miles chipped.

OPERATOR STATION: All controls located to the front for easy access to the spring suspension seat from either right or left side.

III. MISCELLANEOUS:

LIGHT PACKAGE: Unit to have headlights, stop and tail lights and turn signals with flasher switch.

FRONT FENDERS: Each side.

HORN: An electric horn shall be furnished.

BACKUP ALARM: An electric backup warning alarm to be furnished.

PAINT: Standard highway yellow.

Unit to have one full length walkway with skid resistant surface adjacent to one side of conveyor system. A steel, lockable toolbox shall be mounted under the main deck.

WARRANTY

One year on material and workmanship. Components manufactured by others shall carry such warranty as is provided by that particular manufacturer.

Manufacturers descriptive literature/specifications shall be included with the bid and any deviations from these specifications are to be listed.

Successful bidder to furnish parts book(s) and complete operating instructions.

AVAILABLE OPTIONS

- **Fixed - standard hopper widths 11', 12', 13', or 14' in lieu of standard 10' width.**
- **Second Agitator (for standard front hoppers only).**
- **4-WHEEL HYDROSTATIC DRIVE PACKAGE:** Mechanical front wheel drive steer axle, full oscillating, 75" wheel track, 20.37:1 gear ratio, 25,000# rated, single speed differential. Mechanical drive rear axle, 95" wheel track, 20.37:1 gear ratio, 25,000# rated, single speed differential. Both axles driven by 125 cc variable displacement hydrostatic pump and 160 cc variable displacement hydrostatic motors. Infinitely variable speed 0 to 19.5 M.P.H.
- **TIRES:** (4) 385/65R 22.5.
- **POWER SEAT PEDESTAL:** Electric over hydraulic powered seat and control panel movement for dual control operation.
- **SPECIAL PAINTING:** Paint color other than standard highway yellow.
- **EXPORT PROCESSING**
- **Fully Enclosed Cab:** with A/C, Heater and Power Seat Pedestal.

- **Variable Width Spread Hopper For Hydrostatic Drive Chipspreader**

Infinitely variable width two section hopper system. Including driven dual auger and spread rolls. Independent conveyor feed to each hopper. Hydraulic system with all pumps, hoses, valves and control system necessary for operation. Operating controls at both driver and right front operator stations. Expanded metal in top of hopper with replaceable grates under conveyor hoods. Installed on Hydrostatic Drive Chipspreader at time of new order production. Price in lieu of standard 10' spread hopper.

Available in four basic sizes

 - 9' to 18' variable spread width (includes 1' electric/air gates full width).
 - 10' to 20' variable spread width (includes 1' electric/air gates full width).
 - 11' to 22' variable spread width (includes 1' electric/air gates full width).
 - 12' to 24' variable spread width (includes 1' electric/air gates full width).

SCH-202-2-09

Sample Municipal Bid Specifications #2

HYDROSTATICALLY DRIVEN 4 WHEEL DRIVE CHIPSPREADER

GENERAL: It is the intent of this specification to describe a Hydrostatically Driven, Self-Propelled Chipspreader. Materials listed shall be the least minimum standard as specified and of a quality used commercially, conforming to current engineering and manufacturing practices. The Chipspreader shall be a current model under standard production by the manufacturer, with not less then two years of production and field use. The Hydrostatically Drive Chipspreader shall have the capability, while operating, to tow a 56,000 pound GVW loaded dump truck up at least an 18% grade. Successful bidder shall maintain a representative inventory of replacement parts and service facilities for servicing the equipment within 100 miles of the purchaser's main equipment yard.

Maximum loaded gradeability : _____

Location of nearest servicing dealer : _____

NOTE: For evaluation purposes, any line item left blank will be considered as non-responsive and will cause the bid to be rejected due to our inability to do a fair evaluation without the requested information. The "required data" spaces are critical. The information in these areas are required to evaluate and confirm compliance. Therefore, all requested information must be entered in the space provided. Failure to provide any requested information will cause the bid to be rejected as non-responsive.

FUNCTION

COMPLIES (Yes/No)

The self-propelled 4 Wheel Drive Chipspreader shall be designed and constructed to supply a uniformly distributed application of cover and seal coat aggregates over a width ranging from 10 ft. to 20 ft. in increments. The overall length shall be not more then 25 ft. 6 in. and transport width of less than 11 feet.

POWER TRAIN ENGINE

Shall have a 6 cylinder turbo-charged diesel engine with a minimum rating of 240 horsepower and to include electric start, alternator, voltage regulator and 1400 cca 12 volt batteries. Engine shall have dry type air cleaner, disposable element type oil filter, heavy-duty cooling , electric throttle actuator. Engine shall have high water temperature / low oil pressure warning system and meet all E.P.A. Tier III requirements. Fuel capacity approximately 82 gallons. _____

4-WHEEL HYDROSTATIC DRIVE

Four wheel hydrostatic drive providing infinitely variable forward and reverse speeds from 0 to no less than 19 mph. The front and rear drives shall be driven by 160 cc variable displacement hydraulic motors through a differential and planetary drive wheel ends. Total wheelbase shall be not more than 135 inches. _____

TRANSMISSION

Electronically controlled variable hydrostatic 125 cc pump driven by direct engine bell housing mount, electronically controlled variable hydrostatic motors directly coupled to the front and rear axles. Infinite working speed range 0 to 19 M.P.H. Engine fan cooled oil cooler with total return flow capacity. Hydraulic reservoir minimum capacity to be 95 gallons. _____

TIRES & WHEELS

4 each 385/65R22.5-G tubeless, radial, wide base tires mounted on heavy duty steel disc wheels. _____

OPERATORS STATION

One control console station which can be manually moved from side to side for total operational control from either side of the chipspreader. Joystick to control forward/reverse and rate of speed. Instruments panel shall have digital display for application rate, product size, speed, oil pressure, coolant temperature, battery voltage, hydraulic oil temperature, percent of fuel remaining, engine hours and engine RPM's. All engine and hydraulic alarm system with lights and buzzer shall be included. Shall include a lockable control panel cover for vandal protection and one adjustable suspension seat with armrests and mounted umbrella.

STEERING

Full hydrostatic power steering from 1.22 cc fixed displacement gear pump, with dedicated flow independent of engine speed. Turning radius shall be approximately 17 feet.

CONVEYORS

Must have two independently activated conveyors with 24 inch wide belts. Each powered by a load sensing 74 cc variable displacement pressure compensated hydraulic pump and a high torque 14.8 C.I.R. hydraulic motor, with direct drive to the head pulley. Electric switches for each conveyor control to have easy access mechanical override. Hooded, aggregate deflectors to be located at the head of each conveyor. 24 degree troughing idlers are to be of quick removable type and the tail pulley to be adjustable for insuring proper belt alignment. Each belt to have automatic on/off controls to control aggregate level in the spread hopper. There shall be an override control to enable the operator to manually start or stop the conveyors as needed.

VARIABLE WIDTH SPREAD HOPPER

Shall be 10 feet to 20 feet variable width, two section hopper system. Hoppers shall be capable of varying the spreading width on the run. No bolt-on sections excepted. Each hopper shall include hydraulic driven augers and spread rollers. Spread rolls to be no less than 6" in diameter and constructed of heavy wall tubing. Spread rolls shall be hydraulically driven and actuated by power gate opening control. The hydraulic system to have all pumps, hoses, valves, cylinders and controls to operate system. Operating controls shall be capable of being located at both the driver and front co-operator stations. The hoppers shall have expandable metal in the top of each hopper with replacement grates under the conveyor hoods. Also to include, individual electric / air controlled one foot gates, to allow aggregate spreading in one foot increments across the variable width hopper by individual gate controls which can be open/close from the operator's station.

BRAKES

Mechanical axles front and rear having hydraulic internal drum brakes controlled by pressing down on the foot pedal actuator. Also to include a spring applied, hydraulic release fail safe parking brake in the driveline that automatically applies if hydraulic or electrical power is lost.

TRUCK HITCH

This unit shall be equipped with a positive, self-locking "railroad" type adjustable truck hitch, which can be electrically released from the drivers or front operators positions. Hitch height to be electrically controlled from the drivers position. Adjustment range 8" to 20" in height and 4" fore and aft.

APPLICATION RATE COMPUTER

The Application Rate Computer shall monitor the actual speed of the Chipspreader, and varies gate opening in order to maintain the set application rate in lbs/yd, of the selected aggregate, regardless of the speed of the unit. The computer shall be able to store five different aggregate / application rate setting in it's memory. The application rate should be able to vary as desired while operating or to select a different pre-set combination at any time.

RECEIVING HOPPER

Hopper shall be a minimum of 132 inches wide with a capacity of approximately 4 cubic yards. Hopper to have hydraulically folding paver style wings controlled from the operator's station. Shall include heavy duty hopper skirting and an adjustable flow gate for each conveyer belt. _____

MISCELLANEOUS

This unit is to have headlights, LED stop and tail lights and turn signals with flashers switch. Unit also to have front fender on each side. An electric horn and electric back-up warning alarm is to be furnished. Must include an engine warning system. The paint is to be standard highway yellow. The unit to have one full length walkway with skid resistant surface adjacent to one side of the conveyor system. A steel lockable toolbox shall be mounted under the main deck. Two sets of Parts and Operators Manuals. Warranty for a period of 12 months from the date placed in service. _____