

NENDOR

RFO COPY

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

DNR211111

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

DIVISION OF NATURAL RESOURCES (IN CARE OF) SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV 25064 766-2626

MATHENY MOTOR TRUCK CO. P.O. BOX 1304 PARKERSBURG, WV 26102-1304

FREIGHT TERMS SHIP VIA F.O.B TERMS OF SALE DATE PRINTED 02/23/2011 BID OPENING TIME 01:30PM BID OPENING DATE: 03/22/2011 CAT. ITEM NUMBER UNITPRICE AMOUNT QUANTITY UOP LINE EΑ 070-51 \$72,979 EACH 5/45,958 0001 2 TRUCKS, OVER ONE TON CAPACITY THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS FOR TWO (2) 2011 FREIGHTLINER M2 106 OR EQUAL TRUCKS PER THE ATTACHED SPECIFICATIONS. ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKEROWV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 03/07/2011 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR THE STATE RESERVES THE RIGHT REJECTION OF THE BID. TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. SEE REVERSE SIDE FOR TERMS AND CONDITIONS

TELEPHONE 304-485-4418

3-22-11

ADDRESS CHANGES TO BE NOTED ABOVE 55-0320770 Manager WHEN RESPONDING TO REQ. INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- **3.** Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of made relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications; Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50139, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-8.6).



>ENDOR

DATE PRINTED

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

4

SHIP VIA

DNR211111

PΑ	GE
	2

ADDRESS CORRESPONDENCE TO ATTENTION OF

FRANK WHITTAKER 304-558-2316

RFQ COPY TYPE NAME/ADDRESS HERE

> MATHENY MOTOR TRUCK CO. P.O. BOX 1304 PARKERSBURG, WV 26102-1304

> > TERMS OF SALE

DIVISION OF NATURAL RESOURCES
(IN CARE OF)
SURPLUS PROPERTY
2700 CHARLES AVENUE
DUNBAR; WV
25064 766-2626

FOR FREIGHTTERMS

02/23/		A - 144 - 14					
BID OPENING DATE:	03/22	/2011	·	BID O	FERING_	TIME 0	1:30PM
LINE	QUANTITY	UOP CAT	ITEW NUMBER		UNIT	PRICE	AMOUNT
		NOT	ICE				
	A SIGNED BII	MUST BE S	USKITTED TO:	: - -			
	PURCHAS BUILDIN 2019 W/	ING DIVISI G 15 SHINGTON S	TREET, EAST				
	CHARLES	STON, WV 2	5305-0130	:			
				:			Andrews and the second
	THE BID SHOUTHE ENVELOPE		THIS INFORM D MAY NOT 3F			FACE OF	
	SEALED BID			to the same state of the same			
	BUYER;		44	Popular in Company			
	RFQ. NO.:		DNRZ11	.111			· ·
	BID OPENING	DATE:	03/22/	2011			
	BID OPENING	TIME:	1:30				
	PLEASE PROVI		NG YOUR BID:		IS NECE	SSARY	
	CONTACT PERS	on Terrell	304-485	- 4418		47	
		SEERE	ERSE SIDE FOR TEAMS	0+100 CVA	NIJONS	IDATE:	
SIGNATURE CL -	Teul			304-	485-441	8 0	3-22-11
TITLE Sales N	lavager	55-0329			ADD	RESS CHANGE	S TO BE NOTED ABOVE

Truck

2011 Freightliner M2 106 or equal

Truck must meet the following specifications:

- New conventional cab truck with a minimum GVWR of 38,000 pounds
- Wheel base: 170 inches
- Minimum 80,000psi yield strength steel frame, reinforcement of 50/80,000 frame
- Engine: Turbo charged diesel with a minimum of 300 horsepower and a minimum 860 ft lb. of torque. Also must have an engine compression brake (not exhaust)
- Transmission: Eaton Fuller 10-speed manual with provisions for power takeoff or equal. Control pad to be dash mounted.
- Front Axle: Minimum 12,000 pound capacity with a minimum of 12,000 pound capacity leaf springs and heavy duty shocks.
- Rear Axle: Minimum 26,000 pound capacity (Dana or equal), driver operated locking differential. Gear ratio should be so that the maximum speed is 75 miles per hour. Axle to be single speed.
- Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13
 CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes.
 Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes.
- Batteries: Dual 12 volt with a minimum 1,850 CCA
- Alternator: 12 volt with a minimum of 160 amp output
- Wheels: Steel disc 10 hole, 22.5 x 8.25 front and rear
- Tires: Front: 11R22.5 G (14 ply) radial tubeless highway tread
 Rear: 11R22.5 G (14 ply) radial tubeless mud and snow tread
 - Spare same as front Vehicle to have the following equipment:
 - o Reverse warning beeper
 - Front tow hooks (2)
 - Single horizontal exhaust system
 - o Pedestal mount dual trumpet air horn with weather shields
 - o AM/FM radio
 - Circuit breakers
 - o Low oil pressure/high water temp indicator, with light and alarm
 - Minimum two speed intermittent wipers
 - Air Brake Pressure Gauge
 - o Wrench to fit front and rear lugs
 - Electric high idle switch
 - Engine block heater
 - > Dual step fuel tanks with a minimum 50 gallon each capacity (mounted under cab)
 - Factory tinted glass
- * Drivers side Steptank 50 gellow Mounted under cab
 Passenger Side will require 50 gellow tank to be mounted back of cab doe
 to the 84" CAb to Axel.

- o Cruise control
- o Dual minimum 6" x 15" (maximum 8" X 17") heated exterior side mirrors
- o English gauge cluster with electric speedemeter
- o Tachometer
- Electric hour meter mounted in cluster
- o Cloth material high back air suspension drivers and passenger seats
- o RH/LH minimum 8" spot mirrors (mounted under primary mirrors)
- Integral air conditioning
- O Auxiliary driving/fog lights to be mounted in or on the bumper
- o Cab assist entry handles (both sides)
- o Full width steel bumper
- Halogen headlamps
- o Fiberglass tilt hood
- Auxiliary 12 volt plug mounted on dash
- Cab Insulation to provide reduction of noise and heat from the engine
- Color: Dark forest green metallic or equal

Bed Specs:

- Steel platform type with a minimum 15-ton single cylinder hydraulic scissor hoist.
- Air shift PTO control to be mounted on dash of cab.
- Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side.
- Platform is to be 13 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed.
- Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck.
- Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.

Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.

West Virginia Division of Natural Resources Wildlife Resources Section

PRICING SHEET

Item	Quantity	Description	Unit Price	Amount
1	2	2011 Freightliner M2 106 or equal, trucks	72919	145958


Prepared by:
Jeff Tanner
MATHENY MOTOR TRUCK
COMPANY
50 Mtheny Lane
Mineral Springs, WV 26150
Phone: 3044854418

A proposal for State of West Virginia Purchasing Division

Prepared by MATHENY MOTOR TRUCK COMPANY Jeff Tanner

Mar 22, 2011

M2 106 CONVENTIONAL CHASSIS



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
Jeff Tanner
MATHENY MOTOR TRUCK
COMPANY
50 Mtheny Lane
Mineral Springs, WV 26150
Phone: 3044854418

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	Retail Price
Price L	evel				
(1000000 TO 10000000000000000000000000000	PRL-01M	M2 PRL-01M (EFF:03/01/11)		10.11.11.11.11.11.11.11.11.11.11.11.11.1	STD
Data Vo	ersion			The state of the s	
Service and Servic	DRL-002	SPECPRO21 DATA RELEASE VER 002	1.4.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	.2**A**********************************	N/C
Vehicle	. Configurati				
**************************************	001-172	M2 106 CONVENTIONAL CHASSIS	5,205	3,055	\$73,328.00
	004-212	2012 MODEL YEAR SPECIFIED			STD
	002-004	SET BACK AXLE - TRUCK			STD
	019-002	STRAIGHT TRUCK PROVISION			STD
	003-001	LH PRIMARY STEERING LOCATION			STD
Genera	I Service				
***************************************	AA1-002	TRUCK CONFIGURATION			STD
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
	A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			STD
	AA4-001	GENERAL FREIGHT COMMODITY			STD
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	995-091	MEDIUM TRUCK WARRANTY			STD
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 26000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 38000.0 lbs			
	GVWR	RATED MAXIMUM VEHICLE CAPACITY - GVWR : 35360.0 lbs			N/C



	Data Code	Description	Weight Front	Weight Rear	Retail Price
Truck \$	ervice				
**************************************	AA3-001	DRY VAN BODY		ere company of a gaptive contraction and	STD
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in	•		
Engine				12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	
1,550,012,1,112,4,13,000,013	101-13N	CUM ISC-300 300 HP @ 2000 RPM, 2200 GOV, 860 LB/FT @ 1300 RPM	510	-10	\$11,858.00
Electro	nic Paramet	ere			
	79A-075	75 MPH ROAD SPEED LIMIT			STD
	798-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
	79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE ONLY ENABLED			N/C
	79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
	798-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
·	80G-001	PTO MINIMUM RPM - 600			N/C
	80J-002	REGEN INHIBITIT SPEED THRESHOLD - 5 MPH			N/C
	80L-998	NO REGEN SYSTEM TAILORING			N/C
	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE			N/C
Engine	Equipment				
	99C-010	2010 EPA/CARB EMISSION CERTIFICATION			STD
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			STD
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
	104-998	NO ENGINE OIL DRAIN/SAMPLE			STD
	133-004	ONE PIECE VALVE COVER			STD
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
	124-1D7	OR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	*		STD
	292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES			STD



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	290-017	BATTERY BOX FRAME MOUNTED			STD
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			S T D
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
	289-001	NON-POLISHED BATTERY BOX COVER			STD
	180-049	EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)	45		N/C
	183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
	181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			STD
	182-002	MECHANICAL CLUTCH CONTROL			N/C
	107-032	CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
	108-002	STANDARD AIR COMPRESSOR GOVERNOR			N/C
	131-013	AIR COMPRESSOR DISCHARGE LINE			N/C
	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			CTS
	128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	45		\$2,652.00
N	016-013 016-13C	SINGLE HORIZONTAL MUFFLER WITH HORIZONTAL TAILPIPE EXHAUST, RH MOUNTED	99,999	99,999	\$99,999.0 0
	28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
	239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
	237-052	RH STANDARD HORIZONTAL TAILPIPE			CTS
	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
	30N-001	BASE DIESEL EXHAUST FLUID FILL			STD
	273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE			N/C
	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			N/C
	110-003	CUMMINS SPIN ON FUEL FILTER			STD
	118-008	COMBINATION FULL FLOW/BYPASS OU FILTER			N/C
	266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20		N/C
	103-004	ANTIFREEZE TO -34F, NOAT EXTENDED LIFE COOLANT			STD
	171-007	GATES BLUE STRIPE COCLAMI HOSES OR EQUIVALENT			STO



Data Code	Description	Weight Front	Weight Rear	Retail Price
172-001	CONSTANT TENSION HOSE CLAMPS FOR COCLANT HOSES			GTB
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
360-998	NO FRONT ENGINE PTO			STD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$130.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
¢55-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	10		N/C
Transmission				
342-400	EATON FULLER FR-11210B TRANSMISSION	220	70	(\$1,270.00)
Transmission Equi	pmeet			
348-998	NO TRANSMISSION ACCESSORIES			STD
347-001	CAST IRON CLUTCH HOUSING	40	10	N/C
341-017	MAGNETIC PLUGS, ENGINE DEAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN	·		N/C
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
35T-002	OFGANIC SAE 50W TRANSMISSION LUBE			N/C
Front Axle and Equ	lipni sate in the same and the	(Fig. 1) - Constant C	And the second s	
400-1A6	AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE	60	14. A 17 Anna 1905 14, 1900 1, 100 - 110 A 180 140	\$241.00
402-949	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	60		\$227.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			N/C
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			N/C
408-00†	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - O'L			STO
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			GTS
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			V/C
536-050	TRW THP-60 POWER STEERING	10		N/C
539-003	POWER STEERING PUMP			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			GTS
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE			· · · STD
Front Suspension				
620-015	12,000# TAPERLEAF FRONT SUSPENSION	40		\$107.00
619-005	MAINTENANCE FREE RUPBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORDERS			STD
Rear Axie and Equ	pmegranical			
420-022	RS-26-195 26,000# T-SERIES SINGLE REAR AXLE	talayanda ingala balangan ingalayanda o	440	\$6,194.00
421-430	4.00 REAR AXLE RATIO			STD
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	85	85	(\$65,00)
423-010	MERITOR 16.5X7 PICAM REAR SRAKES DOUBLE ANCHOR, CAST SHOES		50	N/O
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			N/C
451-025	GUNITE HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		30	N/C
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			N/C
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C
428-008	GURITE AUTOMATIC REAR SLACK ADJUSTERS			\$5.00
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
622-1DC	26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		210	N/C
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			crs
623-005	FORE/AFT CONTROL RODS			N/C
Brake System			The second secon	
018-002	AIR BRAKE PACKAGE	80	140	\$1,162.00
490-100	WASCO 45/4M ABS WITHOUT TRACTION CONTROL			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
904-001	FIBER BRAID PARKING BRAKE HOSE			N/C
412-001	STANDARD BRAKE SYSTEM VALVES			N/C
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			N/C
413-002	STD U.S. FRONT BRAKE MALVE			N/C
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
480-998	NO BRAKE LINE AIR DRYER			STD
460-001	STEEL AIR BRAKE RESERVOIRS			N/C
477- 0 01	PULL CABLE ON WET TANK PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		11/2012	VO
Trailer Connections				
919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			STD
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			GTS
Wheel base & Frame				
545-432	4325MM (170 INCH) WHEELBASE			N/C
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	260	100	\$430.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE; 61 INCH TO 70 INCH	-10	40	%/0
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 104.449 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CABITO REAR SUSPENSION CAL (DA) 1, 101 449 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSUMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER		a mantagalaga - e- ees - 15 a - a aasaa wa	STD
Chassis Եղաթութու				
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	20		\$61.00
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$82.00



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	585-998	NO MUDIFLAP BRACKETS			STD
	590-998	NO REAR MUDFLAPS			STD
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
	794-001	12 TON JACK WITH HANDLE AND WHEEL WRENCH	12		\$179.00
	970-998	NO BODY TYPE			STD
Fuel Ta	nke				
25,7530°3561.v=	206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH MOUNTED back o	80 S Cab 8:	20 ve to 84" C	\$500.00
	204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20		\$87.00
	218-005	RECTANGULAR FUEL TANK(S)			CTS
	215-005	PLAIN ALUMINUMPAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			כ״פ
	212-007	FUEL TANK(S) FORWARD			STD
	664-001	PLAIN STEP FINISH			STO
	205-001	FUEL TANK CAP(S)			GTR
	122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		N/C
	216-020	EQUIPLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
	093-1T8	GOODYEAR G662 RSA FUEL MAX 11R22.5 14 PLY RADIAL FRONT TIRES (MATCH MARKED)	22		\$50 2.30
	094-0N3	MICHELIN XDA3 11R22.5 14 PLY RADIAL REAR TIRES		72	\$1,356.00
	510-2AA	GOODYEAR G399 LHS FUEL MAX 295/75R22.5 14 PLY RADIAL SPARE TIRE (MATCH MARKED)		115	\$524.30
Hubs					
	416-045	CONMET PRE-SET BEARING IRON FRONT HUBS			N/C
	450-046	CONMET PRE-SET BEARING IRON REAR HUBS			
Wheels					
\$5000 557 550000E	502-577	ACCURIDE 29637 ACCU-LITE 22.5X8.25 10-HUB PILOT 10-HAND STEEL DISC FRONT WHEELS	-26		\$34.90



Data Code	Description	Weight Front	Weight Rear	Retail Price
505-577	ACCURIDE 29637 ACCU-LITE 22.5X8.25 10-HUB PILOT 10-HAND STEEL DISC REAR WHEELS		-52	\$68.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-003	LEAF SPRING REAR CAB SUSPENSION			\$232.00
754-998	NO FENDER EXTENSION			STD
646-009	PAINTED PLASTIC GRILLE			STD
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
6 44- 004	FIBERGLASS HOOD			STD
727-1AM	DUAL 24 INCH ROUND POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	8		\$243,90
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			CTS
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-001	(5) AMBER MARKER LIGHTS			STD
315-062	RECTANGULAR CLEAR FOG LIGHTS MOUNTED UNDER BUMPER	6		\$140.60
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-18G	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS			\$162.00
797-0 01	DOOR MOUNTED MIRRORS			STO
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AP	LH AND RH 8" MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-998	NO CAB MOUNTED STEPS			כדפ
768-043	63X14 INCH TINTED REAP WINDOW			STD
661-003	TINTED DOOR GLASS LE AND RHIVETH TINTED NON-OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	TINTED WINDSHIELD			כרה



Data Code	Description	Weight Front	Weight Rear	Retail Price
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			CIB
Cab Interior				
707-1AM	OPAL GRAY CLOTH INTERIOR	On Paul County County County and Alexander	ti ni ni jini saasaa aa maaaa aa maa	STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLUED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STO
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT METTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) OUP HOLDERS LH AND RH DASH			GTS
680-006	GRAY/CHARCOAL FLAT DASH			STD
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		\$55.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	70		\$976.30
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			CT3
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			N/C
702-002	BINARY CONTROL, R-134A			N/C
739-001	CAB INSULATION			ভার
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUGES			ธาติ
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			GTS.
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			CTS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$33.00
756-081	BOSTROM TALLADEGA \$10 HIGH BACK AIR SUSPENSION DRIVER SEAT	40 `		\$20 3. 0 0
760-243	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH AIR LUMBAR	30	10	\$349.00
711-004	LH AND RH ÍNTEGRAL DOOR PANEL ARMRESTS			STD
758-036	VINYL WITH VINYL INSER CORIVER SEAT			āTD
7 6 1-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS			crs
532-001	FIXED STEERING COLUMN			STD
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR BUN VISORS			STD
Instruments 3 Cor	itro			
732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STO
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	2 INCHIPRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-00 l	97 D8 BACKUP ALARM		2	\$76.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-907	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION: 4 POSITION OFF/RUN/START/ACCESSORY			CT8.
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED. ICU3	•		STO
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAS J1939, LOCATED BELOW DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			อาอ
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			570
856-001	ELECTRICAL ENGINE COCLANT TEMPERATURE GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
49B-993	NO VEHICLE STABILITY ADVISOR OR CONTROL			50
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-1A2	AMEMANE RADIO WITH FRONT AUXILIARY INPUT	10		\$29 6.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAS			N/C
753-001	A WENT ANTENNA MOUNTED ON FORWARD LH			N/C



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			800
	817-001	STANDARD VEHICLE SPEED SENSOR			סדפ
	812-001	ELECTRONIC 3000 RPM TACHOMETER			37D
	813-998	NO MPH AND/OR RPM GRAPH			STD
	81X-998	NO TELEMATICS AIR TIME			STD
	162-011	IDLE LIMITER, ELECTRONIC ENGINE			ธาอ
	883-998	NO TRAILER HAND CONTROL BRAKE VALVE		•	STD
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			ato
	660-008	SINGLE FLECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			UTD
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	682-009	ONE VALVE PARKING SRAKE SYSTEM WITH WARNING INDICATOR			N/C
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE	·		STD
	298 -039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			CTS
Design					
Appendiculated and the ball of the	065-000	PAINT: ONE SOLID COLOR			\$1,043.90
Color	980-55'W	CAB COLOR A. N2951EA DARK GREEN METALLIC ELITE SS			N/O
	986-020	BLACK, MIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	962-970	VENDOR WHITE FRONT WHEELS/RIMS			STD
	966-970	VENDOR WHITE REAR WHEELS/RIMS			STD
	964-627	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			C78
Certifica	Rion / Compli	\$190.E			
	996-001	U.S FMVSS CERTIFICATION	12.10.70.70.00.00.00.00	mingles summer en en	CTS
Sales Pr	ograms		100 A		
**************************************	PMY-129	BUSINESSQUOTE MY 2012 PMY-129	- 16 Compositions and the control of	makaman of above to the transfer of an about the first of the second	N/C
	R1X-998	NO TELEMATICS AIR TIME			N/C



Prepared by:
Jeff Tanner
MATHENY MOTOR TRUCK
COMPANY
50 Mtheny Lane
Mineral Springs, WV 26150
Phone: 3044854418

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price **

\$292,206.00

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight [*]	107010 LBS	104386 LBS	211396 LBS
Total Weight	107010 LBS	104386 LBS	211396 LBS

TTEMS NOT INCLUDED IN ADJUSTED LIST

Other Factory Charges

PMR-210 2010 ENGINE EMISSIONS ESCALATOR
DELIVERY & ORDER PROCESSING CHARGE

\$7,300.00

\$1,770 00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report





MATHENY MOTOR TRUCK CO.

Established 1922

3rd & Ann Streets • P.O. Box 1304 Parkersburg, WV 26102-1304 (304) 485-4418 • (800) 284-4418 (304) 485-2577 fax www.mathenymotors.com

#37704

Matheny Motor Truck

PO Box 1304

Parkersburg, WV 26102

PH: 304-485-4410

FAX: 304-485-2577-Mike-Tim

FAX: 304-489-0061

March 21, 2011

Truck Make:

CA: "

Truck Model:

Freightliner M2

104"

ATTN: Jeff Tanner

D9476

QUOTATION (Valid 10 Days)

Install Cross 13 'x 96" Structural Platform

6" Structural Side And End Rails

4" Structural Crossmembers on 12" Centers

Stringer Gussets On Each Crossmember

7" Longsills

Outside Stake Pockets On 24^o Centers With 3/8" Steel Skid Band on Sides and Rear

Smooth Steel Floor

Lights to FSS 108

Rear Rubber Mudflaps

Painted Factory Black

ICC Bumper


48" H.D. Steel Bulkhead with Wire Mesh Window

Bed to be Mounted 8" From Rear of Cab

Hoist: Install Crysteel Model LB655. 15 Tons Capacity

Air Shift PTO

Hoist Control Mounted Outside Rear of Cab, Drivers Side









State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing **Division will make** the determination of the Resident Vendor Preference, if applicable.

1.	ing the date of this certification; or, Bidder is a partnership, association or corporation business continuously in West Virginia for four (4 ownership interest of Bidder is held by another in maintained its headquarters or principal place of preceding the date of this certification; or, Bidder is a nonresident yendor which has an affilia	resided continuously in West Virginia for four (4) years immediately preced- resident vendor and has maintained its headquarters or principal place of the years immediately preceding the date of this certification; or 80% of the dividual, parine chip, association or corporation resident vendor who has of business continuously in West Virginia for four (4) years immediately ate or subsidiary which employs a minimum of one hundred state residents incloal place of business within West Virginia continuously for the four (4)
4 2./	Application is made for 2.5% resident vendo Bidder is a resident vendor who certifies that, di working on the project being bid are residents of v immediately preceding submission of this bid; or	uring the life of the contract, on average at least 75% of the employees Nest Virginia who have resided in the state continuously for the two years
3.	affiliate or subsidiary which maintains its headly	imum of one hundred state residents or is a nonresident vendor with an unders or principal place of Lusthess within West Virginia employing a atifies that, during the life of the contract, on average at least 75% of the employees are residents of West Virginia who have resided in the state
4.	Application is made for 5% resident vendor; Bidder meets either the requirement of both subs	preference for the reason checked: livisions(1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendo Bidder is an individual resident vendor who is a vel	r preference who is a veteran for the reason checked: leran of the United States armed forces, the reserves or the National Guard for the four years immediately preceding the date on which the bid is
6.	Bidder is a resident vendor who is a veteran of the purposes of producing or distributing the common continuously over the entire term of the project.	ir preference who is a veteran for the reason checked: The United States armed forces, the reserves or the National Guard, if, for Sitios or completing the project which is the subject of the vendor's bid and on average at least seventy-five percent of the vendor's employees are se state continuously for the two immediately preceding years.
requirer against or dedu	ments for such preference, the Secretary may ord such Bidder in an amount not to exceed 5% of the cted from any unpaid balance on the contract or p	
authoriz the requ deemed	res the Department of Revenue to disclose to the Di uired business taxes, provided that such informati I by the Tax Commissioner to be confidential.	e any reasonably requested information to the Purchasing Division and rector of Purchasing appropriate information verifying that Bidder has paid on does not contain the amounts of taxes paid nor any other information
and according to the change	curate in all respects; and that if a contract is s during the term of the contract, Bidder will	a Coda, §81-5-3), Bidder hereby certifies that this certificate is true is issued to Bidder and if anything contained within this certificate notify the Purchasing Division in writing immediately.
	Malla Maka Torck Co	Signed: Roh Trill Tille: Sales Manager
Bidder:	THOUTHOUT THOUGHT	

STATE OF WEST VIRGINIA Purchasing Division

Purchasing affidavit

West Virginia Code §5A-3-10a states: No contract or ranewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.


DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit dolation, ficense assessment, defaulted workers' compensation premium, penalty or other assessment presently delirquent or one and required to be paid to the state or any of its political subdivisions, including any interest or additional panalties accrued thereon.

"Debtor" means any individual, corporation, perforeshin, association, limited fiability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county beard of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has obtained into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false exearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affident and is in compliance with the requirements as stated.



Purchasing Affidavii (Revised 12/15/09)