



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR211179

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

RFQ COPY

TYPE NAME/ADDRESS HERE


*WORLDWIDE EQUIPMENT OF WV
 3100 MacCORKLE AVE SW.
 S. Charleston, WV 25303*

DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV
 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/29/2011				

BID OPENING DATE: 06/01/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		070-54	80,623. ⁰⁰	161,246. ⁰⁰
<p>TRUCKS, DIESEL</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FOR TWO (2) 2011 38,000 GVWR TRUCKS PER THE ATTACHED SPECIFICATIONS.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 05/19/2011 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Jacko A C* TELEPHONE: 304-744-1321 DATE: 6/1/2011

TITLE: Sales Consultant FEIN: 550177745 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR211179

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

RFQ COPY
 TYPE NAME/ADDRESS HERE

DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV
 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/29/2011				

BID OPENING DATE: 06/01/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: 44 RFQ. NO.: DNR211179 BID OPENING DATE: 06/01/2011 BID OPENING TIME: 1:30 PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 304-744-7852 ----- CONTACT PERSON (PLEASE PRINT CLEARLY): ----- Jackie S Cummins ----- ***** THIS IS THE END OF RFQ DNR211179 ***** TOTAL: <u>161,246.⁰⁰</u>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jackie S Cummins</i>	TELEPHONE 304-744-1321	DATE 6/1/2011
TITLE SALES CONSULTANT FEIN 5507745	ADDRESS CHANGES TO BE NOTED ABOVE	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Truck

2011 Freightliner M2 106 or equal

Truck must meet the following specifications:

- New conventional cab truck with a minimum GVWR of 38,000 pounds
- Wheel base: 170 inches
- Minimum 80,000psi yield strength steel frame, reinforcement of 50/80,000 frame
- Engine: Turbo charged diesel with a minimum of 300 horsepower and a minimum 860 ft lb. of torque. Also must have an engine compression brake (not exhaust)
- Transmission: Eaton Fuller 10-speed manual with provisions for power takeoff or equal. Control pad to be dash mounted.
- Front Axle: Minimum 12,000 pound capacity with a minimum of 12,000 pound capacity leaf springs and heavy duty shocks.
- Rear Axle: Minimum 26,000 pound capacity (Dana or equal), driver operated locking differential. Gear ratio should be so that the maximum speed is 75 miles per hour. Axle to be single speed.
- Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13 CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes. Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes.
- Batteries: Dual 12 volt with a minimum 1,850 CCA
- Alternator: 12 volt with a minimum of 160 amp output
- Wheels: Steel , 22.5 x 8.25 front and rear
- **Tires: Front: Minimum 12R22.5 G (14 ply) radial tubeless highway tread**
Rear: Minimum 12R22.5 G (14 ply) radial tubeless mud and snow tread
Spare same as front
- Vehicle to have the following equipment:
 - Reverse warning beeper
 - Front tow hooks (2)
 - Single horizontal exhaust system
 - Circuit breakers
 - Engine block heater
 - **Fuel Capacity Minimum of 80 gallon and maximum 100 gallon**
 - **Fuel tank(s) must be mounted under cab**
 - Cruise control
 - Dual minimum 6" x 15" (maximum 8" X 17") heated exterior side mirrors
 - Cloth material high back air suspension drivers and passenger seats
 - RH/LH minimum 8" spot mirrors (mounted under primary mirrors)
 - Integral air conditioning
 - Auxiliary driving/fog lights to be mounted in or on the bumper
 - Cab assist entry handles (both sides)

- Full width steel bumper
- Auxiliary 12 volt plug mounted on dash
- Color:
 - Cab - Dark forest green metallic or equal
 - Bed - Black

Bed Specs:

- Steel platform type with a minimum 15-ton single cylinder hydraulic scissor hoist.
- Air shift PTO control to be mounted on dash of cab.
- Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side.
- Platform is to be 13 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed.
- Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck.
- Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.

Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.

West Virginia Division of Natural Resources
Wildlife Resources Section
DNR211179

Pricing Sheet

Item	Quantity	Description	Unit Price	Total Amount
1	2	2011 Freightliner M2 106 or equal, trucks	80,623. ⁰⁰	161,246. ⁰⁰

West Virginia Division of Natural Resources
Wildlife Resources Section
DNR211179

Manufacturer's List

Item	Description	Manufacturer	Model No.
1	2011 Freightliner M2 106 or equal, trucks	KENWORTH	T370



WORLDWIDE EQUIPMENT, INC.
CHARLESTON DIVISION
3100 MACCORKLE AVE. SW
P.O. Box 8557
SOUTH CHARLESTON, WV 25303
OFFICE (304) 744-1321 FAX (304) 744-7852

June 1, 2011

Frank Whittaker
Department of Administration
Purchasing Division
Building 15
2019 Washington Street East
Charleston, WV 25302-0130

RE: DNR211179 Trucks, Diesel

Mr. Whittaker,


Thank you for this opportunity to submit a proposal on the state's vehicle needs.

Please find attached the vehicle summary for a 2012 Kenworth T370, outfitted with a Godwin body.

Deviations from your bid specs are:

- 188" wheelbase to meet horizontal exhaust specifications
- Bed is 14' instead of 13'
- Pump control is inside cab at the door area of the drivers side instead of outside

Thank you again for this opportunity.


Jack Cummings
Sales Representative



Worldwide Equipment of WV W019

DNR of WV

, United States

Phone:

Fax:

Email:

Phone:

Fax:

Contact Email:

Prepared for:

Vehicle Summary

	Unit		Chassis	
Model:	T300 Series Conventional.		Fr Axle Load (lbs):	12000
Type:	FULL TRUCK		Rr Axle Load (lbs)	26000
Description:	Department of Natural Resource		G.C.W. (lbs):	38000
	Application		Road Conditions:	
Intended Serv.:	Local pickup & delivery.		Class A (Highway)	90
Commodity:	Vehicles which haul		Class B (Hwy/Mtn)	10
	General freight		Class C (Off-Hwy)	00
	Body		Class D (Off-Road)	00
Type:	Roll back flatbed		Maximum Grade:	6
Length (ft):	13.0		Wheelbase (in):	188
Height (ft):	12.0		Fr Axle to BOC (in):	68
Max Laden Weight (lbs):	4000		Cab to Axle (in):	120
			Cab to EOF (in):	191
	Trailer			
No. of Trailer Axles:	0			
Type:				
Length (ft):	0.0		Special Req.	
Height (ft):	0.0		U.S. Domestic Registry, 50-State	
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	120			
Width (in):	102			
Height (ft):	13.5			

Approved by: _____

Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

PACCAR FINANCIAL	Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com .
	PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.

Printed: 6/1/2011 9:16:18 AM **Complete** Model Number: T300 Series Conventional.
 Effective Date: Jan 1, 2011 Quote/DTPO/CO: Q20501095
 Prepared by: Administrator Version Number: 26.13



Worldwide Equipment of WV W019 DNR of WV

, United States
 Phone: Phone:
 Fax: Fax:
 Email: Contact Email:
 Prepared for:

Data	Code	Description
Model		
0000310	O	T300 Series Conventional. Electric Door locks LH/RH; Ignition & doors keyed alike; Single electric horn; Single-piece windshield; Electric windshield wipers, 2-speed plus intermittent; Electric windshield washers; Steering wheel 18in. 4-spoke; Glovebox door with locking latch; Dash-mounted cruise control with switches; Turn signal switch with column-mounted dimmer; Standard dash panels include gray w/ burl wood accents; Slate Gray interior primary color; Dark Slate Gray seat color; Floormat; Inside sunvisor, LH/RH; Door courtesy lights; Under-dash center console with 1 cup holder, 1 ashtray & 1 lighter.
0070006	O	T370 Class 7: medium-duty Conventional.
0080075	O	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.
0090016	O	Medium-duty 4x2 manual.
0091090	O	General freight
0093005	O	Local pickup & delivery. Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.
0095065	O	Roll back flatbed
0098025	O	U.S. Domestic Registry, 50-State

Engine & Equipment

0129300	O	PACCAR PX-8 300 2010 300@2000 285@2200 860@1400. Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing. N09020 P02 Yes...Cruise Control Auto Resume N09040 P04 No...Auto Engine Brake in Cruise N09060 P06 Yes...Gear Down Protection N09100 P11 No...Engine Protection Shtdwn N09120 P14 76...Max Vehicle Speed in Top Gea N09140 P19 70...Max Cruise Control Speed N09160 P26 1400..Max PTO Speed N09180 P10 No...Idle Shtdwn N09200 P32 8....Idle Shtdwn Time N09220 P33 No...Idle Shtdwn Override
1000151	O	Prospector Version 26.1 supersedes version 26.0.
1002060	S	Air compressor: Cummins 18.7 CFM, ISC, ISL, ISM & ISX, PX-6, PX-8 & Westport GX.

Printed:	6/1/2011 9:16:18 AM	Complete	Model Number:	T300 Series Conventional.
Effective Date:	Jan 1, 2011		Quote/DTPO/CO:	Q20501095
Prepared by:	Administrator		Version Number:	26.13



Data	Code	Description
1031130	S	Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.
1121200	S	Cooling module: 1000 square inches T170/T270/T370/T470.
1247130	O	Horizontal crossover SCR for PX-8 w/ horizontal tailpipe below LH rail.
1323109	O	Fleetguard filter/Water separator FS1003 w/WIF (water in fuel) sensor. For PACCAR PX-8 or Cummins ISL engines.
1504006	O	Block heater, PACCAR PX-6 & PX-8 750 watt for PX-6 & 1000 watt for PX-8 engines.
1700149	O	Retarder Jacobs for PX-8/ISL w/2-way switch. Replaces the standard turbo brake for PX-8 engines.
1816161	O	Alternator: Bosch 160 amp, brush type only.
1821225	O	Batteries: 2 PACCAR GP31 threaded post (1000) 2000 CCA starting. 12-VOLT LIGHT SYSTEM W/CIRCUIT PROTECTION
1836100	S	Starter: PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.

Transmission & Clutch

2052360	O	Transmission: Fuller FR9210B 10-speed.
2240012	O	Clutch: ceramic low inertia 606 to 860 lb-ft 14 in. Fuller required for export. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.
2406452	O	Driveline: 2 SPL170XL 1 centerbearing requires 3500057 interaxle driveline.
2409916	O	One heavy-duty centerbearing crossmember. This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.

Front Axle & Equipment

2502203	O	Dana Spicer E-1202I Front Axle rated 12K 3-1/2in. drop.
2603006	S	Front brakes included w/ front hub package.
2701000	S	Air Brake: 14,600 lb. package includes 16-1/2 x5 brakes, cast drums, aluminum 10-bolt hub pilot LMS hubs, hubcaps, oil seals & automatic slack adjusters. For use w/ 22-1/2in. wheels.
2863015	O	Front Springs: Taperleaf 12K w/ shock absorber for use on 2010+ chassis w/ 22.5in. wheels only.
2893071	S	Single power steering gear: 13.2K TRW THP60 for air brakes. Use only w/ 2010+ chassis.

Unpublished options may require review/approval.
 Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 6/1/2011 9:16:18 AM **Complete** Model Number: T300 Series Conventional.
 Effective Date: Jan 1, 2011 Quote/DTPO/CO: Q20501095
 Prepared by: Administrator Version Number: 26.13



Data	Code	Description
3061190	O	Single Dana Spicer S26-190 rear axle; 26K capacity rated at 26K. Single rear axle.
3200358	O	Rear Axle Ratio - 3.58.
3300000	S	Single rear brakes included w/rear hub package.
3403003	O	26K air brake package includes 16-1/2x7 in. brakes, cast drums, iron 10-bolt hub pilot hubs, slack adjusters and oil seals for use w/ 22.5 in. wheels.
3485101	O	Spring Brake: 3030 long stroke single spring brake on dual axle.
3490047	O	Dustshields for drum brakes: all rear axles.
3495226	S	Bendix 4S/4M anti-lock brake system. Current generation ECU is Bendix ABS 6.
3531001	O	Wheel Differential Lock for Dana Spicer Axles S21-170, S23-170, S23-190, S26-190 S26-190 & S30-190; adds D to the end of the axle part number.
3646417	O	Rear suspension: single Reyco 79KB 26K. Multileaf helper spring medium-duty. Unladen Height: 11.3 in. Laden Height: 8.2 in.
3836315	O	Heavy-duty rear suspension crossmembers for Reyco 79KB replacing T3 standard.

Tires & Wheels

4077107	O	Front tires: Bridgestone R250F 12R22.5 16PR. 42.7 in. diameter, all position. 19.8 in. SLR.
4277388	O	Rear tires: Bridgestone M843 12R22.5 16PR. 43.4 in. diameter, all position. On/off highway. 25/32 tread depth. 20.2 in. SLR. Code is priced per pair of tires.
4900004	O	Rear Tire Quantity: 4
5042243	O	Front wheel: Accuride 50344PW 22.5x8.25 heavy-duty 5 hand-hole hub pilot mount, white e-coat, 8000lb. maximum rating.
5242362	O	Rear wheel: Accuride 29300RPW 22.5x9 steel white e-coat. Hub pilot mount. 10000 lb. maximum rating. Previously 29300E. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.
5900004	O	Rear Wheel/Rim Quantity: 4

Frame & Equipment

6054250	O	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material
---------	---	---

6279005 O **Locate Partial Frame Inserts under cab to end-of-frame.**

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 6/1/2011 9:16:18 AM **Complete** Model Number: T300 Series Conventional.
Effective Date: Jan 1, 2011 Quote/DTPO/CO: Q20501095
Prepared by: Administrator Version Number: 26.13



Data	Code	Description
6289325	O	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. steel over 10 ft to 25 ft or partial 2nd insert for 11-5/8 in. steel rail. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails.
6308710	S	Bumper: Aerodynamic, Painted. Requires a bumper setting code.
6319409	S	40.9 in. Bumper setting. Requires a bumper code.
6321005	O	Removable Front Tow Hooks: 2.
6390103	S	Front mudflaps.
6404406	S	Battery box: Steel parallel under w/ aluminum diamond plate cover w/ step w/ aluminum step brackets.
6409901	O	Battery box location: LH Side.
6490096	O	One bolted aluminum crossmember for center frame: Replacing T3 standard.
6490098	O	One bolted aluminum crossmember for rear frame: Replacing T3 standard.
6490430	O	One bolted rear cab crossmember: Replacing T3 standard.
6679915	O	Customer-installed bulkhead and/or headache rack.
6742009	S	Square end-of-frame w/ o crossmember;non-towing.

Fuel Tanks & Equip

7010100	O	Fuel Tank: 100 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.
7722020	O	Medium round DEF tank. 18 gallons of useable volume. The tank will be located just rearward of the under cab component on the side you specified, but will not be displayed in the Prospector graphic. Required capacity is calculated by fuel capacity of the vehicle and is a minimum of 6% by volume. This capacity will accommodate two diesel re-fillings for every DEF re-filling.
7889603	O	DEF tank location is on the RH.
7910100	O	Location: 100 gal fuel tank RH under cab

Cab & Equipment

8024310	S	Cab: Curved Glass Conventional. C500 includes heavy-duty reinforcements. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer
---------	---	--

Cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection, short and open check diagnostics, and programmable daytime running lights. Warning alarm will sound when lights are left on.

8090310	S	Hood: Sloped aerodynamic hood includes grill & separate bumper.
8108010	S	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/1/2011 9:16:18 AM	Complete	Model Number:	T300 Series Conventional.
Effective Date:	Jan 1, 2011		Quote/DTPO/CO:	Q20501095
Prepared by:	Administrator		Version Number:	26.13



Data	Code	Description
8205045	O	Flip valve: On dash for single speed PTO. Customer-installed. Includes indicator light & piping.
8205093	O	Information for customer-installed PTO Chelsea 880 8-bolt.
8282009	S	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010 engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.
8330003	S	Cab interior: Pinnacle. Includes vinyl headliner & cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor & door courtesy lights.
8410091	O	Driver seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Black seat belts for T700, gray on all other models.
8480090	O	Rider seat: Kenworth Toolbox Plus HB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Black seat belts for T700, gray on all other models.
8700154	O	Self cancelling turn signal: W/head light dimmer switch .
8800200	S	Cab access contoured grabhandles, LH/RH.
8832112	S	Daylite doors, includes RH peeper window. Ignition and doors are keyed alike. Electric locks are standard on both cab doors.
8850300	S	Single convex mirror 8-1/2 in. x 4-7/16 in. located on rider side.
8863570	O	Dual convex heated mirror 8 in. w/ offset

mounting below regular mirror.

8866101	O	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, thermostatically controlled. switch located on door pad.
8869005	S	Mirror brackets 8-1/2 ft load width.
8871438	S	Rear cab stationary window 17 in. x 36 in.
8879200	S	Manual LH & electric-powered RH door window. Switch located on door.

Lights & Instruments

9010801	S	Headlamps: Low beam dual complex reflector, high beam halogen.
---------	---	--

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/1/2011 9:16:18 AM	Complete	Model Number:	T300 Series Conventional.
Effective Date:	Jan 1, 2011		Quote/DTPO/CO:	Q20501095
Prepared by:	Administrator		Version Number:	26.13



Data	Code	Description
9020164	S	Marker Lights: with small round base, Five cab roof mounted.
9030010	S	Turn Signal Lights: Mounted on fender
9070138	S	Combination Stop, Tail, Turn & Backup Lights RH & LH.
9090126	O	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.
9090312	O	Body Builder Harness: Provides harness to extend tail, turn, stop & marker light circuits from standard body builder connector BOC to the end-of-frame. There is a plug on the chassis end & the opposite end is just wires.
9090845	O	Circuit Breakers: Replacing fuses. Does not apply to any 5-amp fuse box position. Breakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, wipers, air dryer, HVAC controls, panel lamps.

Air Equipment

9101210	S	Air Dryer: Bendix AD-IS heated.
9102040	O	Moisture ejection valve: Two Bendix DV-2 drain valves on service tanks use w/ AD-IS only. Heated.

Extended Warranty

9200113	O	Severe Service Medium-duty Warranty: 1-year/ unlimited miles.
9210211	O	2010 EPA medium duty Surcharge \$7000.

Miscellaneous

9490003	O	Additional lead time required for off highway & /or speciality component truck.
---------	---	---

Paint

9700000	O	Paint color number.
---------	---	----------------------------

N9/U2U A - LU36/EB DK GREEN ME1
N97200 FRAME N0001EA BLACK
N97700 BUMPER N0001EA

9943119 S	Imron solid 1 color non-sleeper Spec A.
9964086 O	Aerodynamic bumper painted same as frame without base coat clear coat: single stage
9965510 S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.

Total Adjusted Price (W/O Freight & Warranty & Surcharges)	\$90,697
Freight Charge	\$1,825
Options Not Subject to Discount	\$0
2010 EPA Engine Surcharge Not subject to Discount	\$7,000
Total Weight	12361

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	6/1/2011 9:16:18 AM	Complete	Model Number:	T300 Series Conventional.
Effective Date:	Jan 1, 2011		Quote/DTPO/CO:	Q20501095
Prepared by:	Administrator		Version Number:	26.13



Quote

Order Number: 0023692
 Order Date: 3/21/2011
 Salesperson: William Lyons
 Customer Number: 00-0560227

R&S-Godwin Truck Body Co.. LLC
 5188 US HWY 23 SOUTH
 IVEL, KY 41642
 (606) 874-2151

Body Model #:	Hoist Serial #:
Reference:	Pump Serial #:
Truck Make:	Susp. 1 Serial #:
Truck Model:	Susp. 2 Serial #:
Truck Serial #:	Susp. 3 Serial #:
Trailer VIN:	Transmission:
Truck CT #:	Chasis ETA:
Body Color:	Prod. Date:
Truck Color:	Compl. Date:
Body Type:	Truck Location:

Sold To:
 WWE-GENERAL TRUCK SALES CORP
 3100 MACCORKLE AVENUE
 PO BOX 8557
 SOUTH CHARLESTON, WV 25303-8557
 Confirm To:
 JACK CUMMINGS

Ship To:
 WWE-GENERAL TRUCK SALES CORP
 3100 MACCORKLE AVENUE
 PO BOX 8557
 SOUTH CHARLESTON, WV 25303-8557

Outside Sales Rep: William Lyons
 ALL ORDERS SUBJECT TO CREDIT APPROVAL.-QUOTES VALID FOR 30 DAYS

Customer P.O. NEED	Ship VIA	F.O.B.	Terms NET 30 DAYS
-----------------------	----------	--------	----------------------

Item Number	Ordered	Amount
-------------	---------	--------

P	P Series Body	1.00
INSTALLATION: Installed LENGTH: 168 PIVOT: 144" OUTSIDE WIDTH: 96 LONGSILLS: 7" Channel (12.25 lb/ft) X-MEMBERS: Steel 4" Channel (5.4 lb/ft) EXTRA X-MEM: Two DECK: 3/16" High Tensile STAKE POCKETS: Inside Pockets RACKS: None FLAT BAR: None FENDER/BOTTOM RAIL MAT: 6" Channel (6.2 lb/ft) AIR SHIFT PTO AND PUMP CONTROLS (DIRECT MOUNT PTO) /MOUNT PTO CONTROL IN DASH AND PUMP CONTROL ON STAND IN CAB AT DOOR AREA OF DRIVER'S SIDE-- -EXCEPTION TO BID SPECS. 4" STRUCTURAL CHANNEL CROSSMEMBERS ON 12" CENTER (ILO) FORMED--EXCEPTION TO BID SPECS		
BULKHEAD HGT: 64 BULKHEAD MAT: 10 Gauge High Tensile WINDOW: 16 x 20 REAR LIGHTS: 1 REAR OVAL LIGHTS: 0 MID RAIL TURN: No BOTTOM SIDE LIGHTS: 2 FRONT FLAPS: 20 x 20 Rubber Flaps LADDER: Steel One Stirrup PAINT: DuPont Imron Elite		

MISC Nonstandard Option

CS6628T CHAMPION CONVERSION HOIST W/O SUBFRAME /16.8 TON RATING/13' BODY W/18" OVERHANG / 6 1/2" MOUNTING HEIGHT---EXCEPTION TO BIDM SPECS

MISC Nonstandard Option

INTER-CO FREIGHT
 @@@ YOU MAY DEDUCT FROM PRICE (-) \$230.15 FOR 7 DAY PAYMENT.

AUTHORIZATION SIGNATURE:

Net Order:	7,671.55
Less Discount:	0.00
Freight:	0.00
Sales Tax:	0.00
Order Total:	7,671.55

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

- 4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Worldwide Equipment of WV Signed: Judith A. C.
 Date: 6/1/2011 Title: SALES CONSULTANT

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. DNR211179

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: WORLDWIDE EQUIPMENT OF WV / CHARLESTON DIVISION

Authorized Signature: *Jackie A. C...* Date: 6/1/2011

State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 2 day of June, 2011.

My Commission expired July 13, 2017.

AFFIX SEAL HERE

NOTARY PUBLIC *Amy L. Yost*

