



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER
 DNR211179

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

VENDOR

*709035314 304-485-4410
 MATHENY MOTOR TRUCK COMPANY
 PO BOX 1304
 PARKERSBURG WV 26102-1304

SHIP TO

DIVISION OF NATURAL RESOURCES
 (IN CARE OF)
 SURPLUS PROPERTY
 2700 CHARLES AVENUE
 DUNBAR, WV 25064 766-2626

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/29/2011				

BID OPENING DATE: 06/01/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		070-54	75,980	151,960
TRUCKS, DIESEL THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES IS SOLICITING BIDS FOR TWO (2) 2011 38,000 GVWR TRUCKS PER THE ATTACHED SPECIFICATIONS. ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURCHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 05/19/2011 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE. BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *Raf Tennell* TELEPHONE 304-485-4418 DATE 6-1-11

TITLE Sales Manager FEIN 55-0320770 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Truck

2011 Freightliner M2 106 or equal

Truck must meet the following specifications:

- New conventional cab truck with a minimum GVWR of 38,000 pounds
- Wheel base: 170 inches
- Minimum 80,000psi yield strength steel frame, reinforcement of 50/80,000 frame
- Engine: Turbo charged diesel with a minimum of 300 horsepower and a minimum 860 ft lb. of torque. Also must have an engine compression brake (not exhaust)
- Transmission: Eaton Fuller 10-speed manual with provisions for power takeoff or equal. Control pad to be dash mounted.
- Front Axle: Minimum 12,000 pound capacity with a minimum of 12,000 pound capacity leaf springs and heavy duty shocks.
- Rear Axle: Minimum 26,000 pound capacity (Dana or equal), driver operated locking differential. Gear ratio should be so that the maximum speed is 75 miles per hour. Axle to be single speed.
- Brakes: Air, cam type anti-lock drum brakes with air compressor that has a minimum rating of 13 CFM. Must also have air dryer and moisture ejector systems. Dust shields on rear brakes. Automatic slack adjusters on front and rear brakes. Automatic limiting valves on front brakes.
- Batteries: Dual 12 volt with a minimum 1,850 CCA
- Alternator: 12 volt with a minimum of 160 amp output
- Wheels: Steel , 22.5 x 8.25 front and rear
- **Tires: Front: Minimum 12R22.5 G (14 ply) radial tubeless highway tread**
Rear: Minimum 12R22.5 G (14 ply) radial tubeless mud and snow tread
Spare same as front
- Vehicle to have the following equipment:
 - Reverse warning beeper
 - Front tow hooks (2)
 - Single horizontal exhaust system
 - Circuit breakers
 - Engine block heater
 - **Fuel Capacity Minimum of 80 gallon and maximum 100 gallon**
 - **Fuel tank(s) must be mounted under cab**
 - Cruise control
 - Dual minimum 6" x 15" (maximum 8" X 17") heated exterior side mirrors
 - Cloth material high back air suspension drivers and passenger seats
 - RH/LH minimum 8" spot mirrors (mounted under primary mirrors)
 - Integral air conditioning
 - Auxiliary driving/fog lights to be mounted in or on the bumper
 - Cab assist entry handles (both sides)

- Full width steel bumper
- Auxiliary 12 volt plug mounted on dash

- Color:
 - Cab - Dark forest green metallic or equal
 - Bed - Black

Bed Specs:

- Steel platform type with a minimum 15-ton single cylinder hydraulic scissor hoist.
- Air shift PTO control to be mounted on dash of cab.
- Hoist pump control lever cable type not acceptable, to be mounted in an easily accessible location to the outside rear of cab on driver's side.
- Platform is to be 13 feet long by 8 feet wide, constructed of 3/16 smooth steel to be welded to bed sills. Cross members shall extend to and be welded to side rails except where cross member may interfere with wheel clearance. Bed cross members to be 4" x 1/5", 11 gauge steel channel on 12 inch centers and welded to bed sills. Front and rear cross members and every one in between to be braced to bed sill with 1/4" steel plates, triangular in shape with 6" edges. One edge of plate to be welded to sill and the other edge welded to underside of cross member to extend 6" toward outside of bed.
- Side rails and ends to be 6" high and to be 12 gauge metal. Bed sills to be 7" construction channel, sufficient height to allow enough clearance for the use of tire chains on a fully loaded truck.
- Bed to be mounted 8" from rear of cab. Bed to have clearance and marker lights and mud flaps that comply with WV state law.

Note: Manufacturer's standard warranty and service policy to be included and shall be honored by all the manufacturer's authorized dealers.

West Virginia Division of Natural Resources
Wildlife Resources Section
DNR211179

Pricing Sheet

Item	Quantity	Description	Unit Price	Total Amount
1	2	2011 Freightliner M2 106 or equal, trucks	75,980	151,960

West Virginia Division of Natural Resources
Wildlife Resources Section
DNR211179

Manufacturer's List

Item	Description	Manufacturer	Model No.
1	2011 Freightliner M2 106 or equal, trucks	Freightliner	M2 106

See attached Chassis & body spec sheets


Prepared by:
Jeff Tanner
MATHENY MOTOR TRUCK
COMPANY
50 Mtheny Lane
Mineral Springs, WV 26150
Phone: 3044854418

A proposal for

Prepared by
MATHENY MOTOR TRUCK COMPANY
Jeff Tanner

Jun 01, 2011

M2 106 CONVENTIONAL CHASSIS



Components shown may not reflect all spec'd options and are not to scale

Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-01M	M2 PRL-01M (EFF:03/01/11)			STD
Data Version				
DRL-006	SPECPRO21 DATA RELEASE VER 006			N/C
Vehicle Configuration				
001-172	M2 106 CONVENTIONAL CHASSIS	5,205	3,055	\$73,328.00
004-212	2012 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			STD
AA4-001	GENERAL FREIGHT COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 26000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 38000.0 lbs			
GVWR	RATED MAXIMUM VEHICLE CAPACITY - GVWR : 38000.0 lbs			N/C



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
Truck Service				
AA3-001	DRY VAN BODY			STD
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engine				
101-13N	CUM ISC-300 300 HP @ 2000 RPM, 2200 GOV, 860 LB/FT @ 1300 RPM	510	-10	\$11,858.00
Electronic Parameters				
79A-075	75 MPH ROAD SPEED LIMIT			STD
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE ONLY ENABLED			N/C
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-001	PTO MINIMUM RPM - 600			N/C
80J-002	REGEN INHIBITIT SPEED THRESHOLD - 5 MPH			N/C
80L-998	NO REGEN SYSTEM TAILORING			N/C
80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE			N/C
Engine Equipment				
99C-010	2010 EPA/CARB EMISSION CERTIFICATION			STD
99D-010	NO 2008 CARB EMISSION CERTIFICATION			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
104-998	NO ENGINE OIL DRAIN/SAMPLE			STD
133-004	ONE PIECE VALVE COVER			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
290-017	BATTERY BOX FRAME MOUNTED			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
180-049	EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)	45		N/C
183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
181-001	ZERK FITTING AT CLUTCH RELEASE BEARING			N/C
182-002	MECHANICAL CLUTCH CONTROL			N/C
107-032	CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
108-002	STANDARD AIR COMPRESSOR GOVERNOR			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			N/C
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH	45		\$2,652.00
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-001	BASE DIESEL EXHAUST FLUID FILL			STD
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			N/C
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20		N/C
103-004	ANTIFREEZE TO -34F, NOAT EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mitheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
360-998	NO FRONT ENGINE PTO			STD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		\$130.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	10		N/C
Transmission				
342-443	EATON FULLER RTO-11908LL TRANSMISSION	280	90	\$2,094.00
Transmission Equipment				
348-998	NO TRANSMISSION ACCESSORIES			STD
347-001	CAST IRON CLUTCH HOUSING	40	10	N/C
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
35T-002	ORGANIC SAE 50W TRANSMISSION LUBE			N/C
Front Axle and Equipment				
400-095	MFS-12-143A 12,000# FF1 SINGLE FRONT AXLE	60		\$390.00
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	60		\$227.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			N/C
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			N/C
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-008	GUNITE AUTOMATIC FRONT SLACK ADJUSTERS			N/C
536-050	TRW THP-60 POWER STEERING	10		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mitheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE			STD
Front Suspension				
620-1E9	12,000# MONOLEAF FRONT SUSPENSION	40		\$48.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equipment				
420-022	RS-26-185 26,000# T-SERIES SINGLE REAR AXLE		440	\$6,194.00
421-430	4.30 REAR AXLE RATIO			STD
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	55	55	N/C
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	\$702.00
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			N/C
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			N/C
423-010	MERITOR 16.5X7 P CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		50	N/C
433-040	MERITOR MA212 REAR BRAKE LINING (FRAS-LE 557)			N/C
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			N/C
451-025	GUNITE HEAVY WEIGHT CAST IRON REAR BRAKE DRUMS		30	N/C
425-002	REAR BRAKE DUST SHIELDS		5	\$67.00
440-006	REAR OIL SEALS			N/C
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C
428-008	GUNITE AUTOMATIC REAR SLACK ADJUSTERS			\$5.00
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE			STD
Rear Suspension				
622-1DC	26,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		210	N/C
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD U-BOLT PAD			STD
623-005	FORE/AFT CONTROL RODS			N/C



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
Brake System				
018-002	AIR BRAKE PACKAGE	80	140	\$1,162.00
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			N/C
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
904-001	FIBER BRAID PARKING BRAKE HOSE			N/C
412-001	STANDARD BRAKE SYSTEM VALVES			N/C
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			N/C
413-002	STD U.S. FRONT BRAKE VALVE			N/C
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
480-047	BW AD-IS (DRM) BRAKE LINE AIR DRYER WITH SHIELD, HEATER AND INTEGRAL RESERVOIR	20		\$352.00
479-014	AIR DRYER RESERVOIR MOUNTED			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			N/C
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			\$134.00
Trailer Connections				
919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			STD
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheelbase & Frame				
545-432	4325MM (170 INCH) WHEELBASE			N/C
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	260	100	\$430.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-10	40	N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 104.449 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 101.449 in			
FSS-0LH	FRAME SPACE LH SIDE : 46.240000000000016 in			N/C
FSS-0RH	FRAME SPACE RH SIDE : 43.720000000000002 in			N/C
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mitheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	20		\$61.00
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$82.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
794-001	12 TON JACK WITH HANDLE AND WHEEL WRENCH	12		\$179.00
970-998	NO BODY TYPE			STD
Fuel Tanks				
206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	80	20	\$500.00
204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20		\$87.00
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-014	LH FUEL TANK MOUNTED FORWARD, RH FUEL TANK MOUNTED AFT			\$252.00
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15		N/C
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-0VM	GOODYEAR G288 12R22.5 16 PLY RADIAL FRONT TIRES	88		\$846.00
094-0VM	GOODYEAR G288 12R22.5 16 PLY RADIAL REAR TIRES		128	\$1,692.00



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mitheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
Hubs				
418-018	CONMET PRE-SET BEARING ALUMINUM FRONT HUBS	-20		N/C
450-045	CONMET PRE-SET BEARING IRON REAR HUBS			N/C
Wheels				
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	50		\$310.00
505-445	ACCURIDE 29300 22.5X9.00 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		120	\$648.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-003	LEAF SPRING REAR CAB SUSPENSION			\$232.00
754-998	NO FENDER EXTENSION			STD
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			\$150.00
646-009	PAINTED PLASTIC GRILLE			STD
65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
727-1AM	DUAL 24 INCH ROUND POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	8		\$243.00
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-001	(5) AMBER MARKER LIGHTS			STD
315-062	RECTANGULAR CLEAR FOG LIGHTS MOUNTED UNDER BUMPER	6		\$140.00
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BG	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS			\$162.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
743-1AP	LH AND RH 8" MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-998	NO CAB MOUNTED STEPS			STD
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	TINTED WINDSHIELD			STD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD

Cab Interior

707-1AM	OPAL GRAY CLOTH INTERIOR			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		\$55.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER	70		\$976.00
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			N/C
702-002	BINARY CONTROL, R-134A			N/C
739-001	CAB INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$33.00
756-081	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT	40		\$208.00
760-243	BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH AIR LUMBAR	30	10	\$349.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			\$22.00
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			\$22.00
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS			STD
532-001	FIXED STEERING COLUMN			STD
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE LIGHT AND BUZZER			N/C
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		2	\$78.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3			STD
160-025	DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-1A2	AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT	10		\$296.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-998	NO MPH AND/OR RPM GRAPH			STD
81X-998	NO TELEMATICS AIR TIME			STD
162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
883-998	NO TRAILER HAND CONTROL BRAKE VALVE			STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

Design

065-000	PAINT: ONE SOLID COLOR			\$1,043.00
---------	------------------------	--	--	------------

Color

980-5SW	CAB COLOR A: N2951EA DARK GREEN METALLIC ELITE SS			N/C
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD



Prepared by:
 Jeff Tanner
 MATHENY MOTOR TRUCK
 COMPANY
 50 Mtheny Lane
 Mineral Springs, WV 26150
 Phone: 3044854418

Data Code	Description	Weight Front	Weight Rear	Retail Price
962-970	VENDOR WHITE FRONT WHEELS/RIMS			STD
966-970	VENDOR WHITE REAR WHEELS/RIMS			STD
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION			STD
---------	--------------------------	--	--	-----

Performance Test

PF_Left	LH Side View			N/C
---------	--------------	--	--	-----

Sales Programs

R1X-998	NO TELEMATICS AIR TIME			N/C
---------	------------------------	--	--	-----

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$108,439.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	7183 LBS	4515 LBS	11698 LBS
Total Weight ⁺	7183 LBS	4515 LBS	11698 LBS

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMR-210	2010 ENGINE EMISSIONS ESCALATOR	\$7,300.00
	DELIVERY & ORDER PROCESSING CHARGE	\$1,840.00




Prepared by:
Jeff Tanner
MATHENY MOTOR TRUCK
COMPANY
50 Mitheny Lane
Mineral Springs, WV 26150
Phone: 3044854418

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.





CROSS

TRUCK EQUIPMENT CO., INC.

1801 Perry Drive S.W. Phone 330/477-8151
P.O. Box 80509 FAX 330/477-8426
CANTON, OHIO 44708-0509

#37704

Matheny Motor Truck
PO Box 1304
Parkersburg, WV 26102
PH: 304-485-4410
FAX: 304-485-2577-Mike-Tim
FAX: 304-489-0061

Truck Make: Freightliner
Truck Model: M2
CA: " 104"

ATTN: Jeff Tanner

D9476

QUOTATION (Valid 10 Days)

Install Cross 13' x 96" Structural Platform
6" Structural Side And End Rails
4" Structural Crossmembers on 12" Centers
Stringer Gussets On Each Crossmember
7" Longsills
Outside Stake Pockets On 24" Centers With 3/8" Steel Skid Band on Sides and Rear
Smooth Steel Floor
Lights to FSS 108
Rear Rubber Mudflaps
Painted Factory Black
ICC Bumper
48" H.D. Steel Bulkhead with Wire Mesh Window
Bed to be Mounted 8" From Rear of Cab

Hoist: Install Crysteel Model LB655, 19 Tons Capacity
Air Shift PTO
Hoist Control Mounted Outside Rear of Cab, Drivers Side

.....NET \$9,216.00

Thank you for calling us!

Cross Truck Equipment Co., Inc.
Chris Johns
Chris Johns
Sales Representative

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Matheny Motor Truck Co Signed: Rod Tall
 Date: 6-1-11 Title: Sales Manager

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. DOR 211179

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Matheny Motor Truck Co

Authorized Signature: Rol Tull Date: 6-1-11

State of WV

County of Wood, to-wit:

Taken, subscribed, and sworn to before me this ___ day of December, 20__.

My Commission expired Dec 08, 2018

AFFIX SEAL HERE

NOTARY PUBLIC Tonya M Dickel

