



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 6611C033

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 BUYER 33
 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

*709044732 304-768-9733
 West Virginia Paving, Inc.
 PO Box 544
 Dunbar, WV 25064

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/08/2011	Net 30	Truck	Destination	Net 30

BID OPENING DATE: 07/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001		GL		745-67		
RAPID CURING CUTBACK ASPHALT PATCHING MIX OPEN END CONTRACT THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY. THE WEST VIRGINIA DIVISION OF HIGHWAYS IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE ALL LABOR, MATERIALS AND EQUIPMENT NECESSARY TO SUPPLY MODIFIED WINTER GRADE BITUMINOUS PATCHING MIXTURE (COLD MIX) TO VARIOUS LOCATIONS THROUGHOUT DISTRICT 1 THROUGH DISTRICT 10. EXHIBIT 1 LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE UPON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE. UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT BY THE STATE OF WEST VIRGINIA, ITS AGENCIES, OR POLITICAL SUBDIVISIONS, THE TERMS, CONDITIONS AND PRICING SET FORTH HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.						

RECEIVED
 2011/07-3 2:00:12
 WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Robert Bushra</i>	TELEPHONE 304-768-9733	DATE July 27, 2011
TITLE Vice President	FEIN 55-057-0769-04	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
 2. The State may accept or reject in part, or in whole, any bid.
 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
 5. Payment may only be made after the delivery and acceptance of goods or services.
 6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
 7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
 12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
 13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vro/hipaa.htm and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
 14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
 15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
 16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

BFC NUMBER
 6611C033

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 BUYER 33
 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

*709044732 304-768-9733
 West Virginia Paving, Inc.
 PO Box 544
 Dunbar, WV 25064

SHIP TO

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/08/2011	Net 30	Truck	Destination	Net 30

BID OPENING DATE: 07/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT No	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) SUCCESSIVE ONE (1) YEAR PERIODS.</p> <p>CANCELLATION THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK).</p> <p>INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COVERAGE OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF THE CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p> <p>WORKER'S COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKER'S COMPENSATION IF SUCCESSFUL.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Robert Kochoe</i>	TELEPHONE 304-768-9733	DATE July 27, 2011
TITLE Vice President	FEIN 55-057-0769-04	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 6611C033

PAGE
 3

ADDRESS OF CORRESPONDENCE TO ATTENTION OF
 BUYER 33
 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

*709044732 304-768-9733
 West Virginia Paving, Inc.
 PO Box 544
 Dunbar, WV 25064

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/08/2011	Net 30	Truck	Destination	Net 30

BID OPENING DATE: 07/27/2011 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>REV. 9/98</p> <p>EXHIBIT 4</p> <p>LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEND TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.</p> <p>REV. 3/88</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Robert Deochan</i>	TELEPHONE 304-768-9733	DATE July 27, 2011
TITLE Vice President	FEIN 55-057-0769-04	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 6611C033

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF
 BUYER 33
 304-558-2402

RFQ COPY
 TYPE NAME/ADDRESS HERE

*709044732 304-768-9733
 West Virginia Paving, Inc.
 PO Box 544
 Dunbar, WV 25064

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/08/2011	Net 30	Truck	Destination	Net 30

BID OPENING DATE: 07/27/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BUYER:				PAUL REYNOLDS	FILE 33	
RFQ. NO.:				6611C033		
BID OPENING DATE:				JULY 27, 2011		
BID OPENING TIME:				1:30 P.M.		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: 304-768-9351						
CONTACT PERSON (PLEASE PRINT CLEARLY): Rick Johnson						
***** THIS IS THE END OF RFQ 6611C033 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE <i>Kelvin Baschore</i>	TELEPHONE 304-768-9733	DATE July 27, 2011
TITLE Vice President	FEIN 55-057-0769-04	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

WV PURCHASING AOA SECT Fax 304-558-4115

Jul 27 2011 11:25am P001/002

**Request for
 Quotation**

RFQ NUMBER
 6611C033

PAGE
 1

ADDRESS CORRESPONDENCE TO/ATTENTION OF
 BUYER 33
 304-558-2402

*709044732 304-768-9733

WV PAVING INC
 PO BOX 544

DUNBAR WV 25064

DIVISION OF HIGHWAYS
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
07/27/2011	Net 30	Truck	Desination	Net 30

BID OPENING DATE: 08/03/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
ADD: VENDOR PREFERENCE CERTIFICATE						
BID OPENING DATE AND TIME CHANGED						
FROM: 07/27/11 @1:30 P.M.						
TO: 08/03/11 @1:30 P.M.						
NO OTHER CHANGES						
0001		GL	745-67	RAPID CURING CUTBACK ASPHALT PATCHING MIX		
***** THIS IS THE END OF RFQ 6611C033 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *Bel Braker* TELEPHONE 304-768-9733 DATE 08/03/2011

TITLE Vice President FEIN 55-0570769 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. Application is made for 2.5% resident vendor preference for the reason checked:
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. Application is made for 5% resident vendor preference for the reason checked:
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: West Virginia Paving, Inc.

Signed: *Bob Brooks*

Date: August 3, 2011

Title: Vice President

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

1. SPECIFICATIONS

The following sections of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications shall apply to the administration of the Contract: Sections 101, 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20.

The requirements of the West Virginia Department of Transportation, Division of Highways', Standard Specifications Section 109.20, PRICE ADJUSTMENT FOR LOAD LIMIT VIOLATIONS shall apply to all material supplied under this contract. This will include material loaded by the vendor into Division of Highways owned and/or rented trucks.

The terms "Contractor" and "Vendor" used in the above specifications and throughout this Contract are interchangeable. Contractor shall mean Vendor and Vendor shall mean Contractor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, Adopted 2010 as modified by the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways
Contract Administration Division
Building Five, Room 722
1900 Kanawha Boulevard, East
Charleston, West Virginia 25305

<http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx>

2. SCOPE OF WORK

The purpose of this contract is to provide for all labor, materials and equipment necessary to supply Modified Winter Grade Bituminous Patching Mixture (Cold Mix) to the various locations listed in Section 13, Bid Schedule. Actual quantities to be delivered to each location will be specified in an Agency Release, which will be issued by the Division of Highways at the time delivery is required.

3. DESCRIPTION

The patching material shall be composed of a suitable aggregate, plant mixed with a liquid asphalt material and chemical anti-stripping additives. The material shall maintain adhesive qualities for all moisture conditions in the patched areas, except those having standing water.

4. MATERIALS

AGGREGATE

The coarse aggregate shall be a clean material consisting of crushed stone, crushed gravel or slag, meeting

the requirements of the Division of Highways' Standard Specifications subsections 703.1, 703.2 and 703.3 respectively. Fine aggregate shall meet the requirements of the Division of Highways' Standard Specifications Subsection 702.3.

Allowable standard aggregate sizes shall be #89, #9, or a blend composed of #8 with a minimum of 50% #9. The aggregate gradation shall be as recommended by the liquid asphalt supplier.

The gradation shall be determined in accordance with AASHTO T27 and AASHTO T11.

The aggregate fraction of the final mixture shall meet the crushed particle requirements of Division of Highways' Standard Specifications Subsection 703.2.2. Questionable aggregates shall be tested as per MP 703.00.21, except the No. 8 sieve will be used.

ASPHALT MATERIAL

The asphalt material shall be liquid asphalt containing a minimum of 2.5% chemical anti-stripping additives meeting the requirements of the liquid asphalt supplier.

Results from the following test methods and any additional tests conducted by the liquid asphalt supplier shall be presented to the respective Division of Highways District Materials Engineer/Supervisor for review prior to production.

- Modified Asphalt Test
- (1) Flash Point °C (°F) - AASHTO T79
- (2) Kinematic Viscosity in cSt at 60°C (140°F)
Requirement - 350 to 500 cSt - AASHTO T201
- (3) Water (%) - Requirement - 0.2% maximum - AASHTO T55
- (4) Distillate Test - AASHTO T78
 - % To 225°C (437°F)
 - % To 260°C (500°F)
 - % To 315°C (600°F)
 - Residue (%) at 360°C (680°F)
- Residue Tests
- (5) Ductility at 25°C (77°F) - AASHTO T51
- (6) Solubility Test - AASHTO T44

COMPOSITION OF MIXTURE

The aggregates and asphalt material shall be combined in such proportions that the composition by weight of the finished mixture shall meet the requirements of the plant mix formula.

The aggregate fraction of the mixture shall be evaluated in accordance with AASHTO T27 and AASHTO T11 and shall meet the requirements of the plant mix formula range. Any material failing to meet specification requirements on any sieve shall not be approved.

The minimum amount of asphalt shall be as indicated in the table below. The amount of asphalt shall be sufficient to thoroughly coat the aggregate particles and provide enough adhesion to hold the compacted particles together under traffic conditions when properly placed and to assure that the aggregate particles

remain sufficiently coated after stockpiling.

Minimum Asphalt Content for Modified Patching Mixture		
Aggregate Type	#89 or Blend of #8 with minimum of 50% #9	#9
% Asphalt ^{Note-1}	5.5%	6.0%

Note-1: Add a minimum additional 0.5% asphalt to the above values for mixtures containing high-absorptive aggregates (>1.5%)

PLANT MIX FORMULA

The plant mix formula shall be in accordance with the recommendations of the liquid asphalt supplier. The plant mix formula composition report, which shall include the percentage of chemical anti-stripping additive, shall be forwarded to the District Materials Supervisor/Engineer before the mixture is produced.

CHANGES IN PLANT MIX FORMULA

Should the contractor at any time propose to change the source of aggregate in the mixture, the definite asphalt content or change the source of the bituminous material, the provisions of the Division of Highways' Standard Specifications Subsection 401.4.2 shall apply.

QUALITY CONTROL TESTING

Quality control is the responsibility of the contractor. Quality control testing shall include daily asphalt content and gradation analysis of the design aggregate structure during production. Since the aggregate and asphalt material are required to be measured separately and accurately to the proportions of the plant mix formula, the asphalt content may be determined by calculating the percentage by total weight of mixture. However, all standard methods of determining the asphalt content of the mixture that are allowed for hot mix asphalt under Section 401 of the Division of Highways' Standard Specifications are acceptable. The ignition oven test method, AASHTO T308, would require an asphalt content correction factor, however, due to the low flash point of most asphalts used in cold mix, this test method is not recommended. If the AASHTO T164 solvent extraction test method is used, a non-chlorinated solvent may be substituted for the standard specified solvent and the test method may be modified as per the recommendations of the solvent manufacturer/supplier.

In addition, for each day of production, the completed mixture shall be tested for aggregate coating as follows:

Obtain a 100 – 150 gram sample and allow it to cure to normal laboratory temperature. Place the sample in a glass jar of sufficient size that the loose sample will protrude to a level of no more than half of its capacity. Cover the sample with water to approximately three-quarters of the capacity of the jar. Place a tight fitting cover on the jar and allow it to stand for a period of 20 to 24 hours at normal laboratory temperature. The sample jar shall then be vigorously agitated for a period of 30 seconds. Pour the water from the jar, remove the sample, and spread it on a flat light-colored surface (nonstick laboratory paper is recommended). Allow the sample to air dry and visually examine it for stripping of the asphalt film from the aggregate. Estimate the amount of coated aggregate. Any thin brownish, translucent areas are to be considered fully coated with an asphalt film. Document the results of this test. The mixture shall be considered acceptable if at least 95% of

the aggregate is coated. Insufficient coating may require reworking of the mixture and/or an additional amount of anti-stripping additive.

ACCEPTANCE OF THE MIXTURE

Acceptance shall be the responsibility of the Division of Highways. This shall be accomplished by monitoring the contractor's quality control testing and reviewing all test data relevant to the mixture.

In addition, if the completed mixture shows signs of stripping, the Division of Highways shall choose to either monitor the contractor's quality control aggregate coating test or conduct their own test and visually estimate the amount of coated particles. Document the results of this test. Although this is a visual estimation, the contractor should be immediately notified if the Division of Highway's test results are below 95%. A low coating percentage should be an indicator for the Division of Highways to closely monitor the mixture after stockpiling. All Division of Highways' testing shall be performed by the Division of Highways' District Materials Section.

After the mixture is stockpiled on the Division of Highways' lot, it shall be visually evaluated for any appearance of excessive non-fully coated aggregate particles. If considered necessary, the Division of Highways shall evaluate the mixture in accordance with ASTM D2489 (based on two-sample average) to determine if at least 97% of the coarse aggregate particles are fully coated. This evaluation shall take place within the first week after stockpiling. If the mixture is less than 97% coated, the contractor will be required to provide new material or remove the existing stockpile material from the Division of Highways' lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed and return it to the Division of Highways' lot, at no additional cost to the Division of Highways.

PREPARATION OF MIXTURE

The aggregate shall be heated to insure that it is surface dry at the time of mixing; however, the aggregate temperature shall not exceed the safe temperature recommended by the liquid asphalt supplier. The liquid asphalt shall not be heated beyond the safe temperature recommended by the liquid asphalt supplier. Care shall be taken to prevent local overheating.

The aggregate and asphalt material shall be measured separately and accurately to the proportions in which they are to be mixed. After the aggregate and binder have been combined, they shall be thoroughly mixed until the particles of aggregate are coated. The temperature of the finished mixture shall not be greater than the maximum temperature recommended by the liquid asphalt supplier.

WORKABILITY

The mixture shall be stockpiled on the vendor's site for 14 days or until the internal mixture temperature is within 10°F of ambient temperature without stripping and when taken from a stockpile, shall be capable of being shoveled, raked, spread and compacted.

At the end of the stockpiling period on the contractor's yard, the mixture shall be tested in accordance with ASTM D2489 (based on two-sample average). The total amount of non-fully coated particles shall not exceed 3%. The contractor shall provide the ASTM D2489 test results to the Division of Highways on Form T410 Degree of Particle Coating of Bituminous-Aggregate Mixtures which is provided by the Division of Highways District Materials Section. See Appendix A.

If the material fails to conform to the requirements of the specifications, the contractor may rework the existing material or provide new material.

STORAGE

The mixture shall be maintained on the contractor's property in stockpiles not exceeding a height of four feet (4') until the internal mixture temperature is within 10°F of the ambient temperature. In addition, the top of all stockpiles shall be leveled to eliminate any peaked areas.

The mixture shall contain sufficient asphalt that is capable of coating the aggregate without stripping. After stockpiling on the Division of Highways' lot, the mixture shall have a maximum of 5% non-fully coated particles after the first week and up to 90 days from delivery when evaluated in accordance with ASTM D2489 (based on two-sample average). This coating determination may be based on the Division of Highways' visual inspection, if coating is not a problem or based on Division of Highways' testing when the amount of non-fully coated particles appears questionable. If stripping occurs, the contractor will be required to provide new material or remove the existing stockpile material from the Division of Highways' lot, rework it to an acceptable condition with additional asphalt and/or chemical anti-stripping additive as needed and return it to the Division of Highways' lot.

5. BIDDING INSTRUCTIONS

Vendors may bid to deliver the estimated quantities of material at any or all of the designated delivery sites.

Any qualification of bids or any modification of the specifications or conditions governing the bids may be cause for their rejection.

6. CONTRACT AWARD

The Division of Highways will consider Vendor's performance history in the award of this Purchase Order Contract.

Qualified Vendors who submit a valid bid "F.O.B. Division Storage Site" will be awarded a contract for those locations for which their bid is low.

In the event a Vendor fails to conform to the requirements set out in this contract document, the Agency Release or the governing specifications, the Purchase Order Contract may be cancelled and awarded to the next low bidder.

7. SAMPLING AND TESTING

Upon award of contract, the Vendor shall inform the Division of Highways of the location of Vendor's storage sites so that materials may be sampled and tested prior to shipment. Information shall be directed to the respective Division of Highways District Materials Engineers/Supervisors.

8. WEIGHING MATERIALS DELIVERED BY TRUCK

Material delivered by truck shall be weighed in accordance with Section 401.9.3 of the West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010 as modified by the January 1, 2011 Supplemental Specifications.

9. SUPPLYING OTHER ORGANIZATIONAL ENTITIES

County Courts, Municipalities, School Boards, other political subdivisions and governmental entities, etc., may have a need for these materials, and Vendors may wish to supply that need. Accordingly, bidders may wish to extend their contract prices to these other entities. If the bidder wishes to supply these other entities, but with prices different from those quoted for the Division of Highways, the bidder shall include a set of bid schedules clearly and unambiguously marked for the express use of entities other than the Division of Highways. Failure by the bidder to include a set of bid schedules for other entities will be taken to mean that the bid schedules extended to the Division of Highways will also be extended to these other entities.

In the event any Vendor does not wish to extend the prices, terms and conditions of this bid and subsequent contract to other entities of the State, he must so indicate in a clear and unambiguous manner in his bid. This indication does not prejudice the award of the contract. If a Vendor does not indicate his refusal to extend the prices, terms and conditions of his bid to other entities of the State he is bound to extend them upon issuance of a purchase order by these other entities.

Other organizational entities using this provision of the contract shall do so without any involvement of the Division of Highways; that is, the entity shall make its own purchase arrangements with the Vendor and shall make its own arrangement for payment.

10. PRODUCTION SCHEDULE

Vendor should produce material within two weeks of receipt of the Agency Release from the Division of Highways.

11. VENDOR'S INVOICES

Vendor's invoices must be submitted in original and one copy containing the following:


- a. Division of Highway's Agency Release Number and this Contract Number.
- b. Total quantity and unit price with the total cost of the material furnished.

Note: Under no circumstance will the Division of Highways accept, or pay for, quantities of material in excess of the quantity stated on the Agency Release.

12. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendors must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by Division of Highways as a condition of award.

APPENDIX A

		T410	
		10-08	
West Virginia Division of Highways Degree of Particle Coating of Bituminous-Aggregate Mixtures ASTM D2489			
Lab Number:		Date Tested:	
Technician:		Cold-Mix Type:	
Cold-Mix Source:			
Cold-Mix Stockpile Location:			
Test Sample Number 1			
(A) Total Number of Particles:		(B) Number of coated particles:	
(C) Percentage of Coated Particles = $(B / A) \times 100$:			
Test Sample Number 2			
(D) Total Number of Particles:		(E) Number of coated particles:	
(F) Percentage of Coated Particles = $(E / D) \times 100$:			
Average Percent Coated Particles = $(C + F) / 2$:			
Pass / Fail:			
97% Coating Requirement for First Week After Stockpiling 95% Coating Requirement Up To 90 Days After Stockpiling			
Vendor should submit copy of Certificate of Liability Insurance and Worker's Compensation Certificate with bid.			

The "Bid Schedule" is available for download on Purchasing's Web site at
www.state.wv.us/admin/purchase

13. BID SCHEDULE 66-11-C033

VENDOR NAME:	West Virginia Paving, Inc. -
--------------	------------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 1

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Boone	Clinton @ WV85	TON	275	\$107.00	\$29,425.00
Boone	Rock Creek	TON	250	\$105.50	\$26,375.00
Boone	Seth	TON	75	\$105.50	\$7,912.50
Clay	Widen Road & CR 11	TON	200	\$108.00	\$21,600.00
Clay	Maysel	TON	0	NO BID	NO BID
Kanawha	Chelyan	TON	200	\$103.00	\$20,600.00
Kanawha	Elkview	TON	200	\$103.00	\$20,600.00
Kanawha	North Charleston	TON	200	\$100.50	\$20,100.00
Kanawha	St. Albans	TON	100	\$99.50	\$9,950.00
Kanawha	I-64 @ Rt. 119 and Penn. Avenue	TON	50	\$101.00	\$5,050.00
Kanawha	I-77 @ Sissonville	TON	100	\$103.50	\$10,350.00
Kanawha	I-79 @ Amma	TON	30	\$105.50	\$3,165.00
Kanawha	Corridor G @ Alum Creek	TON	30	\$101.00	\$3,030.00
Mason	Pt. Pleasant	TON	200	\$105.00	\$21,000.00
Putnam	Red House	TON	75	\$101.00	\$7,575.00
Putnam	Hurricane @ Rt. 34	TON	75	\$101.00	\$7,575.00
Putnam	Scary	TON	30	\$99.50	\$2,985.00

13. BID SCHEDULE 66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 2

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Cabell	Barboursville	TON	200	\$104.00	\$20,800.00
Cabell	I-64 @ Huntington	TON	40	\$105.00	\$4,200.00
Lincoln	West Hamlin	TON	75	\$104.50	\$7,837.50
Lincoln	Yawkey	TON	15	\$104.50	\$1,567.50
Lincoln	Harts	TON	25	\$109.50	\$2,737.50
Logan	Corridor G @ Chapmanville	TON	80	\$106.50	\$8,520.00
Logan	Wilkinson	TON	60	\$108.00	\$6,480.00
Logan	Man	TON	40	\$110.00	\$4,400.00
Mingo	Mingo County @ Miller's Creek	TON	50	\$111.00	\$5,550.00
Mingo	Gilbert	TON	25	\$113.50	\$2,837.50
Wayne	Crum	TON	75	\$110.00	\$8,250.00
Wayne	Pritchard	TON	100	\$108.00	\$10,800.00
Wayne	Wayne	TON	100	\$108.00	\$10,800.00

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 3

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Calhoun	Millstone	TON	200	\$113.00	\$22,600.00
Jackson	Ripley	TON	300	\$108.50	\$32,550.00
Jackson	I-77 @ Medina	TON	20	NO BID	NO BID
Pleasants	Belmont	TON	0	NO BID	NO BID
Pleasants	St. Mary's (Colin-Anderson Lot)	TON	75	NO BID	NO BID
Ritchie	APD Pennsboro	TON	0	NO BID	NO BID
Ritchie	Ellenboro	TON	75	NO BID	NO BID
Ritchie	Corridor D @ Nutter Farm	TON	0	NO BID	NO BID
Ritchie	Smithville	TON	30	NO BID	NO BID
Roane	Lefthand @ WV 36	TON	50	\$108.25	\$5,412.50
Roane	Amber Hill @ US 119	TON	0	NO BID	NO BID
Roane	Spencer	TON	225	\$110.50	\$24,862.50
Wirt	Elizabeth	TON	75	NO BID	NO BID
Wood	Parkersburg @ Rt. 95S	TON	150	NO BID	NO BID
Wood	Corridor D @ Riverhill	TON	0	NO BID	NO BID
Wood	I-77 @ Mill Run Road	TON	35	NO BID	NO BID

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 4

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Doddridge	Smithburg	TON	60	\$104.00	\$6,240.00
Harrison	Gore	TON	300	\$99.00	\$29,700.00
Harrison	I-79 @ Lost Creek	TON	75	\$99.00	\$7,425.00
Harrison	APD 50 @ Tunnel Hill	TON	75	\$101.00	\$7,575.00
Marion	Fairmont	TON	100	\$101.00	\$10,100.00
Marion	Mannington	TON	75	\$102.00	\$7,650.00
Monongalia	I-79 @ Goshen Road	TON	15	\$104.00	\$1,560.00
Monongalia	Ridgedale	TON	500	\$100.00	\$50,000.00
Monongalia	Pentress	TON	75	\$102.00	\$7,650.00
Preston	Albright	TON	300	\$101.00	\$30,300.00
Preston	Bruceston	TON	100	\$103.00	\$10,300.00
Preston	Terra Alta	TON	100	\$102.00	\$10,200.00
Preston	Fellowsville	TON	100	\$101.00	\$10,100.00
Preston	Aurora	TON	100	\$100.00	\$10,000.00
Preston	I-68 @ Copper's Rock	TON	25	\$104.00	\$2,600.00
Taylor	Fetterman/Prunytown	TON	75	\$97.00	\$7,275.00

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 5

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Berkeley	I-81 @ Martinsburg	TON	300	\$119.00	\$35,700.00
Berkeley	I-81 @ Exit 18	TON	0	NO BID	NO BID
Grant	Petersburg	TON	75	\$106.00	\$7,950.00
Grant	Mt. Storm	TON	50	\$102.00	\$5,100.00
Grant	Corridor H @ Knobley Road	TON	0	NO BID	NO BID
Hampshire	Romney	TON	50	\$107.50	\$5,375.00
Hampshire	Capon Bridge	TON	30	\$113.00	\$3,390.00
Hampshire	Slanesville	TON	50	\$110.00	\$5,500.00
Hardy	Moorefield	TON	75	\$105.00	\$7,875.00
Hardy	Baker	TON	75	\$107.00	\$8,025.00
Jefferson	Charles Town	TON	100	\$119.00	\$11,900.00
Mineral	New Creek	TON	75	\$105.00	\$7,875.00
Mineral	Sky Line	TON	50	\$104.00	\$5,200.00
Mineral	Short Gap	TON	50	\$108.50	\$5,425.00
Mineral	District Headquarters	TON	25	\$106.00	\$2,650.00
Morgan	Berkeley Springs	TON	200	\$117.50	\$23,500.00
Morgan	Largent	TON	0	NO BID	NO BID

13. BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 6

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Brooke	Wellsburg	TON	200	NO BID	NO BID
Brooke	Weirton	TON	0	NO BID	NO BID
Hancock	New Manchester	TON	220	NO BID	NO BID
Marshall	Glen Dale	TON	1300	NO BID	NO BID
Marshall	Cameron	TON	700	NO BID	NO BID
Ohio	Triadelphia	TON	150	NO BID	NO BID
Ohio	I-70 @ Triadelphia	TON	100	NO BID	NO BID
Tyler	Centerville	TON	100	NO BID	NO BID
Tyler	Sistersville	TON	100	NO BID	NO BID
Tyler	Sistersville Old Headquarters	TON	0	NO BID	NO BID
Wetzel	Hundred	TON	100	NO BID	NO BID
Wetzel	New Martinsville	TON	150	NO BID	NO BID
Wetzel	Pine Grove	TON	100	NO BID	NO BID

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 7

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Barbour	Phillipi	TON	40	\$94.00	\$3,760.00
Braxton	Laurel Court	TON	150	\$102.00	\$15,300.00
Braxton	I-79 @ Coon Knob	TON	25	\$99.00	\$2,475.00
Braxton	I-79 @ Burnsville	TON	25	\$99.50	\$2,487.50
Gilmer	Glenville Headquarters	TON	60	\$103.00	\$6,180.00
Lewis	Weston (Ben Dale)	TON	100	\$96.00	\$9,600.00
Upshur	Clow Lot @ Buckhannon	TON	40	\$94.00	\$3,760.00
Webster	Cherry Falls	TON	30	\$100.00	\$3,000.00
Webster	Cowen	TON	30	\$102.00	\$3,060.00
Webster	Hacker Valley	TON	30	\$99.00	\$2,970.00

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix

Delivery: F.O.B. WV Division of Highways Storage Site

DISTRICT 8

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Pendleton	Franklin	TON	100	\$98.00	\$9,800.00
Pocahontas	Marlinton	TON	25	\$100.00	\$2,500.00
Randolph	Elkins	TON	125	\$89.00	\$11,125.00
Tucker	Parsons	TON	60	\$93.00	\$5,580.00

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 9

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
Fayette	Oak Hill	TON	100	\$105.50	\$10,550.00
Fayette	Corridor L @ Oak Hill	TON	0	NO BID	NO BID
Fayette	Lookout	TON	100	\$104.00	\$10,400.00
Fayette	Glen Ferris	TON	200	\$100.00	\$20,000.00
Greenbrier	Lewisburg	TON	125	\$99.50	\$12,437.50
Greenbrier	Crawley	TON	100	\$102.00	\$10,200.00
Greenbrier	I-64 @ Hart's Run	TON	15	\$100.50	\$1,507.50
Monroe	Union	TON	275	\$103.50	\$28,462.50
Monroe	Peterstown	TON	0	NO BID	NO BID
Nicholas	Summersville	TON	175	\$100.50	\$17,587.50
Nicholas	Curtin	TON	25	\$97.00	\$2,425.00
Nicholas	Corridor L @ Muddlety	TON	150	\$99.50	\$14,925.00
Summers	Hinton	TON	50	\$105.50	\$5,275.00

13.

BID SCHEDULE

66-11-C033

VENDOR NAME:	West Virginia Paving, Inc.
--------------	----------------------------

Modified Winter Grade Bituminous Patching Mixture - Cold Mix
 Delivery: F.O.B. WV Division of Highways Storage Site
 DISTRICT 10

County	Delivery/Storage Site	Unit of Measure	Estimated Number Tons	Unit Cost Per Ton	Extended Cost
McDowell	County Headquarters	TON	100	\$111.50	\$11,150.00
Mercer	County Headquarters	TON	100	\$109.00	\$10,900.00
Raleigh	County Headquarters	TON	100	\$104.00	\$10,400.00
Wyoming	County Headquarters	TON	100	\$109.00	\$10,900.00



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
6/24/2011

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Mountain State Insurance Agency 1206 Kanawha Blvd. E. Charleston WV 25301	CONTACT NAME: Annette Dearth PHONE (A/C No., Ext.): (304) 720-2000 E-MAIL ADDRESS: adearth@mountainstateinsurance.com	FAX (A/C No.): (304) 720-2002
	INSURER(S) AFFORDING COVERAGE	
INSURED West Virginia Paving, Inc. 2950 Charles Ave. P.O. Box 544 Dunbar WV 25064	INSURER A: BrickStreet Insurance	
	INSURER B:	
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGES **CERTIFICATE NUMBER:** CL1162407736 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR	WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	GENERAL LIABILITY <input type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOG						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COM/PO/OP AGG \$ \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory In NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A	WC1020768405	7/1/2011	7/1/2012	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER E.I. EACH ACCIDENT \$ 1,000,000 E.I. DISEASE - EA EMPLOYEE \$ 1,000,000 E.I. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Project: Cold Mix Purchase Orders 2011-2012 Counties: Various

CERTIFICATE HOLDER WVDOT- Division of Highways 1900 Kanawha Blvd. East Building 5, Room A737 Charleston, WV 25305	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE: Annette Dearth/ANNE <i>Annette M. Dearth</i>

Certificate of Insurance

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON YOU THE CERTIFICATE HOLDER. THIS CERTIFICATE IS NOT AN INSURANCE POLICY AND DOES NOT AMEND, EXTEND, OR ALTER THE COVERAGE AFFORDED BY THE POLICIES LISTED BELOW. POLICY LIMITS ARE NO LESS THAN THOSE LISTED, ALTHOUGH POLICIES MAY INCLUDE ADDITIONAL SUBLIMIT/LIMITS NOT LISTED BELOW.

This is to Certify that

West Virginia Paving, Inc.
2950 Charles Ave.
Dunbar, WV 25064

NAME AND
ADDRESS
OF INSURED



**Liberty
Mutual.**

is, at the issue date of this certificate, insured by the Company under the policy(ies) listed below. The insurance afforded by the listed policy(ies) is subject to all their terms, exclusions and Conditions and is not altered by any requirement, term or condition of any contract or other document with respect to which this certificate may be issued.

TYPE OF POLICY	EXP DATE		POLICY NUMBER	LIMIT OF LIABILITY	
	<input type="checkbox"/> CONTINUOUS	<input type="checkbox"/> EXTENDED			
WORKERS COMPENSATION	9/1/2011		WA7-C8D-004095-020	COVERAGE AFFORDED UNDER WC LAW OF THE FOLLOWING STATES: WV EMPLOYERS LIABILITY COVERAGE ONLY	
				EMPLOYERS LIABILITY	
				Bodily Injury by Accident \$1,000,000 Each Accident	
				Bodily Injury By Disease \$1,000,000 Policy Limit	
COMMERCIAL GENERAL LIABILITY <input checked="" type="checkbox"/> OCCURRENCE <input type="checkbox"/> CLAIMS MADE	9/1/2011		TB2-C81-004095-110	General Aggregate \$2,000,000	
				Products / Completed Operations Aggregate \$2,000,000	
				Each Occurrence \$1,000,000	
				Personal & Advertising Injury \$1,000,000 Per Person / Organization	
				Other Fire Damage \$100,000 Per Project Aggregate	
				Other Med Pay - \$5,000	
AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> OWNED <input checked="" type="checkbox"/> NON-OWNED <input checked="" type="checkbox"/> HIRED	9/1/2011		AS2-C81-004095-120	Each Accident—Single Limit \$1,000,000 B.L. And P.D. Combined	
				Each Person	
				Each Accident or Occurrence	
				Each Accident or Occurrence	
OTHER				Auto: Comp Ded \$10,000/Coll Ded: \$10,000	
ADDITIONAL COMMENTS Project: Cold Mix Purchase Orders 2011-2012 Counties: Various					

* If the certificate expiration date is continuous or extended term, you will be notified if coverage is terminated or reduced before the certificate expiration date.

NOTICE OF CANCELLATION: (NOT APPLICABLE UNLESS A NUMBER OF DAYS IS ENTERED BELOW.)
BEFORE THE STATED EXPIRATION DATE THE COMPANY WILL NOT CANCEL OR REDUCE THE
INSURANCE AFFORDED UNDER THE ABOVE POLICIES UNTIL AT LEAST **30** DAYS NOTICE
OF SUCH CANCELLATION HAS BEEN MAILED TO:

Liberty Mutual
Insurance Group

Certificate
Holder

WVDOT- Division of Highways
1900 Kanawha Blvd. East
Building 5 Room A737
Charleston, WV 25305

Mark A. Truelove
Mark A. Truelove
Liberty Square Shopping Center AUTHORIZED REPRESENTATIVE
Suite 113
Hurricane WV 25526 800-222-8890 07/25/2011
OFFICE PHONE DATE ISSUED

This certificate is executed by LIBERTY MUTUAL INSURANCE GROUP as respects such insurance as is afforded by those Companies

NM 772

RFQ No. 6611C033

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: West Virginia Paving, Inc.

Authorized Signature: *Robert Bishop* Date: July 27, 2011

State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 27th July day of December, 2011.

My Commission expires 3-10, 2019.

AFFIX SEAL HERE

NOTORY PUBLIC *Victoria W. McGrew*

