

Request for Quotation

RFQ NUMBER 6612C016 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ALAN CUMMINGS

304-558-2402

888-947-7378 ***228144554** ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT

Asphalt Lipper

340 South #100 831 East

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

AMERICAN FORK JUTAH
DATE PRINTED TERMS OF SALE 84003 SHIP VIA FREIGHT TERMS F.O.B. 01/23/2012 **BID OPENING DATE:** BID OPENING TIME 02/29/2012 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE AMOUNT: 0001 EΑ 975-66 ROAD AND HIGHWAY EQUIPMENT LEASE 2012 FC9 -8 A 9:57 OPEN END CONTRACT THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE 43 13 12 W. C. C. AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS FOR AN OPEN END CONTRACT TO PROVIDE FOR LEASE OF EQUIPMENT FROM INDIVIDUALS AND ORGANIZATIONS FOR PURPOSES AND LOCATIONS TO BE DETERMINED BY THE DIVISION OF HIGHWAYS PER THE ATTACHED SPECIFICATIONS. SCHEDULE I: IS FOR EQUIPMENT WITHOUT AN OPERATOR. SCHEDULE II: IS FOR EQUIPMENT WITH AN OPERATOR. SCHEDULE III: SRIC EQUIPMENT USE IN EMERGENCY SITUATIONS. TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO ALAN CUMMINGS IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT ALAN.W.CUMMINGSƏWV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 02/16/12 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL ADDENDUM TO BE ISSUED BY THE PURCHASING SEE REVERSE SIDE FOR TERMS AND CONDITIONS: TELEPHONE SIGNATURE 801-86 87-0661865 ADDRESS CHANGES TO BE NOTED ABOVE Manager

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



Request for PRECIDENCE PRECIDE PRECIDENCE PRECIDE PRECIDENCE PRECI Quotation

8 H P

6612C016

ADDRESSICORRESPONDENCE (O'ARTENTION OF

ALAN CUMMINGS 304-558-2402

***228144554** 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRIN	TED	TER	MS OF SAL	E	SHIP V	(A	F.O.B.	FREIGHTTERMS
01/23/		<u> </u>						
BID OPENING DATE:		02/29/				BID		1:30PM
LINE	QUA	NTITY	UOP	CAT. NO.	ITEM NUN	IBER	UNIT PRICE	AMOUNT
					220000000000000000000000000000000000000			
<u>}</u> .	DIVISI	ON AFT	ER TH	E DEA	DLINE HAS	LAPSED	4	
				,				
	EXHIBI	T 3					-	
	, , , , ,	E CONT	DACT	711	TO CONTRA	OT BECO	MES EFFECTIVE ON	
		F CONT			A PERIOD			
		1					HEREAFTER AS IS	
							RENEW THE	
						ABLE TI	ME" PERIOD SHALL	
	1				MONTHS.		THIS "REASONABL	E
							NTRACT FOR ANY	
				G THE	DIRECTOR	OF PUR	CHASING 30 DAYS	
	MKTIIE	N NOTI	LE.					
	IINI ESS	SPECT	FTC P	ROVIS	TONS ARE	STIPULA	TED ELSEWHERE	
	1						CONDITIONS AND	
ļ							FE OF THE	
	CONTRA	CT.						
:								·
							UPON THE MUTUAL	
1	Į.				1		ND VENDOR,	
	1				RATION DA		G THIRTY (30) CH RENEWAL SHALL	
							NDITIONS OF THE	
							TO TWO (2) ONE	
	1	AR PER	1	71112				
							NG RESERVES THE	
							ELY UPON WRITTEN	
							S AND/OR SERVICE	
							DO NOT CONFORM	
	IO THE	SPECI	FICAI	TUNS	OF THE BI	U AND C	ONTRACT HEREIN.	
	UDEN W	ARKET	CI VIIS	F, TU	E DIRECTO	B UE BII	RCHASING MAY	
							ON THE OPEN	
							ITION OR COST	
SIGNATURE				SEERE	VERSE SIDE FOR T	ERMS AND CO TELEPHONE	NDITIONS DATE	A A 2010
SIGNATURE L	Westo	<u> </u>				801 8	147 3200	22-2012
TITLE Mai	naer	F	N SU	- Dlala	1865		ADDRESS CHANGE	S TO BE NOTED ABOVE
1400 17100	ICK DEOF	ONDING	TO DEO	INCER	T NAME AND	ADDDECC	IN SPACE ABOVE LABEL	ED 'VENDOD'



84062

Request for Quotation

6612C016

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

***228144554** 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT

& H - P T O

DATE PRIN	TEO .	TEF	IMS OF SALE		\$	HIP VIA			FOB			FREIGHT TERMS
01/23/						***************************************						
BID OPENING DATE:		02/29/	2012				BID	OPENI	NG T	IME	01	:30PM
LINE	CUAN	VITY	UOP	CAT NO	ITEN	A NUMBER			UNIT PE	NCE		AMOUNT
	IMMEDI CAVSES	ATE DE (INCL ION OR	LIVERY UDING	IN BUT	IED ON EMERGEN NOT LIN CIPATEI	NCIES MITED	DUE TO D	TO UN Elays	FORES	TRANS-		
	APPROX THE ST THAT T ORDERE	IMATIO ATE SP HE CON D FOR	NS ONL' ENDING TRACT ! DELIVE	Y, B Uni Shal Ry D	LISTEI ASED ON T. IT L COVER URING THE	N ESTI IS UN R THE THE TE	MATE IDERS QUAN RM O	S SUP TOOD TITIE F THE	PLIEI AND A S ACT CONT	D BY Agreei Tually	1	
	WRITTE THE VE THE OR VENDOR MAILED	N STAT NDOR F IGINAL AS AU TO TH	E CONTI OR COMI COPY (THORIZA E PURCI	RACT MODI OF T ATIO HASI	ENDING ORDER TIES CO HE WV-3 N FOR S NG DIVI	(FORM OVERED 39 SHA SHIPME (SION)	NUMBY	BER W This E mai A sec	V-39) CONTI LED (OND (TO RACT. TO THE	<u>:</u>	
	FOR BAI	NKRUPT CT NUL	CY PRO	TECT VOID	ENT THE ION, TH , AND T	IE STA	TE M	AY DE	EM TI	1E	S	
	SHALL : CONDIT: DOCUME! AGREEM!	SUPERS IONS W NTS SU ENTS O	EDE ANY HICH MA CH AS F R MAINT	Y AN NY A Pric Tena	NS CONT D ALL S PPEAR C E LISTS NCE AGR AS CD-	SUBSEQ ON ANY S, ORD REEMEN	UENT ATT ER F	TERM ACHED ORMS,	S ANI PRIM Sale) NTED Es		
	REV. 0!											
	PURCHA	SING C	ARD ACC	CEPT	ANCE:	THE S	TATE	OF W	EST \	/IRGIN	II	1
				120:33	ERSE SIDE F	apareone	 	antinue	····	***********		
SIGNATURE				CEREY	ENDE OIVE T	TELEP		16411UNO		lna	ATE	
						,						
ITLE		FE	in						ADDRE	SS CHAN	GES	TO BE NOTED ABOVE



Request for Quotation

8 H P 6612C016

PAGE

ADDRESSICORRESPONDENCE TO A RECOVER CONTINUES

ALAN CUMMINGS 304-558-2402

*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRINT	ŒÒ	TER	MS OF SAL	E	SHIP V	IA .	F.O.B.	FREIGHT TERMS
01/23/	2012							
BID OPENING DATE:		02/29/	2012			BID	OPENING TIME	01:30PM
LINE	QUA	NTITY	UOP	ÇAT NO	ITEM NUM	IBER	UNITPRICE	AMOUNT
				V.¥				
	l			_				
							ARD PROGRAM WH	ICH
		UED TH					FUL VENDOR	No.
							VISA PURCHASI	NG
					OF AWARD.	PLACED	BY ANY STATE	
	AGENCT	HS H	COMDI	ITON	UP AWARD.			
·	EXHIBI	Т 4						
		•						
	LOCAL	GOVERN	MENT	BODIE	s: UNLE	SS THE	VENDOR INDICAT	ES
,	IN THE	BID H	IS RE	FUSAL	TO EXTEN	D THE P	RICES, TERMS,	1
							CHOOL, MUNICIP	
	3					-	BID SHALL EXT	EN
	•				ONS OF TH			ŀ
	VIRGIN						TO EXTEND THE	·
		•			DITIONS O		5	
	E .				ł.		HE VENDOR MUST	1
							ID. SUCH REFU CONTRACT IN AN	
	MANNER		FAODT	CE IH	E AWARD U	r 1412	CUNIKACI IN AN	' '
	HANNER	•						
	REV. 3	1/88						
		,, 00						
<u> </u>	EXHIBI	T 10						
					REQUI	SITION	NO.:	• • •
terinations.	ADDEND	DUM ACK	NOWLE	DGEME	NT			
-								
i	į.						LLOWING CHECKE	
j	ł .				OR SPECI		Y REVISIONS TO	·
	MY PRU	iPUSAL,	PLAN	2 AND	OR SPECI	FICALIU	N, EIG.	
	ADDENT	OUM NO.	10.					
	MUDICIAT	OFF NU.	3					·
	NO. 1		l					

SIGNATURE				SEERE	vease side foat			DATE O O O
Jamo	Wes	ton				108	347 <i>3</i> 200	2-2-2012
TIPALLE MA	nages	FI	<u> 8</u>	7-66	61865		ADDRESS CHA	NGES TO BE NOTED ABOVE
www 11/10	/	ONDING				ABBBEOO	IN SPACE ABOVE LA	DELEO MEMBORI



Request for BEONUMBER Quotation

GH-P

6612C016

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRINTED	TERMS OF SALE	SHIP VIA	FO.B.	FREIGHTTERMS
01/23/2012 BID OPENING DATE:				
	02/29/2012		PENING TIME 01	:30PM
LINE Q	UOP UOP	CAT ITEM NUMBER	UNITPRICE	AMOUNT
NO. 2	2	1		
[j		
NO. 3	3			
No. 4				
NO. 5	5			
		FAILURE TO CONFIRM THE Y BE CAUSE FOR REJECTI		
REPRE	SENTATION MADE	Y UNDERSTAND THAT ANY E OR ASSUMED TO BE MAI LD BETWEEN VENDOR'S RE	DE DURING ANY	
		ONNEL IS NOT BINDING.	ONLY THE	
1 1		IN WRITING AND ADDED		
		AN OFFICIAL ADDENDUM I		
		Same Western	leston nature Zeodol	
		COMF	PANY	
	:			
	THIS ADDENDU	M ACKNOWLEDGEMENT SHOL	ULD BE SUBMITTE	
REV.	09/21/2009			
			;	
		NOTICE		
1	1	SEE REVERSE SIDE FOR TERMS AND CONDI		
SIGNATURE		TELEPHONE	DATE	
TITLE	FEIN	<u> </u>	ADDRESS CHANGES	TO BE NOTED ABOVE



Request for Quotation

Ţ

8FQ NUMBER 6612C016

PAGE 6

MADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

*228144554 888-947-7378 ASPHALT ZIPPER INC 310 WEST 700 SOUTH

PLEASANT GROVE UT 84062

DATE PRINT	ED	TEA	VISIOF SAL	E	SHIP VIA		FOB.		FREIGHT TERMS
01/23/	2012								
BID O'ENING DATE:		02/29/	2012		(BID	OPENING TIME	01	:30PM
LINE	QUAN	VIITY	UOP	CAT.	ITEM NUMB	EA	UNIT PRICE		AMOUNT
				********		*********		()(()()()()()()()()()()()()()()()()()(
						_			
	A SIGN	ED BID	MUST	BE S	UBMITTED T	0:			
	_				**********				
					INISTRATIO	N			·
		URCHAS		T A T 2 T	บท				
		UILDIN		TON C	TREET, EAS	т .			
		HARLES			5305-0130	•			
	C	HAKLES	1011,	M V Z	2002 0100				
		,							
		•							
								- 1	
	THE BI	р ѕнои	LD CO	NTAIN	THIS INFO	RMATIO	N ON THE FACE	OF	
					D MAY NOT				
	SEALED	BID							
	BUYER:			AL	AN CUMMING	S - FI	LE 33		
		_							
	RFQ. N	0.:		66	12C016				
					00/0010				
	810 06	ENING	DAIF	2/	29/2012				
	n T D	ENTNO	TTME.	1.4	70 D M				
	BID OP	ENTAG	TIME:	1:	30 P.M.				
	DIEVCE	PPNVT	ne A	EAY N	HMRER IN C	ASF IT	IS NECESSARY		
					NG YOUR BI		10 MEDEOGANI		
	10 001	י וטחי	00 KE	ONNE			16n		
	_				801-84	LL_Q	$\alpha \mathcal{Y}$		
	CONTAC	T PERS	ON (P	LEASE	PRINT CLE	ARLY):			
	_	• -	MI		WESTOK	1			!
			77777		-K7777777	´			
	***************************************				verse side for tei	SERVE SERVE	(DITIANG	0000000	
SIGNATURE		7		oeehe				DATE	1.1.7612
SIGNATURE	Wes	MON				70	1-89-7-3200	. —	2-2-2012
TITLE AREA Ma	MACH	2/) FE	in Xt	7-15	661865		ADDRESS CHA	NGES	TO BE NOTED ABOVE
MILL	ENI DE ED	ONDING.				DDRESS	IN SPACE ABOVE LA	RELE	D 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for
Quotation

6612C016

ADDRESS CORRESE
ALAN CUMMINGS

Ö

6612C016

· PA(15	
	7	

ADDRESSICORHESPONDENGESIOTATS (ENTIONICIES

304-558-2402

*228144554 888-947-7378 ASPHALT ZIPPER INC PLEASANT GROVE UT

310 WEST 700 SOUTH

84062

DATE PRINT	ED	TER	MS OF SAL	E		SHIP VIA			FOB.	FREIGHT TERMS
01/23/			`							
BID OPENING DATE:		02/29/	2012	100000000000000000000000000000000000000)5000000000000000		BID	OPENING	S TIME 0	1:30PM
	ANY IN (1) HE THE BI THE BI THE BI THE BI	OR SH D OR A DDER, DDER I	E IS NY DO (2) T N A C AS PR	AUTHO CUMEN HAT H ONTRA OPERL	THIS RIZED TS RE E OR CTUAL Y REG	BY T LATED SHE I RELA ISTER	IS CER HE BID THERE S AUTH TIONSH ED WIT	TIFYING DER TO TO ON I ORIZED IP, ANI H ANY S	EXECUTE BEHALF OF TO BIND CONTRACT	AMOUNT.
	****	THIS	IS T	HE EN	D OF	RFQ	6612C	016 **	*** TOTAL	. 3
		W 1997				•				
				See af	VERSE SID	EFORTE	WS AND CO	NDITIONS		
SIGNATURE							ELEPHONE		DATI	
TITLE	TN DECO	CAUDING:		Morro	T 61645	- AND A	DDDESC			ES TO BE NOTED ABOVE

1. SPECIFICATIONS

Req. No. 6612C016

The following sections of the West Virginia Divisions of Highways Standard Specifications Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications shall apply to the administration of this contract: Sections 101; 102.4; 102.5; 102.6, except the second sentence of the first paragraph is deleted; 102.7, except numerals IV and V are deleted; 102.12; 102.13; 107; 108.8; 108.9; 109; 110; and all other related sections of the Specifications.

The terms "Contractor", "Vendor" and "Equipment Owner" used in the above specifications and throughout this contract are interchangeable. Contractor shall mean Vendor and Equipment Owner, Vendor shall mean Contractor and Equipment Owner and Equipment Owner shall mean Contractor and Vendor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010, and the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Building 5, Room 722 1900 Kanawha Boulevard, East Charleston, WV 25305-0430 Phone 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

2. <u>SCOPE OF WORK</u>

The purpose of this contract is to provide equipment for lease from individuals and organizations for use at locations throughout the State of WV by the Division of Highways. Such equipment will be required for the completion of maintenance or construction projects or any other such condition as may result in equipment needs beyond Division of Highways' fleet capacity.

3. <u>BIDDING INSTRUCTIONS</u>

Vendors may quote the cost to supply any or all of the equipment listed on the attached Bid Schedule.

Three schedules make up the Bid Schedule. Schedule I is for equipment without operators. Schedule II is for equipment WITH operators. Schedule III is for Snow Removal and Ice Control (SRIC) equipment to be used in emergency situations when current SRIC Division of Highways equipment is not sufficient due to extreme weather related conditions.

Any qualification of bids or any modification of the specifications or conditions governing the bids, by the vendor, will be cause to reject bids.

Vendors are requested to type prices on Bid Schedule sheets. Bid Schedules <u>must not</u> be altered by the vendor. If Bid Schedules are altered in any way, by the vendor, the bid will be disqualified.

For a quotation to be considered valid, the owner shall provide the manufacturer's name(s), model number(s) and serial number(s) of the equipment offered for lease and the rental rate in dollars per day, dollars per week and dollars per month on the Bid Schedule. Also, equipment owners shall quote the cost to deliver leased equipment to the location specified by the Division of Highways. This quotation shall be the cost to deliver the equipment the first road mile and the cost to deliver the equipment each additional road mile thereafter.

Quotations for mobilization shall be cost per mile. Submission of mobilization quotes in any form other than cost per mile, by the vendor, shall be grounds to disqualify the quotation. Delivery/Mobilization fees shall be paid one way only by the Division of Highways.

In-state delivery route mileage will be calculated by the Division of Highways from the equipment owner's location of the equipment to the Division of Highways job site by utilizing the Division of Highways Straight Line Diagrams. These Diagrams for WV Primary Routes and WV Secondary Routes are available in each Division of Highways' District office and central office. The Division of Highways will determine the route to be taken due to bridge and/or road restrictions.

Out-of-state delivery route mileage will be calculated by the Division of Highways utilizing "Map Quest" or a similar source for routing from the equipment owner's location of the equipment to the WV State line at which time, the Straight Line Diagrams will be sourced to the Division of Highways' job site.

The quoted rates for leased equipment, with operator or without operator (i.e., \$/day, \$/week and \$/month), shall be for lease days, lease weeks and lease months as defined under the heading "DEFINITION OF LEASE PERIOD". Quotations which do not conform to all requirements of this specification will not be honored.

4. <u>LEASING INSTRUCTIONS</u>

The Division of Highways' District wishing to lease a specific type of equipment will compute, for each applicable bid, the cost of renting the equipment during the estimated lease period plus the cost of delivering the equipment to the job site and award the Agency Release to the equipment owner who can furnish the equipment to the Division of Highways at the least overall cost.

A twenty-four (24) hour notice will be given to all vendors prior to the need of equipment by the Division of Highways' District Engineer or his representative except when emergency situations require need upon demand.

Example: Rental of an Aerial Bucket Truck for 3 days (with or without Operator) at \$100.00/day with 10 mile delivery at \$1.00/1st mile and \$.50/each additional mile: To calculate: \$100.00/per day x 3 days = \$300.00 for rental of the equipment only + \$1.00/1st mile + \$4.50/additional 9 miles = \$305.50 total rental for three days.

Equipment owners shall furnish the Division of Highways, the serial numbers of all equipment being leased. Said serial numbers shall be recorded on the Agency Release.

5. DEFINITION OF LEASE PERIOD

The date of official receipt of leased equipment by the Division of Highways shall be considered the first day of lease.

The date immediately preceding the date on which leased equipment is officially returned to the owner shall be considered the last day of lease.

Days on which a piece of equipment is down for normal maintenance or repair for four (4) hours or more during the normal work period shall be considered a day of downtime and shall not be considered a day of equipment lease.

A lease day is a day of agency possession of equipment during which it is not down for four (4) hours or more during the normal work period.

A day or days used by the vendor solely for the purpose of travel to the site, set-up or breakdown of equipment shall not be considered as lease days.

A lease week is seven (7) lease days (includes Saturdays, Sundays and Holidays).

A lease month is thirty (30) lease days (includes Saturdays, Sundays and Holidays).

6. METHOD OF AWARD

All vendors meeting the specifications will be awarded a contract. The award will be made in the best interest of the State of West Virginia. The Division of Highways reserves the right to make multiple awards based on the capacity of each vendor beginning with the lowest responsible bidder.

7. ORDERING PROCEDURE

An Agency Release for equipment will be made as the need arises. Proximity of equipment as to job site shall be a factor in determination of each Agency Release. The Agency Releases will be issued to the lowest responsible bidder, which will include the rental rate of the equipment whether by the day, by the week or by the month plus the equipment delivery fee, that has met the requirements listed in this RFQ.

It is understood between the Division of Highways and all vendors whose bids are accepted, that in the event the low bidder for any given job location is unable to perform, the Agency Release will be made to the next lowest bidder. In the event that no bidder can be found to perform his duties and obligations under the contract, then the Agency Release, upon authorization of the Director of Purchasing, may lease said equipment on the open market.

8. INVOICING INSTRUCTIONS

The minimum period of lease shall be one (1) lease day.

Equipment leased for one (1) lease day or less shall be invoiced at the daily lease rate.

Equipment leased for one (1) lease week or less shall be invoiced at the weekly lease rate or the number of lease days times the daily lease rate, whichever is less.

Equipment leased for more than one (1) lease week but for less than one (1) lease month shall be invoiced at the monthly lease rate or the number of lease weeks times the weekly lease rate or the number of complete lease weeks plus an amount calculated by the above paragraph for any period less than a multiple of seven (7) days, whichever is less.

Equipment leased for one (1) lease month or more shall be invoiced at the monthly rate. In the event the lease period is not a multiple of thirty (30) lease days, then each day in excess of the multiple shall be evaluated as one-thirtieth (1/30) of a lease month.

An invoice for payment on leased equipment shall set forth the following:

- 1. The beginning date and the date on which the invoicing period ends.
- 2. The number of lease days in the invoicing period.
- 3. The number of equipment downtime days in the invoicing period.
- 4. The make, model and serial number of the leased equipment being invoiced, and
- 5. The total owed to the vendor and the method of calculation.

NOTE 1: The Division of Highways will supply the equipment owner with the downtime days in any calendar month within ten (10) days following the end of the calendar month or within ten (10) days following termination of lease, whichever is appropriate. The equipment owner may obtain this information sooner by calling the Division of Highways' District that is leasing the equipment.

NOTE 2: The period of need for leased equipment as specified in the Agency Release is only an estimate of need and shall not be used for invoicing purposes.

9. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendor(s) must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by any State agency as a condition of award.

10. LABOR RATES

All labor rates paid by the Vendor under this contract must be in compliance with, The West Virginia State Code Chapter 21, Article 5A: Wages for Construction of Public Improvements.

THIS REQUEST FOR QUOTATION, GENERAL TERMS AND SCHEDULES I AND II FORM THE QUOTATION AND CONSTITUTE ONE INSTRUMENT THAT MUST BE READ IN ITS ENTIRETY.

GENERAL TERMS

DEFINITION OF "LEASE" AND DESIGNATION OF PARTIES

"Lease" shall mean an agreement wherein the Division of Highways leases the equipment set forth and described in Schedule I, attached to and made a part hereof, for periods of time not to exceed ninety (90) days unless otherwise clearly specified in the Agency Release, which said Agency Release shall define the period of time of any particular lease of equipment.

II DELIVERY/MOBILIZATION

Any Vendor whose bid is accepted by the Division of Highways shall deliver such equipment requested by the Division of Highways at any given time, assembled and ready to operate, to any location or locations designated by Division of Highways.

III ACCEPTANCE: BEGINNING OF TERM

Upon delivery of each item of equipment by the Vendor to the location described in the individual Agency Release, the Division of Highways shall have an authorized representative to test and inspect the same and, if such item of equipment is found to be in good order, to accept such item of equipment and to acknowledge the same in whatever form reasonably required by the Vendor. Such item of equipment shall be deemed to have been delivered to and accepted by the Division of Highways on the date specified in such acknowledgment and the term of the agreement covering such item of equipment shall be deemed to begin on that date.

IV PAYMENT IN ARREARS

The Division of Highways is prohibited by Law from paying in advance for equipment, commodities or services. Therefore, all monthly payments made pursuant to a lease agreement shall be made in arrears, for the preceding month.

V

MAINTENANCE OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED BY THE DIVISION OF HIGHWAYS

- V1. The Division of Highways shall repair or replace any part of the leased equipment which shall be destroyed, damaged or made inoperative by reason of the ordinary negligence, abuse or improper operation by its personnel. The Division of Highways shall not be responsible for any such replacement or repair caused by any defect existing in such equipment at the time of delivery of such equipment by the Vendor to the Division of Highways or if the need for such replacement or repair resulted from normal usage. The Division of Highways shall replace or repair any part of said equipment which shall become lost, stolen or damaged by reason of the failure of the Division of Highways and its personnel to use ordinary care for the protection of such equipment.
- V2. Down Time: All such equipment inoperable by reason of the necessity of replacement of parts or repair of damage for a period of time greater than four (4) hours shall be considered by the Division of Highways as "down" and no payment shall be made by the Division of Highways for the use of such equipment for such periods unless such "down time" is due to the negligence or lack of reasonable care by the Division of Highways.

VI FUEL, OIL AND OTHER LUBRICANTS

The Division of Highways shall, at its expense, provide <u>only</u> fuel, oil and other lubricants (which are necessary for the operation, maintenance and use) of the equipment leased <u>without</u> the vendor's operators. Equipment leased with the vendor's operators shall have fuel, oil and other lubricants supplied by the vendor. Vendors shall be responsible for performance of regular, routine, preventive maintenance, according to Manufacturer recommendations of equipment and parts/supplies associated with regular, routine, preventive maintenance activities.

VII RISK OF LOSS, DAMAGE OR THEFT WHERE OPERATORS OF EQUIPMENT ARE FURNISHED BY THE DIVISION OF HIGHWAYS

All loss, damage, or destruction of such leased equipment, partial or complete, or loss by reason of theft, to or of any of the subject equipment, while in the possession or under the control of the Division of Highways, due to or caused by the ordinary negligence of the Division of Highways or its personnel or by the failure of the Division of Highways or its personnel to exercise ordinary care for the protection of such equipment, shall be borne by the Division of Highways from and after the delivery of such equipment by the Vendor to a

location designated by the Division of Highways and its acceptance by the Division of Highways, subject however, to the terms and conditions hereinafter set forth. The Division of Highways shall not be responsible for any such loss, damage or destruction, partial or complete, caused by a defect in such equipment existing at the time of delivery thereof by Vendor to the Division of Highways.

The total or partial loss of use or possession of any of said equipment resulting, as herein above set forth, shall not abate any payments required to be made by the Division of Highways to the Vendor if such loss of use or possession is caused by the ordinary negligence or the lack of ordinary care of such equipment by the Division of Highways or its personnel.

The subject equipment shall be deemed to be a total loss by reason of its disappearance or if it has sustained physical damage and the estimated cost of repairs is determined, as hereinafter provided, to exceed seventy-five percent (75%) of the market value of such equipment. If a claim is made by the Vendor against the Division of Highways for the loss or damage to such equipment, the Commissioner of the West Virginia Division of Highways shall, pursuant to the provisions of Section 4, Article 3, Chapter 17 of the Code of West Virginia 1931, as amended, review such claim and if, after such review, the said Commissioner shall determine that a sum of money is due the Vendor as a result of any such claim shall, if such determination or finding is acceptable to the Vendor, issue a requisition to the Auditor of the State of West Virginia for the payment of such agreed sum to the Vendor.

Nothing herein contained shall prevent the Vendor from proceeding in the West Virginia Court of Claims as to any claim he, she or it may have against the Division of Highways for such loss, damage or destruction.

In the event that, prior to the payment of any claim to the Vendor by the Division of Highways, the Vendor shall receive any sum of money from any insurance company or from any person, firm or corporation by reason of such loss, damage or theft, any such sum of money so paid to Vendor shall be deducted by the Division of Highways from any claim to be paid by it to the Vendor. If the Vendor shall receive any sum of money from any insurance company, person, firm or corporation for such loss, damage or theft, subsequent to the payment to the Vendor by the Division of Highways of a sum of money for a claim for such loss or damage, the Vendor will pay to the Division of Highways the amount so received or such part of said amount that equals the amount Division of Highways has paid to said Vendor.

VIII

MAINTENANCE AND RISK OF LOSS, DAMAGE OR THEFT OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED WITH EQUIPMENT BY VENDOR

In the event operators are furnished by the Vendor to operate such equipment leased to the Division of Highways, the Vendor shall be responsible for maintenance of such equipment, for all loss to such equipment or destruction of or damage thereto, and shall repair all damage to such equipment and replace any such equipment lost or destroyed. The Division of Highways may deduct that part of any rental to be paid to Vendor for the use of such equipment for such period of time the equipment is not available for such use during the time of such repair or replacement due to such damage or loss or during the time involved in the replacement of any piece of equipment.

The Division of Highways shall be responsible for any loss of such equipment or any part thereof during the time that such equipment is not in use or is not required to be attended by Vendor's operators provided, however, that such equipment is delivered by the Vendor through its operators to a place designated by the Division of Highways' employees or agents, in which case the Division of Highways shall be responsible for the security of such equipment, and, provided further, however, that the Division of Highways' responsibility or liability for such security will be limited to ordinary care.

Such operators so furnished by the Vendor, while under the direction of the Division of Highways, shall remain the employees of and under the control of the Vendor, and shall not be considered as agents of the Division of Highways.

IX Liens

The Division of Highways shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the subject equipment, except with respect to the respective rights of the Vendor and the Division of Highways as herein provided.

X ENJOYMENT OF EQUIPMENT

The Vendor covenants to provide the Division of Highways during the term of the applicable agreement with quiet use and enjoyment of the subject equipment, and the Division of Highways shall, during the term peaceably and quietly have, hold, and enjoy the subject equipment, without suit, trouble or hindrance from the Vendor, except as expressly set forth in this agreement. Any assignee of the Vendor shall not interfere with such quiet use and

enjoyment during the term of the agreement so long as the Division of Highways is not in default.

XI INSPECTION OF EQUIPMENT

To the extent that the Division of Highways has the authority to grant or permit, the Vendor shall have the right, during work hours, to enter upon the premises where the subject equipment is located for the purpose of inspecting or observing the use of the leased equipment.

XII RETURN OF EQUIPMENT

Upon the expiration of the term of this agreement, the Division of Highways shall return the equipment leased hereunder, at its expense, to the Vendor at the original location at which such equipment was delivered to the Division of Highways. Equipment must be washed and clean, upon return to the vendor.

XIII DAMAGE BEYOND CONTROL OF LESSEE

The Division of Highways shall not be liable for damage to or loss of any leased equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the Division of Highways' control.

XIV <u>DEFAULT</u>

Upon default of any of the provisions or terms of this Agreement by either the Division of Highways or the Vendor, the parties hereto shall have recourse to the remedies provided by the laws of the State of West Virginia and the United States of America.

XV INSURANCE

The Division of Highways is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, i.e., over thirty (30) consecutive days equipment lease. Insurance coverage for short term rental/lease equipment will be the responsibility of the owner/Vendor. The Division of Highways will, at its option, either replace or pay to Vendor the fair market value of any of the subject

equipment or any part thereof, lost, destroyed or stolen by reason of the negligence of or lack of ordinary care on the part of its employees as herein-before provided in Section VII.

XVI INDEMNITY

Article X, Section 6 of the Constitution of the State of West Virginia provides that "...the credit of the State shall not be granted nor shall the State ever assume or become responsible for the debts or liabilities of any person." As a result, the Division of Highways, as Lessee, will assume only those liabilities permitted by law for all obligations, losses, damages, injuries, claims, demands, penalties, actions, costs and expenses of whatsoever kind and nature, without recourse to Vendor, or its assigns, arising out of the manufacture, use, condition, operation, removal and return of the subject equipment, regardless of where, how and by whom operated.

XVII NOTICES

All notices to be given under the terms of this Agreement, or required by the laws governing the same, shall be in writing and mailed to the proper party or parties at his, her or its address set forth in the Agency Release or at such address as any such party or parties may provide in writing to the other party or parties from time to time.

XVIII SUCCESSORS OR ASSIGNS

The terms of this agreement will apply to all lessees, successors or assigns of the parties hereto.

Note: Vendor should type Bid Schedule.

The "Bid Schedule" is available for download on Purchasing's Web site at www.state.wv.us/admin/purchase

Note: All contracts on Schedule II which requires equipment "with operator" Vendors should submit a copy of WV Contractor's License.

Vendor shall indicate the area which he wishes to lease equipment to the Division of Highways by placing a check beside those Counties in said area. If Vendor fails to state which County or Counties he wishes to lease equipment to the Division of Highways, it will be assumed that Vendor's bid is for statewide.

()	Statewide				
()	Barbour	()	Lincoln	()	Ritchie
()	Berkeley	()	Logan	()	Roane
()	Boone	()	McDowell	()	Summers
()	Braxton	()	Marion	()	Taylor
()	Brooke	()	Marshall	()	Tucker
()	Cabell	()	Mason	()	Tyler
()	Calhoun	()	Mercer	()	Upshur
()	Clay	()	Mineral	()	Wayne
()	Doddridge	()	Mingo	()	Webster
()	Fayette	()	Monongalia	()	Wetzel
()	Gilmer	()	Monroe	()	Wirt
()	Grant	()	Morgan	()	Wood
()	Greenbrier	()	Nicholas	()	Wyoming
()	Hampshire	()	Ohio		
()	Hancock	()	Pendleton		
()	Hardy	()	Pleasants		
()	Harrison	()	Pocahontas		
()	Jackson	()	Preston		
()	Jefferson	()	Putnam		
()	Kanawha	()	Raleigh		
()	Lewis	()	Randolph		

Schedule I

	Equipme	Equipment Offered	Rental I Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment y Fee
				Operator	or		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
AERIAL BUCKET TRUCK							
Highway Rated TRK. MTD							
50' Reach Min. 43.5' Radious 360 degrees							
Boom Rotation @ level position		,					
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD							
40' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Highway Rated TRK. MTD	•						
55' Reach Min. 360 degrees							
Boom Rotation @ level position							
AERIAL PLATFORM TRUCK							
Elliott Model G50 or similar							
AERIAL PLATFORM TRUCK							
Elliott Model L55 or similar							
ARROW BOARDS							
4'x8' panel 15 lamp		-					
ASPHALT DISTRIBUTOR							
Trk. Mtd. w/spray bar							
ASPHALT RECYLING ATTACHMENT	00-12-17	47 500 R	્ર	% 25°C) %	\$ 9950 °°	8	00 -
Endloader bucket - mounted, asphalt	Haddy I'm Iday		. J.	} } }	<u>.</u>	<u>4.</u> -	<u>`</u>
grinder/recycle attachment; 185 hp min.							
app. 8,500 lb. wt. capable of grinding							
and re-mixing up to 12" deep and up	**************************************						
to 48" wide pavement and base.	The HRACINES						
AUGER							
Trk. Mtd.							
ВАСКНОЕ							
Crawler Mech./Hyd, 0,75 Cyd.							

		ā	

Schedule I

Vendor Should Type Bid Schedule

6612C016

REQ. NO.

1st Mile Add. Mi **Delivery Fee** Equipment \$ / Day | \$ / Week | \$ / Month Without Delivery/Without Rental Rate of Equipment Operator Model/Serial # **Equipment Offered** Manufacturer's Name 29,000 lbs. - 35,800 lbs. Working Weight 36,000 lbs. - 40,000 lbs. Working Weight 42,700 lbs. - 45,900 lbs. Working Weight Excavator Size Excavator Size **Excavator Size** 24,000 lbs. - 28,000 lbs. Working Weight 24,400 lbs. - 35,800 lbs. Excavator Size **Equipment Description** BACKHOE LOADER (HY-RAM) Crawler Mech./Hyd. 0.75 Cyd. Crawler Mech./Hyd. 1.00 Cyd. Crawler Mech./Hyd. 1.25 Cyd. Crawler 2,000 ft./lbs. min. Crawler 2,000 ft./lbs. min. Crawler 2,000 ft./lbs. min. Crawler 2,000 ft./lbs. min. Rubber Tired 55-85 DHP 36,000 lbs. - 42,900 lbs. 61,000 lbs. - 80,000 lbs. 43,000 lbs. - 60,000 lbs. HYRAM ATTCH ONLY BACKHOE (HY-RAM) BACKHOE (HY-RAM) BACKHOE (HY-RAM) BACKHOE (HY-RAM) BACKHOE LOADER Crawler with a thumb 2,000 ft./lbs. min 128 - 141 HP BACKHOE BACKHOE BACKHOE BACKHOE

	•	

Schedule I

Manufacturer's Name Model/Serial # \$ \ \ \text{Nonth PD} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without Operator	iipment Without r	Equipment Delivery Fee	ment y Fee
Midt. Hyd. Breaker 55-85 DHP D BACKHOE LOADER (HO-RAM) Mid. Air Breaker 1,000 fLibs. min. BACKHOE LOADER (HO-RAM) Mid. Air Breaker 1,000 fLibs. min. BACKHOE LOADER TRACTOR - Compact Calvader Spreaker Sprea	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
BACKHOE LOADER (HO-RAM) Mit Air Breaker 1,000 ft.fbs. min. BACKHOE LOADER TRACTOR - Compact Rubber Tried 20-30 HP max. height - 33" Rubber Tried 20-30 HP max. height - 33" Rubber Tried 20-30 HP max. height - 35" Rubber Tried 20-30 HP max. height - 35" BULL DOZER Crawler GD 80-30 DHP D BULL DOZER Crawler GD 100-120 DHP D BULL DOZER Crawler GD 100-120 DHP D BULL DOZER Crawler GD 130-140 DHP D CRAWLET CL 181-250 EHP D BULL DOZER Crawler/Moch TCP 181-250 EHP D CHIP SPREADER SP COMPRESSOR 125-160 CFM Porthal. COMPRESSOR 170-210 CFM Porthal.								
BACKHOE LOADER (HO-RAM) Mut. Ari Breaker 1,100 fulbs. min. BACKHOE LOADER TRACTOR - Compact Ruch Ari Everage 1,100 fulbs. min. BACKHOE LOADER TRACTOR - Compact Rubber Tred 20-30 HP max. height - 33" BASE WIDENER SP Grawler GD 65-75 DHP D BULLDOZER Crawler GD 65-75 DHP D BULLDOZER Crawler GD 100-120 EHP D BULLDOZER Crawler Ripper TCP 181 - 250 EHP D BULLDOZER Crawler Ripper TCP 181 - 250 EHP D COMPRESSOR TTO - 210 CFM Portwh! COMPRESSOR TTO - 210 CFM Portwh!								
MIND Air Breaker 1,000 ft./libs. min. BACKHOE LOADER TRACTOR - Compact Rubber TRACTOR - Compact Rubber TRACTOR - Compact Rubber TRACTOR - Compact BASE WIDENER SP (Shoulder Stone) BULLDOZER Crawler GD 80-90 DHP D BULLDOZER Crawler GD 80-90 DHP D BULLDOZER Crawler GD 80-90 DHP D BULLDOZER Crawler GD 100-120 DHP D BULLDOZER Crawler GD 130-140 DHP D BULLDOZER Crawler GD 130-140 DHP D BULLDOZER Crawler TC 150-250 EHP D BULLDOZER Crawler TC 151-250 EHP D BULLDOZER Crawler/Ripper TCP 181-250 EHP D BULLDOZER Crawler/Winch TCP 181-250 EHP D CAWLESSOR T175-160 CEM Portwhi. COMPRESSOR T170-210 CFM Portwhi.	BACKHOE LOADER (HO-RAM)							
BACKHOE LOADER TRACTOR - Compact Rubber Tried 20-30 HP max. height - 83" Rubber Tried 20-30 HP max. height - 83" Rand Winder Ston (Shoulder Ston) BULLDOZER Crawler GD 65 -75 DHP D BULLDOZER Crawler GD 60-0D HP D BULLDOZER Crawler GD 100-120 DHP D BULLDOZER Crawler GD 130-140 DHP D BULLDOZER Crawler TC 150-250 EHP D BULLDOZER Crawler/Microber TCP 181 - 250 EHP D BULLDOZER Crawler/Whoper TCP 181 - 250 EHP D BULLDOZER Crawler/Whoper TCP 181 - 250 EHP D BULL DOZER Crawler/Whoper TCP 181 - 250 EHP D BULL DOZER Crawler/Whoper TCP 181 - 250 EHP D BULL DOZER COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR 170 - 210 CFM Portwhi. Constrain CFM Portwhi.	Mtd. Air Breaker 1,000 ft./lbs. min.							
Rubber Tired 20-30 HP max. height - 83" BASE WIDENER SP (\$houlder Stone) BULLDOZER Crawler GD 66 -75 DHP D BULLDOZER Crawler GD 130 -140 DHP D BULLDOZER Crawler Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl.	BACKHOE LOADER TRACTOR - Compact							
BASE WIDENER SP (Shoulder Stone) BULLDOZER Crawler GD 68 -75 DHP D BULLDOZER Crawler GD 68 -75 DHP D BULLDOZER Crawler GD 130 -140 DHP D BULLDOZER Crawler TC 160 -250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/Winch TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/R	Rubber Tired 20-30 HP max. height - 83"	Administrative services						
(Shoulder Stone)	BASE WIDENER SP						_	
BULLDOZER Crawler GD 65 -75 DHP D Crawler GD 65 -75 DHP D Crawler GD 60 -90 DHP D BULLDOZER Crawler GD 100 -120 DHP D Crawler GD 100 -120 DHP D D BULLDOZER Crawler GD 130 -140 DHP D Crawler GD 130 -140 DHP D BULLDOZER Crawler GD 130 -140 DHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Minch TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D BULLDOZER Crawler/Minch TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D COMPRESSOR COMPRESSOR 170 - 210 CFM Portwil. COMPRESSOR 250 - 300 CFM Portwil. COMPRESSOR 250 - 300 CFM Portwil. COMPRESSOR	(Shoulder Stone)							
Crawler GD 65 -75 DHP D	BULLDOZER							
BULLDOZER Crawler GD 80 -90 DHP D BULLDOZER Crawler GD 100 -120 DHP D BULLDOZER Crawler GD 130 -140 DHP D BULLDOZER Crawler GD 130 -140 DHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Minch TCP 181 - 250 EHP D BULLDOZER CAWPRESSOR 125 - 160 CFM Portwhi. COMPRESSOR 250 - 300 CFM Portwhi.	Crawler GD 65 -75 DHP D							
Crawler GD 80 -90 DHP D	BULLDOZER							
BULLDOZER Crawler GD 100 -120 DHP D Crawler GD 100 -120 DHP D BULLDOZER Crawler GD 130 -140 DHP D Crawler GD 130 -140 DHP D BULLDOZER Crawler TC 150 - 250 EHP D Crawler Mipper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D COMPRESSOR COMPRESSOR TOC -210 CFM Portwhi. COMPRESSOR COMPRESSOR COMPRESSOR 250 - 300 CFM Portwhi. COMPRESSOR	Crawler GD 80 -90 DHP D							
Crawler GD 100-120 DHP D BULLDOZER Crawler GD 130-140 DHP D BULLDOZER Crawler TC 150-250 EHP D BULLDOZER Crawler/Ripper TCP 181-250 EHP D BULLDOZER Crawler/Ripper TCP 181-250 EHP D Crawler/Ripper TCP 1	BULLDOZER							
BUILDOZER Crawler GD 130 -140 DHP D Crawler GD 130 -140 DHP D Crawler TC 150 - 250 EHP D BUILDOZER Crawler/Ripper TCP 181 - 250 EHP D Crawler/Ripper TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhi. COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR 256 - 300 CFM Portwhi. COMPRESSOR	Crawler GD 100 -120 DHP D							
Crawler GD 130 -140 DHP D BULLDOZER Crawler TC 150 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhi. COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR 250 - 300 CFM Portwhi.	BULLDOZER							
BULLDOZER Crawler TC 150 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Minch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhi COMPRESSOR 170 - 210 CFM Portwhi COMPRESSOR 250 - 300 CFM Portwhi	Crawler GD 130 -140 DHP D							
Crawler TC 150 - 250 EHP D BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Winch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 250 - 300 CFM Portwhl.	BULLDOZER							
BULLDOZER Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Minch TCP 181 - 250 EHP D Crawler/Minch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR COMPRESSOR 250 - 300 CFM Portwhl.								
Crawler/Ripper TCP 181 - 250 EHP D BULLDOZER Crawler/Winch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 250 - 300 CFM Portwhl.	BULLDOZER							
BULLDOZER Crawlet/Winch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR COMPRESSOR COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR COMPRESSOR COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR 250 - 300 CFM Portwhi. COMPRESSOR	Crawler/Ripper TCP 181 - 250 EHP D							
Crawler/Winch TCP 181 - 250 EHP D CHIP SPREADER SP COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 250 - 300 CFM Portwhl.	BULLDOZER							•
COMPRESSOR COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR COMPRESSOR COMPRESSOR 250 - 300 CFM Portwhl. COMPRESSOR	Crawler/Winch TCP 181 - 250 EHP D							
COMPRESSOR 125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 250 - 300 CFM Portwhl.	CHIP SPREADER SP							
125 - 160 CFM Portwhl. COMPRESSOR 170 - 210 CFM Portwhl. COMPRESSOR 250 - 300 CFM Portwhl.	COMPRESSOR							
COMPRESSOR 170 - 210 CFM Portwhi. COMPRESSOR 250 - 300 CFM Portwhil.	125 - 160 CFM Portwhi.							
170 - 210 CFM Portwhi. COMPRESSOR 250 - 300 CFM Portwhi.	COMPRESSOR							
COMPRESSOR 250 - 300 CFM Portwhi	170 - 210 CFM Portwhl.							
250 - 300 CFM Portwhi.	COMPRESSOR							
	250 - 300 CFM Portwhl.	- Andrews - Control of the Control o						

•		
		•
	•	

Schedule I

	Equipme	Equipment Offered	Rental Ra Without I	Rental Rate of Equipment Without Delivery/Without Operator		Equipment Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week \$ / Month	ith 1st Mile	e Add. Mi.
COMPRESSOR						
350 - 375 CFM Portwhl.					-	
COMPRESSOR						
600 CFM Portwhl.						
COMPRESSOR				-		
700 - 800 CFM Portwhl.						
CONCRETE MIXER						
Trk. Mtd. 6.0 Cyd.						
CONCRETE SAW						
Full Depth CAP - 24" Blade						
CONCRETE VIBRATORY SCREED						
Air Powered - 36 ft. max.						
CONVEYER			,			
Port. Elev. W/Dumpster 2T min. @ 32						
deg. Incline - 18" width 60' length -						
PTO Gas or Diesel Engine Self-Elev.						
CRACK SEALING MACHINE						
Trir. Mtd. Dbl. Drum						
100 -125 GLN. D						
CRANE 10 T Hyd.						
Trk. Mtd. min. 18' Bed						
CRANE 12 - 1/2 T Hyd.						
Trk. Mtd. min. 18' Bed						
CRANE 14 T Hyd.						
Trk. Mtd. min. 18' Bed						
CRANE 15 - 25 T					· · · •	
Hyd. Rough Terrain						
CRANE 20 - 25 T						
Cable D Crawler						

	ž				,	
	-					
·						
	y.					
·						
				·		

Schedule I

	L	7	Rental	Rental Rate of Equipment	lipment	Equipment	ment
	Equipme	Equipment Offered	Withou	Without Delivery/Without Operator	Without	Delivery Fee	y Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.							
CRANE 40 T Hyd.							
CRANE 50 T Hyd.							
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank 1400 PSI min.							
CULVERT CLEANER							
БІТСН МІТСН							
DRILL							
Track Hoe Mtd.							
EQUIPMENT TRAILER							
10,000 lbs or less							
16ft - 18 ft length to attach to a pintle hitch Tilt style deck							
EQUIPMENT TRAILER							
12,000 lbs - 14,000 lbs							
16ft - 18 ft length to attach to a pintle hitch Tilt style deck							
EXCAVATOR - TELEBOOM Track Mtd. SP 0.5 Cyd. D							
EXCAVATOR - TELEBOOM	And Andrews and An						

<i>†</i>	ž.		
	,		
		,	

Schedule i

		-	Rental	Rental Rate of Equipment	ipment	Equipment	nent
	Edulpme	Equipment Offered	Withou	Without Delivery/Without Operator	Without	Delivery ree	
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
Truck Mtd. SP 0.5 Cyd. D							
EXCAVATOR							
w/McMillen extreme duty earth auger or similar							
EXCAVATOR							
Mini-Hyd. Track Mtd. 2,600 lbs. max.							
EXCAVATOR						•	
Mini-Hyd. Track Mtd. 6,500 lbs. max.							
EXCAVATOR - 1/8 Cyd.							
30 HP D Track Width 5' out-to-out							
EXCAVATOR - 1/5 Cyd. 44 HP D						,	
11,000 lbs. Track Width 6' out-to-out							
EXCAVATOR - 1/4 Cyd.							
55 HP D 14,000 lbs. Bucket							
Track Width 6' out - to - out							
EXCAVATOR ATTACHMENT							
Plate compactor for 15,000-20,000 lb excavator							
EXCAVATOR ATTACHMENT							
Hydraulic hammer for 15,000-20,000 lb excavator							
FLATBED TRUCK							
1 Ton minimum with 22 ft. bed length minimum							
FORKLIFT TRUCK							
Rough Terrain, 5 - 10 K lb. lift cap.							
HAMMER (MOBILE) SP							
Pavement Brkr. Drop 70 HP min.							
HAMMER (DELMAG) PILE-D.							
D8-22							
HIGH FLOW SKID STEER							
Attachment: Broom							
Attachment: Bucket							
Attachment: Broom Bucket							

	÷	, .	

.

Schedule I

	Equipme	Equipment Offered	Rental I Withou	Rental Rate of Equipment Without Delivery/Without	iipment Vithout	Equipment Delivery Fee	ment y Fee
				Operator	_		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
Attachment: Auger of any diameter							
Attachment: Trencher of any width							
HYDRO-SEEDER							
HYDRO-SEEDER							
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER							
3 Cylinder, Tandum Dual 2 Axle							
Vat Capacity - 200 gallons							
Tank - Double Boiler Type - opening 16"x24"							
Maximum Heat Input - Diesel 290,000 BTU							
Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT.							
4 - 1,000 w/bulbs							
MANLIFT							
40 ft.							
MANLIFT SP							
80 ft.							
MANLIFT SP							
130 ft.							
MESSAGE SIGN - PROGRAMMABLE							_
MILLING PLANER 30" COMPLETE WITH							
SKID STEER LDR.							
Operating capacity of at least 2150 lbs.							
MILLING PLANER COMPLETE WITH							
SKID STEER LDR.							
1 ft. cut min. to 5 ft. cut max.							
MORTAR MIXER							
6 CF 5 HP G							

Schedule I

	Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without Operator	ıipment Without r	Equipment Delivery Fee	nent / Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
MOTOR GRADER							
35,000-45,000 lbs. class							
MOWER TRACTOR				_			
Disc Type Attachment							
3 pt. hitch							
PAVER							
Curb Extruding Type SP G							
PAVER	-				·		
HMA							
RADIO REMOTE CONTROLLED TRACK LOADER							
20 HP Minimum and 44" Max Overall Height							
RIGGING SYSTEM					`		
(Catenary Scaffolding System) To Provide							
Inspection Access to Underside of Bridges							
ROCKDRILL - SP							
Hyd. Excav./Boom Mtd.			-				
3" Holes/20' deep min.							
ROCK HAMMER FOR EXCAVATOR							
5000-7000 lbs. class							
ROCK WAGON							
20 -30 T							
ROLLER		-					
5 T w/2 steel drums							
ROLLER							
5-6T PNEUTR TOW/Trk. Mtd.							
ROLLER							
10 T PNEUTR							
ROLLER					=.		
7-15 T PNEUTR, Articulated							
ROLLER SP			-	_	_	.	-

Schedule I

SK GVW D Steel		Model/Serial #	\$ / Day	Operator	ı		Add Mi
Manufacturer's Name		odel/Serial #	\$ / Day				And Ni
PNEUTR - 10K GVW G				\$ / Week	\$ / Month	1st Mile	
ROLLER SP PNEUTR - 20K GVWG ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D SCREENERS, Material Mobile - Diesel SIA Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj: 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 11 - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREET SWEEPER SP Trk. Mtd. STREET SWEEPER SP Trk. Mtd. STREET SWEEPER SP							
PNEUTR - 20K GVW G ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 10 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHOULDER MAINTAINER PORT. Pull-type Adj: 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1 - 6" and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP Trk. Mtd. STREET SWEEPER SP							
ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHADOW TRUCK W/Attenuator Mobile - Diesel SHADOW TRUCK W/Attenuator Min. 30,000 GVW SHADOW TRUCK W/Attenuator Min. 30,000 GVW SHADOW TRUCK W/Attenuator Min. 30,000 GVW SPREAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1'-6' and 6"-12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.) STREET SWEEPER SP							
Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1 - 6 and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							·
Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHADOW TRUCK w/Attenuator min. 30,000 GVW SHADOW TRUCK W/Attenuator Mobile - Diesel SHADOW TRUCK W/Attenuator Mobile - Diesel SHADOW TRUCK W/Attenuator Min. 30,000 GVW SHADOW TRUCK W/Attenuator Mobile - Diesel SHADOW TRUCK BLOWER 1 - 6' and 6' - 12" depth STRAILIZER (BO-MAG) SP 250 HP min. STRAILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 30 Cyd. (min.)							-
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj: 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1 - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd (min.) STREET SWEEPER SP 3.0 Cyd (min.)							
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
SP 1 Drum 2XL 10-20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW Shoulder Maintainer Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREYN / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREYW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3:0 Cyd. (min.)							
SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)	_						
SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar Spreadmaster Al-100 T or similar ShouLDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)						-	
Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
one width - 12" depth (BO-MAG) JLCH BLOW							
R (BO-MAG) R (BO-MAG) JLCH BLOWI REPER SP III.)						-	
R (BO-MAG) JLCH BLOWI MEEPER SP JIII)							
STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP 3.0 Cyd. (min.)							
PER			•				
PER							
SI KEEL SWEEPER OF							
8.0 Cyd. (min.)							
STREET SWEEPER						-	

Schedule I

Equipment Description		Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment y Fee
Dm In Manufacturer's Name					Operato	_		
Trit. Type STREET SWEEPER-HYDROSTATIC Bigin Peter In or similar STREET SWEEPER-HYDROSTATIC Bigin Peter Switch Peter - Truck-Mounted 4.0 C.Y. Minimum hopper capacity 4.0 C.Y. Minimum hopper capacity 4.0 C.Y. Minimum hopper capacity 5.0 C.Y. Minimum hopper capacity 1.1 Oto (bs. up to 33,000 lbs TRACTOR BOOM MOWER 1.1 Oto (bs. up to 33,000 lbs TRACTOR BOOM MOWER 1.1 Oto (120 lb, class TRACTOR BOOM MOWER 1.1 Oto (120 lb, class TRAFFIC SIGNALS - PORT TRAFFIC SIGNALS - PORT TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 30 ft, maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft, maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft, maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft, maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft, maximum horizontal reach UNDERBRIDGE PRAFFORM UNDERBRIDGE PLATFORM UNDERBRIDGE PLATFO	Equipment Description	Manufacturer's Name		\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
STREET SWEEPER-HYDROSTATIC Eigh Pelican III or similar STREET SWEEPER - Truck-Mounted STREET SWEEPER - Truck-Mounted STREET SWEEPER - Truck-Mounted STREET SWEEPER - Truck-Mounted At 0. C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom TRACTOR BOOM MOWER TOO libs up to 33,000 lbs TRACTOR BOOM MOWER TOO libs up to 33,000 lbs TRACTOR BOOM MOWER TOO libs up to 33,000 lbs TRACTOR BOOM MOWER TREACH PACK UNDERBRIDGE INSPECTION UNIT Soft maximum horizontal reach UNDERBRIDGE INSPECTION UNIT Soft maximum horizontal reach UNDERBRIDGE INSPECTION UNIT Soft maximum horizontal reach UNDERBRIDGE PLATFORM Tit. Mut. Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Tit. Mut. Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM UNDERBRIDGE PLATFORM	Trir. Type							
Egin Pelican III or similar STREET SWEEPER - Truck-Mounted 4.0.C.Y. Minimum hoper capacity 5.0.C. Minimum horizontal reach 1.0.00 lbs up to 33,000 lbs TRACTOR BOOM MOWER 1.0.00 lbs up to 33,000 lbs TRACTOR BOOM Lbs TRACTOR BOOM MOWER 1.0.00 lbs up to 33,000 lbs TRACTOR BOOM Lbs TRACTOR BOOM MOWER 1.0.00 lbs TRACTOR BOOM Lbs TRAC	STREET SWEEPER-HYDROSTATIC						• •	
## STREET SWEEPER - Truck-Mounted # Jo C.Y. Minimum hopper capacity Weter-syre system for dust control # Jo C.Y. Minimum hopper capacity Weter-syre system for dust control # Jo C.Y. Minimum hopper capacity # Jo C.Y. December 11	Elgin Pelican III or similar							
4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs TRACTOR BOOM MOWER 110 to 120 hp, class TRAFFIC SIGNALS - PORT 2 Phase Videning Machine) UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE PLATFORM UNDERBRIDGE PLATF	STREET SWEEPER - Truck-Mounted							
Water-spray system for dust control Side/curb brooms and rear/center broom 11 (1000 lbs up to 33,000 lbs TRACTOR BOOM WOWER 110 to 120 hp, class 110 to 120	4.0 C.Y. Minimum hopper capacity			·				
Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs TRACTOR BOOM MOWER 110 to 120 hp. class TRAFFIC SIGNALS - PORT 2 Phase Operation D/E TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM	Water-spray system for dust control							
TRACTOR BOOM MOWER TRACTOR BOOM MOWER 110 to 120 hp, class TRAFFIC SIGNALS - PORT 2 Phase Operation D/E TRENCH PAVER (Base Widehing Machine) UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM UNDERBRIDGE	Side/curb brooms and rear/center broom							
TRACTOR BOOM MOWER TITO 120 hp, class TRAFFIC SIGNALS - PORT TRAFFIC SIGNALS - PORT TRAFFIC SIGNALS - PORT TRAFFIC SIGNALS - PORT TRENSE Operation D/E TRENSE OPERATION D/E TRENSE Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd. Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd. Hyd. SP Min. 20 ft. horizontal reach Trit. Mtd. Hyd. SP Min. 30 ft. horizontal reach Trit. Mtd. Hyd. SP Min. 30 ft. horizontal reach Trit. Mtd. Hyd. SP Min. 30 ft. horizontal reach Trit. Mtd. Hyd. SP Min. 30 ft. horizontal reach	11,000 lbs up to 33,000 lbs							
TRACTOR BOOM MOVER 110 to 120 hp, class TRAFFIC SIGNALS - PORT 2 Phase Operation D/E TRENCH PAVER (Base Videning Machine) UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM UNDERB								
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E TRENCH PAVER [Base Widening Machine] UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM UNDE	TRACTOR BOOM MOWER							
TRAFFIC SIGNALS - PORT 2 Phase Operation D/E TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT UNDERBRIDGE INSPECTION UNIT UNDERBRIDGE INSPECTION UNIT UNDERBRIDGE PLATFORM Tri. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach	110 to 120 hp, class							
2 Phase Operation D/E TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT UNDERBRIDGE PLATFORM Trir. Mid., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mid., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mid., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mid., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mid., Hyd. SP Min. 30 ft. horizontal reach	TRAFFIC SIGNALS - PORT							
TRENCH PAVER (Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	2 Phase Operation D/E							
(Base Widening Machine) UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	TRENCH PAVER							
UNDERBRIDGE INSPECTION UNIT 20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach 10 ft. maximum horizontal reach Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach 10 ft. maximum horizontal reach	(Base Widening Machine)							
20 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE INSPECTION UNIT							
UNDERBRIDGE INSPECTION UNIT 30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach Trit. Mtd., Hyd. SP Min. 30 ft. horizontal reach	20 ft. maximum horizontal reach							
30 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE INSPECTION UNIT							
UNDERBRIDGE INSPECTION UNIT 40 ft. maximum horizontal reach 60 ft. maximum hor	30 ft. maximum horizontal reach							
40 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE INSPECTION UNIT					_		
UNDERBRIDGE INSPECTION UNIT 50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	40 ft. maximum horizontal reach							
50 ft. maximum horizontal reach UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE INSPECTION UNIT							
UNDERBRIDGE INSPECTION UNIT 60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	50 ft. maximum horizontal reach							
60 ft. maximum horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE INSPECTION UNIT			·				
UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	60 ft. maximum horizontal reach							
Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach	UNDERBRIDGE PLATFORM							
UNDERBRIDGE PLATFORM Trir. Mtd., Hvd. SP Min. 30 ft. horizontal reach	Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach							
I rir. Witd., HVG. SP. Wiln. 30 ft. nonzontal readil	UNDERBRIDGE PLATFORM							
	I fir. Mtd., Hyd. SP Min. 30 ft. nonzonial reach							

Schedule I

Vendor Should Type Bid Schedule

Equipment Description Trir. Mtd., Hyd. SP Min. 40 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trix. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swivel/rotating hose reel	Manufacturer's Name		Operator	Operator	Ļ	•	
Trir. Mtd., Hyd. SP Min. 40 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft telehoom w/swivel/trating hase real		Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swivel/rotating base reel							
Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach UNDERBRIDGE PLATFORM Trir. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swivel/rotating base reel							
UNDERBRIDGE PLATFORM Trlr. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swive//rotating base reel							
Trir. Mtd., Hyd. SP Min. 60 ft. horizontal reach VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swivel/rotating base reel							
VACUUM/SPRAY UNIT Trk. Mtd. min. 1,000 gal. tank min. 60 gpm 4 ft teleboom w/swivel/rotating base reel							
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft teleboom w/swivel/rotation has reel							
The total contraction of the con							
VAN - BOX							
21,000 or greater							
WATER PUMPS - 3"							
WSUCTION & DISCHARGE HOSES							·
WATER PUMPS - 4"							
w/suction & discharge hoses							
WATER PUMPS - 6"							
w/suction & discharge hoses							
WATER PUMPS - 12"							
w/SUCTION & DISCHARGE HOSES							
WORK PLATFORM SP						•	
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							
St. 35' High Platform 1,500# CAP							

Vendor Should Type Bid Schedule

SCHEDULE II

	Equipment Offered	t Offered	Rental Rate of Equipment Without Delivery/ WITH OPERATOR	al Rate of Equipment Without Delivery/ WITH OPERATOR	Equi) Delive	Equipment Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	ek \$ / Month	1st Mile	Add. Mi.
BACKHOE - CRWLR - HY-RAM						
24,000 lbs 35,800 lbs.						
BACKHOE - CRWLR - HY-RAM				····•		-
36,000 lbs 42,900 lbs.						
BACKHOE - CRWLR - HY-RAM						
43,000 lbs 60,000 lbs.						
BACKHOE - CRWLR 1.25 Cyd.						
128 - 141 HP				······································		
42,700 lbs 45,900 lbs.	,					
CONCRETE PUMP Trir. Mtd.						
w/hoses w/o Boom						
CONCRETE PUMP Trk. Mtd.						
w/hoses and Boom up to 30 meters						
CONCRETE PUMP						
Trk. Mtd. with hoses						
and Boom over 30 meters						
CRANE 15-25 TON Hyd.						
Rough Terrain						
CRANE - Hyd., Trk. Mtd. D						
30 TON						
CRANE - Hyd., Trk. Mtd. D				·		
35 TON						
CRANE - Hyd., Trk. Mtd. D				, · . ·		
NOT OF				•		

Vendor Should Type Bid Schedule

SCHEDULE II

Equipment Description CRANE - Hyd., Trk. Mtd. D 50 TON CPANE LYG. Trk. Mtd. D	Equipment Offered Manufacturer's Name Mode	t Offered	-				
T 1	Manufacturer's Name		× ×	Without Delivery/	very/ 4 <i>TOR</i>	Delive	Delivery Fee
CRANE - Hyd., Trk. Mtd. D 50 TON CPANE Hyd. Trk. Mtd. D		Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
SO TON CDANIE HAS THE MASS D							
CDANIE LIVIS THE PART D							
כוסיוור. ווה. ויולני - ויולני - ווה. ואוני. ב							·
eo Ton							
CRANE - Hyd., Trk. Mtd. D							
75 TON	•						
CRANE - Hyd., Trk. Mtd. D							
90 TON							
CRANE - Hyd., Trk. Mtd. D							
100 TON						•	
CRANE - Hyd., Trk. Mtd. D							
110 TON							
CRANE - Hyd., Trk. Mtd. D					·		
120 TON							-1
CRANE - Hyd., Trk. Mtd. D							
150 TON							
CRANE - Hyd., Trk. Mtd. D							
165 TON							
CRANE - Hyd., Trk. Mtd. D							
175 TON							
CRANE - Hyd., Trk. Mtd. D			-			-	
225 TON							

Vendor Should Type Bid Schedule

SCHEDULE II

			Rental Rate of Equipment	quipment	Equip	Equipment
	Equipment Offered	t Offered	Without Delivery/ WITH OPERATOR	livery/ 24TOR	Delivery Fee	ry Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE - Hyd., Trk. Mtd. D						
300 TON						
CRANE - Hyd., Trk. Mtd. D						
CRANE - TELEBOOM SP						
30 TON						
CRANE - TELEBOOM SP						
35 TON						
CRANE - TELEBOOM SP					· · · · · · · · · · · · · · · · · · ·	
50 TON						
RADIO REMOTE CONTROLLED TRACK LOADER						٠
20 HP Minimum and 44" Max Overall Height						
STREET SWEEPER - Truck-Mounted						
4.0 C.Y. Minimum hopper capacity		-				
Water-spray system for dust control						
Side/curb brooms and rear/center broom			<u> </u>			
11,000 lbs up to 33,000 lbs						
UNDERBRIDGE INSPECTION UNIT						
Small Bucket Type						
30 ft. max. horizontal						
UNDERBRIDGE INSPECTION UNIT						
Large Platform or Bucket Type						
50 ft. max. horizontal						

SCHEDULE II Ve

Vendor Should Type Bid Schedule

REQ. NO. 6612C016

| \$ / Day | \$ / Week | \$ / Month | 1st Mile | Add. Mi. Delivery Fee Equipment Rental Rate of Equipment WITH OPERATOR Without Delivery/ Model/Serial # **Equipment Offered** Manufacturer's Name **Equipment Description** UNDERBRIDGE INSPECTION UNIT UNDERBRIDGE INSPECTION UNIT VACUUM TRUCK/JETT-RODDER (Including driver and operator) (Including driver and operator) Snooper Series 260 or similar Snooper Series 230 or similar 65 - 85 GPM @ 3,000 PSI

Vendor Should Type Bid Schedule

	Emergency SRIC Equipment	Equipment	Rental Rawith	Rental Rate of Equipment Without Delivery/ WITHOUT OPERATOR	uipment /ery/ RATOR	Equi Delive	Equipment Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$	\$ / Week	\$ / Month	1st Mile	Add. Mi.
TRUCK 7,000 GVWR							
7' Plow - Electric Hydro							
TRUCK 9,000 GVWR						·	
8' V-Plow with Hopper - Electric Hydro							
TRUCK 9,000 GVWR							
8' Plow - Electric Hydro							
TRUCK 10,000 GVWR							
8' Plow with DumpBed/Tailgate							
3 yard Capacity - Electric Hydro							
TRUCK 10,000 GVWR							
8' Plow with S.S. V-Box							
3 yard Capacity - Electric Hydro							
TRUCK 10,000 GVWR					•		
8' Plow, 3 yard Capacity - Electric Hydro							
TRUCK 10,000 GVWR				****			
8' Plow with Hopper - Electric Hydro							
TRUCK 10,000 GVWR							
8' Plow, 2 yard Capacity - Electric Hydro							
TRUCK 10,000 GVWR							
8' Plow with S.S. V-Box							
2 yard Capacity - Electric Hydro							
TRUCK 10,000 GVWR							
S' S" _Dlow_ Electric Hyzero							

Vendor Should Type Bid Schedule

	Emergency SRIC Equipment	Equipment	W HTIW	Without Delivery/ WITHOUT OPERATOR	Without Delivery/ WITHOUT OPERATOR	Delive	Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
TRUCK 15,000 GVWR							
9' Plow with DumpBed/Tailgate							-
5 yard Capacity - Central Hydro							
TRUCK 16,000 GVWR							
9' Plow with S.S. V-Box							
5 yard Capacity - Central Hydro							
TRUCK 16,000 GVWR							
9' Plow, 5 yard Capacity - Electric Hydro							
TRUCK 18,000 GVWR							
9' Plow with DumpBed/Tailgate							<u>.</u>
5 yard Capacity - Central Hydro							
TRUCK 21,000 GVWR							
9' Plow with S.S. V-Box			-				
6 yard Capacity - Central Hydro							
TRUCK 21,000 GVWR							
10' Plow with S.S. V-Box							
6 yard Capacity - Central Hydro							
TRUCK 26,000 GVWR							
10' Plow with DumpBed/Tailgate							
8 yard Capacity - Central Hydro							
TRUCK 26,000 GVWR							
10' Plow with S.S. V-Box							
7 yard Capacity - Central Hydro							

Vendor Should Type Bid Schedule

		Meaning responsibilities and the second seco	Rental F	Rental Rate of Equipment	uipment	Equi	Equipment
	Emergency SRIC Equipment	Equipment	Wit WITHC	Without Delivery/ WITHOUT OPERATOR	very/ RATOR	Delive	Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
TRUCK 26,000 GVWR							
10' Plow with S.S. V-Box							
8 yard Capacity - Central Hydro							
TRUCK 70,000 GVWR						-	
10' Plow with DumpBed/Tailgate						-	
20 yard Capacity - Central Hydro							
TRUCK 26,000 GVWR							
1,800 gallon Salt Brine Spray Rig							
Central Hydro							
TRUCK 70,000 GVWR					•		
3,200 gallon Salt Brine Spray Rig							
Central Hydro							
TRUCK 70,000 GVWR							
4,000 gallon Salt Brine Spray Rig							
Central Hydro							
TRUCK SINGLE AXLE DUMP							
10' Plow - 7 yard spreader with wet tank			+				
RUBBER TIRE LOADER							
130 hp with 3 yard Bucker Capacity							
14' Pusher							
RUBBER TIRE LOADER							
150 hp with 3 yard Bucker Capacity							
14' Pusher							

Vendor Should Type Bid Schedule

Manufacturer's Name Model/Serial # \$ / Day \$ / Week \$ / Month		Emergency SRIC Equipment	Equipment	Rental Rate of Equipment Without Delivery/ WITHOUT OPERATOR	quipment ivery/ :RATOR	Equipment Delivery Fee
RUBBER TIRE LOADER 150 hp with 3 yard Bucker Capacity 12' Plow Power Angle BLOWERS Capacity to blow 1,500 tons per hour BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week		1st Mile Add. Mi.
150 hp with 3 yard Bucker Capacity 12' Plow Power Angle BLOWERS Capacity to blow 1,500 tons per hour BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	RUBBER TIRE LOADER				-	
12' Plow Power Angle 12' Plow Power Angle BLOWERS Capacity to blow 1,500 tons per hour BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour	150 hp with 3 yard Bucker Capacity					
BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour Capacity to blow 4,000 tons per hour	12' Plow Power Angle					
Capacity to blow 1,500 tons per hour BLOWERS Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	BLOWERS					
BLOWERS Capacity to blow 3,300 tons per hour Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 3,300 tons per hour Capacity to blow 4,000 tons per hour	Capacity to blow 1,500 tons per hour					
Capacity to blow 3,000 tons per hour BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	BLOWERS					
BLOWERS Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	Capacity to blow 3,000 tons per hour					
Capacity to blow 3,300 tons per hour BLOWERS Capacity to blow 4,000 tons per hour	BLOWERS					
BLOWERS Capacity to blow 4 000 tops per hour	Capacity to blow 3,300 tons per hour					
Capacity to blow 4 000 tons per hour	BLOWERS					
	Capacity to blow 4,000 tons per hour					

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

_,,,,,,,,	
1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced-
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately
	preceding the date of this certification; or , Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or ,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted: or.
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requ aga	der understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the uirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty inst such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency educted from any unpaid balance on the contract or purchase order.
By s auth the	submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and norizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information the taxes paid nor any other information the taxes paid nor any other information to the taxes paid nor any other information the taxes are taxed by the tax commissioner to be confidential.
and	der penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true If accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate Enges during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bid	te: 2-2-2012 Title: Area Manager Title: Area Manager
Dat	te: 2-2-2012 Title: Area Manager
*Ch	eck any combination of preference consideration(s) indicated above, which you are entitled to receive.

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE Vendor's Name: Asphalt Zippel? Inc. Authorized Signature: Amul Weston Date: 2-2-2012 State of Wah County of Wah, to-wit: Taken, subscribed, and sworn to before me this 2 day of Fubruary, 2012. My Commission expires 08-18-2014, 20. AFFIX SEAL HERE KAREN BAKER NOTARY PUBLIC Large Baken MOTARY PUBLIC STATE OF UTAH MOTARY PUBLIC STATE OF UTAH MOTARY PUBLIC STATE OF UTAH

COMM. EXP. 08-18-2014

Please use this document for technical question format	ns, posing in a question
Please refer to the section your question is in reference to.	
Technical questions for RFQ#	•
Vendor Name:	
Questions:	
•	

Asphalt Zipper

THE WORLD LEADER IN PORTABLE RECLAMATION

February 2, 2012 West Virginia Purchasing Division Charleston, WV. 25305-0130 Attn: Buyer #33

Ref: RFQ# 6612C016(Attachment 1)

Asphalt Zipper, Inc. will require a 1-week advance notice of intended rental. This will provide Asphalt Zipper the necessary time to deliver the machine as well as to arrange for our Authorized Manufacturer's Representative to provide the required training in the operation and maintenance of the Zipper. This will ensure that the user has the most productive experience.

As part of the rental price, 25 replacement bits will be delivered with the machine. Bits are replaced as they wear; this provides higher performance and help with pulverized material consistency. Part of the training process will be how to recognize bit wear and how to replace the bits as they wear.

--Bits may be purchased at a cost of \$200.00 per bucket of 25 bits.

Asphalt Zipper also offers an attachment for the Zipper called a Grind Box containment system and is used in thin, cracked asphalt. The containment box keeps the material in the process longer, enabling the user to control the consistency of the material and eliminating the chunks.

--Grind Box Rental is available for \$250.00 per day/week or \$1000.00 per month.

Asphalt Zipper <u>requires</u> the use of water during the pulverization process. This not only helps with dust control but also reduces bit wear and aides in compaction. We offer a 150 gallon water tank which mounts on the back of the host loader.

--Water Tank Rental is available for \$60.00 per day/week or \$250.00 per month.

Jamie Weston Area Manager Asphalt Zipper, Inc.