

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

8 H P

Ö

6612C016

PA	GE
	1

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS 304-558-2402

*130144706 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399 GILBERT WV 25621

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

01/23/2012		TEHMS OF SACE			SHIP VIA	F.U.B	PHEIGHT TERMS
BID OPENING DATE:		02/29/2012			BID	OPENING TIME	01:30PM
LINE	QUA	YTITY	UOP	CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	ROAD A	1	EA HWAY		975-66 Ment Lease		COCIVED
			:	OPEN	END CONTRACT		818 FEB 24 A 9:42
	AGENCY SOLICI FOR LE ORGANI DETERM	, THE TING B ASE OF ZATION	WEST IDS F EQUI S FOR Y THE	VIRGI OR AN PMENT PURP DIVI	E PURCHASING DIVNIA DIVISION OF OPEN END CONTRAFROM INDIVIDUAL OSES AND LOCATION OF HIGHWAYSS.	HIGHWAYS, IS CT TO PROVIDE S AND NS TO BE	E CALL SIMB DIVISION
	SCHEDU	LE II: LE III	IS F	OR EQ	IPMENT WITHOUT A UIPMENT WITH AN IPMENT USE IN EM	OPERATOR.	
	TECHNI BE SUB VIRGIN 304-55	CAL QU MITTED IA STA 8-4115	IN W TE PU OR V	RITIN RCHAS IA EM	NCERNING THIS SO G TO ALAN CUMMIN ING DIVISION VIA AIL AT ALAN.W.CU	GS IN THE WEST FAX AT MMINGSOWV.GOV.	
	CLOSE ANY TE	OF BUS	INESS L QUE	STION O BE	S RECEIVED WILL ISSUED BY THE PU	BE ANSWERED BY RCHASING	
SIGNATURE		Stau	1-	SEE RE	VERSE SIDE FOR TERMS AND CO		DATE 02 22 /3
THILE Preside			<i>y</i>	5-070	204-	<u>664 - 3294</u> ADDRESS CHA	02-33-12 NGES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

Rev. 11/09/11



GILBERT WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston WW 25005 2400 Charleston, WV 25305-0130

Request for REGNUMBER

AH-P TO

6612C016

ADDRES	IS CORRESPON	DENCE TO ATTE	NTION OF
ALAN CUM	MINGS		
304-558-			

304-664-3294 *130144706 JENNAS CRANE SERVICE INC PO BOX 399

25621

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TERN	AS OF SALE	SHIP V	Α	FOB.	FREIGHT TERMS
01/23/							1.7004
BID OPENING DATE:	100000000000000000000000000000000000000	2/29/2	Control of the Late of the Lat	-)1:30PM
LINE	QUANT	ITY	UOP NO	ITEM NUN	BEA	UNIT PRICE	AMOUNT
	DIVICIO	N AET	ED TUE DE	ADLINE HAS	LAPSED		
	DIVISIO	N AFI	EK IIIC DE	ADLINE MAG	EAI OLD	•	
	EXHIBIT	3					
	LIFE OF					MES EFFECTIVE O	N
;	AWARD A	ND EX	TENDS FUI	A PERIOD	TIMEN T	HEREAFTER AS IS	
	MECESSA	DA LU	ORTAIN A	NEW CONTR	ACT OR	RENEW THE	<u> </u>
			TRACT.	HE "REASON	ABLE TI	ME" PERIOD SHAL	L
				MONTHS.		THIS "REASONAB	
	TIME" T	HE VE	NDOR MAY	TERMINATE	THIS CO	NTRACT FOR ANY	
	REASON	UPON	GIVING TI	IE DIRECTOR	OF PUR	CHASING 30 DAYS	
	WRITTEN	I NOTI	CE.				
	UNLESS	SPECI	FIC PROV	SIONS ARE	STIPULA	TED ELSEWHERE	
	IN THIS	CONT	RACT DOC	MENT, THE	TERMS,	CONDITIONS AND	
ļ	PRICING	SET	HEREIN A	RE FIRM FOR	THE LI	FE OF THE	
	CONTRAC	т.				•	
	DENEMAL		C CONTRA	T MAV RE P	ENEMED	UPON THE MUTUAL	
	MENEWAL	LUNG	ENT OF T	IE SPENDING	INTT A	ND VENDOR.	
}	SUBMITI	FD TO	THE DIR	CTOR OF PU	RCHASIN	G THIRTY (30)	Į.
				IRATION DA		CH RENEWAL SHAL	L
	BE IN A	CCORD	ANCE WIT	I THE TERMS	AND CO	NDITIONS OF THE	
				SHALL BE	LIMITED	TO TWO (2) ONE	
	(1) YEA	AR PER	IODS.	·			
	CANCELL	ATTON	: THE DT	RECTOR OF P	URCHASI	NG RESERVES THE	
	RIGHT	O CAN	CEL THIS	CONTRACT I	MMEDIAT	ELY UPON WRITTE	N
	NOTICE	TO TH	E VENDOR	IF THE COM	MODITIE	S AND/OR SERVIC	E
	SUPPLIE	D ARE	OF AN I	NFERIOR QUA	LITY OR	DO NOT CONFORM	
	TO THE	SPECI	FICATION	S OF THE BI	D AND C	ONTRACT HEREIN.	
	OPEN MA	ARKET	CLAUSE:	THE DIRECTO	R OF PU	RCHASING MAY	
	AUTHOR	ZE A	SPENDING	UNIT TO PL	IRCHASE	ON THE OPEN	
	MARKET,	, WITH	OUT THE	FILING OF A	REQUIS	ITION OR COST	
	1		SEE	REVERSE SIDE FOR			
SIGNATURE LOY	i 8	face	Į.		TELEPHONE 304	1-664-3294 DA	D2-23-12
TITLE Preside	1		55 - 0	166051	-		GES TO BE NOTED ABOVE
1162(00	- 11				ADDDECO	IN SPACE ABOVE LAR	ELED WENDOD!



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

Ţ

RFQ NUMBER 6612C016 PAGE

ADDRESS CORRESPONDENCE TO A BIENTION OF

ALAN CUMMINGS 304-558-2402

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

***130144706** 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399 GILBERT WV 25621

DATE PRINT	ED	TER	MS OF SAL	E	SHIP V	IA .	FOB		FREIGHT TERMS
01/23/2012									
BID OPENING DATE:		02/29/2012				BID	OPENING TIME	01:	30PM
LINE	QUAN	VTITY	ÜÖP	CAT. NO	ITEM NUN	BER	UNIT PRICE		TRUOMA
				IIV					
									}
		' - '			IED ON TH			ł	•
							TO UNFORESEEN		
							ELAYS IN TRANS		
l :			AN U	HINAN	CIPATED 1	NUKEASE	IN THE VOLUME	·	
	OF WOR	K • J							
	OHANTT	TIFC.	DHANT	TTIFC	LISTED I	N THE R	 EQUISITION ARE	:	
							S SUPPLIED BY	·	•
				-		1	TOOD AND AGREE	:D	
! !							TITIES ACTUALL		
	_		1				F THE CONTRACT		
					HAN THE Q				
	:							-	
I . :			1				HALL ISSUE A		
							BER WV-39) TO		
							THIS CONTRACT.		
				1		The state of the s	E MAILED TO TH	IE	
							A SECOND COPY	j	
1						ON, AND	A THIRD COPY	- 1	
	RETAIN	ED BY	THE S	FNDT	NG UNIT.				
	DANKDII	DICVA	TAI T	ue ev	ENT THE V	ENDOB/C	ONTRACTOR FILE	.	,
3							AY DEEM THE	.5	
J				1			SUCH CONTRACT		
i	WITHOU			1	, AND IER	13 # 1447 1 12	SUCII CUNTRACT	1	
	111100			(DEI(l	
	THE TE	RMS AN	D CON	DITIO	NS CONTAI	NED IN	THIS CONTRACT	- 1	
							TERMS AND		:
							ACHED PRINTED		
	DOCUME	NTS SU	CH AS	PRIC	E LISTS,	ORDER F	ORMS, SALES		
	AGREEM	ENTS 0	R MAI	NTENA	NCE AGREE	MENTS,	INCLUDING ANY		
	ELECTR	ONIC M	EDIUM	SUCH	AS CD-RO	М.			•
			İ						
	REV. O	5/26/2	009					ĺ	•
		ATM -	•		A110E		AP 118AT 11755		
	PURCHA	SING C	AKD A	JUEPT	ANCE: IH	E STATE	OF WEST VIRG	rMT	
	l			SEERE	ÆRSE SIDE FOR TI	AMS AND CON	voitions		
SIGNATURE	n /	81.				TELEPHONE		DATE	2-23-12
TITLE	24L	Dta	V			304	-664-3294		
Presi	ident		5		766051		ADDRESS CHA		TO BE NOTED ABOVE



DOCZEK

GILBERT WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for REGINUMBER Quotation

6612C016

PAGE

ADDRESSIONEESPONDENGESIOA BEST SINONO S

ALAN CUMMINGS 304-558-2402

*130144706 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399

25621

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

SH-P

DATE PRINT	EO	TER	MS OF SALE		SHIP VI			F.O.Bi		FREIGHTTERMS
01/23/										
BID OPENING DATE:		02/29/		**********		BID	OPE	PENING TIME 01:30PM		
LINE	QUAN	VIITY	UOP	DAT. NO	ITEM NUM	IER		UNIT PRICE		AMOUNT
	IS ISS MUST A CARD F	UED TH CCEPT OR PAY AS A	ROUGH A THE STA MENT OF	A BAN ATE O ALL	K. THE S	UCCESS RGINIA	FUL VI:	SA PURCHASI		
.·	LOCAL IN THE AND CO AND OT TO POL VIRGIN PRICES POLITI CLEARL	GOVERN BID H NDITIO HER LO ITICAL IA. I , TERM CAL SU Y INDI	IS REFUNS OF TOTAL SUBDIVENS OF THE NORTH BUIVIST CATE SUBDIVIST	JSAL THE B VERNM VISIO VENDO COND IONS JCH R	TO EXTENIED TO COUNTY BODIENT	THE PINTY, SES, THE STATE OF WISHE BIATE, THE BIATE, TH	RIC CHO BI OF TO ID HE ID.	EXTEND THE	AL EN	
	REV. 3				REQUIS	SITION	NO.	. 6612 Co1	Ģ	
	ADDEND	UM ACK	NOWLED	SEMEN	IT					
	ADDEND	UM(S)	AND HAY	VE MA		ECESSAR	Y R	WING CHECKE EVISIONS TO ETC.		
	ADDENE	OUM NO.								
CIONATUDE		0 .		SEE REVI	erse side for te I	RMS AND CO TELEPHONE	NDITIO		DATE	
SIGNATURE	ni_	Stac	4			304-6	64,-			02-23-12
TITLE Presid	ent	F	6 EIN-	5-0	766051					S TO BE NOTED ABOVE
14114			TO DEO 1	LIGERT	STARKE AND	NADEGO	INLO	DACE ABOVE LA		TO NACHDOD!



GILBERT WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for HEQNUMBER Quotation

6612C016

P/	O		
ķ.	¢	5	7

ADDRESS CORRESPONDENCE TO TATTIENT (ON TO EX

ALAN CUMMINGS 304-558-2402

*130144706 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399

25621

GH-P

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FO.B	FREIGHT TERMS
01/23/2012 BID OPENING DATE:	02/20/2012		CNINC TIME 03	. 70DM
	02/29/2012			: 30PM
LINE QU	ANTITY UOP CAT	ITEM NUMBER	UNITPRICE	AMOUNT
NO. 3				
NO. 5	• • • • • • • •			
THE A	DDENDUM(S) MAY BE R MUST CLEARLY UN SENTATION MADE OR	URE TO CONFIRM THE CAUSE FOR REJECTI DERSTAND THAT ANY ASSUMED TO BE MAD ETWEEN VENDOR'S RE	VERBAL DE DURING ANY	
		L IS NOT BINDING.	ONLY THE	
INFOR	MATION ISSUED IN	WRITING AND ADDED FFICIAL ADDENDUM I	TO THE	
		SIGN	Stacy NATURE Service Corporation) A
		02-23-12 DATE		
	THIS ADDENDUM ACTHE BID.	KNOWLEDGEMENT SHOU	JLD BE SUBMITTE	
REV.	09/21/2009	ļ.		· .
		ICE	H317A	
SIGNATURE	7 1	VERSE SIDE FOR TERMS AND CONDIT		1 4 MM /A
- Sou	Stacy		4-664-3294 DATE C	
TITLE President	FEIN 55	-0766051	ADDRESS CHANGES	TO BE NOTED ABOVE



VENDOR

GILBERT WV

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

Ţ O 8FQ NUMBER 6612C016

. PA	QE
	6

ADDRESSICORRESPONDENCE (OVARIENTION OF

ALAN CUMMINGS 304-558-2402

*130144706 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399

25621

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRNI	******	IEHMS OF SAL		SHIPVIA	F.U.B.	FAEIGHT TERMS
01/23/ BID OPENING DATE:		<u> </u>		n Th	DENTIC TIME	01.7004
BID OPENING DATE:	02/	/29/2012	2002 2 022000	<u> </u>	<u>DPENING TIME</u>	01:30PM
LINE	QUANTITY	UOP	ÇAT, NO.	ITEM NUMBER	UNITPRICE	AMOUNT
·	A SIGNED	BID MUST	BE S	UBMITTED TO:		•
	DEPA	ARTMENT O	F ADM	INISTRATION		
		CHASING D				
		DING 15	_ ,			
·			тлы с	TREET, EAST		
				5305-0130		1
	CHAR	(LESIUN)	W V Z	2302-0130		1
·						
						·
						1
						_
				THIS INFORMATIO		DF
·	THE ENVEL	OPE OR T	HE BI	D MAY NOT BE CON	SIDERED:	
	SEALED BI	t D				
·						
						1
	BUYER:		Δ1	AN CUMMINGS - FI	F 33	
	DO I E K I		AL	711 00111121100 12		
	RFQ. NO.:	.	4.6	120116		
	Kry. Nu.;	•	00	120016		
	nan opeua	THE DATE.	~ .	20/2012		
	BID OPENI	ING DAIE	21	29/2012	•	
		<u> </u>	_	!		
	BID OPENI	ING TIME:	1:	30 P.M.		
	*					
	PLEASE PR	ROVIDE A	FAX N	UMBER IN CASE IT	IS NECESSARY	
				NG YOUR BID:		
		1 1		l		
		304-60	24	8707 		
	CONTACT	SEBENN CO	LEVCE	PRINT CLEARLY):		
	CUNIACI F	1 , 15				
		LORI	5+	acy		
				- <i>/</i>		
(20000000000000000000000000000000000000	<u> </u>			VERSE SIDE FOR TERMS AND COM	INITIONS	1
SIGNATURE (/	OLEGE	TELEPHONE	In the second	ATE
SIGNATURE	ri Dt	Lacy	<u> </u>	30y -	-664-3294	02-23-12
MILE Presi	10.4	FEIN	-071	6051		IGES TO BE NOTED ABOVE
Presi	dent		-016	0031		



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for PRONUMBER Quotation

6612C016

PAGE

ALAN CUMMINGS 304-558-2402

***130144706** 304-664-3294 JENNAS CRANE SERVICE INC PO BOX 399

GILBERT WV 25621

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER Ţ

DATE PRIN	ŒD		TER	RMS OF SA	LE		SHIP VIA			F.O.B,		FREIGHTT	ERMS
01/23/						<u> </u>							
BID OPENING DATE:	95000000000	0 :	2/29/	2012	-	Inc.		BID	OPENIN	G TIME	01	:30PM	
LINE		QUANTI	īΥ	UOP	CAT, NO	IT	EM NUMBE	P	t	INIT PRICE		AMOL	TNI
	**********	*********		***************************************	***************************************		**********			************	***************************************		
	ANIV	TMD	TVTDII	A . 61	CNITHE	тите	מזמ י	TO CED	TIFYIN	C THAT			
									DER TO				
				1		1			TO ON				
]				4		Į.			ORIZED				
									IP, AN				
	THE	BID	DER H	AS PR	OPERL	Y REG	CSTERI	ED WIT	H ANY	STATE		-	
	AGEN	CIE	S THA	T MAY	REQU	IRE RE	EGISTI	RATION	•				
	V V V V	. v. v	тите	TC 7	NE EN	D 0E 1	20.0	//120	01/ ٧٧	,,,, T	3 T A L A		
	X X X X	***	1412	15 1	HE EN	י אט ע	(FŲ	9912C	016 **	**** [JIALI		
]									
	•												
				}									
	1												
												•	
	1				1								
	1				1								
				İ	1								
												•	
	'												
	•												
	*******	******	*******	l	SEE AF	VERSE SIDE	FORTER	VISIAND CON	I IDITIONS				
SIGNATURE		•	11	· · · ·	······································			FPHONE	*************		DATE	\n :-	***************************************
TITLE	or			acy				<u> 304 -</u>	- 664-3			12-23-12	
Pres	ide	1+		-17¶	55 -	0766	051		A	DDRESS CI	HANGES	TO BE NOTED	ABOVE
WILL	ENIDE	CDON	DING:	TO DEC	INCED	TAIAME	AND AD	DDEee	NEDACE	ADOMET	ADELE	D 'VENDOR'	

Req. No. 6612C016

1. SPECIFICATIONS

The following sections of the West Virginia Divisions of Highways Standard Specifications Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications shall apply to the administration of this contract: Sections 101; 102.4; 102.5; 102.6, except the second sentence of the first paragraph is deleted; 102.7, except numerals IV and V are deleted; 102.12; 102.13; 107; 108.8; 108.9; 109; 110; and all other related sections of the Specifications.

The terms "Contractor", "Vendor" and "Equipment Owner" used in the above specifications and throughout this contract are interchangeable. Contractor shall mean Vendor and Equipment Owner, Vendor shall mean Contractor and Equipment Owner and Equipment Owner shall mean Contractor and Vendor.

West Virginia Department of Transportation, Division of Highways' Standard Specifications Roads and Bridges, adopted 2010, and the January 1, 2011 Supplemental Specifications may be obtained from:

West Virginia Division of Highways Contract Administration Division Building 5, Room 722 1900 Kanawha Boulevard, East Charleston, WV 25305-0430 Phone 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/default.aspx

2. SCOPE OF WORK

The purpose of this contract is to provide equipment for lease from individuals and organizations for use at locations throughout the State of WV by the Division of Highways. Such equipment will be required for the completion of maintenance or construction projects or any other such condition as may result in equipment needs beyond Division of Highways' fleet capacity.

3. <u>BIDDING INSTRUCTIONS</u>

Vendors may quote the cost to supply any or all of the equipment listed on the attached Bid Schedule.

Three schedules make up the Bid Schedule. Schedule I is for equipment without operators. Schedule II is for equipment WITH operators. Schedule III is for Snow Removal and Ice Control (SRIC) equipment to be used in emergency situations when current SRIC Division of Highways equipment is not sufficient due to extreme weather related conditions.

Any qualification of bids or any modification of the specifications or conditions governing the bids, by the vendor, will be cause to reject bids.

Vendors are requested to type prices on Bid Schedule sheets. Bid Schedules <u>must not</u> be altered by the vendor. If Bid Schedules are altered in any way, by the vendor, the bid will be disqualified.

For a quotation to be considered valid, the owner shall provide the manufacturer's name(s), model number(s) and serial number(s) of the equipment offered for lease and the rental rate in dollars per day, dollars per week and dollars per month on the Bid Schedule. Also, equipment owners shall quote the cost to deliver leased equipment to the location specified by the Division of Highways. This quotation shall be the cost to deliver the equipment the first road mile and the cost to deliver the equipment each additional road mile thereafter.

Quotations for mobilization shall be cost per mile. Submission of mobilization quotes in any form other than cost per mile, by the vendor, shall be grounds to disqualify the quotation. Delivery/Mobilization fees shall be paid one way only by the Division of Highways.

In-state delivery route mileage will be calculated by the Division of Highways from the equipment owner's location of the equipment to the Division of Highways job site by utilizing the Division of Highways Straight Line Diagrams. These Diagrams for WV Primary Routes and WV Secondary Routes are available in each Division of Highways' District office and central office. The Division of Highways will determine the route to be taken due to bridge and/or road restrictions.

Out-of-state delivery route mileage will be calculated by the Division of Highways utilizing "Map Quest" or a similar source for routing from the equipment owner's location of the equipment to the WV State line at which time, the Straight Line Diagrams will be sourced to the Division of Highways' job site.

The quoted rates for leased equipment, with operator or without operator (i.e., \$/day, \$/week and \$/month), shall be for lease days, lease weeks and lease months as defined under the heading "DEFINITION OF LEASE PERIOD". Quotations which do not conform to all requirements of this specification will not be honored.

4. LEASING INSTRUCTIONS

The Division of Highways' District wishing to lease a specific type of equipment will compute, for each applicable bid, the cost of renting the equipment during the estimated lease period plus the cost of delivering the equipment to the job site and award the Agency Release to the equipment owner who can furnish the equipment to the Division of Highways at the least overall cost.

A twenty-four (24) hour notice will be given to all vendors prior to the need of equipment by the Division of Highways' District Engineer or his representative except when emergency situations require need upon demand.

Example: Rental of an Aerial Bucket Truck for 3 days (with or without Operator) at \$100.00/day with 10 mile delivery at \$1.00/1st mile and \$.50/each additional mile: To calculate: \$100.00/per day x 3 days = \$300.00 for rental of the equipment only + \$1.00/1st mile + \$4.50/additional 9 miles = \$305.50 total rental for three days.

Equipment owners shall furnish the Division of Highways, the serial numbers of all equipment being leased. Said serial numbers shall be recorded on the Agency Release.

5. DEFINITION OF LEASE PERIOD

The date of official receipt of leased equipment by the Division of Highways shall be considered the first day of lease.

The date immediately preceding the date on which leased equipment is officially returned to the owner shall be considered the last day of lease.

Days on which a piece of equipment is down for normal maintenance or repair for four (4) hours or more during the normal work period shall be considered a day of downtime and shall not be considered a day of equipment lease.

A lease day is a day of agency possession of equipment during which it is not down for four (4) hours or more during the normal work period.

A day or days used by the vendor solely for the purpose of travel to the site, set-up or breakdown of equipment shall not be considered as lease days.

A lease week is seven (7) lease days (includes Saturdays, Sundays and Holidays).

A lease month is thirty (30) lease days (includes Saturdays, Sundays and Holidays).

6. METHOD OF AWARD

All vendors meeting the specifications will be awarded a contract. The award will be made in the best interest of the State of West Virginia. The Division of Highways reserves the right to make multiple awards based on the capacity of each vendor beginning with the lowest responsible bidder.

7. ORDERING PROCEDURE

An Agency Release for equipment will be made as the need arises. Proximity of equipment as to job site shall be a factor in determination of each Agency Release. The Agency Releases will be issued to the lowest responsible bidder, which will include the rental rate of the equipment whether by the day, by the week or by the month plus the equipment delivery fee, that has met the requirements listed in this RFQ.

It is understood between the Division of Highways and all vendors whose bids are accepted, that in the event the low bidder for any given job location is unable to perform, the Agency Release will be made to the next lowest bidder. In the event that no bidder can be found to perform his duties and obligations under the contract, then the Agency Release, upon authorization of the Director of Purchasing, may lease said equipment on the open market.

8. <u>INVOICING INSTRUCTIONS</u>

The minimum period of lease shall be one (1) lease day.

Equipment leased for one (1) lease day or less shall be invoiced at the daily lease rate.

Equipment leased for one (1) lease week or less shall be invoiced at the weekly lease rate or the number of lease days times the daily lease rate, whichever is less.

Equipment leased for more than one (1) lease week but for less than one (1) lease month shall be invoiced at the monthly lease rate or the number of lease weeks times the weekly lease rate or the number of complete lease weeks plus an amount calculated by the above paragraph for any period less than a multiple of seven (7) days, whichever is less.

Equipment leased for one (1) lease month or more shall be invoiced at the monthly rate. In the event the lease period is not a multiple of thirty (30) lease days, then each day in excess of the multiple shall be evaluated as one-thirtieth (1/30) of a lease month.

An invoice for payment on leased equipment shall set forth the following:

- 1. The beginning date and the date on which the invoicing period ends.
- 2. The number of lease days in the invoicing period.
- 3. The number of equipment downtime days in the invoicing period.
- 4. The make, model and serial number of the leased equipment being invoiced, and
- 5. The total owed to the vendor and the method of calculation.

NOTE 1: The Division of Highways will supply the equipment owner with the downtime days in any calendar month within ten (10) days following the end of the calendar month or within ten (10) days following termination of lease, whichever is appropriate. The equipment owner may obtain this information sooner by calling the Division of Highways' District that is leasing the equipment.

NOTE 2: The period of need for leased equipment as specified in the Agency Release is only an estimate of need and shall not be used for invoicing purposes.

9. PURCHASING CARD ACCEPTANCE

The State of West Virginia currently utilizes a VISA Purchasing Card Program which is issued through a bank. The successful vendor(s) must accept the State of West Virginia VISA Purchasing Card for payment of all orders placed by any State agency as a condition of award.

10. LABOR RATES

All labor rates paid by the Vendor under this contract must be in compliance with, The West Virginia State Code Chapter 21, Article 5A: Wages for Construction of Public Improvements.

THIS REQUEST FOR QUOTATION, GENERAL TERMS AND SCHEDULES I AND II FORM THE QUOTATION AND CONSTITUTE ONE INSTRUMENT THAT MUST BE READ IN ITS ENTIRETY.

GENERAL TERMS

DEFINITION OF "LEASE" AND DESIGNATION OF PARTIES

"Lease" shall mean an agreement wherein the Division of Highways leases the equipment set forth and described in Schedule I, attached to and made a part hereof, for periods of time not to exceed ninety (90) days unless otherwise clearly specified in the Agency Release, which said Agency Release shall define the period of time of any particular lease of equipment.

II DELIVERY/MOBILIZATION

Any Vendor whose bid is accepted by the Division of Highways shall deliver such equipment requested by the Division of Highways at any given time, assembled and ready to operate, to any location or locations designated by Division of Highways.

III ACCEPTANCE: BEGINNING OF TERM

Upon delivery of each item of equipment by the Vendor to the location described in the individual Agency Release, the Division of Highways shall have an authorized representative to test and inspect the same and, if such item of equipment is found to be in good order, to accept such item of equipment and to acknowledge the same in whatever form reasonably required by the Vendor. Such item of equipment shall be deemed to have been delivered to and accepted by the Division of Highways on the date specified in such acknowledgment and the term of the agreement covering such item of equipment shall be deemed to begin on that date.

IV PAYMENT IN ARREARS

The Division of Highways is prohibited by Law from paying in advance for equipment, commodities or services. Therefore, all monthly payments made pursuant to a lease agreement shall be made in arrears, for the preceding month.

V

MAINTENANCE OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED BY THE DIVISION OF HIGHWAYS

- V1. The Division of Highways shall repair or replace any part of the leased equipment which shall be destroyed, damaged or made inoperative by reason of the ordinary negligence, abuse or improper operation by its personnel. The Division of Highways shall not be responsible for any such replacement or repair caused by any defect existing in such equipment at the time of delivery of such equipment by the Vendor to the Division of Highways or if the need for such replacement or repair resulted from normal usage. The Division of Highways shall replace or repair any part of said equipment which shall become lost, stolen or damaged by reason of the failure of the Division of Highways and its personnel to use ordinary care for the protection of such equipment.
- V2. Down Time: All such equipment inoperable by reason of the necessity of replacement of parts or repair of damage for a period of time greater than four (4) hours shall be considered by the Division of Highways as "down" and no payment shall be made by the Division of Highways for the use of such equipment for such periods unless such "down time" is due to the negligence or lack of reasonable care by the Division of Highways.

VI FUEL, OIL AND OTHER LUBRICANTS

The Division of Highways shall, at its expense, provide <u>only</u> fuel, oil and other lubricants (which are necessary for the operation, maintenance and use) of the equipment leased <u>without</u> the vendor's operators. Equipment leased with the vendor's operators shall have fuel, oil and other lubricants supplied by the vendor. Vendors shall be responsible for performance of regular, routine, preventive maintenance, according to Manufacturer recommendations of equipment and parts/supplies associated with regular, routine, preventive maintenance activities.

VII RISK OF LOSS, DAMAGE OR THEFT WHERE OPERATORS OF EQUIPMENT ARE FURNISHED BY THE DIVISION OF HIGHWAYS

All loss, damage, or destruction of such leased equipment, partial or complete, or loss by reason of theft, to or of any of the subject equipment, while in the possession or under the control of the Division of Highways, due to or caused by the ordinary negligence of the Division of Highways or its personnel or by the failure of the Division of Highways or its personnel to exercise ordinary care for the protection of such equipment, shall be borne by the Division of Highways from and after the delivery of such equipment by the Vendor to a

location designated by the Division of Highways and its acceptance by the Division of Highways, subject however, to the terms and conditions hereinafter set forth. The Division of Highways shall not be responsible for any such loss, damage or destruction, partial or complete, caused by a defect in such equipment existing at the time of delivery thereof by Vendor to the Division of Highways.

The total or partial loss of use or possession of any of said equipment resulting, as herein above set forth, shall not abate any payments required to be made by the Division of Highways to the Vendor if such loss of use or possession is caused by the ordinary negligence or the lack of ordinary care of such equipment by the Division of Highways or its personnel.

The subject equipment shall be deemed to be a total loss by reason of its disappearance or if it has sustained physical damage and the estimated cost of repairs is determined, as hereinafter provided, to exceed seventy-five percent (75%) of the market value of such equipment. If a claim is made by the Vendor against the Division of Highways for the loss or damage to such equipment, the Commissioner of the West Virginia Division of Highways shall, pursuant to the provisions of Section 4, Article 3, Chapter 17 of the Code of West Virginia 1931, as amended, review such claim and if, after such review, the said Commissioner shall determine that a sum of money is due the Vendor as a result of any such claim shall, if such determination or finding is acceptable to the Vendor, issue a requisition to the Auditor of the State of West Virginia for the payment of such agreed sum to the Vendor.

Nothing herein contained shall prevent the Vendor from proceeding in the West Virginia Court of Claims as to any claim he, she or it may have against the Division of Highways for such loss, damage or destruction.

In the event that, prior to the payment of any claim to the Vendor by the Division of Highways, the Vendor shall receive any sum of money from any insurance company or from any person, firm or corporation by reason of such loss, damage or theft, any such sum of money so paid to Vendor shall be deducted by the Division of Highways from any claim to be paid by it to the Vendor. If the Vendor shall receive any sum of money from any insurance company, person, firm or corporation for such loss, damage or theft, subsequent to the payment to the Vendor by the Division of Highways of a sum of money for a claim for such loss or damage, the Vendor will pay to the Division of Highways the amount so received or such part of said amount that equals the amount Division of Highways has paid to said Vendor.

VIII MAINTENANCE AND RISK OF LOSS, DAMAGE OR THEFT OF EQUIPMENT WHEN OPERATORS OF EQUIPMENT ARE FURNISHED WITH EQUIPMENT BY VENDOR

In the event operators are furnished by the Vendor to operate such equipment leased to the Division of Highways, the Vendor shall be responsible for maintenance of such equipment, for all loss to such equipment or destruction of or damage thereto, and shall repair all damage to such equipment and replace any such equipment lost or destroyed. The Division of Highways may deduct that part of any rental to be paid to Vendor for the use of such equipment for such period of time the equipment is not available for such use during the time of such repair or replacement due to such damage or loss or during the time involved in the replacement of any piece of equipment.

The Division of Highways shall be responsible for any loss of such equipment or any part thereof during the time that such equipment is not in use or is not required to be attended by Vendor's operators provided, however, that such equipment is delivered by the Vendor through its operators to a place designated by the Division of Highways' employees or agents, in which case the Division of Highways shall be responsible for the security of such equipment, and, provided further, however, that the Division of Highways' responsibility or liability for such security will be limited to ordinary care.

Such operators so furnished by the Vendor, while under the direction of the Division of Highways, shall remain the employees of and under the control of the Vendor, and shall not be considered as agents of the Division of Highways.

IX Liens

The Division of Highways shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, lien, charge and encumbrance or claim on or with respect to the subject equipment, except with respect to the respective rights of the Vendor and the Division of Highways as herein provided.

X ENJOYMENT OF EQUIPMENT

The Vendor covenants to provide the Division of Highways during the term of the applicable agreement with quiet use and enjoyment of the subject equipment, and the Division of Highways shall, during the term peaceably and quietly have, hold, and enjoy the subject equipment, without suit, trouble or hindrance from the Vendor, except as expressly set forth in this agreement. Any assignee of the Vendor shall not interfere with such quiet use and

enjoyment during the term of the agreement so long as the Division of Highways is not in default.

XI INSPECTION OF EQUIPMENT

To the extent that the Division of Highways has the authority to grant or permit, the Vendor shall have the right, during work hours, to enter upon the premises where the subject equipment is located for the purpose of inspecting or observing the use of the leased equipment.

XII RETURN OF EQUIPMENT

Upon the expiration of the term of this agreement, the Division of Highways shall return the equipment leased hereunder, at its expense, to the Vendor at the original location at which such equipment was delivered to the Division of Highways. Equipment must be washed and clean, upon return to the vendor.

XIII DAMAGE BEYOND CONTROL OF LESSEE

The Division of Highways shall not be liable for damage to or loss of any leased equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the Division of Highways' control.

XIV DEFAULT

Upon default of any of the provisions or terms of this Agreement by either the Division of Highways or the Vendor, the parties hereto shall have recourse to the remedies provided by the laws of the State of West Virginia and the United States of America.

XV INSURANCE

The Division of Highways is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, i.e., over thirty (30) consecutive days equipment lease. Insurance coverage for short term rental/lease equipment will be the responsibility of the owner/Vendor. The Division of Highways will, at its option, either replace or pay to Vendor the fair market value of any of the subject

equipment or any part thereof, lost, destroyed or stolen by reason of the negligence of or lack of ordinary care on the part of its employees as herein-before provided in Section VII.

XVI INDEMNITY

Article X, Section 6 of the Constitution of the State of West Virginia provides that "...the credit of the State shall not be granted nor shall the State ever assume or become responsible for the debts or liabilities of any person." As a result, the Division of Highways, as Lessee, will assume only those liabilities permitted by law for all obligations, losses, damages, injuries, claims, demands, penalties, actions, costs and expenses of whatsoever kind and nature, without recourse to Vendor, or its assigns, arising out of the manufacture, use, condition, operation, removal and return of the subject equipment, regardless of where, how and by whom operated.

XVII NOTICES

All notices to be given under the terms of this Agreement, or required by the laws governing the same, shall be in writing and mailed to the proper party or parties at his, her or its address set forth in the Agency Release or at such address as any such party or parties may provide in writing to the other party or parties from time to time.

XVIII SUCCESSORS OR ASSIGNS

The terms of this agreement will apply to all lessees, successors or assigns of the parties hereto.

Note: Vendor should type Bid Schedule.

The "Bid Schedule" is available for download on Purchasing's Web site at www.state.wy.us/admin/purchase

Note: All contracts on Schedule II which requires equipment "with operator" Vendors should submit a copy of WV Contractor's License.

Vendor shall indicate the area which he wishes to lease equipment to the Division of Highways by placing a check beside those Counties in said area. If Vendor fails to state which County or Counties he wishes to lease equipment to the Division of Highways, it will be assumed that Vendor's bid is for statewide.

()	Statewide				
()	Barbour	()	Lincoln	()	Ritchie
()	Berkeley	()	Logan	()	Roane
()	Boone	()	McDowell	()	Summers
<i>(</i>)	Braxton	()	Marion	()	Taylor
Ò	Brooke	()	Marshall	()	Tucker
Ò	Cabell	()	Mason	()	Tyler
()	Calhoun	()	Mercer	()	Upshur
()	Clay	()	Mineral	()	Wayne
()	Doddridge	<u>()</u>	Mingo	()	Webster
Ò	Fayette	()	Monongalia	()	Wetzel
()	Gilmer	()	Monroe	()	Wirt
()	Grant	()	Morgan	()	Wood
()	Greenbrier	()	Nicholas	()	Wyoming
()	Hampshire	()	Ohio		
()	Hancock	()	Pendleton		
()	Hardy	()	Pleasants		
()	Harrison	()	Pocahontas		
()	Jackson	()	Preston		
()	Jefferson	()	Putnam		
()	Kanawha	()	Raleigh		
()	Lewis	<u>()</u>	Randolph		

Schedule I

AERAL BUCKET TRUCK		Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment y Fee
Manufacturer's Name Model/Serial # 5/ Day 5/ Week 5/ Mohrti Ishmire Name				!	Operato	* 1 24 5 14	A ca Battle	A A A BAG
AERAL BUCKET TRUCK	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	*/ Month	1st Mile	Add. Mil.
Highway Rated TRK MTD AERIAL PLATFORM TRUCK Highway Rated TRK MTD ACREAION @ level position AERIAL PLATFORM TRUCK Highway Rated TRK MTD AREAU PLATFORM TRUCK Highway Rated TRK MTD AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK ARROW BOARDS 4. Y. g. panel 15 lamp ARROW BOARDS 4. Y. g. panel 15 lamp ARROW BOARDS AT A CHART DISTRIBUTOR TR. Mid. wignay bar AND AND AND AND AND AND AND AND AND AND	AERIAL BUCKET TRUCK							•
Son Reach Min. 43.5 Radious 360 degrees	Highway Rated TRK. MTD	,				-		
Boom Rotation @ level position ARRAL PLATFORM TRUCK 4 Reach Min. 360 degrees Boom Rotation @ level position 4 ERAL PLATFORM TRUCK Highway Rated TRK MTD 55 Reach Min. 360 degrees Boom Rotation @ level position 4 ERIAL PLATFORM TRUCK Elicit Model C50 or similar ARRAN BOARDS 4 X E panel 15 lamp ARRAN BOARDS 6 S Peach Min. 360 lamp ARRAN BOARDS 7 X Min. Arebray bar ASPHALT DISTRIBUTOR Trk. Mid. Shot bin. vir. eaphale of grinding and re-mixting up to 12" degrand up AUGER AUGER Cawler Mech. Ity 6.75 Cyd. SCAWIC CAWler Mech. Ity 6.75 Cyd.	50' Reach Min. 43.5' Radious 360 degrees							
AERIAL PLATFORM TRUCK Highway Radar TRK. MTD 40' Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Bloom Rotation @ level position AERIAL PLATFORM TRUCK Ellich Wode Gogrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Ellich Model GSO FO similar AERIAL PLATFORM	Boom Rotation @ level position							
Highway Rated TRK. MTD AC Reach Min. 360 degrees AC Reach Min. 360 degrees AERIAL PLATFORM TRUCK Highway Rated TRK. MTD SE Reach Min. 360 degrees SE Reach Min. 360 degrees SERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK AERIAL PLATFORM TRUCK AERIAL PLOST RIBUTOR ASPHALT DISTRIBUTOR ASPHALT DISTRIBUTOR ASPHALT DISTRIBUTOR ASPHALT RECYLING ATTACHMENT Endioader bucket - mounted, asphalt ginderirecycle attachment; 185 hp min. app. 8500 lb. wt. capable of ginding and re-mixing up to 12" deep and up to 45" wide pavement and base. AUGER TK. Mad. TK. Mad. AUGER TK. Mad. TK. Mad. ANALOGER TK. Mad. TK. Mad. TK. Mad. ENDIA O.75 Cyd.	AERIAL PLATFORM TRUCK							
## 1900 degrees Boom Rotation @ level position	Highway Rated TRK. MTD	-						
Boom Rotation @ level position	40' Reach Min. 360 degrees							
AERIAL PLATFORM TRUCK Highway Rated TRK. MTD 56 Reach Min. 360 degrees Boom Kotation (Bevel position) AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model L55 or similar ARROW BOARDS 4 x 8 panel 15 iamp ASPHALT BESTRIBUTOR Trk. Mtd. wispray bar ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grid object of attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up pt. 48" wide pavement and base. ALUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	Boom Rotation @ level position							
Highway Rated TRK MTD 567 Reach Min. 360 degrees 678 Reach Min. 360 degrees 678 Reach Min. 360 degrees 678 Reach Min. 360 degrees 678 Reach Min. 360 degrees 679 Reach Min. 360 degrees 670 Reach Reach Reach 670 Reach Reach 670 Reach Reach 670 Reach Reach 670 Reach 67	AERIAL PLATFORM TRUCK		-					
55' Reach Min. 360 degrees Boom Rotation @ level position AERIAL PLATFORM TRUCK Elifort Model C55 or similar ARRIAL PLATFORM TRUCK Elliott Model L55 or similar ARROW BOARDS 4 x 8' panel 15 lamp ASPHALT DISTRIBUTOR TASPHALT DISTRIBUTOR TASPHALT EXTLINE ATTACHMENT Endoader bucket - mounted, asphalt grinder/recycle attachment, 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 45" wide pavement and base. AUGER Trk. Mid. Grawler Mech./Hyd. 0,75 Cyd.	Highway Rated TRK. MTD							
Boom Rotation @ level position	55' Reach Min. 360 degrees							
AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model G50 or similar AERIAL PLATFORM TRUCK Elliott Model L55 or similar ARROW BOARDS Figure 4' x Branch and L5 lamp Figure ASPHALT BLOW BATTACHMENT Figure Trk. Mtd. w/spray bar ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt Brownerd attachment; 185 hp min. app. 8,500 ib. wt. capable of ginding and re-mixing up to 12" deep and up total remixing up to 12" deep and up total wide pavement and base. Auger Trk. Mtd. BACKHOE Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	Boom Rotation @ level position							
Elliott Model G50 or similar AERIAL PLATFORM TRUCK	AERIAL PLATFORM TRUCK							
AERIAL PLATFORM TRUCK Elliott Model L55 or similar ARROW BOARDS Parameter of the state of the	Elliott Model G50 or similar							
## Standard Section	AERIAL PLATFORM TRUCK							
ARROW BOARDS 4'x 8' panel 15 lamp ASPHALT DISTRIBUTOR Corall of the control of	Elliott Model L55 or similar							Ī
4' x 8' panel 15 lamp ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	ARROW BOARDS		•					
ASPHALT DISTRIBUTOR Trk. Mtd. w/spray bar ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	4'x 8' panel 15 lamp							
Trk. Mtd. w/spray bar ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. Auger Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	ASPHALT DISTRIBUTOR							
ASPHALT RECYLING ATTACHMENT Endloader bucket - mounted, asphalt grinder/recycle attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	Trk. Mtd. w/spray bar							
Endloader bucket - mounted, asphalt grinder/recycle attachment; 185 hp min. app. 8,500 ib. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	ASPHALT RECYLING ATTACHMENT							
grinder/recycle attachment; 185 hp min. app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	Endloader bucket - mounted, asphalt							
app. 8,500 lb. wt. capable of grinding and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	grinder/recycle attachment; 185 hp min.							
and re-mixing up to 12" deep and up to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	app. 8,500 lb. wt. capable of grinding							
to 48" wide pavement and base. AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	and re-mixing up to 12" deep and up			-				
AUGER Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	to 48" wide pavement and base.							
Trk. Mtd. BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	AUGER			<u>.</u>				
BACKHOE Crawler Mech./Hyd. 0.75 Cyd.	Trk, Mtd.							
Crawler Mech./Hyd. 0.75 Cyd.	BACKHOE							
	Crawler Mech./Hyd. 0.75 Cyd.	_		_			_	-

Schedule I

			Operator	Operator	r		
24,000 lbs 28,000 lbs. Working Weight BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight BACKHOE Crawler Mech./Hyd. 1.00 Cyd.	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
BACKHOE Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight BACKHOE Crawler Mech./Hyd. 1.00 Cyd.							
Crawler Mech./Hyd. 0.75 Cyd. 29,000 lbs 35,800 lbs. Working Weight BACKHOE Crawler Mech./Hyd. 1.00 Cyd.							
29,000 lbs 35,800 lbs. Working Weight BACKHOE Crawler Mech/Hyd. 1.00 Cyd.							
BACKHOE Crawler Mech./Hyd. 1.00 Cyd.							
Crawler Mech./Hyd. 1.00 Cyd.							
36,000 lbs 40,000 lbs. Working Weight							
ВАСКНОЕ							
Crawler Mech./Hyd. 1.25 Cyd.							
128 - 141 HP							
42,700 lbs 45,900 lbs. Working Weight							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.					,		
24,400 lbs 35,800 lbs. Excavator Size							
BACKHOE (HY-RAM)						-	
Crawler 2,000 ft./lbs. min.							
36,000 lbs 42,900 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
43,000 lbs 60,000 lbs. Excavator Size							
BACKHOE (HY-RAM)							
Crawler 2,000 ft./lbs. min.							
61,000 lbs 80,000 lbs. Excavator Size							
HYRAM ATTCH ONLY							
2,000 ft./lbs. min							
ВАСКНОЕ							
Crawler with a thumb							
BACKHOE LOADER							
Rubber Tired 55-85 DHP							
BACKHOE LOADER (HY-RAM)						_	

Schedule I

	Eauipme	Equipment Offered	Rental I	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	nent / Fee
				Operator	<u> </u>		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi
Mtd. Hyd. Breaker 55-85 DHP D							
BACKHOE LOADER (HO-RAM)					·		
Mtd. Air Breaker 1,000 ft./lbs. min.							
BACKHOE LOADER TRACTOR - Compact							
Rubber Tired 20-30 HP max. height - 83"							
BASE WIDENER SP							
(Shoulder Stone)							
BULLDOZER .							
Crawler GD 65 -75 DHP D							
BULLDOZER							
Crawler GD 80 -90 DHP D							
BULLDOZER							
Crawler GD 100 -120 DHP D							
BULLDOZER							
Crawler GD 130 -140 DHP D							
BULLDOZER							
Crawler TC 150 - 250 EHP D							
BULLDOZER							
Crawler/Ripper TCP 181 - 250 EHP D							
BULLDOZER					•		
Crawler/Winch TCP 181 - 250 EHP D							
CHIP SPREADER SP			<u>_</u>				
COMPRESSOR							
125 - 160 CFM Portwhl.							
COMPRESSOR							
170 - 210 CFM Portwhl.							
COMPRESSOR							
250 - 300 CEM Dothが1							

Schedule I

	Equipme	Equipment Offered	Rental	Rental Rate of Equipment Without Delivery/Without	Jipment Without	Equipment Delivery Fee	ment y Fee
	•			Operator	i.		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
COMPRESSOR							
350 - 375 CFM Portwhl.							
COMPRESSOR							
600 CFM Portwhl.							
COMPRESSOR							
700 - 800 CFM Portwhl.							
CONCRETE MIXER							
Trk. Mtd. 6.0 Cyd.							
CONCRETE SAW							
Full Depth CAP - 24" Blade							
CONCRETE VIBRATORY SCREED							
Air Powered - 36 ft. max.							
CONVEYER							
Port. Elev. W/Dumpster 2T min. @ 32							
deg. Incline - 18" width 60' length -							
PTO Gas or Diesel Engine Self-Elev.							
CRACK SEALING MACHINE							
Trir. Mtd. Dbl. Drum							
100 -125 GLN. D							
CRANE 10 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 12 - 1/2 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 14 T Hyd.							
Trk. Mtd. min. 18' Bed							
CRANE 15 - 25 T							
Hyd. Rough Terrain							
CRANE 20 - 25 T							
Cable D Crawler							

Schedule I

	Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without	iipment Without	Equipment Delivery Fee	nent / Fee
				Operator	r		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE 25 - 30 T							
Cable, Trk. Mtd. G							
CRANE 30 T Hyd.							
CRANE 35 T Hyd.		•					
CRANE 40 T Hyd.		eren destande en de characteristic destande en destande en destande en destande en destande en destande en des		ii.			
CRANE 50 T Hyd.							
CULVERT CLEANER							
Trk. Mtd. min. 1,500 gal. tank 1400 PSI min.						,	
CIII VERT CI FANER							
Trk. Mtd. 65 - 80 GPM 2,000 PSI min.							
DITCH WITCH							
DRILL							
Track Hoe Mtd.			-				
EQUIPMENT TRAILER							
10,000 lbs or less							-
16ft - 18 ft length to attach to a pintle hitch							
Tilt style deck							
EQUIPMENT TRAILER						•	
12,000 lbs - 14,000 lbs							
16ft - 18 ft length to attach to a pintle hitch							
Tilt style deck							
EXCAVATOR - TELEBOOM Track Mtd SP 0.5 Cvd D						·	
EXCAVATOR - TELEBOOM	_		_	_	_	_	****

Schedule I

auger or similar auger or similar b. max. c.		Equipme	Equipment Offered	Rental F Without	Rental Rate of Equipment Without Delivery/Without Operator	ıipment Without r	Equipment Delivery Fee	nent / Fee
Truck Mrd. SP 0.5 Cyd. D	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
EXCANATOR								
Main	EXCAVATOR						·	
EXCAVATOR	w/McMillen extreme duty earth auger or similar							
Mini-thyd. Track. Mtd. 2,600 lbs. max. EXCAVATOR	EXCAVATOR							
EXCAVATOR	Mini-Hyd. Track Mtd. 2,600 lbs. max.							
Mini-thyd. Track Mtd 6,500 lbs. max. EXCAVATOR - 1/8 Cyd. EXCAVATOR - 1/8 Cyd. EXCAVATOR - 1/8 Cyd. 44 HPD 11,000 lbs. Track Width 6' out-to-out EXCAVATOR - 1/8 Cyd. 44 HPD 11,000 lbs. Track Width 6' out-to-out EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic mammer for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator Hammer (MoBILE) SP Pavement Brix. Drop 70 HP min. Hammer (MoBILE) SP High FLOW SKID STEER Attachment: Broom Attachment: Bro	EXCAVATOR							
EXCAVATOR - 1/8 Cyd. 30 HP D Track Width 5' out-to-out EXCAVATOR - 1/6 Cyd. 44 HP D 11,000 lbs. Track Width 6' out-to-out EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket Track Width 6' out - to - out EXCAVATOR ATTACHMENT Plate compactor 715,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator Hydrau	Mini-Hyd. Track Mtd. 6,500 lbs. max.							
30 HP D Track Width 5' out-to-out EXCAVATOR - 15 Cyd. 44 HP D 11,000 lbs. Track Width 6' out-out EXCAVATOR - 14 Cyd. 55 HP D 14,000 lbs. Bucket Track Width 6' out - to - out EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic harmer for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic harmer for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic harmer for 15,000-20,000 lb excavator FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brit. Drop 70 HP min. HAMMER (DELIMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Attachment: Broom Attachment: Rowerl Brit. Broom Britest	EXCAVATOR - 1/8 Cyd.						-	- · · · · · - ·
EXCAVATOR - 1/5 Cyd. 44 HP D	30 HP D Track Width 5' out-to-out							
1,000 lbs. Track Width 6' out-to-out	EXCAVATOR - 1/5 Cyd. 44 HP D							
EXCAVATOR - 1/4 Cyd. 55 HP D 14,000 lbs. Bucket Track Width 6' out - to - out EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK Ton minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (Drop 70 HP min. HAMMER (Mobile 10 HP	11,000 lbs. Track Width 6' out-to-out							
55 HP D 14,000 lbs. Bucket Track Width 6' out - to - out EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK 1 To minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brix. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Attachment: Broom Attachment: Broom Bucket	EXCAVATOR - 1/4 Cyd.							
Track Width 6" out - to - out EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK FLATBED TRUCK FORKLIFT TRUCK	55 HP D 14,000 lbs. Bucket							-
EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK Ton minimum with 22 ft. bed length minimum for 15 ft. bed length minimum with 22 ft. bed length minimum wi	Track Width 6' out - to - out							
Plate compactor for 15,000-20,000 lb excavator EXCAVATOR ATTACHMENT	EXCAVATOR ATTACHMENT	·						•
EXCAVATOR ATTACHMENT Hydraulic hammer for 15,000-20,000 lb excavator Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum FLATBED TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Attachment: Bucket Attachment: Broom Bucket	Plate compactor for 15,000-20,000 lb excavator							
Hydraulic hammer for 15,000-20,000 lb excavator FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Attachment: Brooket Attachment: Broom Bucket	EXCAVATOR ATTACHMENT							
FLATBED TRUCK 1 Ton minimum with 22 ft. bed length minimum 4 Ton minimum with 22 ft. bed length minimum 1 Ton minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Attachment: Bucket Attachment: Room Bucket Attachment: Brooket	Hydraulic hammer for 15,000-20,000 lb excavator							
1 Ton minimum with 22 ft. bed length minimum FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broket Attachment: Rroom Bucket	FLATBED TRUCK							
FORKLIFT TRUCK Rough Terrain, 5 - 10 K lb. lift cap. Attachment: Broom Bucket HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Bucket Attachment: Bucket	1 Ton minimum with 22 ft. bed length minimum							
Rough Terrain, 5 - 10 K lb. lift cap. Rough Terrain, 5 - 10 K lb. lift cap. HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Bucket Attachment: Broom Bucket	FORKLIFT TRUCK							
HAMMER (MOBILE) SP Pavement Brkr. Drop 70 HP min. Pavement Brkr. Drop Pavement Brkr. Drop Bucket Pavement Brkr. Drop Bucket Pavement Brkr. Drop Bucket Pavement Brkr. Drop Bucket	Rough Terrain, 5 - 10 K lb. lift cap.							
Pavement Brkr. Drop 70 HP min. Pavement Brkr. Drop 70 HP min. HAMMER (DELMAG) PILE-D. D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broom Bucket Attachment Broket	HAMMER (MOBILE) SP							
HAMMER (DELMAG) PILE-D. D8-22 D8-22 HIGH FLOW SKID STEER Attachment: Broom Attachment: Broket Attachment: Bucket Attachment: Broket	Pavement Brkr. Drop 70 HP min.							
D8-22 HIGH FLOW SKID STEER Attachment: Broom Broket Attachment: Bucket Attachment: Rroom Bucket Attachment	HAMMER (DELMAG) PILE-D.							
HIGH FLOW SKID STEER Attachment: Broom Attachment: Bucket Attachment: Broket	D8-22	· · · · · · · · · · · · · · · · · · ·						
Attachment: Broom Attachment: Bucket Attachment: Room Bucket	HIGH FLOW SKID STEER							
Attachment: Bucket Attachment: Broket	Attachment: Broom							
Attachment: Broom Bucket	Attachment: Bucket							
	Attachment: Broom Bucket							

Schedule I

	Equipme	Equipment Offered	Rental Withou	Rental Rate of Equipment Without Delivery/Without	uipment Without	Equipment Delivery Fee	ment y Fee
				Operator	_		•
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
Attachment: Auger of any diameter			-				
Attachment: Trencher of any width							
HYDRO-SEEDER							
HYDRO-SEEDER							
Trk. Mtd. 1,500 - 2,500 Gal.							
JOINT SEALER							
3 Cylinder, Tandum Dual 2 Axle							
Vat Capacity - 200 gallons							
Tank - Double Boiler Type - opening 16'x24"							
Maximum Heat Input - Diesel 290,000 BTU							
Incl. Full Sweep Mixer with 2 horizontal paddles							
LIGHT TOWERS PORT.					·		
4 - 1,000 w/bulbs							
MANLIFT					•		
40 ft.							
MANLIFT SP							
80 ft.							
MANLIFT SP							
130 ft.							
MESSAGE SIGN - PROGRAMMABLE			· ·				
MILLING PLANER 30" COMPLETE WITH							
SKID STEER LDR.					•		
Operating capacity of at least 2150 lbs.							
MILLING PLANER COMPLETE WITH							
SKID STEER LDR.							
1 ft. cut min. to 5 ft. cut max.							
MORTAR MIXER							
6 CF 5 HP G							

Schedule i

Track Loader Manufacturer's Name Model/Serial # 5 / Day 5 / Week 5 / Month		Equipme	Equipment Offered	Rental Ra Without	Rental Rate of Equipment Without Delivery/Without Operator	nent hout	Equipment Delivery Fee	nent / Fee
MOTOR GRADER MOVER TRACTOR JSS, 1000-45, class MOWER TRACTOR JSS Type Attachment JPANER Cut Extuding Type SP G PANER HMA TAKENO REMOTE CONTROLLED TRACK LOADER 20 HP Millimum and 44" Max Overall Height RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav/Boom Mtd. ROCK HAMMER FOR EXCAVATOR 5000-7000 Ibs. class ROCK HAMMER FOR EXCAVATOR 5000-7000 Ibs. class ROCK WAGON ROLLER 5 Twiz steel drums ROLLER 5 Twiz steel drums ROLLER 10 T PNEUTR 1	Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	-	Month	1st Mile	Add. Mi.
35,000-45,000 bs. class MOWER TRACTOR Disc Type Attachment Disc Type Attachment 3pt high PAVER Cunb Extuding Type SP G PAVER HIMA RADIO REMOTE CONTROLLED TRACK LOADER RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP ROCKDRILL - SP ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROLLER 5 T w/2 steel drums 5 T w/2 steel drums 5 T w/2 steel drums 6 - 51 LPRUTR TOWUTK. Mtd. ROLLER 101 P NEUTR 7-45 T PARTITR Articulated	MOTOR GRADER							
MOWER TRACTOR Diss Type Attachment Diss Type Attachment PAVER Curb Extruding Type SP G PAVER Curb Extruding Type SP G PAVER HIAA Carb PAVER HIAB CALLOR TROLLED TRACK LOADER 20 - FD Minimum and 44" Max Overall Height RADIO REMOTE CONTROLLED TRACK LOADER 20 - FD Minimum and 44" Max Overall Height REGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCK PRILL - SP Hyl. Excav./Boom Mid. 3" Holes/20" deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20-30 T ROLLER 5 - 6 T PINEUTR TOW/Trk. Mtd. ROLLER 10 T PINEUTR ROLLER 7-4 T DINEUTR	35,000-45,000 lbs. class							
Disc Type Attachment Disc Type Attachment Disc Type Attachment	MOWER TRACTOR							
3 pt. hitch PAVER	Disc Type Attachment							
PAVER Curb Extruding Type SP G PAVER PAVER HAZ PAVER HAZ PAVER HAZ PAVER HAZ RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height RIGGING SYSTEM RIGGING SYSTEM RIGGING SYSTEM ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20" deep min. ROCK DATE ROCK HAMMER FOR EXCAVATOR 500-30 T ROLER 5 - 6 T PNEUTR TOWITH: Mtd. ROLLER 5 - 6 T PNEUTR ROLLER 7 - 5 T PNEUTR ROLLER 7 - 4 T PNEUTR A T - 5 T PNEUTR	3 pt. hitch							
Curb Extruding Type SP G PAVER HAMOR HAMOR REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP HAMOR REMOTE CONTROLLED TRACK LOADER ROCKDRILL - SP HAMOR Excav Boon Mid. 3" Holes Zea' Boon Mid. 3" Holes Zea' Boon Mid. 3" Holes Zea' Boon Mid. 5" Face of Direction Mid. 5" Face Steel drums FOOCK WAGON 50-30 T ROLLER 5 T wis steel drums ROLLER 5 T wis zetel drums ROLLER 5 - 6 T PNEUTR TOW/TR. Mid. ROLLER 6 - 6 T PNEUTR TOW/TR. Mid. ROLLER 7-6 T PNEUTR 7-7 T PNEUTR	PAVER				_			
PAVER HMA RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav./Boom Mtd. 3" Holes/20' deep min. ROCK WAGON W.3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20-30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 101 T PNEUTR Articulated 7.45 T DNEITR Articulated	Curb Extruding Type SP G				-			
HMA Radio Remote Controlled Track Loader Radio Remote Controlled Track Loader 20 HP Minimum and 44" Max Overall Height RicGing System) To Provide Inspection Access to Underside of Bridges Rock DRILL - SP Hyd. Excav JBoom Mtd. 3" Holes/20' deep min. ROCK DRILL - SP Hyd. Excav JBoom Mtd. 3" Holes/20' deep min. ROCK WAGON 20-30T COLER 5000-7000 lbs. class ROCK WAGON 20-30T ROLLER 5 T W/2 steel drums ROLLER 5 T W/2 steel drums ROLLER 5 T W/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 7 - 6 T PNEUTR Articulated 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER 7 - 7 T PNEUTR ROLLER	PAVER					•		
RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20-30 T ROLLER 5 T w/2 steel drums ROLLER 5 T FNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR 10 T PNEUTR ROLLER 11 T PNEUTR 12 T PNEUTR ROLLER 12 T PNEUTR 14 T ENRITHE Articulated 14 T ENRITHE Articulated	HMA							
20 HP Minimum and 44" Max Overall Height RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5:000-700 lbs., dass ROCK WAGON 20 -30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR 10 T PNEUTR 10 T PNEUTR	RADIO REMOTE CONTROLLED TRACK LOADER							
RIGGING SYSTEM (Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 500-7000 lbs. class ROCK WAGON 20 - 30 T ROLLER 5 T w/z steel drums ROLLER 6 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR Act T PNEUTR Act T PNEUTR Act T PNEUTR	20 HP Minimum and 44" Max Overall Height							
Catenary Scaffolding System) To Provide Inspection Access to Underside of Bridges ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20" deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class FOCK WAGON 500-7000 lbs. class FOCK WAGON 500-7000 lbs. class FOLLER 51 w/2 steel drums FOLLER	RIGGING SYSTEM							
Inspection Access to Underside of Bridges	(Catenary Scaffolding System) To Provide							
ROCKDRILL - SP Hyd. Excav/Boom Mtd. 3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20 -30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR Act t DNEUTR	Inspection Access to Underside of Bridges							
Hyd. Excav./Boom Mtd. 3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20-30 T ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 11 The Articulated	ROCKDRILL - SP						-	
3" Holes/20' deep min. ROCK HAMMER FOR EXCAVATOR 5000-7000 lbs. class ROCK WAGON 20-30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER	Hyd. Excav./Boom Mtd.							
ROCK HAMMER FOR EXCAVATOR FOOD 5000-7000 lbs. class ROCK WAGON 20 -30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 6 - 6 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER	3" Holes/20' deep min.							
5000-7000 lbs. class ROCK WAGON 20 -30 T ROLLER 5 T w/2 steel drums FOLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 7-15 T DNE! ITR Articulated	ROCK HAMMER FOR EXCAVATOR							
ROCK WAGON 20 -30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 10 T PNEUTR ROLLER 1-4 T DNEUTR Articulated	5000-7000 lbs. class							
20 -30 T ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 7-15 T DNEUTR Articulated	ROCK WAGON							
## ROLLER 5 T w/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER ROLLER 7-15 T DNEUTR Articulated	20 -30 T							
FT W/2 steel drums ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. 10 T PNEUTR ROLLER ROLLER 7-15 T DNE! ITR Articulated	ROLLER				• • •			
ROLLER 5 - 6 T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 7 - 15 T DNEI ITR Articulated	5 T w/2 steel drums							
5-6T PNEUTR TOW/Trk. Mtd. ROLLER 10 T PNEUTR ROLLER 7-15 T DNE! ITR Articulated	ROLLER				•••			
ROLLER 10 T PNEUTR ROLLER 7-15 T DNEITR Articulated	5-6T PNEUTR TOW/Trk. Mtd.							
10 T PNEUTR ROLLER 7-15 T DNEITR Articulated	ROLLER							_
ROLLER	10 T PNEUTR							
17-14 T DNEI TR Articulated	ROLLER							
	7-15 T PNEUTR, Articulated							

Schedule I

quipment Description Manufacturer's Name GVW G GVW G GVW G GVW G GVW G GVW G VCH VIB ACH VIB 0x. 10 HP ACH VIB 10 - 20 K GVW D Anterial SK w/Attenuator AV W AINTAINER PORT. -5 ft. L-100 T or similar L-100 T or similar AINTAINER SP N) or w/D (min. 46 HP) width 2" depth O-MAG) SP C-MAG) SP PER SP	Name Model/Serial #	\$ / Day	Operator \$ / Week	\$ / Month	1st Mile	Add. Mi.
n Manufacturer's Name		\$ / Day	\$ / Week	-	1st Mile	Add. Mi.
PNEUTR - 10K GVW G ROLLER SP PNEUTR - 20K GVW G ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 tL/length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D SCREENER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
ROLLER SP PNEUTR - 20K GVWG ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVWD SOLLER - VIB SP 1 Drum 2XL 10 - 20 K GVWD ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVWD ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVWD SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 11 - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
PNEUTR - 20K GVW G ROLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D SCHEENERS, Material Mobile - Diesel Mobile - Diesel Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 2 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 2 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 2 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 2 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Liesel SP 2 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material Mobile - 20 K GVW D SCREENERS, Material						
POLLER - TRENCH VIB Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1'-6' and 6"- 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREIL STREENER SP Trk. Mtd.						
Dual Drum Approx. 10 HP Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D SOLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SOLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SOREENERS, Material Mobile - Diesel SCREENERS, Material SCREENERS, Material Mobile - Diesel SCREENERS, Material SCREENERS, Material SCREENERS, Material SCREENERS, MAG, SP SCREENERS, MAG, SP SCREENERS, MAG, MC SCREENERS, MAG, MC SCREENERS, MAG, MC SCREENERS, MAG, MC SCREENERS, MC SCREENERS, MAG, MC SCREENERS, CREENERS SCRE						
Approx. Width 2.5 ft./length 8.3 ft. ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
ROLLER - VIB SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREILZER (BO-MAG) SP 250 HP min. STREIL SWEEPER SP						
SP 1 Drum 2XL 10 - 15 K GVW D ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STREIL SWEEPER SP Trk. Mtd. STREET SWEEPER SP						
ROLLER - VIB SP 1 Drum 2XL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar ShouLDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP				_		
SP 1 Drum ZXL 10 - 20 K GVW D SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar ShouLDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
SCREENERS, Material Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVVV SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
Mobile - Diesel SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. SHOULDER MAINTAINER PORT. Spreadmaster Al-100 T or similar Spreadmaster Al-100 T or similar ShoulDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1'-6' and 6"-12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
SHADOW TRUCK w/Attenuator min. 30,000 GVW SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
min. 30,000 GVW/ SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
SHOULDER MAINTAINER PORT. Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar Spreadmaster Al-100 T or similar ShouLDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
Pull-type Adj. 1 - 5 ft. Spreadmaster Al-100 T or similar Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
Spreadmaster Al-100 T or similar SHOULDER MAINTAINER SP W/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP				į		
SHOULDER MAINTAINER SP w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1'-6' and 6"-12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
w/G (min. 67 HP) or w/D (min. 46 HP) asphalt or stone width 1' - 6' and 6" - 12" depth STABILIZER (BO-MAG) SP 250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
1 15 10						
1 15 10						
15 10						
250 HP min. STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
STRAW / MULCH BLOWER Trk. Mtd. STREET SWEEPER SP						
PER						
PER						
\						
3.0 Cya. (min.)						
STREET SWEEPER SP						
8.0 Cyd. (min.)						
STREET SWEEPER						

Schedule i

Vendor Should Type Bid Schedule

6612C016

REQ. NO.

1st Mile Add. Mi. Equipment Delivery Fee \$ / Day | \$ / Week | \$ / Month Rental Rate of Equipment Without Delivery/Without Operator Model/Serial # **Equipment Offered** Manufacturer's Name Side/curb brooms and rear/center broom Equipment Description Elgin Pelican III or similar STREET SWEEPER - Truck-Mounted STREET SWEEPER-HYDROSTATIC Water-spray system for dust control 4.0 C.Y. Minimum hopper capacity 11,000 lbs up to 33,000 lbs

TRACTOR BOOM MOWER					
110 to 120 hp, class					
TRAFFIC SIGNALS - PORT					
2 Phase Operation D/E					
TRENCH PAVER					
(Base Widening Machine)					
UNDERBRIDGE INSPECTION UNIT					
20 ft. maximum horizontal reach					
UNDERBRIDGE INSPECTION UNIT				_	
30 ft. maximum horizontal reach					
UNDERBRIDGE INSPECTION UNIT					<u>-</u>
40 ft. maximum horizontal reach	And a second sec				
UNDERBRIDGE INSPECTION UNIT					
50 ft. maximum horizontal reach					
UNDERBRIDGE INSPECTION UNIT				•	
60 ft. maximum horizontal reach	Address of the second s				
UNDERBRIDGE PLATFORM					,
Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach					
UNDERBRIDGE PLATFORM					
Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach					
UNDERBRIDGE PLATFORM		_			

Vendor Should Type Bid Schedule

Schedule I

	Equipme	Equipment Offered	Rental F Withou	Rental Rate of Equipment Without Delivery/Without Operator	uipment Without	Equipment Delivery Fee	nent / Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
Trir. Mtd., Hyd. SP Min. 40 ft. horizontal reach							
UNDERBRIDGE PLATFORM							
Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach							
UNDERBRIDGE PLATFORM							9
Trlr. Mtd., Hyd. SP Min. 60 ft. horizontal reach							
VACUUM/SPRAY UNIT					,		
Trk. Mtd. min. 1,000 gal. tank min. 60 gpm							
4 ft. teleboom w/swivel/rotating hose reel		,					
VAN - BOX							
21,000 or greater							
WATER PUMPS - 3"							
W/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 4"							
w/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 6"							
W/SUCTION & DISCHARGE HOSES							
WATER PUMPS - 12"							
WSUCTION & DISCHARGE HOSES							
WORK PLATFORM SP							
SL 25' High Platform 1,500# CAP							
WORK PLATFORM SP							
St. 25' High Dlafform 1 500# CAD		•					

SCHEDULE II

			Rental Rate of Equipment	quipment	Equip	Equipment
	Equipment Offered	: Offered	Without Delivery/ WITH OPERATOR	livery/ 24TOR	Delivery Fee	ry Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	\$ / Month	1st Mile	Add. Mi.
BACKHOE - CRWLR - HY-RAM						
24,000 lbs 35,800 lbs.						
BACKHOE - CRWLR - HY-RAM						
36,000 lbs 42,900 lbs.						
BACKHOE - CRWLR - HY-RAM						
43,000 lbs 60,000 lbs.						
BACKHOE - CRWLR 1.25 Cyd.						
128 - 141 HP						•
42,700 lbs 45,900 lbs.						
CONCRETE PUMP Trir. Mtd.						
w/hoses w/o Boom						
CONCRETE PUMP Trk. Mtd.						
w/hoses and Boom up to 30 meters						
CONCRETE PUMP				<u>-</u>		·
Trk. Mtd. with hoses			···			
and Boom over 30 meters						_
CRANE 15-25 TON Hyd.					-	_
Rough Terrain						
CRANE - Hyd., Trk. Mtd. D						
30 TON						
CRANE - Hyd., Trk. Mtd. D						
35 TON						
CRANE - Hyd., Trk. Mtd. D						
NO. 04						

SCHEDULE II

	Equipment Offered	t Offered	Rental W	Rental Rate of Equipment Without Delivery/ WITH OPERATOR	quipment ivery/ ATOR	Equip Delive	Equipment Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Month	1st Mile	Add. Mi.
CRANE - Hyd., Trk. Mtd. D							
50 TON							
CRANE - Hyd., Trk. Mtd. D					_		
60 TON							
CRANE - Hyd., Trk. Mtd. D	j			· <u>-</u>			
75 TON	P&H	T-750/45963	2,000	8,000	30,000	15.00	15.00
CRANE - Hyd., Trk. Mtd. D							
90 TON							
CRANE - Hyd., Trk. Mtd. D							
100 TON							
CRANE - Hyd., Trk. Mtd. D							
110 TON							
CRANE - Hyd., Trk. Mtd. D							
120 TON	GROVE - 125 TON	1275/37728	2,500	12,000	35,000	40.00	40.00
CRANE - Hyd., Trk. Mtd. D	·						
150 TON							
CRANE - Hyd., Trk. Mtd. D							
165 TON							
CRANE - Hyd., Trk. Mtd. D							
175 TON							
CRANE - Hyd., Trk. Mtd. D							
225 TON	:						

Vendor Should Type Bid Schedule

Equipment Offered Without Delivery/ Delive				Rental Rate of Equipment	of Equip	ment	Equip	Equipment
Equipment Description Manufacturer's Name Model/Serial # \$/ Day \$/ Week \$/ Month 1st Mile 1-Hyd., Trk. Mtd. D Image: Control of the co		Equipment	t Offered	Withou WITH (ut Deliven <i>OPERATC</i>). J.R	Delive	ry Fee
CRANE - Hyd., Trk. Mtd. D 300 TON CRANE - Hyd., Trk. Mtd. D CRANE - Hyd., Trk. Mtd. D 500 TON CRANE - TELEBOOM SP 500 TON CRANE - TELEBOOM SP 55 TON S5 TON CRANE - TELEBOOM SP S5 TON 50 TON CRANE - TELEBOOM SP 50 TON CRANE - TUCK-Mounted 10 TON CRANE - TUCK-Mounted 10 TON CRANE - TUCK-MOUNTED 11,000 Ibs up to 33,000 Ibs CRANE - TUCK-MOUNTED 11,000 Ibs up to 33,000 Ibs CRANE - TUCK-MOUNTED 11,000 Ibs up to 33,000 Ibs CRANE - TUCK-MOUNTED 11,000 Ibs up to 33,000 Ibs CRANE - TUCK-MOUNTED 12,000 Ibs up to 33,000 Ibs CRANE - TUCK-MOUNTED 12,000 Ibs up to 33,000 Ibs CRAN	Equipment Description	Manufacturer's Name	Model/Serial #	_		Month	1st Mile	Add. Mi.
200 TON CRANE - Hyd., Trk. Mtd. D S00 TON CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 35 TON CRANE - TELEBOOM SP 55 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 56 TON CRANE - TON CRANE - TELEBOOM SP 56 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TELEBOOM SP 57 TON CRANE - TON SP 57 TON CRANE - TON SP 57 TON CRANE - TON SP 57 TON CRANE - TON SP 57 TON CRANE - TON SP 57 TON CRANE - TON SP 57 TON S	CRANE - Hyd., Trk. Mtd. D							
CRANE - Hyd., Trk. Mtd. D 500 TON CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 500 TON CRANE - TELEBOOM SP 60 TON RADIO REMOTE CONTROLLED TRACK LOADER 60 TON AD ON HAIL MAX OVERALI Height 60 TON STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control 8ide/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT 8mal Bucket Type Soft max, horizontal 10 C.Y. Minimum bucket Type Lage Platforn or Bucket Type 10 C.M. Max. horizontal Lage Platforn or Bucket Type 10 C.M. Max. horizontal	300 TON				1			
CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 50 TON CRANE - TELEBOOM SP 50 TON RADIO REWOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/centrer broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. holizontal UNDERBRIDGE INSPECTION UNIT Large Pletfarm or Bucket Type 50 ft. max. horizontal	CRANE - Hyd., Trk. Mtd. D							
## CRANE - TELEBOOM SP 30 TON CRANE - TELEBOOM SP 35 TON CRANE - TELEBOOM SP 35 TON CRANE - TELEBOOM SP 50 TON RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust confrol Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Sale Bucket Type 50 ft. max. horizontal	500 TON							
30 TON CRANE - TELEBOOM SP 35 TON CRANE - TELEBOOM SP 35 TON CRANE - TELEBOOM SP 50 TON RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT STREET SWEEPER TYPE 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal								
CRANE - TELEBOOM SP 35 TON GRANE - TELEBOOM SP 60 TON GRANE - TELEBOOM SP 60 TON RADIO REMOTE CONTROLLED TRACK LOADER 60 TON RADIO REMOTE CONTROLLED TRACK LOADER 60 TON 20 HP Minimum and 44" Max Overall Height 60 TON STREET SWEEPER - Truck-Mounted 40 C.Y. Minimum hopper capacity Water-spray system for dust control 51 Ge/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT 5 mail Bucket Type 30 ft. max. horizontal 12 German Horizontal 50 ft. max. horizontal 50 ft. max. horizontal	30 TON				1			
25 TON CRANE - TELEBOOM SP 50 TON RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal 50 ft. max. horizontal 50 ft. max. horizontal								
CRANE - TELEBOOM SP 50 TON FADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height 20 HP Minimum and 44" Max Overall Height 20 HP Minimum and 44" Max Overall Height 8 TREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control SIGHCurb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal ILarge Platform or Bucket Type 50 ft. max. horizontal 50 ft. max. horizontal	35 TON							
80 TON RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height 21 Holdinium and 44" Max Overall Height 22 HP Minimum and 44" Max Overall Height 32 HEET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal					<u> </u>			
RADIO REMOTE CONTROLLED TRACK LOADER 20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	50 TON							
20 HP Minimum and 44" Max Overall Height STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	RADIO REMOTE CONTROLLED TRACK LOADER							٠
STREET SWEEPER - Truck-Mounted 4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	20 HP Minimum and 44" Max Overall Height							
4.0 C.Y. Minimum hopper capacity Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	STREET SWEEPER - Truck-Mounted				<u>.</u> .			
Water-spray system for dust control Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	4.0 C.Y. Minimum hopper capacity							
Side/curb brooms and rear/center broom 11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type Large Platform or Bucket Type 50 ft. max. horizontal	Water-spray system for dust control							
11,000 lbs up to 33,000 lbs UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	Side/curb brooms and rear/center broom							
UNDERBRIDGE INSPECTION UNIT Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	11,000 lbs up to 33,000 lbs							
Small Bucket Type 30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	UNDERBRIDGE INSPECTION UNIT				<u>-</u>			
30 ft. max. horizontal UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	Small Bucket Type							
UNDERBRIDGE INSPECTION UNIT Large Platform or Bucket Type 50 ft. max. horizontal	30 ft. max. horizontal							
Large Platform or Bucket Type 50 ft. max. horizontal	UNDERBRIDGE INSPECTION UNIT							
50 ft. max. horizontal	Large Platform or Bucket Type							
	50 ft. max. horizontal				_			

Vendor Should Type Bid Schedule

			Rental	Rental Rate of Equipment	uipment	Equi	Equipment
	Equipment Offered	ıt Offered	<u> </u>	Without Delivery/	very/ 4TOR	Delive	Delivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day	\$ / Week	\$ / Day \$ / Week \$ / Month 1st Mile Add. Mi.	1st Mile	Add. Mi.
UNDERBRIDGE INSPECTION UNIT							
Snooper Series 230 or similar							
(Including driver and operator)							
UNDERBRIDGE INSPECTION UNIT		_					
Snooper Series 260 or similar							
(including driver and operator)							
VACUUM TRUCK/JETT-RODDER							
1" hose				,			
65 - 85 GPM @ 3,000 PSI							

Vendor Should Type Bid Schedule

	Emergency SRIC Equipment	Equipment	Rental Rate of Equipment Without Delivery/ WITHOUT OPERATOR	quipment ivery/ RATOR	1.5 0 1	Equipment elivery Fee
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	\$ / Month	1st Mile	Add. Mi.
TRUCK 7,000 GVWR						
7' Plow - Electric Hydro						
TRUCK 9,000 GVWR						
8' V-Plow with Hopper - Electric Hydro						
TRUCK 9,000 GVWR						
8' Plow - Electric Hydro						
TRUCK 10,000 GVWR						
8' Plow with DumpBed/Tailgate						
3 yard Capacity - Electric Hydro						
TRUCK 10,000 GVWR						_
8' Plow with S.S. V-Box						
3 yard Capacity - Electric Hydro						
TRUCK 10,000 GVWR						
8' Plow, 3 yard Capacity - Electric Hydro						
TRUCK 10,000 GVWR						
8' Plow with Hopper - Electric Hydro						
TRUCK 10,000 GVWR						
8' Plow, 2 yard Capacity - Electric Hydro						
TRUCK 10,000 GVWR						
8' Plow with S.S. V-Box						
2 yard Capacity - Electric Hydro						
TRUCK 10,000 GVWR						
8' 6" V-Plow - Electric Hydro						

Vendor Should Type Bid Schedule

Equipment Description Manufacturer's Name Model/Serial # \$/ Day \$/ Week \$/ Month 1st Mile TRUCK 15,000 GVWR 9 Plow with S. V. Box 5 Plow With DumpBed/Tailgate 5 Plow With S. V. Box 3 Plow with S. S. V. Box 7 Plow V. S. A. Box 7 Plow With S. V. Box 7 Plow V. S. A. Box 3 Plow with S. S. V. Box 9 Plow V. S. A. Box 8 Plow V. S. A. Box 9 Plow V. S. A. Box 3 Plow with DumpBed/Tailgate 9 Plow V. S. V. Box 9 Plow V. S. V. Box 9 Plow V. S. V. Box 4 Plow with DumpBed/Tailgate 9 Plow With DumpBed/Tailgate 9 Plow VIII Plow With S. V. Box 9 Plow With DumpBed/Tailgate 5 Yard Capacity - Central Hydro 7 Plow With DumpBed/Tailgate 9 Plow With DumpBed/Tailgate 8 Yard Capacity - Central Hydro 7 Plow With DumpBed/Tailgate 9 Plow With DumpBed/Tailgate 8 Yard Capacity - Central Hydro 7 Plow With DumpBed/Tailgate 9 Plow With DumpBed/Tailgate 8 Yard Capacity - Central Hydro 7 Yard Capacity - Central Hydro 9 Plow With DumpBed/Tailgate 10 Plow with S. V. Box 10 Plow with S. V. Box 10 Plow with S. V. Box 10 Plow with S. V. Box 10 Plow with S. V. Box		Emergency SRIC Equipment	Equipment	Rental Rate	Rental Rate of Equipment Without Delivery/		Equipment Delivery Fee	t e
tion Manufacturer's Name Model/Serial # \$ / Day \$ / Week \$ / Month ic Hydro				MITHOUT	- OPERATOR	~		
TRUCK 15,000 GVWR 9' Plow with DumpBed/Tailgate 5' yard Capacity - Central Hydro TRUCK 16,000 GVWR 9' Plow, 5' yard Capacity - Electric Hydro TRUCK 16,000 GVWR 9' Plow, 5' yard Capacity - Electric Hydro TRUCK 16,000 GVWR 9' Plow, 5' yard Capacity - Electric Hydro TRUCK 16,000 GVWR 9' Plow, 5' yard Capacity - Central Hydro TRUCK 21,000 GVWR 9' Plow with DumpBed/Tailgate 5' yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S. S. V-Box 6' yard Capacity - Central Hydro TRUCK 22,000 GVWR 10' Plow with DumpBed/Tailgate 8' yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S. S. V-Box 6' yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8' yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with Capacity - Central Hydro	Equipment Description	Manufacturer's Name	Model/Serial #			-		Add. Mi.
9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 16,000 GVWR 9 Plow with SS. V-Box 10 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 18,000 GVWR 9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9 Plow with SS. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10 Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 20,000 GVWR 10 Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with SS. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box 10 Plow with SS. V-Box	TRUCK 15,000 GVWR							•
5 yard Capacity - Central Hydro TRUCK 16,000 GVWR 9 Plow with S.S. V-Box 5 yard Capacity - Electric Hydro TRUCK 16,000 GVWR 9 Plow. 5 yard Capacity - Electric Hydro TRUCK 11,000 GVWR 9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9 Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box 10' Plow with S.S. V-Box	9' Plow with DumpBed/Tailgate	~						
TRUCK 16,000 GVWR 9 Plow with S.S. V-Box 5 yard Capacity - Central Hydro 1 PRUCK 18,000 GVWR 9 Plow, 5 yard Capacity - Electric Hydro 1 PRUCK 18,000 GVWR 9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro 1 PRUCK 21,000 GVWR 9 Plow with S.S. V-Box 9 Plow with S.S. V-Box 10 Plow with S.S. V-Box 10 Plow with S.S. V-Box 10 Plow with S.S. V-Central Hydro 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 11 Plow with S.S. V-Box 12 Plow with S.S. V-Box 13 Plow with S.S. V-Box 14 Plow with S.S. V-Box 15 Plow with S.S. V-Box 16 Plow with S.S. V-Box 17 Plow with S.S. V-Box 18 Plow With S.S. V-Box 19 Plow with S.S. V-Box 10 Plow with S.S. V-Box 10 Plow with S.S. V-Box 11 Plow With S.S. V-Box 12 Plow with S.S. V-Box 13 Plow With S.S. V-Box 14 Plow With S.S. V-Box 15 Plow With S.S. V-Box 15 Plow With S.S. V-Box 16 Plow With S.S. V-Box 17 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 19 Plow With S.S. V-Box 19 Plow With S.S. V-Box 19 Plow With S.S. V-Box 19 Plow With S.S. V-Box 10 Plow With S.S. V-Box 10 Plow With S.S. V-Box 10 Plow With S.S. V-Box 11 Plow With S.S. V-Box 12 Plow With S.S. V-Box 13 Plow With S.S. V-Box 14 Plow With S.S. V-Box 15 Plow With S.S. V-Box 15 Plow With S.S. V-Box 16 Plow With S.S. V-Box 17 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow With S.S. V-Box 18 Plow	5 yard Capacity - Central Hydro							
9 Plow with S.S. V-Box 5 yard Capacity - Central Hydro TRUCK 16,000 GVWR 9 Plow. 5 yard Capacity - Electric Hydro TRUCK 18,000 GVWR 9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10 Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with DumpBed/Tailgate 10 Plow with S.S. V-Box 10 Plow with DumpBed/Tailgate 10 Plow with S.S. V-Box 10 Plow with DumpBed/Tailgate 10 Plow with S.S. V-Box 10 Plow with S.S. V-Box 10 Plow with S.S. V-Box 10 Plow with S.S. V-Box	TRUCK 16,000 GVWR						<u>.</u>	
5 yard Capacity - Central Hydro TRUCK 16,000 GVWR 9' Plow, 5 yard Capacity - Electric Hydro TRUCK 18,000 GVWR 9' Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	9' Plow with S.S. V-Box							
### TRUCK 16,000 GVWR 9 Plow, 5 yard Capacity - Electric Hydro TRUCK 18,000 GVWR 9 Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9 Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10 Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with S.S. V-Box 7 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10 Plow with S.S. V-Box 7 yard Capacity - Central Hydro	5 yard Capacity - Central Hydro			•				
9' Plow, 5 yard Capacity - Electric Hydro TRUCK 18,000 GVWR 9' Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 16,000 GVWR							
## TRUCK 18,000 GVWR 9' Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box	9' Plow, 5 yard Capacity - Electric Hydro							
9' Plow with DumpBed/Tailgate 5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 18,000 GVWR					-		
5 yard Capacity - Central Hydro TRUCK 21,000 GVWR 9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	9' Plow with DumpBed/Tailgate							
## TRUCK 21,000 GVWR 9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	5 yard Capacity - Central Hydro							
9' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 21,000 GVWR						·· ········	
6 yard Capacity - Central Hydro TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	9' Plow with S.S. V-Box							
TRUCK 21,000 GVWR 10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	6 yard Capacity - Central Hydro							
10' Plow with S.S. V-Box 6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 21,000 GVWR						- ، الجانبية	
6 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	10' Plow with S.S. V-Box							
TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box	6 yard Capacity - Central Hydro							
10' Plow with DumpBed/Tailgate 8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 26,000 GVWR							
8 yard Capacity - Central Hydro TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	10' Plow with DumpBed/Tailgate							
TRUCK 26,000 GVWR 10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	8 yard Capacity - Central Hydro							
10' Plow with S.S. V-Box 7 yard Capacity - Central Hydro	TRUCK 26,000 GVWR							
7 yard Capacity - Central Hydro	10' Plow with S.S. V-Box							
	7 yard Capacity - Central Hydro				-			

Vendor Should Type Bid Schedule

			Rental Rate of Equipment	quipment	Equipment	lent
	Emergency SRIC Equipment	Equipment	Without Delivery/ WITHOUT OPERATOR	livery/ ERATOR	Delivery Fee	Fee e
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$ / Week	\$ / Month	1st Mile Ac	Add. Mi.
TRUCK 26,000 GVWR						
10' Plow with S.S. V-Box					•••	
8 yard Capacity - Central Hydro						
TRUCK 70,000 GVWR						
10' Plow with DumpBed/Tailgate						
20 yard Capacity - Central Hydro						
TRUCK 26,000 GVWR			-			<u> </u>
1,800 gallon Salt Brine Spray Rig						
Central Hydro						
TRUCK 70,000 GVWR						
3,200 gallon Salt Brine Spray Rig					•	
Central Hydro						
TRUCK 70,000 GVWR						
4,000 gallon Salt Brine Spray Rig						
Central Hydro						
TRUCK SINGLE AXLE DUMP 10' Plow - 7 vard spreader with wet tank						
RUBBER TIRE LOADER						
130 hp with 3 yard Bucker Capacity					····	
14' Pusher						
RUBBER TIRE LOADER						
150 hp with 3 yard Bucker Capacity		,				
14' Pusher						
			s.*			

Vendor Should Type Bid Schedule

	Emergency SRIC Equipment	Equipment	Rental R	Rental Rate of Equipment Without Delivery/	uipment /ery/	Equip Delive	Equipment Delivery Fee
:			WITHO	WITHOUT OPERATOR	SATOR		
Equipment Description	Manufacturer's Name	Model/Serial #	\$ / Day \$	/ Week	\$ / Day \$ / Week \$ / Month	1st Mile Add. Mi.	Add. Mi.
RUBBER TIRE LOADER				•			·
150 hp with 3 yard Bucker Capacity							
12' Plow Power Angle							
BLOWERS							
Capacity to blow 1,500 tons per hour							
BLOWERS							
Capacity to blow 3,000 tons per hour							
BLOWERS						•	
Capacity to blow 3,300 tons per hour							
BLOWERS							
Capacity to blow 4,000 tons per hour							

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

DIAIPIOLI	Will fridate the determination of the visit
1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced-
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately
	preceding the date of this certification; or , Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or ,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requir agains	r understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty st such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency fucted from any uppaid balance on the contract or purchase order.
autho the re	bmission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and rizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid quired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information led by the Tax Commissioner to be confidential.
and a	er penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate ges during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidde	ges during the term of the contract, Bluder will notify the lands of the contract, Bluder will notify the lands of the contract, Bluder will notify the lands of the contract, Bluder will notify the lands of the contract of
Date	02-23-12 Title: President
*Chec	k any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

MITNESS THE COLLOWING CLONATURE

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
TERESA G. TOLER
P. O. BOX 393
JUSTICE, WV 24851
My commission expires December 4, 2015

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.


"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (**West Virginia Code** §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITHESS THE FULLOWING SIGNATURE	
Vendor's Name: Jenna's Crane S	ervice Corporation
Authorized Signature: Lovi Stacy	
State of Mest Virginia	
County of Mago, to-wit:	
Taken, subscribed, and sworn to before me this $\frac{\partial^{\ell}}{\partial t}$	day of February, 2012.
My Commission expires <u>December 4</u>	, 20 <u>15</u> .
AFFIX SEAL HERE	NOTARY PUBLIC Teresa) & Voler

Please use this document for technical questions, posing in a question format Please refer to the section your question is in reference to. Technical questions for RFQ# Vendor Name:_____ Questions:



WEST VIRGINIA CONTRACTOR LICENSING BOARD

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:

WV033411

Classification:

SPECIALTY

JENNAS CRANE SERVICE CORP DBA JENNAS CRANE SERVICE CORP PO BOX 399 GILBERT, WV 25621

Date Issued

Expiration Date

JANUARY 30, 2012

JANUARY 30, 2013

Authorized Company Signature

Chair, West Virginia Contractor

Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

