



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 AGR1204

PAGE  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 KRISTA FERRELL  
 304-558-2596

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK  
 CADILLAC GMC  
 50714 National Rd.  
 St. Clairsville, OH 43980

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV  
 25312 304-558-2221

10/13

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/15/2011	0% NET 30	Driver	CHARLESTON	D.C.

BID OPENING DATE: 10/13/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	3	EA		070-48-17-000	\$26000 <sup>00</sup>	\$78000 <sup>00</sup>
<p>TRUCK: CLASS 17, SMALL PICKUP, 4 WHEEL DRIVE, EXTEND</p> <p><u>1</u> WHITE, <u>1</u> SILVER, <u>1</u> NAVY</p> <p>REQUEST FOR QUOTATION (RFQ)</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS FOR (3) GMC CANYON TT-15653 SMALL PICK UP TRUCKS PER THE ATTACHED SPECIFICATIONS.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV.</p> <p>DEADLINE FOR TECHNICAL QUESTIONS IS 09/29/2011 AT THE CLOSE OF BUSINESS.</p> <p>ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL WRITTEN ADDENDUM TO BE ISSUED AFTER THE DEADLINE HAS LAPSED.</p> <p>VERBAL COMMUNICATION: ANY VERBAL COMMUNICATION BETWEEN THE VENDOR AND ANY STATE PERSONNEL IS NOT BINDING. ONLY INFORMATION ISSUED IN WRITING AND ADDED TO THE RFQ BY FORMAL WRITTEN ADDENDUM IS BINDING.</p> <p>NO CONTACT BETWEEN THE VENDOR AND THE AGENCY IS PERMITTED. VIOLATION MAY RESULT IN REJECTION OF THE BID. THE STATE BUYER NAMED ABOVE IS THE SOLE CONTACT</p>						

RECEIVED  
 2011 OCT -7 AM 9:49  
 WV PURCHASING DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>[Signature]</i>	800-610-0211	10/4/11	
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE	
Proc Mgr	34-1398756		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 AGR1204

PAGE  
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 KRISTA FERRELL  
 304-558-2596

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEVROLET BUICK  
 CADILLAC GMC  
 50714 National Rd.  
 St. Clairsville, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV  
 25312 304-558-2221

DATE PRINTED 09/15/2011	TERMS OF SALE O.K. NET 30	SHIP VIA Driver	F.O.B. Charleston	FREIGHT TERMS N.C.
BID OPENING DATE: 10/13/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>FOR ANY AND ALL INQUIRIES AFTER THIS RFQ HAS BEEN RELEASED.</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.: .....</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO. 'S:</p> <p>NO. 1 .....</p> <p>NO. 2 .....</p> <p>NO. 3 .....</p> <p>NO. 4 .....</p> <p>NO. 5 .....</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 10/4/11
TITLE Free & Moore	FEIN 134-1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
**AGR1204**

PAGE  
**3**

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
**KRISTA FERRELL**  
**304-558-2596**

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

**WHITESIDE CHEVROLET BUICK**  
**CADILLAC GMC**  
**50714 National Rd.**  
**St. Clairsville, OH 43950**

SHIP TO

**DEPARTMENT OF AGRICULTURE**  
**ADMINISTRATIVE SERVICES**  
**BUILDING 2, ROOM 106**  
**4720 BRENDA LANE**  
**CHARLESTON, WV**  
**25312**                      **304-558-2221**

DATE PRINTED <b>09/15/2011</b>	TERMS OF SALE <b>01 NET 30</b>	SHIP VIA <b>Driver</b>	F.O.B. <b>CHARLESTON</b>	FREIGHT TERMS <b>N.C.</b>
BID OPENING DATE: <b>10/13/2011</b>		BID OPENING TIME <b>01:30PM</b>		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				<i>Thomas M. Angilly</i> WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950 10/4/11 DATE		
NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.  REV. 09/21/2009  BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.  NOTICE  A SIGNED BID MUST BE SUBMITTED TO:  DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130  THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEE REVERSE SIDE FOR TERMS AND CONDITIONS						

SIGNATURE <i>Thomas M. Angilly</i>	TELEPHONE <b>800-610-0211</b>	DATE <b>10/4/11</b>
TITLE <b>Freeze Mgr</b>	FEIN <b>134-1398756</b>	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
AGR1204

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

RFQ COPY  
 TYPE NAME/ADDRESS HERE

VENDOR

**WHITESIDE CHEVROLET BUICK  
 CADILLAC GMC**  
 50714 National Rd.  
 St. Clairsville, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV  
 25312 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/15/2011	0% NET 30	Driven	CHARLESTON	N.C.

BID OPENING DATE: 10/13/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
SEALED BID						
BUYER:				KRISTA FERRELL-FILE 21		
RFQ. NO.:				AGR1204		
BID OPENING DATE:				10/13/2011		
BID OPENING TIME:				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
				740-695-1756		
CONTACT PERSON (PLEASE PRINT CLEARLY):						
				KELAN McCulley		
***** THIS IS THE END OF RFQ AGR1204 ***** TOTAL:						\$178000.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	800-610-0211	10/4/11
TITLE	FAX	ADDRESS CHANGES TO BE NOTED ABOVE
Free Man	34-1398756	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**RFQ#: AGR1204**

## Vehicle Specifications:

(3) GMC Canyon TT-15653 Small Pickup Trucks (Or Equal), 4 wheel drive, 4700 GVWR with Extended Cab.

motor size - 3.7L DOHC I-5 engine

colors- 1 Navy, 1 White, 1 Silver

seats - Cloth

towing package - no towing package needed at this time

carpet - yes

Power Windows/Power Door Locks - yes

tilt - yes

cruise - yes

Need 4 wheel drive

Need a front license plate bracket

**Delivery:** Vehicles must be delivered within 60 calendar days of the receipt of the purchase order by the successful vendor.

**RFQ# AGR1204**  
**Cost Sheet**

Item Description	Unit Cost	Est. Qty.	Extended Cost
GMC Canyon Model TT-15653	\$ 26000 <sup>00</sup>	3	\$ 7800 <sup>00</sup>

Vendors submitting "or equal" bids should include below the make and model of the vehicle bid along with specification sheets.

Manufacturer

GENERAL MOTORS

Model

GMC CANYON CT15653

**WHITESIDE CHEVROLET BUICK**  
**CADILLAC GMC**  
50714 National Rd.  
**St. Clairsville, OH 43980**

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950 Date: 10/4/17

Signed: [Signature] Title: Fleet Mgr

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. AGR1204

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**

Vendor's Name: WHITESIDE CHEVROLET BUICK

CADILLAC GMC

Authorized Signature: 50714 National Rd. Date: 10-5-11

State of OHIO St. Clairsville, OH 43980

County of Bermeo to-wit:

Taken, subscribed, and sworn to before me this 5<sup>th</sup> day of Oct, 2011.

My Commission expires 4.3, 2011.

AFFIX SEAL HERE

NOTARY PUBLIC

*Carla J. Spears*



Carla J. Spears  
Notary Public, State of Ohio  
My Commission Expires 6.3.12



## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.htm](http://www.state.wv.us/admin/purchase/vrc/hipaa.htm) and is hereby made part of the agreement. Provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

### INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

Prepared By:  
administrator

WHITESIDE CHEVROLET BUICK  
CADILLAC GMC  
50714 National Rd.  
St. Clairsville, OH 43950

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### ***SELECTED MODEL & OPTIONS***

#### SELECTED MODEL - 2012 Retail TT15653 4WD Ext Cab SLE1

<u>Code</u>	<u>Description</u>
TT15653	2012 GMC Canyon 4WD Ext Cab SLE1

#### SELECTED VEHICLE COLORS - 2012 Retail TT15653 4WD Ext Cab SLE1

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

#### SELECTED OPTIONS - 2012 Retail TT15653 4WD Ext Cab SLE1

##### CATEGORY

<u>Code</u>	<u>Description</u>
SUSPENSION PKG	
Z85	SUSPENSION PACKAGE, HEAVY-DUTY (STD)
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
LLR	ENGINE, 3.7L DOHC 5-CYLINDER SFI (242 hp [180.4 kW] @ 5600 rpm), 242 lb-ft [326.7 N-m] @ 4600 rpm) (Standard on 4WD Regular and Crew Cab models. Refer to the Engine and Axle section for compatibility requirements. Must specify.)
TRANSMISSION	
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD) (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
GVWR	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### ***SELECTED MODEL & OPTIONS***

#### **SELECTED OPTIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

#### **CATEGORY**

<b><u>Code</u></b>	<b><u>Description</u></b>
GVWR	
C3H	GVWR, 5300 LBS. (2404 KG) (Not available on Regular Cab models. Included and only available with (Z71) High Stance Off-Road Suspension Package on 2WD models. Standard on 4WD Extended and Crew Cab models. Refer to the Engine and Axle section for compatibility requirements. Must specify.) (STD)
AXLE	
GT4	REAR AXLE, 3.73 RATIO (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
PREFERRED EQUIPMENT GROUP	
3SA	SLE1 PREFERRED EQUIPMENT GROUP Includes Standard Equipment
WHEELS	
PP1	WHEELS, 4 - 16" X 6" (40.6 CM X 15.2 CM) ALUMINUM (STD) (Included and only available on 2WD models with (LH9) 5.3L V8 SFI engine. Packaged on 4WD Regular and Extended Cab models. Standard on 4WD Crew Cab models. Not available on 2WD Regular or Extended Cab models.)
TIRES	
QNF	TIRES, P235/75R16 ALL-SEASON, BLACKWALL (STD) (Not available on 2WD Regular Cab models. Standard on 4WD models with (Z85) Heavy-Duty Suspension Package and (ZCY) compact spare tire or (ZNF) P235/75R16 on-/off-road blackwall spare tire. Included and only available on 2WD models with (LH9) 5.3L V8 SFI engine, (Z85) Heavy-Duty Suspension Package and (ZCY) compact spare tire or (ZNF) P235/75R16 on-/off-road blackwall spare tire.)
SPARE TIRE	
ZCY	TIRE, COMPACT SPARE (STD)
PAINT SCHEME	
ZY1	SOLID PAINT
PAINT	
48U	NAVY BLUE

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **SELECTED MODEL & OPTIONS**

#### SELECTED OPTIONS - 2012 Retail TT15653 4WD Ext Cab SLE1

#### CATEGORY

<u>Code</u>	<u>Description</u>
SEAT TYPE AM6	SEATS, FRONT 60/40 SPLIT-BENCH with (**J) Deluxe Cloth, manual recliners, integral outboard head restraints, armrest with integral storage and dual cup holders (STD)
SEAT TRIM 19J	EBONY, SLE DELUXE CLOTH
RADIO US8	AUDIO SYSTEM, AM/FM STEREO with CD/MP3 player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab (STD)
ADDITIONAL EQUIPMENT Z82	TRAILERING EQUIPMENT includes (VR4) trailer hitch and (UY7) 7-pin sealed trailer wiring connector (Not available with (LLV) 2.9L DOHC 4-cylinder SFI engine. Required on Crew Cab models with (LLR) 3.7L DOHC 5-cylinder engine or (LH9) 5.3L V8 SFI engine.)
VR4	TRAILER HITCH (Included and only available with (Z82) Trailering equipment.)
UY7	TRAILER WIRING, 7-PIN SEALED CONNECTOR (Included and only available with (Z82) Trailering equipment.)
VK3	LICENSE PLATE BRACKET, FRONT (Will be forced on orders with ship-to states that require a front license plate.)

#### OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### ***STANDARD EQUIPMENT***

---

#### STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1

---

##### *ENTERTAINMENT*

- Audio system, AM/FM stereo with CD/MP3 player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab
- Audio system feature, uplevel speaker system
- SiriusXM Satellite Radio is standard on nearly all 2012 GM models. Enjoy a 3-month trial to the 'XM Select' package, with over 170 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no-cost. Welcome to the world of satellite radio. (Requires a subscription sold separately by SiriusXM after the trial period. If you decide to continue your service at the end of your subscription, service will automatically renew and bill, at the rates in effect at the time of renewal, until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). Available only to those at least 18 and older in the 48 contiguous USA and D.C.)
- Bluetooth for Phone (Deleted when (UE0) OnStar delete is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **STANDARD EQUIPMENT**

---

#### STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1

---

##### *EXTERIOR*

- Wheels, 4 - 16" x 6" (40.6 cm x 15.2 cm) aluminum (Included and only available on 2WD models with (LH9) 5.3L V8 SFI engine. Packaged on 4WD Regular and Extended Cab models. Standard on 4WD Crew Cab models. Not available on 2WD Regular or Extended Cab models.)
- Tires, P235/75R16 all-season, blackwall (Not available on 2WD Regular Cab models. Standard on 4WD models with (Z85) Heavy-Duty Suspension Package and (ZCY) compact spare tire or (ZNF) P235/75R16 on-/off-road blackwall spare tire. Included and only available on 2WD models with (LH9) 5.3L V8 SFI engine, (Z85) Heavy-Duty Suspension Package and (ZCY) compact spare tire or (ZNF) P235/75R16 on-/off-road blackwall spare tire.)
- Tire, compact spare
- Bumpers, front and rear chrome with a Dark Smoke Gray pad on the rear step-style bumper
- Air dam, Ebony
- Fascia, front Dark Smoke Gray
- Fog lamps, front, halogen
- Mirrors, outside power-adjustable, manual-folding, body-color
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield, driver and front passenger-side glass)
- Wipers, front intermittent with washers
- Bedliner
- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **STANDARD EQUIPMENT**

---

#### STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1

---

##### *INTERIOR*

- Seats, front 60/40 split-bench with (\*\*J) Deluxe Cloth, manual recliners, integral outboard head restraints, armrest with integral storage and dual cup holders
- Seats, driver- and passenger-side, forward-facing, flat-folding rear includes rear seat storage compartment (Extended Cab models only.)
- Floor covering, Ebony carpeting
- Floor mats, rubberized-vinyl front and rear
- Steering wheel, leather-wrapped
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on and critical Driver Information Center active
- Cruise control
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary, covered, 12-volt
- Accents, interior Titanium Nova Silver-colored air outlets and center control stack with chrome door handle bezels, uplevel instrument cluster bezel, front upper door speaker bezel and air vent sliders
- Door trim, integral armrests and driver- and front passenger-side map pockets with padded cloth inserts
- Mirror, inside rearview auto-dimming with compass and outside temperature display
- Visors, driver and front passenger, padded with cloth includes front passenger vanity mirror
- Assist handle, front passenger (Regular and Extended Cab models only.)
- Coat hook, driver-side rear

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **STANDARD EQUIPMENT**

---

#### STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1

---

##### *MECHANICAL*

- Engine, 2.9L DOHC 4-cylinder SFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm) (Not available on 4WD Regular or Crew Cab models. Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Transmission, 4-speed automatic, electronically controlled with overdrive (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Suspension Package, Heavy-Duty
- GVWR, 5300 lbs. (2404 kg) (Not available on Regular Cab models. Included and only available with (Z71) High Stance Off-Road Suspension Package on 2WD models. Standard on 4WD Extended and Crew Cab models. Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Transfer case, Insta-Trac electronic shift with dash-mounted controls (4WD models only.)
- Differential, automatic locking rear (Standard on 4WD. Standard on Crew Cab models. Available on 2WD Extended Cab models.)
- Four wheel drive
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Recovery hooks, 2 front, frame-mounted (Not available on 2WD Regular Cab models. Standard on 4WD models. Included and only available with (Z71) High-Stance Off-Road Suspension Package on 2WD Extended and Crew Cab models.)
- Pickup box, Fleetside, all-welded steel with double wall construction and corrosion protection with 4 cargo tie-downs, tailgate, 2-position (Locking feature not available on Regular or Extended Cab models.)
- Suspension, front independent with torsion bar (Not available on 2WD Regular Cab models. Standard on 4WD models. Included with (Z71) High Stance Off-Road Suspension Package. Included on 2WD Extended and Crew Cab models with (Z85) Heavy-Duty Suspension Package and (LH9) 5.3L V8 SFI engine.)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Front underbody shield (Standard on 4WD models. Included and only available with (LH9) 5.3L V8 SFI engine and (Z71) High Stance Off-Road Suspension Package on 2WD Crew Cab models.)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:



## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### ***STANDARD EQUIPMENT***

---

#### STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1

---

##### *PACKAGE*

- Power Convenience Package with power windows, power door locks with lockout protection, Remote Keyless Entry, (DE6) outside power-adjustable, manual-folding mirrors and (DF5) inside rearview auto-dimming mirror with compass and temperature display

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **STANDARD EQUIPMENT**

#### **STANDARD EQUIPMENT - 2012 Retail TT15653 4WD Ext Cab SLE1**

##### *SAFETY*

- StabiliTrak (Includes traction control.)
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (A note about child safety: Always use safety belts and the correct child restraint for your child's age and size. Even with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle Owner's Handbook for more information.)
- Air bags, head curtain side-impact, front and rear outboard seating positions with Passenger Sensing System (Head Curtain Side Air Bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. A note about child safety: Always use safety belts and the correct child restraint for your child's age and size. Even with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle Owner's Handbook for more information.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance, Remote Door Unlock, Turn-by-Turn Navigation with OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit [onstar.com](http://onstar.com) for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center position lap belt with bench seat only)
- Safety belts, 3-point, rear, all seating positions (Not available on Regular Cab models.)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats (Not available on Regular Cab models.)
- Tire Pressure Monitor

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:  
administrator

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### ***WEIGHT RATINGS***

---

#### **WEIGHT RATINGS - 2012 Retail TT15653 4WD Ext Cab SLE1**

---

Front Gross Axle Weight Rating:	2,850.00
Rear Gross Axle Weight Rating:	2,896.00
Gross Vehicle Weight Rating:	5,300.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**WARRANTY INFORMATION**

WARRANTY INFORMATION - 2012 Retail TT15653 4WD Ext Cab SLE1

WARRANTY

<<< PRELIMINARY 2012 WARRANTY >>>

Basic:

3 Years/36,000 Miles

Drivetrain:

Gas Engine

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Emissions:

Gas Engine

2 Years/24,000 Miles

Short Term California

3 Years/50,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **TECHNICAL SPECIFICATIONS**

#### **POWERTRAIN - BASIC SPECIFICATIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

##### **ENGINE**

Engine Order Code	* LLR
Engine Type	* Gas I5
Displacement	* 3.7L/226 CID
SAE Net Horsepower @ RPM	* 242 @ 5600
SAE Net Torque (lb ft) @ RPM	* 242 @ 4600

##### **TRANSMISSION**

Transmission order code	M30
Transmission Type Description	* 4-Speed Automatic
Drive Train	4-Wheel Drive

##### **MILEAGE**

City EPA fuel economy estimate (MPG)	* 17.00
Hwy EPA fuel economy estimate (MPG)	* 23.00
City cruising range (mi)	* 323.00
Hwy cruising range (mi)	* 437.00

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**TECHNICAL SPECIFICATIONS**

**POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

**TRANSMISSION**

Gear Ratio (:1)	
First Gear Ratio (:1)	3.06
Second Gear Ratio (:1)	1.63
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.29

Clutch size (in)  
Power Take-Off

**TRANSFER CASE**

Transfer case model	T150
Gear Ratio (:1)	
Transfer case high gear ratio	1.00
Transfer case low gear ratio	2.48
Transfer case power take off	

**DIFFERENTIAL**

	Front	Rear
Axle Ratio (:1)	3.73	3.73

**ELECTRICAL**

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	590.00			590.00
Alternator				
Alternator Amps	125.00			

**COOLING SYSTEM**

Cooling system capacity	- TBD -
Engine oil cooler	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**TECHNICAL SPECIFICATIONS**

**PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

<b>WEIGHT INFORMATION</b>	<b>Front</b>	<b>Rear</b>	<b>Total</b>
Gross Axle Wt Rating (lbs)	2,850.00	2,896.00	
Curb Weight (lbs)	2,238.00	1,640.00	3,878.00
Total Option Weight (lbs)	* 71.00	* 26.00	* 97.00
As Spec'd Curb Weight (lbs)	* 2,309.00	* 1,666.00	* 3,975.00
As spec'd payload (lbs)			* 1,325.00
Total Weight (lbs)	* 2,309.00	* 1,666.00	* 4,325.00
Reserve Axle Capacity (lbs)	* 541.00	* 1,230.00	* 1,771.00
Gross Vehicle Wt Rating (lbs)			5,300.00
Gross Combined Wt Rating (lbs)			* 9,800.00
<b>TRAILERING</b>	<b>Max Trailer Wt.</b>	<b>Max Tongue Load</b>	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 5,500.00	* 660.00	
Fifth Wheel Hitch (lbs)		*	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**TECHNICAL SPECIFICATIONS**

**CHASSIS SPECIFICATIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

<b>SUSPENSION</b>	<b>Front</b>	<b>Rear</b>	
Spring			
Spring Type	Torsion Bar	2-Stage Multi-Leaf	
Spring Capacity	2,755.00	2,900.00	
Axle			
Axle Type	Independent	Semi-Floating	
Axle Capacity	2,755.00	2,900.00	
Shock Absorber Diameter (mm)	30.00	30.00	
Stabilizer Bar Diameter (in)	1.10		
<b>BRAKES</b>			
Brake type	Pwr		
ABS System	4-Wheel		
	<b>Front</b>	<b>Rear</b>	
Disc	Yes		
Rotor Diam x Thickness (in)	11.2 x 1.6		
Drum		Yes	
Drum Diam x Width (in)		11.6 x 2.5	
<b>TIRES</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Tire Order Code	QNF	QNF	ZCY
Tire Size	P235/75R16	P235/75R16	Compact
Capacity	- TBD -	- TBD -	- TBD -
Revolutions/Mile @ 45mph			
<b>WHEELS</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Wheel Size	16 x 6	16 x 6	Compact
Wheel Type	Aluminum	Aluminum	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:



2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**TECHNICAL SPECIFICATIONS**

---

**CHASSIS SPECIFICATIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

---

**STEERING**

Steering type	Pwr
Ratio (:1)	
On Center	- TBD -
At Lock	- TBD -
Turning Diameter	
Curb-to-Curb	44.30
Wall-to-Wall	- TBD -

**FUEL TANK**

	<b>Main</b>	<b>Auxiliary</b>
Capacity	19.00	
Location	- TBD -	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

### **TECHNICAL SPECIFICATIONS**

#### **DIMENSIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

##### **EXTERIOR DIMENSIONS**

Wheelbase (in)	126.00
Length, Overall w/o rear bumper (in)	207.10
Width, Max w/o mirrors (in)	68.60
Height, Overall (in)	67.90
Overhang	
Overhang, Front	33.9
Front Bumper to Back of Cab (in)	125.60
Cab to Axle (in)	34.20
Cab to End of Frame (in)	- TBD -
Ground to Top of Load Floor (in)	30.10
Ground to Top of Frame (in)	- TBD -
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front	10.4
Ground Clearance, Rear	10.4

##### **CARGO AREA DIMENSIONS**

Cargo Box Length @ Floor (in)	72.80
Width	
Cargo Box Width @ Top, Rear	
Cargo Box Width @ Floor	57.2
Cargo Box Width @ Wheelhousings	42.6
Cargo Box (Area) Height (in)	18.60
Tailgate Width (in)	52.40
Cargo Volume (ft <sup>3</sup> )	44.00
Ext'd Cab Cargo Volume (ft <sup>3</sup> )	- TBD - w/o Rear

##### **INTERIOR DIMENSIONS**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Retail GMC Canyon 4WD Ext Cab SLE1 TT15653

**TECHNICAL SPECIFICATIONS**

**DIMENSIONS - 2012 Retail TT15653 4WD Ext Cab SLE1**

**INTERIOR DIMENSIONS**

Passenger Capacity	5	
Seating Position	Front	Second
Head Room (in)	39.60	37.90
Leg Room (in)	42.20	23.10
Shoulder Room (in)	57.10	57.20
Hip Room (in)	53.30	57.60

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 191.0, Data updated 9/20/2011 7:21:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: