



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 AGR1208

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEV-OLDS, INC.
 5074 NATIONAL ROAD
 ST. CLAIRSVILLE, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE
 ADMINISTRATIVE SERVICES
 BUILDING 2, ROOM 106
 4720 BRENDA LANE
 CHARLESTON, WV 25312
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	0% NET 30	CARRIER	CHARS, WV	F.O.B. CHARS.
BID OPENING DATE: 12/21/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	2	EA		070-06-06-002	\$35000 ⁰⁰	\$70000 ⁰⁰
2012 JEEP GRAND CHEROKE LARADO 4 X 4 REQUEST FOR QUOTATION THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH (2) JEEP GRAND CHEOKE LAREDO 4X4 UTILITY VEHILCES (OR EQUAL) PER THE ATTACHED SPECIFICATIONS. DELIVERY MUST BE WITHIN 60 DAYS OF RECEIPT OF ORDER. TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV. DEADLINE FOR TECHNICAL QUESTIONS IS 11/12/2011 AT THE CLOSE OF BUSINESS. ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL WRITTEN ADDENDUM TO BE ISSUED AFTER THE DEADLINE HAS LAPSED. VERBAL COMMUNICATION: ANY VERBAL COMMUNICATION BETWEEN THE VENDOR AND ANY STATE PERSONNEL IS NOT BINDING. ONLY INFORMATION ISSUEE IN WRITING AND ADDED TO THE RFQ BY FORMAL WRITTEN ADDENDUM IS BINDING. NO CONTACT BETWEEN THE VENDOR AND THE AGENCY IS						

RECEIVED

2011 DEC 12 A 10:17

DEPARTMENT OF AGRICULTURE
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/7/11
TITLE <i>[Signature]</i>	FEIN 34-1598756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
AGR1208

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

WHITESAGE CHEV-OLDS, INC.
 50714 NATIONAL RD.
 ST. CLAIRSVILLE, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE
 ADMINISTRATIVE SERVICES
 BUILDING 2, ROOM 106
 4720 BRENDA LANE
 CHARLESTON, WV 25312
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	0% NET 30	Carrier	CMAS WV	N/C
BID OPENING DATE: 12/21/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PERMITTED. VIOLATION MAY RESULT IN REJECTION OF THE BID. THE STATE BUYER NAMED ABOVE IS THE SOLE CONTACT FOR ANY AND ALL INQUIRIES AFTER THIS RFQ HAS BEEN RELEASED.</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.:</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1</p> <p>NO. 2</p> <p>NO. 3</p> <p>NO. 4</p> <p>NO. 5</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>[Signature]</i>	800-610-0211	12/19/11
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
<i>[Signature]</i>	34-1398756	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 AGR1208

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 KRISTA FERRELL
 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEV-OLDS, Inc.
 50714 NATIONAL ROAD
 ST. CLAIRSVILLE, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE
 ADMINISTRATIVE SERVICES
 BUILDING 2, ROOM 106
 4720 BRENDA LANE
 CHARLESTON, WV 25312
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	0% NET 30	CARROLL	CHAR WV	W.C.

BID OPENING DATE: 12/21/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p><i>[Signature]</i> SIGNATURE</p> <p>WHITESIDE CHEV-OLDS, Inc. COMPANY</p> <p>12/17/11 DATE</p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: <i>[Signature]</i>	TELEPHONE: 800-610-0311	DATE: 12/19/11
TITLE: Fleet Manager	FEIN: 34-1598756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

RFQ#: AGR1208**Specifications**

(2) 2012 Jeep Grand Cherokee Laredo 4 x 4 (or Equal)

The vehicles shall have the following requirements:

- 3.6L VVT Pentastar Engine, Gasoline
- Power Steering
- Automatic Transmission, Min 5 Speed
- Quadra-Trac 4WD System
- Colors of Choice: White, Silver, or Charcoal
- Cloth Seats
- Front and Side Airbags
- Electronic Stability Control
- Hill Start Assist
- Anti-lock 4 Wheel Disc Brakes
- Keyless Entry-n-go
- Power windows, door locks, and power heated mirrors
- Tilt, Cruise, and Telescope Steering Column
- Front License Plate
- Air conditioning, Keyless entry

Additional options:

- Two Package
- All Weather Capability Group
- Hill Descent Control
- Cargo Area Liner
- Slush Mats
- Quadra Trac II 4WD System
- Selec-Terrain System
- Tow Hooks
- Engine Block Heater

The vehicles must be delivered to the Agency within 60 days of the receipt of the order.

Vendors Bidding Alternate Models should include the manufacturer, model number, and detailed literature to demonstrate adherence to the above mandatory requirements.

Manufacturer: CHEVROLET

Model: TANO

Literature Included: Yes No

RFQ# AGR1208
Cost Sheet

Item Description	Unit Cost	Est. Qty.	Extended Cost
2012 Jeep Grand Cherokee Larado 4x4 (Or Equal) <i>2012 CHEV TAHOE</i>	<i>\$3500.00</i>	2	<i>\$7000.00</i>

****Vehicles must be delivered within 60 days of receipt of Purchase Order.**

OK
Bu

Rev. 09/08

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

- 1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
- 2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
- 4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
- 5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
- 6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

N/A

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: LAHITES, OB CHEV-OLAS INC Signed: [Signature]
Date: 12/17/11 Title: Pres Man

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. AGR1208

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: WHITESIDE CHEMICALS, Inc.

Authorized Signature: [Signature] Date: 12/18/11

State of OHIO

County of Bevan, to-wit:

Taken, subscribed, and sworn to before me this 18 day of Dec, 2011


My Commission expires 4.3.2012

AFFIX SEAL HERE

NOTARY PUBLIC [Signature]



Prepared By:
Brian McCulley



2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

<u>Code</u>	<u>Description</u>
CK10706	2012 Chevrolet Tahoe 4WD 4dr 1500 LS

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE LMG	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block (STD)
TRANSMISSION MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (STD)
AXLE GU6	REAR AXLE, 3.42 RATIO (Included and only available with (K5L) Heavy-Duty Trailering Package.)
PREFERRED EQUIPMENT GROUP 1LS	LS PREFERRED EQUIPMENT GROUP Includes Standard Equipment

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

CATEGORY

<u>Code</u>	<u>Description</u>
WHEEL TYPE P46	WHEELS, 4 - 17" X 7.5" (43.2 CM X 19.1 CM) ALUMINUM, 5-SPOKE with smooth surface and rectangular pockets (STD)
TIRES QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL (Requires 4WD models. Requires a Fleet or Government order type.)
PAINT SCHEME ZY1	SOLID PAINT
PAINT 50U	SUMMIT WHITE
SEAT TYPE A95	SEATS, FRONT BUCKET WITH PREMIUM CLOTH, (AG1) 6-WAY POWER DRIVER and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets (STD)
SEAT TRIM 19C	EBONY, PREMIUM CLOTH SEAT TRIM
RADIO UUI	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND MP3 PLAYBACK seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed compensated volume, TheftLock, auxiliary input jack, and USB port (STD)
ADDITIONAL EQUIPMENT K5L	TRAILERING PACKAGE, HEAVY-DUTY includes (KNP) auxiliary external transmission oil cooler and (KC4) engine oil cooler, provides increased trailering capabilities (Includes (GU6) 3.42 ratio rear axle and (NQH) 2-speed active transfer case with 4WD model. Included with (PDA) Texas Edition or (PEB) All-Star Edition.)
K05	ENGINE BLOCK HEATER
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR (Included with (PDA) Texas Edition or (PEB) Regional Value Edition.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

CATEGORY

<u>Code</u>	<u>Description</u>
ADDITIONAL EQUIPMENT	
KNP	COOLING, AUXILIARY TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL (Included and only available with (K5L) Heavy-Duty Trailing Package.)
KC4	COOLING, EXTERNAL ENGINE OIL COOLER, HEAVY-DUTY AIR-TO-OIL, INTEGRAL TO DRIVER SIDE OF RADIATOR (Included and only available with (K5L) Heavy-Duty Trailing Package.)
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC with rotary controls, includes neutral position for dinghy towing. (Requires 4WD models. Included and only available with (K5L) heavy-duty trailing package.)
NZZ	SKID PLATE PACKAGE includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields (Requires 4WD models. Requires a Fleet or Government order type.)
VK3	LICENSE PLATE BRACKET, FRONT (Will be forced on orders with ship-to states that require a front license plate.)
VAV	LPO, ALL-WEATHER FLOOR MATS, FIRST AND SECOND ROW
VKN	LPO, ALL-WEATHER FLOOR MATS, THIRD ROW (Not available with (AZ3) 40/20/40 split-bench front seat.)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

ENTERTAINMENT

- Audio system, AM/FM stereo with CD player and MP3 playback seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed compensated volume, TheftLock, auxiliary input jack, and USB port
- Audio system feature, 6-speaker system
- Audio system controls, rear with 2 headphone jacks (headphones not included), power outlet and controls for volume, station selection and media (Not available with (AZ3) 40/20/40 split-bench front seat.)
- Audio system feature, USB port
- SiriusXM Satellite Radio is standard on nearly all 2012 GM models. Enjoy a 3- month trial to the 'XM Select' package, with over 170 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no-cost. Welcome to the world of satellite radio. (Not available with (UYS) audio system with navigation. Requires a subscription sold separately by SiriusXM after the trial period. If you decide to continue your service at the end of your subscription, service will automatically renew and bill, at the rates in effect at the time of renewal, until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at www.siriusxm.com. Available only to those at least 18 and older in the 48 contiguous USA and D.C.)
- Bluetooth for phone personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface) with specific steering wheel controls (Deleted when (UE0) OnStar, delete is ordered.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) aluminum, 5-spoke with smooth surface and rectangular pockets
- Tires, P265/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) full-size, steel spare
- Tire carrier, lockable outside spare winch-type mounted under frame at rear
- Tire, spare P265/70R17 all-season blackwall
- Luggage rack side rails, roof-mounted, Black
- Luggage rack center rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Moldings, color-keyed bodyside
- Assist steps, Black
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are color-keyed.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wiper, rear intermittent with washer
- Door handles, color-keyed
- Liftgate with liftglass rear door system with rear-window wiper/washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

INTERIOR

- Seats, front bucket with Premium Cloth, (AG1) 6-way power driver and (AG2) front passenger seat adjusters, adjustable head restraints, (AM1) driver manual lumbar control, floor console and rear storage pockets
- Seats, second row 60/40 split-folding bench, 3-passenger with center armrest with 2 cup holders
- Seat adjuster, driver 6-way power
- Seat adjuster, front passenger 6-way power (Standard with (A95) front bucket seats only. Not available with (AZ3) 40/20/40 split-bench front seat.)
- Seats, third row 50/50 split-bench, 3-passenger removable, all-belts-to-seat
- Console, floor with storage area, cup holders and integrated second row audio controls (Not available with (AZ3) 40/20/40 split-bench front seat.)
- Headliner, cloth
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row, removable
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, leather-wrapped
- Steering wheel controls, mounted audio and cruise controls
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package includes Remote Keyless Entry (Remote vehicle starter fob available as a Chevy Accessory.)
- Cruise control, electronic with set and resume speed
- Theft-deterrent system, vehicle, PASS-Key III
- Heater, rear auxiliary with rear passenger heating ducts

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

- Air conditioning, tri-zone manual HVAC controls with individual climate settings for driver, right-front passenger and rear seat with rear controls located in floor console with front bucket seats and in the roof console with front bench seat
- Air conditioning, rear auxiliary
- Defogger, rear-window electric
- Power outlets, 3 auxiliary, 12-volt includes 2 on the instrument panel and 1 in the cargo area
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod
- Assist handles, front passenger and second row outboard
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

MECHANICAL

- Engine, Vortec 5.3L V8 SFI FlexFuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [238.6 kW] @ 5400 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243.1 kW] @ 5300 rpm, 348 lb-ft of torque [469.8 N-m] @ 4400 rpm), iron block
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.08 ratio (Not available with (K5L) Heavy-Duty Trailering Package.)
- Suspension Package, Premium Smooth Ride
- GVWR, 7300 lbs. (3311 kg) (Standard on 4WD models.)
- 4-wheel drive
- Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Requires (GU4) 3.08 rear axle ratio. Not available on 2WD models or with (K5L) heavy-duty trailering package.)
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 160 amps
- Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, front, frame-mounted (Standard on 4WD models. Not available on 2WD models.)
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

SAFETY

- StabiliTrak, stability control system with traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) passenger third row bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock, Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Safety belts, 3-point, driver and right-front passenger
- LATCH system (Lower Anchors and Top tethers for CHildren) for child safety seats
- Tire Pressure Monitoring System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

Prepared By:
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 02, 2011 10:05:29 AM

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

WEIGHT RATINGS

WEIGHT RATINGS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

Front Gross Axle Weight Rating:	3,600.00
Rear Gross Axle Weight Rating:	4,100.00
Gross Vehicle Weight Rating:	7,300.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

WARRANTY INFORMATION

WARRANTY INFORMATION - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Emissions:

Gas Engine

2 Years/24,000 Miles

Short Term California

3 Years/50,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

ENGINE

Engine Order Code	LMG
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323 CID
SAE Net Horsepower @ RPM	320 @ 5400
SAE Net Torque (lb ft) @ RPM	335 @ 4000

TRANSMISSION

Transmission order code	MYC
Transmission Type Description	* 6-Speed Automatic w/OD
Drive Train	Four Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)	15.00
Hwy EPA fuel economy estimate (MPG)	21.00
City cruising range (mi)	390.00
Hwy cruising range (mi)	546.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36
Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.06
Clutch size (in)	
Power Take-Off	

TRANSFER CASE

Transfer case model	* Magna MP 3023/4
Gear Ratio (:1)	
Transfer case high gear ratio	1.00
Transfer case low gear ratio	* 2.69
Transfer case power take off	

DIFFERENTIAL

	Front	Rear
Axle Ratio (:1)	* 3.42	* 3.42

ELECTRICAL

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	160.00			

COOLING SYSTEM

Cooling system capacity	16.60
Engine oil cooler	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lbs)	3,600.00	4,100.00	
Curb Weight (lbs)	2,895.00	2,672.00	5,567.00
Total Option Weight (lbs)	* 19.00	* 15.00	* 34.00
As Spec'd Curb Weight (lbs)	* 2,914.00	* 2,687.00	* 5,601.00
As spec'd payload (lbs)			* 1,699.00
Total Weight (lbs)	* 2,914.00	* 2,687.00	* 5,951.00
Reserve Axle Capacity (lbs)	* 686.00	* 1,413.00	* 2,099.00
Gross Vehicle Wt Rating (lbs)			7,300.00
Gross Combined Wt Rating (lbs)			* 14,000.00
TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 8,099.00	* 971.88	
Fifth Wheel Hitch (lbs)		*	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

SUSPENSION	Front	Rear	
Spring			
Spring Type	Independent	5-Link	
Spring Capacity	3,600.00	4,200.00	
Axle			
Axle Type	Independent	Semi-floating	
Axle Capacity	3,925.00	4,200.00	
Shock Absorber Diameter (mm)	46.00	46.00	
Stabilizer Bar Diameter (in)	1.41	1.10	
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.0 x 1.2	13.6 x 0.8	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	* QJP	* QJP	ZVL
Tire Size	P265/70R17	P265/70R17	P265/70R17
Capacity	2,135.00	2,135.00	2,135.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	17 x 7.5	17 x 7.5	17 x - TBD -
Wheel Type	Aluminum	Aluminum	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

STEERING

Steering type	Pwr Rack & Pinion
Ratio (:1)	
On Center	17.80
At Lock	- TBD -
Turning Diameter	
Curb-to-Curb	39.00
Wall-to-Wall	- TBD -

FUEL TANK

	Main	Auxiliary
Capacity	26.00	
Location	- TBD -	

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

EXTERIOR DIMENSIONS

Wheelbase (in)	116.00
Length, Overall w/rear bumper (in)	202.00
Width, Max w/o mirrors (in)	79.00
Height, Overall (in)	76.90
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	31.60
Ground Clearance	
Ground Clearance, Front	10.5
Ground Clearance, Rear	9.1
Rear Door	
Rear Door Type	Liftgate
Rear Door Opening Height	- TBD -
Rear Door Opening Width	- TBD -
Side Door	
Side Door Type	
Side Door Opening Height (in)	
Side Door Opening Width (in)	
Step Up Height - Front (in)	
Step Up Height - Side (in)	

CARGO AREA DIMENSIONS

Length @ Floor	
Cargo Area Length @ Floor to Console (in)	- TBD -
Cargo Area Length @ Floor to Seat 1	81.4
Cargo Area Length @ Floor to Seat 2	49.4

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Tahoe 4WD 4dr 1500 LS CK10706

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2012 Fleet/Non-Retail CK10706 4WD 4dr 1500 LS

CARGO AREA DIMENSIONS

Cargo Area Length @ Floor to Seat 3	15.2
Cargo Area Length @ Floor to Console (in)	- TBD -
Width	
Cargo Area Width @ Beltline	- TBD -
Cargo Box Width @ Wheelhousings	49.1
Cargo Box (Area) Height (in)	41.70
Cargo Volume	
Cargo Volume to Seat 1	108.9
Cargo Volume to Seat 2	60.3
Cargo Volume to Seat 3	16.9
Cargo Volume to Seat 4	

INTERIOR DIMENSIONS

Passenger Capacity	* 8		
Seating Position	Front	Second	Third
Head Room (in)	41.10	39.20	37.90
Leg Room (in)	41.30	39.00	25.60
Shoulder Room (in)	65.20	65.20	61.70
Hip Room (in)	60.30	60.60	49.10

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: