



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER:  
 AGR1209

PAGE:  
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 KRISTA FERRELL  
 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

WHITESIDE CHEV-OLDS, INC.  
 50714 NATIONAL ROAD  
 ST. CLAIRSVILLE, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV 25312  
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	O.P. NET 30	CARRIER	CHAR, WV	N.C.
BID OPENING DATE: 12/21/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	3	EA		070-48-18-000	\$27852.00	\$83556.00
<p>TRUCK: CLASS 18, LARGE PICKUP, 4 WHEEL DRIVE</p> <p>REQUEST FOR QUOTATION</p> <p>THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DEPARTMENT OF AGRICULTURE, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH (3) FORD F-150 PICK UP TRUCK, 4 WHEEL DRIVE (OR EQUAL) PER THE ATTACHED SPECIFICATIONS.</p> <p>DELIVERY MUST BE WITHIN 60 DAYS OF RECEIPT OF ORDER.</p> <p>TECHNICAL QUESTIONS CONCERNING THIS SOLICITATION MUST BE SUBMITTED IN WRITING TO KRISTA FERRELL IN THE WEST VIRGINIA STATE PURCHASING DIVISION VIA FAX AT 304-558-4115 OR VIA EMAIL AT KRISTA.S.FERRELL@WV.GOV.</p> <p>DEADLINE FOR TECHNICAL QUESTIONS IS 11/12/2011 AT THE CLOSE OF BUSINESS.</p> <p>ANY TECHNICAL QUESTIONS RECEIVED WILL BE ANSWERED BY FORMAL WRITTEN ADDENDUM TO BE ISSUED AFTER THE DEADLINE HAS LAPSED.</p> <p>VERBAL COMMUNICATION: ANY VERBAL COMMUNICATION BETWEEN THE VENDOR AND ANY STATE PERSONNEL IS NOT BINDING. ONLY INFORMATION ISSUED IN WRITING AND ADDED TO THE RFQ BY FORMAL WRITTEN ADDENDUM IS BINDING.</p> <p>NO CONTACT BETWEEN THE VENDOR AND THE AGENCY IS</p>						

RECEIVED  
 23 DEC 12 A 10:16  
 PURCHASING DIVISION  
 STATE OF WV

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: 800-610-0211 DATE: 12/17/11  
 TITLE: *[Signature]* FEIN: 34-1398756 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS  
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
  2. The State may accept or reject in part, or in whole, any bid.
  3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
  4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
  5. Payment may only be made after the delivery and acceptance of goods or services.
  6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
  7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
  8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
  9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
  10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
  11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
  12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
  13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at [www.state.wv.us/admin/purchase/vrc/hipaa.html](http://www.state.wv.us/admin/purchase/vrc/hipaa.html) and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
  14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
  15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
  16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

**INSTRUCTIONS TO BIDDERS**

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

### Request for Quotation

RFQ NUMBER  
 AGR1209

PAGE  
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 KRISTA FERRELL  
 304-558-2596

VENDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

WHITESIDE CHEV-OLDS, INC.  
 50714 NATIONAL RD  
 ST. CHARLESVILLE, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV 25312  
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	0% NET 30	Carrier	CHAR, WV	N/C

BID OPENING DATE: 12/21/2011 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>PERMITTED. VIOLATION MAY RESULT IN REJECTION OF THE BID. THE STATE BUYER NAMED ABOVE IS THE SOLE CONTACT FOR ANY AND ALL INQUIRIES AFTER THIS RFQ HAS BEEN RELEASED.</p> <p>EXHIBIT 10</p> <p>REQUISITION NO.: .....</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.</p> <p>ADDENDUM NO.'S:</p> <p>NO. 1 .....</p> <p>NO. 2 .....</p> <p>NO. 3 .....</p> <p>NO. 4 .....</p> <p>NO. 5 .....</p> <p>I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS.</p> <p>VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 800-610-0211	DATE 12/17/11
TITLE <i>[Title]</i>	FEIN 34-1398756	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER
AGR1209

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
KRISTA FERRELL 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE


VENDOR

WHITESIDE CHEV-OLDS, Inc.  
 5074 NATIONAL RD  
 ST. CLAIRSVILLE, OH 43950


SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV 25312  
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	0% NET 30	CARRIER	CHAR, WV	N.C.
BID OPENING DATE: 12/21/2011		BID OPENING TIME: 01:30PM		

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">             SIGNATURE            WHITESIDE CHEV-OLDS, Inc.            COMPANY            12/17/11            DATE         </p> <p>NOTE: THIS ADDENDUM ACKNOWLEDGEMENT SHOULD BE SUBMITTED WITH THE BID.</p> <p>REV. 09/21/2009</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">           DEPARTMENT OF ADMINISTRATION            PURCHASING DIVISION            BUILDING 15            2019 WASHINGTON STREET, EAST            CHARLESTON, WV 25305-0130         </p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
	800-610-0211	12/17/11
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
Proc Mgr	34-1398756	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia  
 Department of Administration  
 Purchasing Division  
 2019 Washington Street East  
 Post Office Box 50130  
 Charleston, WV 25305-0130

# Request for Quotation

RFQ NUMBER  
 AGR1209

PAGE  
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:  
 KRISTA FERRELL  
 304-558-2596

RFQ COPY

TYPE NAME/ADDRESS HERE

VENDOR

Whiteside Chev-olds, Inc.  
 50714 National Rd.  
 St. Clairsville, OH 43950

SHIP TO

DEPARTMENT OF AGRICULTURE  
 ADMINISTRATIVE SERVICES  
 BUILDING 2, ROOM 106  
 4720 BRENDA LANE  
 CHARLESTON, WV 25312  
 304-558-2221

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
12/01/2011	O.P. Neg 30	CARRIER	CHAR WV	N.C.
BID OPENING DATE: 12/21/2011		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	QAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:  SEALED BID  BUYER: KRISTA FERRELL-FILE 21 RFQ. NO.: AGR1209 BID OPENING DATE: 12/21/2011 BID OPENING TIME: 1:30 PM  PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID: ----- 740-695-1756 ----- CONTACT PERSON (PLEASE PRINT CLEARLY): ----- LORIAN McWiley -----  ***** THIS IS THE END OF RFQ AGR1209 ***** TOTAL: \$83556.00						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *[Signature]* TELEPHONE: 800-610-0244 DATE: 12/17/11  
 TITLE: Fred Moore FEIN: 34-1198756 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

### RFQ#: AGR1209

#### Specifications

(3) 2012 Ford F-150 Pick Up Trucks 4-Wheel Drive (or Equal)

The vehicles shall have the following requirements:

- ½ ton 4 Wheel Drive
- 5400 GVWR Short Bed
- Colors of Choice: White, Silver, Charcoal
- Off Road package, Tow Package
- Full Size Spare Tire
- AM/FM/CD Player
- Power Mirrors
- Tilt Wheel, Cruise Control
- Bed Liner
- Cloth Seats
- Crew Cab with Third and Fourth Door
- Front License plate
- Air Conditioning
- Keyless Entry

***The vehicles must be delivered to the Agency within 60 days of the receipt of the order.***

Vendors Bidding Alternate Models should include the manufacturer, model number, and detailed literature to demonstrate adherence to the above mandatory requirements.

Manufacturer: CHEVROLET

Model: SILVERADO 1500 4WD Crew Cab LT

Literature Included: Yes X No \_\_\_\_\_

**RFQ# AGR1209**  
**Cost Sheet**

Item Description	Unit Cost	Est. Qty.	Extended Cost
2012 Ford F-150 Pick Up Truck	\$2,7852.00	3	\$83556.00
4 Wheel Drive (Or Equal) CHEV. SILVERADO			

1500 4WD GRND CABLT

**\*\*Vehicles must be delivered within 60 days of receipt of Purchase Order.**

Be  
OK

# State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application\* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. Application is made for 2.5% resident vendor preference for the reason checked:  
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. Application is made for 5% resident vendor preference for the reason checked:  
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:  
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

*2/1/11*

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Whiteside Meadows Inc Signed: [Signature]  
Date: 12/17/11 Title: Tree Planter

\*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.



AGR1209

RFQ No. \_\_\_\_\_

STATE OF WEST VIRGINIA  
Purchasing Division

**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

**DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

**EXCEPTION:** The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

**WITNESS THE FOLLOWING SIGNATURE**

Vendor's Name: Whitewater Chem-Oxide, Inc.

Authorized Signature: [Signature] Date: 12/18/11

State of OHIO

County of BOONWILL, to-wit:

Taken, subscribed, and sworn to before me this 14 day of Dec, 2011.

My Commission expires 6.3, 2012

AFFIX SEAL HERE


NOTARY PUBLIC

[Signature]



Carla J. Spears  
Notary Public, State of Ohio  
My Commission Expires \_\_\_\_\_

Prepared By:  
Brian McCulley



2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**SELECTED MODEL & OPTIONS**

SELECTED MODEL - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

<u>Code</u>	<u>Description</u>
CK10543	2012 Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected. - Ebony
-	Exterior 1: No color has been selected. > WHITE, SILVER, CHARCOAL
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

**CATEGORY**

<u>Code</u>	<u>Description</u>
SUSPENSION PKG Z71	SUSPENSION PACKAGE, OFF-ROAD includes 1.81" (46 mm) shocks, off-road jounce bumpers, 36mm front stabilizer bar, (NZZ) Skid Plate Package, (V76) recovery hooks, (K47) air cleaner and Z71 decals on rear quarters (Not available with (PY9) or (S80) wheels. With Regular Cab models, requires (Z82) Trailering Package. Not available with (L20) Vortec 4.8L V8 SFI Flex-Fuel engine. Requires (QJP), (QJM), (QXR), (QXN) or (QXQ) on-off road or all-terrain tires. Requires (P46) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) aluminum wheels or (N87) 4 - 18" x 8" (45.7 cm x 20.3 cm) aluminum wheels. Includes (V76) recovery hooks on 2WD models.)

EMISSIONS FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### SELECTED MODEL & OPTIONS

#### SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

##### CATEGORY

<u>Code</u>	<u>Description</u>
ENGINE LC9	ENGINE, VORTEC 5.3L VARIABLE VALVE TIMING V8 SFI FLEXFUEL WITH ACTIVE FUEL MANAGEMENT capable of running on unleaded or up to 85% ethanol (with gas - 315 hp [234.8 kW] @ 5200 rpm, 335 lb-ft of torque [452.2 N-m] @ 4000 rpm), aluminum block (On CK10543 or CK10753 retail orders require (PDU) All-Star Edition, (PDA) Texas Edition, (PEB) Custom Sport Truck Package or (PEF) Florida Edition.)
TRANSMISSION MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode (Included and only available with (LMG) or (LC9) Vortec 5.3L engines or (L9H) Vortec 6.2L V8 SFI engine.)
GVWR C5W	GVWR, 7000 LBS. (3175 KG) (STD) (Requires CC10753 models and (L9H) Vortec 6.2L V8 SFI engine and (NHT) Max Trailering Pack or CK10753, CK10953, or CK10543 models. Standard on CK10753, CK10953, or CK10543 models.)
AXLE GU6	REAR AXLE, 3.42 RATIO (Refer to Engine/Axle chart for availability.) (With (LC9) Vortec 5.3L V8 Engine, Requires (K5L) heavy-duty cooling package)
PREFERRED EQUIPMENT GROUP 1LT	LT PREFERRED EQUIPMENT GROUP includes standard equipment
WHEELS P46	WHEELS, 4 - 17" X 7.5" (43.2 CM X 19.1 CM) ALUMINUM, 5-SPOKE (Requires (Z71) Off-Road Suspension Package, (NHT) Max Trailering Package or (PDU) All-Star Edition.)
TIRES QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL includes an all-season blackwall spare (Requires (Z71) Off-Road Suspension Package or (NHT) Max Trailering Pack. Available to order as a Free Flow option on 4WD models for Fleet or Government orders only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **SELECTED MODEL & OPTIONS**

#### SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

#### CATEGORY

<u>Code</u>	<u>Description</u>
PAINT SCHEME ZY1	PAINT, SOLID
PAINT 50U	SUMMIT WHITE
SEAT TYPE AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets on Extended and Crew Cab models (STD)
SEAT TRIM 19C	EBONY, PREMIUM CLOTH SEAT TRIM
RADIO US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock (STD)
ADDITIONAL EQUIPMENT KC4	COOLING, EXTERNAL ENGINE OIL COOLER heavy-duty air-to-oil, integral to driver side of radiator tank (Included and only available with (L9H) Vortec 6.2L V8 SFI engine or (K5L) Heavy Duty Cooling Package.)
K47	AIR CLEANER, HIGH-CAPACITY (Included and only available with (Z71) Off-Road Suspension Package or (VYU) Snow Plow Prep Package.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

**CATEGORY**

<u>Code</u>	<u>Description</u>
<b>ADDITIONAL EQUIPMENT</b>	
Z82	TRAILERING PACKAGE, HEAVY-DUTY includes trailering hitch platform and 2-inch receiver, 7- wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector, wiring harness for after-market trailer brake controller (located in the instrument panel harness) and (KNP) external transmission oil cooler (with (MYC) 6-speed automatic transmission also includes (K5L) heavy-duty cooling package and (KC4) external engine oil cooler) (Also includes (G80) heavy-duty automatic locking rear differential on Retail orders only.)
K5L	HEAVY DUTY COOLING PACKAGE, HEAVY-DUTY includes (KC4) external engine oil cooler, (KNP) auxiliary external transmission oil cooler, electric fan and heavy-duty radiator (Included and only available with (Z82) Trailering package for MYC 6-speed transmission.)
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL (Included and only available with (Z82) Trailering Package, (VYU) Snow Plow Prep Package or (L9H) Vortec 6.2L V8 SFI engine.)
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR (Included with (Z82) Trailering Package on Retail Orders only, (NHT) Max Trailering Pack or (PDU) All-Star Edition.)
NZZ	SKID PLATE PACKAGE frame-mounted shields, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case (Not available with 2WD models unless (Z71) Off-Road Suspension Package is ordered. Included with (Z71) Off-Road Suspension Package or (VYU) Snow Plow Prep Package.)
VK3	LICENSE PLATE BRACKET, FRONT (will be forced on orders with ship-to states that require a front license plate)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared By:  
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

**CATEGORY**

<u>Code</u>	<u>Description</u>
ADDITIONAL EQUIPMENT	
VZX	LPO, BED LINER (Included with (PDC) On The Job Package, LPO. Not available on C*10953 models. Not available with (VBN) Bed rug, bed cover, LPO or (VBR) Rubber bed mat, LPO.)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 02, 2011 10:03:42 AM

Page 5

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### ***STANDARD EQUIPMENT***

#### **STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

##### *ENTERTAINMENT*

- Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, speaker system (Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.)
- SiriusXM Satellite Radio is standard on nearly all 2012 GM models. Enjoy a 3-month trial to the 'XM Select' package, with over 170 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no-cost. Welcome to the world of satellite radio. (Not available with (UE0) OnStar, delete. Requires a subscription sold separately by SiriusXM after the trial period. If you decide to continue your service at the end of your subscription, service will automatically renew and bill, at the rates in effect at the time of renewal, until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). Available only to those at least 18 and older in the 48 contiguous USA and D.C.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

##### EXTERIOR

- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) 6-lug chrome-styled steel includes chrome center caps (spare wheel will not cosmetically match the other 4 wheels) (Upgradeable to (P46) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) 6-lug aluminum wheels, (N87) 4 - 18" x 8" (45.7 cm x 20.3 cm) aluminum wheels or (S80) 4 - 20" x 8.5" (50.8 cm x 21.6 cm) chrome clad aluminum wheels. Not available with (Z71) Off-Road Suspension Package.)
- Tires, P265/70R17 all-season, blackwall includes a blackwall spare tire (Requires 4WD models. Not available with (Z71) Off-Road Suspension Package or (WEA) Z71 Enhanced Package.)
- Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels)
- Spare tire lock keyed cylinder lock that utilizes same key as ignition and door
- Tire carrier, outside spare, winch-type mounted under frame at rear
- Bumper, front chrome (Includes chrome bumper bar and end caps with painted silver lower section.)
- Bumper, rear chrome, step-style with pad
- Air dam, Black
- Moldings, bodyside, body-colored (Moldings are deleted if any SEO paint is ordered.)
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside heated power-adjustable, Black, manual-folding (Upgradeable to (DPN) outside vertical camper mirrors.)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass) (With Regular Cab models, includes rear window. With Extended Cab models, includes rear and rear quarter windows. With Crew Cab models or (C49) rear-window defogger, includes light-tinted rear window.)
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black
- Pickup box, Fleetside

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:



## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **STANDARD EQUIPMENT**

#### STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

##### *INTERIOR*

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets on Extended and Crew Cab models
- Seat trim, Premium Cloth
- Seat adjuster, manual lumbar control on the driver-side
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Extended or Crew Cab Models.)
- Floor covering, color-keyed carpeting with rubberized vinyl floor mats (Extended and Crew Cab models also include rear floor mats) (May be substituted with (BG9) Black rubberized vinyl floor covering.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, leather-wrapped with theft-deterrent locking feature
- Instrumentation, analog with speedometer, odometer, fuel level, engine temperature, and tachometer (Includes voltmeter and oil pressure indicators.)
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip odometer button unless (UK3) steering wheel mounted audio controls is ordered. On 1LT, 1SF and 1LZ, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Air conditioning, single-zone manual front climate control
- Windows, power with driver Express-Down
- Door locks, power includes Remote Keyless Entry
- Remote vehicle starter prep package includes Remote Keyless Entry with 2 transmitters, panic button and content theft alarm (To enable remote start capability, new key fobs and vehicle reprogramming are required. Please see dealer for details. Remote Keyless Entry does not lock/unlock tailgate.)
- Cruise control, electronic with set and resume speed, located on steering wheel
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models.)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **STANDARD EQUIPMENT**

#### STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, sliding with clip and illuminated vanity mirror on driver and passenger-side, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab Models.)
- Coat hooks, rear driver and passenger side
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **STANDARD EQUIPMENT**

#### STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

##### MECHANICAL

- Engine, Vortec 4.8L Variable Valve Timing V8 SFI FlexFuel capable of running on unleaded or up to 85% ethanol (302 hp [225.2 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4600 rpm), iron block (Standard on all models except C\*10953 Models. Not available on C\*10953 models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (On Crew Cab models, requires (L20) Vortec 4.8L V8 SFI Flex-Fuel engine. Not available on C\*10953 models.)
- Rear axle, 3.42 ratio (Refer to Engine/Axle chart for availability.) (With (LC9) Vortec 5.3L V8 Engine, Requires (K5L) heavy-duty cooling package)
- Suspension Package, Handling/Trailer, heavy-duty includes 46 mm piston monotube shocks and 36mm front stabilizer bar (Includes 36mm front stabilizer bar when (NHT) Max Trailering Pack is ordered.)
- GVWR, 7000 lbs. (3175 kg) (Requires CC10753 models and (L9H) Vortec 6.2L V8 SFI engine and (NHT) Max Trailering Pack or CK10753, CK10953, or CK10543 models. Standard on CK10753, CK10953, or CK10543 models.)
- Transfer case, electronic Autotrac with rotary dial controls (Requires 4WD models.)
- Four wheel drive
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps
- Recovery hooks, front, Black (Standard on 4WD models. Not available with (WEA) Z71 Appearance Package.)
- Frame, fully-boxed, hydroformed front section
- Suspension, front independent, coil over shock
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **STANDARD EQUIPMENT**

#### STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

##### *SAFETY*

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps, with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, front outboard seating positions with rollover sensor (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan Includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance including Stolen Vehicle Slowdown and Remote Ignition Block, Remote Door Unlock (requires power locks), Turn-by-Turn Navigation with Destination Download (requires navigation radio) and OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling. (Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Door locks, rear child security (Crew Cab models only.)
- Tire Pressure Monitor System (does not apply to spare tire)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

Prepared By:  
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

---

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 02, 2011 10:03:42 AM

Prepared By:  
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **WEIGHT RATINGS**

WEIGHT RATINGS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

Front Gross Axle Weight Rating:	3,950.00
Rear Gross Axle Weight Rating:	3,950.00
Gross Vehicle Weight Rating:	7,000.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

December 02, 2011 10:03:42 AM

Prepared By:  
Brian McCulley

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

## **WARRANTY INFORMATION**

WARRANTY INFORMATION - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT

### WARRANTY

#### Basic:

3 Years/36,000 Miles

#### Drivetrain:

5 Years/100,000 Miles

#### Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

#### Emissions:

Gas Engine

2 Years/24,000 Miles

Diesel Engine

5 Years/50,000 Miles

Short Term California

3 Years/50,000 Miles

#### Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **TECHNICAL SPECIFICATIONS**

#### **POWERTRAIN - BASIC SPECIFICATIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

##### **ENGINE**

Engine Order Code	* LC9
Engine Type	Gas/Ethanol V8
Displacement	* 5.3L/323 CID
SAE Net Horsepower @ RPM	* 315 @ 5200
SAE Net Torque (lb ft) @ RPM	* 335 @ 4000

##### **TRANSMISSION**

Transmission order code	* MYC
Transmission Type Description	* 6-Speed Automatic
Drive Train	Four Wheel Drive

##### **MILEAGE**

City EPA fuel economy estimate (MPG)	* 15.00
Hwy EPA fuel economy estimate (MPG)	* 21.00
City cruising range (mi)	* 390.00
Hwy cruising range (mi)	* 546.00

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:



2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**TECHNICAL SPECIFICATIONS**

**POWERTRAIN - ADVANCED SPECIFICATIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

**TRANSMISSION**

Gear Ratio (:1)	
First Gear Ratio (:1)	* 4.03
Second Gear Ratio (:1)	* 2.36
Third Gear Ratio (:1)	* 1.53
Fourth Gear Ratio (:1)	* 1.15
Fifth Gear Ratio (:1)	* 0.85
Sixth Gear Ratio (:1)	* 0.67
Reverse Ratio (:1)	* 3.06
Clutch size (in)	
Power Take-Off	

**TRANSFER CASE**

Transfer case model	Magna MP3023/4
Gear Ratio (:1)	
Transfer case high gear ratio	1.00
Transfer case low gear ratio	2.69
Transfer case power take off	

**DIFFERENTIAL**

	Front	Rear
Axle Ratio (:1)	3.42	3.42

**ELECTRICAL**

Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	145.00			

**COOLING SYSTEM**

Cooling system capacity	* - TBD -
Engine oil cooler	* Yes

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**TECHNICAL SPECIFICATIONS**

**PAYLOAD/TRAILERING SPECIFICATIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

<b>WEIGHT INFORMATION</b>	<b>Front</b>	<b>Rear</b>	<b>Total</b>
Gross Axle Wt Rating (lbs)	3,950.00	3,950.00	
Curb Weight (lbs)	3,258.00	2,083.00	5,341.00
Total Option Weight (lbs)	* 62.00	* 65.00	* 127.00
As Spec'd Curb Weight (lbs)	* 3,320.00	* 2,148.00	* 5,468.00
As spec'd payload (lbs)			* 1,532.00
Total Weight (lbs)	* 3,320.00	* 2,148.00	* 5,818.00
Reserve Axle Capacity (lbs)	* 630.00	* 1,802.00	* 2,432.00
Gross Vehicle Wt Rating (lbs)			7,000.00
Gross Combined Wt Rating (lbs)			* 15,000.00
<b>TRAILERING</b>	<b>Max Trailer Wt.</b>	<b>Max Tongue Load</b>	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 9,232.00	* 1,107.84	
Fifth Wheel Hitch (lbs)	- TBD -	* - TBD -	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**TECHNICAL SPECIFICATIONS**

**CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

<b>SUSPENSION</b>	<b>Front</b>	<b>Rear</b>	
Spring			
Spring Type	Independent	2-stage multi-leaf	
Spring Capacity	3,950.00	3,950.00	
Axle			
Axle Type	Independent	Semi-Floating	
Axle Capacity	3,950.00	4,000.00	
Shock Absorber Diameter (mm)	1.81	1.38	
Stabilizer Bar Diameter (in)	1.42		
<b>BRAKES</b>			
Brake type	Pwr		
ABS System	4-Wheel		
	<b>Front</b>	<b>Rear</b>	
Disc	Yes		
Rotor Diam x Thickness (in)	12.99 x 1.18		
Drum		Yes	
Drum Diam x Width (in)		11.61 x 2.36	
<b>TIRES</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Tire Order Code	* QJP	* QJP	
Tire Size	* P265/70R17	* P265/70R17	* P265/70R17
Capacity	* 2,304.00	* 2,304.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
<b>WHEELS</b>	<b>Front</b>	<b>Rear</b>	<b>Spare</b>
Wheel Size	17 x 7.5	17 x 7.5	17 x - TBD -
Wheel Type	* Aluminum	* Aluminum	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**TECHNICAL SPECIFICATIONS**

**CHASSIS SPECIFICATIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

**STEERING**

Steering type	Pwr
Ratio (:1)	16.73
On Center	3.00
At Lock	
Turning Diameter	47.20
Curb-to-Curb	- TBD -
Wall-to-Wall	

**FUEL TANK**

Capacity	Main	Auxiliary
Location	26.00	
	Driver Side	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.  
Customer File:

## 2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

### **TECHNICAL SPECIFICATIONS**

#### **DIMENSIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

##### **EXTERIOR DIMENSIONS**

Wheelbase (in)	143.50
Length, Overall w/o rear bumper (in)	230.20
Width, Max w/o mirrors (in)	80.00
Height, Overall (in)	73.70
Overhang	
Overhang, Front	39.4
Front Bumper to Back of Cab (in)	148.90
Cab to Axle (in)	32.00
Cab to End of Frame (in)	- TBD -
Ground to Top of Load Floor (in)	32.70
Ground to Top of Frame (in)	- TBD -
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front	9.0
Ground Clearance, Rear	12.1

##### **CARGO AREA DIMENSIONS**

Cargo Box Length @ Floor (in)	69.30
Width	
Cargo Box Width @ Top, Rear	61.5
Cargo Box Width @ Floor	62.4
Cargo Box Width @ Wheelhousings	50.6
Cargo Box (Area) Height (in)	21.00
Tailgate Width (in)	61.50
Cargo Volume (ft <sup>3</sup> )	53.20
Ext'd Cab Cargo Volume (ft <sup>3</sup> )	- TBD - w/o Rear

##### **INTERIOR DIMENSIONS**

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2012 Fleet/Non-Retail Chevrolet Silverado 1500 4WD Crew Cab 143.5" LT C

**TECHNICAL SPECIFICATIONS**

**DIMENSIONS - 2012 Fleet/Non-Retail CK10543 4WD Crew Cab 143.5" LT**

**INTERIOR DIMENSIONS**

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.20	40.50
Leg Room (in)	41.30	38.70
Shoulder Room (in)	65.20	65.10
Hip Room (in)	62.50	65.40

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 201.0, Data updated 11/29/2011 2:29:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: