

Name: Brenda Vanover

Title: Branch Manager Phone 304-344-2371

Direct 304-344-2371 ext 130

Fax 304-344-0324

November 16, 2011

Krista Ferrell – File 42 Department of Administration Purchasing Division Building 15 2019 Washington Street, East Charleston, WV 25305

Re: CABLE12

Dear Ms. Ferrell:

Graybar Electric will "No Bid" the above listed project. The inability to raise prices during the life of this contract in a volatile commodities market is unreasonable and makes this contract unprofitable for distributors. In addition, based on the bill of material that the State of WV submits as an RFQ, the value of the actual contract is a mere fraction of that dollar amount, which does not allow for any volume of sales to make up for the losses.

Graybar, therefore, respectfully declines to participate in this bid.

No Bid - Graybar

Very truly yours,

Brenda Vanover, Branch Manager

PECEIVED

2011 NOV 16 AM II: 47

WV PURCHASING DIVISION



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER CABLE12

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

VEZDOR

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET

CHARLESTON WV

ALL STATE AGENCIES SH-P AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER ď

DATE PRIN	TED	TER	IMS OF SAL	.E	SHIP	VIA	F.O.B.	FRE	IGHT TERMS
10/14/	2011								
BID OPENING DATE:		11/16/	2011			BID	OPENING TIME 01	L:30PM	
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEM NU	MBER	UNIT PRICE		AMOUNT
0001		1	LS		285-10			NO	BID
	COMPUT	ER DAT	A CAB	LE (C	OPPER/FIE	BER) & F	TTTINGS		
			BLANK		UEST FOR (RFQ) EN END SI		ON CONTRACT		
	SOLICI STATEW FIBER)	TING B IDE CO AND F	IDS T NTRAC ITTIN	O EST T FOR GS FO	COMPUTER R ALL WES	BLANKET S DATA T VIRGI	ISION IS OPEN END CABLE (COPPER/ NIA STATE UBDIVISIONS.		
	BE SUB VIRGIN	MITTED IA STA	IN W TE PU	RITIN RCHAS	G TO KRIS	TA FERR	LICITATION MUST ELL IN THE WEST FAX AT 304-558 WV.GOV.		
					ICAL QUES USINESS.	TIONS I	S OCTOBER 26,		
		WRITT					BE ANSWERED BY FTER THE DEADLINE	3	
	VERBAL COMMUNICATION THE VENDOR AND ANY INCLUDING THOSE MAIN MEETING. ONLY INFORTO THE RFQ SPECIFICATION OF THE RFQ SPECI				TE PERSON URING THE TION ISSU	NEL IS MANDAT ED IN W	NOT BINDING, ORY PRE-BID RITING AND ADDED	1	
				SEE RE	VERSE SIDE FOR T				
SIGNATURE						TELEPHONE	DATE		
TITLE		FE	EIN				ADDRESS CHANGES	S TO BE NO	OTED ABOVE
VVI	EN DECD	ONDING .	TO DEO	INICED	T NIANAE AND	ADDDESS	IN SPACE ABOVE LABEL	בו יייראור	OD!



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-P

Ţ

REQ NUMBER CABLE12 PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

Ě	
	i
Ĕ	
F	

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET

CHARLESTON WV 25301

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TED	TEF	IMS OF SAL	E	SHIP VIA		F.O.B.	FREIGHT TERMS
10/14/								0.0714
BID OPENING DATE:		11/16/	2011	Raige General	BID	OPI	ENING TIME 01	:30PM
LINE	QUA	NTITY	UOP	CAT, NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
S	IS PER THE ST OF THE CONTAC	TACT B MITTED ATE BU BID.	WITH YER. THE S ANY A	OUT T VIOL FATE ND AL	VENDOR AND ANY HE EXPRESS WRIT' ATION MAY RESUL' BUYER NAMED ABOY L INQUIRIES AFTI	TEN TEN	CONSENT OF N THE REJECTION IS THE SOLE	
547	EXHIBI	T 10						
					REQUISITION	100		
	ADDEND	UM ACK	NOWLE	DGEME	NT			
=	ADDEND	UM(S)	AND H	AVE M	ECEIPT OF THE FO ADE THE NECESSAI OR SPECIFICATION	RY I	REVISIONS TO	
	ADDEND	UM NO.	'S:					
	NO. 1							
	NO. 2							
	NO. 3							
	NO. 4							
		RSTAND	THAT	and the state of t	URE TO CONFIRM CAUSE FOR REJEC	September 1		
				DE OR	DERSTAND THAT AI	MADI	E DURING ANY	
SIGNATURE				SEE RE	VERSE SIDE FOR TERMS AND C TELEPHONE	ONDIT	IONS DATE	
TITLE		Te.	EIN					
IIICE		ľ	LIIV				ADDRESS CHANGES	S TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-P

RFQ NUMBER CABLE12 PAGE 3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

*709002526 314-573-5174
GRAYBAR ELECTRIC COMPANY INC
1010 YOUNG STREET
CHARLESTON WV 25301

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TED	TE	RMS OF SAL	Ε	SHIP	VIA	F.O.B.	FREIGHT TERMS
10/14/	2011		101111111111111111111111111111111111111				CLAIR BOT AND LA ALBERTA STRUCTURE OF THE STRUCTURE OF TH	
BID OPENING DATE:		11/16/	/2011			BID	OPENING TIME	01:30PM
LINE	QUAN	NTITY	UOP	CAT. NO.	ITEM N		UNIT PRICE	AMOUNT
# 12 12 12 12 12 12 12 12 12 12 12 12 12	AND AN INFORM	Y STAT ATION	TE PER ISSUE	SONNE D IN	L IS NOT WRITING	BINDING AND ADDE		S
Į.					***		GNATURE	
							 MPANY	
					9	DA	re	
	NOTE: WITH T			UM AC	KNOWLEDG:	EMENT SH	OULD BE SUBMIT	TED
	REV. 0	The state of the s	2009					
	EXHIBI	Т 3						
	YEAR O NECESS. ORIGIN NOT EX TIME"	AND EXR UNTI ARY TO AL CON CEED T THE VE	TENDS CL SUC OBTA TRACT WELVE ENDOR GIVIN	FOR H "RE IN A . TH (12) MAY T	A PERIOD ASONABLE NEW CONT E "REASO MONTHS. ERMINATE	OF ONE TIME" T RACT OR NABLE TI DURING THIS CO	MES EFFECTIVE (1) HEREAFTER AS I RENEW THE ME" PERIOD SHA THIS "REASONA NTRACT FOR ANY CHASING 30 DAY	S LL BLE
	IN THI	S CONT	RACT	DOCUM	ENT, THE	TERMS,	TED ELSEWHERE CONDITIONS AND FE OF THE	
				SEE RE	VERSE SIDE FOR	TERMS AND CO		
SIGNATURE						TELEPHONE	C	DATE
TITLE		F	FEIN				ADDRESS CHAI	NGES TO BE NOTED ABOVE



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

SH-P

T

RFQ NUMBER CABLE12 PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

NEZDOR

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET

CHARLESTON WV 25301 ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN		TER	MS OF SAL	É	SHIP VIA		F.O.B.	FREIGHT TERMS
10/14, BID OPENING DATE		11/15/	0011				000000000000000000000000000000000000000	2001
		11/16/		CAT	BL.	ט ע	OPENING TIME 01	:30PM
LINE	QUA	NTITY	UOP	CAT, NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
	WRITTE SUBMIT DAYS I BE IN ORIGIN (1) YE CANCEI RIGHT	AL: THI EN CONS TTED TO PRIOR T ACCORD VAL CON EAR PER LLATION TO CAN	ENT C THE O THE ANCE TRACT IODS. : THE CEL T	TRACT F THE DIREC EXPI WITH AND DIRE HIS C	SPENDING UNIT TOR OF PURCHAS RATION DATE. THE TERMS AND SHALL BE LIMIT CTOR OF PURCHA ONTRACT IMMEDIA	AI SU CO ED SII		
	SUPPLI TO THE OPEN M AUTHOR MARKET ESTIMA IMMEDI CAUSES PORTAT OF WOR	ED ARE E SPECI MARKET RIZE A T, WITH ATE, IT LATE DE G (INCL FION OR	OF A FICAT CLAUS SPEND OUT T EMS S LIVER UDING AN U	N INF IONS E: TH ING U HE FI PECIF Y IN BUT NANTI	ERIOR QUALITY (OF THE BID AND E DIRECTOR OF TO THE PURCHAST LING OF A REQUITED ON THIS CONTENDED TO THE THE TO THE THE TO THE	OR CO PUI E (IS: NTI E (DI SE	DO NOT CONFORM ONTRACT HEREIN. RCHASING MAY ON THE OPEN ITION OR COST RACT FOR IO UNFORESEEN ELAYS IN TRANSIN THE VOLUME	
	APPROX THE ST THAT T ORDERE WHETHE	CIMATION TATE SPECIAL	NS ON ENDIN TRACT DELIV OR L CEDUR NS.	LY, B G UNI SHAL ERY D ESS T	L COVER THE QUAURING THE TERM HAN THE QUANTION 4.0	TE RS' AN' OI TI	S SUPPLIED BY FOOD AND AGREED FITIES ACTUALLY F THE CONTRACT, ES SHOWN. THE ATTACHED	
	PHINKE	DETCI:	TM T		The second secon		ONTRACTOR FILES	
SIGNATURE				SEE HE	VERSE SIDE FOR TERMS AND TELEPHONE		IDITIONS DATE	
							27115	
TITLE		FE	EIN				ADDRESS CHANGES	TO BE NOTED ABOVE
\A/L	EN DECD	ONDING.	TO DEO	INICED	T NAME AND ADDDE	20.1	NISPACE ABOVE LABELE	יעראוססטי



VEZDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

25301

Request for

þ

T

RFQ NUMBER CABLE12

5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET

CHARLESTON WV

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 10/14/2011 BID OPENING DATE: 11/16/2011 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE **AMOUNT** FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM. REV. 05/26/2009 PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHICH IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE DATE TITLE FEIN ADDRESS CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER CABLE12 PAGE 6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

KRISTA FERRELL 304-558-2596

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET CHARLESTON WV 25301

DATEPHIN	IEU	ler ler	ims of sal	.c	SHIP	VIA	F.O.B.		FREIGHT TERMS
10/14/	2011				2,111,111,111,111,111,111,111,111	4 2 7 4 4 4 4 5 4 3 4 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	***************************************		
BID OPENING DATE:		11/16/	2011			BTD	OPENING TI	ME 01	:30PM
LINE		NTITY	UOP	CAT. NO.	ITEM NU		UNIT PRI		AMOUNT
		Щ							
	SEALED	BID							
	BUYER:				KRISTA I	FERRELL-	FILE 42		
	RFQ. N	0.:			CABLE12				
	BID OP	ENING	DATE:		11/16/20)11			
	BID OP	ENING	TIME:		1:30 PM			1	
					UMBER IN NG YOUR E		IS NECESS	ARY	
	- CONTAC' -	T PERS	ON (P	LEASE	PRINT CI	LEARLY):			
	*****	THIS	TS T	HE EN	D OF REO	CARI	E12 *****	тотат.	
	2 000 00 000 10 000	11115				CADL		TOTAL	
alawa tuar				SEE RE	VERSE SIDE FOR		NDITIONS	and the same of	
SIGNATURE						TELEPHONE		DATE	
TITLE		FE	EIN			1	ADDRES	S CHANGES	TO BE NOTED ABOVE

REQUEST FOR QUOTATION: CABLE12 STATEWIDE CONTRACT COMPUTER DATA CABLE (COPPER/FIBER) & FITTINGS

The Acquisition and Contract Administration Section of the Purchasing Division, hereinafter referred to as "State", is soliciting bids for the Office of Technology, hereinafter referred to as "WVOT", to establish a statewide contract to provide computer data cable (copper/fiber) and fittings for all West Virginia State agencies and participating political subdivisions.

1.0 PURPOSE

The purpose of this RFQ is to request bids from responsible vendors with the intent to award a statewide contract to provide computer data cable, (copper/fiber) and fittings to state agencies. This contract will include category 5E and category 6 plenum & non plenum cable, patch panels, modular connectors, single-mode & multi-mode fiber, and accessories.

Our primary goal is to leverage the State of West Virginia's buying power to ultimately reduce our overall costs, while meeting our requirements and maintaining an acceptable level of quality.

2.0 DEFINITIONS

The below terms shall be herein defined as:

- A. "Vendor": the successful bidder(s)
- B. "Manufacturer": the company who produces the equipment.
- C. "Contract": the binding agreement that is entered into between the State of West Virginia and the Vendor to provide the services as herein specified.
- D. Mandatory Requirements: The terms "must", "will", "shall", "minimum", "maximum", or "is/are required" identify a mandatory item or factor. Decisions regarding compliance with any mandatory requirements shall be at the sole discretion of the State. Failure on the part of the Vendor to meet any of the mandatory specifications shall result in the disqualification of the bid.

3.0 MATERIAL SPECIFICATIONS

3.1 Category 5e Plenum & Non-plenum Cable

REFERS TO ITEMS 45 & 46 ON PRICING SHEETS

Minimum specifications:

UNSHIELDED TWISTED PAIR CABLE TESTED TO 200 mhz AND ETL VERIFIED TO CATEGORY 5e.CAT.5e CABLE CONSISTS OF #24 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. CAT.5e CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT LENGHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. OUTER JACKET OF CAT.5e CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.5e NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.5e PLENUM CABLE MUST HAVE "CMP' PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE. All plenum cable must be 4X4 plenum construction.

All pichain casic mast se 43.4 pichain concuration

•14 dB Minimum ACR @ 100 MHz – Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet / 10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps.

- •4 dB Minimum Improvement in Near End Crosstalk vs. TIA/EIA-568-B Category 5.
- •ETL Verified to Category 5e.
- •.45 ns/meter Maximum Skew Tightly controlled propagation delay.
- Engineered for Future Applications Tested for all parameters specified...for 4 pair UTP in TIA/EIA-568-B.2, including PS-NEXT, Return Loss, ELFEXT and PS-ELFEXT.

3.2 Category 5e Modular Connectors

REFERS TO ITEM 47 ON PRICING SHEETS

Modular connector for Category 5e UTP structured cabling systems and uses include high megabit applications such as Gigabit Ethernet and 622 Mbps ATM. The Category 5e modular connector shall meet or exceed individual snap-in style, and provide The connectors shall also be in compliance with TIA/EIA-568-B specifications. compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently UL Certified. In addition to Category 5e compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies shall be fire-retardant with a UL flammability rating of 94V-0. Termination of all connectors shall be 110-type IDC with solder-plated phosphor bronze contacts. The connector shall provide a ledge directly adjacent to the 110 style termination against which the wires can be directly terminated and cut in one action by the installer. Connector wiring label shall provide installation color codes for T568B wiring schemes. The modular hardware shall fit all other installed telecommunications wall plates, outlets and field configurable patch panels and patch blocks. A selection of 13 colors must be available for the Cat.5e connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

Category 5e connector **must** meet all applicable standards: UL Listed; complies with all TIA/EIA-568-B requirements; and meets FCC Part 68.

FEATURES

- Must be available in 13 different colors including ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.
- Individual port configurability allows specification flexibility.
- · Robust one-piece lead-frame design.
- · Narrow connector allows high port density in a small area.
- · Performance supports high megabit and shared-sheath applications.

PHYSICAL SPECIFICATIONS

Dimensions: .89"H x .635"W x 1.178"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high-quality phosphor bronze, plated with 50 micro-inches of gold over 100 micro inches of nickel for lowest contact resistance, maximum life. Connector 110-style IDC contacts are solder-plated phosphor bronze.

Colors: selection of 13 colors must be made available, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 5e housing to support Category 5e UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels and patch blocks.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- A selection of 13 colors **must** be available for the connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

3.3 Category 5E Plenum & Non-plenum Cable

REFERS TO ITEMS 48 & 49 ON PRICING SHEETS

Minimum specifications:

UNSHIELDED TWISTED PAIR CABLE TESTED TO 400 MHz AND ETL VERIFIED TO CATEGORY 5E. CATEGORY 5E CABLE EXCEEDS TIA/EIA 568-B.2 CAT.5e & ISO/IEC 11801 CAT.5E HORIZONTAL CABLE SPECS. THIS CAT.5E CABLE CONSISTS OF #24 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. CAT.5E CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A

TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT. LENGTHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. OUTER JACKET OF CAT.5E CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.5E NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.5E PLENUM CABLE MUST HAVE "CMP" PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE.

All plenum cable must be 4X4 plenum construction.

- 20 dB Minimum ACR @ 100 MHz Proven support for Gigabit Ethernet / 1000BASE-T / IEEE 802.3ab, ATM up to 155 Mbps, 100 Mbps Fast Ethernet / 100BASE-T / IEEE 802.3, ANSI.X3.263 FDDI TP-PMD, Ethernet /10BASE-T / IEEE 802.3, 4 & 16 Mbps Token Ring / IEEE 802.5, T1/E1, xDSL, ISDN, 550 MHz Broadband Video and standards under development such as ATM at 622 Mbps and 1.2 Gbps.
- 5 dB Minimum Improvement in Near End Crosstalk vs. standard Category 5e NEXT.
- Meets Return Loss Category 5e Standard.
- .25 ns/meter Maximum Skew Tightly controlled propagation delay.
- Enhanced Performance Parameters All electrical characteristics proven to exceed TIA/EIA 568-B Category 5e requirements: Near End Crosstalk, Characteristic Impedance, Insertion Loss, and Delay Skew. Also exceeds TIA/EIA-568-B.2 Category 5e requirements: Power Sum NEXT, and Far End Crosstalk ELFEXT and PS-ELFEXT.

Electrical Characteristics

STANDARDS:

EXCEEDS TIA/EIA-568-B.2 CAT 5e & ISO/IEC 11801:2002 CAT 5e HORIZONTAL CABLE

CONDUCTOR DCR: 8.9ohms/100m (27.1 _/Mft) MAX

DCR UNBALANCE: 3% MAX

MUTUAL CAPACITANCE: 46 pF/m (14 pF/ft) NOM

CAPACITANCE UNBALANCE PAIR/GROUND: 66 pF/100m (200 pF/Mft) MAX

CHARACTERISTIC IMPEDANCE: 100ohms 15% (1-400 MHz)

INPUT IMPEDANCE:

100 ohms15% (1-100 MHz) 100 ohms 22% (>100-200 MHz)

PROPAGATION DELAY: 506 + 36/√f ns/100m MAX

DELTA DELAY (SKEW): 25 ns/100m MAX

NOMINAL VELOCITY OF PROPAGATION (NVP): PLENUM 72%; NON-PLENUM 68%

3.4 Category 5E Modular Connectors

REFERS TO ITEM 50 ON PRICING SHEETS

The Category 5E connector shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801. The modular connector shall be individual snap-in style. The connector **must** include unique pair separation towers allowing for quicker and easier terminations. The connector shall be 180° configuration such that the punch field is in the back, allowing for rear termination.

Rear termination field shall include pointed pair separation towers to promote easier installation. All plastics used in construction of the connector bodies **must** be fire retardant with a UL flammability rating of 94V-0. Termination of all connectors shall be 110-type insulation displacement connectors (IDC). The connector shall provide a cutting ledge directly adjacent to the 110-style IDC's against which the wires can be directly terminated and cut in one action.

Connector wiring shall be universal and wiring label shall provide installation color codes for T568B wiring schemes. A selection of 13 colors **must** be available for the Cat.5E connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

The Category 5E modular connector **must** meet or exceed the Category 5E requirements for channel/component level performance per TIA/EIA-568-B and ISO/IEC 11801. Components certified per cULus and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: .885"H x .635"W x 1.211"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold over 100 micro-inches of nickel for lowest electrical contact resistance and maximum life.

Connector must include selection of 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

FEATURES

- Universal T568B wiring labels for 110-style IDC terminations.
- Must be available in 13 different TIA/EIA 606-A compatible colors.
- 180° configuration allowing for rear termination.
- Unique pair separation towers designed to minimize untwisting and to speed installation.

DESIGN SPECIFICATIONS

 For use in any Category 5e housing to support Category 5E UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels.

- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Connector **must** be available in 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- IDCs must be arranged to minimize untwisting.

3.5 Category 5E Patch Panels

REFERS TO ITEMS 72, 73, 74 & 75 ON PRICING SHEETS

The Category 5E patch panel shall meet or exceed the requirements for Category 5e described in TIA/EIA-568-B as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568B wiring card for terminations. The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24-, 48-port configurations as well as 12-port configuration for wall mount applications. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel shall follow normal installation color sequence (blue, orange, green, brown) from left to right; and must be designed for use in high megabit applications such as Gigabit Ethernet.

APPLICATION

Category 5e patch panels **must** be designed for use on 19" standard racks and cabinets and **must** allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right; and **must** be designed for use in high megabit applications such as Gigabit Ethernet.

FEATURES

- Universal T568B wiring cards for 110 style IDC terminations.
- · Color-coded front labeling for easy port identification
- Centralized labeling available on 48 port panel.
- · Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Meets all applicable standards: UL Listed; meets or exceeds all TIA/EIA-568-B for Category 5e requirements; and meets FCC Part 68.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.75"H x 19"W x 1.31"D

48 Port - 3.5"H x 19"W x 1.31"D

12-port Patch Block – 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-

DESIGN SPECIFICATIONS

- Color-coded front window labeling for easy port identification.
- Centralized labeling (available on 48-port), promotes greater visibility of labels when patch cords are routed into horizontal cable management above and below the patch panel.
- Mounts on 19" standard equipment racks.
- Panel offered in 12-, 24-, 48-port configurations and a 12-Port Patch Block for wall-mount applications.
- Connector modules are grouped in sets of six.

3.6 Category 6 Plenum & Non-plenum Cable

REFERS TO ITEMS 81 & 82 ON PRICING SHEETS

DESCRIPTION & MINIMUM SPECIFICATIONS:

ENHANCED UNSHIELDED TWISTED PAIR (UTP) CAT.6 CABLE FOR USE IN HORIZONTAL CABLING SYSTEMS PER TIA/EIA 568-B AND ISO/IEC 11801 CLASS E. TESTED TO 650 MHz AND ETL VERIFIED TO TIA/EIA-568-B.2-1 CAT.6.

THE CABLE EXCEEDS TIA/EIA 568-B.2-1 AND ISO/IEC 11801 CATEGORY 6 ELECTRICAL CHARACTERISTICS. THE CABLE CONSISTS OF #23 AWG SOLID BARE COPPER INSULATED CONDUCTORS, ASSEMBLED INTO FOUR TIGHTLY TWISTED PAIRS, WITH A CORE SEPARATOR (SPINAL SPACER) AND A RIPCORD UNDER AN OVERALL JACKET THROUGHOUT THE LENGTH OF THE CABLE. OUTER JACKET OF CAT.6 CABLE MUST BE AVAILABLE IN SELECTION OF 10 COLORS WHICH INCLUDE WHITE, BLUE, PINK, YELLOW, GRAY, GREEN, RED, ORANGE, BLACK, & VIOLET. CAT.6 CABLE MUST BE PACKAGED DIRECTLY IN AN EASY PULL BOX AND DISPENSE IN A TANGLE-FREE PAYOUT (AS IF ON A REEL) IN 1,000 FT. LENGTHS PER BOX. CABLE MUST CONTAIN PRINTED DESCENDING FOOTAGE MARKERS FROM 1,000 TO 0 IN EACH 1,000 FT. BOX. CAT.6 NON-PLENUM CABLE MUST HAVE "CMR" PRINTED ON CABLE, INDICATING IT IS RISER NON-PLENUM CABLE. CAT.6 PLENUM CABLE MUST HAVE "CMP' PRINTED ON CABLE, INDICATING IT IS PLENUM CABLE. All plenum cable must be 4X4 plenum construction.

SUPPORTED APPLICATIONS

IEEE 802.3 10BASE-T (ETHERNET), 100BASE-T (FAST ETHERNET), AND 1000BASE-T (GIGABIT ETHERNET), IEEE 802.3af POWER OVER ETHERNET FOR VoIP, ANSI.X3.263 FDDI TP- PMD, IEEE 802.5 4 AND 16 Mbps TOKEN RING, ATM UP TO 155 Mbps, 550 MHz BROADBAND VIDEO AND STANDARDS UNDER DEVELOPMENT SUCH AS ATM AT 622 Mbps, AND 1.2 & 2.4 Gbps.

INDUSTRY APPROVALS

STANDARDS: EXCEEDS TIA/EIA 568-B.2-1 CAT 6 & ISO/IEC 11801:2002 CAT 6

HORIZONTAL CABLE

LISTINGS: PL: UL/cUL TYPE CMP NP: UL/cUL TYPE CMR PERFORMANCE: ETL VERIFIED TO TIA/EIA 568-B.2-1 CAT 6

CONSTRUCTION

PRIMARIES: CONDUCTOR: 23 AWG (.6 mm) SOLID BARE COPPER

PL: DUAL INSULATION, FEP ON ALL 4 PAIRSNP: THERMOPLASTIC POLYOLEFIN

PAIR ASSEMBLY: 2 PRIMARIES TWISTED IN VARIED LAYS

CABLE ASSEMBLY: 4 PAIRS CABLED TOGETHER WITH A FLEXWEB CORE

SEPARATOR

JACKET: PL: NO LEAD PLENUM RATED THERMOPLASTIC

NP: NO LEAD FLAME RETARDANT THERMOPLASTIC

NOMINAL CABLE OD: PL: .228" (5.79 mm) NP: .225" (5.7 mm)

PHYSICAL CHARACTERISTICS

CABLE WEIGHT: PL: 33 lbs/1000ft (49 kg/km) NP: 30 lbs/1000ft (45 kg/km)

BENDING RADIUS: PL: 1" (25 mm) MIN (4 x CABLE OD)

PULLING TENSION: 25 lbf (110 N) MAX

OPERATING TEMP.: -20°C to +60°C (-4°F to +140°F) **STORAGE TEMP.:** -20°C to +75°C (-4°F to +167°F) **INSTALLATION:** 0°C to +60°C (+32°F to +140°F)

3.7 Category 6 Plenum & Non-plenum Cable (con't)

REFERS TO ITEMS 81 & 82 ON PRICING SHEETS

ELECTRICAL CHARACTERISTICS

STANDARDS:

EXCEEDS TIA/EIA-568-B.2-1 CAT 6, ISO/IEC 11801:2002 CAT 6 & IEC 61156-5 CAT 6

HORIZONTAL CABLE

CONDUCTOR DCR: 7.8ohms/100m (23.8ohms/Mft) MAX

DCR UNBALANCE: 3% MAX

MUTUAL CAPACITANCE: 46 pF/m (14 pF/ft) NOM

CAPACITANCE UNBALANCE PAIR/ GROUND: 66 pF/100m (200 pF/Mft) MAX

CHARACTERISTIC IMPEDANCE: 100 ± 15% (1-350 MHz)

INPUT IMPEDANCE: 100 ohms ± 15% (1-100 MHz)

100 ohms ± 18% (>100-200 MHz) 100 ohms ± 22% (>200-350 MHz)

RETURN LOSS (RL): $20 + 7 \log_{10}(f) dB MIN (1-10 MHz)$

27 dB MIN (>10-20 MHz)

27 - 5.58 log10 (f/20) dB MIN (>20 MHz)

INSERTION LOSS (ATTENUATION): $1.795 \,\Box f + .017 \,f + .20 \,dB/100 \,m$ MAX

 $\Box f$

NEAR END CROSSTALK (NEXT): 48.3 - 15 log10 (f/100) dB/100m MIN

POWER SUM NEAR END CROSSTALK (PS-NEXT): 46.3 - 15 log10 (f/100) dB/100m

EQUAL LEVEL FAR END CROSSTALK (ELFEXT): 30 - 20 log10 (f /100) dB/100m MIN

POWER SUM EQUAL LEVEL FAR END CROSSTALK (PS-ELFEXT): 28 - 20 log10 (f /100) dB/100m MIN

PROPAGATION DELAY: 534 + 36 / □f ns/100m MAX

DELTA DELAY (SKEW): 25 ns/100m MAXIMUM SKEW - tightly controlled

propagation delay.

NOMINAL VELOCITY OF PROPAGATION (NVP): 72% PLENUM

68% NON-PLENUM

WHERE f = FREQUENCY IN MHz from .772 to 350 MHz, except for ELFEXT and PS-ELFEXT from 1 to 350 MHz.

3.8 Category 6 Modular Connectors

REFERS TO ITEM 83 ON PRICING SHEETS

The Category 6 modular connector shall meet or exceed the requirements for channel and component-level performance described in TIA/EIA-568-B.2-1 Category 6 standards. The modular connector shall be individual snap-in style. The connectors shall also be in compliance with all National Electrical Codes; compliant with FCC Part 68; UL listed; and independently verified. In addition to Category 6 compliance, the connector shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies must be fire-retardant with a UL flammability rating of 94V-0. The Category 6 connector includes unique pair separation towers allowing for quicker and easier terminations. The connector is configured in a 180° configuration such that the punch field is in the back, allowing for rear termination. Termination of all connectors shall be 110-type insulation displacement connectors (IDC). The connector shall provide a ledge directly adjacent to the 110-style termination against which the wires can be directly terminated and cut in one action by the installation craftsperson. Connector wiring is universal and will accommodate installation color codes for T568B wiring schemes. The termination field shall be in the rear for easy access. The modular connector shall fit all other installed telecommunications wall plates, outlets and field-configurable patch panels and patch blocks. A selection of 13 colors must be available for the Cat.6 connector, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

STANDARDS COMPLIANCE

Category 6 modular connectors **must** meet or exceed the requirements for channel and component-level performance for TIA/EIA Category 6, cULus Listed, NOM and ACA.

PHYSICAL SPECIFICATIONS

Dimensions: .901"H x .575"W x 1.246"D

Materials: Connector body is high-impact, fire-retardant plastic rated UL 94V-0. Spring wire contacts are high quality copper-based alloy, plated with 50 micro-inches of gold

over 100 micro inches of nickel for lowest contact resistance, maximum life. **Must** include full selection of TIA/EIA-606 compatible colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond, and brown.

DESIGN SPECIFICATIONS

- For use in any Category 6 housing to support Category 6 UTP connectivity in surface mount, flush mount, or modular furniture outlets and field configurable patch panels.
- Can be used in conjunction with other snap-in modules for voice/data and video applications over UTP, coax and fiber.
- Connector **must** be available in 13 colors, which include ivory, white, grey, black, orange, blue, bright red, dark red, yellow, green, purple, almond & brown in order to identify ports for different applications.

INSTALLATION NOTES

- Must be designed for cable termination with a 110 punch down tool.
- Detailed installation instructions must be included in the standard pack.
- · IDCs must be arranged to minimize untwisting.

3.9 Category 6 Patch Panels

REFERS TO ITEMS 101, 102, 103, & 104 ON PRICING SHEETS

The Category 6 patch panel shall meet or exceed the requirements for Category 6 described in TIA/EIA-568-B.2-1 as well as the Class E requirements described in ISO/IEC 11801-B. The panels shall feature T568B wiring configurations, white IDC 110-punchdown modules, mounting standoffs for cable management bars, color-coded front window labeling, and a termination standoff for patch panel earthing/grounding. The panels shall have universal T568B wiring card for terminations.

The panels shall be made of 16 gauge steel, and shall have a black painted finish with white silk-screening. The plastic elements shall be fire-retardant with a UL flammability rating of 94V-0. The panel shall be offered in 12-, 24, 48-port configurations as well as an 89D 12-port configuration. The patch panel shall be configured with six port modules. The 110 termination on the rear of the panel **must** follow normal installation color sequence (blue, orange, green, brown) from left to right; and **must** be designed for use in high megabit applications such as Gigabit Ethernet.

APPLICATION

Category 6 patch panels **must** be designed for use on 19" standard racks and cabinets; **must** allow for standard 110 terminations on the rear of the panel which follows the normal installation color sequence (blue, orange, green, brown) from left to right; and **must** be designed for use in high megabit applications such as Gigabit Ethernet.

FEATURES

- Universal T568B wiring cards for 110 style IDC terminations.
- Color-coded front labeling for easy port identification (TIA-606-A compliant).
- Grounding standoff for optional earthing/grounding.

STANDARDS COMPLIANCE

Category 6 patch panels **must** meet or exceed the Category 6/Class E requirements for channel/component level performance per TIA/EIA-568-B.2-1 and ISO/IEC 11801-B. Components certified per cULus, NOM and ACA requirements.

PHYSICAL SPECIFICATIONS

Dimensions: 12-, 24-Port - 1.725"H x 19"W x 1.474"D

48 Port - 3.475"H x 19"W x 1.474"D

12-port Patch Block - 10.0"H x 2.3"W x 1.474"D

Capacity: 12-, 24-, 48-port and 12-Port Patch Block

Materials: 16 gauge steel, painted black, PCB and plastic components are rated UL 94V-

DESIGN SPECIFICATIONS

- Color coded front window labeling for easy port identification.
- · Mounts on 19" equipment racks.
- Panel offered in 12-, 24-, 48-Port configurations and Universal 12-port U89 Block for wall mount applications.
- · Connector modules are in groups of six.
- · Includes rear cable management bars.

4.0 ORDERING PROCEDURES

- 4.1 The Agency shall issue a WV-39 State Contract Release Order to the vendor for commodity/commodities covered under this contract. The WV-39 State Contract Release Order shall include the quantity and commodity/commodity to be purchased.
- 4.2 The Vendor MUST accept the WV-39 form by email, mail, or facsimile.

The Vendor must acknowledge receipt of the Order

- 4.3 Community colleges, institutions, counties, municipalities, public schools, and other local government entities utilizing this contract shall establish ordering procedures directly with the Vendor.
- 4.5 The State reserves the right to utilize inter-state agreements, such as the Western States Contracting Alliance (WSCA), to purchase equipment, outside of the terms and conditions of any contract resulting from an award of this RFQ, pursuant to West Virginia State Code, Section §5A-3-19.

5.0 DELIVERY

5.1 Delivery shall be to the building dock and/or loading area designated by the WV-39 Release Order.

- 5.2 If requested, the Vendor must provide inside delivery. Agencies requiring inside delivery must provide this requirement on the WV-39 Release Order to the Vendor indicating specific delivery location.
- 5.3 All materials ordered in Charleston, or any destination point in between Charleston-Huntington, Charleston-Beckley, Charleston-Parkersburg, and or Charleston-Clarksburg by any other agency other than the Office of Technology, **must** be delivered within 5 business days after receipt of the order.
- 5.3 All materials ordered by the Office of Technology **must** be delivered to the Capitol Complex in the following timeframes after the receipt of the order (the exact delivery location will be provided when the order is placed):
 - a) If total for materials ordered is \$1,000 or below delivery must be within two (2) business hours;
 - b) If total for materials ordered is greater than \$1,000, but less than \$5,000 delivery **must** be within two (2) business days;
 - c) If total for materials ordered is greater than \$5,000 delivery **must** be within five (5) business days.

6.0 INVOICING AND PAYMENT

- 6.1 The Vendor MUST accept the State of West Virginia VISA Purchasing Card for payment by all authorized State agencies for purchases against this contract.
- 6.2 It will be the responsibility of the successful vendor to bill the individual spending units based on the WV-39 State Contract Release Order. Only one invoice per WV-39 State Contract Release Order shall be received. Invoice totals shall match WV-39 Release Order.

7.0 REPORTING

- 7.1 The vendor must provide a quarterly report of purchases to the Office of Technology, with a copy to Purchasing, showing the following items:
- Name of the ordering state agency;
- 2. Materials ordered; and
- Total cost expended for that quarter.

The report shall be delivered to the Office of Technology and the Purchasing Division no later than the fifteenth day of the month following each quarter period. The vendor shall also provide Office of Technology and Purchasing an annual report with this same information, to be delivered at the end of each fiscal year. Failure to submit such reports may be grounds for contract termination.

Reports are to be sent to:

Marta Dean (MARTA.L.DEAN@WV.GOV)

Krista Ferrell (KRISTA.S.FERRELL@WV.GOV)

8.0 COST

- 8.1 The cost per item (supplied by the vendor) **must** include delivery to the building dock and/or loading area designated by the ordering state agency.
- 8.2 All pricing submitted shall be FOB: Destination. (Vendor pays shipping.)
- 8.3 The successful bidder shall not substitute any other brand from those awarded, nor sell any additional items under their contract not specifically covered herein, without prior written permission of the Purchasing Division.
- 8.4 The Contract resulting from this solicitation shall be a fixed price contract with the successful vendor. The prices quoted in the vendor(s) quote will not be subject to any increase for the original contract term of one year. Price increase at renewal can be accepted or rejected by the Purchasing Division.

8.5 Attachment A: Cost Sheet:

- 8.5.1 The cost sheet contains a list of all the materials to be covered by the contract. The cost sheet **must** be completed by each bidder. A vendor should bid on all items listed on the attached cost sheet. Vendor **must** indicate the brand bid for all items.
- 8.5.2 Vendors are required to submit a hard copy of the cost sheet with their bid. Vendors are also strongly encouraged to submit an electronic version of the excel document on CD and return with bid. An electronic version is available in the WV Purchasing Bulletin to registered vendors by visiting the below link:

http://www.state.wv.us/admin/purchase/newbul.htm

Or, buy emailing Krista.s.ferrell@wv.gov.

If any deviation exists between the electronic version and the printed version, the printed one submitted shall prevail.

8.5.3 Vendors are requested to include one (1) convenience hard copy and one (1) convenience CD that contain the information included on the hard copies of the entire bid (including pricing pages) to the Purchasing Division. This convenience copy is in addition to the original hard copy and electronic version of the pricing pages as requested by the Purchasing Division.

8.6 Samples

- 8.6.1 There are 17 items on the cost sheet referencing brands names and are marked with an asterisk (Reference 3.2 column of cost sheet). The item numbers are 45, 46, 47, 48, 49, 50, 72, 73, 74, 75, 81, 82, 83, 101, 102, 103, & 104.
- 8.6.2 Vendors intending to bid an alternative product for these items **shall** submit descriptive literature and samples.

Samples & descriptive literature must be included for each of the following 17 products bid:

- Manufacturers category 5e cable specifications (Items 45 & 46)
- Manufacturers category 5e RJ45 snap-in connector (Item 47)
- Manufacturers category 5E cable specifications (Items 48 & 49)
- Manufacturers category 5E RJ45 snap-in connector (Item 50)
- Manufacturers category 5E 12-,24-,48-port copper patch panels (Items 72, 73, 74 & 75)
- Manufacturers category 6 cable specifications (Items 81 & 82)
- Manufacturers category 6 RJ45 snap-in connectors (Item 83)
- Manufacturers category 6 12-,24-,48-port copper patch panels (Items 101,102,103,104)
- 8.6.3 These samples **must** be received no later than five (5) days after the bid opening date to allow WVOT time to make a determination of equality to the brand specified.
- 8.6.4 If bidder wishes to have samples returned, they must include a pre-paid label or other information to have the items returned at vendor's expense. Failure to provide descriptive literature and samples may result in the bid being rejected as non-responsive.

9.0 AWARD

Contract shall be a single award to the lowest-cost vendor with the most complete bid.

STATEWIDE CONTRACT - CABLE12

COST SHEET

ITEM NUM.	Estimated Quantity	Unit	Description	Reference 3.2 ***	Unit Price	Extension Price
1	50	EA	PLASTIC CABLE TIES; 7 15/16" IN LENGTH, 100PK 3-M PART # 3-M06226 OR EQUAL			\$0.00
2	200	EA	VELCRO TYRAP WIRE TIES; 8" IN LENGTH; HELLERMAN TYTON PART # GT50X80P2 OR EQUAL	- 5		\$0.00
3	500	EA	CABLE SUPPORT J-HOOK; ERICO PART # CAT32 OR EQUAL			\$0.00
4	200	EA	ELECTRICAL TAPE; 3-M SCOTCH SUPER 88 3M PART # 88-SUPER-3/4" X 66FT OR EQUAL			\$0.00
5	50	EA	3M MOLDABLE PUTTY STIX PART # 3M-MPS-2+ OR EQUAL			\$0.00
6	500	EA	CABLE RETAINER CLIP; ERICO PART # CATCR50 OR EQUAL			\$0.00
7	500	EA	SINGLE GANG LOW VOLTAGE MOUNTING BRACKETS; ARLINGTON PART # LV-1 OR EQUAL			\$0.00
8	30	EA	3/4"W X 25YDS LONG BLACK VELCRO IN A ROLL VELCRO PART# 189645 OR EQUAL			\$0.00
9	10	EA	3M WIRE MARKER DISPENSER 0 THRU 9 ON A ROLL 3-M PART # STD-0-9 (FILLED) OR EQUAL			\$0.00
10	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 0 PART# SDR-0 OR EQUAL			\$0.00
11	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 1 PART# SDR-1 OR EQUAL			\$0.00
12	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 2 PART# SDR-2 OR EQUAL			\$0.00
13	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 3 PART# SDR-3 OR EQUAL			\$0.00
14	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 4 PART# SDR-4 OR EQUAL			\$0.00
15	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 5 PART# SDR-5 OR EQUAL			\$0.00
16	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 6 PART# SDR-6 OR EQUAL			\$0.00
17	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 7 PART# SDR-7 OR EQUAL			\$0.00
18	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 8 PART# SDR-8 OR EQUAL			\$0.00
19	30	EA	3M WIREMARKER NUMBER REFILL FOR STD-0-9 NUMBER 9 PART# SDR-9 OR EQUAL			\$0.00
20	100	EA	ADJUSTABLE CABLE SUPPORT; ERICO PART#CAT425 OR EQUAL			\$0.00
21	20	EA	PHILLIPS HEAD 3/4" LONG 10-32 RACK SCREWS W/WASHERS 100PK MIDDLE ATLANTIC PRODUCTS PART # HP OR EQUAL			\$0.00
22	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED GREAT LAKES PART# 1984-VCM OR EQUAL			\$0.00
23	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED CHATSWORTH PART# 12096-703 OR EQUAL			\$0.00
24	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED AFCO SYSTEMS PART# AS-CTRG-84-WBLK OR EQUAL			\$0.00
25	20	EA	VERTICAL WIRE MANAGER FOR 19" OR 23" RELAY RACKS MOUNTING HARDWARE INCLUDED SOUTHWEST PART# SWE2729BLK OR EQUAL			\$0.00
26	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT GREAT LAKES PART# GLRR-1984BA OR EQUAL			\$0.0

×	18			
27	40	EA	DISTRIBUTION RACKS; ALUMINUM BASE COLOR OF BLACK MUST BE APPROXIMATELY 15" IN DEPTH; APPROXIMATELY 20" IN WIDTH; & 84" HEIGHT.	50.00
28	10	EA	CHATSWORTH PART# 46353-703 OR EQUAL 48" WALL MOUNT SWING OUT RACK;	\$0.00
	265		GREAT LAKES PART # GL48SR OR EQUAL 36" WALL MOUNT SWING OUT RACK:	\$0.00
29	10	EA	GREAT LAKES PART # GL36SR OR EQUAL	\$0.00
30	10	EA	24" WALL MOUNT SWING OUT RACK; GREAT LAKES PART # GL24SR OR EQUAL	\$0.00
31	10	EA	84" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. BELDEN PART# XDP84-3-150046 OR EQUAL	\$0.00
32	10	EA	72" NETWORKING CABINET; CABINET WILL INCLUDE THE FOLLOWING: CASTERS, LEVELERS, GROUND LUG, TWO PAIR SQUARE HOLE RAILS, M6 HARDWARE, BOTTOM GLAND, TOP GLAND, 10IN FAN TOP, PERFORATED MESH FRONT DOOR, PERFORATED MESH REAR DOOR, TWO SOLID SIDE PANELS, TWO 9411-1602 POWER STRIPS INTERNAL 8729-PD-3 FRONT, 8429-PR-3-0001 SPOTWELDED REAR TWO 8436-01-SP-3 SIDES. BELDEN PART# XDP72-3-150012 OR EQUAL	\$0.00
33	10	EA	84" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 84"H X 29" W X 36" D; GREAT LAKES PART # 840E-2936WVCC OR EQUAL	\$0.00
34	10	EA	72" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 16 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 72"H X 29" W X 36" D GREAT LAKES PART # 720E-2936WVCC OR EQUAL	\$0.00
35	5	EA	48" NETWORKING CABINET; BASE UNIT WITH LOUVERED TOP; PLEXIGLAS VENTED FRONT DOOR W/LOCK; UPPER HALF LOUVERED STEEL REAR DOOR W/LOCK; PAIR OF SOLID REMOVABLE SIDE PANELS; TWO PAIR 19" MOUNTING RAILS W/BRACKETS & MOUNTING SCREWS; COLOR BLACK OR GREY; 6 POSITION POWER STRIP W / CIRCUIT BREAKER & 12' CORD; CASTERS; 48"H X 24" W X 32" D GREAT LAKES PART # 480E-2432WVCC OR EQUAL	\$0.00
36	10	EA	STATIONARY SHELVES FOR 19" MOUNTING IN NETWORKING CABINETS; GREAT LAKES PART # 7206-FM OR EQUAL	\$0.00
37	20	EA	FAN ASSEMBLY W/FAN GUARDS & THREE 75 CFM FANS FOR NETWORKING CABINETS; GREAT LAKES PART # TPE-24F OR EQUAL	\$0.00
38	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 3/4" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 043-LD00 OR EQUAL	\$0.00
39	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 1 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 042-LD00 OR EQUAL	\$0.00
40	1000	FT	RACEWAY MOLDING; ONE-PIECE; NON-METALLIC; 2 1/2" WIDTH; 6 FT. LENGTH; DEKDUCT PART # 045-LD00 OR EQUAL	\$0.00

41	1000	FT	RACEWAY MOLDING; TWO-PIECE; NON-METALLIC; 4" WIDTH X 2" DEPTH; DEKDUCT PART # 046-4020DWP OR EQUAL		\$0.00
42	20,000	FT	25 PAIR PLENUM CATEGORY 3 CABLE SUPERIOR ESSEX PART# WCETEL24/25PC3P OR EQUAL		\$0.00
43	20,000	FT	50 PAIR PLENUM CATEGORY 3 CABLE SUPERIOR ESSEX PART# WCETEL24/50PC3P OR EQUAL		\$0.00
44	20,000	FT	100 PAIR PLENUM CATEGORY 3 CABLE SUPERIOR ESSEX PART# WCETEL24/100PC3P OR EQUAL		\$0.00
45	100,000	FT	CAT. 5e MIN COMPLIANT PVC CABLE; NON-PLENUM; WHITE IN COLOR; 1,000 FT. PER EASY PULL BOX; MOHAWK PART # M57554 OR EQUAL	***	\$0.00
46	200,000	FT	CAT. 5e MIN COMPLIANT CABLE; PLENUM; WHITE IN COLOR; 1,000 FT. PER EASY PULL BOX; MOHAWK PART # M57547 OR EQUAL	***	\$0.00
47	3000	EA	QUICK PORT 8P8C MODULAR RJ45 JACKS FOR CAT5e MIN COMPLIANT; WHITE IN COLOR BUT SELECTION OF COLORS MUST BE AVAILABLE; LEVITON PART # 5G108-RW5 OR EQUAL	***	\$0.00
48	200,000	FT	CAT. 5E ENHANCED CABLE; NON-PLENUM RISER RATED; EASY PULL BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56167 OR EQUAL	***	\$0.00
49	300,000	FT	CAT. 5E ENHANCED CABLE; PLENUM; EASY PULL BOX ONLY; 1000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. MEGALAN 400 MOHAWK PART# M56168 OR EQUAL	***	\$0.00
50	3,000	EA	LEVITON QUICKPORT 8P8C MODULAR RJ45 JACKS FOR CAT5E ENHANCED; ORANGE IN COLOR BUT SELECTION OF COLORS MUST BE AVAILABLE; LEVITON PART # 5G110-RO5 OR EQUAL	***	\$0.00
51	200	EA	CAT 5E ENHANCED 1FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART # 553-130-001 OR EQUAL		\$0.00
52	200	EA	CAT 5E ENHANCED 3FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-003 OR EQUAL		\$0.00
53	200	EA	CAT 5E ENHANCED 5FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-005 OR EQUAL		\$0.00
54	200	EA	CAT 5E ENHANCED 7FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-007 OR EQUAL		\$0.00
55	200	EA	CAT 5E ENHANCED 10FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-010 OR EQUAL		\$0.00
56	200	EA	CAT 5E ENHANCED 14FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-014 OR EQUAL		\$0.00
57	200	EA	CAT 5E ENHANCED 25FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-025 OR EQUAL		\$0.00
58	100	EA	CAT 5E ENHANCED 50FT CROSSOVER CABLE RED IN COLOR QUIKTRON PART# 553-130-050 OR EQUAL		\$0.00
59	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 570-110-001 OR EQUAL		\$0.00
60	500	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-110-18IN OR EQUAL		\$0.00
61	2000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 3 FOOT LENGTH; LEVITON PART# 5G460-03* (* - COLOR) OR EQUAL		\$0.00
62	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 5 FOOT LENGTH; LEVITON PART# 5G460-05* (* - COLOR) OR EQUAL		\$0.00

			CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M		Т	
63	2000	EA	BOOTED; NON-KEYED; 7 FOOT LENGTH; LEVITON PART# 5G460-07* (* - COLOR) OR EQUAL			\$0.00
64	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 10 FOOT LENGTH; LEVITON PART# 5G460-10* (* - COLOR) OR EQUAL			\$0.00
65	1000	EA	CAT. 5E GIGAMAX PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 15 FOOT LENGTH; LEVITON PART# 5G460-15* (* - COLOR) OR EQUAL			\$0.00
66	500	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 25 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART # 551-XXX-025 OR EQUAL (XXX=COLOR)			\$0.00
67	100	EA	CAT 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-XXX-050 OR EQUAL (XXX=COLOR)			\$0.00
68	100	EA	CAT. 5E ENHANCED 350MHZ PATCH CABLES; RJ45M TO RJ45M BOOTED; NON-KEYED; 100 FOOT LENGTH; SELECTION OF COLORS SHALL BE AVAILABLE FOR OUTER JACKET QUIKTRON PART# 551-XXX-100 OR EQUAL (XXX=COLOR)			\$0.00
69	50	EA	LEVITON QUICKPORT HIGH DENSITY 48-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H48 OR EQUAL			\$0.00
70	50	EA	LEVITON QUICKPORT HIGH DENSITY 24-PORT PATCH PANEL W/CABLE MANAGEMENT BAR LEVITON PART# 49255-H24 OR EQUAL			\$0.00
71	50	EA	LEVITON QUICKPORT HIGH DENSITY 12-PORT PATCH PANEL LEVITON PART#49255-H89 OR EQUAL			\$0.00
72	100	EA	LEVITON 48-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART# 5G596-U48 OR EQUAL	***		\$0.00
73	100	EA	LEVITON 24-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U24 OR EQUAL	***		\$0.00
74	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT.5E RACKMOUNT PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U12 OR EQUAL	***		\$0.00
75	50	EA	LEVITON 12-PORT 8P8C RJ45 CAT5E WALL MT. PATCH PANEL; MUST BE CAT5E ENHANCED CERTIFIED; LEVITON PART # 5G596-U89 OR EQUAL	***		\$0.00
76	20	EA	SIEMON 12-PORT PATCH PANEL; MUST BE CAT.5E CERTIFIED; SIEMON #HD5-89D-12 OR EQUAL			\$0.00
77	200	EA	SIEMON RACK MT. 1U WIRE MANAGER PART# S110-RWM-01 OR EQUAL			\$0.00
78	20	EA	SIEMON WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; SIEMON WM-144-5 OR EQUAL			\$0.00
79	20	EA	2-POSITION HINGED FIXED BRACKETS FOR WALL; DATATEL PART # HPM-2 OR EQUAL			\$0.00
80	100	EA	WIRE MANAGER; STANDARD INTERBAY CORD MANAGER; DATATEL PART # HCM-1D OR EQUAL			\$0.00
81	200,000	FT	CAT 6 ENHANCED CABLE; NON-PLENUM; EASY PULL BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED. CAT 6 ADVANCENET MOHAWK PART# M57202 OR EQUAL	***		\$0.00
82	300,000	FT	CAT 6 ADVANCENET MONAWA PART# M97202 OR EQUAL CAT 6 ENHANCED CABLE; PLENUM; EASY PULL BOX ONLY; 1,000 FT. PER BOX; SELECTION OF COLORS MUST BE AVAILABLE FOR OUTER JACKET; ELECTRICAL CHARACTERISTICS / SPECIFICATIONS SHEET MUST BE SUPPLIED.			ÇÜÜ
			CAT 6 ADVANCENET MOHAWK PART# M57193 OR EQUAL	***		\$0.00

-					
			QUICKPORT CAT6 EXTREME 8P8C RJ45 SNAP-IN		
83	5000	EA	CONNECTOR; BLUE IN COLOR BUT SELECTION OF COLORS		
		5-77-4-1-1	MUST BE AVAILABLE;	***	\$0.00
			LEVITON PART # 61110-RL6 OR EQUAL CAT 6 EXTREME 1FT CROSSOVER CABLE RED IN COLOR		\$0.00
84	100	EA	QUIKTRON PART # 538-130-001 OR EQUAL		\$0.00
			CAT 6 EXTREME 3FT CROSSOVER CABLE RED IN COLOR		\$0.00
85	200	EA	QUIKTRON PART # 538-130-003 OR EQUAL		\$0.00
			CAT 6 EXTREME 5FT CROSSOVER CABLE RED IN COLOR		
86	100	EA	QUIKTRON PART # 538-130-005 OR EQUAL		\$0.00
	62072000	10000	CAT 6 EXTREME 7FT CROSSOVER CABLE RED IN COLOR		
87	200	EA	QUIKTRON PART # 538-130-007 OR EQUAL		\$0.00
	200		CAT 6 EXTREME 10FT CROSSOVER CABLE RED IN COLOR		
88	200	EA	QUIKTRON PART # 538-130-010 OR EQUAL		\$0.00
90	000	F.A.	CAT 6 EXTREME 15FT CROSSOVER CABLE RED IN COLOR		
89	200	EA	QUIKTRON PART # 538-130-015 OR EQUAL		\$0.00
90	100	EA	CAT 6 EXTREME 25FT CROSSOVER CABLE RED IN COLOR		
90	100	EA	QUIKTRON PART # 538-130-025 OR EQUAL		\$0.00
91	50	EA	CAT 6 EXTREME 50FT CROSSOVER CABLE RED IN COLOR		000
91	50	LA	QUIKTRON PART # 538-130-050 OR EQUAL		\$0.00
			CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M;		
92	200	EA	NON-KEYED; 18 INCHES IN LENGTH; SELECTION OF		
02	200		COLORS SHALL BE AVAILABLE FOR OUTER JACKET		
			QUIKTRON PART# 576-XXX-18IN OR EQUAL (XXX=COLOR)		\$0.00
			CAT. 6 EXTREME 650MHZ PATCH CABLES; RJ45M TO RJ45M;		
93	200	EA	NON-KEYED; 1 FOOT LENGTH; SELECTION OF COLORS		
00	200	LA	SHALL BE AVAILABLE FOR OUTER JACKET		
			QUIKTRON PART# 576-XXX-001 OR EQUAL (XXX=COLOR)		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
94	400	EA	KEYED; 3 FOOT LENGTH;		MACCON
			LEVITON PART # 62460-03* (*-COLOR) OR EQUAL		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
95	400	EA	KEYED; 5 FOOT LENGTH;		
			LEVITON PART # 62460-05* (*-COLOR) OR EQUAL		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
96	400	EA	KEYED; 7 FOOT LENGTH;		
			LEVITON PART # 62460-07* (*-COLOR) OR EQUAL		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
97	200	EA	KEYED; 10 FOOT LENGTH;		
			LEVITON PART # 62460-10* (*-COLOR) OR EQUAL		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
98	100	EA	KEYED; 15 FOOT LENGTH;		1
			LEVITON PART # 62460-15* (*-COLOR) OR EQUAL		\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
99	50	EA	KEYED; 20 FOOT LENGTH;		
			LEVITON PART # 62460-20* (*-COLOR) OR EQUAL	L	\$0.00
			CAT. 6 EXTREME PATCH CABLES; RJ45M TO RJ45M; NON-		
100	50	EA	KEYED; 50 FOOT LENGTH; SELECTION OF COLORS SHALL		
100	50	LA	BE AVAILABLE FOR OUTER JACKET		
			QUIKTRON PART# 576-XXX-050 OR EQUAL (XXX=COLOR)		\$0.00
			LEVITON 48-PORT 8P8C RJ45 PATCH PANEL; MUST BE		
101	50	EA	CAT. 6 ENHANCED CERTIFIED;		
			LEVITON PART # 69586-U48 OR EQUAL	***	\$0.00
			LEVITON 24-PORT 8P8C RJ45 PATCH PANEL; MUST BE		
102	50	EA	CAT. 6 ENHANCED CERTIFIED;		
		1000000	LEVITON PART # 69586-U24 OR EQUAL	***	\$0.00
		Ì	LEVITON 12-PORT PATCH PANEL; MUST BE CAT. 6		
103	50	EA	ENHANCED CERTIFIED;		
			LEVITON PART # 69586-U12 OR EQUAL	***	\$0.00
			LEVITON 12-PORT 8P8C RJ45 CAT6 WALL MT. PATCH PANEL;		
104	50	EA	MUST BE CAT6 ENHANCED CERTIFIED;		
10.00 BOTTO			LEVITON PART # 69586-U89 OR EQUAL	***	\$0.00
2000	27/27/20/20		2-PORT SURFACE MOUNT BOX;	ĺ	
105	1000	EA	LEVITON PART # 41089-2*P (*-COLOR) OR EQUAL		\$0.00
,v2000	155		4-PORT SURFACE MOUNT BOX;		
106	100	EA	LEVITON PART # 41089-4*P (*-COLOR) OR EQUAL		\$0.00
		1	SINGLE GANG IVORY BLANK WALL PLATE;		
107	100	EA	LEVITON PART# 86014 OR EQUAL		\$0.00
575,1009					
375,000		EA	SINGLE GANG WHITE BLANK WALL PLATE;		

109	100	EA	QUICKPORT STAINLESS STEEL FLUSH WALLPHONE	
109	100	EA	WALLPLATE; LEVITON PART# 4108W-0SP OR EQUAL	\$0.00
110	500	EA	1-PORT WALLPLATES; LEVITON PART # 41080-1*P (*-COLOR) OR EQUAL	\$0.00
444	4000		2-PORT WALLPLATES;	
111	1000	EA	LEVITON PART # 41080-2*P (*-COLOR) OR EQUAL	\$0.00
112	100	EA	3-PORT WALLPLATES;	\$0.00
			LEVITON PART # 41080-3*P (*-COLOR) OR EQUAL 4-PORT WALLPLATES;	\$0.00
113	100	EA	LEVITON PART # 41080-4*P (*-COLOR) OR EQUAL	\$0.00
114	50	EA	6-PORT WALLPLATES;	
			LEVITON PART # 41080-6*P (*-COLOR) OR EQUAL FIBER OPTIC CABLE 48-STRAND I/O MULTIMODE 62.5/125	\$0.00
115	5000	FT	OCC PART # DX048-105D-WLS/900-OFNR OR	
			CORNING PART # 048KWF-T4130D20 OR EQUAL	\$0.00
440	5000		FIBER OPTIC CABLE 24-STRAND I/O MULTIMODE 62.5/125	
116	5000	FT	OCC PART # DX024-085D-WLS/900-OFNR OR CORNING PART # 024K8F-31130-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O MULTIMODE 62.5/125	
117	5000	FT	OCC PART # DX012-065D-WLS/900-OFNR OR	
			CORNING PART # 012K8F-31130-24 OR EQUAL	\$0.00
118	5000	FT	FIBER OPTIC CABLE 6-STRAND I/O MULTIMODE 62.5/125 OCC PART # DX006-055D-WLS/900-OFNR OR	
110	0000		CORNING PART # 006K8F-31130-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED	
119	5000	FT	MULTIMODE 62.5/125 OCC PART # DX048-095K-WLS/900-OFNP OR	
			CORNING PART # 048KWP-T4130D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED	
120	5000	FT	MULTIMODE 62.5/125	1
			OCC PART # DX24-075K-WLS/900/OFNP OR CORNING PART # 024K8P-31130-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED	
121	5000	FT	MULTIMODE 62.5/125	1
15.	0000	3.71.52	OCC PART # DX12-060K-WLS/900-OFNP OR CORNING PART # 012K8P-31130-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED	\$0.00
122	5000	FT	MULTIMODE 62.5/125	
122	3000	1.1	OCC PART # DX06-045K-WLS/900-OFNP OR	\$0.00
		-	CORNING PART # 006K8P-31130-29 OR EQUAL FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR	\$0.00
400	5000		ARMORED MULTIMODE 62.5/125	
123	5000	FT	OCC PART # DX48-105D-WLS/900-OFCR-IAD OR	
		-	CORNING PART # 048KWF-T4130DA1 OR EQUAL FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR	\$0.00
15,0000			ARMORED MULTIMODE 62.5/125	
124	5000	FT	OCC PART # DX24-085D-WLS/900-OFCR-IAD OR	
			CORNING PART # 024K8F-31130-A1 OR EQUAL	\$0.00
		120-4000	FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125	
125	5000	FT	OCC PART # DX12-065D-WLS/900-OFCR-IAD OR	1
		ļ	CORNING PART # 012K8F-31130-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR ARMORED MULTIMODE 62.5/125	
126	5000	FT	OCC PART # DX06-055D-WLS/900-OFCR-IAD OR	1
			CORNING PART # 006K8F-31130-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR	1
127	5000	FT	ARMORED PLENUM COATED MULTIMODE 62.5/125 OCC PART # DX48-095K-WLS/900-OFCP-IAK OR	
			CORNING PART # 048KWP-T4130DA1 OR EQUAL	\$0.00
		İ	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR	
128	5000	FT	ARMORED PLENUM COATED MULTIMODE 62.5/125	
		1.4700340	OCC PART # DX24-070K-WLS/900-OFCP-IAK OR CORNING PART # 024K8P-31130-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR	
129	5000	FT	ARMORED PLENUM COATED MULTIMODE 62.5/125	
123	3000	1.30	OCC PART # DX12-060K-WLS/900-OFCP-IAK OR	\$0.00
			CORNING PART # 012K8P-31130-A3 OR EQUAL	\$0.00

		1	FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR	
130	5000	FT	ARMORED PLENUM COATED MULTIMODE 62.5/125	
			OCC PART # DX06-050K-WLS/900-OFCP-IAK OR	\$0.00
			CORNING PART # 006K8P-31130-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND OUTDOOR AERIAL	
131	3000	FT	W / 1/4" MESSENGER MULTIMODE 62.5/125	
			OCC PART # MX24-095A-WLS/900-JGS OR	\$0.00
		-	CORNING PART # 024KWA-T4130D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL	
132	3000	FT	W / 1/4"MESSENGER MULTIMODE 62.5/125 OCC PART # MX12-090A-WLS/900-JGS OR	
			CORNING PART # 012KWA-T4130D20 OR EQUAL	\$0.00
		-	FIBER OPTIC CABLE 6-STRAND OUTDOOR AERIAL	\$0.00
			W / 1/4" MESSENGER MULTIMODE 62.5/125	
133	3000	FT	OCC PART # MX06-090A-WLS/900-JGS OR	
			CORNING PART # 006KWA-T4130D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR	
			MULTIMODE 50/125	
134	3000	FT	OCC PART # DX048-105D-ALS/900-OFNR OR	
			CORNING PART # 048CWF-T4131D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR	
405	0000		MULTIMODE 50/125	
135	3000	FT	OCC PART # DX024-085D-ALS/900-OFNR OR	
			CORNING PART # 024C8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR	
136	3000	FT	MULTIMODE 50/125	
130	3000	FI	OCC PART # DX012-065D-ALS/900-OFNR OR	
			CORNING PART # 012C8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR	
137	3000	FT	MULTIMODE 50/125	
101	0000	''	OCC PART # DX006-055D-ALS/900-OFNR OR	
			CORNING PART # 006C8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND I/O PLENUM RATED	
138	3000	FT	MULTIMODE 50/125	
	0000		OCC PART # DX048-095K-ALS/900-OFNP OR	
			CORNING PART # 048CWP-T4131D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED	
139	3000	FT	MULTIMODE 50/125	
	(3.2.5.5		OCC PART # DX024-070K-ALS/900-OFNP OR CORNING PART # 024C8P-31131-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED	\$0.00
			MULTIMODE 50/125	
140	3000	FT	OCC PART # DX012-060K-ALS/900-OFNP OR	
			CORNING PART # 012C8P-31131-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED	
			MULTIMODE 50/125	
141	3000	FT	OCC PART # DX006-045K-ALS/900-OFNP OR	
			CORNING PART # 006C8P-31131-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND I/O 50UM MULTIMODE	
			ARMORED	
142	3000	FT	OCC PART # DX48-105D-ALS/900-OFCR-IAD OR	ł
			CORNING PART # 048CWF-T4131DA1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O 50UM MULTIMODE	
440	0000		ARMORED	
143	3000	FT	OCC PART # DX24-085D-ALS/900-OFCR-IAD OR	
			CORNING PART # 024C8F-31131-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O 50UM MULTIMODE	
144	3000	FT	ARMORED	
144	3000	L.	OCC PART# DX12-065D-ALS/900-OFCR-IAD OR	
			CORNING PART # 012C8F-31131-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O 50UM	
145	3000	FT	MULTIMODE ARMORED OCC	
140	3000	F.1	PART # DX06-055D-ALS/900-OFCR-IAD OR	
			CORNING PART # 006C8F-31131-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 48-STRAND INDOOR/OUTDOOR	
146	3000	FT	ARMORED PLENUM COATED 50UM MULTIMODE	1
140	3000		OCC PART # DX48-095K-ALS/900-OFCP-IAK OR	
		I .	CORNING PART # 048CWP-T4131DA1 OR EQUAL	\$0.00

		i	FIBER OPTIC CABLE 24-STRAND INDOOR/OUTDOOR	
147	3000	FT	ARMORED PLENUM COATED 50UM MULTIMODE	
			OCC PART # DX24-070K-ALS/900-OFCP-IAK OR	\$0.00
			CORNING PART # 024C8P-31131-A3 OR EQUAL FIBER OPTIC CABLE 12-STRAND INDOOR/OUTDOOR	\$0.00
			ARMORED PLENUM COATED 50UM MULTIMODE	
148	3000	FT	OCC PART # DX12-060K-ALS/900-OFCP-IAK OR	
			CORNING PART # 012C8P-31131-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND INDOOR/OUTDOOR	
149	2000	FT	ARMORED PLENUM COATED 50UM MULTIMODE	
149	3000	FI	OCC PART # DX06-050K-ALS/900-OFCP-IAK OR	
	-		CORNING PART # 006C8P-31131-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL/DUCT	
150	3000	FT	MULTIMODE 50/125	
			OCC PART # DX012-075A-ALS/900 OR	
			CORNING PART # 012CW4-T4131D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND OUTDOOR AERIAL	
151	3000	FT	W/MESSENGER MULTIMODE 50/125 OCC PART # M12-090A-ALS/900-JGS OR	
			CORNING PART # 012CWA-T4131D20 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O SINGLEMODE 9/125	\$5.50
152	3000	FT	OCC PART # DX24-085D-SLX/900-OFNR-WB OR	
945545		0.00	CORNING PART # 024E8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O SINGLEMODE 9/125	
153	3000	FT	OCC PART # DX12-065D-SLX/900-OFNR-WB OR	
			CORNING PART # 012E8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O SINGLEMODE 9/125	
154	3000	FT	OCC PART # DX06-055D-SLX/900-OFNR-WB OR	
			CORNING PART # 006E8F-31131-24 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O PLENUM RATED	
155	3000	FT	SINGLEMODE 9/125	
			OCC PART # DX24-070K-SLX/900-OFNP-WB OR	80.00
			CORNING PART # 024E8P-31131-29 OR EQUAL FIBER OPTIC CABLE 12-STRAND I/O PLENUM RATED	\$0.00
			SINGLEMODE 9/125	
156	3000	000 FT	OCC PART # DX12-060K-SLX/900-OFNP-WB OR	
			CORNING PART # 012E8P-31131-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O PLENUM RATED	
457	0000		SINGLEMODE 9/125	
157	3000	FT	OCC PART # DX06-045K-SLX/900-OFNP-WB OR	
			CORNING PART # 006E8P-31131-29 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O ARMORED	
158	3000	FT	SINGLEMODE 9/125	
100	0000	11	OCC PART # DX24-085D-SLX/900-OFCR-IAD OR	
			CORNING PART # 024E8F-31131-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O ARMORED	
159	3000	FT	SINGLEMODE 9/125 OCC PART # DX12-070D-SLX/900-OFCR-IAD OR	
	2 120207-3600027		CORNING PART # 012E8F-31131-A1 OR EQUAL	\$0.00
-			FIBER OPTIC CABLE 6-STRAND I/O ARMORED SINGLEMODE	
			9/125	
160	3000	FT	OCC PART # DX06-060D-SLX/900-OFCR-IAD OR	
			CORNING PART # 006E8F-31131-A1 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 24-STRAND I/O ARMORED PLENUM	
161	3000	FT	RATED SINGLEMODE 9/125	
101	3000		OCC PART # DX24-070K-SLX/900-OFCP-IAK OR	904 595
			CORNING PART # 024E8P-31131-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 12-STRAND I/O ARMORED PLENUM	
162	3000	FT	RATED SINGLEMODE 9/125	
10000F	186 ST	2: 2:	OCC PART # DX12-060K-SLX/900-OFCP-IAK OR	\$0.00
			CORNING PART # 012E8P-31131-A3 OR EQUAL	\$0.00
			FIBER OPTIC CABLE 6-STRAND I/O ARMORED PLENUM	
163	3000	FT	RATED SINGLEMODE 9/125 OCC PART # DX06-050K-SLX/900-OFCP-IAK OR	
	3000		CORNING PART # 006E8P-31131-A3 OR EQUAL	\$0.00
			OCC FIBER OPTIC HYBRID CABLE 96 FIBER ARMORED	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
			PLENUM COATED (48 STRAND MULTI-MODE 50/125 & 48	
164	2000	FT	STRAND SINGLEMODE 9/125)	
500 0 8			OCC PART# DX96-140K-48ALS-48SLX/900-OFCP-IAK OR	
			EQUAL	\$0.00

			FIBER OPTIC HYBRID CABLE 48 FIBER ARMORED PLENUM	
165	2000		COATED (24 STRAND MULTI-MODE 50/125 & 24 STRAND	
100	2000	FT	SINGLEMODE 9/125) OCC PART # DX48-095K-24ALS-24SLX/900-OFCP-IAK OR	
			CORNING PART # 048XWP-T41XXD20 OR EQUAL	\$0.00
			FIBER OPTIC HYBRID CABLE 24 FIBER ARMORED PLENUM	
			COATED (12 STRAND MULTI-MODE 50/125 & 12 STRAND	
166	2000	FT	SINGLEMODE 9/125)	
			OCC PART # DX24-075K-12ALS-12SLX/900-OFCP-IAK OR	
		7	CORNING PART # 024X8P-311XX-A3 OR EQUAL	\$0.00
167	2000	EA	SIECOR SC MM 62.5UM CONNECTORS, PART # 95-000-40 OR	\$0.00
			SIECOR ST MM 62.5UM CONNECTORS, PART # 95-000-50 OR	\$0.00
168	1000	EA	EQUAL	\$0.00
169	500	EA	SIECOR SC MM 50UM CONNECTORS, PART# 95-050-41 OR	
109	300	LA	EQUAL	\$0.00
170	500	EA	SIECOR ST MM 50UM CONNECTORS, PART# 95-050-51 OR	
			EQUAL	\$0.00
171	500	EA	SIECOR SC SM CONNECTORS, PART# 95-200-41 OR EQUAL	\$0.00
470	500			
172	500	EA	SIECOR ST SM CONNECTORS, PART# 95-200-51 OR EQUAL	\$0.00
173	20	EA	MULTILINK 1U RACKMOUNT FIBER ENCLOSURE	500 150
110	20	-/3	MULTILINK PART# FRM-1RU-2X-SO OR EQUAL	\$0.00
174	20	EA	MULTILINK 2U RACKMOUNT FIBER ENCLOSURE	60.00
			MULTILINK PART# FRM-2RU-4X-SO OR EQUAL MULTILINK 3U RACKMOUNT FIBER ENCLOSURE	\$0.00
175	20	EA	MULTILINK 30 RACHMOONT FIBER ENCLOSURE MULTILINK PART# FRM-3RU-9X-TS OR EQUAL	\$0.00
-			MULTILINK 6-PORT ST MM/SM MODULE;	
176	20	EA	FITS RACKMOUNT ENCLOSURES	
			MULTILINK PART# MST-06-P-BLK OR EQUAL	\$0.00
			MULTILINK 6-PORT SC MM/SM MODULE;	
177	20	EA	FITS RACKMOUNT ENCLOSURES	
	<u> </u>		MULTILINK PART# MSC-06-MM-P-BLK OR EQUAL MULTILINK 8-PORT ST MM/SM MODULE:	\$0.00
178	20	EA	FITS RACKMOUNT ENCLOSURES	
170	20		MULTILINK PART# MST-08-P-BLK OR EQUAL	\$0.00
			MULTILINK 8-PORT SC MM/SM MODULE;	
179	20	EA	FITS RACKMOUNT ENCLOSURES	Merchanism.
			MULTILINK PART# MSC-08-MM-P-BLK OR EQUAL	\$0.00
100	20		MULTILINK 12-PORT ST MM/SM MODULE;	
180		EA	FITS RACKMOUNT ENCLOSURES MULTILINK PART# MST-12-P-BLK OR EQUAL	\$0.00
			MULTILINK 12-PORT SC MM/SM MODULE:	40.00
181	20	EA	FITS RACKMOUNT ENCLOSURES	
				MULTILINK PART# MSC-12-MM-P-BLK OR EQUAL
			MULTILINK BLANK MODULE;	
182	20	EA	FITS RACK MOUNT ENCLOSURES	
				MULTILINK PART # MFMB-600BB-BLK OR EQUAL
183	20	EA	LEVITON 1U RACKMOUNT FIBER ENCLOSURE LEVITON PART# 5R1UA-A03 OR EQUAL	\$0.00
	2000	PERMIT	LEVITON 2U RACKMOUNT FIBER ENCLOSURE	
184	20	EA	LEVITON PART# 5R2UA-A06 OR EQUAL	\$0.00
185	20	EA	LEVITON 3U RACKMOUNT FIBER ENCLOSURE LEVITON	
100	20	EA	PART# 5R3UA-A12 OR EQUAL	\$0.00
	22		LEVITON SMALL EMPTY FIBER WALL MOUNT ENCLOSURE	
186	20	EA	ONLY 8"HIGH X 13"WIDE X 3.5"DEEP	\$0.00
			LEVITON PART# 5W110-00N OR EQUAL LEVITON MEDIUM EMPTY FIBER WALL MOUNT ENCLOSURE	\$0.00
187	20	EA	ONLY 14"HIGH X 12"WIDE X 5.25" DEEP	
		-/3	LEVITON PART# 5W310-00N OR EQUAL	\$0.00
			LEVITON LARGE EMPTY FIBER WALL MOUNT ENCLOSURE	
188	20	EA	ONLY 17" HIGH X 15" WIDE X 5.25" DEEP	
			LEVITON PART# 5W710-00N OR EQUAL	\$0.00
400	F0	E.A.	LEVITON ST FIBER 6-PACK TO FIT EITHER WALL MOUNT OR	
189	50	EA	RACKMOUNT ENCLOSURES ONLY LEVTION PART# 5F100-1ST OR EQUAL	\$0.00
			LEVITON SC FIBER 6-PACK TO FIT EITHER WALL MOUNT OR	
190	50	EA	RACKMOUNT ENCLOSURES ONLY	
	5-A28K	-700.10	LEVTION PART# 5F100-3SC OR EQUAL	\$0.00

_			LEVITON DI ANICA DACICEO FIDED ENGLOCIUDEO	
191	50	EA	LEVITON BLANK 6-PACK FOR FIBER ENCLOSURES LEVITON PART# 5F100-BPP OR EQUAL	\$0.00
400			LEVITON SC FIBER 8-PACK TO FIT EITHER WALL MOUNT OR	
192	50	EA	RACKMOUNT ENCLOSURES LEVITON PART# 5F100-8SC OR EQUAL	\$0.00
044.000		2010000	LEVITON SC FIBER 12-PACK TO FIT EITHER WALL MOUNT	
193	50	EA	OR RACKMOUNT ENCLOSURES LEVITON PART# 5F100-CSC OR EQUAL	\$0.00
404	50		SIECOR ST CONNECTOR PANEL,	\$0.00
194	50	EA	PART # WIC-CP1-25 OR EQUAL	\$0.00
195	50	EA	SIECOR SC CONNECTOR PANEL, PART # WIC-CP1-56 OR EQUAL	\$0.00
196	30	EA	SIECOR WALL MOUNT FIBER ENCLOSURE,	\$0.00
130	30	LA	PART # WIC-012 OR EQUAL	\$0.00
197	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER ST TO ST	\$0.00
198	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	
1000000			1 METER ST TO SC DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
199	100	EA	1 METER SC TO SC	\$0.00
200	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	60.00
004	100		1 METER LC TO ST DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
201	100	EA	1 METER LC TO SC	\$0.00
202	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO LC	\$0.00
203	400		DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
203	100	EA	1 METER SC TO MTRJ	\$0.00
204	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 1 METER LC TO MTRJ	\$0.00
205	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	
	100		2 METER ST TO ST DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
206	100	EA	2 METER ST TO SC	\$0.00
207	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	#0.00
		-	2 METER SC TO SC DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
208	100	EA	2 METER LC TO ST	\$0.00
209	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER LC TO SC	\$0.00
210	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	40.00
210	100	EA	2 METER LC TO LC	\$0.00
211	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 2 METER SC TO MTRJ	\$0.00
212	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	
	100		2 METER LC TO MTRJ DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
213	100	EA	3 METER ST TO ST	\$0.00
214	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
			3 METER ST TO SC DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
215	100	EA	3 METER SC TO SC	\$0.00
216	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO ST	\$0.00
047	400		DUPLEX FIBER OPTIC JUMPERS, 62.5/125	\$0.00
217	100	EA	3 METER LC TO SC	\$0.00
218	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO LC	\$0.00
219	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125	
210	100		3 METER SC TO MTRJ	\$0.00
220	100	EA	DUPLEX FIBER OPTIC JUMPERS, 62.5/125 3 METER LC TO MTRJ	\$0.00
221	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	
			1 METER ST TO ST DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
222	100	EA	1 METER ST TO SC	\$0.00
223	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
	#927.185	10 18	1 METER SC TO SC	\$0.00

224	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO ST	\$0.00
225	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO SC	\$0.00
226	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	
12000000	(1000)	1000101	1 METER LC TO LC DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
227	100	EA	1 METER SC TO MTRJ	\$0.00
228	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 1 METER LC TO MTRJ	\$0.00
229	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO ST	\$0.00
230	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER ST TO SC	\$0.00
231	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	
232	100	EA	2 METER SC TO SC DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
300200	G00000		2 METER LC TO ST DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
233	100	EA	2 METER LC TO SC	\$0.00
234	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO LC	\$0.00
235	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER SC TO MTRJ	\$0.00
236	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 2 METER LC TO MTRJ	\$0.00
237	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	
238	100	EA	3 METER ST TO ST DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
	20000		3 METER ST TO SC DUPLEX FIBER OPTIC JUMPERS, 50/125	\$0.00
239	100	EA	3 METER SC TO SC	\$0.00
240	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO ST	\$0.00
241	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO SC	\$0.00
242	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER LC TO LC	\$0.00
243	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125 3 METER SC TO MTRJ	\$0.00
244	100	EA	DUPLEX FIBER OPTIC JUMPERS, 50/125	
245	100	EA.	3 METER LC TO MTRJ DUPLEX FIBER OPTIC JUMPERS, 9/125	\$0.00
			1 METER ST TO ST DUPLEX FIBER OPTIC JUMPERS, 9/125	\$0.00
246	100	EA	1 METER ST TO SC	\$0.00
247	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER SC TO SC	\$0.00
248	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO ST	\$0.00
249	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 1 METER LC TO SC	\$0.00
250	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125	
251	100	EA	1 METER LC TO LC DUPLEX FIBER OPTIC JUMPERS, 9/125	\$0.00
	2000		1 METER SC TO MTRJ DUPLEX FIBER OPTIC JUMPERS, 9/125	\$0.00
252	100	EA	1 METER LC TO MTRJ	\$0.00
253	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO ST	\$0.00
254	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER ST TO SC	\$0.00
255	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO SC	\$0.00
256	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125	
		1000	2 METER LC TO ST DUPLEX FIBER OPTIC JUMPERS, 9/125	\$0.00
257	100	EA	2 METER LC TO SC	\$0.00

-		Y		
258	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO LC	\$0.00
259	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER SC TO MTRJ	\$0.00
260	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 2 METER LC TO MTRJ	\$0.00
261	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO ST	\$0.00
262	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER ST TO SC	\$0.00
263	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO SC	\$0.00
264	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO ST	\$0.00
265	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO SC	\$0.00
266	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO LC	\$0.00
267	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER SC TO MTRJ	\$0.00
268	100	EA	DUPLEX FIBER OPTIC JUMPERS, 9/125 3 METER LC TO MTRJ	\$0.00
269	20	EA	ALLIED TELESYN ST TO RJ45 FEMALE FIBER MEDIA CONVERTER 10/100MEG PART# AT-FS201 OR EQUAL	\$0.00
270	20	EA	ALLIED TELESYN CENTRE COM MC13 UTP/FIBER ST 10MBPS MEDIA CONVERTER PART# ATMC13-10 OR EQUAL	\$0.00
271	20	EA	TRANSITION NETWORKS ETHERNET 10BASE-T TO 10BASE-FL STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-TBT-FRL-05 OR EQUAL	\$0.00
272	20	EA	TRANSITION NETWORKS FAST ETHERNET 100BASE-TX TO 100BASE-FX STAND-ALONE MEDIA CONVERTER; TRANSITION NETWORKS PART# E-100BTX-FX-05 OR EQUAL	\$0.00

\$0.00

CABLE12 Statewide Contract

TOTAL COST OF ALL ITEMS

TOTAL EVALUATED BID PRICE SHEET

TOTAL EVALUATED BID PRICE	\$0.00
INSIDE DELIVERY CHARGE (Explain)	\$0.00
TOTAL COST OF ALL ITEMS	\$0.00

THERE WILL NOT BE A SPLIT AWARD FOR THIS CONTRACT.



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for **Quotation**

RFQ NUMBER CABLE12 PAGE 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:

RRISTA FERRELL 304-558-2596

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

*709002526 314-573-5174 GRAYBAR ELECTRIC COMPANY INC 1010 YOUNG STREET

CHARLESTON WV 25301

DATE PRINTED TO	RMS OF SALE	SHIP VIA	F.O.B,	FREIGHT TERMS
10/31/2011				
BID OPENING DATE: 11/16/	2011	BID O	PENING TIME 01:	30PM
LINE QUANTITY	UOP CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	ADDEND	UM NO. 1		
THIS ADDENDU	M IS ISSUED	TO:		
	ITH THE PRO	AL QUESTIONS SUB VISIONS OF THE O		
BID OPENING	TIME REMAIN	S: 11/16/2011 S: 1:30 PM DDENDUM NO. 1 **;	******	
				je.
0001	LS 2	85-10		
COMPUTER DAT	A CABLE (CO	PPER/FIBER) & FI	TTINGS	
***** THIS	IS THE END	OF RFQ CABLE	l2 ***** TOTAL:	<u> </u>
				127
SIGNATURE	SEE RE	VERSE SIDE FOR TERMS AND CON TELEPHONE	IDITIONS DATE	
		TELEFRONE	DATE	
TITLE	FEIN		ADDRESS CHANGES	S TO BE NOTED ABOVE

Statewide contract - CABLE 12

TECHNICAL QUESTIONS

- Q. Given the current market conditions of the copper and steel commodity items that are on RFQ CABLE12, will the State change the fixed price to 90 days?
- A. No. The language remains unchanged.
- Q. Will there be a mandatory pre-bid for RFQ CABLE12?
- A. No, there will not be a mandatory pre-bid conference.
- Q. Can shipping charges be billed to all orders below \$1000?
- A. No, we have never paid shipping charges on this contract before.

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. ——	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents
	and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or ,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requirer against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the nents for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
authorize the requ	nission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and es the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid lired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information I by the Tax Commissioner to be confidential.
and acc	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate is during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder:	Signed:
Date:	Title:

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

DEO No	CABLE12
RFQ No.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name:			
Authorized Signature:		Date:	
State of			
County of, to-wit:			
Taken, subscribed, and sworn to before me this	day of		, 20
My Commission expires	, 20		
AFFIX SEAL HERE	NOTARY PUBLIC		