

VENDOR

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

Ţ

RFO NUMBER **DEP15847**

_	DADE	-
_	MAGE	-
	1	

ADDRESS CORRESPONDENCE TO ATTENTION OF:

GUY NISBET 304-558-8802

RFQ COPY TYPE NAME/ADDRESS HERE

> WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950

ENVIRONMENTAL PROTECTION DEPARTMENT OF C/O SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV 25064

304-766-2626

DATE PRINTED TER		MS OF SAL	Ė.	SHIP VIA	A F.O.B.	FRE	FREIGHT TERMS		
04/08/	2012	0%	Ness	30	CARRIER	NUNBAR	tab	DUNBAR	
BID OPENING DATE:		06/07/	2012		BID	OPENING TIME	01:30PM		
LINE	QUAI	YTITY	UOP	ÇAT. NO.	ITÉM NUMBER	UNIT PRICE		TRUOMA	
0001		1	EA.		070-53	\$533000	2 \$5	330000	
	FORD S	-	UTY F	-SERI	ES, F-350 CREW	CAB PICKUP,			
ê									
			REQ	UEST	FOR QUOTATION				
	WEST V IS SOL BIDS F	IRGINI ICITIN OR ONE	A DEP G BID (1)	ARTME S FRO 2012	HASING DIVISION OF ENVIRONME OM QUALIFIED VEN OR NEWER CREW C	NTAL PROTECTION DORS TO PROVIDE	,	8	
		BOX D	ELETE	, 172	AR WHEELS, GVWR 2.4" WHEELBASE OF FICATIONS.		× 4 1		
	INQUIR	IES:						arven.	
	ON TUE BE SEN ASSURE	SDAY M T VIA: NO VE	AY 01 USPS NDOR	, 201 , FAX RECEI	L BE ACCEPTED T 2. QUESTIONS MA 4, COURIER OR EM VES AN UNFAIR A	NY NAIL, IN ORDER T NOVANTAGE, NO	o 2012 JU	N-5 AN 9:49	
	POSSIB TECHNI	LE, EM	AIL Q ESTIO	UESTI NS RE	WILL BE ANSWERE ONS ARE PREFFER CEIVED, IF ANY, DEADLINE,	RED. ANY		PUT CHACTIG 13 DIV.SION	
	ADDRES	S INQU	IRES	то:				- 1 · · · · · · · · · · · · · · · · · ·	
	GUY NI DEPART		F ADM	INIST	RATION .		A		
511	11			SEE RE	VERSE SIDE FOR TERMS AND C			:	
SIGNATURE	N	upl	ul	-	TELEPHONE	20-610-0211	DATE 6/4/	112	
TITLE TER	er Me	ing F	EIN	13	24-139875	6 ADDRESS CHA	NGES TO BE NO	TED ABOVE	

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
- **4.** All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DEP15847

PAGE

GUY NISBET 304-558-8802

25064

NODDE

TYPE NAME/ADDRESS HERE
WHITESIDE CHEVROLET

RFQ COPY

WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950 ENVIRONMENTAL PROTECTION DEPARTMENT OF C/O SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV

ADDRESS CORRESPONDENCE TO ATTENTION OF:

304-766-2626

DATE PRINTED		TERMS OF SALE		E _	SHIP VIA	F.O.B.	FREIGHT TERMS	
04/08/	2012	0%	NO	7 50	CARRIER	DUNGAR	FOB DUJEST	
BID OPENING DATE:		06/07/	2012		BID	OPENING TIME 0	1:30PM	
LINE	QUA	YTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT	
1.0								
	PURCHA				r A C P			
	2019 W CHARLE				, EAST			
	304.55							
	GUY, L.				MAIL)			
	1							
					CTOR OF PURCHASI			
						ELY UPON WRITTEN		
						S AND/OR SERVICES	5	
					ERIOR QUALITY OR OF THE BID AND C			
	IO INE	SPECI	LICAI	TONS	OF THE DID MIND G	ONTRACT HEREINT	Δ,	
					ENT THE VENDOR/C			
					ION, THE STATE M			
					, AND TERMINATE	SUCH CONTRACT	**	
	WITHOU	IFUKI	HER U	RUEK.				
	EXHIBI	T 10						
		,						
					REQUISITION	NO.: DEP15847		
) x	
	ADDEND	UM ACK	NOWLE	DGEME	NT			
	T UEDE	DV ACK	NOW E	DOC D	COUNT OF THE ED	LLANTNO CHECKEN		
					ECEIPT OF THE FO ADE THE NECESSAR		* 1/x	
					OR SPECIFICATIO		7	
			,		, 41, 21, 474, 471, 124		•	
	ADDEND	UM NO.	'S:					
							•,	
	NO. 1		• •				a di	
	10 2						10.5	
	NO. 2	• • • • • •	• •				4	
	NO. 3						3	
	>	• • • • • •	· · _				1	
SIGNATURE T	A /			SEE REV	PERSE SIDE FOR TERMS AND CON	NOITIONS DATE	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
Ph	·) /	e	1	7	TELEPHONE	500-610-0211 DATE	6141121	
ITLE A	008 L	In the	IN.	134	~ 179875C	ADDRESS CHANGES	S TO BE NOTED ABOVE	
WHI	EN RESP	UNDING.	TO REO	INSER	T NAME AND ADDRESS	IN SPACE ABOVE LABEL	FD 'VENDOR'	



VEZDOR

RFQ COPY

TYPE NAME/ADDRESS HERE

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

WHITESIDE CHEVROLET BUICK

CADILLAC GMC

50714 National Rd.

St. Clairsville, OH 43950

Request for Quotation

DEP15847

PAGE

7

ADDRESS CORRESPONDENCE TO ATTENTION OF:

GUY NISBET 304-558-8802

ENVIRONMENTAL PROTECTION DEPARTMENT OF C/O SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV

25064

304-766-2626

DATE PRIN	TED	TER	MS OF SAL	E	SHIP VIA	/ F.O.B.	PEREIGHT TERMS
04/08/	2012	0%	nless	30	CARRIER	- / DARARS	FOR IN DE
BID OPENING DATE:		06/07/	1			OPENING TIME 01	:30PM
LINE	QUAI	YTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	THUOMA
	THE AD VENDOR REPRES ORAL D AND AN INFORM	RSTAND DENDUM MUST ENTATI ISCUSS Y STAT ATION	THAT (S) M CLEAR ON MAI ION H E PER ISSUE	FAIL AY BE LY UN DE OR ELD B SONNE D IN	URE TO CONFIRM T CAUSE FOR REJEC DERSTAND THAT AN ASSUMED TO BE M ETWEEN VENDOR'S L IS NOT BINDING WRITING AND ADDE FFICIAL ADDENDUM	TION OF BIDS. Y VERBAL ADE DURING ANY REPRESENTATIVES ONLY THE D TO THE IS BINDING. GNATURE BUICK AC GMC MONTH Hold. e, OH 43950	
7)(WITH T REV. 0 THE MO THE AC INTEND PARTIC ALTERN	HE BID 9/21/2 DEL/BR CEPTAB ED TO ULAR B ATES S	OO9 AND/SELE LEN REFLEC RAND CHOULD ND SPE	PECIF /EL 0 CT A OR VE SO S	ICATIONS NAMED H F QUALITY ONLY A PREFERENCE OR FA NDOR. VENDORS W TATE AND INCLUDE CATIONS. FAILUR	ND ARE NOT VOR ANY HO ARE BIDDING PERTINENT E TO PROVIDE	
SNATURE	~	My	lu	7	TELEPHONE	77-610-07/ DATE	6/1/11/
122 ,000							



RFQ COPY

State of West Virginia Department of Administration **Purchasing Division** 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER **DEP15847**

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

GUY NISBET 304-558-8802

NENDOR

SIGNATURE TITLE

WHITESIDE CHEVROLET BUICK **CADILLAC GMC**

TYPE NAME/ADDRESS HERE

50714 National Rd. St. Clairsville, OH 43950

ENVIRONMENTAL PROTECTION DEPARTMENT OF C/O SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV 25064 304-766-2626

FREIGHT TERMS DATE PRINTED SHIP VIA TERMS OF SALE F.O.B. 04/08/2012 PA SUP ICEUS. D MOS DUNGA BID OPENING DATE: 06/07/2012 BID OPENING TIME 01:30PM CAT. LINE QUANTITY ITEM NUMBER UNIT PRICE AMOUNT UOP INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. NOTICE A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130 THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED: SEALED BID BUYER: GN-23 RFQ. NO.: **DEP15847** BID OPENING DATE: 06/07/2012 BID OPENING TIME: 1:30PM PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY SEE REVERSE SIDE FOR TERMS AND CONDITIONS

WHEN RESPONDING TO BEO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

Ţ

RFQ NUMBER DEP15847

ADDRESS CORRESPONDENCE TO ATTENTION OF:

GUY NISBET 304-558-8802

NENDOR

TYPE NAME/ADDRESS HERE

RFQ COPY

WHITESIDE CHEVROLET BUICK CADILLAC GMC 50714 National Rd. St. Clairsville, OH 43950

ENVIRONMENTAL PROTECTION DEPARTMENT OF C/O SURPLUS PROPERTY 2700 CHARLES AVENUE DUNBAR, WV 25064

304-766-2626

DATE PRIN	TED	TEA	MS OF SAL	50	1) 8	SHIP VIA		F.O.B.	FREIGHT TERMS
04/08/		0%	NED	1.50	(A)	291cas		JUSTR	LOW TONGAL
BID OPENING DATE:	Т ——	06/07/	2012			BID	OPENI	NG TIME 0	1:30PM
LINE	QUAN	ITITY	UOP	CAT.	ITE	MNUMBER		UNIT PRICE	AMOUNT
	ANY INI (1) HE THE BII THE BII	DIVIDU OR SH	ON (P CLA AL SI E IS NY DO (2) T	LEASE GNING AUTHO CUMEN HAT H	PRINT	CLEARLY): CLEARL	TIFYI DER T TO ON ORIZE	CAI 5071 St. Clair NG THAT: 0 EXECUTE BEHALF OF	CHEVROLET BUICK DILLAC GMC 4 National Rd. sville, OH 43950
	THE BII	DDER H	AS PR	OPERL	Y REGIS	TERED WIT	H ANY	STATE	, i
						SISTRATION Q DEP15		**** TOTAL	1533000
								•1	
									X
SIGNATURE 7	\mathcal{M}	7		SEE REV	ERSE SIDE FO	R TERMS AND CON	PITIONS	///	21/15
TITLE I	7	FEI	2	1	100	TELEPHONE	19-6	DATE	5/11/2
WHE	T MA	Pal	OAFO	INICED.	FNAME	ND ADDOESE	INI CDA	ADDRESS CHANGES	TO BE NOTED ABOVE

SPECIFICATIONS

Truck:

Ford Super Duty F-Series, F-350, Crew Cab pickup, W3B, Single Rear Wheels, GVWR 11,200 pounds, Pickup Box Delete, 172.4" wheelbase, or equivalent.

Drivetrain as follows: 6.2 liter gasoline engine, 6-speed automatic transmission, 4.30:1 rear axie ratio.

The vehicle described above will be equipped with the following:

- · Optional spare tire and wheel and underbody wheel carrier
- Factory tow package including hitch, plug and controller
- Upfilter switches

Other factory installed equipment would include: off road package, locking rear differential, automatic locking front hubs, power steering, power ABS brakes, air conditioning, power windows, power locks, power mirrors, AM FM with CD player, tilt steering wheel and cruise control.

Utility Bed:

Knapheide 96 series 796J or equivalent

Load Tie Down System:

93" High Lift Slide N Lock Tie Down System or equivalent, installed each side of cargo area 22 inches above cargo floor.

Utility Cabinet Lighting:

Rope lighting on door jamb interior, CTW part number RPL-12V-12CL or equivalent

Tool Boxes:

The completed vehicle will be equipped with two tool boxes each installed on top of the curb side and street side storage cabinets of the Knapheide utility bed. The tool boxes will be sized to fit on top of the storage cabinets, which are according to Knapheide, 14.5" deep and 96" long. The height of the completed tool boxes will be 16".

The tool boxes will be constructed of 1/8" diamond plate aluminum. The tool boxes will be constructed with two doors of equal size which will be large enough to provide adequate access to the interior of the tool boxes.

The doors will be constructed with continuous hinge, which will be along the top edge of the door. When in the open position, the doors will be held in up with a gas strut mechanism. The doors will have weather tight rubber seals and stainless steel T-handle latches and lock assemblies, keyed alike. Lighting for the tool boxes will be as described for the utility bed storage cabinets.

Cab Protector:

Constructed of steel box tubing, 1.5" by 1.5". The cab protector will be filted with mounting tabs for work lights and emergency flashing lights. The cab protector will be constructed with vertical bars of 1.5" steel box tubing on 10" centers.

Back Up Alarm:

ECCO Model 410 97db or equivalent

Lift Gate:

Thieman TT-15 or equivalent, model number TT15E4926. The lift gate will have a 12 volt DC electric over hydraulic control system. Additional lift gate requirements as follows: one piece aluminum platform, 49" wide with a 5" ramp and 26" load surface.

Rear Bumper:

Rear of utility bed will be equipped with step bumpers on each side, outboard of the lift gate. The steps will provide protection to the rear corners of the utility bed as well as provide steps for accessing the cargo area of the utility bed

Grab handles:

The rear of the utility bed will be equipped with grab handles on each side at a suitable height for accessing the cargo area of the utility bed.

Winch:

Mile Marker HI 12000 Hydraulic Winch or equivalent. The completed vehicle will be equipped with two momentary switches to operate the winch for forward and reverse operation. One momentary switch will be mounted in the passenger's compartment within easy access of the driver. A second momentary switch will be mounted on the front of the vehicle to provide operation of the winch while outside of the vehicle. The completed vehicle will also be equipped with remote switches provided by the manufacturer.

Winch Mount:

Mile Marker 50-34644 or equivalent

Red Emergency Light:

Emergency flashing bar light, Code 3, configuration name WV DEP-HSER 3/28/2012, model TRPL52, configuration number C18184, configuration date 03/28/12, attached, or equivalent,

The emergency flashing light will be mounted to the cab protector in a way to maximize visibility and minimize overall height without being located in an area where it could be damaged by cargo or work in the cargo area.

Siren:

Galls Speaker/Siren Kit Item number SK143 or equivalent

Flood Lights:

ECCO E92002 series oval LED work lamp or equivalent. The flood lights will be mounted as in the following description: one flood light will be mounted to the cab protector to illuminate the cargo area of the utility bed. Two additional flood lights will be mounted on the top rear surface of the tool boxes described above each to illuminate the right rear and left rear work area of the completed vehicle.

Configuration # C18184

Date: 03/28/12

21TR Options

Cubin: 15' Cubin Largit: (Default)

Cable Hole Ed: Other's Side Cable Edt (Default)

Mounting KO:

Mounting Kit Non-Lighted Mounting Philippe "Default" (LTZKT)

Mounting Adapter NOT REQUIRED

Steedy Burning Lights

Steady Burning Light heads: None

21TR Plus Options & Upgrade

Arrowell: 1

Fliesh Pattern Software: NFPA

Solar Panal: No DOT Strip: NONE

Pront TRAR TRAR TRAR TRAR TRAR TRAR

Diffuser's Side Passenger's Side Passenger's Side Passenger's Side TRAR

√ Reer

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

UIVIS	ion will triake the determination of the Nesident Vertoor Telefores, it approach.
1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.0	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
Bidd	ler understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the prements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid, or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

WHITESIDE CHEVROLET BUICK
Bidder: CADILLAC GMC Signed:

50714 National Rd.
Date: St. Clairsville, OH 43950 Title:

Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	

Purchasing Affidavit (Revised 12/15/09)

STATE OF WEST VIRGINIA **Purchasing Division**

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states; No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more countles or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WHITESIDE CHEVROLET BUICK

WITNESS THE FOLLOWING SIGNATURE WITHESIDE OF A VHOLET BOOK
CADILLAC GMC
Vendor's Name:
Authorized Signature:
State of QHIO
County of BOUMONT, to-wit:
Taken, subscribed, and sworn to before me this #day of, 20/2.
My Commission expires (3, 20[)
AFFIX SEAL HERE NOTARY PUBLIC CONTROL SEAL HERE
Carla J. Spears Notary Public, State of Ohio Notary Public State of Ohio Notary Public State of Ohio

My Commission Expires

WHITESIDE CHEVROLET BUICK
CADILLAC GMC
50714 National Rd.
St. Clairsville, OH 43950

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

Code

Description

CK30943

2013 Chevrolet Silverado 3500HD 4WD

Crew Cab 167.7" LT

SELECTED VEHICLE COLORS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

Code

Description

Interior: No color has been selected.

Exterior 1: No color has been selected.

Exterior 2: No color has been selected.

SELECTED OPTIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

CATEGORY

Code

Description

REAR WHEEL CONFIGURATION

SRW

CHASSIS, SINGLE REAR WHEEL

BODY CODE

E63

PICKUP BOX, FLEETSIDE (STD)

SUSPENSION PKG

Z71

SUSPENSION PACKAGE, OFF-ROAD includes 1.81" (46 mm) shocks, off-road jounce bumpers, 33mm front stabilizer bar, (NZZ) skid plate package and Z71 decals on rear quarters (Requires (Z82) trailering equipment and (QGM) LT265/70R18E all-terrain tires. Not available with (ZW9) Pickup box delete, (9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs.

GVWR (dual rear wheel).)

EMISSIONS

FE9

EMISSIONS, FEDERAL REQUIREMENTS

ENGINE

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

CATEGORY

Code

Description

ENGINE

L96 ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-

COMPATIBLE, FLEXFUEL capable of running on unleaded or up to 85% ethanol (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box

delete.) (STD)

TRANSMISSION

MYD

TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY,

ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine.) (STD)

AXLE

GT5 REAR AXLE, 4.10 RATIO (Requires (L96) Vortec 6.0L V8 SFI engine.)

PREFERRED EQUIPMENT GROUP

1LT LT PREFERRED EQUIPMENT GROUP includes standard equipment

GVWR

C7E GVWR, 11,000 LBS. (4990 KG) WITH SINGLE REAR WHEELS

(Requires CK30943 or CK30953 with (L96) Vortec 6.0L V8 SFI engine.)

WHEELS

PYV WHEELS, 18" (45.7 CM) FORGED POLISHED ALUMINUM includes

painted center caps and a steel spare. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Not available with (9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs. GVWR (dual rear wheel).

Included with (WEA) Z71 Appearance Package.)

TIRES

QGM TIRES, LT265/70R18E ALL-TERRAIN, BLACKWALL (Not available with

(9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs. GVWR (dual rear wheel).)

PAINT SCHEME

ZY1 PAINT, SOLID

PAINT

GAN SILVER ICE METALLIC

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

_	A 7	ГΕ	~	_		11
	Δ	-		()	1-4	v

Code

Description

SEAT TYPE

AZ3

SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets on Extended and Crew Cab models (STD)

SEAT TRIM

19C

EBONY, PREMIUM CLOTH SEAT TRIM

RADIO

US8

AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock (Not available with (U42) rear seat DVD player entertainment system.) (STD)

ADDITIONAL EQUIPMENT

VYU

SNOW PLOW PREP PACKAGE includes 10-amp power for backup and roof emergency light, forward lamp wiring harness, (TRW) Provision for cab roof mounted lamp/beacon, instrument panel jumper wiring harness for electric trailer brake controller, (NZZ) Skid Plate Package and increased Front Gross Axle Weight Rating (Requires 4WD models. Includes (KW1) 160-amp alternator with (L96) Vortec 6.0L V8 SFI engine. Includes (K76) dual 125-amp alternators with (LML) Duramax 6.6L Turbo Diesel V8 engine.)

KW₁

ALTERNATOR, 160 AMPS (Included with (VYU) Snow Plow Prep Package when (L96) Vortec 6.0L V8 SFI engine is ordered. Requires (L96) Vortec 6.0L V8 SFI engine.)

UF3

SWITCH, HIGH IDLE

JL1

TRAILER BRAKE CONTROLLER, INTEGRATED (With (E63) fleetside pickup box, included and only available with (Z82) heavy-duty trailering equipment. Available as a free flow option with (ZW9) pickup box delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

CATEGORY

<u>Code</u>	Description
ADDITIONAL E	QUIPMENT
NZZ	SKID PLATE PACKAGE, FRAME-MOUNTED SHIELDS includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case (Not available with 2WD models unless (Z71) Off-Road Suspension Package is ordered. Included with (Z71) Off-Road Suspension Package or (VYU) Snow Plow Prep Package.)
J95	BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC WITH SINGLE REAR WHEELS
TRW	PROVISION FOR CAB ROOF-MOUNTED LAMP/BEACON provides an instrument panel-mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp. 30-amp nominal rating (Included with (VYU) Snow Plow Prep Package.)
VK3	LICENSE PLATE FRONT MOUNTING PACKAGE (will be forced on orders with ship-to states that require a front license plate)
VAV	LPO, ALL-WEATHER FLOOR MATS Ebony deep ribbed rubber (Extended and Crew Cab models also include rear floor mats) (Not available with (BG9) Black rubberized-vinyl floor covering.)
JL4	STABILITRAK, STABILITY CONTROL SYSTEM WITH PROACTIVE ROLL AVOIDANCE AND TRACTION CONTROL includes electronic trailer sway control and hill start assist (Standard on single rear wheel GVWR only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

CATEGORY

Code

Description

ADDITIONAL EQUIPMENT

ASF

AIR BAGS, HEAD CURTAIN SIDE-IMPACT, FRONT OUTBOARD SEATING POSITIONS WITH ROLLOVER SENSOR (Available on single rear wheel models only. Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)

AJ7

AIR BAGS, SEAT-MOUNTED SIDE-IMPACT, DRIVER AND RIGHT-FRONT PASSENGER FOR THORAX AND PELVIC PROTECTION (Included and only available with (ASF) head curtain side-impact air bags. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)

SPECIAL EQUIPMENT OPTIONS

4GM

TIRE, SPARE LT265/70R18E ALL-TERRAIN (Requires (QGM) LT265/70R18E all-terrain tires. Not available with SEO (5Z4) spare wheel, carrier and lock delete or SEO (9L3) spare tire delete.)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock (Not available with (U42) rear seat DVD player entertainment system.)
- SiriusXM Satellite Radio is standard on nearly all 2013 GM models. Enjoy a 3-month trial to the XM Premier package, with over 140 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no cost. Welcome to the world of satellite radio. (Not available with (UYS) AM/FM stereo with MP3 compatible CD/DVD player and navigation or (UE0) OnStar, delete. Requires a subscription sold separately by SiriusXM after the trial period. If you decide to continue your service at the end of your trial subscription, service will automatically renew and bill, at the rates in effect at the time of renewal, until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at www.siriusxm.com. Available only to those at least 18 and older in the 48 contiguous USA and D.C.)
- Audio system feature, speaker system (Includes 4 speakers on Regular Cab and 6 speakers on Extended and Crew Cab Models.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

EXTERIOR

- Wheels, 17" (43.2 cm) painted steel includes painted center caps and a steel spare (spare wheel will not
 cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is
 ordered (Requires (9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs. GVWR (dual rear wheel).)
- Tires, LT235/80R17E all-season highway, blackwall (Requires (9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs. GVWR (dual rear wheel). Includes 7 tires with (E63) Fleetside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Wheel trim, Chrome trim skins and chrome center caps (Requires (9F6) 12,800 lbs. GVWR or (CHX) 13,025 lbs. GVWR (dual rear wheel). Includes (PYW) 17" (43.2 cm) painted steel wheels.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Spare tire lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (VF7) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Moldings, bodyside, body-colored (Not available with Regular Cab models. Moldings are deleted if any SEO paint is ordered.)
- · Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Mirrors, outside heated power-adjustable vertical camper manual-folding and extension, Black includes integrated turn signal indicators consisting of 50 square inch flat mirror surface positioned over a 20 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated or power adjustable)
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver-and front passenger-side glass) (With Regular Cab models, includes rear window. With Extended Cab models, includes rear and rear quarter windows. With Crew Cab models or (C49) rear-window defogger, includes light-tinted rear window.)
- Wipers, front intermittent wet-arm with pulse washers
- Door handles, Black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining center fold-down
 armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable
 outboard head restraints and storage pockets on Extended and Crew Cab models
- Seat trim, Premium Cloth
- · Seat adjuster, manual lumbar control on the driver-side
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Extended or Crew Cab Models.)
- Floor covering, color-keyed carpeting with rubberized vinyl floor mats (Extended and Crew Cab models also include rear floor mats) (May be substituted with (BG9) Black rubberized vinyl floor covering.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, leather-wrapped with theft-deterrent locking feature
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems
 depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change
 notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel
 mounted audio controls is ordered. On 1LT and 1LZ, includes 8-point compass and outside temperature.)
- Warning tones headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- · Windows, power with driver Express-Down
- · Door locks, power includes Remote Keyless Entry
- Remote vehicle starter prep package includes Remote Keyless Entry with 2 transmitters, panic button and content
 theft alarm (To enable remote start capability, new key fobs and vehicle reprogramming are required. Please see
 dealer for details. Remote Keyless Entry does not lock/unlock tailgate.)
- Cruise control, electronic with set and resume speed, located on steering wheel
- · Air conditioning, single-zone manual front climate control
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview auto-dimming

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

- Visors, driver and front passenger, sliding with clip and illuminated vanity mirror on driver and passenger-side, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- · Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- · Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (322 hp [240.1 kW] @ 4400 rpm, 380 lb-ft of torque [513.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 3.73 ratio (Not available with (L96) Vortec 6.0L V8 SFI engine on CC30903 with Single Rear Wheels.)
- Suspension Package, Handling/Trailering, heavy-duty includes 35mm monotube shocks and 34mm front stabilizer bar
- · Pickup box, Fleetside
- GVWR, 13,025 lbs. (5908 kg) with dual rear wheels (Requires C*30903 with (LML) Duramax 6.6L Turbo Diesel V8 engine or C*30943 or C*30953.)
- Air cleaner, high-capacity
- Transfer case, electronic shift with rotary dial controls (Requires 4WD models)
- · Differential, heavy-duty automatic locking rear
- · Four wheel drive
- Trailering equipment, heavy-duty includes trailering hitch platform and 2.5- inch receiver with 2" adapter, 7-wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector, wiring harness for after-market trailer brake controller (located in the instrument panel harness) and (JL1) integrated trailer brake controller (Will be deleted if (ZW9) pickup box delete or (VF7) rear bumper delete is ordered.)
- · Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator tank
- · Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- · Frame, fully boxed, hydroformed front section
- · Recovery hooks, front, frame-mounted
- Suspension, front independent, torsion bar

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

- Suspension, rear 4+1+2 multi-leaf springs for single rear wheel and 3+1+2 multi-leaf springs for dual rear wheel
- · Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc with dual rear wheels
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual and child safety seat instructions for more safety information.)
- OnStar, 6 months of Directions and Connections plan includes, Automatic Crash Response, Emergency Services,
 Crisis Assist, First Assist, Injury Severity Predictor, Stolen Vehicle Assistance, Stolen Vehicle Slowdown, Remote
 Ignition Block, Remote Door Unlock (requires power locks), Roadside Assistance, Remote Horn and Lights, Turn-byTurn Navigation with OnStar eNav, Destination Download (requires navigation radio), OnStar Vehicle Diagnostics,
 Hands Free Calling and available OnStar RemoteLink mobile app. (Also includes Stolen Vehicle Slowdown when
 (LML) Duramax 6.6L Turbo Diesel V8 engine is not ordered. Not available with a ship-to of Puerto Rico or the Virgin
 Islands. Visit onstar.com for details and system limitations.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Door locks, rear child security (Crew Cab models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

WEIGHT RATINGS

WEIGHT RATINGS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

Front Gross Axle Weight Rating:

* 5,600.00

Rear Gross Axle Weight Rating:

* 7,050.00

Gross Vehicle Weight Rating:

* 11,000.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

2013 Fleet/Non-Retail Chevrolet Silverado 3500HD 4WD Crew Cab 167.7" L

WARRANTY INFORMATION

WARRANTY INFORMATION - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

ENGINE

Engine Order Code

Engine Type

Gas/Ethanol V8

Displacement

SAE Net Horsepower @ RPM

SAE Net Torque (lb ft) @ RPM

SAE Net Torque (lb ft) @ RPM

L96

Gas/Ethanol V8

6.0L/366 CID

322 @ 4400

380 @ 4200

TRANSMISSION

Transmission order code MYD
Transmission Type Description 6-Speed Automatic
Drive Train 4-Wheel Drive

MILEAGE

City EPA fuel economy estimate (MPG)

Hwy EPA fuel economy estimate (MPG)

City cruising range (mi) Hwy cruising range (mi)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

TRANSMISSION				
Gear Ratio (:1)				
First Gear Ratio (:1)	4.03			
Second Gear Ratio (:1)	2.36			
Third Gear Ratio (:1)	1.53			
Fourth Gear Ratio (:1)	1.15			
Fifth Gear Ratio (:1)	0.85			
Sixth Gear Ratio (:1)	0.67			
Reverse Ratio (:1)	3.06			
Clutch size (in)				
Power Take-Off				
TRANSFER CASE				
Transfer case model	Magna MP1625/6			
Gear Ratio (:1)				
Transfer case high gear ratio	1.00			
Transfer case low gear ratio	2.69			
Transfer case power take off				
DIFFERENTIAL	Front		Rear	
Axle Ratio (:1)			* 4.10	
ELECTRICAL				
Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00			600.00
Alternator				
Alternator Amps	* 160.00			
COOLING SYSTEM				
Cooling system capacity	16.40			
Engine oil cooler	Yes			
* Indicates equipment which is in addition to or replaces by	ase model's standard equi	nment		

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lbs)	* 5,600.00	* 7,050.00	
Curb Weight (lbs)	* 3,821.00	* 2,912.00	* 6,733.00
Total Option Weight (lbs)	* 22.00	* -71.00	* -49.00
As Spec'd Curb Weight (lbs)	* 3,843.00	* 2,841.00	* 6,684.00
As spec'd payload (lbs)			* 4,316.00
Total Weight (lbs)	* 3,843.00	* 2,841.00	* 7,034.00
Reserve Axle Capacity (lbs)	* 1,757.00	* 4,209.00	* 5,966.00
Gross Vehicle Wt Rating (lbs)			* 11,000.00
Gross Combined Wt Rating (lbs)			16,000.00
TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	* 9,016.00	* 1,081.92	
Fifth Wheel Hitch (lbs)	* 9,016.00	* 2,254.00	

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

SUSPENSION	Front	Rear	
Spring	15505		
Spring Type	Independent	Multi-Leaf	
Spring Capacity	4,800.00	* 7,050.00	
Axle			
Axle Type	Independent	Full-Floating	
Axle Capacity	4,800.00	* 7,050.00	
Shock Absorber Diameter (mm)	* 46.00	* 46.00	
Stabilizer Bar Diameter (in)	* 1.30		
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
The state of the s	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.98 x 1.57	* 14.17 x 1.34	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	* QGM	* QGM	* 4GM
Tire Size	* LT265/70R18E	* LT265/70R18E	* LT265/70R18E
Capacity	* 2,860.00	* 3,525.00	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	* 18 x 8.0	* 18 x 8.0	17 x 6.5
Wheel Type	* Aluminum	* Aluminum	Steel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

- TBD -

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

STEERING		
Steering type	Pwr Recirculating Ball	
Ratio (:1)		
On Center	16.00	
At Lock	- TBD -	
Turning Diameter		
Curb-to-Curb	50.50	
Wall-to-Wall	- TBD -	
FUEL TANK	Main	Auxiliary
Capacity	36.00	

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

Location

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

EXTERIOR DIMENSIONS		
Wheelbase (in)	167.70	
Length, Overall w/o rear bumper (in)	259.10	
Width, Max w/o mirrors (in)	95.90	
Height, Overall (in)	77.90	
Overhang		
Overhang, Front	38.8	
Front Bumper to Back of Cab (in)	150.90	
Cab to Axle (in)	56.00	
Cab to End of Frame (in)	- TBD -	
Ground to Top of Load Floor (in)	37.90	
Ground to Top of Frame (in)	- TBD -	
Frame Width, Rear (in)	- TBD -	
Ground Clearance		
Ground Clearance, Front	9.6	
Ground Clearance, Rear	8.4	
CARGO AREA DIMENSIONS		
Cargo Box Length @ Floor (in)	97.80	
Width		
Cargo Box Width @ Top, Rear	- TBD -	
Cargo Box Width @ Floor	62.5	
Cargo Box Width @ Wheelhousings	50.6	
Cargo Box (Area) Height (in)	21.00	
Tailgate Width (in)	61.60	
Cargo Volume (ft³)	75.50	
Ext'd Cab Cargo Volume (ft³)	- TBD - w/o Rear	

INTERIOR DIMENSIONS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2013 Fleet/Non-Retail CK30943 4WD Crew Cab 167.7" LT

INTERIOR DIMENSIONS		
Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.30	40.60
Leg Room (in)	41.30	39.00
Shoulder Room (in)	65.20	65.20
Hip Room (in)	60.30	65.50

^{*} Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

> GM AutoBook, Data Version: 227.0, Data updated 5/29/2012 11:54:00 AM ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

















FURNISH AND INSTALL:

KNAPHEIDE SERVICE BODY, MODEL 796J, WITH THE FOLLOWING:

- 96" LONG x 40" HIGH x 78" WIDE
- 49" WIDE CARGO AREA
- 12" SLAMMABLE TAILGATE
- COMPARTMENTS FINISH PAINTED LIGHT GRAY
- ENTIRE BODY HAS E-COAT PRIMER
- LED STOP, TAIL AND TURN LIGHTS
- BODY PAINTED TO MATCH CAB: CLEARCOAT
- CLASS IV RECEIVER HITCH KIT
- KNAPHEIDE HEADACHE RACK TO CUSTOMER SPEC TWO [2] GRAB HANDLES AT REAR
- DRAW-TITE ELECTRIC BRAKE CONTROLLER

- 14-1/2" COMPARTMENT DEPTH
- STANDARD SHELVING PACKAGE
- STAINLESS STEEL ROTARY LATCHES
- STAINLESS STEEL CONTINUOUS HINGES AND PINS
- DOUBLE SPRING OVER CENTER VERTICAL DOOR RETAINERS
- BODY FACTORY UNDERCOATED
- SPLIT BUMPER TO ACCOMODATE LIFTGATE
- 7-WAY SPADE TRAILER PLUG
- BACK UP ALARM
- TWO [2] STEEL TOOL BOXES 97.25" LONG X 16" HIGH X 14.5" DEEP ONE [1] EACH SIDE ON TOP OF COMPARTMENTS - PAINTED TO MATCH UTILITY BODY
- LED ROPE LIGHTING IN COMPARTMENTS AND TOOL BOXES
- THREE [3] ECCO FLOOD LIGHTS, MODEL E92002, ONE [1] ON TOP OF HEADACHE RACK - ONE [1] ON EACH TOOL BOX
- 93" LONG LIFT N LOCK TIE DOWN SYSTEM IN CARGO AREA ON BACKS OF COMPARTMENTS
- ONE [1] CODE 3 LIGHT BAR, MODEL TRPL52, MADE TO CONFIGURATION C18184
- ONE [1] GALL'S SK143 SIREN/SPEAKER KIT

MILE MARKER WINCH, MODEL HI12000, WITH THE FOLLOWING:

- HYDRAULIC OPERATION OFF OF POWER STEERING PUMP
- GM VALVE KIT
- BLACK MOUNTING KIT FOR GM CHASSIS
- BLACK HOOPS FOR GM CHASSIS

THIEMAN LIFTGATE, MODEL TT15ETAL4926, WITH THE FOLLOWING:

- 1,500 LB MAXIMUM CAPACITY
- 49" X 26" ALUMINUM PLATFORM + 6" TAPER

- TOGGLE SWITCH CONTROL

- 12 VOLT DC/HYDRAULIC OPPERATION
- MASTER DISCONNECT SWITCH IN CAB
- FACTORY FINISH

EXCEPTIONS & DIFFERENCES:

- 1) TOOL BOXES MADE OF 14 GAUGE A40 STEEL ALUMINUM BOXES TO SIZE NOT AVAILABLE
- 2) WEATHER RESISTANT SEALS NOT WEATHER TIGHT
- 3) BACK UP ALARM IS EQUIVALENT TO SPEC