



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR212125

PAGE
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

*709070358 02 800-876-4242

VENDOR
 GALLS INC
 2680 PALUMBO DR
 LEXINGTON KY 40509

SUBJECT
 DIVISION OF NATURAL RESOURCES
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS		
04/09/2012						
BID OPENING DATE: 05/10/2012		BID OPENING TIME 01:30PM				
LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		200-82		
<p>APPEARL, WEARING</p> <p>THE WEST VIRGINIA PURCHASING DIVISION, FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF NATURAL RESOURCES, IS SOLICITING BIDS FOR AN OPEN-END CONTRACT TO PRVIDE THE AGENCY WITH UNIFORM CLOTHING FOR THE WEST VIRGINIA STATE PARKS STAFF.</p> <p>ALL TECHNICAL QUESTIONS MUST BE SUBMITTED IN WRITING TO FRANK WHITTAKER IN THE WV PURHASING DIVISION VIA EMAIL AT FRANK.M.WHITTAKER@WV.GOV OR VIA FAX AT 304-558-4115. DEADLINE FOR ALL TECHNICAL QUESTIONS IS 04/18/2012 AT 4:00 PM. ALL TECHNICAL QUESTIONS WILL BE ADDRESSED BY ADDENDUM AFTER THE DEADLINE.</p> <p>EXHIBIT 3</p> <p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AND EXTENDS FOR A PERIOD OF TWO (2) YEARS OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT BY THE STATE OF WEST VIRGINIA, ITS AGENCIES, OR POLITICAL SUBDIVISIONS, THE</p>						

RECEIVED
 2012 MAY 16 AM 10:
 WV PURCHASIN
 DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

NATURE Elizabeth Rattib TELEPHONE 800-876-4242x2310 DATE 5/15/2012
anged Acc Rep FEIN 95-3082883 ADDRESS CHANGES TO BE NOTED ABOVE
 WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS PURCHASE ORDER/CONTRACT

- 1. ACCEPTANCE:** Seller shall be bound by this order and its terms and conditions upon receipt of this order.
- 2. APPLICABLE LAW:** The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
- 3. NON-FUNDING:** All services performed or goods delivered under State Purchase Orders/Contracts are to be continued for the terms of the Purchase Order/Contract, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
- 4. COMPLIANCE:** Seller shall comply with all federal, state and local laws, regulations and ordinances including, but not limited to, the prevailing wage rates of the WV Division of Labor.
- 5. MODIFICATIONS:** This writing is the parties' final expression of intent. No modification of this order shall be binding unless agreed to in writing by the Buyer.
- 6. ASSIGNMENT:** Neither this Order nor any monies due, or to become due hereunder may be assigned by the Seller without the Buyer's consent.
- 7. WARRANTY:** The Seller expressly warrants that the goods and/or services covered by this order will:
{a} conform to the specifications, drawings, samples or other description furnished or specified by the Buyer; {b} be merchantable and fit for the purpose intended; and/or {c} be free from defect in material and workmanship.
- 8. CANCELLATION:** The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 9. SHIPPING, BILLING & PRICES:** Prices are those stated in this order. No price increase will be accepted without written authority from the Buyer. All goods or services shall be shipped on or before the date specified in this Order.
- 10. LATE PAYMENTS:** Payments may only be made after the delivery of goods or services. Interest may be paid on late payments in accordance with the *West Virginia Code*.
- 11. TAXES:** The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 12. RENEWAL:** Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 13. BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 14. HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 15. CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
- 16. LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 17. ANTITRUST:** In accepting this purchase order or signing this contract with any agency for the State of West Virginia, the vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to vendor. Vendor certifies that this purchase order or contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law. Vendor further certifies that this purchase order or contract is in all respects fair and without collusion or fraud.



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR212125

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

*709070358 02 800-876-4242

VENDOR

GALLS INC
 2680 PALUMBO DR
 LEXINGTON KY 40509

SHIP TO

DIVISION OF NATURAL RESOURCES
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2012				

BID OPENING DATE: 05/10/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TERMS, CONDITIONS, AND PRICING SET FORTH HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO THREE (3) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)</p> <p>QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.</p> <p>ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE *Elizabeth Battell* TELEPHONE 800-876-4242 DATE 5/15/12
 TITLE *Manager Ace Rep* FEIN 95-3002883 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR212125

PAGE
 3

ADDRESS CORRESPONDENCE TO ATTENTION OF
 FRANK WHITTAKER
 304-558-2316

*709070358 02 800-876-4242

VENDOR

GALLS INC
 2680 PALUMBO DR
 LEXINGTON KY 40509

SHIP TO

DIVISION OF NATURAL RESOURCES
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2012				

BID OPENING DATE: 05/10/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.</p> <p>REV. 01/17/2012</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4 (F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO: DEPARTMENT OF ADMINISTRATION</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: Elizabeth Ratliff TELEPHONE: 800-876-4242 DATE: 5/15/12
 TITLE: Managed Acc Rep FEIN: 95-3082883 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 DNR212125

PAGE
 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 FRANK WHITTAKER
 304-558-2316

*709070358 02 800-876-4242

VENDOR

GALLS INC
 2680 PALUMBO DR
 LEXINGTON KY 40509

SHIP TO

DIVISION OF NATURAL RESOURCES
 VARIOUS LOCALES AS INDICATED
 BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/09/2012				

BID OPENING DATE: 05/10/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER:				44		
REQ. NO.:				DNR212125		
BID OPENING DATE:				05/10/2012		
BID OPENING TIME:				1:30 PM		
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						

CONTACT PERSON (PLEASE PRINT CLEARLY):						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE: *Elizabeth Ruffalo* TELEPHONE: 800-876-4242 x2340 DATE: 5/15/2012
 TITLE: Managed Acc Rep FEIN: 95-3082883 ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DNR212125

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
FRANK WHITTAKER 304-558-2316

AUGUST
*709070358 02 800-876-4242 GALLS INC 2680 PALUMBO DR LEXINGTON KY 40509

SHIP TO
DIVISION OF NATURAL RESOURCES VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
05/04/2012				

BID OPENING DATE: 05/16/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** ADDENDUM NO. 1 *****						
THIS ADDENDUM IS ISSUED TO:						
1) PROVIDE THE ATTACHED TECHNICAL QUESTIONS AND ANSWER						
2) EXTEND THE BID OPENING DATE AND TIME TO: 05/16/2012 AT 1:30 PM						
***** END ADDENDUM NO. 1 *****						
0001	1	LS		200-82		
APPEAREL, WEARING						
***** THIS IS THE END OF RFQ DNR212125 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Elyabeth Rathb</i>	TELEPHONE 800-876-4242/2340	DATE 5/15/2012
TITLE <i>Managed Acc Rep</i>	FEIN 95-3082883	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

Technical Questions and Answers WV RFQ 212125

Question 1: A-21: Spec states "manufactured with logo." Front of hat has a snap and logo cannot be added. May we price as blank?

Answer 1: Manufactured with logo refers to the logo label that will be in the cap and includes the care and specification. Front of cap will be blank and should be priced accordingly

Question 2: A-29: Spec states "recycled polyester fleece cap - FS7112 or equal." FS7112 is a knit cap. Please clarify, knit or fleece?

Answer 2: For item A-29 a fleece or knit cap will be acceptable.

Question 3: A-32 through 35: Specs state "M/F long and short sleeve."
- The style numbers currently used are SP14LT and SP24LT as unisex to satisfy this requirement. Is this acceptable?

Answer 3: Yes, this is acceptable

Question 4: C-5 and C-6 states that the artwork for the State Park Badge is provided. We are unable to locate this artwork in the bid package, will the state provide artwork or information such as stitch count and/or size of badge?

Answer 4: Successful bidder will receive art work. Overall size is 4" x 2 1/2". Photo below.



**CENTRALIZED UNIFORM DISTRIBUTION AND MANUFACTURING PROGRAM
WEST VIRGINIA DIVISION OF NATUARL RESOUCRES
STATE PARKS AND RECREATION SECTION**

The West Virginia Division of Natural Resources, hereinafter Division, is requesting Bids for a centralized uniform distribution and manufacturing program. Successful bidder(s) will provide uniform clothing for West Virginia State Parks staff.

There are 3 bid package groups that vendors may bid on. Group A is for standard uniform items. Group B is for jackets and outerwear. Group C is for specific law enforcement and BDU uniform items. Vendors may bid on 1, 2 or all 3 groups, however, for a bid on a group to be considered, vendors must bid on every item in the specific group.

I. INVENTORY/WAREHOUSING DISTRIBUTION

A. The Vendor shall maintain sufficient inventory levels for all uniforms based on seasonal fluctuations. The Vendor shall ship all orders and exchanges within fifteen (15) days of receipt or notify the agency and employee of back-order status.

B. Order Form: The Vendor shall work jointly with the WVDNR Parks & Recreation Section in developing an order form and catalog. A separate order form shall be developed for each employee classification. A list of items available for each classification will be provided by the Agency to the successful bidder. Information and instructions to employees on the ordering process, measuring procedures, and special uniform order (i.e., irregular sizes) shall be provided with the order forms.

II. ADMINISTRATION/MANAGEMENT

A. State Purchasing Card Acceptance: The State of West Virginia currently uses a VISA purchasing card program, which is issued through a local bank. The successful vendor must accept the State of West Virginia VISA purchasing card for all orders less than two thousand five hundred dollars (\$2,500.00).

B. Payment: All orders fulfilled on this contract shall be made using a West Virginia VISA Purchasing Card.

C. Samples: All Vendors submitting bids for brand(s) other than those specified, must provide a sample of each item to the WVDNR Parks & Recreation Section. All samples must be color specific and submitted when the written bid is submitted. Send samples to: Samuel England, Park Superintendent, Stonewall

Resort State Park, 149 State Park Trail, Roanoke WV 26447. Bids will not be sent to the above address. Bidders will submit bidding documents as specified previously in the bid specifications.

D. Alterations: Standard alterations shall be done by the vendor at no additional charge. Standard alterations shall include sleeve length and pant length.

E. Exchange Analysis Report: The Vendor shall make available a semi-annual detailed report of the number and cause for exchanges of uniform items.

III. SPECIFIC REQUIREMENTS

A. The WVDNR Parks & Recreation Section, will furnish patches to the Vendor. It is the responsibility of the Vendor to maintain an inventory of the patches and to give WVDNR Parks & Recreation Section sufficient advance notice to order patches so that orders will not be halted or delayed. The Vendor must provide for proper security and storage of patches and emblems. There will be no additional charge for sewing of patches on both arms of grey and green uniform items and on the left shoulder of brown and tan uniform items.

B. Returns: The contractor agrees to accept all returns, including hemmed trousers, pants, or any item with a sewn-on patch.

IV. PACKAGING AND MARKING

A. Packing/Labeling/Delivery: Material shall be packed for shipment in such a manner that will ensure acceptance by common carrier and safe delivery to destination. Merchandise will be packaged individually and clearly marked per employee, handling each order separately.

V. QUALITY CONTROL

A. The appearance, image, and morale of park personnel will be enhanced by the Vendor's assurance that each uniform item has restriction on mill dyes and standards, which require identical products being produced and delivered each time and that items match existing uniform items currently in use.

VI. SHIPPING AND HANDLING CHARGES

All bids will include all shipping and handling charges to specific delivery locations in the agency. A list of shipping locations may be requested.

VII. BILLING

Individual invoices will be created for each order and will be billed to the specific location where the order originates.

VII. BID EVALUATION

Bids will be evaluated based on an estimated annual usage. The lowest bid for each part will be awarded the contract for that specific part. Bid forms are listed at the end of each part and must be completed fully for a vendor to be considered for the specific part.

SPECIFICATIONS

Item A – 1

Trouser, Male Green 11 oz. 55/45 P/W Tropical Men's Summer Dress Trouser

GENERAL DESCRIPTION

Men's summer weight tropical dress plain front trousers with a slight flare at bottom of pant legs. Quarter top front pockets, two back pockets, French fly with hook and eye closure, and two back darts. There shall be no darts on the front.

Basic Material: Raeford Mills 11 oz Forest Green 55% Dacron polyester/45% wool tropical fabric.

Linings: The material used for pockets, waistband lining and fly lining shall be suitable quality black fabric for dress trousers.

Zipper: A brass memory lock slider and zipper with a brass bottom stop at the base of the zipper chain shall be used.

Labels: The trouser shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: Center back turnunder shall be no less than 2" to take care of any alterations.

Bartacks: There shall be bartacks at all points of strain including base of fly curve, inside bottom edge of fly and all pocket openings. Front pocket openings shall be bartacked at bottom and at top beneath waistband. Each end of hip pockets shall be bartacked. Eye closure in waistband shall be bartacked. All bartacks shall be 3/8 to 1/2" in length.

Waistband: The waistband shall be a minimum of 2" wide and shall be closed with a crush proof hook and eye, the eye being bartacked for stability. The waistband curtain shall be made of the specified trim and shall have 3-strand Snug-tex sewn into the waistband lining. Snug-tex sewn on to the top of the waistband lining shall not be authorized. Trousers shall have banrol waistband stabilizer sewn into the waistband on the front of the trousers from side seam to side seam. Trousers shall be made with a continuous closed waistband using the closed corner method. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain.

Front Pockets: Quarter top style with a deep facing of self-cloth in order that pocketing does not show. Pocketing shall be made of the specified trim fabric and to be stitched, turned and topstitched.

Back Pockets: Two single welt slash pockets with flaps inserted into top-edge.

Hip Pocket Flap: Flap shall be constructed of basic fabric and lined with the specified trim. It shall be constructed with a concealed button hole tab so that bottom closure is concealed. No stitching shall show on the outside of the flap. The flap shall be spade style with a single point. The flap shall be the width of the pocket welt.

Belt Loops: There shall be a minimum of 7 belt loops. Belt loops shall be lined with no stitching to show on the outside and shall be a minimum of 2-1/4" high and a minimum of 1" wide. All loops to be inserted into both the top and bottom waistband seams with the exception of the back center loop.

Bottoms: All bottoms shall be plain with a 2" blind stitch.

Sizes:

Short	28 to 40 even
Regular	28 to 38 all sizes and 38 to 54 even
Long	32 to 48 even
X-Long	32 to 48 even

Item shall be Horace Small, VF Imagewear Style No. NP2101 or equal.

SPECIFICATIONS**Item A - 2****Trouser, Female Green 11 oz. 55/45 P/W Tropical
Women's Summer Dress Trouser****GENERAL DESCRIPTION**

Women's summer weight tropical plain front dress trousers with a slight flare at bottom of pant leg. Quarter top front pockets, two back pockets, French fly with hook and eye closure, and two back darts. There shall be two darts on the front panel.

Basic Material: Raeford Mills 11 oz Forest Green 55% Dacron polyester/45% wool tropical fabric.

Linings: The material used for pockets, waistband lining, and fly lining shall be suitable quality black fabric for dress trousers.

Zipper: A brass memory lock slider and zipper with a brass bottom stop at the base of the zipper chain shall be used.

Labels: The trouser shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: The seat seam shall be stitched with a tandem needle seat-seaming machine. There shall be a center back seam allowance of no less than 2" to take care of alterations. 10-16 stitches per inch are required, except for 5 to 7 stitches per inch for blindstitching.

Bartacks: There shall be bartacks at all points of strain including base of fly curve, inside bottom edge of fly and all pocket openings. Front pocket openings shall be bartacked at bottom and at top beneath waistband. Each end of hip pockets shall be bartacked. Eye closure in waistband shall be bartacked. All bartacks shall be 3/8" to 1/2" in length.

Waistband: The waistband shall be a minimum of 1-1/4" wide and shall be closed with a crushproof hook and eye, the eye being bartacked for stability. The waistband curtain shall be attached with a rocap machine. The curtain shall finish a minimum of 1-1/2" wide and be interlined with a nonwoven. No banrol shall be used. The waistband shall be set on and stitched below the lower edge through the outer fabric and the waistband curtain. There shall be an elastic insert on each side of the trouser. It shall allow the trouser to expand a minimum of 1-1/2" on each side. The elastic shall

be one inch wide. The elastic shall be secured on the inside of the waistband curtain on each end with a minimum 1" vertical stitch.

Front Pockets: The front pocket opening shall be a minimum 6" and a minimum of 5-1/2" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self-material finishing no less than 1 1/4" wide. The front pockets shall have straight bartacks.

Back Pockets: Two single welt slash pockets with flaps inserted into top-edge.

Hip Pocket Flap: Flap shall be constructed of basic fabric and lined with the specified trim. It shall be constructed with a concealed button hole tab so that bottom closure is concealed. No stitching shall show on the outside of the flap. The flap shall be spade style with a single point. The flap shall be the width of the pocket welt.

Belt Loops: There shall be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Each loop is to be minimum 1" wide, of double thickness and blindstitched on the back. The center back loop shall be tacked on. All other loops are to be sewn into the rocap at the top and dropped and tacked below the waistband seam. The opening shall be a minimum of 2-1/4".

Bottoms: All bottoms shall be plain with a 2" blind stitch.

Sizes:

Petite	04-14 even
Regular	02-28 even
Tall	06-24 even

Item shall be Horace Small, VF Imagewear Style No. NP2105 or equal.

SPECIFICATIONS

Item A - 3

Skirt, Female Green 11 oz. 55/45 P/W Tropical Summer Dress Skirt

GENERAL DESCRIPTION

Women's summer weight tropical skirt shall have two-quarter top front pockets, back zipper closure, pleated front, and rear kick pleat. The wool skirt shall be fully lined.

Basic Material: Raeford 11 oz tropical, 55% polyester/45% wool, Forest Green.

Linings: The skirt shall be fully lined with hi-count satin. It shall have rear darts and front pleats like the shell fabric. The back of the lining shall have a hemmed opening to allow for movement. The lining shall be serged.

Zipper: Nylon coil zipper minimum 9" long.

Darts: There shall be one dart, minimum of 3-1/2 inches in length on each side of the front and on each side of each back panel.

Pleats: There shall be an open kick pleat in the center back seam, minimum 15" below the waistband and maximum 17" below the waistband. The kick pleat shall be minimum 2" deep, open toward the right side seam and be secured at the top with a diagonal topstitch.

Waistband: The waistband shall be minimum of 1-1/4" wide and shall have a reinforced closure. The skirt shall be made with a continuous closed waistband. There shall be 2 elastic inserts behind each sideseam, which allows the waistband to stretch minimum of 2-1/2". The waistband shall be set on the outside and closed by topstitching.

Pockets: The side pockets shall have a minimum 6 inch opening, be minimum 5 inch deep from bottom of pocket opening, be made from 260 wt. pocketing material, and have self-goods pocket facings. The pockets shall be sewn and stitched, turned, and restitched. The pocket opening shall have straight bartacks at each end.

Sizes:

Petite	4 to 14 even
Regular	4 to 26 even
Tall	8 to 22

Item shall be Horace Small, VF Imagewear Style No. NP2107 or equal.

SPECIFICATIONS**Item A - 4****Trouser, Male Earth Green 8 oz. 65/35 P/C Twill
Men's Twill Field Trouser****GENERAL DESCRIPTION**

Men's twill uniform trousers shall have a plain front, quarter top front pockets, 2 back pockets, zipper fly, hook and eye closures, and two back darts. All dimensions are based on a sample size 36R.

Basic Material: The material shall be 65%/35% cotton, 8 oz per square yard, twill,

Linings: The lining used for pockets, waistband lining, and fly lining shall be 65% polyester/35% cotton or equal. Color shall be black or other dark shade that does not show through.

Zippers: A non-corrosive, heavy weight brass zipper with slide fastener or equal shall be used. It shall have an automatic cam lock. Tape shall be a polyester/cotton blend, color to match self-material. Slide fastener to be sewn to each fly with a minimum of 2 rows of lockstitch.

Labels: The pants shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Waistband: The waistband shall be minimum 2" wide and shall be closed with a crush proof hook and eye, the eye being bartacked for stability. Trousers shall have banrol waistband stabilizer sewn into the waistband on the front of the trousers from side seam to side seam. Trousers shall be made with a continuous closed waistband using the closed corner method. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain.

Darts: One dart shall extend from each hip pocket to the waistband seam.

Front Pockets: The front pockets shall be quarter top type having a minimum opening of 6" and shall be 6" deep from bottom of opening. Facing shall be minimum of 1-5/8". The front pockets shall be stitched, turned, and restitched. Ends of pocket opening shall be bartacked.

Belt Loops: Minimum of seven belt loops to be caught in upper and lower waistband seams except back center loop which shall be bartacked. Belt loops to be minimum 3/4" wide and must accommodate a 2" belt.

Bottoms: All bottoms shall have a 1/2" double turned hem, and shall be topstitched leaving a 1/2" visible hem.

Sizes:

Short	32 – 38 Even Only
Regular	28 – 38 All
Regular	40 – 58 Even Only
Long	32 – 56 Even Only
X-Long	30 – 46 Even Only

Item shall be VF Imagwear Style No. NP2102 or equal.

SPECIFICATIONS**Item A - 5****Trouser, Female Earth Green 8 oz. 65/35 P/C Twill
Women's Twill Field Trouser****GENERAL DESCRIPTION**

Women's twill trousers shall have four darts and an elastic waistband for ease, quarter top front pockets, 2 back pockets, zipper fly, hook and eye closures, and two back darts. All dimensions are based on a sample size 12R.

Basic: The fabric shall be 65% polyester/35% cotton, color Forest Green, 8 oz per square yard twill.

Linings: The lining used for pockets, waistband lining, and fly lining shall be 65% polyester/35% cotton or equal. Color shall be black or other dark shade that does not show through.

Zippers: The trousers shall be closed with a brass memory lock slider and zipper and have a brass bottom stop at the base of the zipper chain.

Labels: The pants shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Waistband: The waistband shall be minimum 1-1/4" wide and shall be closed with a crushproof hook and eye, the eye being bartacked for stability. The curtain shall finish minimum 1-1/2" wide and be interlined with a non-woven. The waistband shall be set on and stitched below the lower edge through the outer fabric and the waistband curtain. There shall be an elastic insert on each side of the trouser. It shall allow the trouser to expand a minimum of 1-1/2" on each side. The elastic shall be one inch wide. The elastic shall be secured on the inside of the waistband curtain on each end with a minimum 1" vertical stitch.

Front Panel: The trouser shall have a reinforced panel on each front. It shall be constructed of the same fabric as the pocketing. It shall extend from the waistband topstitch seam approximately 4". The back edge shall be folded and topstitched to the front edge of each front pocket bag. The front edge of each reinforced panel shall be stitched to the fly. The bottom edge of the bellyband shall be tightly serged so it shall not ravel.

Darts: There shall be one tapering dart over each hip pocket and one on each front panel. The purpose of the darts is to contour the garment to a true female fit. The front darts shall be approximately 3" long from the waistband. The hip pocket darts shall extend from the waistband to the top of the hip pocket.

Front Pockets: The front pocket opening shall be a minimum 6" and a minimum of 5-1/2" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self-material finishing no less than 1-1/4" wide.

Belt Loops: There shall be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Each loop is to be a minimum of 3/4" wide and shall accommodate a 2" belt.

Bottoms: All bottoms shall have a 1/2" double turned hem, and shall be topstitched leaving a 1/2" visible hem.

Sizes:

Petite	2 – 16 Non-Standard
Regular	2 – 28 Even Only
Tall	6 – 24 Even Only

Item shall be VF Imagewear Style No. 2103 or equal.

SPECIFICATIONS
Item A- 6

Gloves, Male Black Leather with Thinsulate Liner
Men's Leather Gloves

GENERAL DESCRIPTION

Male black leather glove with Thinsulate liner.

Fabric: Leather; Black

Sizes:
S-XL

Item shall be VF Imagewear Style No. CU7116 or equal.

SPECIFICATIONS
Item A -7

Gloves, Female Black Leather with Thinsulate Liner
Women's Leather Gloves

GENERAL DESCRIPTION

Female black leather glove with Thinsulate liner.

Fabric: Leather; Black

Sizes:
S-L

Item shall be VF Imagewear Style No. CU7118 or equal.

SPECIFICATIONS**Item A- 8****Trouser, Male Green 16 oz 55/45 P/W Elastique
Men' Winter Dress Trouser****GENERAL DESCRIPTION**

Men's elastique winter weight plain front trousers with a slight flare at bottom of pant leg. Quarter top front pockets, two back pockets, French fly with hook and eye closure, and two back darts. There shall be no darts on the front of the male trousers. All dimensions are based on sample size 36R.

Basic Material: Raeford Mills 16 oz Forest Green 55% Dacron polyester/45% wool Elastique fabric.

Linings: The material used for pockets, waistband lining and fly lining shall be suitable quality black fabric for dress trousers.

Zipper: A brass memory lock slider and zipper with a brass bottom stop at the base of the zipper chain shall be used.

Labels: The shirt shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: Center back turnunder shall be no less than 2" to take care of any alterations.

Bartacks: There shall be bartacks at all points of strain including base of fly curve, inside bottom edge of fly and all pocket openings. Front pocket openings shall be bartacked at bottom and at top beneath waistband. Each end of hip pockets shall be bartacked. Eye closure in waistband shall be bartacked. All bartacks shall be 3/8" to 1/2" in length.

Waistband: The waistband shall be minimum 2" wide and shall be closed with a crush proof hook and eye, the eye being bartacked for stability. The finished waistband curtain shall be attached with a rocap machine. The waistband curtain shall be made of the specified trim and shall have 3 strand Snug-tex sewn into the waistband lining. Trousers shall have banrol waistband stabilizer sewn into the waistband on the front of the trousers from side seam to side seam. Trousers shall be made with a continuous closed waistband using the closed corner method. The waistband shall be set on and

shall be stitched below the lower edge through the outer fabric and the waistband curtain.

Front Pockets: Quarter top style with a deep facing of self cloth in order that pocketing does not show. Pocketing shall be made of the specified trim fabric and to be stitched, turned and topstitched.

Back Pockets: Two single welt slash pockets with flaps inserted into top-edge.

Hip Pocket Flap: Flap shall be constructed of basic fabric and lined with the specified trim. It shall be constructed with a concealed buttonhole tab so that bottom closure is concealed. No stitching shall show on the outside of the flap. The flap shall be spade style with a single point. The flap shall be the width of the pocket welt.

Belt Loops: There shall be minimum 7 belt loops. Belt loops shall be lined with no stitching to show on the outside and shall be minimum 2 1/4" high and minimum 1" wide. All loops to be inserted into both the top and bottom waistband seams with the exception of the back center loop.

Bottoms: All bottoms shall be plain with a 2" blind stitch.

Sizes:

Short	28-40 Even
Regular	28-38 All and 38-54 Even
Long	32-48 Even

Item shall be VF Imagewear Style No. NP2100 or equal.

SPECIFICATIONS**Item A -9****Trouser, Female Green 16 oz 55/45 P/W Elastique
Women's Winter Dress Trouser****GENERAL DESCRIPTION**

Women's elastique winter weight plain front trousers with a slight flare at bottom of pant leg. Quarter top front pockets, two back pockets, French fly with hook and eye closure, and two back darts. There shall be two darts on the front panel of the female's trousers.

Basic Material: Raeford Mills 16-ounce Forest Green 55% Dacron polyester/45% wool Elastique fabric.

Linings: The material used for pockets, waistband lining and fly lining shall be suitable quality black fabric for dress trousers.

Zipper: A brass memory lock slider and zipper with a brass bottom stop at the base of the zipper chain shall be used.

Labels: The shirt shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: The seat seam shall be stitched with a tandem needle seat-seaming machine. There shall be a center back seam allowance of no less than 1-5/8" to take care of alterations. 10-16 stitches per inch are required, except for 5 to 7 stitches per inch for blindstitching.

Bartacks: There shall be bartacks at all points of strain including base of fly curve, inside bottom edge of fly and all pocket openings. Front pocket openings shall be bartacked at bottom and at top beneath waistband. Each end of hip pockets shall be bartacked. Eye closure in waistband shall be bartacked. All bartacks shall be 3/8" to 1/2" in length.

Waistband: The waistband shall be minimum 1-1/4" wide and shall be closed with a crushproof hook and eye, the eye being bartacked for stability. The waistband curtain shall be attached with a rocap machine. The waistband shall be set on and stitched below the lower edge through the outer fabric and the waistband curtain. There shall be an elastic insert on each side of the trouser. It shall allow the trouser to expand a minimum of 1-1/2" on each side. The elastic shall be one inch wide. The elastic shall

be secured on the inside of the waistband curtain on each end with a minimum 1" vertical stitch.

Front Pockets: The front pocket opening shall be a minimum 6" and a minimum of 5-1/2" deep from the bottom of the opening. They shall be stitched, turned and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The front pockets shall have straight bartacks.

Back Pockets: Two single welt slash pockets with flaps inserted into top-edge.

Hip Pocket Flap: Flap shall be constructed of basic fabric and lined with the specified trim. It shall be constructed with a concealed buttonhole tab so that bottom closure is concealed. No stitching shall show on the outside of the flap. The flap shall be spade style with a single point. The flap shall be the width of the pocket welt.

Belt Loops: There shall be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Each loop is to be minimum 1" wide, of double thickness and blindstitched on the back. The center back loop shall be tacked on. All other loops are to be sewn into the rocap at the top and dropped and tacked below the waistband seam. The opening shall be a minimum of 2-1/4".

Bottoms: All bottoms shall be plain with a 2" blind stitch.

Sizes:

Petite	04-14 even
Regular	02-28 even
Tall	06-24 even

Item shall be VF Imagewear Style No. NP2104.

SPECIFICATIONS
Item A -10

Skirt, Female Green 16 oz 55/45 P/W Elastique
Winter Dress Skirt

GENERAL DESCRIPTION

Women's elastique winter weight skirt shall have two-quarter top front pockets, back zipper closure, pleated front, and rear kick pleat. The wool skirt shall be fully lined.

Basic Material: The material shall be Raeford Style 646 16 oz, Elastique, 55% polyester/45% wool, Forest Green.

Linings: The skirt shall be fully lined with hi-count satin. It shall have rear darts and front pleats like the shell fabric. The back of the lining shall have a hemmed opening to allow for movement. The lining shall be serged.

Zipper: Nylon coil zipper 9" long.

Darts: There shall be one dart, minimum 3-1/2" in length on each side of the front and on each side of each back panel.

Pleats: There shall be an open kick pleat in the center back seam, minimum 15 inches and maximum 17" below the waistband. The kick pleat shall be minimum 2-1/4" deep, open toward the right side seam and be secured at the top with a diagonal topstitch.

Waistband: The waistband shall be minimum 1-1/4" wide and shall have a reinforced closure. The skirt shall be made with a continuous closed waistband. There shall be 2 elastic inserts behind each sideseam, which allows the waistband to stretch minimum 2-1/2".

Pockets: The side pockets shall have a minimum 6-1/2" opening, be minimum 5-1/2" deep from bottom of pocket opening, be made from 260 wt. pocketing material and have self goods pocket facings. The pockets shall be sewn and stitched, turned, and restitched. The pocket opening shall have straight bartacks at each end.

Sizes:

Petite	4-14 even increments
Regular	4-26 even increments
Tall	8-22

Item shall be VF Imagewear Style No. 2106.

SPECIFICATIONS**Item A - 11****Socks, Unisex Black Mid-Calf Boot
Unisex Mid-Calf Socks**

GENERAL DESCRIPTION: Unisex mid-calf, moisture control, lightweight, breathable, cushiony sole.

Fabric: 50% Coolmax Polyester/20% X20 Acrylic/20% Stretch Nylon/10% Lycra Spandex

Sizes: One size fits all

Item shall be WigWam Cool-Lite Pro Item # CO6001 or equal.

SPECIFICATIONS**Item A - 12****Socks, Unisex Black Over-the-Calf Boot
Unisex Over-the-Calf Socks**

GENERAL DESCRIPTION: Unisex over the calf black boot sock.

Fabric: 70% acrylic/30% nylon.

Sizes: One size fits all

Item shall be shall be Thorlos, vendor style #WDB-11 or equal.

SPECIFICATIONS**Item A - 13****Tie, Unisex Black P/W Tropical Clip-on
14" Clip-on Tie****GENERAL DESCRIPTION**

Short metal clip-on tie shall be Samuel Broome style #455 or equal. Class A, unisex, clip-on tie, 15" in length and 3"-3-1/4" in width.

Basic Material: The black material shall be 55%/45% polyester/wool, tropical weave. All ties shall finish flat and smooth without visible wrinkles, fabric flaws, stitching, or splicing.

SPECIFICATIONS**Item A- 14****Tie, Unisex Black P/W Tropical Clip-on Regular Length
17" Clip-on Tie****GENERAL DESCRIPTION**

Regular metal clip-on tie shall be Samuel Broome style #455 or equal. Class A, unisex, clip-on tie, 17" in length and 3"-3-1/4" in width.

Basic Material: The black material shall be 55%/45% polyester/wool, tropical weave. All ties shall finish flat and smooth without visible wrinkles, fabric flaws, stitching, or splicing.

SPECIFICATIONS**Item A - 15****Tie, Unisex Black P/W Tropical, Clip-on Extra Long
19" Clip-on Tie****GENERAL DESCRIPTION**

Extra large metal clip-on ties shall be Samuel Broome style #455 or equal. Class A, unisex, clip-on tie, 19" in length and 3"-3-1/4" in width.

Basic Material: The black material shall be 55%/45% polyester/wool, tropical weave. All ties shall finish flat and smooth without visible wrinkles, fabric flaws, stitching, or splicing.

SPECIFICATIONS**Item A - 16****Tie, Unisex Black P/W Tropical Standard
18" Velcro Tie****GENERAL DESCRIPTION**

Standard velcro tie shall be Samuel Broome style #455 or equal. Class A, unisex, velcro tie, 18" length and 3"-3-1/4" width.

Basic Material: The material shall be 55%/45% polyester/wool, tropical weave. All ties shall finish flat and smooth without visible wrinkles, fabric flaws, stitching, or splicing.

SPECIFICATIONS**Item A - 17****Tie, Unisex Black P/W Tropical, Standard
20" Velcro Tie****GENERAL DESCRIPTION**

Standard Velcro tie shall be Samuel Broome style #455 or equal. Class A, unisex, Velcro tie, 20" length and 3" – 3-1/4" width.

Basic Material: The material shall be 55/45 polyester/wool, tropical weave. All ties shall finish flat and smooth without visible wrinkles, fabric flaws, stitching, or splicing.

SPECIFICATIONS**Item A - 18****Sweater, Unisex Green Wool Commando
Unisex Commando Sweater**

General Description: Lightweight green wool commando sweater with a 1-3/8" wide v-neck. In addition, features double needle-stitched twill elbow patches. Includes badge tab and nameplate.

Fabric: 100% wool; body. 100% Chetopa twill; elbow patches. Olive Green.

Customization: The organization's shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
XS-3XL

Item shall be VF Imagewear Style No. WV5100B or equal.

SPECIFICATIONS**Item A - 19****Mock Turtleneck, Unisex Black Cotton Long Sleeve
Unisex Black Mock Turtleneck**

Fabric: Pre-shrunk 100% combed-cotton jersey knit provides maximum comfort, durability, and minimal care. Improved 7.25 oz neck and cuffs feature a premium blend of Lycra® Spandex for superior shape retention.

Features:

- Generous cut with extra long tails allow for mobility even when worn over body armor
- Reinforced elastic shoulder seams for added strength
- Coverstitch neck and shoulder seams for great looks and superior durability
- Seamless neck, cuffs, and body for pure comfort
- Unisex sizing
- Direct embroidery available
- Machine washable

Sizes:

S-3XL

Item shall be VF Imagewear Style No. 8301BK or equal.
Manufactured by Lee.

SPECIFICATIONS**Item A - 20****Watch Cap, Unisex Earth Green Recycled Fleece
Unisex Green Watch Cap****GENERAL DESCRIPTION**

Fleece cap shall be a watch-style cap or equal.

Basic Material: The material shall be 100% recycled plastic fleece. The weight shall be 8 oz/sq yd. The color shall be Earth Green.

Construction: The cap shall be formed by folding an appropriate length body back on itself for the band, and the crown shall be formed by cutting the fabric into four quarters, then sewing darts in the four quarters. The 4 dart edges on each side shall be joined with the stitch line continued across to the opposite four dart edges and repeating again for closing the other two darts.

Dimensions: In a relaxed state, the cap shall measure approximately 12" high with a half width of approximately 8".

Labels: Identification, size, and care labels shall be attached to the cap or sewn into the crown seam.

Sizes:

Regular Medium

Regular Extra Large

Item shall be VF Imagewear Style No. ND7191 or equal.

SPECIFICATIONS
Item A - 21

Cap, Unisex Green Gore-Tex and Mouton Fur Trooper Style
Unisex Green Mouton Fur Trooper Cap

GENERAL DESCRIPTION

"Trooper style" Borg Pile fur trimmed hat.

Basic Material: The material shall be Forest Green two-ply Taslan nylon Gore-Tex fabric.

Strap: Made of same material as crown, 5/8" wide, metal snap slide and metal clip at end of strap.

Fur: Dark brown, first quality mouton fur.

Lining: Black zigzag quilted pattern sateen acetate or equal with insulating layer.

Sweatband: Same material as lining with an inner stiffening of quality crinoline or equal sewn to the cap.

Construction: The crown shall be constructed of four pieces extending laterally from front to back, each of the center two pieces to be approximately 3" wide, finished at the crown, tapering to approximately 2-1/2" inches at the back. Each of the sidepieces shall be approximately 3-1/2" at the maximum height when assembled. The same type of material shall be used as backing for the ear and neck flaps, as well as the front visor. The ear and neck flaps shall be of single piece construction. Note: Dimensions may vary within normal commercial tolerances in proportion to the size of the cap.

Visor: The visor (peak) shall be approximately 7" wide at the base of the crown, the visor to be cut on a radius so that an approximate height of 3" is achieved after being assembled to the crown, folded, and fastened. A heavy-duty snap fastener shall be provided to secure the visor to the crown of the cap so that the visor can be worn in an elevated position.

Labels: The cap shall be manufactured with logo, identification label, certification label, size, and care instruction label. Each cap shall have a proper cloth label.

Sizes:
S - 2XL

Item shall be VF Imagewear Style No. NP7113 or equal.

SPECIFICATIONS

Item A - 22

Pant, Male Dura Kap Work Men's Brown Work Pant

GENERAL DESCRIPTION

Men's brown Dura Kap work pant with 2-piece folder set waistband with outlet at band. Two-piece innerlined curtain band joined at outlet. Quarter top front folder set pockets. Hip pocket welts set in. Belt loops attached by bartacking through from outside at top and bottom of each loop. Darts above hip pockets.

Basic Material: Body fabric of 65% polyester/35% combed cotton, 8 oz. per sq. yd. 2 x 1 twill durable press finish. Front and hip pockets 65% polyester/35% cotton. Waistbanding 65% polyester/35% cotton drill, 100% polyester woven innerlining.

Mainseams: Inseams and outseams sewn with 1/4" gauge safety stitch. Pockets constructed by super safety stitch method. Bottom hems double turned blindstitched on finished length pants. All seams sewn with polyester thread.

Waistband: Folder set curtain band, stitched down. Minimum 1/2" wide belt loops, stitched through.

Hip Pockets: Set with set-in welt. Button/buttonhole on left pocket.

Fly: Right fly lined with pocketing fabric. Right and left fly bartacked together through outside above bottom of zipper.

Hem: Double turned blindstitch hem on finished length pant.

Size:

Short	32 – 38 Even Only
Regular	28 – 38 All
Regular	40 – 58 Even Only
Long	32 – 56 Even Only
X-Long	30 – 46 Even Only

Item shall be VF Imagewear Style No. PT20BN or equal.

SPECIFICATIONS

Item A - 23

Pant, Female Dura Kap Work Women's Brown Work Pant

GENERAL DESCRIPTION

Brown Dura Kap work pant with 2-piece folder set waistband with outlet at band. Two-piece innerlined curtain band joined at outlet. Quarter top front folder set pockets. Hip pocket welts set in. Belt loops attached by bartacking through from outside at top and bottom of each loop. Darts above hip pockets.

Basic Material: Body fabric of 65% polyester/35% combed cotton, 8 oz per sq yd. 2 x 1 twill durable press finish. Front and hip pockets 65% polyester/35% cotton. Waistbanding 65% polyester/35% cotton drill, 100% polyester woven innerlining.

Mainseams: Inseams and outseams sewn with 1/4" gauge safety stitch. Seatseam sewn with tandem needle chainstitch. Outlet edges are serged. Pockets constructed by super safety stitch method. Bottom hems double turned blindstitched on finished length pants. All seams sewn with polyester thread.

Waistband: Folder set curtain band, stitched down. Minimum 1/2" wide belt loops, stitched through.

Hip Pockets: Set with set-in welt. Button/buttonhole on left pocket.

Bartacks: 42 stitch bartacks at corners of hip pocket openings. 28 stitch bartacks on front pocket openings, inside front pocket at sideseam, crotch at base of fly, flys together, outlet, top, and bottom of belt loops.

Fly: Right fly lined with pocketing fabric. Right and left fly bartacked together through outside above bottom of zipper.

Hem: Double turned blindstitch hem on finished length pant.

Size:

Petite	2 - 16, Non-Standard
Regular	2 - 28 Even Only
Tall	6 - 24 Even Only

Item shall be VF Imagewear Style No. PT20BN or equal.

SPECIFICATIONS**Item A - 24****Mock Turtleneck, Unisex Brown
Unisex Brown Mock Turtleneck****GENERAL DESCRIPTION**

Generous cut with extra long tails allow for mobility even when worn over body armor. Reinforced elastic shoulder seams for added strength. Coverstitch neck and shoulder seams for great looks and superior durability. Seamless neck, cuffs, and body for pure comfort. Machine washable. Union made in USA.

Fabric: Pre-shrunk 100% combed-cotton jersey knit provides maximum comfort, durability, and minimal care. Improved 7.25-oz neck and cuffs feature a premium blend of Lycra® Spandex for superior shape retention.

Sizes:

S-3XL

Item shall be VF Imagewear Style No. WV5103 or equal.
Manufactured by Lee.

SPECIFICATIONS

Item A - 25

Shirt, Male Tan Long Sleeve Poplin Men's Long Sleeve Tan Shirt

GENERAL DESCRIPTION

New Dimension poplin long sleeved men's shirt with military creases, epaulets, and badge tab.

Fabric: New Dimension Swift Galey style 5409, 4.5 oz sq yd 65% Dacron® polyester/35% combed cotton in the color tan with 9 - 11% filling stretch to enhance comfort and mobility.

Creasing: The 2 military creases in front and 3 in back of each shirt incorporate a permanent modified silicone crease produced by the Lintrak® System.

Front: The left front has a self-fabric center pleat extending from collar band to bottom of shirt. The center pleat is interlined with 100% polyester, 250 denier. A self-lined button stand is on the right side and extends from collar band to bottom of shirt. There are 6 front buttons and 1 collar band button.

Collar: The collar is banded. The points are minimum 2-3/4" and maximum 3" in length and top stitched. The interlinings are 100% polyester, 250 denier. The inside collar band is self-goods, cut in filling direction to enhance stretch properties. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with 1 button.

Yoke: Two-piece yoke of self-goods cut in filling direction to enhance stretch. The back of the yoke is topstitched.

Sleeves: Each sleeve has a 1-piece pointed placket. Cuffs close with 2 buttons and buttonholes. Cuffs are interlined.

Pockets: Two breast pockets with mitered corners. Woven hook fastener is placed on each pocket to secure woven loop fastener placed on each flap. Flaps are scalloped.

Epaulets: Sewn into sleeve head seam and measure approximately 1-7/8" tapering to approximately 1-1/2" with end pointed. Epaulets are set approximately 1" from the

collar seam. They are box-stitched to shoulders and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

Shirt Labeling: Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content, and country of origin labeling.

Buttons: 20-ligne melamine buttons dyed to match the fabric color.

Packing: Shirts are polybagged individually.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Size:

Neck	Sleeve
14	31-33
14.5	31-34
15	31-35
15.5	31-36
16	32-36 – Standard – 31 Non-Standard
16.5	32-36 – Standard – 31 Non-Standard
17	32-37 – Standard – 31 Non-Standard
17.5	32-37 – Standard – 31 Non-Standard
18	32-36 – Standard – 31 Non-Standard
18.5	33-37
19	33-36
20	35-36 – Standard – 33 and 34 Non-Standard
21	33-36 – Non-Standard
22	33-36 – Non-Standard

Item shall be VF Imagewear Style No. H51115 or equal.

SPECIFICATIONS**Item A - 26****Shirt, Male Tan Short Sleeve Poplin
Men's Short Sleeve Tan Shirt****GENERAL DESCRIPTION**

New Dimension poplin short-sleeved men's shirt with military creases, epaulets, and badge tab.

Fabric: Swift Galey style 5409, 4.5 oz sq yd 65% Dacron® polyester/35% combed cotton in the color tan with 9 11% filling stretch to enhance comfort and mobility.

Creasing: The 2 military creases in front and 3 in back of each shirt incorporate a permanent modified silicone crease produced by the Lintrak® System.

Front: The left front has a self-fabric center pleat extending from collar band to bottom of shirt. The center pleat is interlined with 100% polyester, 250 denier. A self-lined button stand is on the right side and extends from collar band to bottom of shirt. There are minimum of 6 front buttons and 1 collar band button.

Collar: Convertible collar shall be a minimum 2-3/4" and a maximum 3" long at points and is topstitched. The interlinings are 100% polyester, 250 denier. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf.

Yoke: Two-piece yoke of self-goods cut in filling direction to enhance stretch. The back of the yoke is topstitched.

Sleeves: Sleeves are 1 piece. Sleeve setting and closing are sewn with an overedge and safety stitch. The sleeve is bartacked at the hem.

Pockets: Two breast pockets with mitered corners. Woven hook fastener is placed on each pocket to secure woven loop fastener placed on each flap. Flaps are scalloped.

Epaulets: Sewn into sleeve head seam and measure approximately 1-7/8" tapering to approximately 1-1/2" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

Shirt Labeling: Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content, and country of origin labeling.

Buttons: 20-ligne melamine buttons dyed to match the fabric color.

Packing: Shirts are polybagged individually.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

14.5
15
15.5
16
16.5
17
17.5
18
18.5
19.5
20.5

Item shall be VF Imagewear Style No. H51211 or equal.

SPECIFICATIONS

Item A - 27

Shirt, Female Tan Long Sleeve Poplin Women's Long Sleeve Tan Shirt

GENERAL DESCRIPTION

New Dimension poplin long-sleeved women's shirt with military creases, epaulets, and badge tab.

Fabric: Swift Galey style 5409, 4.5 oz. sq. yd. 65% Dacron® polyester/35% combed cotton in the color tan with 9-11% filling stretch to enhance comfort and mobility.

Creasing: The 2 military creases in front and 3 in back of each shirt incorporate a permanent modified silicone crease produced by the Lintrak® System.

Front: The right front has a self-fabric center pleat extending from collar band to bottom of shirt. The center pleat is interlined with 100% polyester, 250 denier. Buttons are strongly attached through 2 thicknesses of material forming left front. They correspond to each buttonhole. There are minimum of 6 front buttons and 1 collar band button.

Collar: The collar is banded. The points are minimum 2-3/4" and maximum 3" and top stitched. The interlinings are 100% polyester, 250 denier. The inside collar band is of self-goods cut in filling direction to enhance stretch properties. Permanent collar stays of proper length are fused or sewn inside the collar so that no stitches are made through the bottom leaf.

Yoke: Two-piece yoke of self-goods cut in filling direction to enhance stretch. The back of the yoke is topstitched 1/16".

Sleeves: Each sleeve has a 1-piece pointed placket, Cuffs close with 2 buttons and 2 buttonholes. Cuffs are interlined.

Pockets: Two breast pockets with mitered corners. Woven hook fastener is placed on each pocket to secure woven loop fastener placed on each flap. Flaps are scalloped

Epaulets: Sewn into sleeve head seam and measure approximately 1-7/8" tapering to 1-1/2" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

Shirt Labeling: Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content, and country of origin labeling.

Buttons: 20 ligne melamine buttons dyed to match the fabric color.

Packing: Shirts are polybagged individually.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
S – 2XL

Item shall be VF Imagewear Style No. HS1168 or equal.

SPECIFICATIONS

Item A - 28

Shirt, Female Tan Short Sleeve Poplin Women's Short Sleeve Tan Shirt

GENERAL DESCRIPTION

New Dimension poplin short-sleeved women's shirt with military creases, epaulets, and badge tab.

Fabric: Swift Galey style 5409, 4.5 oz sq yd 65% Dacron® polyester/35% combed cotton with 9-11% filling stretch to enhance comfort and mobility.

Creasing: The 2 military creases in front and 3 in back of each shirt incorporate a permanent modified silicone crease produced by the Lintrak® System.

Front: The left front has a self-fabric center pleat extending from neckline to bottom of shirt interlined with 100% polyester, 250 denier. It has 2 rows of stitching. Left front has a reverse facing, which extends from neckline to bottom of shirt. The left front has a minimum of 6 buttons. The right front buttons over the left front.

Collar: Convertible collar shall be a minimum 2-3/4" and a maximum 3" long at points and is top stitched. The interlinings are 100% polyester, 250 denier. Permanent collar stays of proper length are fused or sewn inside the collar so that no stitches are made through the bottom leaf.

Yoke: Two-piece yoke of self-goods cut in filling direction to enhance stretch. The back of the yoke is topstitched.

Sleeves: Sleeves are 1 piece. Sleeve setting and closing are sewn with an overedge and safety stitch. The sleeve is bartacked at the hem.

Pockets: Two breast pockets with mitered corners. Woven hook fastener is placed on each pocket to secure woven loop fastener placed on each flap. Flaps are scalloped.

Epaulets: Sewn into sleeve head seam and measure approximately 1-7/8" tapering to approximately 1-1/2" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.

Shirt Labeling: Each garment is identified by permanent size label, style number, cut number, manufacturing RN number, care, content, and country of origin labeling.

Buttons: 20 ligne melamine buttons dyed to match the fabric color.

Packing: Shirts are polybagged individually.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:
S – 2XL

Item shall be VF Imagewear Style No. HS1269 or equal.

SPECIFICATIONS**Item A - 29****Watch Cap, Unisex Brown Recycled Fleece
Unisex Brown Watch Cap****GENERAL DESCRIPTION**

Fleece cap shall be a watch style cap or equal.

Basic Material: The material shall be 100% recycled plastic fleece. The weight shall be 8 oz/sq yd. The color shall be Brown.

Construction: The cap shall be formed by folding an appropriate length body back on itself for the band, and the crown shall be formed by cutting the fabric into 4 quarters, then sewing darts in the 4 quarters. The 4 dart edges on each side shall be joined with the stitch line continued across to the opposite 4 dart edges and repeating again for closing the other 2 darts.

Dimensions: In a relaxed state, the cap shall measure approximately 12" high with a half width of approximately 8".

Labels: See references and requirements section. Identification, size, and care labels shall be attached to the cap or sewn into the crown seam.

Sizes:

Regular Medium

Regular Extra Large

Item shall be VF Imagewear Style No. FS7112 or equal.

SPECIFICATIONS**Item A - 30****Trooper Cap, Unisex Brown Gore-Tex and Mouton Fur
Unisex Brown Mouton Fur Trooper Cap****GENERAL DESCRIPTION**

Brown nylon mouton fur trim trooper cap with brown shell with earflaps and chin strap.

Fabric: Mouton Fur Trim

Shell: 100% Taslan Nylon Goretex

Sizes:

S- XXL

Item shall be VF Imagewear Style No. WV7100B or equal.

SPECIFICATIONS**Item A - 31****Pant, Female Brown 1/2 Elastic Waist Twill
Women's Brown Twill Pant****GENERAL DESCRIPTION**

Women's brown poly-cotton twill 1/2 elastic waist pant.

Style: Zipper front closure, back waistband has minimum 1 1/2" elastic inserted with 4 rows of stitching. Quarter top front pockets with separate facings. Single hook and eye at waistband.

Fabric: Body fabric 65% polyester/35% cotton 8-1/4 oz per sq yd 2 x 1 twill, durable press finish, vat thermosol dyed. Front pockets 65% polyester/35% cotton drill, 5.1 oz per sq yd Elastic 2" wide Spandex covered by 100% polyester.

Closures: Waistband closed with #8 nickel hook and eye. Zipper size 45 solid brass, ratcheting slider.

Mainseams: Side seam, inseam, and back seatseam joined with safety stitch with overedge stitching. Pant joined from base of fly to inseam with single needle lockstitch. Elastic set with four needle chainstitch. Pockets constructed by super safety stitch method. All seams sewn with polyester thread.

Packaging: Pant type fold.

Size:

4 - 28

Item shall be VF Imagewear Style No. PT59BN or equal.

SPECIFICATIONS**Item A - 32****Shirt, Male Tan Long Sleeve Poplin Work
Men's Tan Long Sleeve Work Shirt****GENERAL DESCRIPTION**

Tan poplin long-sleeved work shirt. **Agency logo to be embroidered on left chest area.**

Style: Two-piece, lined collar. Sewn-in stays in collar. Fronts have stitched down front hems and vertical buttonholes. Two button thru hex pockets. Separate 2-piece yoke.

Fabric: Body fabric is TouchTex II® 65% polyester/35% combed cotton, 4.25 oz per sq yd poplin durable press finish, vat thermosal dyed, cuff lining 100% cotton. Cuff lining 50% polyester/50% cotton.

Finish: Pre-cure durable press w/soil release and wickable finish.

Closures: Front- One 16 ligne stainless steel gripper at neck. A minimum of 8 buttons w/ vertical buttonholes. 20 ligne 4-hole melamine buttons. Cuffs have 1 each 20 ligne four-hole melamine buttons. Pockets have 1 each 20 ligne 4-hole melamine buttons.

Collar: Two-piece lined collar, sewn-in stays, pointed, no topstitch. Collar cut on bias for a natural drape.

Cuffs: One piece, fully lined. No topstitch.

Pockets: Two button-thru hex style pockets. Diagonal bartacks at corner openings for reinforcement. Vertical bartack pencil stall in left pocket. No pocket flaps

Fronts: Both front hems stitched down. Vertical buttonholes.

Backs: Two-piece cut off yoke.

Finish: TouchTex II finish offers Permanent Softness, Moisture Management, Permanent Stain Release, Color Protection, and Durability.

Size:

Neck	Sleeve
14	31-33
14.5	31-34
15	31-35
15.5	31-36
16	32-36 – Standard – 31 Non-Standard
16.5	32-36 – Standard – 31 Non-Standard
17	32-37 – Standard – 31 Non-Standard
17.5	32-37 – Standard – 31 Non-Standard
18	32-36 – Standard – 31 Non-Standard
18.5	33-37
19	33-36
20	35-36 – Standard – 33 and 34 Non-Standard
21	33-36 – Non-Standard
22	33-36 – Non-Standard

Item shall be VF Imagewear Style No. SP14/LT or equal.

SPECIFICATIONS**Item A - 33****Shirt, Male Tan Short Sleeve Poplin Work
Men's Tan Short Sleeve Work Shirt****GENERAL DESCRIPTION**

Tan poplin short-sleeved work shirt. **Agency logo to be embroidered on left chest area.**

Style: Two-piece, lined collar. Sewn-in stays in collar. Fronts have stitched down front hems and vertical buttonholes. Two button thru hex pockets. Separate 2-piece yoke.

Fabric: Body fabric is TouchTex II® 65% polyester/35% combed cotton, 4.25 oz. per sq. yd. poplin durable press finish, vat thermosal dyed, cuff lining 100% cotton. Cuff lining 50% polyester/50% cotton.

Finish: Pre-cure durable press w/soil release and wickable finish.

Closures: Front-One 16 ligne stainless steel gripper at neck. 9 buttons w/ vertical buttonholes. 20 ligne 4-hole melamine buttons. Cuffs have 1 each 20 ligne four-hole melamine buttons. Pockets have 1 each 20 ligne 4-hole melamine buttons.

Collar: Two-piece lined collar, sewn-in stays, pointed, no topstitch. Collar cut on bias for a natural drape.

Pockets: Two button-thru hex style pockets. Diagonal bartacks at corner openings for reinforcement. Vertical bartack pencil stall in left pocket. No pocket flaps

Fronts: Both front hems stitched down. Vertical buttonholes.

Backs: Two-piece cut off yoke.

Hems: Bottom hem 1/4" double turn (fish tail shaped bottom). Short sleeve hem 5/8" double turn single needle stitch.

Finish: TouchTex II finish offers Permanent Softness, Moisture Management, Permanent Stain Release, Color Protection, and Durability.

Size:

14.5

15

15.5

16

16.5

17

17.5

18

18.5

19.5

20.5

Item shall be VF Imagewear Style No. SP24/LT or equal.

SPECIFICATIONS**Item A - 34****Shirt, Female Tan Long Sleeve Poplin Work
Women's Tan Long Sleeve Work Shirt****GENERAL DESCRIPTION**

Tan poplin long sleeved work shirt. **Agency logo to be embroidered on left chest area.**

Style: Two-piece, lined collar. Sewn-in stays in collar. Fronts have stitched down front hems and vertical buttonholes. Two button thru hex pockets. Separate 2-piece yoke.

Fabric: Body fabric is TouchTex II® 65% polyester/35% combed cotton, 4.25 oz per sq yd poplin durable press finish, vat thermosal dyed, cuff lining 100% cotton. Cuff lining 50% polyester/50% cotton.

Finish: Pre-cure durable press w/soil release and wickable finish.

Closures: Front-One 16 ligne stainless steel gripper at neck. 9 buttons w/ vertical buttonholes. 20 ligne 4-hole melamine buttons. Cuffs have 1 each 20 ligne four-hole melamine buttons. Pockets have 1 each 20 ligne 4-hole melamine buttons.

Collar: Two-piece lined collar, sewn-in stays, pointed, no topstitch. Collar cut on bias for a natural drape.

Cuffs: One piece, fully lined. No topstitch.

Pockets: Two button-thru hex style pockets. Diagonal bartacks at corner openings for reinforcement. Vertical bartack pencil stall in left pocket. No pocket flaps

Fronts: Both front hems stitched down. Vertical buttonholes.

Backs: Two-piece cut off yoke.

Finish: TouchTex II finish offers Permanent Softness, Moisture Management, Permanent Stain Release, Color Protection, and Durability.

Size:

S – 2XL

Item shall be VF Imagewear Style No. HS1168 or equal.

SPECIFICATIONS**Item A - 35****Shirt, Female Tan Short Sleeve Poplin Work
Women's Tan Short Sleeve Work Shirt****GENERAL DESCRIPTION**

Tan poplin short-sleeved work shirt. **Agency logo to be embroidered on left chest area.**

Style: Two-piece, lined collar. Sewn-in stays in collar. Fronts have stitched down front hems and vertical buttonholes. Two button thru hex pockets. Separate 2-piece yoke.

Fabric: Body fabric is TouchTex II® 65% polyester/35% combed cotton, 4.25 oz per sq yd poplin durable press finish, vat thermosal dyed, cuff lining 100% cotton. Cuff lining 50% polyester/50% cotton.

Finish: Pre-cure durable press w/soil release and wickable finish.

Closures: Front-One 16 ligne stainless steel gripper at neck. 9 buttons w/ vertical buttonholes. 20 ligne 4-hole melamine buttons. Cuffs have 1 each 20 ligne four-hole melamine buttons. Pockets have 1 each 20 ligne 4-hole melamine buttons.

Collar: Two-piece lined collar, sewn-in stays, pointed, no topstitch. Collar cut on bias for a natural drape.

Pockets: Two button-thru hex style pockets. Diagonal bartacks at corner openings for reinforcement. Vertical bartack pencil stall in left pocket. No pocket flaps.

Fronts: Both front hems stitched down. Vertical buttonholes.

Backs: Two-piece cut off yoke.

Hems: Bottom hem 1/4" double turn (fish tail shaped bottom). Short sleeve hem 5/8" double turn single needle stitch.

Finish: TouchTex II finish offers Permanent Softness, Moisture Management, Permanent Stain Release, Color Protection, and Durability.

Size:

Regular S – 4XL

Long M – 5XL

Item shall be VF Imagewear Style No. HS3353 or equal.

SPECIFICATIONS**Item A - 36****Shirt, Unisex Tan Pique Cotton Short Sleeve Polo
Tan Unisex Polo Shirt Short Sleeve****GENERAL DESCRIPTION:**

Tan short-sleeved pique cotton polo shirt with (3) three tortoise shell buttons with lined placket. Soil release with wickable finish. No pocket. 1 x 1 corded rib trimmed collar and cuffs. Two needle topstitching on armholes, shoulders, and cuffs. Agency logo to be embroidered on left chest area.

Fabric: 6.5 oz. Pique Knit, 50% Cotton / 50% Polyester

Color: Tan

Size:
S - 3XL

Polo shirt to be Red Cap Item No. SK72KH2 or equal.

SPECIFICATIONS**Item A - 37****Shirt, Female Tan short sleeve Smock**

GENERAL DESCRIPTION: Women's Tan 5oz performance blend poplin smock short sleeve with 2 lower French-hemmed front pockets. Agency logo to be embroidered on left chest area.

Fabric: 80% polyester 20% combed cotton

Feature: Loose fit with short sleeve and mock French cuffs with two lower French-hemmed pockets with 4 button closure.

Size:

Regular S-3XL

Item shall be Red Kap Style No. TP23TN5 or equal

Bid Sheet Used for Evaluation of Part A

Item number	Description	Size	Estimated Annual Usage	Bid Price	Total
A-1	Summer Dress Trouser, Male Green	All	60	\$ No	\$ BID
A-2	Summer Dress Trouser, Female Green	All	8	\$	\$
A-3	Summer Dress Skirt, Female Green	All	1	\$	\$
A-4	Field Trouser, Male Green Twill	All	43	\$	\$
A-5	Field Trouser, Female Green Twill	All	4	\$	\$
A-6	Gloves, Male Black Leather Insulated	All	7	\$	\$
A-7	Gloves, Female Black Leather Insulated	All	1	\$	\$
A-8	Winter Dress Trouser, Male Green	All	14	\$	\$
A-9	Winter Dress Trouser, Female Green	All	1	\$	\$
A-10	Winter Dress Skirt, Female Green	All	1	\$	\$
A-11	Socks, Unisex wigwam cool-lite pro	All	80	\$	\$
A-12	Socks, Unisex Black Over-The-Calf-Boot	All	168	\$	\$
A-13	Tie, Unisex Black 14" Clip-on Tie	All	3	\$	\$
A-14	Tie, Unisex Black 17" Clip-on Tie	All	6	\$	\$
A-15	Tie, Unisex Black 19" Clip-on Tie	All	13	\$	\$
A-16	Tie, Unisex Black 18" Standard Velcro	All	3	\$	\$
A-17	Tie, Unisex Black 20" Standard Velcro	All	5	\$	\$
A-18	Sweater, Unisex Green Commando	All	3	\$	\$
A-19	Mock Turtleneck, Unisex Black Long Sleeve	All	17	\$ ✓	\$ ✓

A-20	Fleece Watch Cap, Unisex Green	All	25	\$ <u>150</u>	\$ <u>BID</u>
A-21	Trooper Cap, Unisex Green Mouton Fur	All	3	\$	\$
A-22	Work Pant, Male Dura Kap	All	1189	\$	\$
A-23	Work Pant, Female Dura Kap	All	20	\$	\$
A-24	Mock Turtleneck, Unisex Brown	All	139	\$	\$
A-25	Poplin Shirt, Male Tan Long Sleeve	All	304	\$	\$
A-26	Poplin Shirt, Male Tan Short Sleeve	All	985	\$	\$
A-27	Poplin Shirt, Female Tan Long Sleeve	All	10	\$	\$
A-28	Poplin Shirt, Female Tan Short Sleeve	All	10	\$	\$
A-29	Fleece Watch Cap, Unisex Brown	All	20	\$	\$
A-30	Trooper Cap, Unisex Brown Mouton Fur	All	19	\$	\$
A-31	Twill Pant, Female Brown	All	82	\$	\$
A-32	Poplin Work Shirt, Male Tan Long Sleeve	All	6	\$	\$
A-33	Poplin Work Shirt, Male Tan Short Sleeve	All	61	\$	\$
A-34	Poplin Work Shirt, Female Tan Long Sleeve	All	10	\$	\$
A-35	Poplin Work Shirt, Female Tan Short Sleeve	All	10	\$	\$
A-36	Polo Shirt, Unisex Tan Short Sleeve	All	260	\$	\$
A-37	Smock, Female Short Sleeve	All	115	\$	\$
TOTAL BID FOR PART A				\$	\$

SPECIFICATIONS**Item B -1****Raincoat, Unisex Black Reversible Full Length
Unisex Reversible Raincoat****GENERAL DESCRIPTION**

Black reversible raincoat with orange lining. Full-cut 50" raincoat reverses to orange color for high visibility. Raincoat should have sealed seams and storm/snap front for full protection. Has pass-through pocket, nylon zipper, raglan sleeves, and badge tab.

Fabric: 100% Nylon; Black/Orange

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

S-5XL

Item shall be VF Imagewear Style No. WV3101B or equal.

SPECIFICATIONS
Item B-2

Jacket, Male Green 16 oz 55/45 P/W Elastique Ike Style
Men's Service Dress Jacket

GENERAL DESCRIPTION

Eisenhower jacket with zipper front and one-piece back, rolled collar with peak lapels, two front patch pockets pleated with scalloped flaps, regular coat sleeves, and knit inserts at bottom of each side over hip.

Basic Material: Material shall be Raeford Style 646-168 or equal. Shade to match Raeford color 168 (Forest Green). Elastique weave, 16 – 16-1/2 oz per linear yard. 55% polyester/45% wool.

Fusible Interlinings: N/A.

Linings: The coat shall be fully lined. The material for lining fronts, sleeves, pocket, flaps and back shall be Rayon lining, 3.7 oz, color black, conforming to Class 1 of current issue of Military Specification MIL-C-368.

Thread: All thread, except #8 cotton gimp for buttonhole reinforcement, shall be cotton-covered polyester conforming to ticket numbers 70-2 ply 50-2 or 3 ply, and 30-2 or 3 ply of MIL-T-43548. Color of all thread shall be dyed to match shade of self-fabric.

Buttons: A small silver Waterbury Company Inc. "P" button or equal shall be inserted in each eyelet and fastened on the backside with a ring.

Zipper: A Talon #42 or equal zipper shall extend from bottom of lapel to bottom edge of front. Zipper shall be brass, separating style, with brass slides. Zipper tape shall be a polyester/cotton blend fabric dyed to match basic material. Zipper length shall vary according to body length or jacket.

Knitted band insert: Waistband insert shall be 2x2-ply rib 1/2 cardigan of 93% nylon/7% elastic. The shade shall be dyed to match outer fabric. It shall measure 4" wide by 2-7/8" high and shall start at the side seam over the hip to the back.

Shoulder Pads: Style #7, weight 1/2 ounce/pair of pads of 1/4 ounce/pad. Size is neck to shoulder, 4-1/4"; armhole to armhole as wrapped around shoulder, 9-1/4". Content is polyester foam.

Labels: The jacket shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Cutting: N/A.

Stitching: All seaming and stitching of jacket shall use ticket number 30 or 50 except that overedging stitching may use ticket number 70-2 ply.

Button Holes: A buttonhole shall be centered 1/2" from center point tip of pocket flap and shall be an uncut eyelet end, square bar type.

Front: One piece fronts with a chest patch pocket on each side. Zipper to extend from bottom of lapel to bottom edge of front. Front edges to be topstitched 1/4". Facings shall be of basic material and cut in one piece. Front facing shall extend from neckline seam to bottom and shall be no less than 5" at top, tapering to no less than 3" at the bottom.

Collar: Collar shall be one piece of basic material, having an interliner of a good quality collar canvas that shall be padded to the felt under collar. Collar and lapels shall be symmetrical in shape and be uniform in shape and size. Collar shall measure 1-5/8" from roll line at center back and 2" at notch. The lapels shall measure 4" at notch point and taper down to top of zipper. The collar shall cover the neck seams, fit the neck without caving in or sagging over shoulders, and fit the front shoulders neatly without looseness or folds under the collar. Collar and lapels shall be topstitched 1/4" from the edge.

Pocket Flaps: Front pocket flaps shall be constructed from basic material and lined with the 3.7 oz. Rayon lining fabric. Flaps, topstitched 3/16", are to be 3 pointed style 5-3/4" wide, 2-1/4" at side points, and 3" at center points. Top of flap shall be located 1/2" above top of pocket. A male snap component shall be located under each side point and shall be fastened to the lining and not show on the outside of the flap. Snaps shall not be sewn on.

Pockets: Two outside breast pleated patch pockets are made of self-material. Box pleat of pocket shall be 1-1/2" wide and sewn down to prevent spreading. Pockets shall be 5-5/8" wide by 6" deep with rounded corners at the bottom. The pocket shall be lined with the 3.7 oz. Rayon lining fabric. Pocket closure shall be by two 3/8" snaps located to correspond with male snaps on flap. Pocket shall be topstitched 3/16" from edge.

One piped slash pocket shall be located under right front and sewn into the jacket lining. The pocket shall be constructed from the 3.7 oz. Rayon lining fabric and shall finish 5-1/2" wide and 6" deep.

Sleeves: The two-piece sleeve shall be set and joined with fullness properly distributed over the sleeve head, and shall hang uniformly straight. Cloth sweat shields of basic material shall have edges piped with good quality Rayon binding. Sweat shields shall be stitched down all around. Sleeves shall be hand felled at top half of armhole and machine stitched at bottom half. Sleeves shall be fully lined with the 3.7 oz. Rayon lining fabric with a 1-1/2" minimum turn under at the bottom of the sleeve.

Badge Reinforcement: Black enameled badge holder, Waterbury No. 9705, or equal, shall be placed above the left pocket flap, centered, and sewn on by hand. Base of holder shall be 1/2" above top of pocket flap.

Bottom: Bottom-lining hem shall be turned under not less than 5/8" and securely stitched. Lining shall not be visible on outside of jacket. The self-goods turned up at the bottom of the jacket shall be a minimum of 2-1/2".

Lining: The seam allowance of the lining shall be tacked to corresponding side seam and sleeve seam allowances of the coat.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Short	38-44, 50 Standard, 34 and 46 Non-Standard
Regular	38-54 Standard, 34 Non-Standard
Long	38-56 Standard
X-long	40-54 Standard

Item shall be VF Imagewear Style No. NP4102 or equal.

SPECIFICATIONS**Item B-3****Jacket, Female Green 16 oz 55/45 P/W Elastique Ike Style
Women's Service Dress Jacket****GENERAL DESCRIPTION**

Eisenhower jacket with zipper front and one-piece back, rolled collar with peak lapels, two front patch pockets pleated with scalloped flaps, regular coat sleeves, and knit inserts at bottom of each side over hip.

Basic Material: Material shall be Raeford Style 646-168 or equal. Shade to match Raeford color 168 (Forest Green). Elastique weave, 16 – 16-1/2 oz per linear yard. 55% polyester/45% wool.

Linings: The coat shall be fully lined. The material for lining fronts, sleeves, pocket, flaps, and back shall be Rayon lining, 3.7 ounce, color black, conforming to Class 1 of current issue of Military Specification MIL-C-368.

Thread: All thread, except #8 cotton gimp for buttonhole reinforcement, shall be cotton-covered polyester conforming to ticket numbers 70-2 ply 50-2 or 3 ply, and 30-2 or 3 ply of MIL-T-43548. Color of all thread shall be dyed to match shade of self-fabric.

Buttons: A small silver Waterbury Company Inc. "P" button or equal shall be inserted in each eyelet and fastened on the backside with a ring.

Zipper: A Talon #42 or equal zipper shall extend from bottom of lapel to bottom edge of front. Zipper shall be brass, separating style, with brass slides. Zipper tape shall be a polyester/cotton blend fabric dyed to match basic material. Zipper length shall vary according to body length or jacket.

Knitted band insert: Waistband insert shall be 2x2-ply rib 1/2 cardigan of 93% nylon/7% elastic. The shade shall be dyed to match outer fabric. It shall measure 4" wide by 2-7/8" high and shall start at the side seam over the hip to the back.

Shoulder Pads: Style #7, weight 1/2 ounce/pair of pads of 1/4 ounce/pad. Size is neck to shoulder, 4"; armhole to armhole as wrapped around shoulder, 8". Content is polyester foam.

Labels: The shirt shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: All seaming and stitching of jacket shall use ticket number 30 or 50 except that overedging stitching may use ticket number 70-2 ply.

Button Holes: A buttonhole shall be centered $\frac{1}{2}$ " from center point tip of pocket flap and shall be an uncut eyelet end, square bar type.

Front: One piece fronts with a chest patch pocket on each side. Zipper to extend from bottom of lapel to bottom edge of front. Front edges to be topstitched $\frac{1}{4}$ ". Facings shall be of basic material and cut in one piece. Front facing shall extend from neckline seam to bottom and shall be no less than 5" at top, tapering to no less than $3\frac{1}{2}$ " at the bottom.

Darts: Shall be formed by cutting a small notch in the top of front panel and sewing it back together. Dart shall begin in the shoulder seam and follow the breast line to approximately the center of the top pocket.

Collar: Collar shall be one piece of basic material, having an interliner of a good quality collar canvas that shall be padded to the felt under collar. Collar and lapels shall be symmetrical in shape and be uniform in shape and size. Collar shall measure $1\frac{5}{8}$ " from roll line at center back and 2" at notch. The lapels shall measure $3\frac{1}{2}$ " at notch point and taper down to top of zipper. The collar shall cover the neck seams, fit the neck without caving in or sagging over shoulders, and fit the front shoulders neatly without looseness or folds under the collar. Collar and lapels shall be topstitched $\frac{1}{4}$ " from the edge.

Pocket Flaps: Front pocket flaps shall be constructed from basic material and lined with the 3.7 oz Rayon lining fabric. Flaps, topstitched $\frac{3}{16}$ ", are to be 3 pointed style $5\frac{1}{2}$ " wide, $2\frac{1}{2}$ " at side points and at center points. Top of flap shall be located $\frac{1}{2}$ " above top of pocket. A male snap component shall be located under each side point and shall be fastened to the lining and not show on the outside flap. Snaps shall not be sewn on.

Pockets: Two outside breast-pleated patch pockets of self-material. Box pleat of pocket shall be $1\frac{3}{8}$ " wide and sewn down to prevent spreading. Pockets shall be $5\frac{1}{4}$ " wide by 6" deep with rounded corners at the bottom. The pocket shall be lined with the 3.7 oz. Rayon lining fabric. Pocket closure shall be by two $\frac{3}{8}$ " snaps located to correspond with male snaps on flap. Pocket shall be topstitched $\frac{3}{16}$ " from edge.

One piped slash pocket shall be located under left front and sewn into the jacket lining. The pocket shall be constructed from the 3.7 oz Rayon lining fabric and shall finish 5" wide and $5\frac{1}{2}$ " deep.

Sleeves: The two-piece sleeve shall be set and joined with fullness properly distributed over the sleeve head, and shall hang uniformly straight. Cloth sweat shields of basic material shall have edges piped with good quality Rayon binding. Sweat shields shall be stitched down all around. Sleeves shall be hand felled at top half of armhole and machine stitched at bottom half. Sleeves shall be fully lined with the 3.7 oz Rayon lining fabric with a 1½" minimum turn under at the bottom of the sleeve.

Badge Reinforcement: Black enameled badge holder, Waterbury No. 9705, or equal, shall be placed above the left pocket flap, centered, and sewn on by hand. Base of holder shall be 1/2" above top of pocket flap.

Bottom: Bottom-lining hem shall be turned under not less than 5/8" and securely stitched. Lining shall not be visible on outside of jacket. The self-goods turned up at the bottom of the jacket shall be a minimum of 2-1/2".

Lining: The seam allowance of the lining shall be tacked to corresponding side seam and sleeve seam allowances of the coat.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall to be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Petite	2 - 14
Regular	2 - 26
Tall	8 - 22

Item shall be VF Imagewear Style No. NP4105 or equal.

SPECIFICATIONS
Item B - 4

Jacket, Unisex Green New Generations®3 Waist Length with zip-in/out Liner
Unisex New Generations Jacket

NEW GENERATION®3 SPECIFICATIONS

FABRIC

Outershell: 100% Tactel® nylon, 4.0 oz. to 4.5 oz./square yard, plain weave
 Yarns: Warp 70 denier 34 filament single ply
 Weft 140 denier 102 filament two ply
 Thread Count: 108 x 72
 Color: Forest Green
 Finish: Hydroflex® coating. A polyurethane, monolithic coating. Double coated.
 Fabric must withstand 75 psi in a Mullins Hydrostatic test. Fabric must measure 2000 grams per square meter in a 24-hour period in a vapor pressure test.
 Permanent Lining: 104 X 86 thread count. 70 denier 100% nylon taffeta

Design: The jacket shall be a full cut, waist length model with two-way zipper front, Primaloft zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction with sealed seams shall be used throughout with body and sleeves being fully lined.

Body Detail: The front shall be plain with box-pleated patch pockets, flaps, and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2-1/2" shirred waistband with 2-1/2" heavy-duty elastic. The entire waistband is to be shirred with the exception of an area 5-1/2" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and snap closure. The shoulders shall have pads. A self-goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side. There shall be a 1-1/2" wide storm flap from the bottom of the collar to the bottom of the waistband on the right front to maintain windproof quality. There shall be three drop down panel access pockets with hook and loop closures; one located on each of the fronts and one located on the back of the jacket. There shall be a zipper track located at the center back neck concealed in a zipper garage for an optional hood.

Inside Detail: On the left side of the coat, there shall be a gun pocket installed on the permanent lining of the coat to accept a small frame handgun. The gun pocket shall have a minimum opening of 4-1/2" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closing. Bartacks shall reinforce the opening. There shall be two cut in pockets on the left and right sides measuring approximately 5-1/4" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip-in liner.

Sleeves: The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have hook and loop as well as elastic for adjustable fit.

Pockets: There shall be two patch pockets with box pleats, finishing approximately 6-1/4" wide and 7-1/2" deep. Flaps shall be scalloped and self-lined. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be self-lined with an opening of approximately 5 1/2" on the side. The left patch pocket is to have a pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked.

Collar: The stand-up collar shall be made using self-material. It shall be interlined with Pellon.

Epaulets: The epaulets shall be made of self-goods. They shall be sewn into the sleeve head seam, "X" stitched, and tacked to the jacket at the neck.

Badge Tab: The badge tab shall be made of the outer fabric and lined with pocketing being 2" tall by 1" wide. The first eyelet is 1/2" down from the top of the finished edge and the second is 1/2" up from the bottom-finished edge. The eyelets are spaced 1" from center to center. It shall be centered 2-1/2" above the left pocket flap.

Zipper: There shall be a YKK #5, two-way molded nylon zipper in the front, 11" nylon zipper on each side vent and a zipper at the center back neck.

Buttons and Snaps: The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. Flaps and epaulets shall close with 24 ligne metal buttons. Front fly shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.

Thread: All sewing is to be done with polyester core thread or 100% spun polyester thread.

Size Tag and Care Instructions: Each jacket shall have a sewn in woven size label. There shall also be a printed label with care instructions and each coat marked with lot number, size, fiber content, and WPL number.

PRIMALOFT LINER SPECIFICATIONS

Fabric:

Outershell: 160 x 90 70 denier downproof nylon taffeta
 Insulation: Primaloft, 2 - 3.0 oz body and sleeve from Albany Industries

Design: The liner is made over a full-cut long-sleeve liner pattern with side vents to accommodate side zip jackets.

Body Detail: The liner has long sleeves and knit wristlets with an anchor loop to accept buttons. The edges of the entire body are bound with 1-9/16" nylon bias binding. The side seams, shoulders, and sleeve seams are joined with a serge-sew safety-stitch machine. The armholes have knit inserts to allow freedom of movement.

Pocket: There is one lower right inside patch pocket. The pocket is bound with 1-9/16" nylon bias binding and is attached with a single-needle machine.

Zipper: There is a molded nylon zipper, with a center mark, attached to the liner, and interchangeable. The zipper must be of sufficient length to attach to the facing of a jacket.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Warranty: One year against workmanship or fabric defects.

Sizes:

Regular S - 4XL
 Long M - 5XL

Item shall be VF Imagewear Style No. H33351 or equal.

SPECIFICATIONS
Item B - 5

Jacket Overshell, Unisex Green Gore-Tex Waist Length with Badge Tab
Unisex Green Jacket Overshell

This garment is a waist length waterproof breathable jacket shell with a double front storm flap and a 2-way zipper and snap closures. The shell has two outside hand pockets, two inside pockets, and a shirred waistband. The shell is fully lined, uninsulated, and has an inside zipper for a zip-in-liner. The shells are designed to be worn over an insulated zip-in liner: Nylon taffeta Thinsulate liner waist length.

Basic Material: The material shall be 100% Taslan nylon – bonded to Gore-Tex film, Forest Green.

Linings: The shell shall be fully lined with a female snap 1" down from collar seam centered on lining back.

Thread: All thread shall be minimum size 60/36.

Buttons: The snaps shall be 20-ligne underpart with 24-ligne caps with a matching outershell color enamel finish.

Zippers: The front zipper shall be a plastic scoop type size 8 or equal. The zipper shall have a single pull, double sliders with long tabs. The sliders shall be located mouth-to-mouth. The tape shall be 5/8" wide. The inner pocket zippers shall be plastic continuous element style and the outer pocket zippers shall be continuous element style size 5 or equal. The pocket zippers shall be 7" long tab single pull sliders with a 5/8" wide tape. The inside "zip-in" zipper shall be a plastic scoop type size 5. The zipper shall be 20" long with a 5/8" wide tape.

Each front shall have an inside zipper track to allow inserting the insulated liner. The edge of the zipper shall be stitched flat next to the outside zipper. The teeth shall face towards the lining. The bottom ends of the zipper shall be backstitched. The slider shall be on the right front with the pull towards the shell lining. The zipper shall start at the collar seam and is 20" long.

Each front shall have an inside zipper track to allow inserting the insulated liner. The edge of the zipper shall be stitched flat next to the outside zipper. The teeth shall face towards the lining. The bottom ends of the zipper shall be backstitched. The slider shall be on the right front with the pull towards the shell lining. The zipper shall start at the collar seam and is 19" long.

Labels: The jacket overshell shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: All stitching shall be lockstitch type 301. Sleeves shall be set to front and back panels with full fell seams, 3/16" or 1/4" gauge. All closing seams shall be hot air sealed with sealing tape on the inside of the parka shell. Sealed seams and stitching shall show no leakage.

Collar: The collar and collar lining shall be made from the outershell fabric and interlined with a compatible nonwoven fabric. The top of the collar shall align with the top of the front weather flaps. The collar front edges shall be 3-1/2" wide and 3-1/2" wide at center back. The collar top shall be edge stitched 1/4" gauge and shall be 26" across the top. Four male snaps shall be located 1" up from the collar seam with 2 located 2-1/4" and 2 located 6-3/4" to either side of the back center line. A knitted collar shall be sewn into the inner collar seam and shall be 18" long. The knitted collar shall be 2" high at center back and taper off to each side. A 3/8" wide black nylon tape hanger loop 1-1/2" long shall be sewn into the inside collar seam at center back.

Front: The front shall have a 2-way zipper closure, which shall run from the top of the collar to the bottom of the jacket. The front length shall be a minimum of 26" long. The front zipper shall be 25" long. The right flap shall be 1-1/4" wide and shall be an extension of the right front. The outer (left) flap shall be 2-1/4" wide and shall be sewn between the outershell and the left zipper tape and lining fabric. The left flap shall be interlined with a suitable nonwoven fabric and edge stitched 1/4" gauge. The right flap shall be edge stitched 1/16" gauge. The half chest shall be 26-1/2" wide.

Snaps: Six female snaps shall be located on the outer flap 5/8" from the front edge. The top and bottom snaps shall be 5/8" from the panel top and bottom edges and 4 snaps shall be spaced equally between the second and bottom snaps. Male snaps shall be located 2" from the front edge of the under flap in locations corresponding to the female snaps.

Badge Reinforcement: Badge and name tabs shall be constructed from the outershell fabric. The tabs shall finish 1/2" wide with 1/8" topstitching. The tab ends shall be turned under 1/4" and attached to the front with bartacks 1/16" from the folded edge. The badge tab shall be 2" long with 2 sewn eyelets centered 15/16" apart. The badge tab shall be located on the left front in vertical alignment with the inner edge 3-3/4" from the left front fly edge and the top edge 6-1/4" below the front shoulder seam. The name tab shall be 3-1/4" long with 2 sewn eyelets centered 1-7/8" apart. The name tab shall be located on the right front in horizontal alignment with the inner edge 3-1/2" from the front zipper tape and the top edge 7-3/4" below the front shoulder seam.

Outer Pockets: A zippered hand warmer slash pocket with a waterproof covered flap shall be located on each front. The bottom of the pocket opening shall be 4-1/2" above the bottom front waistband and 2-3/4" from the side seam. The top of the pocket opening shall be 11-1/2" from the bottom waistband and 4" front the side seam. The flap shall be 9-1/4" long and 2-1/2" wide. The flap edges shall be topstitched 1/4" gauge. The pocket bag shall be outershell fabric and shall be 7" deep at center.

Inner Pockets: Zippered or hook and pile patch pockets shall be located under the left and right fronts. The pockets shall be a minimum of 7" wide by 7" deep with a 6-1/2" opening. The pockets shall be made from lining fabric.

Back: The back shall be plain and shall be 27-1/2" long at center back from collar seam to bottom waistband edge.

Sleeves: The sleeves shall be raglan, one-piece construction. The sleeve head shall be 6" wide at the collar seam and shall be 32" long from collar seam to bottom edge. The sleeve shall be fully lined. The bottom edge of the shell fabric shall be turned up to the inside with the bottom edge topstitched 1/16" gauge. The hem shall finish 3/4" wide. A 5" by 5/8" wide piece of pile tape shall be sewn to the outside of the sleeve on the hem located 2" from the closing seam and 3/8" up from the sleeve bottom. A 4-1/2" long tab shall be sewn into the closing seam at the bottom of the sleeve. The tab shall be 1" wide. A 2" by 1" piece of hook tape shall be sewn to the inside of the tab. The tab shall be one-piece construction from shell fabric and shall be stitched, turned and topstitched 1/8" gauge. A 1-1/4" long piece of black 3/4" wide webbing shall be caught 4" up from hemline of sleeve sewn in the lining sleeve-closing seam. A female snap shall be centered 1/2" from the free end.

Bottoms: The waistband shall consist of front tabs 7" long, side Shirred panels 11-1/2" long relaxed and a center back panel of 10" long.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge approximately 7" below the collar seam. (Raglan sleeves) The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Regular	XS-2XL
Long	M-2XL

Item shall be VF Imagewear Style No. WV3002 or equal.

SPECIFICATIONS
Item B -6

Parka Overshell, Unisex Green Gore-Tex Hip-Length Uninsulated
Unisex Parka Overshell

GENERAL DESCRIPTION

The garment is a hip length, Gore-Tex overshell with a front storm flap, a 2-way zipper, and snap closures. The overshell has an adjustable waist cord, zippered side vents, 2 outside hand pockets, and 2 inside pockets. The overshell is fully lined and un-insulated.

Basic Material: The material shall be 100% Taslan nylon-bonded to Gore-Tex film, Forest Green.

Linings: The overshell shall be fully lined.

Snaps: The snaps shall be 24-line with a matching outer shell color enamel finish.

Zippers: The front zipper shall be a plastic scoop type, size 8 or equal. The zipper shall have single pull, double sliders with long tabs. The sliders shall be located mouth to mouth. The tape shall be 3/4" wide. The pocket zippers shall be plastic continuous element style, size 5 or equal. The zippers shall be 7" long with long tab, single pull sliders. The tape shall be 5/8" wide. The side vent zippers shall be 16" long Vislon plastic scoop type size 5 or equal.

Labels: The trouser shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Stitching: All stitching shall be lockstitch type 301. Sleeves shall be set to front and back panels with full fell seams, 1/4" gauge. All closing seams shall be hot air sealed with Gore-Tex sealing tape on the inside of the parka shell. Sealed seams and stitching shall show no leakage.

Collar: The collar and collar lining shall be made from outer shell fabric and interlined with a compatible nonwoven fabric. The top of the collar shall align with the top of the front weather flaps. Collar front edges shall be 3-1/2" wide and 3-1/2" wide at center back. Collar top shall be edge stitched 1/4" gauge and shall be 25-3/4" across the top. Four male snaps shall be located 1" up from the collar seam with two located 2-1/4" and two located 6-7/8" to either side of the back centerline. A knitted collar shall be sewn into the inner collar seam and shall be 17-1/2" wide. The knitted collar shall be

2" high at center back and tapered off on each side. A 3/8" wide by 2" long black nylon tape hanger loop shall be sewn into the inside collar seam at center back.

Front: The front shall have a 2-way zippered closure from 1/2" below the top of the collar to within 2-1/2" of the bottom edge. The front length shall be a minimum of 32" long. The front zipper shall be 29-1/2" long. The under (right) flap shall be 1" wide and 32" long and shall be sewn between the lining and the right zipper tape and shell fabric on the right front. The outer (left) flap shall be 2-1/4" wide and 32" long and shall be sewn between the outer shell and the left zipper tape and lining fabric. Both flaps shall be interlined with a suitable non-woven fabric and edge stitched 1/4" gauge. Seven female snaps shall be located on the outer flap 5/8" from the front edge. Top and bottom snaps shall be 5/8" from the panel top and bottom edges. The snap second from the top shall be 4-5/8" from the top edge with the remaining four snaps spaced equally between the second and bottom snaps. Male snaps shall be located 1-5/8" from the front edge of the under flap in locations corresponding to the female snaps. Half chest shall be 28-1/2" wide.

Inner Zipper Track: Each front shall have an inside zipper track to allow inserting an insulated liner. The edge of the zipper shall be stitched flat next to the outside zipper. Teeth shall face towards the lining. Bottom ends of zipper shall be backstitched, the slider shall be on the right front with the pull towards the lining. The zipper shall start at the collar seam and is 20" long.

Drawstring: A concealed drawstring tunnel shall be located at the waistline. The tunnel shall finish 1" wide and run across the back of the parka to the side vents. A 1/8" diameter nylon covered elastic cord shall extend 2" past each eyelet when in a fully relax state. The cord shall be knotted 1" from each end and shall have a 7/32" diameter Barreloc attached to each end close to each eyelet.

Side Vents: The side vents shall be 17" long and shall be closed with a centered, in-seam 16" zipper. The edges of the vent shall meet and shall be edge stitched, 3/8" gauge. A 2-1/4" wide storm flap shall be sewn into the shell/lining seam with the front zipper tape. The storm flap and lining shall be constructed from shell fabric and shall be interlined with a compatible interlining fabric. The rear edge of the storm flap shall be double needle edge stitched 1/4" gauge. A female snap shall be fastened to the bottom rear corner of the storm flap, 1/2" from each edge. The rear zipper tape shall be caught between the shell and lining of the front edge of the back panel. A female snap shall be fastened in the bottom front corners of the front panel 2-1/4" from zipper, 3-1/2" up from bottom edge.

Badge Reinforcement & Name Tab: Badge and name tabs shall be constructed from the outershell fabric using seam type EF p-2 with lock stitching. The tabs shall finish 1/2" wide with 3/16" topstitching. The tab ends shall be turned under 1/4" and

attached to the fronts with 3 rows of running tacks $1/16$ " from the folded edge. The badge tab shall be $1-3/4$ " long with two eyelets centered, $3/4$ " apart. The badge tab shall be located on the left front in vertical alignment with the inner edge $5-1/2$ " from the left front edge and the top edge $4-1/2$ " below the front shoulder seam. The name tab shall be $3-1/4$ " long with two eyelets centered, $1-7/8$ " apart. The name tab shall be located on the right front in horizontal alignment with the inner edge $3-1/2$ " from the front zipper tape and the top edge 6" below the front shoulder seam.

Slash Pockets: A zippered, single welt, hand warmer slash pocket shall be located on each front. The bottom of the pocket opening shall be $4-1/4$ " above the bottom front hem and $2-3/8$ " from the side seam. The top of the pocket opening shall be $11-1/2$ " from the bottom hem and 3" from the side seam. The opening shall be 9" long. The welt shall be 7" long and $2-1/2$ " wide. Welt edges shall be topstitched $1/4$ " gauge. Pocket lining shall be outer shell fabric and shall be $7-1/2$ " deep at center.

Patch Pockets: Internal patch pockets shall be located under the left and right front. The pockets shall be approximately 7" wide by 7" deep with a 6" opening. The pockets shall be made from lining fabric. Both pockets shall have either zipper, hook and pile, or both closures.

A hook and pile closed patch pocket shall be $7-3/4$ " deep and run side seam to front seam with the top level with the bottom of the armhole. The top hem shall be turned under with the raw edge turned under and topstitched $1/16$ " gauge. The hem shall finish $3/4$ " wide with a $5/8$ " by 4" piece of hook tape sewn to the hem, centered side to side. A corresponding piece of pile tape shall be sewn on the right front lining. The pocket shall be made from lining fabric.

Back: The back shall be plain and shall be $32-1/2$ " long at center back from collar seam to bottom edge.

Sleeves: The sleeves shall be raglan, 1-piece construction. The sleeve head shall be 6" wide at the collar seam and shall be $32-1/2$ " long from collar seam to bottom edge. The sleeve shall be fully lined. The bottom edge of the shell fabric shall be turned up to the inside with the raw edge turned under and topstitched $1/8$ " gauge. The hem shall finish $7/8$ " wide. A 5" by $5/8$ " wide piece of pile tape shall be sewn to the outside of the sleeve on the hem located 2" from the closing seam and $1/4$ " up from the sleeve bottom. A $4-1/4$ " long tab shall be sewn into the closing seam at the bottom of the sleeve. The tab shall be 1" wide at the closing seam and 1" wide at the end with the diagonal edge up and the straight edge at the bottom in alignment with the bottom edge of the sleeve. A 2" by 1" piece of hook tape shall be sewn to the inside of the tape $1/8$ " from the bottom edge and $1/4$ " from the tab end. The tab shall be 1-piece construction from shell fabric and shall be edge stitched $1/8$ " gauge.

Bottoms: The bottom outer shell fabric shall be turned up to the inside with raw edge turned under and edge stitched 1/8" gauge. The hem shall be 3/4" wide.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge approximately 7" below the collar seam (Raglan sleeves). The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Sizes:

Regular	XS-2XL
Long	M-3XL

Item shall be VF Imagewear Style No. WV3004 or equal.

SPECIFICATIONS
Item B -7

Uninsulated Hood, Unisex Green Gore-Tex Overshell
Uninsulated Hood For Waist Length and Hip Length Jackets listed above

GENERAL DESCRIPTION

The hood shall be detachable two-piece construction with drawstring and snap front closures. The hood attaches to the shell with four snaps.

Basic Material: The basic material shall be outershell fabric, lining fabric, drawcord, cord locks and snaps shall be the same as those cited for use in the parka.

Style: The hood shall be non-insulated, detachable two-piece construction with drawstring and snap front closures. The hood attaches to the shell with four snaps. 2-ply Taslan nylon with Gore-Tex.

Construction: The hood shall be constructed from 3 pieces of outershell fabric and 3 pieces of lining fabric. The 2 main shell pieces and lining pieces shall be sewn together with a full fell seam, 1/4" gauge. The smaller outer shell fabric piece shall be stitched, turned, and topstitched 1/8" to the front edge of the outer shell to form a visor. The visor shall be 1" wide at sides and 2-1/4" wide at center front. The visor shall be interlined with a suitable non-woven fabric. The back edge of the visor shall be turned up and topstitched 1/8" to the hood with the front edge of the lining and both edges of a drawstring tunnel caught in between outer shell layers. The hood shall be 27" long along the face opening and 24-3/4" long on the bottom edge with 4-3/4" wide front extensions. The extension ends 5 inches past the facial plane of the hood. Lining fabric shall extend to the edge of the front extensions on the interior of the hood. A female snap shall be located in each corner of the left extension 1/2" from each edge. A male snap shall be located 1/2" below the top right extension edge and another 1/2" above the bottom extension edge. The male snaps shall be 1-1/2" in from the right front edge. The bottom edge of hood and hood lining shall be joined by stitching, turning, and edge stitching 1/8" gauge. Four female snaps shall be 1" from the bottom edge in locations corresponding to male snap locations on the same size shell.

Drawstring: A drawstring tunnel shall be constructed from lining fabric. The tunnel shall be 1-1/2" wide at center front and 3/4" wide at front ends. The tunnel shall start 3" back from the right front extension, follow along the hood opening and end 3" back of the left front extension. The raw edges of the tunnel fabric shall be caught in the seam joining the back edge of the visor lining to the outer shell of the hood. Black painted brass eyelets shall be 3/16" diameter and shall be located through the hood

extension at the end of each tunnel opening. A 1/8" diameter black nylon covered elastic cord shall run through the eyelets and tunnel. The drawcord shall be centered and sewn down to the rear center of the drawcord tunnel. Each drawcord end shall have a cord lock attached and a knot 1" from each end. The drawcord shall extend a minimum 2" past each eyelet when in a relaxed state.

Back Panel: A 5/8" wide piece of hook tape 2" long shall be sewn horizontally to the top of the outershell back panel. The tape shall be centered with upper corners within 1/2" of the fell seam. A second piece of 5/8" by 2" long pile tape shall be sewn horizontally 1-1/2" below the lower edge of the hook tape.

Labels: The hood shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Sizes:

XS – 2XL

Item shall be VF Imagewear Style No. NP3130 or equal.

SPECIFICATIONS**Item B - 8****Pant, Male Green Gore-Tex Lined Rain/Wind
Men's Rain/Wind Pant****GENERAL DESCRIPTION**

Fully lined Gore-Tex pants or equal featuring full-length side zippers with inside weather flaps with elastic waistband and hook and pile tape side waistband closures.

Basic Material: The material shall be Taslan nylon bonded to Gore-Tex film, Forest Green.

Thread: All thread shall be minimum size 60/36.

Seams: The crotch and inseams shall be full felled (seam type LS c-2) 1/4" gauge. All stitching shall be stitch type 301. All closing seams shall be hot air heat sealed with Gore-Tex sealing tape on the inside of the pants. Sealed seams and stitching shall show no leakage.

Zippers: The side zippers shall be plastic scoop type, size 5 or equal. The zippers shall have two single pull, long tab sliders mouth to mouth. The tapes shall be 5/8" wide.

Labels: The pant shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Lining: The pants shall be fully lined.

Waistband: The front and back waistbands and waistband linings shall be 2" wide. A 1-3/4" wide elastic band shall be sewn between the waistband and lining, extending to the waistband tabs on the front, and between the inner edges of the pile tape. The band shall be sewn down with one center row of stitching and stitched to the bottom of the waistband.

The front waistband shall be 15-1/2" long relaxed. A 1-1/2" wide by 2" long piece of hook tape shall be sewn to the inside of each waistband tab centered with one end of the tape 1/4" from the end of the waistband top.

The back waistband shall be 15-1/2" long relaxed. A 1-1/2" wide by 2" long piece of loop tape shall be sewn to the outside of each waistband end, centered with the end of the tape 1/4" from the end of the waistband.

The waistband shall have four snapped belt loops equally spaced for a duty belt.

Outseam Opening: Each outseam shall close with a full-length zipper. The zipper shall start at the bottom of the waistband and end less than 1" from the pant bottom edge. A full length under flap and lining constructed of basic material shall be 1-1/2" wide and caught with the zipper tape between the rear panel and the lining panel. A 2" long basic material tab shall be 2-1/2" wide and shall be attached between the front panel and lining panel at the bottom of the zipper. A 24 ligne female snap shall be attached in the bottom outside corner 1/2" from each edge. A male snap shall be attached on the back panel 3/4" from the outseam and 1/2" from the bottom edge of the pants. The outseam shall be 43-1/4" long between the waistband top and the bottom edge of the pant leg along the zipper.

Reinforcement Patch: The patch shall reinforce the seat area and shall be constructed from reinforcement fabric. The sides shall end 1-1/2" from inside edges of weather flaps and shall extend down 21-1/2". The top edge shall be caught in the waistband seam, sides shall be folded under, and topstitched 1/8" gauge to the weather flaps. The bottom edge of the patch shall be joined to the lining with seam allowances not showing. The urethane coating shall face to the outside of the pants.

Sizes:

Regular	S – XL Non Standard, XXL Standard
Long	S – XL Non Standard, XXL Standard

Item shall be VF Imagewear Style No. 3118 or equal.

SPECIFICATIONS
Item B -9

**Pant, Female Green Gore-Tex Lined Rain/Wind
Women's Rain/Wind Pant**

GENERAL DESCRIPTION

Fully lined Gore-Tex pant or equal featuring full-length side zippers with inside weather flaps with elastic waistband and hook and pile tape side waistband closures.

Basic Material: The material shall be Taslan nylon bonded to Gore-Tex film, Forest Green.

Thread: All thread shall be minimum size 60/36.

Seams: The crotch and inseams shall be full felled (seam type LS c-2) 1/4" gauge. All stitching shall be stitch type 301. All closing seams shall be hot air heat sealed with Gore-Tex sealing tape on the inside of the pants. Sealed seams and stitching shall show no leakage.

Zippers: The side zippers shall be plastic scoop type, size 5 or equal. The zippers shall have 2 single pull, long tab sliders mouth to mouth. The tapes shall be 5/8" wide.

Labels: The pant shall be manufactured with logo, identification label, certification label, size, and care instruction labels.

Lining: The pants shall be fully lined.

Waistband: The front and back waistbands and waistband linings shall be 2" wide. A 1-1/2" wide elastic band shall be sewn between the waistband and lining, extending to the waistband tabs on the front, and between the inner edges of the pile tape. The band shall be sewn down with one center row of stitching and stitched to the bottom of the waistband.

The front waistband shall be 12-1/4" long relaxed. A 1-1/2" wide by 2" long piece of hook tape shall be sewn to the inside of each waistband tab centered with one end of the tape 1/4" from the end of the waistband top.

The back waistband shall be 15-1/2" long relaxed. A 1-1/2" wide by 2" long piece of loop tape shall be sewn to the outside of each waistband end, centered with the end of the tape 1/4" from the end of the waistband.

The waistband shall have 4 snapped belt loops equally spaced for a duty belt.

Outseam Opening: Each outseam shall close with a full-length zipper. The zipper shall start at the bottom of the waistband and end less than 1" from the pant bottom edge. A full length under flap and lining constructed of basic material shall be 1-1/2" wide and caught with the zipper tape between the rear panel and the lining panel. A 2" long basic material tab shall be 2-1/2" wide and shall be attached between the front panel and lining panel at the bottom of the zipper. A 24 ligne female snap shall be attached in the bottom outside corner 1/2" from each edge. A male snap shall be attached on the back panel 3/4" from the outseam and 1/2" from the bottom edge of the pants. The outseam shall be 42" long between the waistband top and the bottom edge of the pant leg along the zipper.

Reinforcement Patch: The patch shall reinforce the seat area and shall be constructed from reinforcement fabric. The sides shall end 1-1/2" from inside edges of weather flaps and shall extend down 19-1/4". The top edge shall be caught in the waistband seam and sides shall be folded under and topstitched 1/8" gauge to the weather flaps. The bottom edge of the patch shall be joined to the lining with seam allowances not showing. The urethane coating shall face to the outside of the pants.

Sizes:

Regular S – XL Non Standard
Long: S – XL

Item shall be VF Imagewear Style No. 3120 or equal.

SPECIFICATIONS

Item B - 10

Jacket, Unisex Brown Lined Ike Style Unisex Brown Work Jacket

GENERAL DESCRIPTION

Brown waist length jacket with waistband. Band adjustable for waist size with button tabs located on each side. Two front slash pockets, utility pocket on left sleeve. Adjustable 2 button cuffs. Two-piece collar with sewn-in stays. Collar topstitched.

Basic Material: Body fabric of 65% polyester/35% cotton, 7.5 oz per sq yd 2 x 1 twill, durable press finish, vat thermosal dyed.

Lining: 100% type 6, 6 nylon taffeta face, non-woven back, quilted to 1/8" 3.3 oz polyurethane foam.

Closures: Front closed with solid brass zipper. Two 30 ligne 2-hole melamine buttons on each cuff. Two 30 ligne 2-hole melamine buttons on each side of band for adjusting waist.

Mainseams: Should, sleeve, and sideseams sewn with safety stitch with overedge stitching in both shell and lining. All seams sewn with polyester thread.

Finish: Pre-cure durable press.

Pockets: Two front slash pockets, utility pocket on left sleeve.

Cuffs: Two piece, 2-button adjustable cuff.

Band: One piece folded. Finish width 1-3/4". Attached to shell with safety stitch.

Patch: The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.

Size:

Regular	XS – 2XL
Long	M – 3XL

Item shall be VF Imagewear Style No. JT22BN or equal.

SPECIFICATIONS

Item B - 11

Jacket, Unisex Brown New Generation®3 Waist Length with Zip-in/out Liner Unisex Brown New Generation Jacket

GENERAL DESCRIPTION

Brown unisex waist length jacket with 2-way zipper has zip-in/zip-out liner.

Basic Material:

Outershell: 100% Tactel® nylon, 4.0 oz to 4.5 oz/sq yd, plain weave

Yarns: Warp 70 denier 34 filament single ply. Weft 140 denier 102 filament two ply

Thread Count: 108 x 72

Finish: Hydroflex® coating. A polyurethane, monolithic coating. Double coated. Fabric must withstand 75 psi in a Mullins Hydrostatic test. Fabric must measure 2000 grams per square meter in a 24-hour period in a vapor pressure test.

Permanent Lining: 104 X 86 thread count. 70 denier 100% nylon taffeta

Design: The jacket shall be a full cut, waist length model with two-way zipper front, Primaloft® zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction with sealed seams shall be used throughout with body and sleeves being fully lined.

Body Detail: The front shall be plain with box-pleated patch pockets, flaps, and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a 1-piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2-1/2" shirred waistband with 2-1/2" heavy-duty elastic. The entire waistband is to be shirred with the exception of an area 5-1/2" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and snap closure. The shoulders shall have pads. A self-goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side. There shall be a 1-1/2" wide storm flap from the bottom of the collar to the bottom of the waistband on the right front to maintain windproof quality. There shall be 3 drop down panel access pockets with hook and loop closures; 1 located on each of the fronts and 1 located on the back of the jacket. There shall be a zipper track located at the center back neck concealed in a zipper garage for an optional hood.

Inside Detail: On the left side of the coat, there shall be a gun pocket installed on the permanent lining of the coat to accept a small frame handgun. The gun pocket

shall have a minimum opening of 4-1/2" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closing. Bartacks shall reinforce the opening. There shall be 2 cut in pockets on the left and right sides measuring approximately 5-1/4" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip-in liner.

Sleeves: The sleeves shall be 1-piece set in with a single needle machine. The bottom of the sleeve shall have hook and loop as well as elastic for adjustable fit.

Pockets: There shall be 2 patch pockets with box pleats, finishing approximately 6-1/4" wide and 7-1/2" deep. Flaps shall be scalloped and self lined. They shall close with velcro on the side points and with a centered buttonhole. The pockets shall be self-lined with an opening of approximately 5-1/2" on the side. The left patch pocket is to have a pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked.

Collar: The stand-up collar shall be made using self-material. It shall be interlined with Pellon.

Epaulets: The epaulets shall be made of self-goods. They shall be sewn into the sleeve head seam, "X" stitched, and tacked to the jacket at the neck.

Badge Tab: The badge tab shall be made of the outer fabric and lined with pocketing being 2" tall by 1" wide. The first eyelet is 1/2" down from the top of the finished edge and the second is 1/2" up from the bottom-finished edge. The eyelets are spaced 1" from center to center. It shall be centered 2-1/2" above the left pocket flap.

Zipper: There shall be a YKK #5, two-way molded nylon zipper in the front, 11" nylon zipper on each side vent, and a zipper at the center back neck.

Buttons and Snaps: The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. Flaps and epaulets shall close with 24 ligne metal buttons. Front fly shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.

Thread: All sewing is to be done with polyester core thread or 100% spun polyester thread.

Size Tag and Care Instructions: Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions and each coat marked with lot number, size, fiber content, and WPL number.

PRIMALOFT® LINER SPECIFICATIONS:

Fabric:**Outershell:** 160 x 90 70 denier downproof nylon taffeta**Insulation:** Primaloft®, 2 - 3.0 oz body and sleeve from Albany Industries**Design:** The liner is made over a full-cut long-sleeve liner pattern with side vents to accommodate side zip jackets.**Body Detail:** The liner has long sleeves and knit wristlets with an anchor loop to accept buttons. The edges of the entire body are bound with 1-9/16" nylon bias binding. The side seams, shoulders, and sleeve seams are joined with a serge-sew safety-stitch machine. The armholes have knit inserts to allow freedom of movement.**Pocket:** There is 1 lower right inside patch pocket. The pocket is bound with 1-9/16" nylon bias binding and is attached with a single-needle machine.**Zipper:** There is a molded nylon zipper, with a center mark, attached to the liner, and interchangeable. The zipper must be of sufficient length to attach to the facing of a jacket.**Patch:** The organizations shoulder patch shall be sewn securely in the center of the left sleeve with the top edge 1-1/4" to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.**Warranty:** One year against workmanship or fabric defects.**Size:**

Regular S - 4XL

Long M - 5XL

Item shall be VF Imagewear Style No. HS3353 or equal.

SPECIFICATIONS
Item B - 12

Brown Duck Cloth Insulated Bib Overall

GENERAL DESCRIPTION

Duck cloth brown Insulated bib coverall, cold weather work wear. The bib coverall shall have a zipper front, 2 breast pockets, and 2 hip pockets. The 2 front pockets have a side pass through vent for access to the inside. There is a two-way brass zipper down the front of the garment, and a brass zipper on each leg. Garment has adjustable elastic shoulder straps.

Gender: Unisex

Components

- * **Basic Material:** The shell fabric is Dark Brown, 10.0 oz minimum weight, 100% cotton. The insulated lining face is 100% nylon, insulation is 100% polyester batting or equal.
- * **Shoulder Straps:** The garment has adjustable elastic shoulder straps that have a metal "buckle-like" closure that hooks over a metal bottom on each bob top corner.
- * **Legs:** Each leg has a brass zipper, which extends from the knee area to the bottom of the leg. The leg bottoms are turned under approximately 5/8" and hemmed with a lockstitch.

Sizes: SH S - L
 RG XS - 4XL
 LN S - XL
 XLN M

Item shall be VF Style No. FS3141 or equal

**SPECIFICATIONS
Item B -13**

Brown Duck Work Jacket

GENERAL DESCRIPTION

Duck cloth brown work jacket, cold weather work wear. The waist length work jacket has lower front hand warmer patch pockets, and a knit waistband and cuffs. The jacket shall have an insulated lining. There is an inside patch pocket stitched to the left front lining.

Gender: Unisex

Components

- * **Basic Materials:** Shell fabric shall be 100% Cotton 10 Oz weight minimum Duck cloth.
- * **Linings:** 100% nylon taffeta face with non-woven scrim backing (thread count: 68 pick). The nylon lining shall be quilted to fiberfill in a 3" diamond stitch.
- * **Thread:** 30/3 poly/core (cotton wrapped/polyester core) minimum or equal
- * **Zipper:** The zipper shall be a separating #5 brass zipper with an automatic lock and preshrunk tape.

Detail Design Characteristics

- * **Front:** The front of the jacket has hand warmer patch pockets incorporated into the lower corners of each center front..
- * **Back:** The back is plain, with a 1 ½" hanger loop made of self fabric inserted into the center back neck seam on the outside of the jacket.
- * **Cuffs:** The two piece sleeves have a folded 1 x 1 texturized polyester knit cuff. The finished size of the cuff shall be 3" x 3 3/8".
- * **Customization:** The organizations shoulder emblem shall be sew in the center of the left sleeve, 1-1/4 to 1-1/2" below the shoulder seam. The emblem shall be sewn with inconspicuous stitching using thread closely matching the emblem background color.

Sizes: RG XS – 3XL

Item shall be VF Imagewear Style No FS3006 or equal

SPECIFICATIONS

Item B -14

LS Brown Insulated Coverall

GENERAL DESCRIPTION

Duck cloth brown insulated long sleeve coverall, cold weather work wear with side leg zips.
Gender: Unisex

Components

- * **Shell Fabric:** 100% cotton 10 oz. minimum brown Duck Cloth.
- * **Closures:** 2-way front zipper concealed w/ storm flap secured by snaps.
- * **Pockets:** 2 upper zipper front chest pockets, 2 set in front pant pockets, 2 large back patch pockets w/ rule pocket on right side.
- * **Features:** 2 way waist-to-ankle zippers on legs secured w/ storm flaps. Adjustable cuffs w/ concealed rib knit storm cuff. 3.3 oz. quilted nylon lining. Snaps on a separate collar stand for application of hood sold separately.
- * **Interlining:** 3.3 oz. nylon type 6.6 or equal
- * **Customization:** The organizations shoulder emblem shall be sewn in the center of the left sleeve, 1-1/4 to 1-1/2" below the sleeve set seam. The emblem shall be sewn with inconspicuous stitching using thread closely matching the emblem background color.

Sizes: RG S – 3XL

Item shall be VF Imagewear Style No FS3005B or equal

SPECIFICATIONS

Item B -15

Green Bib Overall

Gender: Unisex

GENERAL DESCRIPTION

Duck cloth green Insulated bib coverall, cold weather work wear.

Components

- * **Basic Material:** The shell fabric is Forest Green Duck, 10.0 oz, minimum 100% cotton. The insulated lining face fabric is 100% nylon, insulation is 100% polyester batting or equal.
- * **Style:** The bib coverall shall have a zipper front, 2 breast pockets, and 2 hip pockets. The 2 front pockets have a side pass through vent for access to the inside. There is a two-way brass zipper down the front of the garment, and a brass zipper on each leg. Garment has adjustable elastic shoulder straps.
- * **Shoulder Straps:** The garment has adjustable elastic shoulder straps that have a metal "buckle-like" closure that hooks over a metal bottom on each bob top corner.
- * **Legs:** Each leg has a brass zipper, which extends from the knee area to the bottom of the leg.

Sizes: SH 38-46
 RG 34-52
 LN 38-52
 XLN 42-44

Item shall be VF Style No. NP3190 or equal

**SPECIFICATIONS
Item B -16**

Green Work Coat

GENERAL DESCRIPTION

Duck cloth green work jacket, cold weather work wear. Work Jacket – hip-length with zipper front closure to neck, two front slash pockets, two plain, mitered breast pockets with flaps and shoulder emblems on both shoulders. Jacket will have a badge tab. Permanent blanket lining in the torso and quilted lining in sleeves or equal. Gender: Unisex

- * **Basic Material:** The shell is green 100% cotton, 10 oz. weight minimum duck cloth.
- * **Lining:** insulated
- * **Body Detail:** The front shall have two breast pockets with flaps and two slash pockets.

General Instructions

- * **Cuffs:** The cuff shall be closed with a 29 ligne button and corresponding buttonhole.
- * **Zipper:** The jacket shall close with a brass zipper of compatible color. The separating zipper shall have an automatic lock and be made out of pre-shrunk tape.
- * **Customization:** The organizations shoulder emblems shall be sew in the center of both sleeves, 1-1/4 to 1-1/2" below the shoulder seam depending on garment size. The patches shall be sewn with inconspicuous stitching using brown thread closely matching the emblem background color.

Sizes: SH XS-M
 RG XS-2XL
 LN L-2XL

Item shall be VF Style No. NP3154 or equal

**SPECIFICATIONS
Item B -17**

Green Insulated Coverall

GENERAL DESCRIPTION

Duck cloth green insulated long sleeve coverall, cold weather work wear with side leg zips. The coverall shall be full-length with zipper front closure, two plain, mitered breast pockets with zipper closures, two quarter-top swing pockets with pass through, two hip pockets and a plier pocket. Gender: Unisex

Components

- * **Shell Fabric:** 100% cotton 10 oz. minimum green Duck Cloth.
- * **Lining Material:** The insulated lining is 100% nylon, insulation is 100% polyester batting or equal.
- * **Zippers:** There shall be a two-way front zipper and there shall also be waist to ankle zippers on side-seams of legs.

General Instructions

- * **Body Detail:** The front shall have two breast pockets with brass zipper closures. There shall also be 3 lower front patch pockets. The front closure shall be a two-way brass zipper with two sliders concealed with a storm flaps secured with snaps. The side-seams at the leg have two-way zippers that are concealed with a storm flap secured with metal snaps. .
- * **Customization:** The organizations shoulder emblems shall be sewn in the center of both left sleeves, 1-1/4 to 1-1/2" below the center of the shoulder seam.

Sizes: SH S-L
 RG XS-3XL
 LN M-3XL

Item shall be VF Style No. NP3156 or equal

Bid Sheet Used for Evaluation of Part B

Item number	Description	Size	Estimated Annual Usage	Bid Price	Total
B-1	Raincoat, Unisex Black Reversible Full Length Unisex Reversible Raincoat	All	5	\$ NO	\$ BID
B-2	Jacket, Male Green 16 oz 55/45 P/W Elastique Ike Style Men's Service Dress Jacket	All	5	\$	\$
B-3	Jacket, Female Green 16 oz 55/45 P/W Elastique Ike Style Women's Service Dress Jacket	All	2	\$	\$
B-4	Jacket, Unisex Green New Generations®3 Waist Length with zip-in/out Liner Unisex New Generations Jacket	All	15	\$	\$
B-5	Jacket Overshell, Unisex Green Gore-Tex Waist Length with Badge Tab Unisex Green Jacket Overshell	All	5	\$	\$
B-6	Parka Overshell, Unisex Green Gore-Tex Hip-Length Uninsulated Unisex Parka Overshell	All	5	\$	\$
B-7	Uninsulated Hood, Unisex Green Gore-Tex Overshell Uninsulated Hood For Waist Length and Hip Length Jackets listed above	All	5	\$	\$
B-8	Pant, Male Green Gore-Tex Lined Rain/Wind Men's Rain/Wind Pant	All	5	\$	\$
B-9	Pant, Female Green Gore-Tex Lined Rain/Wind Women's Rain/Wind Pant	All	2	\$	\$
B-10	Jacket, Unisex Brown Lined Ike Style Unisex Brown Work Jacket	All	200	\$	\$
B-11	Jacket, Unisex Brown New Generation®3 Waist Length with Zip-in/out Liner Unisex Brown New Generation Jacket	All	100	\$	\$

SPECIFICATIONS
Item B – 18

Brown Work Jean

GENERAL DESCRIPTION

Relaxed fit, straight leg work jean/dungaree. Gender: Male

Components

- * **Basic Material:** The material shall be darkbrown, 9.5 oz. per sq. yd. minimum 100% cotton canvas
- * **Zippers:** The trousers shall have a 45mm brass zipper chain. The zipper has a ratcheting cam lock slider. .

Detail Design Characteristics

- * **Waistband:** The waistband is of single piece construction and shall be folder set with a single needle chainstitch. All edges of the waistband shall be topstitched 1/8". The finished waistband shall be 1 5/8 inches wide and shall close with a 27-ligne rivet button and buttonhole.
- * **Belt Loops:** There shall be a 2"minimum opening..

Sizes: RG 28 – 38 all, 40 – 56 even only
 LN 29 – 34 all, 36 – 48 even only

Item shall be VF Style No. FS2238 or equal

B-12	Brown Duck Cloth Insulated Bib Overall	All	25	\$	NO	\$	BID		
B-13	Brown Duck Work Jacket	All	25	\$	↓	\$	↓		
B-14	LS Brown Insulated Coverall	All	50	\$		\$			
B-15	Green Bib Overall	All	10	\$		\$			
B-16	Green Work Coat	All	20	\$		\$			
B-17	Green Insulated Coverall	All	10	\$		\$			
B-18	Brown Work Jean	All	100	\$		\$			
TOTAL BID FOR PART B				\$					

Specifications
Item #C1: All Weather Deluxe Tropical Weave
Men's Long Sleeve Shirt
Must be Fechheimer/Flying Cross model # 45W6651

- 10-10.5 oz., 65% Dacron® Polyester/35% rayon
- 5 Permanent silicone creases —2 in front, continuing through the pockets and pocket flaps, and 3 in back
- Form-fitted Tapered sleeves
- Conventional collar and band with permanent collar stays
- Cross stitched shoulder straps
- Pleated pockets with scalloped flaps and Velcro® closure
- Left full badge sling
- Hidden pencil compartment inside left breast pocket
- 7-button placket front
- Machine wash and dry
- Item must not be impregnated with any stain or water resistant treatment
- Nickel Grey
- The organizations shoulder patch shall be sewn securely in the center of both sleeves with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.
- Items will be provided in standard men's sizes. Minimum sizes provided:

Neck:	Sleeve
14.5	32
15	32-33
15.5	32-34
16	32-36
16.5	32-36
17	33-36
18.5	33-36
18	33-36
18.5	33-36



Specifications
Item #C2: All Weather Deluxe Tropical Weave
Men's Short Sleeve Shirts
Must be Fechheimer/Flying Cross model# 95R6651

- 10-10.5 oz., 65% Dacron® Polyester/35% rayon
- 5 Permanent silicone creases —2 in front, continuing through the pockets and pocket flaps, and 3 in back
- Conventional sport collar and band with permanent collar stays
- Cross stitched shoulder straps for a neat look
- Pleated pockets with scalloped flaps and Velcro® closure
- Left full badge sling
- Hidden pencil compartment inside left breast pocket
- 7-button placket front
- Machine wash and dry
- Item must not be impregnated with any stain or water resistant treatment
- Nickel Grey
- The organizations shoulder patch shall be sewn securely in the center of both sleeves with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 3XL



Specifications

**Item #C3: All Weather Deluxe Tropical Weave
Women's Long Sleeve Shirt
Must be Fechheimer/Flying Cross model # 102W6651**

- 10-10.5 oz., 65% Dacron® Polyester/35% rayon
- 5 Permanent silicone creases —2 in front, continuing through the pockets and pocket flaps, and 3 in back
- Form-fitted Tapered sleeves
- Conventional collar and band with permanent collar stays
- Cross stitched shoulder straps
- Pleated pockets with scalloped flaps and Velcro® closure
- Left full badge sling
- Hidden pencil compartment inside left breast pocket
- 7-button placket front
- Machine wash and dry
- Item must not be impregnated with any stain or water resistant treatment
- The organizations shoulder patch shall be sewn securely in the center of both sleeves with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.
- Items will be available in standard women's sizes. Minimum available sizes: 32-46



Specifications
Item #C4: All Weather Deluxe Tropical Weave
Women's Short Sleeve Shirts
Must be Fechheimer/Flying Cross model # 152R6651

- 10-10.5 oz., 65% Dacron® Polyester/35% rayon
- 5 Permanent silicone creases —2 in front, continuing through the pockets and pocket flaps, and 3 in back
- Conventional sport collar and band with permanent collar stays
- Cross stitched shoulder straps for a neat look
- Pleated pockets with scalloped flaps and Velcro® closure
- Left full badge sling
- Hidden pencil compartment inside left breast pocket
- 7-button placket front
- Machine wash and dry
- Item must not be impregnated with any stain or water resistant treatment
- The organizations shoulder patch shall be sewn securely in the center of both sleeves with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.
- Items will be available in standard women's sizes. Minimum available sizes: 32-46




Specifications
Item #C5: TRU-SPEC® 24-7
Short Sleeve Polo Shirt

- 6.3 oz Tru-Dri Plaited 40% polyester/60% combed cotton micro knit pique fabric
- Fade resistant
- Shrink resistant
- Wrinkle resistant
- Gusseted sleeves
- Side Vents With Extended Back Length
- No curl collar
- Reinforced Half Moon Neck Yolk
- Taped Neck
- Mic/Sunglasses loop holder at bottom of three button placket
- Dual pen/pencil slot on left sleeve
- Machine wash and dry
- Durable Dye To Match Melamine Buttons
- Color Heather Grey
- Embroidered full color State Park Badge on left breast (art work provided)
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 3XL




Specifications
Item #C6: TRU-SPEC® 24-7
Long Sleeve Polo Shirt

- 6.3 oz Tru-Dri Plaited 40% polyester/60% combed cotton micro knit pique fabric
- Fade resistant
- Shrink resistant
- Wrinkle resistant
- Gusseted sleeves
- Side Vents With Extended Back Length
- No curl collar
- Reinforced Half Moon Neck Yolk
- Taped Neck
- Mic/Sunglasses loop holder at bottom of three button placket
- Dual pen/pencil slot on left sleeve
- Machine wash and dry
- Durable Dye To Match Melamine Buttons
- Color Heather Grey
- Embroidered full color State Park Badge on left breast (art work provided)
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 3XL




Specifications
Item #C7: 5.11 TacLite Pro Ripstop Pants

- Lightweight 65% polyester and 35% poly cotton non-fading ripstop fabric
- Fully gusseted crotch
- Front Magazine/cell phone pocket located over left cargo pocket
- Two cargo pockets
- Patented slash rear pockets
- Pockets are reinforced with 100% Cordura nylon
- Treated with HT Teflon® wear resistant finish
- External knife pocket
- Rear web strap
- YKK® zippers
- Prym® snaps
- 1 3/4inch reinforced belt loops
- Horn buttons
- Clip loop
- Color TDU Green
- Items will be provided in standard sizes. Minimum sizes will be Extra Small (XS) through 4XL waist. And available in short, regular and long inseam lengths



Specifications
Item #C8: 5.11 TDU Belt

- 100% Nylon Webbing
- Non-metallic low profile buckle
- Triple stitched
- 1 ¾ inch wide
- Color Black
- Sizes will be provided in Small through 4XL



Specifications
Item #C9: 5.11 Tactical Fleece Jacket

- Wind Resistant
- Back-Up Belt System™ hidden chest pockets
- Abrasion resistant collar, shoulders and elbows
- Zippered exterior handwarmer pockets
- 2 Interior pockets
- Side zippers and snaps
- Microphone clips
- Zippered pocket on the left sleeve
- YKK zippers
- Prym snaps
- Left breast embroidered with full color State Park Badge (artwork to be provided to successful bidder)
- Color Sherriff Green
- The organizations shoulder patch shall be sewn securely in the center of both sleeves with the top edge 1-1/4 to 1-1/2" below the shoulder seam depending on the garment size. The patch shall be sewn with inconspicuous stitching using thread to match the emblem border color and attached so that the edges do not roll-up after washing.
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 4XL




Specifications
Item # C10: 5.11 ¼ Zip Job Shirt

- 11.6 ounce poly cotton fleece
- Poly-cotton twill
- 5.11s stain resistant finish
- No-roll collar
- Locker loop
- YKK® zipper
- Chest Breakthrough™ pocket with Velcro® divider
- Hand warmer pockets on both sides
- Mic pockets at both shoulders
- Pen pockets on left sleeve
- Left breast embroidered with state park badge (artwork to be provided to successful bidder)
- Color black
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 4XL




Specifications
Specifications
Item #C11: Propper BDU pants

- 65%/35% Polyester/Cotton Ripstop
- Four-button fly
- Sewn to military specification MIL-T-44047E
- Military grade pocketing
- 11 stitches per inch
- Six pockets - four with button flaps
- Fused pocket flaps
- Double-reinforced seat and knee
- Adjustable waist tabs w/ 4 bar tacks
- Drain holes in bellows pockets
- Nylon drawstring leg closures - fused, knotted and tacked
- Felled inseam, outseam and seat seam
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 4XL
- Available colors: Sherriff Brown, OD Green



Specifications
Item#12: Propper BDU shorts

- 65%/35% Polyester/Cotton Ripstop
- Six Pockets, Four with Button Flaps
- Fused Pocket Flaps
- Zipper Fly
- 4" Adjustable Waistband Tabs with Four Bar Tacks
- Drain Holes in Bellows Pockets
- Felled Inseam, Outseam and Seat Seam
- Available colors: Sherriff Brown, OD Green
- Items will be provided in standard men's sizes. Minimum available sizes: Small through 4XL



Bid Sheet Used for Evaluation of Part C

Item number	Description	Size	Estimated Annual Usage	Bid Price	Total
C1	Men's Long Sleeve Tropical Shirt	All	60	\$ 49.00	\$ 2,940
C2	Men's Short Sleeve Tropical Shirt	All	100	\$ 46.00	\$ 4,600
C3	Women's Long Sleeve Tropical Shirt	All	10	\$ 49.00	\$ 490.00
C4	Women's Short Sleeve Tropical Shirt	All	10	\$ 46.00	\$ 460.00
C5	511 Tru-Spec Short Sleeve Polo Shirt	All	100	\$ 27.00	\$ 2,700
C6	511 Tru-Spec Long Sleeve Polo Shirt	All	100	\$ 30.00	\$ 3,000
C7	5.11 TacLite Pro Ripstop Pants	All	100	\$ 40.00	\$ 4,000
C8	5.11 TDU Belt	All	100	\$ 14.00	\$ 1,400
C9	5.11 Tactical Fleece Jacket	All	100	\$ 85.00	\$ 8,500
C10	5.11 ¼ Zip Job Shirt	All	100	\$ 51.00	\$ 5,100
C11	Propper BDU pants	All	290	\$ 26.99	\$ 7,827.10
C12	Propper BDU shorts	All	290	\$ 20.99	\$ 6,087.10
TOTAL BID FOR PART C				\$ 47,104.20	

State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**
 Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**
 Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or,**
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
 Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**
4. **Application is made for 5% resident vendor preference for the reason checked:**
 Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or,**
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or,**
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
 Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: N/A Signed: N/A
Date: _____ Title: _____

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. _____

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owned is an amount greater than one thousand dollars in the aggregate

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, Limited Liability Company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Galls LLC

Authorized Signature: [Signature] Date: 5/15/12

State of Kentucky

County of Fayette, to-wit:

Taken, subscribed, and sworn to before me this 15th day of May, 2012.

My Commission expires November 2, 2014.

AFFIX SEAL HERE

NOTARY PUBLIC [Signature]