



LAUTTAMUS COMMUNICATIONS

Proposal For

West Virginia
Dept. of Administration
Purchasing Division

Buyer: TL/32 RFQ No. DPS1230 Bid Opening Date: 3/21/2012 Bid Opening Time: 1:30 P.M.

Prepared For:

Tara Lyle and WVSP

Call Center Order Entry Order Fulfillment Paging Security Alarm Monitoring Two-Way Radio Telephone Hotlines Telemetry Comm. Towers **CCTV** Access Control Wireless Comm. Consulting Elevator Service Medical Alerting

www.lauffamus.com 24 X 7 X 365 Customer Care: 866-9ANSWER

WV PURCHASING DIVISION

2012 FEB 21 AM 8: 20

Submitted By:

Name of Contact Persons: Paul Lauttamus

Organization:

A.V. Lauttamus Communications, Inc.

Address:

1344 Cove Hill Road Weirton, WV 26062

Website:

www.lauttamus.com

Phone Numbers:

304-723-5555 800-285-2197 304-224-3440

Fax Number:

304-723-7417

E-mail Addresses:

paull@lauttamus.com

Awards and Honors:

Governor Manchins Service Award Sam Walton Businessman of Year Ernst and Young Entrepreneur of Year

Rotarian of Year

Who's Who, WV State Journal WV State Journal, 40 Under 40 WV 211 Call Center Provider

Paul Harris Fellow

References:

Mittal Steel

Allegheny Energy State of West Virginia United State Government

Bechtel Bettis

West Virginia University Hospital

United Hospital

National Security Agency West Virginia State Police

SHIP

T



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

DPS1230

PAGE____

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE

A.V. Lauttainus Comm Tive 1399 Cose Hill Rd Wenter, We Zavies WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

DATE PRINTED TERMS OF SALE			N AIH6	Α		F.O.B.		FREIGHT TERMS		
02/15/2012 NET 20		icPs:		1/2	Esting tren		Bupard			
BID OPENING DATE:		03/21/	2012			BID	OPE	NING TIME	01:	30PM
LINE	QUA	YTITY	UOP	CAT. NO.	ITEM NUM	BER		UNIT PRICE	1	AMOUNT
0001	VOICE	1	LS TA RE		915-07 RS			Please S	કે 	Attached
	THE 145		228624 5-		NTRACT	/*	con	7.UE		
	AGENCY PROVID	, WV S E VOIC ORIES/	TATE E AND OPTIO	POLIC DATA	HASING DIVE, IS SOLE RECORDERS ER THE AT	CITING S AND R	BI	DS TO		
	INQUIR	IES:								
	BUSINE USPS, VENDOR QUESTI	SS ON FAX, C RECEI ONS WI	03/05 OURIE VES A LL BE	/2012 R OR N UNF ANSW	AIR ADVAN ERED ORALI	ONS MAY IN ORDE TAGE, N LY, IF	BE R T O S PO	SENT VIA O ASSURE NO UBSTANTIVE		
Ŕ	TARA L DEPART PURCHA 2019 W CHARLE	MENT O SING D ASHING	IVISI TON S	ON TREET	RATION , EAST					
	FAX: EMAIL:				. GOV					
)	1/1	<u> </u>	SEE RE	VERSE SIDE FOR TE		OITION			
SIGNATURE DU	uf a	ulla	is			SCHOOLE	223	- 13337	DATE	larch 2029R
TITLE / ICE Der	dellas	1 FE	3/11/	11alas	<u></u>			ADDRESS CHA	NGES T	TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginla.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or relmburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mulual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevall in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130 5, Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division,

is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

T O



State of West Virginia
Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

PAGE 2

ADDRESS CORRESPONDENCE TO ATTENTION OF:	
TARA LYLE	
304-558-2544	

RFQ COPY TYPE NAME/ADDRESS HERE SHIP A. V. Lauttarus Comm. Inc.

1344 Cove Hill Road Weiden WV 26Cle2 WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 304-746-2141 25309

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRIN	TED	1ER	MS OF SAL	E	· SHIP VIA	F.O.B,	FREIGHT TERMS
02/15/		.()e 1.	20		CP5	Destillation	Properd
BID OPENING DATE:		03/21/			BID	OPENING TIME 01	:30PM
LINE		γτιτγ	LOD	CAT. NO.	ITEM NUMBER	UNIT PRICE	TANOMA
	AWARD YEAR O NECESS ORIGIN NOT EX TIME'' REASON	F CONT AND EX R UNTI ARY TO AL CON CEED T	TENDS L SUC OBTA TRACT WELVE NDOR GIVIN	FOR H "RE IN A TH (12) MAY T	A PERIOD OF ONE ASONABLE TIME" T NEW CONTRACT OR E "REASONABLE TI	HEREAFTER AS IS RENEW THE ME" PERIOD SHALL THIS "REASONABLE NTRACT FOR ANY	
	IN THI VIRGIN TERMS,	S CONT IA, IT CONDI	RACT S AGE TIONS	DOCUM NCIES , AND	IONS ARE STIPULA ENT BY THE STATE, OR POLITICAL S PRICING SET FOR HE CONTRACT.	OF WEST UBDIVISIONS, THE	
	WRITTE SUBMIT DAYS F BE IN ORIGIN	N CONS TED TO RIOR T ACCORD	ENT 0 THE O THE ANCE TRACT	F THE DIREC EXPI WITH	MAY BE RENEWED SPENDING UNIT A TOR OF PURCHASIN RATION DATE, SU THE TERMS AND CO SHALL BE LIMITED	ND VENDOR, IG THIRTY (30) ICH RENEWAL SHALL INDITIONS OF THE	
	RIGHT NOTICE SUPPLI TO THE	TO CAN TO TH ED ARE SPECI	CEL T E VEN OF A FICAT CLAUS	HIS C DOR I N INF IONS	ONTRACT IMMEDIAT	CONTRACT HEREIN. JRCHASING MAY	
		1	L	SEE DE	VERSE SIDE FOR TERMS AND CO	INDITIONS	
SIGNATURE	e Dy	hiller		. 0146 (114			Nasch 20 2012



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REQ NUMBER DP\$1230 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE 304-558-2544

WEST VIRGINIA STATE POLICE

SHIP J

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

RFQ COPY 1344 Core Hill Read WV 2606Z

DATE PRINT	ED	TER	ms of sale	SHIP VIA	F.O.B.	FREIGHT TERMS	
02/15/2012 Ne		Ne.	- 20)	UPS	L'estinolycu7	Propard	
BID OPENING DATE:		03/21/		BID	OPENING TIME 0	1:30PM'	
LINE	QUAN	י אדודע	UOP CAT	ITEM NUMBER	UNIT PRICE	AMOUNT	
	ESTIMA IMMEDI CAUSES	TE, IT ATE DE (INCL ION OR	EMS SPEC LIVERY I UDING BU	FILING OF A REQUIS IFIED ON THIS CONT N EMERGENCIES DUE T NOT LIMITED TO D TICIPATED INCREASE	RACT FOR TO UNFORESEEN ELAYS IN TRANS-		
	APPROX THE ST THAT T ORDERE	IMATIO ATE SP HE CON D FOR	NS ONLY, ENDING U TRACT SH DELIVERY	ES LISTED IN THE R BASED ON ESTIMATE NIT, IT IS UNDERS ALL COVER THE QUAN DURING THE TERM O THAN THE QUANTITI	S SUPPLIED BY TOOD AND AGREED TITIES ACTUALLY F THE CONTRACT,		
	WRITTE THE VE THE OR VENDOR MAILED	N STAT NDOR F IGINAL AS AU TO TH	E CONTRA OR COMMO COPY OF THORIZAT E PURCHA	SPENDING UNIT(S) S CT ORDER (FORM NUM DITIES COVERED BY THE WV-39 SHALL B ION FOR SHIPMENT, SING DIVISION, AND DING UNIT.	BER WV-39) TO THIS CONTRACT, E MAILED TO THE A SECOND COPY		
	FOR BA	NKRUPT CT NUL	CY PROTE	EVENT THE VENDOR/CCTION, THE STATE MID, AND TERMINATE R.	AY DEEM THE		
	SHALL CONDIT DOCUME AGREEM ELECTR	SUPERS IONS W NTS SU ENTS O	EDE ANY HICH MAY CH AS PR R MAINTE EDIUM SU	IONS CONTAINED IN AND ALL SUBSEQUENT APPEAR ON ANY ATTICE LISTS, ORDER FNANCE AGREEMENTS, CH AS CD-ROM.	TERMS AND ACHED PRINTED ORMS, SALES		
)		SEE	REVERSE SIDE FOR TERMS AND CO	NOITIONS .		
SIGNATURE (Sa	uf to	ullar	- June	To all the second secon	304-723-5555 DATE	March 20 3012	
TILE VICE DE	CXUVOI) f. FE	31141	(do 5) 2	ADDRESS CHANGI	ES TO BE NOTED ABOVE	

SH-P.

TO



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DPS1230

PAGE 4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

TARA LYLE 304-558-2544

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

REQ COPY TYPE NAME/ADDRESS HERE A.V. LOUTTOMUS COMM. Inc. 1344 Cove Hill Rd. Weitton WV 26062

F.O.D. FREIGHT TERMS DATE PRINTED TERMS OF SALE SHIP VIA . . Propercy Destination Net 20 02/15/2012 BID OPENING DATE: OPENING TIME 01:30PM 03/21/2012 OAT, UNIT PRICE **THUOMA** LINE QUANTITY UOP ITEM NUMBER EXHIBIT 4 UNLESS THE VENDOR INDICATES LOCAL GOVERNMENT BODIES: IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEN TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER. REV. 3/88 ANY INDIVIDUAL SIGNING THIS BID IS CERTIFYING THAT: (1) HE OR SHE IS AUTHORIZED BY THE BIDDER TO EXECUTE THE BID OR ANY DOCUMENTS RELATED THERETO ON BEHALF OF THE BIDDER, (2) THAT HE OR SHE IS AUTHORIZED TO BIND THE BIDDER IN A CONTRACTUAL RELATIONSHIP, AND (3) THAT THE BIDDER HAS PROPERLY REGISTERED WITH ANY STATE AGENCIES THAT MAY REQUIRE REGISTRATION. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALITERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. SEE REVERSE SIDE FOR TERMS AND CONDITIONS 723-1991 DATE SIGNATURE TELEPHONE 301/ Merch

114/16652

SHIPTO



BODZEN

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DPS1230

PAGE 5

ADDRESS CORRESPONDENCE	TO ATTENTION OF:
TARA LYLE	
304-558-2544	

	COPY			
TYPE N	NAME/AL	DRES	SHERE	mers A
4. V.	Latte	2/115	Commi	1-100
1344	Care	13,11	Kol	
			2.1000	02.

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

DATE PRINTED TERMS OF SALE			SHIP VIA		F.O.B.	FREIGHT TERMS		
02/15/2012 //01 20			- $OP3$	5	Destriction	Properd		
BID OPENING DATE: 03/21/2012					BID OF	PENING TIME	01:30PM'	
LINE		NTITY	ŲOP [°]	ÇAY. NO.	ITEM NUME	BER	UNIT PRICE	AMOUNT
	CURREN IS ISS MUST A CARD F	TLY UT UED TH CCEPT OR PAY	ILIZE ROUGH THE S MENT	S A V A BA TATE OF AL	ISA PURCHA NK, THE S OF WEST VI	SING CAP UCCESSFU RGINIA	OF WEST VIRGIN RD PROGRAM WHI UL VENDOR VISA PURCHASIN Y ANY STATE	ICH
			VEND	OR PR	EFERENCE C	ERTIFICA	ATE	
	VERSIC	N WHIC	H IS	AVAIL WV.US	ABLE HERE:		THE ONLINE	F
	A SIGN	ED BID	MUST	BE S	UBMITTED T	0:		
	F 19	URCHAS BUILDIN	ING D G 15 SHING	IVISI TON S	INISTRATION TREET, EAS 5305-0130			
		NELOPE			THIS INFO D MAY NOT		ON THE FACE	OF
	BUYER			ac sa ja sa sa	TL/32-			
	RFQ. N	10.;			DPS1230			a U d
	0 /			SEERE	VERSE SIDE FOR TE		ITIONS	2015
SIGNATURE	Rall	UCun	,			TELEPHONE 30	4-723-5555	March 20 2012
TITLE VICE I	Property	trint F	EIN 211	4/1/01	1002			NGES TO BE NOTED ABOVE

SHIPTO



NOONE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

DPS1230

PAGE____

ADDRESS CORRESPONDENCE T	O ATTENTION OF:
TARA LYLE	
304-558-2544	

RFQ	COPY			
TYPE	NAME/A	DDRESS	HERE	·*// /
$A \cdot \mathcal{V}$	rauth	amus	Comm.	1.100
344	Cave	Hill	Road	
t A	(200	, , , ,	

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

DATE PRINTED TERMS OF SALE			SHIP VIA	T	F,O,B.	FREIGHT TEAMS		
02/15/2012 Net 20			UP5	1	estination	Propried		
BID OPENING DATE: 03/21/2012							ENING TIME 0	1:30PM
LINE		YTITY .	. UOP	OAT, 'NO.'	ITEM NUMBER		UNIT PRICE	AMOUNT
	BID OP	ENING	DATE:	P 17 P 11 11	03/21/2012			,,
	BID OP	ENING	TIME:		1:30 PM			-
	PLEASE TO CON	PROVI	DE A OU RE	FAX N GARDI	UMBER IN CASE IT	Г I:	S NECESSARY	
	CONTAC	T PERS	ON (P	LEASE	PRINT CLEARLY)			
	*****	THIS	IS T	HE EN	D OF RFQ DPS	123	0 ***** TOTAL	: <u>Please</u> Sæ Attachman
				0				
	Ļ		130	ett br	VERSE SIDE FOR TERMS AND CO	TICING	IONS	
SIGNATURE	200	fo. (1)	mi.	ONE UE	TELEPHONE 301		DATE	Muscah 20 2012
TITLE \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	w	F	EIN 77 1	14/1/0	652	72		ES TO BE NOTED ABOVE
11155 12	TESI INCL	17	71	1110	(1) 2-		710011000 07110101	

DPS1230 SPECIFICATIONS FOR VOICE AND DATA RECORDERS

The West Virginia State Police desires to establish an open end contract for the purchase of Voice and Data Recorders and related accessories. This contract shall be available for use by the West Virginia State Police, Agencies of the State of West Virginia and all County Agencies and Municipalities.

This specification covers the requirements for an advanced NG-911 ready IP Enabled digital logging recorder/reproducer designed to provide recording a minimum of 24 hard wired channels & 24 VoIP Channels plus the time & date data and expandable to at least 96 hard wired channels & 96 VoIP Channels.

The digital logger should be capable of standalone operation with an integrated front panel mounted color touch screen GUI control. Requirements for a keyboard, mouse and monitor for local operation will be considered but is not a desired mode.

The logging system shall provide network server functionality for remote access from any Windows PC Workstation on the network.

			COMP	LY?
1	CEN	TRAL SYSTEM	Yes	No
	1.1	The system architecture shall be based on an industrial rack mount server - client design where all calls are maintained on a central server. Access from PC/clients shall be over an Ethernet connection.		
	1.2	The system shall be equipped with a minimum Raid1 hard drive buffer array to support a minimum of 165,000 channel hours of data for instant recall playback and buffering.		
	1,3	The system shall be equipped with hot swap redundant power supplies. The redundant power supplies must be powered by separate cords.		
	1.4	The system shall support storage of calls to a NAS server or Storage unit with an option for SAN support.		
	1.5	The system should support central archiving from multiple recording systems to one centrally located unit.		3
	1.6	The system should be equipped with an integrated front panel mounted color touch screen GUI control. (If a keyboard / monitor are required, the preferred solution is a 1U rack mount sliding tray with integrated monitor, keyboard and mouse/pad. Please state the rack mounting space		<u> </u>

required and include front panel control within the pricing submission.

2

		/	
1.7	The system shall use an operating system that can be updated directly		
1.7	from a distribution media or in a simple few step process. There should		
	be no requirement for operator intervention except loading media and		
	restarting the logger. Discuss any licensing requirements for the operating		
	system in use. Discuss how updates are distributed to end user		
	organizations.	V	
1.8	The system shall have a relational SQL database of all recorded calls. A no		
	license fee relational SQL database is preferred that provides:		
	Relational SQL database of all call records		
	 Up to 12 Million calls may be indexed in the call records 		
	database		
	Programmable retention period		
	 ODBC (database access) driver available 	/	
1.9	The system shall keep its time synchronized to a state maintained master		
1.0	clock utilizing NTP over Ethernet.		
1.10	The vendor shall confirm that all system major components are COTS non-		
2120	proprietary parts except the record input cards.		
1.11	The system should support Hot Swap Raid1 and Hot Swap Raid5 options		
	within the system chassis. Please provide optional pricing for this		
	capability.	./	
1.12	The system shall support multiple 10/100/1000MB Base-T interfaces for		
	remote Ethernet access and be equipped with dual NIC cards.		
1.13	The system shall capture and store important information to facilitate		
	management. This history & error log information will include alerts, user		
	passwords and profiles, media status, user access audit trail, media library	_	
	records etc.		
1.14	The system shall provide buffering of all recording on the hard disk and		
	automatically transfer the recording to the archive media. The transfer will	-	
1 1 5	be automatic on a programmable basis. The system shall provide the ability to playback from an archive drive	V	
1.15	while others continue to record.	1	
1.16	The system shall provide for orderly shutdown upon complete power		
7170	outage when equipped with a smart UPS unit. The system shall also		
	automatically restart and return to last operating mode upon power		
	restoration.	V	
1.17	The system shall allow remote monitoring & configuration via a web-		
	based application from any Windows workstation through a LAN	_	
	connection.		
1.18	The system shall provide an option for these Next Generation 9-1-1		
	interfaces.		
	 NENA-standard SIP-Invite method for recording of NG9-1-1 		
	primary interactions		
	NENA-standard Next Generation 9-1-1 Logging Service with		
	WSDL-based data logging/retrieval interface and RTSP		
salah sana	Networking Capabilities		
2.1	The system shall allow for a minimum of 16 simultaneous remote client	-	-
	connections to the central server. The vendor shall discuss the capabilities	,	
0.0	and maximum limits on connections. The system shall allow for a Live Monitor function from each client or Web-		
2.2	he system shall allow for a live Monitor function from each client of web-	*	

3

2.3		onitor function access shall be limited to only authorized	<u> </u>	
2.4	The system	ess based on a user account profile. shall allow for an Instant Recall function from each client. The	V	
420 S20	support rec	all function should support a minimum buffer size of 12 hours to all of up to a full shift. The vendor shall describe the buffer size.	1	
2,5	The Instant	Recall function access shall be limited to only authorized ess and timeframe based on a user account profile.		
2.6	If multiple d	igital recorders are employed in the installation, the system vide viewing and retrieval from, all recorders in a unified manner		
	from one us	ser interface.		
2.7	The user cli	ent software or web-based software shall be able to retrieve yback from a Network Attached Storage server.		
2.8	The user cli	ent software or Web-Based software should be able to retrieve yback from a central Storage Area Network device.		
Record	d Storage		1/	
3,1	The system	shall provide at least 165,000 channel hours available for ess on a hard disk independent of the archive drives. These		8
	recordings	must be duplicated on a second hard disk providing a 100%		
	reason,	ppy that will be available should the 1 st hard disk fail for any	1	
3.2	The system	shall offer options for larger hard disks to provide more on line		
	recording for	or Instant access.	,	
3.3	The system	shall optionally provide the ability to have up to 4 hard disks		
		to configure them in a RAID5 system. The RAID5 configuration		
3,4	shall suppo	rt hot swap functionality. shall provide for the connection of USB based mass storage		
3,4	devices for	making additional backup copies of calls.		
3.5	The system	shall be able to restore calls to the master database from an	V	
	archive me	dla, NAS server or USB mass storage device.	V	
Recor	ding Capabili	itles		
4.1	The digital	recorder module shall be capable of field expansion of record		
	channels to	96 hard wired channels and 96 soft IP channels.	1/	
4.2	The system	shall display which channels are recording, ready to record or		
	selected fo	r live monitor through a color coded channel status display.	1/	
4.3		els that have been idle for a user programmed length of time		
11	shall cause	a system alert. shall provide analog record activation by VOX, On/Off Hook		
4.4	detection	Contact Closure detection, external command, or continuous on a		
<u> </u>	per channe		17	
4.5	The system	shall provide true digital to digital PBX record activation by VOX,	ν	7
0.548.55FK	continuous	s, or D Channel command selectable on a per channel basis.	./	
4.6	The system	shall support the following digital PABX and phone instruments		
	for D-Chan	nel off hook detection and call digit decoding:		
	0	PABX: All Major brands including Avaya, Nortel, NEC, Mitel, Slemens		
	0	Phone model: All major brand 2-wire TDM phones		

5

4.7	The system shal	I support the following VoIP Switch, phone instruments and		
	IP audio source:	S.		
	0	VolP Switch: Cisco Call Manager and Cisco Call Manager		
		Express		
	Ø	VoIP Phone model: Cisco 7931G		
	•	IP Console: Avtec Scout		
	•	IP Console Radio connection: TCP/IP		
10	The system sha	Il provide determination of line status through a built-in		
4.8	voltmater and	audio level meter.		
4.9	The system sha	II provide web-based remote determination of line status		ere con allega a company despe
415	through a built	-in voltmeter and audio level meter.		
4.10	The custom sha	Il provide an ontion for "recording on demand". The on		
7120	demand record	activation will be initiated at an attached PC workstation or	+ please	Sec Not
	telephone DTM	IF signal. This feature must be able to be activated during a	1	
	call and save It	from the beginning in case of a threat.		
4.11	The system sha	Il provide a protection facility to tag a call to prevent		
	deletion from t	he call record database in the event the database is full and	-	
	purging the old	lest calls. The call shall remain within the database until it is		
	un-protected.			
4.12		ll provide an option for NENA Standard ANI/ALI serial data		
	spill capture in	to the call record database.	250	
4.13	The system sho	ould provide an option for Non-Standard ANI/ALI CAD data		-
		to the call record database on a Non-Recurring Engineering		
	(NRE) fee.		1/	
4.14	The system sho	ould provide an option for IP Console Metadata capture into		**
		database on a Non-Recurring Engineering (NRE) fee.		
	m Search & Play	Capabilities	1/	
5.1	The system sha	all provide search and retrieval of recorded audio from an		
		or from the on line hard disk or from a remote archive NAS		
	or Network cei	ntral archive storage unit.	1/	
5,2	The system sha	all provide for at least 16 simultaneous search and retrieval		
		separate stations. The vendor is to describe the limits on the		
c 2		ultaneous sessions. all provide the ability to playback up to all installed channels	1/	
5.3	ine system sna	y. The vendor shall discuss any limits on the total number of		· · · · · · · · · · · · · · · · · · ·
		can be played back simultaneously.		
5.4	Once the calls	have been selected and found, they shall be displayed in a	V	
3,4	call list and sh	all simultaneously be displayed in a graphical time line		
		y movement between messages.		
5,5	Search shall be	e initiated by multiple user selectable views or keys in a		
5,5	standard relat	ional database format. Search criteria shall be at least:		-
	0	Time/Date		
	•	DTMF telephone number		
		Caller ID telephone number		
	0	Calls between certain times		
	0	Calls in the past relative to current time		
	٥	Call duration		
	15%	WALL 21 31 31 31 31 31 31 31 31 31 31 31 31 31		

Call direction

			Channel name			
			 Tagged/protected calls Please See 			
			 ANI/ALI, Trunk Radio or IP Console Metadata 			
			 Wildcard searches 			
		5.6	The resulting searched audio shall be in a proprietary format that will play		22	
			at the recorder or at an attached workstation.			
		5.7	It shall be possible to convert the audio to standard .WAV file format or		-	
			Audio CD format to be used as PC compatible audio files for emailing and			
			copying to a CD-R or other recording media at the PC workstation.			
		5.8	The system shall provide for channel naming from the recorder or from an			
			attached workstation with the web-based application in order to facilitate			
			the search and retrieval process.			
		5.9	The system shall provide for fast forward and fast rewind during playback.			
		5,10	The system shall provide for the continuous playback looping of an audio	1		
		3,10	segment within a call.		1.0	
		5.11	The system shall provide the capability to skip forward to the next message	1/		
		3,11	or skip back to the previous message.		55	
		5.12	The system shall provide for the extraction of a portion of a call to a .wav	1/		
		3.12	file.			
		5,13	The system shall provide for a recording to a CD or other usb media as	V		
		3,13	Individual calls			
		5,14	The system shall provide for the recording to a CD or other usb media in	1/		
		3,14	either a sequential call by call or in a parallel timeframe mode in a merged		•	
			file (overlapping Synchronized multi-channel playback).			
		F 1F	The system shall provide the capability to append notes to a recording and			
		5.15	save them with the recording. Whenever the recording is played back the	Pease ?	~ _	Note Z
			notes shall display. No special word processor software shall be required	rease .	see	VOO (2
		F 40	for this function.			
		5,16	The system shall provide the ability to playback a call or make a rerecording			
			with spoken time.	1/		
		5.17	The system shall provide a redaction feature for making copies of incidents			
			for distribution	1/		
		5.18	The system shall provide a speed control with pitch correction while playing			
			recordings.			
6			n Security Requirements	./		
	6.1		stem shall provide for multiple user profiles to control access permissions			
			to the channel level and user role.			
	6.2	Systen	n shall provide Password complexity enforcement (Minimum Length,	٥		11 121 6
			num Digits, Minimum Lowercase Characters, Minimum Uppercase	Please	See	Wote 3
			cters, Minimum Special Characters)			
	6.3	System	n should provide an Option to authenticate logger users via external SMB		a	
		servic		Please	See	wote 4
7			em Diagnostics/Alert Capabilities	1/		
	7.1	The sy	stem shall provide boot up system test and ongoing self checking tests.			-
	7.2	The sy	stem shall maintain an internal error log for all system alerts and error			
		mess	ages.	,		
	7.3	The sy	stem shall provide the capability to automatically send any alerts via email		_	
		and a	utomatically notify that an alert has occurred.	1/		
	7.4		stem shall provide the ability for on line remote diagnostics via a network			
			ection.	1/		
	7.5	The sy	stem shall monitor all channels for a preprogrammed time frame of		2	
		95			2	(Mary part)

		inactivity (No record audio) and generate an alert for any channels that exceed this time frame.
8		Physical Characteristics
0	0 1	The system shall be a standard 19 inch rack mount configuration and not exceed
	8.1	4U's in height.
	8.2	The system rack space required shall be a maximum 19"W X 24"D X 8"H.
	8.3	System weight shall not exceed 65 pounds.
	8.4	The System shall have the audio inputs cabled to a demarcation point within 6 feet
	0,4	of the chassis. The input cables shall terminate to a 66 block. The vendor shall
		provide all required blocks, cables & cross connect Jumpers.
9		System Electronics – Input Boards
9	0.1	System frequency response should be 200 to 3400Hz.
	9.1 9.2	System signal to noise should be at least -50dB.
		System Crosstalk should be -60db or greater.
	9,3	System crosstalk should be -oodb of gleater.
	0.4	System AGC should be selectable on a per channel basis and provide this minimum
	9.4	operation:
		 Range of 24 dB boost Attack time of less than 20 msec.
		Recovery time of 200 msec.
	9,5	System input impedance should be 10Kohm, balanced bridge & DC blocked.
	9,6	The system should accept audio levels between -40dB to +10dB.
	9.7	The system shall have record activation methods selectable on a per channel basis.
	5.7	These shall be:
		VOX sensing
		Off Hook sensing
		External Contact Closure
		Continuous record
		Digital telephone signaling
	9.8	All electronic circuits shall be of modern design and construction, arranged for
	5.0	quick replacement on plug-in cards.
	9.9	The system analog telephone input shall have an internal "beep" generator that
	010	can be enabled on a per channel basis, if automatic notification of recording is
		required.
	9.10	The channel capacity of the system shall be from 24 to 96 hard wired and from
		24to 96 soft IP sources in a single chassis.
	9.11	The system shall be capable of direct connect to various record inputs all from
		one chassis. These inputs shall be: Please See Wote 5
		 Analog Telephone Lines/Stations
		 Analog 2-way Radio
		Digital PABX Telephone Stations
		Digital T1/E1/ISDN PRI Telephone Circuits
		Digital ISDN BRI Telephone Circuits.
		VolP Telephone Stations
		IP Console Feeds
		Screen Capture Feed WOTE 5
		NG-911 SIP Invite
	9.12	The system shall support an automatic gain control (AGC) function to provide
	- 2 and End	leveling of near end and far end talkers. The AGC function shall be selectable on a
		per channel basis.

9.13	When AGC is not desired during normal operation, it shall be possible to activate AGC during playback only.		
10	System Support	. /	
10.1	The vendor shall provide training for the user groups including:		
	 First Line Technical support and Administration for customer technicians for self support and installation 		
	 Administrator / Supervisor training including media handling, system administration, Client software use 		
	 Console operator training on client Instant Recall use 		
	 Refresher training shall be provided through out warranty and 		
	maintenance		
.10.2	The vendor shall have factory certified technicians on call on a 24/7 basis for		
	support.	1 1	
10.3	The vendor shall confirm common repair parts (hard drives, archive drives, power supplies, input boards) to be stocked by the Vendor for same-day repair.		
10.4	The vendor shall confirm availability of complete loaner system in the event	Laren	
20.4	same-day repair is not feasible.		
10.5	The vendor shall supply the following manuals in hard copy (one copy) per unit		
	ordered;		
	 Logger User Guide and Configuration 		
	 Client/Web-Based software User Guide 		
	I.ogger Service Manual		
10.6	The vendor shall supply the manuals in a PDF softcopy and grant unlimited user copy privileges.		-
10.7	The vendor shall document all systems settings and leave a hard copy record on site with the manuals.		-
10.8	The vendor shall provide a minimum of 3 reference sites of Public Safety agencies	1	
10.0	using the proposed recording system. Include Agency name, Agency Address,	1.50	

11 Award

- 11.1 The contract will be awarded to one vendor with the lowest bid meeting all of the specifications with the most complete bid.
- 11.2 An authorized signature must be on the bid.

DPS1230 - Cost Sheet

700 °	Cost Sheet				
Item	Description	Make/model	Estimated Quantity	Unit Price	Extended Price
	Logger Hardware	N 3 1 1 1			
1.0	Voice and Data Recorder with: Dual hot swap power supplies Raid1 Hard Disks, minimum 165,000 channel hours year warranty	COMLOG NP 192	6 ea	8,017.20	48,103,20
1.1	Front Panel color touch screen control unit or optional keyboard, mouse and monitor	60047	6 ea	652.32	3,913.92
1.2	24 Channel Analog Input board	60017	6 ea	4,528.80	27,172.80
1.3	24 VoIP CISCO CM/CME Telephone Inputs	60 B1	6 еа	5,536.80	33,220.80
1.4	24 VoIP Avtec Console Inputs	60181	6 ea	5,536.80	33,220.BC
1.5	Digital T1/ISDN PRI TelephoneCircuit Input Board	60113	1 ea	6,984.72	6,984.70
1.6	Cisco VoIP Gateway for Call Manager/Call Manager Express	50L	6 ea	Note	GNIA
17	License for 6 concurrent users for Administration, playback and instant recall.	60127	6 ea	1,152.00	6912.00
1.8	Cabling materials, demarcation (lot)	60075	6 ea	13576	812.16
1.9	Install and Commissioning Services	AVLINS	1 ea	1920.00	1
1.10	On-site Training for each location	AULTRN	6 ea	900.00	5400.00
1,11	Upgrade to Hot-Swap RAIDS	60275	6 ea	3047.76	18,286.5
1.12	Loaner Recorder in event of fallure Please providing pricing per week	587192	6 ea	W/Com	Trelvoed
1.13	Maintenance per year 24/7 coverage.	AVLSILVA	6 ea	Included 1-3 yrs	Included 153 yrs

Grand Total: 185,946.96

NOTE: All quantities specified on the cost sheet are for bid purposes only.

Actual quantities to be purchased may be more or less than noted above.

Vendor Name: AV. Lauttamus Comm. INC Contact Name: Paul Lauttamus Address: 1344 Cove Hill Rd.

Phone No.: 304. 723, 535.3 Fax No.: 304, 723, 7417

Authorized Signature:

WITNESS THE FOLLOWING SIGNATURE

RFQ No. DPS 1230

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §6A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any lax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: AV tout tamus (comm.
Authorized Signature: Thurs Journal Date: March 20
State of West Vivainin
County of PANCOCK, to-wit:
Taken, subscribed, and sworn to before me this 20 th day of MArch
My Commission expires <u>September 11, 2016.</u>
AFFIX SEAL HERE NOTARY PUBLIC Leclia Degnical
CFFICIAL SELIG. MUTACHY FOR JOSEPH CONTROL OF THE SELIGIBLE CONTROL OF THE SELICIBLE CONTROL OF

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
	Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or
	Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. 🗶	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.6% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
1.	Application is made for 5% resident vendor preference for the reason checked: Bidder meels either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5,	Application is made for 3,5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a voteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
	to the felled by a religious fermion that

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division by writing immediately.

Date: March 20 2012 Tille: Vice President

^{*}Check any combination of preference consideration(s) Indicated above, which you are entitled to receive.

ATTACHMENT PO#____

This agreement constitutes the entire agreement between the parties, and there are no other terms and conditions applicable to the licenses granted hereunder

But buttan March	20-2012	
Vice Presedent	Signature	Date
Dille	Title	
A. V. Lauttamus la Company Name	Agency/Division	-

WV-96A Rev. 9/11

AGREEMENT ADDENDUM FOR SOFTWARE

In the event of conflict between this addendum and the agreement, this addendum shall control:

- DISPUTES Any references in the agreement to arbitration or to the jurisdiction of any court are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
- 2. HOLD HARMLESS · Any provision requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
- 3. GOVERNING LAW The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
- 4. TAXES Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
- 5. PAYMENT Any references to prepayment are deleted. Fees for software licenses, subscriptions, or maintenance are payable annually in advance. Payment for services will be in arrests.
- 6. INTEREST Any provision for interest or charges on late payments is deleted. The Agency has no statutory authority to pay interest or late fees.
- NO WAIVER Any language in the agreement requiring the Agency to waive any rights, claims or defenses is hereby deleted.
- 8. FISCAL YEAR FUNDING Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
- STATUTE OF LIMITATION Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
- 10. SIMILAR SERVICES Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
- 11. FEES OR COSTS The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction.

 Any other provision is invalid and considered null and void.
- 12. ASSIGNMENT Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
- 13. LIMITATION OF LIABILITY The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's flability for direct damages to a certain dollar amount or to the amount of the agreement is hereby deleted. Limitations on special, incidental or consequential damages are acceptable. In addition, any limitation is null and void to the extent that it precludes any notion for injury to persons or for damages to personal property.
- 14. RIGHT TO TERMINATE Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor. Agency agrees to pay Vendor for services rendered or goods received prior to the effective date of termination. In such event, Agency will not be entitled to a refund of any software license, subscription of maintenance fees paid.
- 15. TERMINATION CHARGES Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is licreby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current tiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
- 16. RENEWAL Any reference to automatic renewal is deleted. The agreement may be renewed only upon mutual written agreement of the parties.
- 17. INSURANCE Any provision requiring the Agency to purchase insurance for Vendor's property is deleted. The State of West Virginia is insured through the Board of Risk and Insurance Management, and will provide a certificate of property insurance upon request.
- 18. RIGHT TO NOTICE Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice,
- 19. ACCELERATION Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
- 20. CONFIDENTIALITY -Any provision regarding confidentiality of the terms and conditions of the agreement is hereby deleted. State contracts are public records under the West Virginia Freedom of Information Act.
- 21. AMENDMENTS All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:

STATE OF WEST VIRGINIA	VENDOR
Spending Unit:	Company Name: A.V. Law Hames Comm Two
Signed:	Signed: Jary Juntar
Title:	Title: Usa President
Date:	Date: March 20 2012



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

 EQ NUMUER	
DPS1230	

BASEP	AGE

TARA LYLE

ADDRESS CONHESPONDENCE TO ATTENTION OF 304-558-2544

RFQ COPY TYPE NAME/ADDRESS HERE Loutianus Comm. Inc.

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE SOUTH CHARLESTON, WV 25309 304-746-2141

DATE PRIN	VTED	TER	AR TO PMF	LE	SHIP. V	'IA	F,O,B;	FREIGHT TBRMS
03/06			120	***	$\mathcal{O}P$	5	Destination	7 PSCHOIO
BID OPENING DATE	il Alian di mara	03/21/	2012	130300370707	[70 marks to 100 Table	BID	OPENING TIME	01:30PM
LINE	QUA	YTITY	üón	CAT.	ITEM NUM	ивея	UNIT PRIČE	AMOUNT
	1	***********		200730100	,	<u> </u>		
				1				
			ADDEN	DUM N	0.1			
					erre et e en e			
	1. QU	ESTION	S AND	ANSW	ERS ATTAC	HED.		
ĺ	2. AD	DENDUM	ACKN	OWLED	EMENT IS	ATTACHE	D. THIS	ĺ
	DOCUME	NT SHO	ULD B	E SIG	NED AND R	ETURNED	WITH YOUR	
	BID.	FAILUR	E TO	SIGN	AND RETUR	N MAY R	ESULT IN	
	DISQUA	LIFICA	TION	OF YO	UR BID.			
,								
			END	OF AD	DENDUM NO	. 1		
								ļ.
0001	1		LS		015 07		Λ_{i}	noo a a
0001		1	LO		915-07		Mease	See Attachael
	VOICE		TA RE	CORDE	RS			-9-11112
		Act (22 (2) Act (2)						
		ļ						
				- 1				
		1						
		1		1				
i i		1	- 1	. 1				
		1	1					
			1	1				
			1					
			1	1				
المستران ورود	1 333,335,035,5	<u>ا</u>		esecution)	case sive Fon Te	HING SINE	การเกิดเล	
IONATURE OF	ul N	54/16				TELEPHONE .		NTE //(050/A 20) 2015
IILE VI. CO	-6	FEI	N 2011	110/08		2011		" //lason 20,2012
1. Cl.45 A.	1265 11111	1	211-	1101 DY	1/-		AUDRESS CHAN	GES TO BE NOTED ABOVE

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16, ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia, Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division, Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

<u>DPS1230</u> ADDENDUM NO. 1

Questions:

- Q1: For rack-mount installations, should we propose a 4-post rail kit or 2-post rail kit. In other words, to you have 4-post equipment racks, 2-post equipment racks, or a combination of the two types?
- A1: 2-post rail kit is sufficient.
- Q2: Will each site have a smart UPS on site or should the bidder propose this as an option?
- A2: UPS's will be provided by the State Police.
- Q3: What software version of Cisco Call Manager are you using?
- A3: Call Manager Version 7 and Call Manager Express 7
- Q4: What software version of Avtec Scout are you using?
- A4: Currently, 1.10 but moving to 2.0 as we have time.

Bid opening remains 03/21/2012 at 1:30 pm.

An authorized signature must be on the bid.

No additional questions will be accepted on this RFQ.

EXHIBIT' 10

REQUISITION NO.: 0.0951230

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

	ADDENDUM NO.'S:
V	NO. 1!
	NO. 2
٠	NO. 3
	NO. 4
	NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.

Las Hamus Conn Fue

REV. 11/96

Note 1: Reference 4.10

The ComLog includes a Record on demand" functionality as a standard feature initiated at an attached workstation. The feature to record a non-recorded call from the beginning should the record on demand feature be activated will be added at no additional cost within 6 weeks after installation of the proposed recorders.

Note 2: Reference 5.15

This feature will be supplied, at no additional cost, within 10 weeks after installation of the proposed recorders.

Note 3: Reference 6.2

The ComLog includes a very secure user management feature that includes specific user profile "privileges" such as feature and maintenance access rights as well as playback access rights down to the channel level. Password complexity enforcement (to include the specifics listed in this paragraph will be take approximately 2-3 weeks of engineering work. Once this feature is implemented, the software will be upgraded at no additional cost.

Note 4: Reference 6.3

As explained above, the profile of each user contains many items (privileges) which are specific to the ComLog system. As such, this requirement (6.3) should not apply since an external SMB service would not provide adequate user information to properly manage the ComLog system users. To be somewhat more specific, in addition to the typical User Name and Password, privileges include:

Editing user Profiles;
Editing Channel configuration;
Ability to Create Copies of Calls;
Ability to edit storage parameters;
Ability to manage time synchronization;
Ability to modify Status parameters and alarm levels,
Channel specific playback privileges (down to individual channels);
The user map also contains parameter to restrict access older or beyond certain time periods.

All of these would not follow typical "windows" or "network shared" user profiles, thus making SMB services actually non-desirable.

Note 5: Reference 6.3 9.11 Screen Capture Feed.

CVDS is involved in a project for ATC that will eventually add screen captures from RADAR displays. Once this feature is implemented, it will be provided at no additional cost.

Note 6: Cisco VoIP Gateway for Call Manager/Call Manager Express

The method that the ComLog recorder captures and records Cisco IP voice and skinny protocol does not require a separate VoIP gateway. The technique used merely requires a "span" (mirror) port on the existing VoIP switch to essentially "sniff" the network for this IP traffic. The recorder captures the appropriate packets that originate from or are directed to the telephone sets (and console positions) to be recorded. This proven process can be discussed further, in detail if required.



CVDS Inc. 117 Brunswick Blyd. Pointe-Claire (Québec) Canada H9R 5N2 T 514 426.7879 F 514.426.3511 www.cyds.com

March 19, 2012

Lattamus Communications Attn: Paul Lattamus 1344 Cove Hill Rd. Weirton, WV 26062

Dear Mr. Lattamus:

CVDS Inc. is a manufacturer of the *ComLog* TM Voice Recorder with our corporate offices located in Montreal, Quebec, Canada. Our company has been providing products and services to the Two-Way Radio Communications Industry and marketplace for 39 years.

We have structured our organization to utilize Manufacturers Representative Firms and Dealers who are charged with the responsibility of soliciting and managing our dealer network. We primarily sell, service and provide warranty support for our products through our dealer network. However in the event that the dealer becomes unable to maintain or support the equipment, we guarantee maintenance and support per our Warranty Agreement.

Accordingly, please be advised that the following dealer is authorized by CVDS Inc. to sell and service all *ComLog* TM products to West Virginia State and Local Government entities as well as to any additional State of West Virginia entities authorized by the State of West Virginia to procure products under any contract award resulting from their offering to the above referenced ITB.

Lattamus Communications Attn: Paul Lattamus 1344 Cove Hill Rd. Weirton, WV 26062

We thank you for your attention to this matter.


Sincerely,

Brian Berkovits

Vice President, Sales & Marketing

CVDS Inc.

192 CHANNEL DIGITAL VOICE RECORDER



Digital Voice Recording

- Up to 192 channel recording capability (up to 240 if including VoIP)
- Variable combinations of analog, digital and VoIP interfaces
- Flexible storage configurations using industry standard technologies
- Integrated hot-swap RAID-1 or RAID-5 standard
- Playback audio over a LAN at a remote workstations
- Extremely Quick retrieval of calls in less than 1/2 second
- Instant Recall and Call Monitoring
- **4U Rack Dimension**

Flexibility

- Archive to a RAID-5 device for improved data integrity and redundant storage
- Space saving integrated LCD touch screen and speakers (optional)

Wide range of interfaces to accommodate various inputs such as radio lines, telephone lines, ANI/ALI, time sources, networks, etc.

Extensive Features

- Audible and visual status alarms alert operators to potential system problems
- All calls are date and time stamped for easy search and retrieval
- High Security for Both User Acess and Encrypted Data Storage

OVERVIEW

The ComLog NP192 Digital Voice Recorder is an all inclusive recording solution for medium to large sized applications. This third generation ComLog system has evolved into a highly reliable and efficient recording solution for all 24/7, mission critical deployment. The NP192 chassis uses an open architecture hardware design to allow the system to keep pace with the fast moving technological advancements available today - and for years to come. The purpose-designed software provides performance, flexibility, and ease-of-use to the users of the system.

All access for administration and playback is via a highly secure network connection with all data encrypted to prevent unauthorized access and packet sniffing.

Interfaces are available for most audio sources, whether analog, digital, or VoIP, telephone, radio, or consoles. Storage options include RAID-1 or RAID-5, with capacities up to current industry limits.

APPLICATIONS

The versatility and scalability of the ComLog recorder series permits integration into a wide range of mission critical applications where data integrity, quality and reliability are essential.

Public Safety

Air Traffic Control

Corporate Security

· Marine

Campus Security

Rail

Call Center Management

Taxis/Transport dispatch and others

© 2012 Copyright CVDS Inc. "CVDS", "ComLog", and logos are trademarks of CVDS Inc.

Commission NP192

192 CHANNEL DIGITAL VOICE RECORDER

Telephone/Radio Interface - 2 wire analog, 4 wire analog

经共和公司的债券

Digital Interface -ISDN (BRI, PRI), T1, PBX

VolP: Telephone, Consoles, Radio

Record Activation - VOX, Hook-switch, Contact Closure

VOX Start Time - 8ms

VOX Holdover Time 1 to 60 seconds, Adjustable per channel

VOX Threshold -Adjustable per channel, -70dBm to -10dBm

Operating Temperature - 0 - 50 °C

Humidity - 10 - 80% (non-cond.)

Signal to Noise Ratio or idle Channel Noise - > 70dB, C message weighting

Frequency Response - 300 - 3400 Hz

Compression -12 - 128Kps, user selectable per channel

Input Sensitivity -Variable from -60dBm to +10dBm

Gain Adjustment -Variable from -10dB to +20dB


Agency Approvals -FCC Part 68, FCC Part 15 Class A, CS03, TBR 21, CE

External Time Synchronization - NTP, Serial, IRIG-B

Instant Message Retrieval - < 0.5 seconds

Power Supply -Single: 175W (max): rated 400W Dual: 210W (max): rated 400W

onia o spais ga walangska nishibi katuwa



FEATURES

Internal Storage Buffer -50,000 channel hours (minimum) hot-swap RAID-1 or RAID-5

Archive Storage Internal: Hard drive;
External: RAID-5, NAS, SAN,
ComLog Central Archiver

Instant Recall - Using full online hard drive buffer

 Search Criteria -Time, Date, Channels, DTMF, CLID, ANI, ALI

Channel Activity Indicator

* Channel Under/Over Activity Alarm

 Simultaneous Remote Users -64 remote users via network

Multi-Server Expandable - Unlimited

Types of Alarms -5 levels, major and minor with or without audible, informational, external dry contract remote alarm box, e-mail notification

 Dimensions L x W x H-19.5" (49.5cm) x 17" (43.2cm) x 7" Playback Features Voice over network, up to 20 channels simultaneous playback, Audio copies,
Variable speed pitch correction, Skip over silence, Auto Next, Loop, Playlists, Mix,

* AGC - Selectable at playback time

Pan, AGC

 Diagnostics full time, including independent processor as system watchdog

Automatic Daylight Savings Adjust

Channel Mixing or Playback -Up to 20 channels

Record "Beeps"-Selectable, per channel

Type of Security -Multi-user passwords, Individual user privileges & channel rights

 Capture of Events -DTMF, CLID, ANI, ALI

Weight-30-35 lbs (14-16KG)

1 Year Warranty

Specifications subject to change

Certificat(e) CA97/440

The management system of Le système de gestion de

CVDS Inc.

117, boul. Brunswick Pointe-Claire, Québec, H9R 5N2, Canada

has been assessed and certified as meeting the requirements of: a été évalué et enregistré selon les exigences de la norme :

ISO 9001:2008

The scope of registration is as follows: La portée d'enregistrement est présentée ci-dessous:

Design, development and manufacturing of various electronic products, mainly in the field of telecommunications such as audio and video recording equipment.

Conception, développement et fabrication de divers produits électroniques principalement dans le domaine des télécommunications tels que systèmes d'enregistrement vidéo et de la voix.

Furtiter clarifications regarding the scope of this certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization. Des échaircissements supplémentaires concernant la portée de ce certificat ainsi que l'applicabilité des exigences de la norme selon ISO 9001:2008 peuvent êtro obtenus en consultant l'organisme.

This certificate is valid from 16 April 2010 until 10 November 2012 and remains valid subject to satisfactory surveillance audits.

Recartification audit due a minimum of 60 days before the expiration date.

Issue 4. Certified since January 1997

Ce certificat est valide du 16 avril 2010 au 10 novembre 2012 et demeurera valide sous réserve du bon maintien des audits de surveillance.

L'audit de renouvellement est dû au minimum 60 jours avant la date Édition 4. Enregistrée depuis janvier 1997

Signed for and on behalf of SGS US Testing Company Inc. Document signé pour et au nom de SGS US Testing Company Inc.

Zachary Chiromik

Zechary C. Piverník
Accreditation Manager, North America
Directeur de Certification
Accredited Office/Bureau accrédité
201 Route 17 North, Rutherford, NJ 07070 United States of America
Certifying Office/Bureau de certification
6490 Vipond Drive, Mississauga, ON L\$T 1W8 Canada
t 905-364-3757 t 1-800-636-0847 f 905-364-0345 www.sgs.com


SGS 9001-2 01 0303 Page 1 of 1 Page 1 de 1











CVDS RESPONSE

TECHNICAL PROPOSAL

REQUEST FOR QUOTATION RFQ DPS1230 VOICE AND DATA RECORDERS

Prepared for: LATTAMUS COMMUNICATIONS FOR WEST VIRGINIA STATE PATROL

CVDS Document: RFQ 3272.doc

Due on: Wednesday March 21, 2012 1:30PM

CVDS Inc.

C Ds

ORIGINAL



117 Brunswick Blvd.
Pointe Claire, Quebec
CANADA
H9R 5N2
NCage Number: 38231

Tel: (514) 426-7879 Fax: (514) 426-3511

Valid for: 120 days
Date: March 19, 2012

Authorized: _______ Brian Berkovits – VP Sales & Marketing

Technical Proposal

Executive Summary

The proposed Digital Voice Recorder to satisfy the requirements of West Virginia State Patrol is the CVDS ComLogTM product. The system was initially conceived in the mid-1990s and designed as a recorder for the Air Traffic Control environment. Over the past 15 years, the ComLog recorder has been focused on supplying Public Safety agencies with a reliable solution for their audio recording requirements. The ComLog is also used in other environments such as Campus Security, Flight Safety, Air Traffic Control, Marine Traffic Control, Rail Traffic Control, Corporate Security, Call Center Management, as well as many others.

The ComLog NP family of recorders is available in various chassis configurations, making it an ideal solution for any sized dispatch and communications center. Each model is identical in operations; using the same software and user interfaces, and all include the many advanced features that the system provides.

The available ComLog NP models are:

ComLogNP8C - 4 or 8 channels, desktop;

ComLogNP16- 4 to 16 channels for command vehicle applications; ComLogNP72 – 8 to 72 channels, 2U (3 ½"), 19" rack mountable;

ComLogNP192 - 8 to 192 channels, 4U (7"), 19" rack mountable (Front Panel LCD opt.);

ComLog IRPC - Desktop Instant Recall Playback Console.

The proposed systems to meet and exceed the requirements of West Virginia State Patrol are based upon the ComLog NP192 model. As listed on the DPS1230 Cost Sheet of the RFQ document, six (6) ComLog NP192 recorders, along with applicable analog and VoIP channels, are being proposed for the locations across the State.

Each ComLog recorder is equipped with dual Ethernet LAN connections. In addition to standard analog, digital, and T1 types of inputs, ComLog recorders interface to and record audio and data from numerous VoIP sources, including but not limited to IP telephones (CISCO, AVAYA, Mitel, Shortel, Intertel, NEC, Seimens, Asterisk, etc.), IP Consoles (AVTEC, Zetron, Telex, etc.), RoIP (Kenwood). Protocols such as H323, "SIP", *skinny*, *Unistim*, along with certain proprietary protocols are supported and captured as call "meta-data".

As part of our continued dedication to providing the public safety industry with reliable recording solutions, CVDS Inc. is proud to be part of the Next-Generation 911 Partnership Program. We are committed to deliver logging equipment compatible with Next Generation technology standards. The open architecture of our ComLog recorders will allow for the integration of this Next-Generation technology as standards are established.

Since NG911 still has many items to be defined and worked out, it is quite premature and actually not very responsible to claim compliance with a "standard" that does not yet exist. There are some excellent thoughts and ideas on what could and should be included within the information given to a PSAP, however, except for some very "canned" demonstrations, some NG911 ideas such as delivering text messages, video messages, and picture messaging to a PSAP is not yet achievable. Once the standards become more of a reality, the appropriate software will be developed. Many parties such as

Government, service providers, equipment providers must all get together to define and even more importantly implement the required infrastructure.

The proposed ComLog NP192 model is housed in a 4 rack-unit high chassis and is supplied complete with a rackmount kit for mounting into a 2 or 4 point 19" rack or cabinet. Each ComLog NP192 Digital Logging Recorders will be equipped with an integrated RAID-1 storage array (mirrored and hot swap drives) located at front of recorder. The 2TB RAID-1 (mirrored drives) provides 200,000+ channel-hours of on-line, instant recall storage. Figure 1 on the next page illustrates the ComLog with the front door closed and locked, while Figure 2 (the front door removed), shows the hot-swap RAID-1 array on the right side along with the (optional 7' touchscreen LCD panel). The drives are also individually locked by key to avoid unauthorized removal. The separate operating system disk is located in the middle section of the chassis.

Also located in the middle section of the front panel is a "Local Alarm Panel" (LAP) that is controlled by an independent, processor controlled, "watchdog" circuit. The LAP contains status (alarm) LED's as well as an audible alert and external alarm contacts. This circuit also provides information for the independent "Status Client" software for system monitoring and e-mail notification.

All input connections are made at the rear of the unit, using 25-pair Amphenol "telco" connectors and cables (for up to 24 channels per input module). Each recorder includes dual 10/100/1000 Mb/s LAN ports, one to be connected to the DLR LAN while the other will be available for IP recording or future NG911 interfacing.

Each chassis is equipped with dual (redundant), hot-swap power supplies, each of which is fed with independent AC power cords.

An equipment list is presented below, describing each "system" to be provided at each location.

Fig. 1 ComLog NP192 (Front door Closed)





Fig. 2 ComLog NP192 (Door Open)



1.1 Equipment List

Each ComLog NP192/24A/48V recorder will consist of the following:

- 4 Rack Unit High Industrial Chassis with locking door;
- Windows Operating System;
- 2TB hot swap RAID-1 hard drive array internal storage (200,000+ channel hours of recording);
- Dual Hot-Swap Power Supplies;
- Front Panel LCD touch screen;
- 24 Analog Inputs;
- Expandability to 192 conventional channels (analog/digital);
- 24 VoIP Inputs to record VoIP Cisco CM/CME Telephone Inputs;
- 24 VoIP Inputs to record VoIP Avtec Scout Consoles;
- Expandable to 128 VoIP/RoIP channels;
- Rackmount kit (2 and 4 point mounting);
- One (1) Installation Cable (25') including demarcation block;
- Dual 10/100/1000 Mb/s Ethernet, Network Archive Ready;
- Six (6) "Concurrent Access" User Licensing to be used for use with ComLog Reproducer and/or ComLog Instant Recall Software application for Search, Playback, and Instant Recall;
- Time synchronization (NTP);
- Archiving Software Application;
- 1 User Manual and a CD/DVD copy containing all manuals;
- 36 month Warranty on Hardware and Software;

Other quoted ComLog equipment:

- One (1) Digital T1/ISDN PRI Telephone Circuit Input Board
- · Loaner Recorder in event of failure

Options presented:

Upgrade to Hot-Swap RAID-5 2TB (200,000+ hours);



117 boulevard Brunswick Pointe-Claire, Québec H9R 5N2

RFQ DPS1230

ComLog References

Client Name	Address	Contact	Nature of the Project
	5 09	2 23	
West Virginia State Patrol	West Virginia, USA Various locations	Luke Blatt Tel: 304-746-2154 E-Mail: lblatt@wvsp.state.wv.us Dave Saffel Tel: (304) 637-0200 E-Mail: dsaffel@wvsp.state.wv.us Joe Harless Tel: 304-746-2229 E-Mail: jharless@wvsp.state.wv.us	Eleven (11) ComLog recorders including models ComLog DLS2410 and ComLog NP192 across the State of West Virginia, various channel configurations.
Ontario Provincial Police	Ontario, Canada Various locations	Rolly Joseph Tel: (705) 329-7612 E-Mail: Rolly.Joseph@ontario.ca	Thirteen (13) ComLog recorders including models DLS2420, DLS2410 and NP192 across the Province of Ontario, various channel configurations.
Pennsylvania Turnpike Commission	710 South Eisenhower Middletown PA 17057	Jeff Beard Tel: (717) 939-9551 ext 4816 E-Mail: JBeard@paturnpike.com	One (1) ComLog DLS2420 equipped with 24 analog channels and Two (2) ComLog NP192 recorders equipped with 48 analog and 24 VoIP channels and 40 analog and 32 VoIP channels.