



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

BFO NUMBER
DPS1237

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
TARA LYLE 304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

WEST VIRGINIA STATE POLICE
4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				

BID OPENING DATE: 05/03/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	LS		680-08		
POLICE PROTECTION EQUIPMENT						
OPEN-END CONTRACT						
THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WV STATE POLICE, IS SOLICITING BIDS TO PROVIDE TACTICAL BULLET PROOF VESTS, PER THE ATTACHED SPECIFICATIONS.						
INQUIRIES:						
WRITTEN QUESTIONS WILL BE ACCEPTED UNTIL CLOSE OF BUSINESS ON 04/19/2012. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:						
TARA LYLE DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305						
FAX: 304-558-4115 EMAIL: TARA.L.LYLE@WV.GOV						
EXHIBIT 3						

RECEIVED

2012 MAY -2 AM 10:12

WV PURCHASING
DIVISION

SEE REVERSE SIDE FOR TERMS AND CONDITIONS			
SIGNATURE	TELEPHONE	DATE	
<i>[Signature]</i>	513-400-6033	4.30.12	
TITLE	FERN	ADDRESS CHANGES TO BE NOTED ABOVE	
Sales Manager	86-0998788		

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
5. Payment may only be made after the delivery and acceptance of goods or services.
6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFO NUMBER

DPS1237

PAGE

2

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE
304-558-2544

RFO COPY

TYPE NAME/ADDRESS HERE

VENDOR

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

SHIP TO

WEST VIRGINIA STATE POLICE
4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				
BID OPENING DATE: 05/03/2012		BID OPENING TIME 01:30PM		

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>LIFE OF CONTRACT: THIS CONTRACT BECOMES EFFECTIVE ON AWARD AND EXTENDS FOR A PERIOD OF ONE (1) YEAR OR UNTIL SUCH "REASONABLE TIME" THEREAFTER AS IS NECESSARY TO OBTAIN A NEW CONTRACT OR RENEW THE ORIGINAL CONTRACT. THE "REASONABLE TIME" PERIOD SHALL NOT EXCEED TWELVE (12) MONTHS. DURING THIS "REASONABLE TIME" THE VENDOR MAY TERMINATE THIS CONTRACT FOR ANY REASON UPON GIVING THE DIRECTOR OF PURCHASING 30 DAYS WRITTEN NOTICE.</p> <p>UNLESS SPECIFIC PROVISIONS ARE STIPULATED ELSEWHERE IN THIS CONTRACT DOCUMENT BY THE STATE OF WEST VIRGINIA, ITS AGENCIES, OR POLITICAL SUBDIVISIONS, THE TERMS, CONDITIONS, AND PRICING SET FORTH HEREIN ARE FIRM FOR THE LIFE OF THE CONTRACT.</p> <p>RENEWAL: THIS CONTRACT MAY BE RENEWED UPON THE MUTUAL WRITTEN CONSENT OF THE SPENDING UNIT AND VENDOR, SUBMITTED TO THE DIRECTOR OF PURCHASING THIRTY (30) DAYS PRIOR TO THE EXPIRATION DATE. SUCH RENEWAL SHALL BE IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THE ORIGINAL CONTRACT AND SHALL BE LIMITED TO TWO (2) ONE (1) YEAR PERIODS.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>OPEN MARKET CLAUSE: THE DIRECTOR OF PURCHASING MAY AUTHORIZE A SPENDING UNIT TO PURCHASE ON THE OPEN MARKET, WITHOUT THE FILING OF A REQUISITION OR COST ESTIMATE, ITEMS SPECIFIED ON THIS CONTRACT FOR</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Chris Culbertson</i>	TELEPHONE 513-400-6033	DATE 4/30/12
TITLE Sales Manager	FEIN 86-0998788	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFO, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

BFO NUMBER

DPS1237

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE

304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				

BID OPENING DATE: 05/03/2012

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
IMMEDIATE DELIVERY IN EMERGENCIES DUE TO UNFORESEEN CAUSES (INCLUDING BUT NOT LIMITED TO DELAYS IN TRANSPORTATION OR AN UNANTICIPATED INCREASE IN THE VOLUME OF WORK.)						
QUANTITIES: QUANTITIES LISTED IN THE REQUISITION ARE APPROXIMATIONS ONLY, BASED ON ESTIMATES SUPPLIED BY THE STATE SPENDING UNIT. IT IS UNDERSTOOD AND AGREED THAT THE CONTRACT SHALL COVER THE QUANTITIES ACTUALLY ORDERED FOR DELIVERY DURING THE TERM OF THE CONTRACT, WHETHER MORE OR LESS THAN THE QUANTITIES SHOWN.						
ORDERING PROCEDURE: SPENDING UNIT(S) SHALL ISSUE A WRITTEN STATE CONTRACT ORDER (FORM NUMBER WV-39) TO THE VENDOR FOR COMMODITIES COVERED BY THIS CONTRACT. THE ORIGINAL COPY OF THE WV-39 SHALL BE MAILED TO THE VENDOR AS AUTHORIZATION FOR SHIPMENT, A SECOND COPY MAILED TO THE PURCHASING DIVISION, AND A THIRD COPY RETAINED BY THE SPENDING UNIT.						
BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.						
THE TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT SHALL SUPERSEDE ANY AND ALL SUBSEQUENT TERMS AND CONDITIONS WHICH MAY APPEAR ON ANY ATTACHED PRINTED DOCUMENTS SUCH AS PRICE LISTS, ORDER FORMS, SALES AGREEMENTS OR MAINTENANCE AGREEMENTS, INCLUDING ANY ELECTRONIC MEDIUM SUCH AS CD-ROM.						
REV. 01/17/2012						
ANY INDIVIDUAL SIGNING THIS BID IS CERTIFYING THAT: (1) HE OR SHE IS AUTHORIZED BY THE BIDDER TO EXECUTE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TELEPHONE

DATE

TITLE

FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

DPS1237

PAGE

4

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE
304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				

BID OPENING DATE: 05/03/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
THE BID OR ANY DOCUMENTS RELATED THERETO ON BEHALF OF THE BIDDER, (2) THAT HE OR SHE IS AUTHORIZED TO BIND THE BIDDER IN A CONTRACTUAL RELATIONSHIP, AND (3) THAT THE BIDDER HAS PROPERLY REGISTERED WITH ANY STATE AGENCIES THAT MAY REQUIRE REGISTRATION.						
EXHIBIT 4						
LOCAL GOVERNMENT BODIES: UNLESS THE VENDOR INDICATES IN THE BID HIS REFUSAL TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO COUNTY, SCHOOL, MUNICIPAL AND OTHER LOCAL GOVERNMENT BODIES, THE BID SHALL EXTEN TO POLITICAL SUBDIVISIONS OF THE STATE OF WEST VIRGINIA. IF THE VENDOR DOES NOT WISH TO EXTEND THE PRICES, TERMS, AND CONDITIONS OF THE BID TO ALL POLITICAL SUBDIVISIONS OF THE STATE, THE VENDOR MUST CLEARLY INDICATE SUCH REFUSAL IN HIS BID. SUCH REFUSAL SHALL NOT PREJUDICE THE AWARD OF THIS CONTRACT IN ANY MANNER.						
REV. 3/88						
THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.						
PURCHASING CARD ACCEPTANCE: THE STATE OF WEST VIRGINIA CURRENTLY UTILIZES A VISA PURCHASING CARD PROGRAM WHIC						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TELEPHONE

DATE

TITLE

FAX

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

DPS1237

PAGE

5

ADDRESS CORRESPONDENCE TO ATTENTION OF

TARA LYLE
304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				

BID OPENING DATE: 05/03/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
IS ISSUED THROUGH A BANK. THE SUCCESSFUL VENDOR MUST ACCEPT THE STATE OF WEST VIRGINIA VISA PURCHASING CARD FOR PAYMENT OF ALL ORDERS PLACED BY ANY STATE AGENCY AS A CONDITION OF AWARD.						
VENDOR PREFERENCE CERTIFICATE						
THIS TEAM EXHIBIT HAS BEEN REPLACED BY THE ONLINE VERSION WHICH IS AVAILABLE HERE: HTTP://WWW.STATE.WV.US/ADMIN/PURCHASE/VRC/VENPREF.PDF						
NOTICE						
A SIGNED BID MUST BE SUBMITTED TO:						
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130						
THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:						
SEALED BID						
BUYER:-----TL/32-----						
RFQ. NO.:-----DPS1237-----						
BID OPENING DATE:-----05/03/2012-----						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>[Signature]</i>	TELEPHONE 313-4106033	DATE 4.30.12
TITLE Sales Manager	FEIN 86-0998788	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

DPS1237

PAGE

6

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE

304-558-2544

RFQ COPY

TYPE NAME/ADDRESS HERE

ForceOne, LLC
520 Commercial Drive
Fairfield, OH 45014
Contact: Chris Culbertson

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/05/2012				

BID OPENING DATE: 05/03/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
BID OPENING TIME: -----1:30 PM-----						
PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:						
-----513.939.1166-----						
CONTACT PERSON (PLEASE PRINT CLEARLY):						
-----Chris W Culbertson-----						
***** THIS IS THE END OF RFQ DPS1237 ***** TOTAL:						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE

TELEPHONE

DATE

TITLE

FEIN

ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
DPS1237

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
TARA LYLE 304-558-2544

RFQ COPY
TYPE NAME/ADDRESS HERE

WEST VIRGINIA STATE POLICE

4124 KANAWHA TURNPIKE
SOUTH CHARLESTON, WV
25309 304-746-2141

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
04/19/2012				

BID OPENING DATE: 05/03/2012 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	UNIT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 1						
1. QUESTIONS AND ANSWERS ATTACHED.						
2. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID.						
END OF ADDENDUM NO. 1						
0001	1	LS		680-08		
POLICE PROTECTION EQUIPMENT						
***** THIS IS THE END OF RFQ DPS1237 ***** TOTAL:						

Date	5/1/12	# of pages	1
Post-it* Fax Note	7671	From	Tara Lyle
To	Chr B Curberton	Co.	
Co./Dept.		Phone #	
Phone #		Fax #	50-939-1166

SIGNATURE		TELEPHONE		DATE
<i>[Signature]</i>		513-939-1018		5-1-12
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE		
Sales Manager	86-0998788			

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

1. Awards will be made in the best interest of the State of West Virginia.
 2. The State may accept or reject in part, or in whole, any bid.
 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
 5. Payment may only be made after the delivery and acceptance of goods or services.
 6. Interest may be paid for late payment in accordance with the *West Virginia Code*.
 7. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
 10. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern the purchasing process.
 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
 12. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
 13. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vro/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
 14. **CONFIDENTIALITY:** The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.
 15. **LICENSING:** Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
 16. **ANTITRUST:** In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.
- I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder of this bid.

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualification. Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130.
5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W. Va. C.S.R. §148-1-6.6).

DPS1237
ADDENDUM NO. 1

Q1: Are they requesting 2 plates per vest or just 1 plate per vest?

A1: The WVSP requires and will purchase one (1) plate, but wishes front and rear plate pouches for the option to move the plates from front to rear.

Q2: I would like to bid on this current contract however we manufacture soft armor but would have to buy the plates from our plate vendor. Is this not exceptable? It states that you may not do this. Is this a typo? Do we have to be the manufacturer of the plates as well?

A2: Vendors purchasing plates from a plate manufacturer, which in turn becomes a part of the manufacturing and assembly process is acceptable; and so long as the warranty and all liability is the responsibility of the successful bidder/contract holder. The plates must also meet the minimum requirements contained in the specifications.

CLARIFICATION:

C1: Please add the following to the specifications:

Vest attachments

a) Shoulder protection

Ballistic shoulder protection is required at the same ballistic protection as the entire vest

b) 6" x 10 ballistic side protection

Ballistic 6"X10" side protection required at the same ballistic protection as the entire vest

c) Upper arm (bicep protection)

Ballistic upper arm / bi-cep protection is required at the same ballistic protection as the entire vest

d) Equipment pouches

6 assorted size equipment pouches are required

e) Id's for vest and upper arm protection

2" "Police" Id's are required

EXHIBIT 10

REQUISITION NO.:

ADDENDUM ACKNOWLEDGEMENT

I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED
ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY
PROPOSAL, PLANS AND/OR SPECIFICATION, ETC.

ADDENDUM NO.'S:

NO. 1 ☒

NO. 2

NO. 3

NO. 4

NO. 5

I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE
ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR
MUST CLEARLY UNDERSTAND THAT ANY VERBAL
REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY
ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES
AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE
INFORMATION ISSUED IN WRITING AND ADDED TO THE
SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.



SIGNATURE

ForceOne, LLC

COMPANY

5.1.12

DATE

REV. 11/96

DPS1237
Request for Quotation for an Open-End Contract
Tactical Bullet Proof Vest Specifications

The following are the minimum acceptable requirements for the safety bullet proof vests:

- Carrier must have exterior made of 1,000 Denier Cordura, or equal material
- Carrier must have internal cummerbund system with adjustable side and shoulder closures
- Carrier must include officer rescue strap and modular webbing attachment system (MOLLE)
- Carrier must include a detachable dual weapon retention system, located in both shoulder areas of the front of the carrier, that adjusts in vertical and horizontal directions
- Carrier must include a minimum 12" x 8.5" external top loading auxiliary pouch
- Carrier must include a dual radio wire channel, which allows for the mounting of a radio on the rear portion of the carrier and feeding of the microphone handset wire through a hidden channel to the front of the carrier
- Carrier must include two detachable shoulder mounted D-Rings
- Carrier must include a dual external top loading plate pocket (Front and Rear), which allows for the insertion of a minimum 8" x 10" or 10" x 12" special threat plates from an external, top loading orientation
- Carrier must include a detachable pull down groin protection
- Carrier must include a detachable Spacer-Mesh™ Padding System, or equal, to allow for greater airflow and cushioning
- All ballistic panels in the vest and components must be the exact same construction
- Ballistic panel must be no more than 1.15 lbs/sqft
- Ballistic panel must be manufactured using patented CORE Matrix Technology, or equal material from Twaron, or equal
- Ballistic panel must have a "certified" trauma of no more than 27.58mm for the .357 Sig NIJ test round
- Ballistic panel must be secured in the panel covering using the patented Grip-Lok, or equal system
- Ballistic panel must be tested in the C1-C5 template sizes
- No company that has had a vest previously listed on the NIJ CPL Advisory List for Non-Compliance or any kind of Safety Advisory will be considered
- Ballistic panel must have tested for and met both the DEA and DHS protocols
- Ballistic panel must have been demonstrated to stop one round of the FN 5.7x28 SS195 Hollow Point with a velocity of 2079 fps with a trauma of no more than 15mm
- Ballistic panel must have been demonstrated to stop one round of the S&W 500 MAG Hornady XTP with a velocity of 1223 fps with a trauma of no more than 32mm
- Ballistic panel must have a v50 for the .357 SIG no less than 1909 fps
- Ballistic panel must not have a decrease in v50 for the .357 SIG greater than 4.8% from when the panel is tested in the "new" to "conditioned" state
- Ballistic panel must not have a decrease in v50 for the .44 MAG greater than 5% from

- when the panel is tested in the "new" to "conditioned" state
- The hard armor plates must be made by the same manufacturer as the ballistic vest. With no buy/sell from other manufacturers
 - The hard armor plates must be tested and compliant under the NIJ 0101.06 standard for Level III Stand-Alone armor
 - The hard armor plate must be manufactured in a "shooters" cut, to allow for an operator to fully extend/lock out arms in a shooting stance
 - The hard armor plate must be made with a multi-curve shape
 - The hard armor plate must be made out of 100% polyethylene material, with a weight of 3.1-3.3 lbs.
 - The hard armor plate must be independently tested for six (6) impacts of the 7.62x39mm 123 grain Mild Steel Core round

Delivery:


Vendors shall delivery to the WV State Police located 4124 Kanawha Turnpike South Charleston, WV 25309. Delivery charges should be included in the bid.

Miscellaneous:

If providing a quote for an equal product, Vendors should include pertinent product information for the product(s) with the bid.

Award:

The contract will be awarded to one vendor with the lowest bid meeting all of the specifications with the most complete bid.

DPS1237 - BULLET PROOF VEST BID FORM			
Description	Estimated Annual Usage	Unit Price	Extended Price
BULLET PROOF VEST per the specifications contained in the RFQ	36 ea	\$ 1170.00	\$ 42,120.00
<p>Bidder / Vendor Information:</p> <p>Company Name: <u>ForceOne, LLC</u></p> <p>Address: <u>520 Commercial Drive</u> <u>Fairfield, OH 45014</u></p> <p>Phone No.: <u>513-939-1018 EXT 109</u></p> <p>Fax No.: <u>513-939-1166</u></p>			
<p>Contract Coordinator Information:</p> <p>Name: <u>Chris Culbertson</u></p> <p>Phone#: <u>513-400-6033</u></p> <p>Email Address: <u>Chris@forceonearmor.com</u></p> <p>Authorized Signature: <u></u></p>			
<p>NOTE: Estimated quantities are for bidding and evaluation purposes only - not a guaranteed order quantity - more or less may be purchased</p>			

Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application^{*} is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. **Application is made for 2.5% resident vendor preference for the reason checked:**
☐ Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
☐ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
☐ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2. **Application is made for 2.5% resident vendor preference for the reason checked:**
☐ Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3. **Application is made for 2.5% resident vendor preference for the reason checked:**
☐ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4. **Application is made for 5% resident vendor preference for the reason checked:**
☐ Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
☐ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6. **Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:**
☐ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (*West Virginia Code*, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Force One, LLC Signed: [Signature]
 Date: 4-30-12 Title: Sales Manager

^{*}Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No. DPS1237STATE OF WEST VIRGINIA
Purchasing Division**PURCHASING AFFIDAVIT**

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATUREVendor's Name: ForceOne, LLCAuthorized Signature: [Signature] Date: 4.30.12State of OhioCounty of Butler, to-wit:Taken, subscribed, and sworn to before me this 30th day of April, 2012My Commission expires 11/2/15, 2015

AFFIX SEAL HERE

NOTARY PUBLIC

Danielle Dudley

DANIELLE DUDLEY
NOTARY PUBLIC - THE STATE OF OHIO
MY COMMISSION EXPIRES **NOVEMBER 2, 2015**
Purchasing Affidavit (Revised 12/15/09)

NATIONAL INSTITUTE OF JUSTICE COMPLIANCE TEST REPORT

NIJ Standard 010.04
September 2000

Summary of Results

Armor Manufacturer: FORCEONE, LLC.
Armor Model No: F1-ASII-3A-10

Armor Style: NA
NIJ Armor Type: 3A

Report Number: 9664-64A
Report Date: 09/21/05

PENETRATION AND BACKFACE SIGNATURE												
Test Samples (b)					Ballistic Threat					Results		
Item Number	Serial Number	Panel	Weight (lbs)	No. of Plies	Caliber	Obliquity (degrees)	Req'd Shots	Velocity (ft/s)		Penetration (Y/N)	BFS (mm)	
								Max.	Min.		BFS 1	BFS 2
Sample 1	8646	Front	2.43	15	9mm	0 30	4 2	1460 1431	1420 1416	N	30	31
	8646	Back	3.21	15	9mm	0 30	4 2	1455 1428	1417 1407	N	31	26
Sample 2	8644	Front	2.43	15	9mm	0 30	4 2	1435 1432	1418 1432	N	29	29
	8644	Back	3.19	15	9mm	0 30	4 2	1437 1441	1415 1430	N	29	28
Sample 3	8645	Front	2.43	15	.44 Mag	0 30	4 2	1421 1431	1415 1417	N	40	39
	8645	Back	3.18	15	.44 Mag	0 30	4 2	1438 1429	1403 1417	N	41	39
Sample 4	8643	Front	2.43	15	.44 Mag	0 30	4 2	1434 1421	1405 1412	N	40	40
	8643	Back	3.19	15	.44 Mag	0 30	4 2	1426 1423	1423 1403	N	38	36

NOTES:

Maximum BFS: 44 mm
Ballistic Material: Aramid

P-BFS Result

Penetration: Pass
BFS: Pass

Model Compliance

Passed: YES

NIJ Baseline Ballistic Limit

Panel 1:

Type: 10 shots
Ballistic Limit: 1829 ft/s
Std Dev. (σ): 34 ft/s

Panel 2:

Type: 10 shots
Ballistic Limit: 1791 ft/s
Std Dev. (σ): 44 ft/s

CERTIFICATION:

Test Data Certification: FOY/HEIL
Name
Signature

Witnessed by: NA
Name

NA
Representing



CERTIFICATE OF LIABILITY INSURANCE

FORCE-1 OP ID: BATE

DATE (MM/DD/YYYY)

07/01/11

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Bauer Insurance Services, Inc. 13750 Danielson St Ste 200 Poway, CA 92064-8851 Theodore P. Bauer	858-748-1357 858-748-4278	CONTACT NAME: Ted Bauer PHONE (A/C No, Ext): 858-748-1357 E-MAIL: tedbauer@bauerinsurance.net ADDRESS: 858-748-4278	FAX (A/C No): 858-748-4278
INSURED Force One, L.L.C. 520 Commercial Dr. Fairfield, OH 45014		INSURER(S) AFFORDING COVERAGE INSURER A: Twin City Fire Insurance Co NAIC # 29469 INSURER B: Hartford Casualty Insurance Co 29424 INSURER C: Evanston Insurance Company 35378 INSURER D: INSURER E: INSURER F:	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR USR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY		72CES0F1670	07/01/11	07/01/12	EACH OCCURRENCE \$ 1,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY					DAMAGE TO RENTED PREMISES (Ea occurrence) \$
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR					MED EXP (any one person) \$
						PERSONAL & ADY INJURY \$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PERL					GENERAL AGGREGATE \$ 2,000,000
	<input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC					PRODUCTS - COM/OP AGG \$ 2,000,000
	AUTOMOBILE LIABILITY					COMBINED SINGLE LIMIT (Ea accident) \$
	<input type="checkbox"/> ANY AUTO					BODILY INJURY (Per person) \$
	<input type="checkbox"/> ALL OWNED AUTOS	<input type="checkbox"/> SCHEDULED AUTOS				BODILY INJURY (Per accident) \$
	<input type="checkbox"/> HIRED AUTOS	<input type="checkbox"/> NON-OWNED AUTOS				PROPERTY DAMAGE (Per \$25,000) \$
B	UMBRELLA LIAB	<input checked="" type="checkbox"/> OCCUR	72XSS3261	07/01/11	07/01/12	EACH OCCURRENCE \$ 10,000,000
	EXCESS LIAB	<input type="checkbox"/> CLAIMS-MADE				AGGREGATE \$ 10,000,000
	<input type="checkbox"/> CED	RETENTION \$				
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	<input type="checkbox"/> Y/N				WC STATUTORY LIMITS \$
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in HI)	<input type="checkbox"/> N/A				E.L. EACH ACCIDENT \$
	If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - EA EMPLOYEE \$
C	Excess Liability		XOWE247211	07/01/11	07/01/12	Per Occ 9,000,000
		Aggregate 9,000,000				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER

EVIDENC

EVIDENCE OF INSURANCE

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE
Theodore P. Bauer

© 1988-2010 ACORD CORPORATION. All rights reserved.

ForceOne, LLC

DEA Test Protocol

Model # F1-ASII-3A-10 Level IIIA Testing

	Panel #	Ply Count	Test Type	TEST ROUND	Required V-50	H.P.White V-50	V-50 + Amount	Pass/Fail
1	10116	15	DEA	2 grain Frag	2735	2827	92	Pass
2	10111	15	DEA	4 grain Frag	2420	2529	109	Pass
3	10112	15	DEA	16 grain Frag	2080	2132	52	Pass
4	10113	15	DEA	64 grain Frag	1620	1678	58	Pass
5	10108	15	DEA	DEA Test Protocol				Pass
6	10106	15	DEA	DEA Test Protocol				Pass
7	10107	15	DEA	DEA Test Protocol				Pass
8	10109	15	DEA	DEA Test Protocol				Pass

DEA Rounds to be tested	9mm 124 grain FMJ Nato M882
	1400fps +/- 50fps
	.40 S&W 165 grain Speer Gold Dot Hollow Point (GDHP)
	9mm 127 grain +P+ Winchester SXT



H.P. White Laboratory, Inc.

PROTECTION BALLISTIC LIMIT TEST, V50 BL(P)

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/7/06

TEST PANEL

Manufacturer : FORCE ONE

Size : 46 in.

Thicknesses : NA

Avg. Thick. : NA

Required BL(P) : 2735 ft/s

Description : SERIAL# 10116, FLEX WOVEN ARMD FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 2 GR.-10116

Heat No. : NA

Weight : 2.59 lbs.

Hardness : NA

Piles/Laminates : 15

Date Rec'd. : 02/07/06

Via : UPS

Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006

Witness Panel : 0.020", 2024-T3 ALUMINUM

Obliquity : 0 deg.

Backing Material : NA

Conditioning : AMBIENT

Primary Vel. Screens : 5.0 ft., 7.0 ft.

Residual Vel. Location : 6.0 ft. From Muzzle

Residual Vel. Screens : NA

Residual Vel. Location : NA

Range to Target : 8.5 ft.

Target to Wit. : 6.0 in.

Range No. : 1

Temp. : 72 F

BP : 29.01 in. Hg

RH : 31%

Barrel No./Gun : TEST BARREL

Gunner : INGRAM

Recorder : INGRAM

AMMUNITION

Projectile : 2 grain Steel RCC, 2 gr.

Powder : BULLSEYE

Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

(1) : MIL-STD-662F

(2) : DEA ARMOR TESTING PROTOCOL 01-06-2006

(3) :

Shot No.	Powder/Seating	Time (usec)	Velocity (ft/s)	Vel. Loss (ft/s)	V-Strike (ft/s)	Result	Include in V50	Footnotes
1	5.5	NR	NR	NR	NR	P		
2	5.5	NR	NR	NR	NR	BH		
3	5.5	676	2959	98	2861	C	Y	
4	5.3	699	2861	95	2767	P	Y	
5	5.5	666	3003	99	2904	C		
6	5.4	669	2990	99	2891	C	Y	
7	5.3	695	2878	95	2783	P	Y	
8	5.4	684	2924	97	2827	P	Y	
9	5.5	683	2928	97	2831	C	Y	
REMARKS :				FOOTNOTES :				V50 SUMMARY :
								No. Points : 3 & 3
								V50 : 2827
								High Partial : 2827
								Low Complete : 2831
								Range of Results : 124
								Range of Mixed : 0



H.P. White Laboratory, Inc.

BALLISTIC RESISTANCE TEST

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/4/06

TEST PANEL

Manufacturer : FORCE ONE

Size : 46

Thicknesses : NA

Avg. Thick. : NA

Description : SERIAL# 10107, FLEX WOVEN ARMD FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 10107 (DEA COLD)

Weight : 2.61 lbs.

Hardness : NA

Plies/Laminates : 15

Date Rec'd. : 02/02/06

Via : UPS

Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006

Witness Panel : CLAY

Obliquity : 0 deg.

Backing Material : 5.5" CLAY/PLYWOOD

Conditioning : COLD (-20 F) 15 hrs MIN.-18 hrs MAX.

Primary Vel. Screens : 6.5 ft., 11.5 ft.

Residual Vel. Location : 9.0 ft. From Muzzle

Residual Vel. Screens : NA

Residual Vel. Location : NA

Range to Target : 16.4 ft.

Target to Wit. : 0.0 in.

Range No. : 1

Temp. : 65 F

BP : 29.57 in. Hg

RH : 35%

Barrel No./Gun : TEST BARREL

Gunner : INGRAM

Recorder : INGRAM

AMMUNITION

(1) : 9mm FMJ, 124 gr.

(2) :

(3) :

(4) :

Lot No. : REMINGTON 23558

Lot No. :

Lot No. :

Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

(1) : DEA ARMOR TESTING PROTOCOL 01-06-2006

(2) : CLAY DROPS: 19mm, 19mm, 20mm, 19mm, 20mm

(3) : REQUIRED VELOCITY: (1375-1425) fps

Shot No.	Ammo.	Time 1 (usec)	Velocity 1 (ft/s)	Time 2 (usec)	Velocity 2 (ft/s)	Avg. Vel. (ft/s)	Penetration	Footnotes
1	1	3575	1399	3575	1399	1399	None	(a) DEF. 28mm
2	1	3500	1429	3501	1428	1428	None	(a) DEF. 30mm
3	1	3508	1425	3509	1425	1425	None	(a) DEF. 26mm

REMARKS :

FOOTNOTES :

(a) THREE PTR ROUNDS TO THE UPPER RIGHT SIDE OF THE VEST



H.P. White Laboratory, Inc.

BALLISTIC RESISTANCE TEST

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/4/06

TEST PANEL

Manufacturer : FORCE ONE

Size : 46

Thicknesses : NA

Avg. Thick : NA

Description : SERIAL# 10106, FLEX WOVEN ARMID FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 10106 (DEA HOT)

Weight : 2.60 lbs.

Hardness : NA

Plies/Laminates : 15

Date Rec'd. : 02/02/06

Via : UPS

Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006

Witness Panel : CLAY

Obliquity : 0 deg.

Backing Material : 5.5" CLAY/PLYWOOD

Conditioning : HOT (+150 F) 15 hrs MIN.-18 hrs MAX.

Primary Vel. Screens : 6.5 ft., 11.5 ft.

Primary Vel. Location : 9.0 ft. From Muzzle

Residual Vel. Screens : NA

Residual Vel. Location : NA

Range to Target : 16.4 ft.

Target to Wit. : 0.0 in.

Range No. : 1

Temp. : 65 F

BP : 29.57 in. Hg

RH : 35%

Barrel No./Gun : TEST BARREL

Gunner : INGRAM

Recorder : INGRAM

AMMUNITION

(1) : 9mm FMJ, 124 gr.

(2) :

(3) :

(4) :

Lot No. : REMINGTON 23558

Lot No. :

Lot No. :

Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

(1) : DEA ARMOR TESTING PROTOCOL 01-06-2006

(2) : CLAY DROPS: 19mm, 19mm, 20mm, 19mm, 20mm

(3) : REQUIRED VELOCITY: (1375-1425) fps

Shot No.	Ammo.	Time 1 (usec)	Velocity 1 (ft/s)	Time 2 (usec)	Velocity 2 (ft/s)	Avg. Vel. (ft/s)	Penetration	Footnotes
1	1	3519	1421	3516	1422	1421	None	(a) DEF. 27mm
2	1	3529	1417	3531	1416	1416	None	(a) DEF. 28mm
3	1	3476	1438	3473	1440	1439	None	(a) DEF. 29mm
REMARKS :						FOOTNOTES :		
						(a) THREE PTR ROUNDS TO THE LOWER LEFT SIDE OF THE VEST		



H.P. White Laboratory, Inc.

PROTECTION BALLISTIC LIMIT TEST, V50 BL(P)

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/4/06

TEST PANEL

Manufacturer : FORCE ONE
Size : 46 in.
Thicknesses : NA
Avg. Thick. : NA
Required BL(P) : 1620 ft/s
Description : SERIAL# 10113, FLEX WOVEN ARMID FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 64 GR.-10113
Heat No. : NA
Weight : 2.60 lbs.
Hardness : NA
Piles/Laminates : 15

Date Rec'd. : 02/02/06
Via : UPS
Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006
Witness Panel : 0.020", 2024-T3 ALUMINUM
Obliquity : 0 deg.
Backing Material : NA
Conditioning : AMBIENT

Primary Vel. Screens : 5.0 ft., 10.0 ft.
Location : 7.5 ft. From Muzzle
Residual Vel. Screens : NA
Residual Vel. Location : NA
Range to Target : 15.0 ft.
Target to Wit. : 6.0 in.

Range No. : 1
Temp. : 65 F
BP : 29.47 in. Hg
RH : 38%
Barrel No./Gun : TEST BARREL
Gunner : INGRAM
Recorder : INGRAM

AMMUNITION

Projectile : 64 grain Steel RCC, 64 gr.
Powder : 4350
Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

- (1) : MIL-STD-662F
- (2) : DEA ARMOR TESTING PROTOCOL 01-06-2006
- (3) :

Shot No.	Powder/Seating	Time 1 (usec)	Velocity 1 (ft/s)	Time 2 (usec)	Velocity 2 (ft/s)	Avg. Vel. (ft/s)	Vel. Loss (ft/s)	V-Strike (ft/s)	Result	Include in V50	Footnotes
1	90.0	3234	1546	3237	1545	1545	62	1483	P		
2	98.0	2851	1754	2853	1753	1753	71	1683	P	Y	
3	103.0	2731	1831	2734	1829	1830	74	1756	C		
4	101.0	2775	1802	2778	1800	1801	72	1728	C	Y	
5	98.0	2861	1748	2862	1747	1747	70	1677	P	Y	
6	99.0	2840	1761	2843	1759	1760	71	1689	C	Y	
7	97.0	2923	1711	2924	1710	1710	69	1641	C	Y	
8	96.0	2908	1719	2909	1719	1719	69	1650	P	Y	

REMARKS :

FOOTNOTES :

V50 SUMMARY :

No. Points : 3 & 3
V50 : 1678
High Partial : 1683
Low Complete : 1641
Range of Results : 87
Range of Mixed : 42



H.P. White Laboratory, Inc.

BALLISTIC RESISTANCE TEST

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/4/06

TEST PANEL

Manufacturer : FORCE ONE

Size : 46

Thicknesses : NA

Avg. Thick. : NA

Description : SERIAL# 10108, FLEX WOVEN ARMID FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 10108 (DEA DRY)

Weight : 2.61 lbs.

Hardness : NA

Plies/Laminates : 15

Date Rec'd. : 02/02/06

Via : UPS

Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006

Witness Panel : CLAY

Obliquity : 0 deg.

Backing Material : 5.5" CLAY/PLYWOOD

Conditioning : DRY

Primary Vel. Screens : 6.5 ft., 11.5 ft.

Location : 9.0 ft. From Muzzle

Residual Vel. Screens : NA

Residual Vel. Location : NA

Range to Target : 16.4 ft.

Target to Wit. : 0.0 in.

Range No. : 1

Temp. : 65 F

BP : 29.59 in. Hg

RH : 35%

Barrel No./Gun : TEST BARREL

Gunner : INGRAM

Recorder : INGRAM

AMMUNITION

(1) : 9mm FMJ, 124 gr.

(2) : 9mm +P+ SXT, 127 gr.

(3) : 40 S&W GDHP, 165 gr.

(4) :

Lot No. : REMINGTON 23558

Lot No. : WINCHESTER RA9SXT

Lot No. : SPEER LO1B23

Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

(1) : DEA ARMOR TESTING PROTOCOL 01-06-2006

(2) : CLAY DROPS: 19mm, 19mm, 20mm, 19mm, 18mm

(3) : REQUIRED VELOCITY: (1375-1425) fps

Shot No.	Ammo.	Time 1 (usec)	Velocity 1 (ft/s)	Time 2 (usec)	Velocity 2 (ft/s)	Avg. Vel. (ft/s)	Penetration	Footnotes
1	1	3542	1412	3541	1412	1412	None	(a) DEF. 26mm
2	1	3554	1407	3552	1408	1407	None	(a) DEF. 25mm
3	1	3563	1403	3563	1403	1403	None	(a) DEF. 28mm
4	1	3565	1403	3567	1402	1402	None	(b) DEF. 21mm
5	1	3635	1376	3635	1376	1376	None	(b) DEF. 23mm
6	1	3541	1412	3541	1412	1412	None	(b) DEF. 23mm
7	1	3518	1421	3518	1421	1421	None	(c) DEF. 29mm
8	1	3523	1419	3524	1419	1419	None	(d) DEF. 28mm
9	1	NR	NR	NR	NR	NR	None	(e) DEF. 20mm
10	2	NR	NR	NR	NR	NR	None	(e) DEF. 25mm
11	3	NR	NR	NR	NR	NR	None	(e) DEF. 25mm

REMARKS :

FOOTNOTES :

(a) THREE PTR ROUNDS NO LESS THEN 2" FROM THE EDGE AND NOT LESS THEN 1.5" OR GREATER THEN 2" FROM A PREVIOUS IMPACT
(b) THREE PTR ROUNDS WITHIN A 3" CIRCLE NO CLOSER THE 1" BETWEEN IMPACTS
(c) ONE PTR ROUND 1.5" FROM TOP EDGE
(d) ONE PTR ROUND 1.5" FROM BOTTOM EDGE
(e) ONE PTR ROUND CLOSE CONTACT (6 SHOT AVERAGE VELOCITY: 1125 fps)
ONE 9mm SXT ROUND CLOSE CONTACT (6SHOT

H.P. WHITE LABORATORY, INC.

3114 Scarboro Road
Street, Maryland 21154-1822
Telephone: (410) 838-6550
Facsimile: (410) 838-2802
Email: info@hpwhite.com
www.hpwhite.com



6 February 2006
(HPWLI 10063-04C)

ForceOne LLC
2500 Baker Circle
Granite Falls, North Carolina 28630

Attention: Mr. H. Atkins

Gentlemen:

In accordance with your authorization, H.P. White Laboratory, Inc. conducted ballistic resistance testing of four soft armor panels (see enclosed data records for construction description) received 2 February 2006 via your representative.

Testing was conducted in accordance with the provisions of DEA Armor Testing Protocol, dated 6 January 2006, using caliber 9mm Luger, 124 grain, FMJ ammunition, caliber 9mm Luger +P+, 127 grain, SXT ammunition, and caliber .40 S&W, 165 grain, GDHP ammunition. The test samples were fixtured on an indoor range positioned 16.4 feet from the muzzle of a test barrel to produce zero and thirty-degree obliquity impacts. Photoelectric lumiline screens were positioned at 6.5 and 11.5 feet which, in conjunction with elapsed time counters (chronographs), were used to compute projectile velocities 9.0 feet forward of the muzzle. Table I, on Page 2, presents a summary of the enclosed data records.

This report is based on data obtained from having tested only the samples submitted, and should NOT be interpreted as an endorsement by H.P. White Laboratory, Inc. of the continuing quality, or performance, of any other items of the same, or similar, design.

The test samples are being returned via United Parcel Service. Should you have any questions regarding this matter, or if we may be of any further service, please do not hesitate to contact us.

Very truly yours,

H.P. White Laboratory, Inc.

Craig B. Dunn

CBD/tc
Enclosures

ForceOne LLC
Attention: Mr. H. Atkins
(HPWLI 10063-04C)
6 February 2006
Page 2

TABLE I. SUMMARY OF DATA

Test Sample			Ballistic Threat					Results	
Number	Conditioning	Weight (lb)	Caliber	Obliquity (degrees)	Shots	Velocity (fps) Max. Min.		Penetrations	Deformation (mm) (a) Max. Min.
10108 (DEA DRY)	Dry	2.61	9mm, FMJ (b)	0	3	1412	1403	0	28/25
			9mm, FMJ(c)	0	3	1412	1376	0	23/21
			9mm, FMJ(d)	0	1	1421		0	29
			9mm, FMJ(e)	0	1	1419		0	28
			9mm, FMJ(f)	0	1	(j)		0	20
			9mm, SXT (f)	0	1	(k)		0	25
			.40 S&W (f)	0	1	(l)		0	25
10106 (DEA HOT)	+150 F	2.60	9mm, FMJ (g)	0	3	1439	1416	0	29/27
10107 (DEA COLD)	-20 F	2.61	9mm, FMJ(h)	0	3	1428	1399	0	30/26
10109 (DEA WET)	Wet	2.60	9mm, FMJ(i)	0	3	1442	1416	0	29/22

(a) Deformation of 5.5 inch clay backing.
 (b) Pursuant to DEA Armor Testing Protocol, Paragraph 1A, Dry Test.
 (c) Pursuant to DEA Armor Testing Protocol, Paragraph 1B, Multiple Rounds Test.
 (d) Pursuant to DEA Armor Testing Protocol, Paragraph 1C, Edge Test - Top.
 (e) Pursuant to DEA Armor Testing Protocol, Paragraph 1D, Edge Test - Bottom.
 (f) Pursuant to DEA Armor Testing Protocol, Paragraph 1E, Contact Shots Test.
 (g) Pursuant to DEA Armor Testing Protocol, Paragraph 2A, Heat Test.
 (h) Pursuant to DEA Armor Testing Protocol, Paragraph 3A, Cold Test.
 (i) Pursuant to DEA Armor Testing Protocol, Paragraph 4A, Wet Test.
 (j) Contact shot from handgun precluded projectile velocity determination; 6-shot pretest average velocity: 1,125 feet per second.
 (k) Contact shot from handgun precluded projectile velocity determination; 6-shot pretest average velocity: 1,262 feet per second.
 (l) Contact shot from handgun precluded projectile velocity determination; 6-shot pretest average velocity: 1,147 feet per second.



H.P. White Laboratory, Inc.

BALLISTIC RESISTANCE TEST

Client : FORCE ONE

Job No. : 10063-04

Test Date : 2/4/06

TEST PANEL

Manufacturer : FORCE ONE

Size : 46

Thicknesses : NA

Avg. Thick. : NA

Description : SERIAL# 10109, FLEX WOVEN ARMID FILM; STITCHING: THREE 1" BAR TACKS ACROSS TOP, 1" BAR TACK ON SIDES, 1" BAR TACK ON BOTTOM

Sample No. : 10109 (DEA WET)

Weight : 2.60 lbs.

Hardness : NA

Piles/Laminates : 15

Date Rec'd. : 02/02/06

Via : UPS

Returned : UPS

SET-UP

Shot Spacing : DEA ARMOR TESTING PROTOCOL 01-06-2006

Witness Panel : CLAY

Obliquity : 0 deg.

Backing Material : 5.5" CLAY/PLYWOOD

Conditioning : SEE REMARKS

Primary Vel. Screens : 6.5 ft., 11.5 ft.

Location : 9.0 ft. From Muzzle

Residual Vel. Screens : NA

Residual Vel. Location : NA

Range to Target : 16.4 ft.

Target to Wit. : 0.0 in.

Range No. : 1

Temp. : 65 F

BP : 29.57 in. Hg

RH : 35%

Barrel No./Gun : TEST BARREL

Gunner : INGRAM

Recorder : INGRAM

AMMUNITION

(1) : 9mm FMJ, 124 gr.

(2) :

(3) :

(4) :

Lot No. : REMINGTON 23558

Lot No. :

Lot No. :

Lot No. :

APPLICABLE STANDARDS OR PROCEDURES

(1) : DEA ARMOR TESTING PROTOCOL 01-06-2006

(2) : CLAY DROPS: 19mm, 19mm, 20mm, 19mm, 20mm

(3) : REQUIRED VELOCITY: (1375-1425) fps

Shot No.	Ammo.	Time 1 (usec)	Velocity 1 (ft/s)	Time 2 (usec)	Velocity 2 (ft/s)	Avg. Vel. (ft/s)	Penetration	Footnotes
1	1	3531	1416	3531	1416	1416	None	(a) DEF. 22mm
2	1	3516	1422	3516	1422	1422	None	(a) DEF. 24mm
3	1	3468	1442	3468	1442	1442	None	(a) DEF. 29mm

REMARKS :

CONDITIONING: TEST PANEL WAS SUBMERGED NO LESS THAN 12" AND NO MORE THAN 14" OF ROOM TEMPERATURE FRESH WATER (73 DEG. F.) FOR 20-25 MINUTES. TEST PANEL WAS FLAT WITH FOUR CORNERS WEIGHTED DOWN.

FOOTNOTES :

(a) THREE PTR ROUNDS TO THE LOWER RIGHT SIDE OF THE VEST

H.P. WHITE LABORATORY, INC.

3114 Scarboro Road
Street, Maryland 21154-1822
Telephone: (410) 838-6550
Facsimile: (410) 838-2802
Email: info@hpwhite.com
www.hpwhite.com



6 February 2006
(HPWLI 10063-04A)
(Revised 9 February 2006)

ForceOne LLC
2500 Baker Circle
Granite Falls, North Carolina
28630

Attention: Mr. H. Atkins

Gentlemen:

In accordance with your authorization, H.P. White Laboratory, Inc. conducted Ballistic Limit, Protection (V50BL[P]) testing of two soft armor samples (see enclosed data records for construction description) received 2 and 7 February 2006 incrementally via United Parcel Service.

Testing was conducted in accordance with the provisions of DEA Armor Testing Protocol, dated 6 January 2006, and MIL-STD-662F, dated 18 December 1997, using 2 and 4 grain right circular cylinders conforming to the provisions of HPW-02-010-01, dated 6 June 1989. The test samples were mounted on an indoor range 8.5 feet from the muzzle of a test barrel to produce zero degree obliquity impacts. Photoelectric lumiline screens were positioned at 5.0 and 7.0 feet which, in conjunction with elapsed time counters (chronographs), were used to compute projectile velocities 6.0 feet from the muzzle. Penetrations were determined by visual examination of a 0.020 inch alloy 2024T3 aluminum witness panel positioned 6.0 inches behind, and parallel to, the test samples. Table I is a summary of the attached data records.

TABLE I. SUMMARY OF RESULTS

Test Sample			Ballistic Threat		Ballistic Limit (fps)				
Number	Weight (lbs.)	Plies	Caliber	Shots Total/V50	Required V50	V50 BL(P)	High Partial	Low Complete	Pass/Fail
2 GR.-10116	2.59	15	2 GR RCC	9/6	2735	2827	2827	2831	Pass
4 GR.-10111	2.60	15	4 GR RCC	8/6	2420	2529	2505	2479	Pass

This report is based on data obtained from having tested only the samples submitted, and should NOT be interpreted as an endorsement by H.P. White Laboratory, Inc. of the continuing quality, or performance, of any other items of the same, or similar, design.

The test samples were returned via United Parcel Service. Should you have any questions regarding this matter, or if we may be of any further service, please do not hesitate to contact us.

H.P. White Laboratory, Inc.

Craig B. Dunn

CBD/tc
Enclosures

H.P. WHITE LABORATORY, INC.

3114 Scarboro Road
Street, Maryland 21154-1822
Telephone: (410) 838-6550
Facsimile: (410) 838-2802
Email: info@hpwhite.com
www.hpwhite.com



6 February 2006
(HPWLI 10063-04B)

ForceOne LLC
2500 Baker Circle
Granite Falls, North Carolina
28630

Attention: Mr. H. Atkins

Gentlemen:

In accordance with your authorization, H.P. White Laboratory, Inc. conducted Ballistic Limit, Protection (V50BL[P]) testing of two soft armor samples (see enclosed data records for construction description) received 2 February 2006 via United Parcel Service.

Testing was conducted in accordance with the provisions of DEA Armor Testing Protocol, dated 6 January 2006, and MIL-STD-662F, dated 18 December 1997, using 16 and 64 grain right circular cylinders conforming to the provisions of HPW-02-010-01, dated 6 June 1989. The test samples were mounted on an indoor range 15.0 feet from the muzzle of a test barrel to produce zero degree obliquity impacts. Photoelectric lumiline screens were positioned at 5.0 and 10.0 feet which, in conjunction with elapsed time counters (chronographs), were used to compute projectile velocities 7.5 feet from the muzzle. Penetrations were determined by visual examination of a 0.020 inch alloy 2024T3 aluminum witness panel positioned 6.0 inches behind, and parallel to, the test samples. Table I is a summary of the attached data records.

TABLE I. SUMMARY OF RESULTS

Test Sample			Ballistic Threat		Ballistic Limit (fps)				Pass/Fail
Number	Weight (lbs.)	Plies	Caliber	Shots Total/V50	Required V50	V50 BL(P)	High Partial	Low Complete	
16 GR.-10112	2.60	15	16 GR RCC	9/6	2080	2132	2147	2060	Pass
64 GR.-10113	2.60	15	64 GR RCC	8/6	1620	1678	1683	1641	Pass

This report is based on data obtained from having tested only the samples submitted, and should NOT be interpreted as an endorsement by H.P. White Laboratory, Inc. of the continuing quality, or performance, of any other items of the same, or similar, design.

The test samples were returned via United Parcel Service. Should you have any questions regarding this matter, or if we may be of any further service, please do not hesitate to contact us.

Very truly yours,

H.P. White Laboratory, Inc.


Craig R. Dunn

CBD/tc
Enclosure



SPECIAL PRICE QUOTE

Quote#	CC00005012012	Date:	5/1/2012
Approved by:	Chris Culbertson	Amended:	
Approval Signature	X		
Not Authorized Without Signature			

Sales Rep:	Chris Culbertson
Phone #	513-939-1018 ext 109
Email	chris@forceonearmor.com
Sale Type #	

Agency Name:	W. Virginia State Police
Contact:	Tara Lyle
Start:	
End:	Valid for (2) Years

This Form is used for prices that deviate from standard pricing.

Quantity	Description	Size	Price ea.	Total
36	Centurion Tactical Vest w/IIIA Axiom	TBD	\$1,170.00	\$ 42,120.00
	Includes:		\$	-
	Centurion Vest (Choice of color)		\$	-
	Deltoid/Bicep Protection		\$	-
	Groin Protection		\$	-
	Front,Rear,Full Side Protection IIIA		\$	-
	Front & Rear 10x12 Plate Pockets		\$	-
	(1) Level III NIJ 0101.06 10x12 Plate		\$	-
	(see attached for plate specs)		\$	-
	(6) Pouches of choice		\$	-
			\$	-
			\$	-
			\$	-
	F.O.B. WEST VIRGINIA		\$	-
	Shipping at no cost to department		\$	-
			\$	-
			\$	-
			\$	-
	Shipping		\$0.00	\$0.00
Price the same regardless of quantity			Total	\$ 42,120.00

FOB:	Fairfield, OH	Purchase Order Number or Form of Payment
TERMS:	Net 30	
DELIVERY:	30-45 Days	

Customer Authorization

X

By signing the above line above, you are authorizing ForceOne LLC to begin production on your order
 Note: You will be billed per the terms for the order once it has been shipped. Please review the quote for accuracy

Please contact Your **Sales Representative** for any questions
 Thank You for your business

Email CS@ForceoneArmor.com
 Phone 1-800-462-7880
 SALES-018

Fax: (513) 939-1166
 Local (513) 939-1018

Rev. 08-26-2010



LTC | LEADING TECHNOLOGY COMPOSITES INC.

LTC PRODUCT DATA SHEET

Model #23600-2

- Bullet Resistant Plate
- Ballistic Protection to NIJ 0101.06 Level III Stand Alone

DESCRIPTION

A 10x12 single curve vest insert that is certified NIJ 0101.06 Level III Stand Alone. Manufactured from Ultra High Molecular Weight Polyethylene. Finished in a black Line-X coating.

Characteristics

	INCHES	MILLIMETERS
Length (Nominal)	11.80	300
Width (Nominal)	9.60	244
Thickness (Nominal)	1.10	28
Weight (Nominal)	3.3 lb	1.50 kg

Protection

WEAPON TYPE	AMMUNITION	STRIKING VELOCITY ft/s	STRIKING VELOCITY m/s
Rifle FN FAL	7.62 x 51mm - M-80 Ball	2780	847
Rifle AK-47	7.62 x 39mm - FMJ Lead Core Ball	2400	732
Rifle AK-47	7.62 x 39mm - Mild Steel Core	2400	732
Rifle M-16	5.56 x 45mm - M193 Ball	3180	969

Product Data Sheet - Data is Proprietary and Confidential to LTC
LTC MODEL #23600-2

AXIOM

Ballistic Materials

Aramid-Shield™

Ballistic Limit / V 50

(Average per NIJ Certification)

Type II 1,682 feet per second

Type III-A 1,810 feet per second

Warranty

Ballistic Panels 5 years
Carriers 2 years

Standard Concealable Carriers

BASIC

65/35 Poly-Cotton, Fantasia™
Moisture Wicking Shirt Tail

DELUXE

ProMesh™ With Fantasia™
Moisture Management/Wicking System

COMFORT COOLER™

Same As Deluxe With Over-The-Shoulder
Carrier For Enhanced Comfort

Options

Dri-Lex™ Ultimate Comfort T-Shirt
Tactical OuterShell (TOS) Carrier
Carrybag
Trauma Insert - Soft or Rigid

Ballistic Weight / Areal Density

Type II .84 lbs. psf.

Type III-A 1.10 lbs. psf.

Backface Signature (BFS)

(Average per NIJ Certification)

Type II 9mm 27mm BFS
.357 Mag 35mm BFS

Type III-A 9mm 29mm BFS
.44 Mag 39mm BFS

Colors

Black
Navy Blue
Tan
White
(Others Available)

Sizes

Custom Sizes are standard

Standard NATO Sizes are available

Closure System

6 - Point Adjustable

100% Removable Straps

Styles

Contour (Partial Side Protection)

Extended Coverage
(Full Side Protection)

Front Wrap (Front to Back Overlap)




All ForceOne ballistic protection products have been rigorously tested and CERTIFIED fully compliant with the current NIJ 2005 Interim Requirements set forth by the National Institute of Justice.

FORCEONE
Advanced Ballistic Protection

ForceOne, LLC

2500 Baker Circle • Granite Falls, NC 28630
Toll-Free: 800.462.7880 • Local Phone: 828-396-2171
Fax: 828-396-5952 • www.forceonearmor.com




FORCEONE

ADVANCED BALLISTIC SYSTEMS


CENTURION

TACTICAL ARMOR




The Centurion™ commands the body armor industry with maximum front, back, side, shoulder and groin ballistic protection. This modular operation specific body armor system boasts full multi-directional adjustability made from the highest quality Cordura. With included features that accommodate level III and IV ballistic plates this tactical body armor system provides unsurpassed protection.

To learn more about the Centurion™ tactical armor system and how you can maximize your units ballistic protection visit our website or contact customer service.



1.800.462.7880 | Fax: 513-939-1166 | **ForceOne**Armor.com



AGGRESSOR™

ALL NEW Gen II AGGRESSOR™ BALLISTIC SYSTEM – LEVEL 3A

The AGGRESSOR™ Carrier System is loaded with new features including:

- SPEAR/CIRAS cut armor (as used by Special Operations Command) for increased ballistics coverage
- Enlarged/integrated front flap external cummerbund closure
- Low profile front flap pouch for additional carry capacity
- Reinforced drag handle
- Extended, adjustable, foam-padded shoulder straps with DryLEX® 3D spacer lining for increased comfort and moisture wicking properties
- Breathable, durable, mesh liner for extra comfort and reduced weight
- Fully adjustable side plate pockets in external cummerbund
- Front and Rear Bottom Loading Plate Pockets
- Communication Wire and Hydration Channels

Colors: ACU Digital, Coyote Brown, Ranger Green, OD and Black

*other Colors available upon request

Sizes: Small, Medium, Large, XL

Ballistic Packages:

Axiom™, AxiomXP™, AxiomXPA™
and Softouch™

OPTIONAL ACCESSORIES & BALLISTICS AVAILABLE

- Shoulder Armor Inserts (Set)
- Ballistic Collar
- Ballistic Groin
- Ballistic Deltoid Protectors
- All Standard Pouches
- Level III And IV Ballistic Plates

