

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

SHIP

T

REQ NUN	BER.		-
	MV1	2	

 	PAGE	

ADDRESS CORRESPONDENCE TO ATTENT	TON	OF
		• , .

BUYER 42 304-558-8802

REQ COPY
TYPE NAMEZADDRESS HERE
THOMN HILL FORD LINCOLN
POBOX 1449
CHAPMANNING WV 25507

ALL STATE AGENCIES
AND POLITICAL SUBDIVISIONS
VARIOUS LOCALES AS INDICATED
BY ORDER

DATE PRIN	TED	TER	IMS OF SAL	.E	SHIP VIA	F.O.8.	FREIGHT TERMS
11/22/							
BID OPENING DATE	:	12/13/	2011		BID	OPENING TIME (	1:30PM
LINE	QU/	YTITA	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
				ADDEN	DUM NO.1		
					RS ARE ATTACHED		
					G PAGES ARE ATTA		T.
						D. THIS DOCUMEN YOUR BID. FAILUR	
					MAY RESULT IN D		<b>L</b>
		YOUR B		, OKI	INTERESTED IN D.	DQUILLI XOMILON	
					,		
	EXHIB	IT 10		,			
					REQUISITION	NO.: MV12	
	ADDENI	DUM ACK	NOWI.E	DGEME	NT		
	T HERE	BY ACK	NOWLE	DGE R	ECFIPT OF THE FO	LLOWING CHECKED	
		1			ADE THE NECESSAF	1	
					OR SPECIFICATION	I .	
	ADDENI	ON MUC	¹S:				
	NO.	1					
	NO. 2	2 , , , , ,					
	NO. 3	3 , , , , ,					
	NO.	í					
	NO. S		, , ,				
							OFF DEC 13 AT 9: 91
	I UNI	DERSTAN	D THA	T FAI	LURE TO CONFIRM	THE RECEIPT OF	
^	THE /	ADDENDU	M(S)	MAY B	E CAUSE FOR REJE	CTION OF BIDS.	e Men A allia evere a como a conseguir
	101						
	1) \ \ \	Λ		Lagran S. S.		(Interest in	
SIGNATURE		1	· · · · · · · · · · · · · · · · · · ·	SEE REV	VERSE SIDE FOR TERMS AND CO		10 10 11
n 1 1 1					TELEPHONE /		12710-11
TITLE Many		FE	(K)		6070	1	ES TO BE NOTED ABOVE
· Wi	ENRESP	PONDING :	TO RFQ	, INSER	TNAME AND ADDRESS	IN SPACE ABOVE LABE	_ED 'VENDOR'

## GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.
- 3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the regulred \$125 fee.
- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes vold and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or relimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of Stato's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entitles.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

## INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
- 3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
- 4, All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130
- 5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

## Request for Quotation

	REO NUMBER
_	

М	۷	1	2

ADDRESS CORRESPONDENCE TO ATTENTION OF
BUYER 42
304-558-8802

	RFQ COPY
_	TYPE NAME/ADDRESS HERE Thornhill Ford Linkoln PO BOX 1449
•	MOTIVINI) + OVEL L. VICOIN
	10 110 x 1449
	Chapmanni Me, WV 25 In
	Endprider it Prating

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PAINT		TER	MS OF SAL	.E	SHIP VIA		F.O.B.	FREIGHT TEAMS
11/22/	2011							
BID OPENING DATE:		12/13/	2011			BID	OPENING TIME 01	:30PM
LINE	QUAN	ITITY	400	CAT. NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
	REPRE ORAL AND A INFOR	SENTAT DISCUS NY STA MATION	ION M SION TE PE ISSU	ADE O HELD RSONN ED IN	BETWEEN VENI EL IS NOT BI WRITING AND	BE OOR'S NDIN DADD	MADE DURING ANY REPRESENTATIVES G. ONLY THE	Section passes are to an
			-		* 1 * * *		IGNATURE	
					••••	[(	COMPANY	
					• • • • •		DATE	
		THIS		MUDN	ACKNOWLEDGEN	ENT	SHOULD BE SUBMITT	
	END OF	ADDEN	N MUG	0.1			·	
0001		1	EΛ		070-06-01-00	0		
	2012 ((	OR CUR	RENT	MODEL.	YEAR) MOTOR	VEH	ICLES	
	\ <del>\                                  </del>		·	SEE DEV	TENSE SIDE FOR TERMS	AND GOV	initialis.	
SIGNATURE D ///	A M	41111	<u></u>	oue nuv	TELEX		STT STOPPE	12-12-11
TITLE AA AA		↓ FE	N	1	<del>- 68</del>	Url	000 000	TO DE MOTE ADOVE
···· Mana	18	LE.		t	>000		ADDRESS CHANGES	TO BE NOTED ABOVE

## MV12 Questions and Answers

- Q1. Does the transportation charges to the dealer form the manufacturer need to be broken out of base price and listed somewhere on the pricing sheet. Or is it part of our price that is listed between the standard equipment section and the option section?
  - A1. Transportation costs are to be included with standard equipment pricing.
- Q2. Is there a standard mileage charge that dealers are charging for delivery to areas other than delivery to Dunbar, WV. Or an amount that the purchasing dept. sees as acceptable?
  - A2. Mileage Charge for delivery is to be listed with options pricing.
- Q3. Should there be a entry on each line for options? For example if it is included as standard equipment on an equal vehicle that we are using should we list it as standard on the option price line? Or if it is unavailable, should it be listed as so?
  - A3. If option is standard write standard, if is an option insert price.
- Q4. A state agency has requested that you add Compressed Natural Gas (CNG) powered vehicles to the contract for all classes for which such a vehicle exists.

A4. No

- Q5. Classes 22, 25, and 26 require a rear step bumper. Please only require the standard rear bumper and make the step bumper an option.
  - A5. Cost Sheets for Classes 22, 25 and 26 will be revised to reflect step bumper as an option.
- Q6. Class 23 requires 255 horsepower and 285 lb./ft of torque. Please lower the horsepower to 225 minimum. A more powerful engine would be listed as an option for those who feel the need.
  - A6. Class 23 Pricing page is revised to reflect this change.
- Q7. Class 18 requires 231 horsepower and 293 lb./ft of torque. Please lower the torque to 275 minimum. An engine with higher torque rating would be listed as an option for those feel the need.
  - A7. Class 18 Pricing page is revised to reflect this change.
- Q8. Class Mini-storage van -- Please lower the horsepower to 136 and the torque to 128 for the gasoline engine.
  - A8. Class Mini-storage van Pricing page is revised to reflect this change.

- Q9. Shop manuals options are requested in both CD and paper form for all classes. Chrysler, Dodge, Jeep now requires users to subscribe to a service for access to the information normally contained in the shop manuals. Ford Motor Company is allowing customers to order the manuals direct from the publisher Helm, Inc. in paper, DVD, and subscription format. My suggestion is to remove the option from the contract and allow the vehicle owners to order this information in the format that best suits their needs direct from the supplier rather than the car dealer vendor.
- A9. Pricing sheets will be revised to reflect this change. Vehicle owners will have to order the format that best suits their needs based upon available options from the manufacturer.
- Q10. Slush mats/all weather mats (cargo) are listed as an option on truck classes 12 through 21. This is an option that only applies to SUV's and should be removed from the truck classes.
  - A10. If this is not an option then use N/A in the option line
- Q11. Options to delete cloth seats, carpet, and floor mats are standard and could be removed from truck classes 12 through 21.
  - A11. If this is not an option then use N/A in the option line

## CLASS 1 - AUTOMOBILE

Sub-Compact,
Front Wheel Drive, Wheelbase 95"
To include but not limited to: Chevrolet Aveo, Toyota Prius or equal.

N: 75 HP 85 TORQUE  Itomatic  Itower  Itower/ABS  If & Right Oulside  ont & Rear  Season  andard tire w/ Jakk  stalled  Ocket
N: 75 HP 85 TORQUE  Itomatic  Itower  Itower/ABS  If the Right Outside  It & Right Outside  It & Rear  I Season
N: 75 HP 85 TORQUE  Itomatic  Itower  Itower/ABS  If the Right Outside  It & Right Outside  It & Rear  I Season
N: 75 HP 85 TORQUE  Itomatic  Itower  Itower/ABS  If the Right Outside  It & Right Outside  It & Rear  I Season
N: 75 HP 85 TORQUE  Itomatic  Itower  Itower/ABS  If the Right Outside  It & Right Outside  It & Rear  I Season
atomatic ower ower/ABS  A/I:M I Tinted ift & Right Outside ont & Rear Season andard tire w/ Jakk stalled
atomatic ower ower/ABS  A/I:M I Tinted ift & Right Outside ont & Rear Season andard tire w/ Jakk stalled
ower/ABS  MI:M I Tinted out & Right Outside out & Rear Season andard tire w/ Jakk stalled
ower/ABS  A/FM I Tinted It & Right Outside ont & Rear   Season   andard tire w/ Jakk   stalled
A/FM I Tinted II & Right Outside ont & Rear I Season andard tire w/ Jakk
Tinted If & Right Outside ont & Rear   Season   Season
it & Right Oulside ont & Rear I Season andard tire w/ Jack stalled
ont & Rear   Season andard tire w/ Jack stalled
Season andard tire w/ Jack stalled
andard tire w/ Jakk stalled
stalled
belala
stalled
stalled
EPA EPA
HGWY CITY
\$ \$
\$
\$
\$
\$
\$
\$ \$
\$
\$
\$

CLASS 1A - AUTOMOBILE
Sub-Compact, Hybrid
Front Wheel Drive, Wheelbase 95"
To include but not limited to: Chevrolet Aveo, Toyota Prius or equal.

Vendor Name			
Manufacturer / Brand			
Delivery		_	
Model Name & Number			
		<del></del>	
		HP	TORQUE
Requirements:			11
Engine	MIN: 75 HP 85 TORQUE	_	11
Transmission	Automatic		<u> </u>
Steering	Power	<b>→</b>	
Brakes	Pover/ABS		
Radio	ANJEM	_	
Glass	All Tinted	_	
Mirrors	Let & Right Outsjde	_	
License Plate Mounts	Frohit & Rear	_	
Tires	All Season /		
Rear Window/Defogger	Installed /	_	
Front Seat	Bucket		
Air Conditioning	Installed \	N. Contraction of the Contractio	
Floor Mats	Installed		
Front Air Bags	Installed		
		)EPA	EPA
4 - DOOR VEHICLE	1	HGWY	CITY
Price Each Gasoline	\\$	_	
Price Each Flex-Fuel	E		J I
1			
Options:	1		
1 AM/FM w/CD Player	i de Maria de Caractería d	\$	
2 Tilt Wheel & Cruise Control	1	\$	
3 Keyless Entry		\$	
4 Power Windows /Power Locks	•	\$ \$	
5 Side Air Bags		* <b>\$</b>	
6 Bodyside Mouldings		\$	
7 Interior Upgrade	•	\$	
8 Exterior colors		3	
9 Delete Floor Mats (Deduct)		\$ \$	
10 FOB Dealership: (Deduct)	<u> </u>	\$	
11 FOB Other than Metro Charleston - Per Mile		\$	
Additional Information:			
		<del></del> •	
		<del></del>	
		<del></del>	
`			

## **CLASS 2 - AUTOMOBILE**

Compact, 4 Door Sedan

Front Wheel Drive, Wheelbase 102.9"

Includes but is not limited to: Ford Fusion, Toyota Corolla, VW Jetta, Honda Civic, Mitsubishi Lancer, Ford Focus or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery			
Model Name & Number			
		HP	TORQU
Standard Equipment Requirements:			
Engine	MIN: 127 HP 128 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/AB\$		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside		
License Plate Mounts	Front & Rear		
Tires	All Season	1	
Spare Tire	Standard tire/w/Jack	The same of the sa	
Rear Window/Defogger	Installed	1	
Front Seat	Bucket		
Air Conditioning	Installed		
Floor Mats	Installed		
Front Air Bags	Installed	EPA	EPA
Price Each Gas Price Each Flex-Fuel	\$ \$		
Options:	2, 20, 10, 10, 10, 10		
AM/FM w/ CD Player		\$	
Tilt Wheel & Cruise Control	The second secon	\$ \$	<del> </del>
Keyless Entry		\$	
Power Windows / Power Locks	LIENVARIAN WOODER TO THE STORE OF THE STORE	\$ \$ \$	
Side Air Bags	<b>一</b>	3	
Exterior colors	elektromet kilomet er fra standeling å intik, ellit del til de	3	
Rubber matting \		***************************************	
Delete Floor Mats (Deduct)	son and the state of the state	\$ -	
Manual Transmission w/Overdrive (Deduct) 🔪 🥏		\$	
Remove Console (Delete) (Console between s <b>k</b> at	s)	\$ -	
FOB Dealership: (Deduct)	<b>\</b>	<u>\$ ·                                     </u>	
FOB Other than Metro Charleston - Per Mile		\$	

## CLASS 2A - Automobile SMALL STATION WAGON, FRONT WHEEL DRIVE, 4 DOOR 2700 GVWR

Includes but is not limited to: Toyota Matrix, VW-Jetta Sportswagon or equal. Vendor Name: Manufacturer / Brand Delivery Model Name Model Number: **TORQUE** Standard Equipment Requirements: **Engine** MIN: 127 HP 128 TORQU Transmission Automatic Steering Power Brakes Power/ABS Radio MAKMA All Tinted Glass Mirrors Left & Right Outside License Plate Mounts Front & Rear Tires All Season Spare Tire Standard tire w/ Jack Rear Window/Defogger Installed Front Seat Standard Air Conditioning Installed Floor Mats installed Front Air Bags Installed **EPA EPA** Price Each **HGWY** CITY Price Each Flex-Fuel Options: AM/FM with CD Playe Tilt Wheel & Cruise control Keyless Entry Power Windows - Power Doors Side Air Bags Delete Floor Mats (Deduct) FOB Dealership: (Deduct) FOB Other than Metro Charleston Per Mile Additional Information:

3

5

7

CLASS 3 AUTOMOBILE

Midsize, 4 Door, Front Wheel Drive, Wheelbase 107.4"

Includes but is not limited to: Toyota Camry, Chevrole Malibu or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery	The state of the s		
Model Name & Number			
\			TOD
\	9	HP	TOR
Standard Equipment Requirements:	-0		
Engine	MN: 160 HP 156 TORQUE		
Transmission	Automatic	L	
	Power		
Steering	Pdvier/ABS		
Brakes	AVJEM		
Radio	All Hitled		
Glass	Left & Right Outside		
Minors	Front & Rear		
License Plate Mounts			
Fuel Tank	Factory Standard		
Power Windows and Locks	Installed		
Tires	All Season		
Spare Tire	Standard Tiro wi Jack		
Rear Window/Defogger	Installed		
Front Seal	Standard Seating		
Air Conditioning	Installed		
Floor Mats	Installed		
Seating Capacity	5		
Front Air Bags	Installed		
Flont All Days		EPA	EPA
		HGWY	CITY
	4		
Price Each Gasoline	\$		
Price Each Gasoline Price Each Flex Fuel	\$ \$		
	\$ \$		
	\$ \$		
	\$ \$		
	\$ \$		
Price Each Flex Fuel	\$ \$	\$	
Options: AM/FM w/ CD Player	\$ \$	\$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control	\$ \$	\$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry	\$ \$	\$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors	\$ \$	\$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors)	\$ \$	\$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Hoated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags	\$ \$	\$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Hoated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors	\$ \$	\$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct)	\$ \$	\$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct)	\$ \$	\$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Deleto Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats)		\$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) 1 FOB Dealership: (Deduct)		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Deleto Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats)		\$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) 1 FOB Dealership: (Deduct)		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Options: AM/FM w/ CD Player Till Wheel & Cruise Control Keyless Entry Power Windows, Locks, Power Heated Mirrors 6-way Power driver seat (requires Power Windows & doors) Side Alr Bags Exterior colors Delete Floor Mats (Deduct) Manual Transmission w/Overdrive (Deduct) Remove Console (Delete) (Console between seats) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

6


7

8

7


## CLASS 5A - AUTOMOBILE HYBRID, COMPACT, 4 DOOR

Includes but is not limited to: Toyota Prius, Honda Civic or equal.




## **CLASS 6 - AUTOMOBILE** Utility Small, 4 Wheel Drive/AWD, 4 Door

3,800 GVWR 103" Wheelbase



### **CLASS 7 - AUTOMOBILE**

Utility Vehicle, Special Purpose, Midsize, 4 Wheel Drive, 6270 GVWR Includes but is not limited to: Ford Explorer, Trailblazer or equal.




# CLASS 8 - AUTOMOBILE Utility Large, 4 Wheel Drive, 4 Doors, 7400 GVWR Includes but is not limited to: Chevrolet Suburbans, Ford Expedition or equal.

	endor Name;	_	Market Market Comment
M	anufacturer / Brand		Mark.
Ð	elivery		
M	lodel Name & Number		HP TORQUE
S	tandard Equipment Requirements:	. W	
E	ngine	MIN: 300 HP 360 TORQUE	
Ŧ	ransinission	Automatic w/Overdrive	A.
S	learing	Power	X
E	rakes	Power/ABS	
F	tadio	AM/FM	•
ē	Blass	All Tinted	À
	Airrors	Left & Right Outside	1
ī	Icense Plate Mounts	Front & Rear	1
ī	ires	All Season	· ************************************
5	Spare Tire	Full Size w/ Jack	•
	Rear Window/Delogger	Installed	•
-	uel Tank	Standard	\
	ronl Seat	Standard	•
_	Rear Seat	Bench	1
	Air Conditioning	Installed	,
-	loor Mats	Installed	· <del></del>
-	Front Air Bags	Installed	
-			
ş	Price Each Flex Fuel	4	
	Price Each Gasoline	\$	
		\ 1	
	Options:		
1	Off Road Package Including Limited Slip Rear Includes:		\$
•	Axle-trac-lok differential		\$
	Engine Cooling - heavy duly		\$
	Skid plate Group	List items included in this group	\$
	Suspension - Heavy Duly Wigas Shocks		\$
	All Terrain Tires	1	\$
	Tow Hooks		\$
2	AMIFM w/ CD Player		\$
3	Till Wheel & Crulse Control		\$
	Keyless Entry	503241774	\$
	Power Whiting Power Locks		\$
	Tow Package	List items included in this group	\$
	Side Ar Bags		\$
	Exterior colors		\$
8	Slush All Weather Mats (Driver & Passenger)		\$
y.	Slush/All Weather Mals (Second Row)	3.00	\$
10	Silishiali Adeatha Mate (Catal)		\$
	Shish/All Weather Mats (Cargo)	Constitution of the Consti	\$
	Low Range 4 Wheel Drive		\$ -
13	Delete Poor Mats (Deduct)	Name of the last o	\$ -
14	Delete Cipih Seals (Deduct)		\$ -
15	Delete Carpet (Deduct)	CONTRACTOR AND	\$ -
16	Manual Transmission w/Overdrive (Deduct)	4.5	\$ -
17	Remove Console (Delete) (Console between scals)	}	\$ -
18	FOB Dealership: (Deduct)		\$
19	FOB Other than Metro Charleston - Per Mile		\$
20	3rd Row Seating		
	1		
	Additional Information:		

## **CLASS 8A - AUTOMOBILE**

SUV, Utility, 4 Door, Hybrid, 130" Wheelbase,

Includes but is not limited to: GMC Yukon, Toyota Highlander or equal.



\$

Delete Carpet (Deduct)	1.00
Manual Transmission w/Overdrive (Deduct)	· · · · · · · · · · · · · · · · · · ·
FOB Dealership: (Deduct)	
FOB Other than Metro Charleston - Per Mile	***************************************
Additional Information:	
***************************************	

Vendor Name:

Engine 4 cyl

Transmission

Steering

Brakes

Radio

Glass

Mirrors

Bumper

Tires

Cargo Box

Spare Tire

Front Seat

Options:

4 Side Alr Bags 5 Exterior Colors

12 Privacy Glass 13 Bedliner


Tow Hooks

Air Conditioning

Front Air Bags

Delivery

Small Pickup, 2 Wheel Drive, Extended Cab, 6 Cylinder, 4200 GVWR, Short Bed Includes but is not limited to: Ford Ranger, Toyota Tacoma, Mazda B2300 or equal.



## CLASS 11 - TRUCK

Small Pickup, 2 Wheel Drive,
6 Cylinder, 4200 GVWR, Short Bed
Includes but is not limited to: Ford Ranger, Toyota Tacoma, Mazda B2300 or equal.


Vendor Name:	
Manufacturer / Brand	<del></del>
Delivery	e Carlotte C
Model Name & Number	
model Hamo & Hombol	
	HP TORQUE
Standard Equipment Requirements:	
Engine	MIN: 148 HP 180 TORQUE
Transmission	Automatic
Steering	Power
Brakes ·	Power
Radio	AM/FM
Glass	All Tinled
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
Cargo Box	Fleetside
Bumper	Rear Step Factory Installed
Tires	All Season
Spare Tire	Full Size w/ Jack
Air Conditioning	Installed
Front Seat	Standard seating
Rubber Floor Covering	Insialled EPA EPA
Front Air Bags	Installed
TOTA AN DUGO	HGWY CITY
Price Each Gasoline	\$
Price Each Flex Fuel	\$
THOS COOK FOX FAST	
Options:	
1 AM/FM w/ CD Player	\$
2 Tilt Wheel & Cruise Control	\$
3 Limited Slib Rear End	
4 Keyless Entry	\$
5 Power Windows / Power Locks	\$
6 Exterior colors	
7 Slide Rear Window	\$
8 Long Bed	\$
9 Slush/All Weather Mats (Driver & Passenger)	\$
10 Slush/All Weather Mals (Second Row)	\$
11 Slush/All Weather Mats (Cargo)	\$
12 Bed Liner	\$
13 Side Air Bag	\$
14 Optional Engine	\$
14 Optional Engine 15 Manual Transmission w/Overdrive (Deduct)	\$ -
16 Remove Console (Delete) (Console between seats)	\$ .
17 Delete Cloth Seats (Deduct)	\$ -
18 Delete Carpet (Deduct)	\$ -
19 FOB Dealership: (Detjuct)	18-18-28-28-28-28-28-28-28-28-28-28-28-28-28
20 FOB Other than Metro Charleston - Per Mile	\$
YO LOD Other than Metro Arraneston - Lot Mile	
Additional Information:	
/ Wallotter proceduators -	

CLASS 12 - TRUCK
Large Pickup, 2 Wheel Drive
6000 GWWR, Short Bed, Approx. 5'7" bed.
Includes but is not limited to: Ford F150, Dodge 1500, Chevrolet 1500 or equal.

Vendor Name: THORNHILL FORD LINCOLN		. CORD		
Manufacturer / Brand		FORD 8-10 WEEKS FROM ORDER		
Delivery Model Name & Number		F-150 F1C		
Model Mattie & Muttibet		1-100 F 10	HP	TORQUE
Standard Equipment Requirements:			302	278
Engine		MIN 195 HP 235 TORQUE		
Transmission		Automatic		
Steering		Power		
Brakes		Power		
Radio		AM/FM		
Glass		All Tinted		
Mirrors		Left & Right Outside		
License Plate Mounts		Front & Rear		
Cargo Box		Fleetside		
Bumper		Rear Step Factory Installed		
Tires		All Season		
Spare Tire		Full Size w/ Jack		
Air Conditioning	·	Installed	EDA	EPA
Front Seat	***	Bench	EPA	CITY
Rubber Floor Covering		Installed	HGWY	OHT
Front Air Bags		Installed		
District de Assettan		4.4 700.00	17	23
Price Each Gasoline		N/A	''	"
Hybrid		14,720.88		L
Flex Fuel		14,720.00		
Bed Size Quote		6.5'		
Options:		477	•	241
AM/FM w/ CD Player			\$	241 187
Tilt Wheel & Cruise Control			\$ \$ \$	332
Limited Slip Rear End			<u>*</u>	IN PWR. GR
Keyless Entry				789
Power Windows / Power Locks			\$ \$	N/A
Tow Hooks			\$	N/A 263
Long Bed			\$ \$ \$ \$	0
Exterior colors			<u> </u>	187
Slide Rear Window			<u>Φ</u>	STANDARD
Side Air Bags	Ontine 4	E-01-V/0	\$	830
Engine Options	Option 1:	5,0LV8 3,5L ECOBOOST	\$	1573
Engine Options	Ohnou 5;	and the second s	\$	78
Slush/All Weather Mats (Driver & Passenger)			\$	N/A
Slush/All Weather Mats (Second Row)			\$	N/A
Slush/All Weather Mats (Cargo)			\$	185
Bed Liner			\$	6613
Crew/Quad Cab			\$	2947
Extended Cab			\$ -	N/A
Manual Transmission w/Overdrive (Deduct)			\$ -	0
Delete Cloth Seats (Deduct)			\$ -	0
Delete Carpet (Deduct) Delete Truck Bed (Deduct)			\$ -	N/A
			\$ -	0
FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile			\$	3.1
FOB Other than Metro Charleston - Per Mile			<del></del>	
Additional Information:				

### CLASS 12A - TRUCK Large Pickup, Hybrid, 2 Wheel Drive 6000 GVWR, Short Bed

Includes but is not limited to: Ford F150, Dodge 1500, Chevrolet 1500 or equal.




CLASS 14 - TRUCK
Large Pickup, 2 Wheel Drive
8800 GVWR, Long Bed, Crew Cab
Includes but is not limited to: Dodge Ram 2500, Chevrolet 2500, Ford F250 or equal.

Vendor Name	
Manufacturer / Brand	
Delivery	
dodel Name & Number	TOPOLI
	HP TORQUI
Standard Equipment Requirements:	
Engine	MIN: 300 HP 360 TORQUE
Transmission	Automatic
Steoring	Power
Brakes	Power
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
Cargo Box	Flee(side
Bumper	Rear Step Factory Installed
Tires	All Season
Spare Tire	Full Size w/ Jack
Air Conditioning	Installed
Standard Floor Covering	Installed
Front Air Bags	Installed
Price Each Gasoline	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Price Each Flex Fuel	<u>*                                    </u>
Options:	S s
Off Road Package Including Limited Stip Rear, Includes:	the same and the s
Axle-trac-lok differential	S
Engine Cooling - heavy duly	
Skid plate Group	S Enter total off-road pkg abov
Suspension - Heavy Duty Wigas Shocks	
All Terrain Tires	
Tow Hooks	\$ 
AMIFM wi CD Player	\$
Till Wheel & Cruise Convol	S S
Keyless Entry	
Power Windows / Power Locks	\$
Tow Package	Listile is licudod in this group \$
Snow Plow Package	List ile ns included in this group \$
Diesel Engine	S
V-8 Engine	\$
Side Air Bags	
Exterior colors	\$
Slide Rear Window	\$
Running Boards	\$
Swing out mirrors	\$
Bed Liner	\$
Slush/All Weather Mats (Driver & Passenger)	\$
Slush/All Weather Mats (Second Row)	\$
Slush/All Weather Mats (Cargo)	\$
Additional Tanks	\$
4 Wheel Drive	\$
Manual Transmission w/Overdrive (Deduct)	\$
Delete Cloth Seats (Deduct)	\$
Delete Carpet (Deduct)	
FOB Dealership: (Deduct)	S S
FOB Other than Metro Charleston - Per Mile	\$
Available Axle Ratios	( <u>)                                    </u>
WAQUONE Was IndhAs	9
	8. 2
A Edition of Informations	Parameter and the second secon
Additional Information:	
	A A Marie Control of the Control of
	The state of the s
	the same of the sa
	\$ <u></u>

CLASS 15 - TRUCK
Large Pickup, 2 Wheel Drive, 8500 GVWR, Long Bed
Includes but is not limited to: Ford F250, Dodge Ram 2500, Chevrolet 2500 or equal.


Vendor Name:		
Manufacturer / Brand		
Delivery		
Model Name & Number		TODO
nt I . I tt t t Daniel la manda	HP	TORQ
Standard Equipment Requirements:	MIN: 300 HP 360 TORQUE	
Engine Transmission	Automatic Automatic	
Steering	Power	/
Brakes	Power	
Radio	AM/FM	
Glass	All Tinled	
Mirrors	Left & Right Outside	
License Plate Mounts	Front & Rear	
Cargo Box	FleeIside	
Bumper	Rear Step Factory Installed	
Tires	AV Season	ST.
Spare Tire	Full Size w/ Jack	'ORTHA
Air Conditioning	Installed	
Standard Floor Covering	Installed	A.
Front Air Bags	Installad	•
	1	
Price Each Gasoline	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Price Each Flex Fuel	\$	
<b>\</b>		
1	\ \ \	
Options:		
Extended Cab	\$	
Crew Cab	\$	
Limited Slip Rear End	\$	
AM/FM w/ CD Player	\$	
Till Wheel & Cruiso Control	\$	
Keyless Entry	\$	
Power Windows / Pewer Locks	\$	
Tow Package	List items included in this group \$	
Diesel Englne	\$	
V-8 Engine	\$	
Side Alr Bags	\$	
Exterior colors	\$	
Slide Rear Window	\$	
Running Boards	\$	
Trailer Tow Mirrors	\$	
Bed Liner \	\$	
Slush/All Weather Mals (Priver & Passenger)	S S S S S S S S S S S S S S S S S S S	
Slush/All Weather Mats (Second Row)	\$	
Slush/All Weather Mats (Chrgo)	\$	
Delete Truck Bed (Deduct)	\$ ·	
Manual Transmission w/Overdrive (Deduct)		
Delete Cloth Seats (Deduct)	\$ -	
Delete Carpet (Deduct)	<u> </u>	
FOB Dealership: (Deduct)	\$ -	
FOB Other than Metro Charleston - Per Mile	\$	
Available Axle Ratios	1. \$	
)		
	3,	
Additional Information:		

## CLASS 16 - TRUCK Small Pickup, 4 Wheel Drive, 4500 GVWR, Short Bed Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.




## CLASS 17 - TRUCK Small Pickup, 4 Wheel Drive, Extended Cab, 4700 GVWR

Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.



## **CLASS 17A - TRUCK**

Midsize Pickup, Front-Hinged, Full Size Doors, 4 Wheel Drive, 4 Door Crew Cab, 4850 GVWR Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.



## CLASS 18 - TRUCK Large Pickup, 4 Wheel Drive, 5400 GVWR, Short Bed


Includes but is not limited to: Toyota Tacoma, GMC 1500, Dodge Ram 1500, Ford F150 or equal.


T	HORNHILL FORD LINCOLN				
M	lanufacturer / Brand	FORD			
D	elivery	8-10 WEEKS FROM ORDER			
M	lodel Name & Number	F-150 F1E			
			HP	TORQUE	
S	tandard Equipment Requirements:				
E	ngine	MIN: 231 HP 275 TORQUE	302	278	
T	ransmission	Automatic			
s	teering	Power			
В	rakes	Power/ABS			
R	adio	AMFM			
G	lass	All Tinted			
M	1irrors	Left & Right Outside			
_	icense Plate Mounts	Front & Rear			
C	argo Box	Fleetside			
В	umper	Rear Step Factory Installed			
-	ires	All Season			
S	pare Tire	Full Size w/ Jack			
Α	ir Conditioning	Installed			
•	ront Seat	Bench			
A	uto Locking Hubs	Installed			
S	tandard Floor Covering	Installed			
F	ront Air Bags	Installed	EPA	EPA	
			HGWY	CITY	
P	rice Each Gasoline	17,882.88	1	ا م	
P	rice Each Flex Fuel	17,882.88	16	21	
H	lybrid	<u>N/A</u>			
	options:		_	455	
1 C	Off Road Package Including Limited Slip Rear, Includes:		\$	455	
	Axle-trac-lok differential	322	) .		
	Engine Cooling - heavy duty	N/A	1		
	Skid plate Group	133	} =	and miles about	
	Suspension - Heavy Duty W/gas Shocks	N/A	Enter total off ro	раа ркд авоче	
	All Terrain Tires	STANDARD	1		
	Tow Hooks	STANDARD	<b>,</b>	044	
2 A	M/FM w/ CD Player	1	\$	241	
3 T	ilt Wheel & Cruise Control		\$	187_	
	ow Package	List items included in this gorup	\$	311	
5 S	Snow Plow Package	List items included in this gorup	\$	N/A	
6 E	Exterior colors		\$	0	
7 S	Slide Rear Window	e se como en el como de distancia de acciones de como de del como de descripción de como de co	\$	187	Power Gray
	(eyless Entry		\$		1000, 0109
9 F	Power Windows, Locks, Power Heated Mirrors	garintagayerin mayinga galani sata tarah naga ing maga kalani sa s	\$	789	
	Side Air Bags		\$	STANDARD	
	Slush/All Weather Mats (Driver & Passenger)		\$	N/A	
2 5	Slush/All Weather Mats (Second Row)		\$	N/A	
13 8	Slush/All Weather Mats (Cargo)		\$	N/A	
4 E	Bed Liner		\$	185	
15 C	Carpet Interior		\$	120	
16 (	Cloth Seats		\$	0	
17 L	ong Bed		\$	262	WEXT CAB
18 F	Rear Jump Seat		\$		PERILITIE
19 E	Extended Cab w/ Third and Fourth Door		<u>\$</u>	2375	
20 E	Engine Option Size:5.0 V8		\$	830	
	3 Cylinder (Deduct)		\$ -	0	
22 N	Manual Transmission w/Overdrive (Deduct)		\$	N/A	
23 [	Delete Floor Mats (Deduct)		\$ -	0	
	Delete Cloth Seats (Deduct)		\$ -	0	
25 F	OB Deatership: (Deduct)		\$ -	0	
	FOB Other than Metro Charleston - Per Mile	The second secon	\$	3.1	
			\$		

Additional Information:

TOW PACKAGE INCLUDES: CLASS IV RECEIVER, 7 PIN WIRING HARNESS UPGRADED RADIATOR AND AUX. TRANSMISSIO N OIL COOLER


## CLASS 18A - TRUCK Large Pickup, Hybrid, 4 Wheel Drive, 5400 GVWR, Short Bed Includes but is not limited to: Toyota Tacoma, GMC 1500, Dodge Ram 1500, Ford F150 or equal.





### CLASS 20 - TRUCK Chassis Cab, 4 Wheel Drive, 9000 GVWR, Single Rear Wheels

Includes but is not limited to: Dodge Ram 2500, GMC Sierra 2500 or equal.




### CLASS 20A · TRUCK Chassis Cab, 4 Wheel Drive, 12,000 GVWR, Dual Rear Wheels

Includes but is not limited to: Dodgo Ram 3500, Ford F350 or equal. Vendor Name: Manufacturer / Brand Delivery Model Name & Number TØRQUE HP Standard Equipment Requirements: MIN: 300 HP 360 TOROU Engine Automatic Transmission Power Steering ower/ABS Brakes M/FM Radlo i Tinted Glass t & Right Outside Mirrors nt & Rear License Plate Mounts installed Dual Rear Wheels eason Load Range D ΑH Tires 20 Gallons Minimum Fuel Tank installed Air Conditioning Ben Front Seat Installed Standard Floor Covering Install Front Air Bags GASOLINE DIESEL Pike Each 137" WB 60" Cab to Axle Price Each 161" WB 84" Cab to Axle Options: Full Size Spare lire Oll Road Package Including Limited Silp Rear, Includes: Axle-trac-lok differential Engine Cooling - heavy duty Enter Total Off Rd Pkg Above Skid plate Group Suspension - Heavy Duly W/Gas Shock All Terrain Tires Engine Cooling Heavy Duly AMINA WI CD Player Tel Whoel & Cruise Centrol Keyless Ency Power Windows / Power Locks Back -Up Alarm List items included in this group Tow Package List Kems knowled in Urlangroup Snow Plow Package Skie Air Bags Exterior colors Side Rear Window Shish/All Weether Mats (Driver & Passenger) Shish/All Weather Mats (Second Row) Slish/All Weather Mats (Cargo) **Duel Gas Tanks** 16 Flatbed 9' long ff 60" CA (see attached specifications) 17 Flatbed 12"long ff 84" CA (see attached specifications) 18 Jump Bed # 60" CA, 8.6" Long (see attached specifications) 19 Damp Bed II 84" CA, 10.5' long (see attached specifications) 20 Utily Bed # 60° CA, 9' long (see attached specifications) 21 Ulfily Bed # 84" CA, 11' long (see allached specifications) 22 Crank (see attached specifications) 23 Crandysee attached specifications)
Extended Cab w/ Third and Fourth Door 24 25 Crew Cab - Front Hinged Doors Gasoline Engine: 8 Cyl, 7.0 (Deduct)
2 Wheel Drive (Deduct)
Manuel Transmission w/Overdrive (Deduct) 27 28 FOB Dealership: (Deduct) 30 Delete Floor Mats (Deduct) 31 Delete Cioth Sents (Deduct) FOB Other than Metro Charleston - Per Mile 33 Available Axle Ratios 34

...

### CLASS 21 - TRUCK Large Pickup, 4 Wheel Drive, 10000 GWWR, Long Bed

Includes but is not limited to: GMC Sierra 3500, Dodge Rem 3500 or equal.



# CLASS 22 - VAN, CARGO 6500 GVWR, 109" Wheelbase Includes but is not limited to: Express, GMC Savanna or equal.


Vendor Name:		
Manufacturer / Brand		
Delivery		
Model Name & Number		
Model Hamo & Hamool		_
		HP TORQUE
Standard Equipment Requirements:		
	MIN: 80 NR 210 TORQUE	
Engine	Auton atic	
Transmission	Power	<u> </u>
Steering	Power ABS	/
Brakes		/
Radio	AMIFM	1
Glass	All Tinted	<b>/</b>
Mirrors	Left & Right Outside	1
License Plate Mounts	Front & Rear	_
Standard Bumper	Installed	
Tires	All Season	The second second
Spare Tire	Standard tire w/Jack	
Air Conditioning	Installed	
Seating Capacity 2	Passenger Seat	
Front Air Bags	Installed	
<b>†</b>	\ \/	EPA ÈRA
1	<b>√ ₩</b> WD	HGWY CITY
<b>\</b>		
Price Each Gasoline	\s / \	
<b>1</b>	<del></del>	
Price Each Flex-Fuel	4	
1	. /	
1	\ \	
Options:		¢
AM/FM w/ CD Player		\$
Tilt Wheel & Cruise Control		\$
Limited Slig Rear End		\$
Tow Package: Mansmission Cooler		\$
H. D. Engine Cooler		\$
Keyless Entry		\$
Power Windows / Power Locks		\$
Side Air Bags		\$
Glass All Around		\$
Rear Door Window/Glass		\$
Side Door Window/Glass		\$
Exterior Colors		\$
FOB Dealership: (Deduct)		\$ -
FOB Other than Metro Charleston - Per Mile		\$
Rear Slep Bumper		\$
Mear ordy onuber 4		, , , , , , , , , , , , , , , , , , ,
ALTE ALLA MARIA		
Additional Information		
- Annual Control of the Control of t		
1		

CLASS 23 - VAN, CARGO Extended Body, 8500 GVWR 138" Wheelbase Includes but is not limited to: GMC Savanna or equal.

HP TORQUE  225 HP 285 TORQUE  mail:  pr  pr/ABS  M  nted  & Right Outside  & Rea  eason  dard tire w/Jack  lled  lied  lied  lied  lied  loe Side & Rety  ling Doors w/Plass
225 HP 285 TORQUE matic er br/ABS M inted & Right Outside & Rea eason dard thre w/Jack liled liled liled liled liled ling Doors w/9 ass
225 HP 285 TORQUE matic er br/ABS M inted & Right Outside & Rea eason dard thre w/Jack liled liled liled liled liled ling Doors w/9 ass
225 HP 285 TORQUE matic er br/ABS M inted & Right Outside & Rea eason dard thre w/Jack liled liled liled liled liled ling Doors w/9 ass
225 HP 285 TORQUE matic er br/ABS M inted & Right Outside & Rea eason dard thre w/Jack liled liled liled liled liled ling Doors w/9 ass
matic or or/ABS M Inted A RightOutside A Real eason dard thre w/Jack liled liled liled liled ling Doors w/plass
matic or or/ABS M Inted A RightOutside A Real eason dard thre w/Jack liled liled liled liled ling Doors w/plass
er er/ABS M nited R RightOutside R Real eason dard thre w/Jack liled liled liled liled side & Real
ar/ABS M Inted A Right Outside A Real Beason
nted 3 Right Outside 1 & Real eason dard thre w/Jack liled liled liled liled Side & Rett ling Doors w/9 lass
nted 3 Right Outside 1 & Real eason dard thre w/Jack liled liled liled liled Side & Rett ling Doors w/9 lass
dard tire w/Jack iled iled iled iled iled ole Side & Retu iling Doors w/ <b>91</b> ass
dard tire w/Jack iled iled iled iled iled ole Side & Retu iling Doors w/ <b>91</b> ass
dard tire w/Jack iled iled iled iled iled ole Side & Retu iling Doors w/ <b>91</b> ass
dard tire w/Jack iled iled iled iled iled ole Side & Retu iling Doors w/ <b>91</b> ass
lled Iled ole Side & Rety ling Doors w/ <b>91</b> ass
lled Iled ole Side & Rety ling Doors w/ <b>91</b> ass
lled ole Side & Rev ling Doors w/ <b>9</b> ass
ole Side & Rev ling Doors w/ <b>9</b> ass
ling Doors w/p ass
enger Seal
1
<b>)</b>
i Challeston Links Street
\$
\$
\$
\$
\$ \$
\$
\$ \$ \$
\$ \$ \$
\$ \$ \$ \$
\$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
COMPANY CONTRACTOR CON

Vendor Name:	<b>→</b>		/
Manufacturer / Brand			
Delivery			
Model Name & Number		1	1
	(	HP	TORQUE
	1 [	131	
Standard Equipment Requirements:	MIN 225 HP 286 TORQUE		
Engine Gasolino  Fooline Diesel	MIN: 154 HP 286 TORQUE		
Lingino	Automatic		
Transmission	Power		
Steering	PowerABS		
Brakes	AM/FM)	Í	/
Radio	All Tinted	/	
Glass	Left & Right Outside		
Mirrors License Plate Mounts	Front & Rear	\	
Tires	All Season	\ /	
Spare Tire	Standard tilp w/ Jack	1 /	
Air Candilioning	Installed	1 /	
Seating Capacity 2	Passenger Sept		
Front Air Bags	Installed		
Troncan baga		V	
\	1	A	CAND
\	1	∫ FWD	RWD
\	<b>\</b>		
Price Each Gasoline	1	\$	\$
Price Each Diesel	1	\$ -	\$
Price Each Flex Fuel	1 /	\$	\$
Options:			¢
AM/M w/ CD Player		\$	\$
Till Wheel & Crulse Control	INCOME TO THE PROPERTY OF THE PARTY OF THE P	\$	\$
Limited Slip Rear End		\$ 1	\$
Tow Package: Transmission Cooler		\$	\$
H. D. Engline Cooler		\$	\$
Keyless Intry		\$	\$
Power Windows / Power Locks		\$	\$
Glass All Around		\$	\$
Side Air Baðis		\$	
Step Bumper		\$	\$
Telescopic Trailer Tow Mirrors		\$	\$
Rear Rubber Filgor Malling		\$	\$
Exterior Colors		\$ -	\$ -
FOB Dealership: (Deduct)		\$ · \$	\$
FOB Other than Melyo Charleston - Per Mile		7	
LOB Other than Medio Chanceston . St. www.			
Additional Information:			


## Class Mini-storage Van. Includes but is not limited to: Ford Transit Connect or equal.



## CLASS 24 - VAN 7 Passenger, Front Wheel Drive,

110" Wheelbase

Includes but is not limited to: Grand Caravan, Toyota Sienna or equal.



### CLASS 26 - VAN Small Rear Wheel Drive,

125" Wheel Base, Eight Passenger Includes but is not limited to: GMC Savanna, Chevrolet Express, Ford Econoline 150 or equal.

Vendor Name:		
Manufacturer / Brand		
Delivery		
Model Name & Number		
Model Mante & Mittines		
		HP TORQUE
No. 3. Let 1 18 1		TIF TORKER
Standard Egulpment Regulroments:	MIN OR HE ORG TARGUE	
Englne	MIN: 225 HP 286 TOROUE	
Transmission	Automatic	
Steering	Power	<b>/</b>
Brakes	PowerIABS	<i>)</i> **
Radio	AMIFM	
Glass	All Tinted, Sides and Real Left & Right Outside - 5" x 8" Minimum	
Mirrors		<b>X</b>
License Plate Mounts	Front & Rear	
Seating	8 Passenger	
Tires	All Season	
Spare Tire	Standard tire w/Jack	
Vinyl Flooring	Installed	
Air Conditioning	Installed Double Side & Rear	
Doors	Installed.	,
Front Air Bags	Full Length Head Liner w/Insulation Side &	
Interior	Quarter Partet	
Interior Rear Bumper	Installed	EPA EPA
Keat pointhet	matanep 1	HGWY CITY
Drive Fach Constine	\$	
Price Each Gasoline	\$	
Price Each Flex-Fuel	1 3	
Price Each Diesel	3	L
1		
Outland 1	\ \ \	
Options:		\$
AM/FM w/ CD Player Tilt Wheel & Crulse Control		\$
A.		\$
Limited Slip Rear End		\$
Keyless Entry		\$
Pover Windows All Wheel Drive		\$
Allyviteel Drive		\$
V-a Gasoline Engine		\$
Carpet Interior		\$
Slugh/All, Weather Mats (Driver & Passenger)		\$
Slus VAll Wealher Mals (Second Row)		\$
SlusiVAll Weather Mats (Cargo)		\$
Sunsaveen Glass		\$
Sliding Side Door		\$
Swing Side Door (One Side)		\$
Swing Side Door (Both Sides)		\$
Side Air dags		\$
Interior up trade (carpet & Insulation pkg)		\$
Exterior colors		\$
Delete Center Row Seals (Deduct)		\$ .
Delete Third Row Seats (Deduct)	<b>-</b>	\$ -
FOB Dealership: (Deduct)		\$ -
FOB Other than Metro Charleston - Per Mile		\$
Rear Step Bumper		\$ 
\		
\		
-		
Additional Information:		

CLASS 26 - VAN
12 Passenger Van, 125" Wheel Base
Includes but is not limited to: GMC Savanna, Dodge Sprinter or equal.

Vendor Name:	—· <del>-</del>		
Manufacturer / Brand			
Delivery			
Model Name & Number			
		HP	TORQUE
		r 3	TOTAGOL
Standard Equipment Requirements:		1 15	
Engine	MIN: 255 HP 300 FORQUE		
Transmission	Automatic	ا ــــــــــــــــــــــــــــــــــــ	
Steering	Power	,	
Brakes	Power/ABS		
Radio	AM/FM 3	Will.	
Glass	All Tinted, Sides and Rear	The same of the sa	
Mirrors	Left & Right Outside - 5" x 8" Minimyri		
License Plate Mounts	Front & Rear	*	
Sealing	12 Passenger		
Tires	Load Range E		
Spare Tire	Standard thre w/Jack		
Rubber Floor Covering	Installed		
Front and Rear Air Conditioning	Installed		
	h Installed		
Front Air Bags	Double Side & Rear		
Doors	Pull Length Head Liner willnsulation Side &		
Interior	Quarter Panel		EDA
Rear Bumper	Installed	EPA	EPA
Kear Bompa		HGWY	CITY
Price Each Gasoline	s		
	\$ 3		
Price Each Bi-Fuel	\$		
Price Each Diesel		***************************************	
1	*		
Options:		\$	
AM/FM w/ CD Player	Colored and the second	\$	
Till Wheel & Cruise Control		\$ \$ \$ \$	
Keyless Entry	Section of the sectio	\$	
Power Windows / Power Locks		\$	
Limited Slip Rear End		\$	
Diesel-Engine		<u>;                                    </u>	
Extended Length		Ŝ	
Silding Side Door		s	
Slush/All Weather Mats (Driver & Passenger)		<u>*</u>	
Slugh/All Weather Mats (Second Row)		\$ \$ \$ \$ \$ \$	· · · · · · · · · · · · · · · · · · ·
Slust/All Weather Mats (Cargo)			
Side Air Bags			~~
Exterior colors		\$ \$ -	
Delete Center Row Seats (Deduct)			
Delete Third Row Seats (Deduct)		\$ -	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile		\$ - \$ \$	
Rear Step Bumper	Company of the Company of Section 2 Company of the	\$	
Rear Step Bumper			
\			
1			
\			
Additional Information:			
	and the second s	•	
		•	
		-	

# CLASS 33 - TRUCK Chassis Cab, 4 Wheel Drive, Diesel Engine, 17,500 GVWR, Dual Rear Wheels Includes but is not limited to: Ford F550, GMC Topkick or equal.

	ndor Name:	-	2WD	4WD
	rufacturer / Brand		~ ~~	
Deli	very		<del>-</del>	
Mod	lel Name & Number		- up ropolic	HP TORQŲE
			HP TORQUE	TI Z
Star	ndard Equipment Requirements:	_		
Eng		MIN: 300 HP 520 TO QUE	_	
	nsmission	Automatic		
		Power		Y
	ering	Power/ABS		J
Bro			- (	$\mathscr{A}$
Rad		AM/FM	- 1	I I
Gla	SS	All Tinted	– j	<b>\</b>
Mirr	rors	Left & Right Outside		N A
Lice	ense Plate Mounts	Front & Rear		
Tire		All Season	<u> </u>	
	Conditioning	Installed		
		Passenger Seal	4	
	eting Capacity 2	Installed	- 1 7	198
Fro	nt Air Bags	Itistalieu	-	
	t t	3	2WD	awh
	<b>X</b>	1	200	
Orin	ce Each 141" WB (60" Cab-to-Axle)	3	\$ 1	\$
	ce Each 165" WB 84" C/A	1	\$	\$
1.11/	Le Each 100 VVD 07 O//		/ / //	<b>)</b>
		l !}	/ \	, '
	3	1	<i>]</i>	
		1	/ , 1	
Op	tlons:	1 3	/ } //	
		1	/ 18	•
Col	li Sizo Spare tiro	1	\$ /	\$
04	Road Package Including Limited Slip Rear, Inc	children:	\$ \$	\$
Oli			§ 7 .	
	Axle-trac-lok differential		₱ \ <i>!</i>	Ŷ
	Engine Cooling - heavy duty	\$ \$	A⊋ IZ	<b>!</b>
	Skid plate Group	Service Services	¥ /	totale above
	Suspeny for Heavy Duty w/Gas Shocks	\$\ \$	Enter off road package	3 (0(a)3 (00040
	All Tempin Tires	\$ ,	<b>X</b>	
	Engine Cooling Heavy Duty	\$ \ \$	$A^{j}$	
			<b>劉</b> \$	<u> </u>
AW	A/FM w/ dD Player	Principal and State of the Stat	\$ \$	\$
	t Wheel & Cruise Control		\$	\$
	ick-Up Alarm		\$	\$
HC	) Suspension - GWR:			- <u>Y</u>
	at Bed 141 Each		\$	
	at Bed 165 Each	3	\$	_ \$
	ump Bed 141 Each		\$	\$
			\$	\$
) DU	ump Bed 165 Each		24 S	
1 Sh	ush/All Weather Mats (Driver & Passenger)		\$ \$	
2 Sk	ush/Ali Wealher Mats (Second Row)			110000000000000000000000000000000000000
3 SI	ush/All Weather Mats (Cargo)		<u> </u>	\$
	de Air Bag 🔰	and the state of t	\$	<u> </u>
	nber Bar Light			
	***	87. / www.milania & record of the state of t	·	
	ab Stripping		\$	\$
	iding Rear Window		\$	\$
8 E	kterior Colors			\$ -
9 G	as Engine 6.8 Liter 🐧 10 (Deduct)	O Company	\$ -	\$ -
0 M	anual Transmission wil Qverdrive (Deduct)		<u> </u>	
	OB Dealership: (Deduct)		\$ -	_ \$ -
		↓ L. A. C. A. Marcheller and Control and A. C. A. S. Marcheller and Control and A. M. A. Marcheller and Control and C	<b>→</b> \$ -	<u>\$</u>
2 0	elete Floor Mats (Deduct)		\$ -	\$ -
3 D	elete Cloth Seats (Deduct)			\$
	OB Other than Metro Charleston - Per Mile		\$	<u> </u>
	vailable Axle Retios	[1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	3 9	<u> </u>
		2	ω#P.7cd.Σ	
		[3. ************************************		

# CLASS 33A - TRUCK CHASSIS CAB, 4WD, DIESEL, DUAL REAR WHEELS, MULTI-PURPOSE BODY, 17,500 GVWR Includes but is not limited to: Ford F550, Chevrolet C4500 or equal.

endor Name:	to consumers
lanufacturer / Brand	A A A A A A A A A A A A A A A A A A A
elivery	· · · · · · · · · · · · · · · · · · ·
lodel Name & Number	HP TORQU
tandard Equipment Regulrements:	
ngine	MIN: 300 HP 520 TORQUE
ransmission	Automatic
teering .	Power
rakas	Rowel/ABS
adio	AMEM
lass	All Tinged
Inors	Left & Right Outside
icense Plate Mounts	Front & Read
ual Rear Wheels	Installed
ires	All Season
Ir Conditioning	Installed
ront Air Bags	Installed
rice Each 141" WB ( 60° Cab-to-Axid) rice Each 165" WB (84" Cab-to-Axid	1WD
options:	
uli Civa Cnaza tira	, ,
uli Size Spare tire	1 1
off Road Package Including Limited Slift Rear, Includes:  Axle - Trac-Lok Differential	
Engine Cooling - heavy duty	A Company of the Comp
Skid plate Group Suspension - Heavy Duty w/Gas Shotks	Enter total off road pkg above
•	CASE CONTRACTOR OF THE PROPERTY OF THE PROPERT
All Terrain Tires	Application of the second state of the second
Engine Cooling Heavy Duly	s v
M/FM w/ CD Player	\$
ill Wheel & Cruise Control	
lack-Up Alarm ID Suspen Jon - GVWR:	\$ \$
	\$
ide Ald Bag	\$
illding flear Wildow	\$
exterior Golors	\$
uli Length Fenders whico boxes	\$
tubber beil over Conveyor	
Conveyor citain offer	\$ •
tunning Boalds	\$
Receiver Hitch w/ball & pintle	\$
umber Bar Light	\$
Cab Stipring	\$ No. 10.0000000000000000000000000000000000
Slust/All WeatherMats (Driver & Passenger)	<u>\$</u>
Slush/All Wealher Mats (Second Row)	*
SiustVAII Weather Mats (Cargo)	\$
Rear patch pan	\$
Rear ladder	\$
Sas Engine 6,8 Liter V 0 (Deduct)	<u> </u>
Annual Transmission w/Qverdrive (Deduct)	\$ -
OB Dealership: (Deduct)\	\$ .
Detete Floor Mats (Deduct)	\$ -
Delete Cloth Seats (Deduct)	\$ -
OB Other than Buckhannon, WV - Per Mile	6 - W - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
vallable Axle Relies	1. \$
	8

# CLASS 34 - AUTOMOBILE UTILITY, 4 WHEEL DRIVE, 4 DOOR 4100 GWWR (min), with OFF ROAD PACKAGE, Wheelbase 103" Includes but is not limited to:

Vendor Name:		
Manufacturer / Brand		
Delivery		
Model Name & Number		
	ł	HR HGWY
		HISTORY
Standard Equipment Requirements:		
Engine	MIN 150 HP 165 TORQUE	
Transmission	Automatic	
Steering	Power	
Brakes	Power/ABS	
Radio	AM/FM	
Glass	All Tinted	
Mirrors	Left & Right Oulside	\
License Plate Mounts	Front & Rear	
Fuel Tank	Standard	<b>Y</b>
Tires	All Season	$\Lambda$
Spare Tire	Standar V tire w/Jack	₹ \
Air Conditioning	Installed	<b>\</b>
Front Seal	Bucket	1
Floor Mals	Installed	1
Rear Window Defogger	Installed	1
Front Air Bags	Installed	1
Off Road Package Including Limited Slip Rear, Includes:	installed	$\searrow$
Axle-Trac-Lok Differential	Installed	
Engine Cooling - Heavy Duty	Installed	EPA EPA
Skid plate Group	Installed	
Suspension - Heavy Duly W/Gas Shocks	Installed	HGWY CITY
All Terrain Tires	installed	
Tow Hooks	Installed	
Price Each Gasoline Price Each Flex Nel	\$	
	<b>\</b>	
Options:		~ e
AM/FM w/ CD Player	<b>是是自由的各种区域的企业</b>	<del>*</del> <del>*</del> -
Till Wheel & Chilse Control		\$
Side Air Bag		\$
Tow Package	List items included in this group	
2 Passenger Sealing		\$
Slush/All Weather Mats (Driver & Passenger)		\$
Slush/All Weather Mats (Second Row)		\$
Slush/All Weather Mals (Cargo)		A CONTRACTOR OF THE CONTRACTOR
Exterior colors		\$
Manual Transmission WOverdrive (Deduct)		\$ -
Delete Off Road Package Including: (DEDUCT)		
Axle-Trac-Lok Differential		
Engine Cooling - Heavy Duly		Ċ.
Skid plate Group		\$ .
Suspension - Heavy Duly W/Gas Shocks		
All Terrain Tires		
Tow Hooks		<b>\$</b>
Delete Floor Mats (Deduct)		<b>&gt;</b>
FOB Dealership: (Deduct)		\$ -
FOB Other than Metro Charleston - Per Mile		<b>ð</b>


CLASS 34A - AUTOMOBILE

Hybrid, Utility, 4 Door, Front/All Wheel Drive, 4100 GVWR
Includes but is not limited to: Ford Escape, Mazda Tribute or equal.

Vendor Name:			
Manufacturer / Brand	and the second s		
Delivery			
Model Name & Number		MARTINE.	
\		ME	TORQUE
Standard Equipment Requirements:	C. H. F. A. Ca	X	
Engine	Full Hybrid	***************************************	
Transmission	Automatic		
Steering	Power Power/ABS		
Brakes		* Abraha	
Radio	AMFM	,	The same of the sa
Glass	All Tinted  Left & Right Outside		The state of the s
Mirrors			•
License Plate Mounts	Front & Rear		
Fuel Tank	Standard		
Tires	All Season Installed		
Air Conditioning			
Front Seat	Bucket Natalled		•
Floor Mals	In Nation	EPA	EPA
Rear Window Defogger	Installed		
Front Air Bags	Historico	HGWY	CIEY
	1		
1	\$		
Hybrid Front Wheel Drive	S 27 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Hybrid All Wheel Drive		1	
1			
Options:	The second secon	\$	
Off Road Package Including Limited Slip Roar, Includes:	S. HOLL ST.	,	<del></del>
Axle-Trac-Lok Differential	\$	1 1	
Engile Cooling - Heavy Duly		1	
Skid Male Group	C	Enter total off roa	d pkg above
Suspension - Heavy Outy W/Gas Shocks			
All Tempin Tires		}	
Tow Hooks		`\$	
2. AM/FM w/ CD Player		\$	
3 Till Wheel & Chrise Control		\$	
4 Side Air Bag	List Items included in this group	\$	
5 Tow Package	Cist lieure arcingen in the Suns.	\$	
6 2 Passenger Seating		\$	
7 Slush/All Weather Muts (Driver & Passenger)		\$	
8 Slush/All Weather Mars (Second Row)		ŝ	
9 Slush/All Weather Mata (Cargo)		\$	
IO Exterior colors		\$	
11 Manual Transmission w/Oyerdrive (Deduct)		\$ -	
12 Delete Floor Mats (Deduct)		\$ -	
13 FOB Dealership: (Deduct)		\$	
14 FOB Other than Metro Charleston - Per Mile		• • • • • • • • • • • • • • • • • • • •	
Additional Information:			
		<del>.</del>	
		-+	


## CLASS 34B - HYBRID AUTOMOBILE

Hybrid, Mid-Size, 4 Door, 3450 Curb Weight Includes but is not limited to: Chevrolet Malibu or equal.





1

## CLASS 35 - ELECTRIC CAR Front Wheel Drive, 1800 GVW Includes but is not limited to: GEM e2 or equal.



## CLASS 36 Electric, Utility Vehicle Front Wheel Drive, 2300 GVW





```
OTILITY BODG CHASSIS DUAL REAR WHEEL


60° CA CAB AND CHASSIS DUAL REAR WHEEL

1107 LONG X 95° WIDE X 40° VERTICAL COMPARTMENT HEIGHT X 48.5° WIDE FLOOR X 20° DEEP COMPARTMENTS

*RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE PLUGEN WIRING HARNESS

*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS

*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS
                                                                                                                                                                                                                                                                                                                                                                                                                                                      CRANE 55° CA SINGLE REAR WHEEL 5500 GVWR CAB AND CHASSIS
CLASS 20 OPTION TELESCOPIC CRANE TO BE USED WITH UTILITY BODY
*LIFTING CAPACITY OF 2000 LBS. @ 3' (5500 FT. LB. RATING),MANUAL BOOM EXTEND FROM 5.5' TO 9.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          54" CA CAB AND CHASSIS DUAL REAR WHEEL
*10.5" LONG X 13" TALL SIDES X 22" TALL TAILGATE (ALL 10 GA, STEEL)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             UTILITY BODY 98ASW READING UTILITY BODY OR APPROVED EQUAL CLASS 20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  FAN BELT DRIVEN UNDER EOOD HYDRAUGIC PUMP WITH FLECTRIC CLUTCH IF PTO IS NOT AVAILABLE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       *12 VOLT DC ELECTRIC HYDRAULIC POWER UNIT WITH PUSH BUTTON CONTROLLER ON AUTOMATIC TRANSMISSION CAB AND CEASSIS
NOTE:PTO, DIRECT MOUNT BYDRAULIC PUMP, DUMP VALVE(ELECTRIC OR CAB SEIFT), AND RESERVOIR IF 2TO APPYCATION IS AV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              *1/2 X $4 CAB SHIELD (23" LONG X $4" WIDE)
*MARKER LIGHTS, ICC BUMPER, REAR MUDFLAPS MEET FMYSS STDS
*STEEL MUD GUARDS IN FRONT OF REAR WHEELS
                                                                                                                                                                                                                                                                                                                                                                                                                   "12 VOLT DC ELECTRIC HYDRAULIC POWER ROTATION, POWER BOOM ELEVATION
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  RECESSED TAIL LIGHTS/RUBBER GROMETS, OEM PLUG IN WIRIN
STD. BODY SHELVING FACKAGE WITH ADJUSTABLE SHELVES A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   SK" CA CAB AND CHASSIS IJUAL REAR WHEEL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    UTILITY BODY 108ADW READING UTILIATY BODY OR APPROXED EQUAL <u>CLASS 20A & 33</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              *RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE FAGG IN WIRING HAV
*STD. BODY SHELVING PÄCKAGE WITH ADJUSTABLE SHELVER AND DIVIDERS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           SO" CA CAB AND CHASSIS SINGLE REAR WHEEL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       dump body model 100U galion or approved equal <u>class 10a & 33</u>
REMOVABLE JACKLEG TYPE OUTNIGGER WITH SCREWBASE ON CRANE SIDE.
                                                                                                      CRANE BOOM SUPPORT
                                                                                                                                            BODY TO BE REINFORCED FOR CRANE
                                                                                                                                                                                  "INSTALL IN RIGHT REAR OF UTILITY BODY LOAD SPACE FLOOR
                                                                                                                                                                                                                                     OVERLOAD PROTECTION
                                                                                                                                                                                                                                                                                    PENDANT CONTROLLER WITH 18" CORD
                                                                                                                                                                                                                                                                                                                                   SWIVEL BLOCK HOOK LATCH
                                                                                                                                                                                                                                                                                                                                                                         *12 VOLT DC ELECTRIC POWER HOIST WITH 35'X 1/4" CABLE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           PAINTED WHITE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          "S" REAR STEP BUMPE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                "MARKER LIGHTS, REFJECTORS. REAR MUD FLAPS MEET FMVSS 🖇
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    "132" LONG X 93" WIDE X 🙌 VERTICAL COMPARTMENT HEIGHT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         resident body iszada azádeng mittila boda ob vezboagd egnyt civss 50v 🄻
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           SANTED WHITE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         "S" REAR STEP BUMPER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   "97" LONG X 76.5" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 14" DEEP COMPARTMENTS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    "Marker lights, reflectors meet favss stj
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 PF624DAE HOIST APPROX 11 TON CAPACITY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    PAINTED BLACK
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         G IN WIRING HARNESS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     O EXPORES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          DOVIDES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    (48.5" WIDE FLOOR X 20" DEEP COMPARTMENTS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                ğ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           CATION IS AVAILABLE ON MANU
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               TRANSMISSION
```



DOH PACKAGE REQUIRED FOR CLASSES 13, 14, 15 & 19 TO INCLUDE THE FOLLOWING ITEMS

BED LINERS SHALL BE NON-SKID TYPE, OVER THE RAIL ALL STAR BRAND (OR EQUAL). BAR LIGHTS SHALL BE PSE CODE 3 EXCAUBER BRAND (OR EQUAL) DUAL LEVEL STROBE LIGHT, FULL SIZE LIGHT BAR WITH TWO (2) STROBE BULBS PER SIDE, VISIBLE FROM 360 DEGREES. BAR LIGHT MOUNTING SHALL BE GUTTER TYPE MOUNT ONLY, PSE MODEL NO. X47A (OR EQUAL). DRILLING OF TOP OF CAB IS UNACCEPTABLE. WORK LIGHT SHALL BE PSE NUMBER NO130H CODE 3 NIGHT PROBE (OR EQUAL) 300,000 CANDLE WATT MOUNTED TO CENTER OF LIGHT BAR. CONTROLS SHALL BE MOUNTED PERMANENTLY IN CABWITH FASY ACCESS FOR OPERATOR. RUNNING BOARDS SHALL BE TWO (2) PIECE ALUMINUM, PART #8093027 MFG. DZ (OR EQUAL). CREW CAB PART #8035012 MFG.DZ (OR EQUAL), CLASS II TRAILER HITCH 3" PINTLE AND 2" BALL COMBINATION RECEIVER.

### **PAINTINGS:**

DETAIL / DECORATIVE STRIPES WITH LOGO:
WIDTH: SHALL BE 1" WITH TAPER AT FRONT OF HOOD
WVDOH LOGO (TO BE SUPPLIED BY WVDOH); (BLACK AND WHITE COPY) AND IS APPROXIMATELY
7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.
STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEU OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTM D4956-91 TYPE V SHEETING, A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "DOT APPROVED."

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MICRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE OR EQUIVALENT.

UPPER STRIPE COLOR: DARK BIAGE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATIBNG OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

This specification shall describe a HENDERSON MUNIbody III - 30455™ REAR DISCHARGE ONLY combination dump/spreader body or equal. Bidders must submit with their bid complete specifications on the unit they propose to furnish.		
Stipling with their pic complete specifications on the drive trey propose to termion.	YES	EXCEPTIONS
DIMENSIONS: 86.5" inside width for maximum capacity		
Capacity struck (9'), 2.3 cu. Yd.	<del></del>	***************************************
Inside length of 108" for 60" CA. (9) Side height of 25 inches		The.
Head height of 53 inches		
Tailgate height of 29 inches		
SIDES & FRONT:		
One piece sides and floor of 10 gauge, 304SS steel incorporates a side to floor radius. Floor slopes 2x degrees to conveyor to facilitate self cleaning of body without raising. A body with any portion of the floor that is flat is NOT acceptable due to poor cleanout.		
10 ga. 304SS boxed top rail seamless		
2" side board pockets	<del></del>	
10 gauge 304SS rear corner posts are fied to rear apron. This joint is further reinforced with a 7 gauge plate which helps prevent flexing in this critical area and strengthens the latch assembly		
12" Asphalt lip is an integral part of the rear apron and provides protection for the extended conveyor.	<b>1</b>	
Integral fenders installed over wheels	<u> </u>	
Front trunnion mounted hoist cylinder - 10 5/8" x 11" doghouse		

## SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

	YES	EXCEPTIONS
CONVEYOR: 10 gauge 304SS formed inner sills, 12 gauge 304SS formed outer sills		
3/16" AR400 conveyor floor		
1 - 1/2" diameter drive and 1 - 1/2" idler shafts with 6 tooth cast iron sprockets		
High-torque, direct drive motor. Drive at rear for RDO	San	
24" wide main conveyor	<u>)</u>	-
Double conveyor cross bars (welded to every link) 1/4" x 1 1/2" conveyor crossbars		
Body integrated 12" beyond tailgate for complete discharge of material from conveyor before returning over truck chassis		and the second s
D667X pintle chain (21,000 lb tensile/strand).		
SPINNER CHUTE ASSEMBLY!		
Spinner assebly, must be adjustable left to right, front to back, and up and down to assure accurate placement of material on spinner dist to facilitate control of spread pattern.		
Front spinner baffle is adjustable for protection of chassis under carriage 10 Ga. 20" Diameter spinner disc to have replaceable machined hubs six (6) 10 Ga 409 Stainless Steel bolt on replaceable spinner valves for		
counter clockwise rotation. Spinner has a bolt on removeable deflector assembly with 3 overlapping deflectors.		more and the second sec
<b>\</b>		

750

	YES	EXCEPTIONS
TAILGATE: 10 GAUGE, 304SS tailgate sheet, with 12 gauge channels		
,		
Full perimeter boxing with all horizontal edges sloped outward		**************************************
Tailgate must be double acting (NO EXCEPTIONS)		
Shall have two (2) 12 ga sloped horizontal praces that are flush with perimeter boxing		
Flush mount, 3/4" flame cut tailgate pivots		
Heavy duty offset hinge plates, 3/8" flame cut		
1/2" latch hooks with 3/8" latch plates		***************************************
1" hot rolled upper and lower pins		
7 gauge 9" x 18" rear feedgate operates perpendicular to foor	employee and an arrange of the	parameter and the second secon
Lever operated feedgates are quickly adjustable in 1" increments		<u></u>
Double acting, manual release, tailgate	<u> </u>	p
Hydraulic System Requirements		
PUMP MOUNTING - Vinderhood Belt Down Drien Sutch Pump		
PUMP TYPE - Gear Type		
PUMP SIZE - MINIMUM - 15 GPM AT OPERATING RPM RECOMMENDED - 20 GPM AT OPERATING RPM	Anne ser see him below.	
PUMP PRESSURE - 2000 PSI		
MINIMUM FLOW REQUIREMENTS  CONVEYOR - 7 GPM SPINNER - 2 GPM HOIST - 4 GPM		
CONTROL FUNCTIONS		
CONVEYOR - ON/OFF CONTROL, 0 TO 20 GPM VALVE		
SPINNER - ON/OFF		
SPINNER - SPEED CONTROL, 0 TO 5 GPM VALVE		

## SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

CONTROL TYPE	MANUAL VALVE	
FILTRATION	RETURN LINE FILTER, 10 MICRON RATING	
RESERVOIR	20 GAL. WITH SITE GAGE	1
RELIEF VALVE	2000 PSI RELIEF IN SYSTEM AT PUMP OR CONTROL VALV	/E
HOSE	PRESSURE LINE 0.75 DIA. SAE 100R2 RETURN LINE 1.00 DIA. SAE 100R2 SUCTION LINE 1.50 DIA. SAE 100R4	
shall be rated at 15 g	alve shall be installed in the cab for control of the conveyor and sallons per minute tow for the conveyor and Z gallons per minute nveyor and Spinner with settings of 1 thru 11 shall be provided for provided for the conveyor and spinner.	for the spinner. A
HOIST: Single cylinder, trunni	ion mount	YES EXCEPTIONS
N.T.E.A. class 20.		
3 stage cylinder		<u> </u>
Wear and corrosion re	esistant Nitrated cylinder tubes	<u> </u>
Minimum 2 year cylind	der warranty	
5 degree oscillating cy	ylinder collar	
	MBL. : al angle rear hinge assembly with octed through 1 1/2" greaseless	
LIGHT PACKAGE: Rubber mounted, sho	ock resistant stop/turn/tail light in each rear	
corner post. Highly vi marker lights in the re	sible, yet recessed for protection. Two red ar and two side mounted amber front one piece sealed wiring harness.	
Rubber mounted, sho for mounting in a fabri	ck resistant I.C.C. 3-light duster, loated light bar.	

## SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

304 Stainless Steel Cabshield 16" x 78" or 84" SPECIFICATIONS FOR A 30488 MULTI-PURPOSE ALL SEASON BODY (cont'd)	
3/16" AR400 conveyor cover (shipped loose)	
Top Grate Screens (Installed at factory)	<b>X</b>
OPTIONAL EQUIPMENT: Sloped steel side boards	
Polyurethane spinner disc	X
Full length fender with tool box	
Pre-wet tanks Rubber belt-over chain conveyor (real-discharge Only)	
Air operated tailgate latch	
Rear spinner assembly with chute and mount (front/rear discharge only)	
Cab shield	
Conveyor chain oiling system	
Rear mount sphalt patching pan	
Rear 304 Stainless Steel Ladder	
Extra light hole in each rear bolt	Name of the last o

SPECIFICATIONS FOR A 304SS
MULTI-PURPOSE ALL SEASON BODY (cont'd)

### PAINTINGS:

DETAIL / DECORATIVE STRIPES WITH LOGO:
WIDTH: SHALL BE 1" WITH TAPER AT FROM OF HOOD
WVDOH LOGO (TO BE SUPPLIED BY WVDOH); BLACK AND WHITE COPY) AND IS APPROXIMATELY
7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.
STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEV OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTW D4956-91 TYPE V SHEETING, A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "DOT APPROVED."

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MCRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE OR EQUIVALENT.

UPPER STRIPE COLOR: DARK BLUE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATIBNG OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

THIS IS REQUIRED FOR CLASSES 20, 20A, 33, & 33A