

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

SHIP

T

RFQ NUMBER MV12

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 42

304-558-8802

*709040056 304-855-1400 THORNHILL SUPERSTORE INC PO BOX 4454 US RT 119 S TRACE FORK RD EXIT CHAPMANVILLE WV 25508

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATE PRIN	TED	TERM	is of sale		SHIP VIA	F.O.B.	FREIGHT TERMS
11/22/	2011						
BID OPENING DATE:		12/13/2	2011		BID	OPENING TIME 01	:30PM
LINE	QUAI	NTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	2. REV 3. ADD SHO TO OF	ISED MV ENDUM A ULD BE SIGN AN YOUR BI	AND A 12 PR CKNOW SIGNE	ANSWE RICIN VLEDG ED AN		ACHED. ED. THIS DOCUMENT YOUR BID. FAILURE	
	EXHIBI	T 10					
					REQUISITION	NO.: MV12	
					and the same		
	ADDEND	UM ACK	IOWLED	OGEME	NT		
	ADDEND MY PRO	UM(S) POSAL,	ND HA	VE M	ECEIPT OF THE FO ADE THE NECESSA /OR SPECIFICATION	The state of the s	
	ADDEND	ין. סא אט	5:				
	NO. 1		• •				ж
	NO. 2						
	NO. 3		. • . • .				
	NO. 4					,	RECEIVED
	NO. 5		• •				2011 DEC 13 AM 9: 04
					LURE TO CONFIRM E CAUSE FOR REJ		WW FUFCHASING DIVISION
-//		(///)		eer or	VEDOE CIDE EOD TERMO AND OF	ONDITIONS	
SIGNATURE 2	12 X.	Lims	1	OCC HE	VERSE SIDE FOR TERMS AND CO		12-12-11
TITLE Sales	Mal	15an FEIN	55	03	282031		TO BE NOTED ABOVE



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

PAGE

MV12

ADDRESS CORRESPONDENCE TO ATTENTION OF:

BUYER 42 304-558-8802

***709040056** 304-855-1400 THORNHILL SUPERSTORE INC PO BOX 4454 US RT 119 S TRACE FORK RD EXIT CHAPMANVILLE WV 25508

ALL STATE AGENCIES AND POLITICAL SUBDIVISIONS VARIOUS LOCALES AS INDICATED BY ORDER

DATEPHIN	IED	IEH	MS OF SAL	.C	SHIP VIA	г.О.в.	FREIGHT TENING
11/22/	2011						
BID OPENING DATE:		12/13/	2011		BID	OPENING TIME 01	:30PM
LINE	QUA	NTITY	ÜÖP	CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
	REPRE ORAL AND A INFOR	SENTAT DISCUS NY STA MATION	ION M SION TE PE ISSU	ADE O HELD RSONN ED IN	NDERSTAND THAT A R ASSUMED TO BE BETWEEN VENDOR'S EL IS NOT BINDIN WRITING AND ADD OFFICIAL ADDENDU	MADE DURING ANY REPRESENTATIVES G. ONLY THE ED TO THE	
					s	IGNATURE	1 5
					• • • • • • •	COMPANY	11
						DATE	•
	(a) 100 100 100 100 100 100 100 100 100 10	: THIS		NDUM	ACKNOWLEDGEMENT	SHOULD BE SUBMIT	Г
	END OF	ADDEN	DUM N	0. 1			*
0001	2012 (1	EA RENT		070-06-01-000 YEAR) MOTOR VEH	ICLES	
)()			QEE DE	VERSE SIDE FOR TERMS AND CO.	NOTIONS	
SIGNATURE //	(J)	MAA		OLE RE	TELEPHONE	SOFT CONTRACTOR DATE	17 17 1
TITLE A / /	V-()	1111 UL	IN IS	17 A	2182 109	195-1400 1	1-11-11
MANIC	1 N.C	/),	10	J < 0 d 0 3 /		S TO BE NOTED ABOVE
WH	EN RESP	ONDING	TO RFC	, INSEF	RT NAME AND ADDRESS	IN SPACE ABOVE LABEL	ED 'VENDOR'

MV12 Questions and Answers

- Q1. Does the transportation charges to the dealer form the manufacturer need to be broken out of base price and listed somewhere on the pricing sheet. Or is it part of our price that is listed between the standard equipment section and the option section?
 - A1. Transportation costs are to be included with standard equipment pricing.
- Q2. Is there a standard mileage charge that dealers are charging for delivery to areas other than delivery to Dunbar, WV. Or an amount that the purchasing dept. sees as acceptable?
 - A2. Mileage Charge for delivery is to be listed with options pricing.
- Q3. Should there be a entry on each line for options? For example if it is included as standard equipment on an equal vehicle that we are using should we list it as standard on the option price line? Or if it is unavailable, should it be listed as so?
 - A3. If option is standard write standard, if is an option insert price.
- Q4. A state agency has requested that you add Compressed Natural Gas (CNG) powered vehicles to the contract for all classes for which such a vehicle exists.

A4. No

- Q5. Classes 22, 25, and 26 require a rear step bumper. Please only require the standard rear bumper and make the step bumper an option.
 - A5. Cost Sheets for Classes 22, 25 and 26 will be revised to reflect step bumper as an option.
- Q6. Class 23 requires 255 horsepower and 285 lb./ft of torque. Please lower the horsepower to 225 minimum. A more powerful engine would be listed as an option for those who feel the need.
 - A6. Class 23 Pricing page is revised to reflect this change.
- Q7. Class 18 requires 231 horsepower and 293 lb./ft of torque. Please lower the torque to 275 minimum. An engine with higher torque rating would be listed as an option for those feel the need.
 - A7. Class 18 Pricing page is revised to reflect this change.
- Q8. Class Mini-storage van Please lower the horsepower to 136 and the torque to 128 for the gasoline engine.
 - A8. Class Mini-storage van Pricing page is revised to reflect this change.

- Q9. Shop manuals options are requested in both CD and paper form for all classes. Chrysler, Dodge, Jeep now requires users to subscribe to a service for access to the information normally contained in the shop manuals. Ford Motor Company is allowing customers to order the manuals direct from the publisher Helm, Inc. in paper, DVD, and subscription format. My suggestion is to remove the option from the contract and allow the vehicle owners to order this information in the format that best suits their needs direct from the supplier rather than the car dealer vendor.
- A9. Pricing sheets will be revised to reflect this change. Vehicle owners will have to order the format that best suits their needs based upon available options from the manufacturer.
- Q10. Slush mats/all weather mats (cargo) are listed as an option on truck classes 12 through 21. This is an option that only applies to SUV's and should be removed from the truck classes.
 - A10. If this is not an option then use N/A in the option line
- Q11. Options to delete cloth seats, carpet, and floor mats are standard and could be removed from truck classes 12 through 21.
 - A11. If this is not an option then use N/A in the option line

CLASS 1 - AUTOMOBILE

Sub-Compact,

Front Wheel Drive, Wheelbase 95"
To include but not limited to: Chevrolet Aveo, Toyota Prius or equal.

Vendor Name			
Manufacturer / Brand			
Delivery			
Model Name & Number	7		
		HP	TORQUE
Requirements:			
Engine	MIN: 75 HP 85 TORQUE	1	
Transmission	Automatic		L
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside	V	
License Plate Mounts	Front & Rear	Variation of the second	
Tires	All Season	STOREST LAND	
Spare Tire	Standard tire w/ Jack		
Rear Window/Defogger	Installed	/	
Front Seat	Bucket	1	
Air Conditioning	Installed	1	
Floor Mats	Installed	1	
Front Air Bags	Installed	EPA	EPA
4 DOOD VEHICLE		HGWY	CITY
4 - DOOR VEHICLE	•	HOWI	CITT
Price Each Gasoline	\$		ł
Price Each Flex-Fuel	3		L
Options:			
AM/FM w/CD Player		\$	
Tilt Wheel & Cruise Control		\$ \$	
Keyless Entry	12 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	\$	
Power Windows /Power Locks	E MORE TO MANAGEMENT DE LA COMPANION DE LA COM	\$	
Side Air Bags		\$	
Bodyside Mouldings	SOCIAL STREET,	\$	
Interior Upgrade		\$	
Exterior colors		\$	
Delete Floor Mats (Deduct)	plant in agreement in the payone the Naragari	\$ \$ \$ \$ \$	
FOB Dealership: (Deduct)		\$	
FOB Other than Metro Charleston - Per Mile		\$	
1 Ob Other than wetto chaneston - 1 cr mile			
Additional Information:			
radional mornagon.			

CLASS 1A - AUTOMOBILE

Sub-Compact, Hybrid
Front Wheel Drive, Wheelbase 95"
To include but not limited to: Chevrolet Aveo, Toyota Prius or equal.

Vendor Name			
Manufacturer / Brand			
Delivery			
Model Name & Number			
		HP	TODOUE
Requirements:		The The	TORQUE
Engine	MIN: 75 HP 85 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside	1	
License Plate Mounts	Front & Rear		
Tires	All Season		
Rear Window/Defogger	Installed	V.	100
Front Seat	Bucket	1	200
Air Conditioning	Installed	1	Control of the Contro
Floor Mats	Installed		A. C.
Front Air Bags	Installed	A STATE OF THE PARTY OF THE PAR	V.
4 - DOOR VEHICLE Price Each Gasoline Price Each Flex-Fuel	\$	EPA HGWY	CITY
Options: AM/FM w/CD Player		\$	
Tilt Wheel & Cruise Control	hut tracella a prope several constitution of	\$	
Keyless Entry		\$	
Power Windows /Power Locks	-	\$	
Side Air Bags	自动形式的第三人称单数形式。 第二人	\$	
Bodyside Mouldings /		\$	
Interior Upgrade		\$	
Exterior colors		\$	
Delete Floor Mats (Deduct)		\$	
FOB Dealership: (Deduct)		\$	
FOB Other than Metro Charleston - Per Mile		\$	
Additional Information:			
		*	
	¥		

CLASS 2 - AUTOMOBILE

Compact, 4 Door Sedan

Front Wheel Drive, Wheelbase 102.9"

Includes but is not limited to: Ford Fusion, Toyota Corolla, VW Jetta, Honda Civic, Mitsubishi Lancer, Ford Focus or equal.

Vendor Name:				
Manufacturer / Brand				
Delivery				
Model Name & Number				
		1 1	HP,	TORQUE
Standard Equipment Requirements:	b.	1	1800	
Engine	1	MIN: 127 HP 128 TORQUE	at Children	
Transmission		Automatic	, d] [
Steering		Power		
Brakes	- L	Power/ABS		
Radio	1	AM/FM		
Glass		All Tinted		
Mirrors		Left & Right Outside		
License Plate Mounts	1	Front & Rear	4	
Tires		All Season	1	
Spare Tire		Standard tire w/ Jack	10	
Rear Window/Defogger		Installed	W.	
Front Seat	1	Bucket	No.	
Air Conditioning	1	Installed	1	
Floor Mats		Installed	j	
Front Air Bags		Installed		
*			EPA	EPA
	No.	1	HGWY	CITY
Price Each Gas	*4	\$ \		
Price Each Flex-Fuel	16	\$ \	L	J L
1	1			
	The state of the s	ř		
Options:			c	
AM/FM w/ CD Player			Φ	
Tilt Wheel & Cruise Control		Resource of the second	\$	
Keyless Entry			\$ \$ \$ \$ \$ \$	
Power Windows / Power Locks			\$	
Side Air Bags			\$	
Exterior colors			\$	
Rubber matting		AND PROPERTY OF THE PARTY OF TH	\$ -	
Delete Floor Mats (Deduct)		TO THE RESERVE OF THE PROPERTY OF THE PARTY		
Manual Transmission w/Overdrive (Deduct)			\$ -	
Remove Console (Delete) (Console between sea	ts)		\$ -	
FOB Dealership: (Deduct)		· 1000年100年100年1月10日 · 10日本東京	\$ -	
FOB Other than Metro Charleston - Per Mile			\$	
Additional Information:				1
			* -	me .
	-			
to the second se				

CLASS 2A - Automobile SMALL STATION WAGON, FRONT WHEEL DRIVE, 4 DOOR 2700 GVWR Includes but is not limited to: Toyota Matrix, VW-Jetta Sportswagon or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery	A		
Model Name			
Model Number:		2 ⁹	
Model Humber.			
		HP	TORQUE
Standard Equipment Requirements:		-	
100 March 100 Ma	MIN: 127 HP 128 TORQUE	1	
Engine	Automatic Automatic		
Transmission	Power		
Steering	Power/ABS	es o	
Brakes			
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside	W.	
License Plate Mounts	Front & Rear		
Tires	All Season		
Spare Tire	Standard tire w/ Jack	**	
Rear Window/Defogger	Installed		
Front Seat	Standard		
Air Conditioning	Installed		
Floor Mats	Installed		
Front Air Bags	Installed		
//		EPA	EPA
Price Each	\$	HGWY	CITY
Price Each Flex-Fuel	\$ \		
	\\		
	1		
Options:	11		
AM/FM with CD Player		\$	
Tilt Wheel & Cruise control		\$ \$ \$ \$	
A STATE OF THE PROPERTY OF THE		\$	*
Keyless Entry		\$	
Power Windows - Power Doors	A STATE OF THE STA	\$	
Side Air Bags	and the second s	<u> </u>	
Delete Floor Mats (Deduct)		\$ - \$ - \$	
FOB Dealership: (Deduct)		φ -	
FOB Other than Metro Charleston - Per Mile		Φ	
. \			
		4 2	
Additional Information:			
\			
		: -	

CLASS 3 - AUTOMOBILE

Midsize, 4 Door, Front Wheel Drive, Wheelbase 107.4"
Includes but is not limited to: Toyota Camry, Chevrole Malibu or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery			
Model Name & Number			
model rame distance.			
		HP	TOR
Standard Equipment Requirements:			
Engine	MIN: 160 HP 156 TORQUE	1	
Transmission	Automatic	1 1	
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
	All Tinted		
Glass	Left & Right Outside		
Mirrors V	Front & Rear		
License Plate Mounts	Factory Standard		
Fuel Tank	Installed		
Power Windows and Locks	All Season		
Tires	Standard Tire w/ Jack		
Spare Tire			
Rear Window/Defogger	Installed		
Front Seat	Standard Seating		
Air Conditioning	Installed		
Floor Mats	Installed		¥
Seating Capacity	5		
Front Air Bags	Installed	EPA	EPA
Price Each Gasoline Price Each Flex Fuel	\$ \$	HGWY	CITY
Options: AM/FM w/ CD Player		\$	
Tilt Wheel & Cruise Control		\$	
Keyless Entry Power Windows, Locks, Power Heated Mirrors		\$	*
		\$	
6-way Power driver seat (requires Power Windows & doors)		\$	
Side Air Bags		\$	
Exterior colors		\$ -	
Delete Floor Mats (Deduct)	College Control of Con	\$ -	
Manual Transmission w/Overdrive (Deduct)	and the production of the Article of	<u> </u>	
Remove Console (Delete) (Console between seats)	The second secon	\$ -	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile		\$	
Additional Information:			
		-2	
		- 0	
		POS.	

CLASS 4 - AUTOMOBILE

Large, 4 Door, Front Wheel Drive,

Wheelbase 110"

Includes but is not limited to: Chevrolet Impala, Buick Lucerne or equal.

-		
1	HP /	TOR
MIN: 210 HP 210 TORQUE		
Automatic	· \48	
Power	A V	
Power/ABS	M. //	
AM/FM		
All Tinted	//	
	<i>`\\</i>	
	. //	
Factory Standard	//	
Installed	7	
All Season		
Standard Tire w/ Jack	*	
Installed		
Standard Seating		
Installed		
Installed		
5		
Installed		EPA
\$		
	\$	
### (Indian # Control Property Control Property Control	\$	
Bridge State of the State of th		
	\$	
	-	
	-	
	Power/ABS AM/FM All Tinted Left & Right Outside Front & Rear Factory Standard Installed All Season Standard Tire w/ Jack Installed Standard Seating Installed Installed Installed Installed Installed Installed Installed	MIN: 210 HP 210 TORQUE Automatic Power Power/ABS AM/FM All Tinted Left & Right Outside Front & Rear Factory Standard Installed All Seasoh Standard Tire w/ Jack Installed Installed Installed Installed 5 Installed Front & Rear Factory Standard Installed Standard Seating Installed Installed Installed 5 Installed Installed 5 Installed Installed 5 Installed Installed 5 Installed Inst


CLASS 5 - AUTOMOBILE

Rear Wheel Drive, Full Size, 4 Door, 2,890 Curb Weight; Wheelbase 110"
Includes but is not limited to: Chrylser 300 or equal.

Vendor Name			
Manufacturer / Brand			
Delivery		a	
Model Name & Number			
		HP	TORQUE
Standard Equipment Requirements:			
Engine	MIN: 210 HP 210 TORQUE		
Transmission	Altomatic		
Steering	Power		
Brakes	Power/ABS		
Radio	AMV FM /CD		
Glass	All inted		
Mirrors	Left & Right Outside		
License Plate Mounts	Fron & Rea	1	
Fuel Tank	Factory Standard		
Tires	All Season		
Spare Tire	Standard tire w/ Jack	V	
Rear Window/Defogger	Installed		
Front Seat	Bucket		
Air Conditioning	Installed		
Floor Mats	Installed		
Seating Capacity	4		*
Front Air Bags	Installed		
Price Each Gasoline Price Each Flex Fuel Options: Full Size Spare Tire Tilt Wheel & Cruise Control Keyless Entry Power Windows / Power Locks / Heated Mirrors 6-way Power Driver seat (requires power windows & doors	\$ \$	\$ \$ \$ \$ \$ \$	EPA
Side Air Bags	表达100分钟。2008年2月2日本中的	\$	
Exterior colors			
Delete Floor Mats (Deduct)		\$ \$ - \$ -	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile		\$	
Additional Information:			
Additional Information:			547

CLASS 5A - AUTOMOBILE HYBRID, COMPACT, 4 DOOR

Includes but is not limited to: Toyota Prius, Honda Civic or equal.




CLASS 6 - AUTOMOBILE

Utility Small, 4 Wheel Drive/AWD, 4 Door

103" Wheelbase 3,800 GVWR


Includes but is not limited to: Toyota Rav4, Ford Escape or equal. Vendor Name: Manufacturer / Brand Delivery Model Name & Number HP **TORQUE** Standard Equipment Requirements: MIN: 165 HP 161 TORQUE Engine Automatic Transmission Power Steering Power/AB Brakes AM/FM Radio All Tinted Glass Left & Right Outside Mirrors Front & Rear License Plate Mounts All Season Tires Standard tire w/ Jack Spare Tire Installed Rear Window/Defogger Fuel Tank Standard Bucket Front Seat Bench Rear Seat Installed Air Conditioning Floor Mats Installed Front Air Bags **EPA EPA** CITY KGWY Price Each Gasoline Price Each Flex Fuel Options: Full Size Spare Tire \$ 2 Off Road Package Including Limited Slip Rear Includes: Axle-Trac-Lok Differential Engine Cooling - Heavy Duty ist items included in this group Skid plate Group Enter total off road Suspension - Heavy Duly W/gas Shocks Front and Rear Tow hooks Hi & Lo Gear 4WD or equivalent Off Road Tires 3 Tilt Wheel & Cruise Control Keyless Entry Power Windows / Power Locks 5 Rear Air and Heat 7 Tow Package 8 Exterior colors 9 Side Air Bags 10 Low Range 4 Wheel Drive Option 11 Spare Tire Carrier - External 12 Roof-Top Luggage Rack 13 Third Row Seating 14 Slush/All Weather Mats (Driver & Passenger) 15 Slush/All Weather Mats (Second Row) 16 Slush/All Weather Mats (Cargo) 17 Delete Floor Mats (Deduct) 18 Delete Cloth Seats (Deduct) 19 Delete Carpet (Deduct) 20 Manual Transmission w/Overdrive (Deduct) 21 Remove Console (Delete) (Console between seats) 22 FOB Dealership: (Deduct) 23 FOB Other than Metro Charleston - Per Mile Additional Information:

Utility Vehicle, Special Purpose, Off-Road, 4 Wheel Drive, 5700 GVWR, 109" Wheelbase Includes but is not limited to: Jeep Grand Cherokee, Trailblazer or equal.



CLASS 7 - AUTOMOBILE

Utility Vehicle, Special Purpose, Midsize, 4 Wheel Drive, 6270 GWWR Includes but is not limited to: Ford Explorer, Trailblazer or equal.



CLASS 8 - AUTOMOBILE

Utility Large, 4 Wheel Drive, 4 Doors, 7400 GVWR Includes but is not limited to: Chevrolet Suburbans, Ford Expedition or equal.

Vendor Name: THORNHILL SUPERSTORE INC.			
Manufacturer / Brand	CHEVROLET		
Delivery	8-10 WEEKS FROM ORDER		
Model Name & Number	SUBURBAN CK10906	UD	TORQUE
		HP	TORQUE
		226	348
Standard Equipment Requirements:		326	340
Engine	MIN: 300 HP 360 TORQUE		
Transmission	Automatic w/Overdrive		
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside		
License Plate Mounts	Front & Rear		
Tires	All Season		
Spare Tire	Full Size w/ Jack		
Rear Window/Defogger	Installed		
Fuel Tank	Standard		
Front Seat	Standard		
Rear Seat	Bench		
Air Conditioning	Installed		
Floor Mats	Installed		
Front Air Bags	Installed		
Tone Air Bags			
Price Each Flex Fuel	\$33,661.00		
Price Each Floor del	\$33,661.00		
File Lacii Gasoliile			
Outland			
Options: Off Road Package Including Limited Slip Rear Includes:		\$	
Axle-trac-lok differential		\$	259
Engine Cooling - heavy duty		\$	INC.IN PKG.
	List items included in this group	\$	INC. IN PKG.
Skid plate Group		\$	355.22
Suspension - Heavy Duty W/gas Shocks		\$	132
All Terrain Tires		\$	STANDARD
Tow Hooks		\$	STANDARD
2 AM/FM w/ CD Player		\$	STANDARD
3 Tilt Wheel & Cruise Control		\$	STANDARD
4 Keyless Entry	practice to the public of the College	\$	STANDARD
5 Power Windows / Power Locks	List items included in this group	\$	290.4
3 Tow Package	List flettis iriclided iri triis group	\$	STANDARD
7 Side Air Bags	C+. 1 .1 Colons	\$	0
8 Exterior colors	Standard Colons	\$	85
9 Slush/All Weather Mats (Driver & Passenger)		\$	85
0 Slush/All Weather Mats (Second Row)			95
1 Slush/All Weather Mats (Cargo)		\$	STANDARD
2 Low Range 4 Wheel Drive		\$	0
3 Delete Floor Mats (Deduct)		\$ -	0
4 Delete Cloth Seats (Deduct)		\$ -	0
5 Delete Carpet (Deduct)		\$ -	
16 Manual Transmission w/Overdrive (Deduct)	-	\$ -	N/A
17 Remove Console (Delete) (Console between seats)	-	\$ -	272.8
18 FOB Dealership: (Deduct)		\$ -	
19 FOB Other than Metro Charleston - Per Mile		\$	3.1
20 3rd Row Seating	-	\$	STANDARD

Additional Information:

TRAILER TOW INCLUDES: AUXALIARY TRANSMISSION COOLER AND HITCH RECEIVER.

SKID PLATE GROUP INCLUDES: FRONT UNDRERBODY SHIELD STARTING BEHIND FRONT

BUMPER AND RUNNING TO FIRST CROSS-MEMBER, PROTECTING FRONT UNDERBODY,

OIPER GROUP TRANSMISSION COOLER AND HITCH RECEIVER.

CLASS 8A - AUTOMOBILE
SUV, Utility, 4 Door, Hybrid, 130" Wheelbase,
Includes but is not limited to: GMC Yukon, Toyota Highlander or equal.

Vendor Name			
Manufacturer / Brand			
Delivery			
Model Name & Number			
Model Marile & Mulliper		HP	TORQUE
		1	
Standard Equipment Requirements:	ANN COOLID LIVEDID	1 1 1	
Engine	MIN: 209 HP HYBRID		
Transmission	automatic w/Overdrive		
Steering	Power		
Brakes	Power/ABS		
Radio	AM FM /CD		
Glass	All Tinted		and the same of th
Mirrors	Left & Right Outside	1	60
License Plate Mounts	Front & Rear		
Tires	All Season		
Spare Tire	Full Size w/Jack		
Tilt Wheel & Cruise Control	Standard	No.	
	Standard	S	
Keyless Entry		1	
Power Windows/Power Locks	Standard	1	
Rear Window/Defogger	Installed		
Fuel Tank	Standard		
Front Seat	Bucket	1	
Rear Seat	Bench		
Air Conditioning	Installed		
Floor Mats	Installed	1	
Front Air Bags	Installed	1	
	1	") EPA	EPA
	1	HGWY	CITY
	1	HOWI	
	\		1
	\		1
Price Each Gasoline (4 Wheel Drive)	\$		
Price Each Flex Fuel (4 Wheel Drive)		EPA	EPA
		HGWY	CITY
1 1	/	1	
Price Each Gasoline (2 Wheel Drive)	\$		
Price Each Flex Fuel (2 Wheel Drive)			37. Table 1
The Lacit Tox Par (2 Whot Sire)		•	
Outland			
Options:	List items included in this group	\$	
Tow Package	List tems included in this group	\$	
Side Air Bags		\$	
Exterior colors			
Slush/All Weather Mats (Driver & Passenger)		\$	
Slush/All Weather Mats (Second Row)	No. 1 Company of the	\$	
Slush/All Weather Mats (Cargo)		\$	
Delete Floor Mats (Deduct)		\$	
Delete Cloth Seats (Deduct)		\$	
Delete Carpet (Deduct)	-	\$	
FOB Dealership: (Deduct)		\$	
FOB Other than Metro Charleston - Per Mile	Breaker and the Assessment of the Control of the Co	\$	
1 OD Chief than mone chancolon 1 of him	-		
Additional Information:			
Additional Information.			
		-	
		-	

CLASS 9 - TRUCK

Small Pickup, 4 Cylinder, 2 Wheel Drive, 3500 GVWR, Short Bed Includes but is not limited to: Ford Ranger, Toyota Tacoma, Mazda B2300 or equal.

	Vendor Name:	_			
-	Manufacturer / Brand				
	Delivery				
	Model Name & Number				
	Model Hamo & Hamoel				
			HP		TORQUE
	District Continues to Descriptions		T		TOTAGE
	Standard Equipment Requirements:	MIN 143 HP 154 TORQUE			1
	Engine 4 cyl				
	Transmission	Automatic		ו	
	Steering	Power			
	Brakes	Power	7		
	Radio	AM/FM	7		
	Glass	All Tinted	11		
	Mirrors	Left & Right Outside	9		
	License Plate Mounts	Front & Rear			
	Cargo Box	Fleetside			
	Bumper	Rear Step Factory Installed			
	Tires	All Season			
	Spare Tire	Full Size w/ Jack	λ.		*
	Air Conditioning	Installed	//		
	Front Seat	Standard seating	//		
	Standard Floor Covering	Installed	N EP	Ä	EPA
	Front Air Bags	Installed			#0#P077.1 (\$1204)
	FIGHT All Bags	materico	Hev	VY	CITY
			1		
			/	4	
	Price Each Gasoline	\$			
	Price Each Flex Fuel	1 1	1	1/1	0
					L
	Options:				
1	Off Road Package Including Limited Slip Rear Includes:		\$		
	Axle-trac-lok differential		\$		
	Engine Cooling - heavy duty		\$		
	Skid plate Group		\$		
	Suspension - Heavy Duty W/gas Shocks		\$		
	All Terrain Tires		\$	-	:
	Tow Hooks		\$		
2	AM/FM w/ CD Player	l l	\$		
3	Tilt Wheel & Cruise Control	是EM 12 10 10 10 10 10 10 10 10 10 10 10 10 10	\$		
4	Side Air Bags		\$		
5	Exterior Colors		\$		
11000	Trailer Tow Package	List items included in this group	\$		
	Slush/All Weather Mats (Driver & Passenger)		\$		
	Slush/All Weather Mats (Second Row)	ESCHALO PUBLICATION AND STREET CONTRACTOR OF THE	\$		
	Slush/All Weather Mats (Cargo)	CONTRACTOR OF THE STATE OF THE	\$	4	
	The state of the s		\$	J16)	
	Power Windows, Locks	Street in the street of the Cale.	\$		
	Sliding Rear Window		\$		
	Privacy Glass	And the least the first translation to the			
	Bedliner		\$		
	Bucket Seats Front	THE STATE OF THE STATE OF THE STATE OF	\$		
	Delete Floor Mats (Deduct)		\$ -		
16	Delete Cloth Seats (Deduct)		\$ -		
17	Delete Carpet (Deduct)		\$ -		
	Manual Transmission w/Overdrive (Deduct)		\$ -		
	FOB Dealership: (Deduct)		\$ -		
	FOB Other than Metro Charleston - Per Mile		\$		
	Additional Information:				
	. 10011-1101				

Vendor Name:	
Manufacturer / Brand	
Delivery	
Model Name & Number	
	HPTORQUE
Standard Equipment Requirements:	
Engine	MIN: 200 HP 225 TORQUE
Transmission	Automatio
Steering	Power
Brakes	Power
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
	Fleetside
Cargo Box	Rear Step Factory Installed
Bumper	All Season
Tires	Full Size w/ Jack
Spare Tire Air Conditioning	Installed
	Standard seating
Front Seat Standard Floor Covering	Installed
	Installed
Front Air Bags	- Installed
Price Each Gasoline Price Each Flex Fuel Options: AM/FM w/ CD Player Limited Slip Rear End Tilt Wheel & Cruise Control Keyless Entry Power Windows / Power Locks Exterior colors Side Air Bags Slush/All Weather Mats (Driver & Passenger) Slush/All Weather Mats (Second Row) Slush/All Weather Mats (Cargo) Slide Rear Window Front seat bench Bed Liner Manual Transmission w/Overdrive (Deduct) Delete Cloth Seats (Deduct) Delete Carpet (Deduct) FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
A 1 PV 1 Info-modium	
Additional Information:	

CLASS 11 - TRUCK

Small Pickup, 2 Wheel Drive, 6 Cylinder, 4200 GVWR, Short Bed Includes but is not limited to: Ford Ranger, Toyota Tacoma, Mazda B2300 or equal.

Vendor Name:			
Manufacturer / Brand	-		
Delivery			
Model Name & Number			
Violet Name a Name			
	\	HP	TORQUE
Standard Equipment Requirements:	\		
Engine	MIN: 148 HP 180 TORQUE		
Transmission	Automatic		
Steering	Power	1	
Brakes	Power		/
Radio	AM/FM		138
Glass	All Tinted	11	A STATE OF THE STA
Mirrors	Left & Right Outside		
License Plate Mounts	Front & Rear		
Cargo Box	Fleetside		
Bumper	Rear Step Factory Installed		
Tires	All Season		
Spare Tire	Full Size w/ Jack		7
Air Conditioning	nstalled		1
Front Seat	Standard seating	Ж	
Rubber Floor Covering	Installed		∬ EPA
Front Air Bags	Installed	11	1
	1	\HGWY	
Price Each Gasoline	\$ \	//	1
Price Each Flex Fuel	\$ \		")
		1	
Options:	1	1	
AM/FM w/ CD Player		\$ 1	
Tilt Wheel & Cruise Control		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Limited Slip Rear End		\$	6
Keyless Entry		\$	
Power Windows / Power Locks	SERVED SE	\$	
Exterior colors	1	\$	
Slide Rear Window		\$	
Long Bed		\$	
Slush/All Weather Mats (Priver & Passenger)	SAN TO THE PROPERTY OF THE PRO	\$	
Slush/All Weather Mats (Second Row)		\$	
Slush/All Weather Mats (Cargo)		\$	
Bed Liner		\$	
Side Air Bag		\$	
Optional Engine		\$	
Manual Transmission w/Overdrive (Deduct)	NOT THE PARTY OF THE PARTY OF	\$ -	
Remove Console (Delete) (Console between seats)		\$ -	
Delete Cloth Seats (Deduct)		\$ -	
Delete Carpet (Deduct)		\$ - \$ -	
FOB Dealership: (Deduct)	The Assertance States of States		
FOB Other than Metro Charleston - Per Mile		\$	
Additional Information:			


CLASS 12 - TRUCK

Large Pickup, 2 Wheel Drive 6000 GVWR, Short Bed, Approx. 5'7" bed. Includes but is not limited to: Ford F150, Dodge 1500, Chevrolet 1500 or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery			
Model Name & Number			
Model Name & Namber		HP	TORQUE
		1 1	
Standard Equipment Requirements:	MIN 405 HD 025 TODOUG		
Engine	MIN 195 HP 235 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power		
Radio	AMFM		
Glass	AINTinted		1
Mirrors	Left & Right Outside		ART .
License Plate Mounts	Front & Rear		and the same of th
Cargo Box	Fleetside	A.	
	Rear Step Factory Installed	A STATE OF THE STA	
Bumper	All Season	1	
Tires	Full Size w/ Jack		
Spare Tire			
Air Conditioning	Installed	EPA	EPA
Front Seat	Bench	HGWY	CITY -
Rubber Floor Covering	Installed	HOWY	OH
Front Air Bags	Installed		
Price Each Gasoline	\$	1	
Hybrid	\$		
Flex Fuel	\$	1	A
110001 200	1 3		
Bed Size Quote			V
Bed Size Quote	1 1		
0.41	11		
Options:		\$	
AM/FM w/ CD Player	A STATE OF THE STA	\$	
Tilt Wheel & Cruise Control	Secretary and secretary and the second second	1/5	
Limited Slip Rear End		M.	
Keyless Entry	THE RESERVE OF THE PARTY OF THE	\$	
Power Windows / Power Locks		\$	
Tow Hooks			
Long Bed Exterior colors	Record and a second second second	\$	
Exterior colors		\$	
Slide Rear Window	图12 中部分别的第一位的第一位的第三位的第三位的第三位的第三位的第三位的第三位的第三位的第三位的第三位的第三	\$	
O Side Air Bags	"	\$	
1 Engine Options Opt	ion)	\$	
	ion2:	\$	
3 Slush/All Weather Mats (Driver & Passenger)	# # # # # # # # # # # # # # # # # # #	\$	
4 Slush/All Weather Mats (Second Row)		\$	
5 Slush/All Weather Mats (Cargo)		\$	
		\$	
6 Bed Liner	Carling at the state of the same of the sa	\$	
7 Crew/Quad Cab		\$	
8 Extended Cab	ear are all and a second and a second and which		
9 Manual Transmission w/Overdrive (Deduct)	Stranger and the second second	\$ -	
Delete Cloth Seats (Deduct)		\$ -	
1 Delete Carpet (Deduct)		\$ -	
2 Delete Truck Bed (Deduct)		\$ -	
3 FOB Dealership: (Deduct)		\$ -	
4 FOB Other than Metro Charleston - Per Mile		\$	
	ð	-	
Additional Information:			
Additional Information:			
		•	
		÷	
		-	
		<u>2</u>	

CLASS 12A - TRUCK Large Pickup, Hybrid, 2 Wheel Drive 6000 GVWR, Short Bed

Includes but is not limited to: Ford F150, Dodge 1500, Chevrolet 1500 or equal.



CLASS 14 - TRUCK
Large Pickup, 2 Wheel Drive
8800 GWWR, Long Bed, Crew Cab
Includes but is not limited to: Dodge Ram 2500, Chevrolet 2500, Ford F250 or equal.

Vendor Name		
Manufacturer / Brand		
Delivery		
Model Name & Number		UD TODOUT
		HP TORQUE
		1 11
Standard Equipment Requirements:		
Engine	MIN: 300 HP 360 TORQUE	
Transmission	Automatic	
	Power	
Steering	Power	
Brakes	AM/FM	2 gm
Radio	All Tinted	/
Glass	Left & Right Outside	
Mirrors		1
License Plate Mounts	Front & Rear	
Cargo Box	Fleetside	. /
Bumper	Rear Step Factory Installed	
Tires	All Season	
Spare Tire	Full Size w/ Jack	. //
Air Conditioning	Vinstalled	
Standard Floor Covering	nstalled	- 💥
Front Air Bags	Installed	
Tronty in Bugo	1	
1	1	
D : 5 -1 0	()	
Price Each Gasoline	\$ \	
Price Each Flex Fuel	3 1	. //
1	<u>1</u>	
1		
Options:		,
Off Road Package Including Limited Slip Rear, Includes:	P WINDS TO SERVICE TO	3 1
Axle-trac-lok differentiat	\$ 15 May 12 May	₫) •
Engine Cooling - heavy duty	\$.
Skid plate Group	\$ 7500 \ 7	<u> </u>
Suspension - Heavy Duty W/gas Shocks	\$	Enter total off-road pkg above
All Terrain Tires		
Tow Hooks	\$	
		3 \ \$
AM/FM w/ CD Player	FLEXIBLE COLUMN TO THE PARTY OF	\$
Till Wheel & Cruise Control		\$
Keyless Entry		\$
Power Windows / Power Locks	higo parts in a price of this approve and	\$
Tow Package	Mastalems instoded transational same	4 × 1)
Snow Plow Package	List items included in this group	\$.
Diesel Engine		\$
V-8 Engine	1	\$
Side Air Bags	Name of the state	
Exterior colors	1	\$
1.		\$
Slide Rear Window		\$
Running Boards		\$
Swing out minors		\$
Bed Liner	of the product of the state of the state of the	
Slush/All Weather Mats (Driver & Passenger)	State of the State	
Slush/All Weather Mats (Second Row)		\$
Slush/All Weather Mats (Cargo)		
Additional Tanks		\$
4 Wheel Drive		\$
Manual Transmission w/Overdrive (Deduct)	b	\$
	SANTEN SECURIOR DEL	port -
Delete Cloth Seats (Deluct)		\$
Delete Carpet (Deduct)	and the state of t	
FOB Dealership: (Deduct)		
FOB Other than Metro Changston - Per Mile		\$
Available Axle Ratios		\$
1	2	
\		*
Additional Information:	English and the second	
Additional Information:		
		_
		<u> </u>
		_
		\$

CLASS 15 - TRUCK

Large Pickup, 2 Wheel Drive, 8500 GVWR, Long Bed

Includes but is not limited to: Ford F250, Dodge Ram 2500, Chevrolet 2500 or equal.

Vendor Name:	2.	
Manufacturer / Brand		
Delivery		
Model Name & Number		TOPOUE
		HP TORQUE
Standard Equipment Requirements:	2002	1 11 1
Engine	MIN: 300 HP 360 TORQUE	1 /11
Transmission	Automatic	
Steering	Power	l l
Brakes	Power	f.
Radio	AM/FM	
Glass	All Tinted	E .
Mirrors	Left & Right Outside	y
License Plate Mounts	Front & Rear	
Cargo Box	Fleetside	
Bumper	Rear Step Factory Installed	
Tires	All Season	
Spare Tire	Full Size w/ Jack	
Air Conditioning	Installed	
Standard Floor Covering	Installed	
Front Air Bags	nstalled	
Price Each Gasoline	\$	
Price Each Flex Fuel	\$ \	
V.		
	//	
Options:		_
Extended Cab		\$
Crew Cab		\$
Limited Slip Rear End		\$
AM/FM w/ CD Player	\\	\$
Tilt Wheel & Cruise Control		\$
Keyless Entry		\$
Power Windows / Power Locks		\$
Tow Package	List items included in this group	\$
Diesel Engine		\$
V-8 Engine		\$
Side Air Bags	A section of the sect	\$
2 Exterior colors	and the specific territories are the state of the state o	\$
3 Slide Rear Window	COMPANY AND A COMPANY OF THE PROPERTY OF THE P	\$
Running Boards		\$
Trailer Tow Mirrors		
6 Bed Liner		\$
7 Slush/All Weather Mats (Driver & Passenger)		\$
3 Slush/All Weather Mats (Second Row)	and a second of the second of	\$
Slush/All Weather Mats (Cargo)	STATE OF THE STATE OF THE STATE OF	\$
Delete Truck Bed (Deduct)	7 2 300 000 000 000	\$ -
1 Manual Transmission w/Overdrive (Deduct)		\$ -
2 Delete Cloth Seats (Deduct)		\$ -
3 Delete Carpet (Deduct)	The second secon	\$ -
4 FOB Dealership: (Deduct)	Steady and the party of the state of the sta	\$ -
5 FOB Other than Metro Charleston - Per Mile	The second secon	\$
6 Available Axle Ratios	1	\$
\(\)	Comment of the second	
1	3	
Additional Information:		
		= .
		_
		_

CLASS 16 - TRUCK
Small Pickup, 4 Wheel Drive, 4500 GVWR, Short Bed
Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.

V	endor Name:				
	lanufacturer / Brand				
	elivery				
	lodel Name & Number				/
IV	louer Hame & Hamber		· ·		
			2	HP /	TORQUE
	tandard Equipment Requirements:				
	Francisco de la companya del companya de la companya del companya de la companya		MIN: 207 HP 288 TORQUE		
	ingine		Automatic		
_	ransmission		Power		
-	Steering		Power	1	
-	Brakes		AM/FM	/	
-	Radio		All Tinted		
-	Glass		Left & Right Outside		
	Airrors		Front & Rear		
	icense Plate Mounts		Fleetside		
_	Cargo Box		Rear Step Factory Installed		
-	Bumper	_	All Season		
	Fires	-	Full Size w/ Jack		
	Spare Tire		- Installed	\	
-	Air Conditioning		Bench	1	
	Front Seat		Installed		
	Auto Locking Hubs		Installed	EPA	EPA
-	Standard Floor Covering	-	Installed		
_!	Front Air Bags	1	moteuro .	HGWY	CITY
		1	1	,	
	\	1	N.		1
	- : : - : - · · · · · · · · · · · ·	1	s		
	Price Each Gasoline	4	\$		
- 8	Price Each Flex Fuel	1	<u> </u>		
		7	•		
	Options: Off Road Package Including Limited Slip Rear, Includes:	1	•	\$	
1	Axle-trac-lok differential	1)	
	Engine Cooling, heavy duty	1	\$	1 T	
		1	ACTUAL TOTAL TOTAL		
	Skid plate Group Suspension - Heavy Duty W/gas Shocks		\$	Enter total off ro	ad pkg above
	1 1				
	All Terrain Tires		8)	
^	Tow Hooks AM/FM w/CD Player			\$	
2	AM/FM W/CD Player		1	\$	
	Tilt Wheel & Cruise Control			\$	
4	Keyless Entry		E3XC-EB CHBY SACREMAN	\$	
	Power Windows / Power Locks		asoloustrandordis didical	\$	
	Tow Package		A-CAND COLOR OF THE COLOR OF TH	\$	
/	Long Bed Slush/All Weather Mats (Driver & Passenger)		经验 证据的证据,但是他们的证据。	\$	
8	Siusn/All Weather Mats (Driver & Passenger)			\$	
	Slush/All Weather Mats (Second Row)			\$	
	Slush/All Weather Mats (Cargo)		71 15.	\$	
	Bed Liner			\$	
	Side Air Bags		(44,00) 3240 (44,00)	\$	
	Exterior colors		发生的证券 参加第二种大学等	\$	
14	Slide Rear Window			\$ -	
	Manual Transmission w/Overdrive (Deduct)		Secure Colonia and Security	\$ -	
	Delete Cloth Seats (beduct)			\$ -	
17	Delete Carpet (Deduct)		West of the Control o	\$ -	
18	FOB Dealership: (Deduct)			\$	
19	FOB Other than Metro Charleston - Per Mile		-		
	A LINE LINE AND THE PROPERTY OF THE PARTY OF				
	Additional Information:			_	

CLASS 17 - TRUCK Small Pickup, 4 Wheel Drive, Extended Cab, 4700 GVWR Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.

Vendor Name:	<u></u>	
Manufacturer / Brand		
Delivery		
Model Name & Number		
		HP TORQUE
Standard Equipment Requirements:		
	MIN: 207 HP 225 TORQUE	
Engine	Automatic	
Transmission	Power	
Steering	Power/ABS	
Brakes		
Radio	AM/FM	
Glass	All Tinted	
Mirrors	Left & Right Outside	
License Plate Mounts	Front & Rear	1 X
Cargo Box	Aleetside	
Bumper	Rear Step Factory Installed	
Tires	All Season	
Spare Tire	Full Size w/ Jack	
Air Conditioning	Installed	
Front Seat	Standard seating	
Auto Locking Hubs	Installed	
Standard Floor Covering	Installed	\EPA EPA `
Front Air Bags	Installed	HGWY CITY
Trong and Dags	1	
Price Each Gasoline	\$	1 * \
Price Each Flex Fuel	\$	1 1 11 1
Price Each Flex Fuel	-	
	1	
Options:	1	\$
Off Road Package Including Limited Slip Rear, Includes:		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Axle-trac-lok differential	The state of the s) \T
Engine Cooling - heavy duly	\$	\
Skid plate Group	EXTENSIONALIMITATION	Enter total off road pkg abive
Suspension - Heavy Duty W/gas Shocks	\$ 5	Litter total on load ping dails
All Terrain Tires	Zura et al. alexandre de discontrata	\
Tow Hooks	S A STATE OF THE S	,
AM/FM w/ CD Player	A STATE OF THE STA	\$
Tilt Wheel & Cruise Control		\$
Keyless Entry	我是有关的特色的重要。 第二章	
Power Windows / Power Locks	and the first section of the section	\$
Limited Slip Rear End	CONTROL (CONTROL OF STATE OF S	\$
Engine V8: Size		\$
Tow Package	Productions and the Production of the Production	\$
Side Air Bags		\$
Bend front seat		\$
Exterior colors		\$
Slide Rear Window		\$
Long Bed	(The state of the	\$
Slush/All Weather Mats (Driver & Passenger)		\$
Slush/All Weather Mals (Second Row)	Management of the second of th	\$
Slush/All Weather Mats (Cargo)		\$
Front seat bench		\$
	全国的联系的特殊的基础的基础的	\$
Bed Liner		\$
Carpet Interior	STATE OF THE STATE	\$ -
Manual Transmission w/Overdrive (Deduct)	Marine and the second s	\$ -
Delete Floor Mats (Deduct)		\$ -
2 Delete Cloth Seats (Deduct)	To the state of th	
B Delete Carpet (Deduct)		\$ -
Remove Console (Delete) (Console between seats)	Control of the Contro	\$ -
FOB Dealership: (Deduct)	PARTY CONTRACTOR OF THE PARTY	\$ -
FOB Other than Metro Charleston - Per Mile		\$
	8	
Additional Information:		
or the man and the control of the control of		
		•


CLASS 17A - TRUCK Midsize Pickup, Front-Hinged, Full Size Doors, 4 Wheel Drive, 4 Door Crew Cab, 4850 GVWR Includes but is not limited to: GMC Canyon, Chevrolet Colorado or equal.

,	Vendor Name			
	Manufacturer / Brand			
	Delivery .			
	Model Name & Number			
	nodo ridino di tienico.			
			. HP	TORQUE
	Standard Equipment Requirements:			
	Engine	MIN: 210 HP 225 TORQUE	1	
	Transmission	Automatic		
-	Steering	Power		
	Brakes	Power/ABS		/
	Radio	AM/FM		/
- 0	Glass	All Tinted		/
	Mirrors	Left & Right Outside	N.	
-	License Plate Mounts	Front & Rear	1	
	Cargo Box	Fleetside		/
	Bumper	Rear Step Factory Installed	V	
	Tires	All Season	\wedge	À
•	Spare Tire	Full Size w/ Jack		
	Air Conditioning	Installed		
	Front Seat	Standard Seating		
	Auto Locking Hubs	Installed		1.
-	Standard Floor Covering	Installed	/EPA	ERA
	Front Air Bags	Installed	HGWY	CITY
	110111111111111111111111111111111111111	1	<i>V</i>	
	Price Each Gasoline	\$ \\	\vee	
	Price Each Flex Fuel	\$	(1)	1
	The Each Flox Fasi	1	//	
	Options:	1	1/2	
1	Off Road Package Including Limited Slip Rear, Includes:	1	\ \$	
•	Axle-trac-lok differential		\ \ \ \ \ \	
	Engine Cooling - heavy duly	\$) /\ T	
	Skid plate Group			
	Suspension - Heavy Duty W/gas Shocks	\$	Enter total off ro	ad pkg above
	All Terrain Tires		1/1	5 %
	Tow Hooks	\$	<i>\fi</i>	
· ·	2 1	The second second second	\$ \\	
	AM/FM w/ CD Player		\$	
	Tilt Wheel & Cruise Control	nanteminarker/littles doub	\$	
	Tow Package	HIGH SOUTH CONTRACTOR AND ADDRESS OF THE PARTY OF THE PAR	\$	
	Side Air Bags	Contract to the contract of the contract of	\$	
	Exterior colors	Ave = 12 and 12	\$	
	Slide Rear Window		\$	
	Keyless Entry		\$	
	Power Windows, Locks, Power Heated Mirrors		\$	
	Slush/All Weather Mats (Driver & Passenger))	\$	
	Slush/All Weather Mats (Second Row)		\$	
	Slush/All Weather Mals (Cargo)	到最大的。 第1	\$	
	Bed Liner		<u>φ</u>	
	Carpet Interior	Marie of the state	\$	
15	Rear Jump Seat	execution with the second second	\$	
	Manual Transmission w/Overdrive (Deduct)	Control of the second s	\$	
	Delete Floor Mats (Deduct)	Visitation (Company of the property of the pro	\$	
	Delete Cloth Seats (Deduct)		\$	
	FOB Dealership: (Deduct)		\$	
	FOB Other than Metro Charleston - Per Mile		\$	
505				
	Additional Information:			
	A STATE OF THE STA			
	1		- 0.7	


CLASS 18 - TRUCK
Large Pickup, 4 Wheel Drive,
5400 GVWR, Short Bed
Includes but is not limited to: Toyota Tacoma, GMC 1500, Dodge Ram 1500, Ford F150 or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery			
Model Name & Number			
		HP	TORQUE
Standard Equipment Requirements:			
Engine	MIN: 231 HP 270 TORQUE		i
Transmission	Automatic		127
	Power		
Steering			
Brakes	Power/ABS		
Radio	AM/FM	1	
Glass	All Tinted	1	
Mirrors	Left & Right Outside	1	1
License Plate Mounts	Front & Rear	1	
Cargo Box	Fleetside		
Bumper	Rear Step Factory Installed		
Tires	All Season		-
Spare Tire	Full Size w/ Jack	1	
Air Conditioning	Installed	120	
Front Seat	Bench	J.	
Auto Locking Hubs	Installed	N.	
Standard Floor Covering	Installed	Ď.	. /
	Installed	ЁРА	EPA
Front Air Bags	mistalico	HGWY	CITY
Dalas Foot Consiling		1	
Price Each Gasoline	*	1	
Price Each Flex Fuel	\$ \$	[4	1
Hybrid	3		L
A.	1	A	
Options:	À	. 1	
Off Road Package Including Limited Slip Rear, Includes:		\$	
Axle-trac-lok differential	3.000000000000000000000000000000000000	// .	
Engine Cooling - heavy duty	\$		
Skid plate Group		'	
Suspension - Heavy Duty W/gas Shocks	\$	Enter total off ro	ad pkg above
All Terrain Tires			
Tow Hooks	S	l,	
AM/FM w/ CD Player		\$	
Tilt Wheel & Cruise Control	The state of the s	\$	
Tow Package	had and relative a decide of	\$	
A Committee of the Comm	List items included in this gorup	\$	
Snow Plow Package	List tierris included in this gold,	\$	
Exterior colors		\$	
Slide Rear Window	Section with the two fall both		
Keyless Entry	Average and real sections of	\$.	•.
Power Windows, Locks, Power Heated Mirrors		\$	
Side Air Bags	AND SECTION OF THE PERSON OF SECTION	\$	
Slush/All Weather Mats (Driver & Passenger)		\$	
Slush/All Weather Mats (Second Row)	蒙古中国共和共党的政治的共和共	\$	
Slush/All Weather Mats (Cargo)		\$	
Bed Liner	夏克斯科·阿尔斯 斯斯斯斯	\$	
Carpet Interior	EACH CONTRACTOR OF CONTRACTOR	\$	
Cloth Seats		\$	
Long Bed	Production and the second second second	\$	
- 4	Established in the Section 1988	\$	
Rear Jump Seat	200 per en proposition de la company de la c	\$	
Extended Cab w/ Third and Fourth Door	ALL CAST SERVICES AND ADMINISTRATION OF THE SERVICE		
Engine Option Size:		\$	
6 Cylinder (Deduct)		\$ -	
Manual Transmission w/Overdrive (Deduct)	contract the substitute and to substitute the	\$ -	
Delete Floor Mats (Deduct)	>	\$ -	
Delete Cloth Seats (Deduct)		\$ -	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile		\$	
	Property and the tree remarks to the same of the same	\$	
1			
Additional Information:			
Additional Information: \			

CLASS 18A - TRUCK Large Pickup, Hybrid, 4 Wheel Drive, 5400 GVWR, Short Bed Includes but is not limited to: Toyota Tacoma, GMC 1500, Dodge Ram 1500, Ford F150 or equal.




CLASS 19 - TRUCK Large Pickup, 4 Wheel Drive, 8500 GVWR, Long Bed Includes but is not limited to: Ford F250, Dodge Ram 2500, Chevrolet Sierra 2500 or equal.



CLASS 20 - TRUCK Chassis Cab, 4 Wheel Drive, 9000 GVWR, Single Rear Wheels

Includes but is not limited to: Dodge Ram 2500, GMC Sierra 2500 or equal.




CLASS 20A - TRUCK
Chassis Cab, 4 Wheel Drive,
12,000 GVWR, Dual Rear Wheels
Includes but is not limited to: Dodge Ram 3500, Ford F350 or equal.

Vendor Name:		
Manufacturer / Brand		(a)t
Delivery		
Model Name & Number		
		HP TORQUE
	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Standard Equipment Requirements:	····· ···· ···· ··· ··· ··· ··· ··· ··	
Engine	MIN: 300 HP 360 TORQUE	
Transmission	Automatic	
Steering	Power	
Brakes	Power/ABS	
Radio	AMFM .	
Glass	All Tinted	
Mirrors	Left & Right Outside	
License Plate Mounts	Front & Rear	N.
Dual Rear Wheels	Installed	li .
	All Season Load Range D	
Tires	20 Gallons Minimum	
Fuel Tank	Installed	
Air Conditioning		\
Front Seat	Bench	11
Standard Floor Covering	Installed	
Front Air Bags	Installed	
	1 1	M CAROLINE
	DIESEL	GASOLINE
1		
Price Each 137" WB 60" Cab to Axle	\$	\$
Price Each 161" WB 84" Cab to Axie	\$	\$
Files Facil 101, Alb od ong to tare	1	"\
· ·	1	1
1	1	./
Options:	1	\$
Full Size Spare tire	1	\$
Off Road Package Including Limited Slip Rear, Includes:		· ·
Axle-trac-lok differential) . []
Engine Cooling - heavy duty	\$ \	E . Talal Off Del Dire About
Skid plate Group		Enter Total Off Rd Pkg Above
Suspension - Heavy Duty w/Gas Shocks	\$ \	
All Terrain Tires	37	1
Engine Cooling Heavy Duly	s)
AM/FM w/ CD Player		\$
		\$
Tit Wheel & Cruise Control		\$
Keyless Entry	ENGLISH AND	\$
Power Windows / Power Locks	Marketon Black Back Branch	\$
Back -Up Alarm		\$
Tow Package	List items included in this group	\$
Snow Plow Package	and the president and the constitution of the	
Side Air Bags	A STATE OF THE STA	\$
Exterior colors	在在1000年,中国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国	\$
Slide Rear Window		\$
Slush/All Weather Mats (Driver & Passenger)	对表现的现在分词 经基础 医多种性	\$
Slush/All Weather Mats (Second Row)		\$
	province statement is the first	\$
Slush All Weather Mals (Cargo)		\$
Duel das Tanks		\$
Flatbed 9' long f/ 60" CA (see attached specifications)		\$
Flatbed 12"long f/ 84" CA (see attached specifications)		\$
Dump Bed f/ 60" CA, 8.5' Long (see attached specifications)	DATE OF THE PARTY	
Dump Bed f/ 84" CA, 10.5' long (see attached specifications)	and the second s	\$
Utility Bed 1/60" CA, 9' long (see attached specifications)	数据中国国际基础中国国际	\$
Utility Bed // 84" CA, 11' long (see attached specifications)		\$
Crane (see attached specifications)	2000年16月1日 - 1000年1月1日 - 1000年1月 -	
Crane (see attached specifications)		\$
	38种产业的发展。	\$
	Part Control of the C	\$
Crew Cab - Front Hinged Doors	egiciosas and marketing of the stable	\$ -
Gasoline Endine: 8 Cyl, 7.0 (Deduct)	(Page) and the second of the	\$ -
2 Wheel Drive (Deduct)		\$ -
Manual Transmission w/Overdrive (Deduct)	等的是由14.000000000000000000000000000000000000	
FOB Dealershig: (Deduct)		\$ -
Delete Floor Mals (Deduct)	William to a substitution with the	
		\$ -
	16000 600 00000000000000000000000000000	\$
FOB Other than Metro Charleston - Per Mile	1.	\$
Available Axle Ratios		
		•
	3	

CLASS 21 - TRUCK

Large Pickup, 4 Wheel Drive, 10000 GVWR, Long Bed

Includes but is not limited to: GMC Sierra 3500, Dodge Ram 3500 or equal.



CLASS 22 - VAN, CARGO 6500 GVWR, 109" Wheelbase Includes but is not limited to: Express, GMC Savanna or equal.


Vendor Name:			
Manufacturer / Brand			
Delivery			ë
Model Name & Number			
		HP	TORQUE
Standard Equipment Requirements:			
Engine	MIN: 180 HP 10 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside		
License Plate Mounts	Front & Rear		
Standard Bumper	Installed	/	
Tires	All Season		
Spare Tire	Standard tire w/Jack	. 4	
Air Conditioning	Installed		
Seating Capacity 2	Passenger Seat		
Front Air Bags	Installed		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
\(\lambda\)		M	
*		EPA	EPA
	∦ ₿wD	∦ HGWY	CITY
	1	1	
Price Each Gasoline	\$	1,1	
Price Each Flex-Fuel	\$		
	1.)	
	/		
Options:		i ize	
AM/FM w/ CD Player	Habit may be the state of the s	\$	
Tilt Wheel & Cruise Control		\$	
Limited Slip Rear End		\$	100
Tow Package: Transmission Cooler		\$	
H. D. Engine Cooler		\$	
Keyless Entry		\$	
Power Windows / Power Locks		\$	
Side Air Bags	Activities and the second seco	\$	
Glass All Around			
Rear Door Window/Glass	And the second s	\$	
Side Door Window/Glass			
Exterior Colors		\$	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile	$a_{ij} = a_{ij} + a$	\$	
Rear Step Bumper		\$	
Additional Information:			
		-	
		-	
		-	
		-	
		-	

CLASS 23 - VAN, CARGO
Extended Body, 8500 GVWR 138" Wheelbase
Includes but is not limited to: GMC Savanna or equal.

Vendor Name:				
Manufacturer / Brand				
Delivery				
Model Name & Number				
Wiodel Hamo a Hambo.			•	
			HP	TORQUE
Standard Equipment Requirements:	_			
Engine	1	MIN: 225 HP 285 TORQUE		
Transmission	1	Automatic	.	
	1	Power		
Steering Brakes		Power/ABS	-n	
		AM/FM	•	
Radio		All Tinted	•	
Glass		Left & Right Outside	-	
Mirrors		Front & Rear	-	
License Plate Mounts	_\		-	
Tires		All Season	-	*
Spare Tire	1	Standard tire w/Jack	-	
Rubber Floor Matting		Installed		
Air Conditioning		Installed	-	
Front Air Bags	N N	Installed		
Doors	1/	Double Side & Rear	-	
	1	Loading Doors w/Glass	- 1	
Seating Capacity 2	Ä	Passenger Seat	_ //	
Price Each Gasoline	Ì	\$		
Price Each Diesel	1	\$ \$	_	
Price Each Flex-Fuel	1	\$	7)	
	1			
	1	ħ.		8 3
Options:	1	1		* 5
AM/FM w/ CD Player	· ·		\$	
Tilt Wheel & Cruise Control			\$	
Limited Slip Rear End			\$	
Engine Options:	Option 1:		\$	
	Option 2:	Maring more and resemble of the	\$	
Engine Options: \ Drivers Side Cargo Door	Option 2.		\$	
-11		Topics we have produced a	\$	
All Wheel Drive			\$	
Keyless Entry		Continue Continue to the organization of the continue of	(/0	
Power Windows / Power Locks			\$	
Rear Door Window/Glass		Secretary and the second secretary		
Side Sliding Door w/Glass			\$	
Glass Sides			\$	
Telescopic Trailer Tow Mirrors			\$.	
Rear Rubber Floor Matting			\$	
Exterior colors			\$	
FOB Dealership: (Deduct)			\$ -	¥1
FOB Other than Metro Charleston - Per I	Mile		\$	
Additional Information:			žį.	

		A	
		1 1	TOPOLIE
		HP HP	TORQUE
			1
Gasoline	MIN: 225 HP 286 TORQUE		
Diesel	MIN: 154\HP 286 TORQUE		
*	Automatic	1 1	/
81	Power		
	Power/ABS	1	
	AM/FM	3	
	All Tinted ·		
	Left & Right Outside	•	
	Front & Rear	/	
	All Season		1
1	Standard tire w/ Jack		1
1	Installed		1
	Passenger Seat		1
	Installed	X	1
1			1
1	1		/
1	1	FWD	RWD \
	1)
	1	\$	\$
	1	\$	\$
	1	\$	\$
	1		
	1	1	ocali
		\$	\$
		\$	\$
	于1500年为16世纪17岁3月3日18日		\$
			\$
			\$ \$ \$
			\$
	建心的证明。	\$	\$
			\$
	文学是不是大学文学的		\$
		\$	\$
		\$	\$
	Southern Ball State Stat		\$
		\$	\$
		\$ -	\$ \$ \$ \$ -
		\$	\$
	Section 1 and 1 an		
		Automatic Power Power/ABS AM/FM All Tinted Left & Right Outside Front & Rear All Season Standard tire w/ Jack Installed Passenger Seat Installed	Diesel MIN: 154 HP 286 TORQUE Automatic Power Power/ABS AM/FM All Tinted Left & Right Outside Front & Rear All Season Standard tire w/ Jack Installed Passenger Seat Installed FWD \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

Class Mini-storage Van. Includes but is not limited to: Ford Transit Connect or equal.



CLASS 24 - VAN

7 Passenger, Front Wheel Drive,

110" Wheelbase

Includes but is not limited to: Grand Caravan, Toyota Sienna or equal.

Vendor Name:			
Manufacturer / Brand			
Delivery			
Model Name & Number			
Woder Hame & Hamser			
		HP	TORQUE
Standard Equipment Requirements:	1		
Engine	MIN: 175 HP 165 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/ABS \		
Radio	AM/FM		
Glass	All Tinted		/
Mirrors	Left & Right Outside - 5" x 8" Minimum	/	
License Plate Mounts	Front & Rear		
Seating	7 Passenger		6
Tires	All Season		
Spare Tire	Standard tire w/Jack		ā z
Rear Window Wiper/Defogger	Installed		
Floor Mats	nstalled	\	
Air Conditioning	Installed		
Front Air Bags	Installed	1	
Doors	Side & Rear	EPA	EPA
Doors	Loading Doors w/G ass	HEWY	CITY
	\ \ \	THE THE PERSON NAMED IN COLUMN TO TH	CITT -
Price Each Gasoline V-6	\$		
Price Each Flex-Fuel	\$ \		
	1 1		
	1 1	1	
Options:		•	
AM/FM w/ CD Player		\$	
2 Tilt Wheel & Cruise Control		\$ \$ \$ \$ \$ \$ \$ \$	
3 Keyless Entry		\$	
1 Extended Wheel Base		\$	
5 Sunscreen Glass		\$	
Rear Heat and Air		\$	
7 Drivers Side Sliding Door		\$	
Power Windows, Locks, Power Heated Mirrors	100 mm	\$	
9 Side Air Bags	A CONTRACT OF THE PARTY OF THE	\$	
0 Stow N Go Seating		\$	
1 Exterior colors	\$		
2 Slush/All Weather Mats (Driver & Passenger)	Ψ (************************************		
3 Slush/All Weather Mats (Second Row)	\$		
4 Slush/All Weather Mats (Cargo)	5	\$ -	
5 Delete Center Row Seats (Deduct)	Box - Company -	\$ - \$ -	
6 Delete Third Row Seats (Deduct)		\$ -	
7 FOB Dealership: (Deduct)		\$ - \$	
8 FOB Other than Metro Charleston - Per Mile		-	
A 1885 - 11-6			
Additional Information:			

CLASS 25 - VAN

Small Rear Wheel Drive,

125" Wheel Base, Eight Passenger
Includes but is not limited to: GMC Savanna, Chevrolet Express, Ford Econoline 150 or equal.

lanufacturer / Brand elivery lodel Name & Number tandard Equipment Requirements: ingine iransmission eleering irakes ladio elass dirrors	MIN: 225 HP 286 TORQUE Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum Front & Rear	HP TORQUE
tandard Equipment Requirements: Ingine Iransmission Ideering Irakes Iradio Islass	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	HP TORQUE
tandard Equipment Requirements: Ingine Iransmission Ideering Irakes Iradio Islass	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	HP TORQUE
tandard Equipment Requirements: Ingine Iransmission Ideering Irakes Itadio Islass	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	HP TORQUE
Ingine Iransmission Ideering Irakes Ideadio Ideas	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	HP TORQUE
Ingine Iransmission Ideering Irakes Ideadio Ideas	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	
Ingine Iransmission Ideering Irakes Ideadio Ideas	Automatic Power Power/ABS AM/FM All Tinted, Sides and Rear Lef & Right Outside - 5" x 8" Minimum	
ransmission Ideering Irrakes Ideering Irrakes Ideering Irrakes	Power Rower/ABS AM/FM All Tinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum	
eleering erakes eadio elass	Power/ABS AM/FM All Trinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum	
arakes Radio Blass Airrors	AM/FM All Tinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum	
adio Slass Airrors	All Tinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum	
Slass Airrors	All Tinted, Sides and Rear Left & Right Outside - 5" x 8" Minimum	
Airrors	Left & Right Outside - 5" x 8' Minimum	
		/
icense Plate Mounts		
Seating	8 Passenger	
ires	All Season	
Spare Tire	Standard tire w/Jack	
rinyl Flooring	Installed	
Nir Conditioning	Installed	
Doors	Double Side & Rear	
ront Air Bags	Installed	
TOTIC All Dags	Full Length Head Liner w/Insulation Side &	X
nterior	Quarter Panel	1
Rear Bumper	Installed	EPA EPA
		HGWY CITY
Price Each Gasoline	\$	
Price Each Flex-Fuel	\$ \$ \$	
Price Each Diesel	\$	
		- 1
		\
Options:		\
AM/FM w/ CD Player		\$
Filt Wheel & Cruise Control		\$ \$
imited Slip Rear End		
Keyless Entry		\$ \$
Power Windows		
All Wheel Drive		\$
V-8 Gasoline Engine	Statement with the statement of the stat	
Carpet Interior		\$
Slush/All, Weather Mats (Driver & Passenger)		\$
Slush/All Weather Mats (Second Row)		\$
Slush/All Weather Mats (Cargo)		
Sunscreen Gass		\$
Sliding Side Qoor		\$
Swing Side Door (One Side)	to on considerable design to a November of States	\$
Swing Side Door (Both Sides)		\$
Side Air Bags		\$
Interior upgrade (carpet & insulation pkg)		\$
Exterior colors		\$
Delete Center Roy Seats (Deduct)	2010 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$ -
Delete Third Row Seats (Deduct)		\$ -
FOB Dealership: (Deduct)		\$ -
FOB Other than Metro Charleston - Per Mile	Proceedings	\$
Rear Step Bumper		\$
17601 Oteh Damber	Parameter State of the State of	

CLASS 26 - VAN

12 Passenger Van, 125" Wheel Base Includes but is not limited to: GMC Savanna, Dodge Sprinter or equal.

At feet I Day and			
Manufacturer / Brand			
Delivery			
Model Name & Number			
		HP	TORQU
			TONGO
Standard Equipment Requirements:	MINI OFF LID OFF TOPOLIE		
Engine	MIN: 255 HP 350 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted, Sides and Rear	//	
Mirrors	Lett & Right Outside - 5" x 8" Minimum		
License Plate Mounts	Front & Rear		
Seating	12 Passenger	fi .	
Tires	Load Range E	(f	
Spare Tire	Standard tire w/Jack		
Rubber Floor Covering	Installed		
Front and Rear Air Conditioning	Installed		
Front Air Bags	Installed	\ \	
Doors	Double Side & Rear		
1	Full Length Head Liner w/Insulation Side &		
Interior	Quarter Panel	McDA	EPA
Rear Bumper	Installed	EPA	CITY
\	, \ X	HGWY	CITT
Price Each Gasoline	\$ \$ \$	1 1	
Price Each Bi-Fuel	\$		
Price Each Diesel	\$		
	1 1		-
Options:	Mile Too a St. M. M. St. St. St. St. St. St. St. St. St. St	¢	
AM/FM w/ CD Player		\$	
Tilt Wheel & Cruise Control		\$	
Keyless Entry		\$ \$ \$	
Power Windows Power Locks	Market Company of the	ф ф	
Limited Slip Rear End		φ •	
Diesel Engine		\$ \$	
Extended Length		φ	
Sliding Side Door		Ф .	
Slush/All Weather Mats (Driver & Passenger)		\$	
Slush/All Weather Mats (Second Row)	The state of the s	\$	
Slush/All Weather Mats (Cargo)		\$ \$ \$ \$ - \$ - \$ - \$ \$	
Side Air Bags		\$	
Exterior colors		\$	
Delete Center Row Seats (Deduct)	-	\$ -	
Delete Third Row Seats (Deduct)		\$ -	
FOB Dealership: (Deduct)		\$ -	
FOB Other than Metro Charleston - Per Mile		\$	
Rear Step Bumper		\$	
Additional Information:			

CLASS 33 - TRUCK

Chassis Cab, 4 Wheel Drive,
Diesel Engine, 17,500 GVWR, Dual Rear Wheels
Includes but is not limited to: Ford F550, GMC Topkick or equal.

Vendor Name:	X	olars.	4WD
Manufacturer / Brand		2WD	400
Delivery			
Model Name & Number			. UD TODOUT
	•	HP TORQUE	HP TORQUE
Standard Equipment Requirements:			
Engine	MIN: 300 HP 520 TORQUE		
Transmission	Automatic		
Steering	Power		
Brakes	Power/ABS		
Radio	AM/FM		
Glass	All Tinted		
Mirrors	Left & Right Outside		
License Plate Mounts	Front & Rear	1 1	
	All Season	1	
Tires	Installed	1	
Air Conditioning	Passenger Seat		
Seating Capacity 2	Installed		
Front Air Bags	Ilistalied	1	
7	1	2WD	4WD
E4 (1		<i>y</i>
	1		\$
Price Each 141" WB (60" Cab-to-Axle)	1	4	\$ /
Price Each 165" WB 84" C/A	1	1	7
1	1	1	<i>"</i>
1	1		
1	1		
Options:	1 *		
	1		•
Full Size Spare tire	1	3	\$
Off Road Package Including Limited Slip Rear,		3	1/4
Axle-trad-lok differential	S	4	1 1
Engine Gooling - heavy duty	\$ \$\		
Skid plate Group	See a se	Enter off road package	totalalahove
Suspension - Heavy Duty w/Gas Shocks	\$ \$	Enter on road package	totalstabove
All Terrain Tires		4	1
Engine Cooling Heavy Duly	\$ \$	- 1	. 1
AM/FM w/ CD Player		\$	\$
Tilt Wheel & Cruise Control	1	. \$	\$ }
Back-Up Alarm		\$	\$
HD Suspension - GVWR:		\$	\$
Flat Bed 141" Each	1994 (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994) (1994)	-	\$
Flat Bed 165" Each		<u> </u>	\$
Dump Bed 141" Each	A Committee of the Comm	\$	\$
Dump Bed 165" Each	9	\$	\$
Slush/All Weather Mats (Driver & Passenger)	(1995年) 1995年 (1995年)	\$	
Slush/All Weather Mats (Second Row)		\$	
Slush/All Weather Mats (Cargo)		\$	
Side Air Bag	RECORDER COMPANY	\$	\$
5 Amber Bar Light	BEARING SON WITH	4	
6 Cab Stripping			
Sliding Rear Window	建设设置设置设置的设置设置设置	\$	\$
B Exterior Colors	NI CONTRACTOR OF THE PARTY OF T	\$	\$
	Company of the Company of the Company	\$ -	\$ -
Gas Engine 6.8 Liter V-10 (Deduct)		\$ -	\$ -
Manual Transmission w/Qverdrive (Deduct)		\$ -	\$ -
FOB Dealership: (Deduct)	A service of the serv	\$ -	\$ -
2 Delete Floor Mats (Deduct)	STATE AND SERVICE STATES	\$ -	\$ -
B Delete Cloth Seats (Deduct)			\$
FOB Other than Metro Charleston - Per Mile	A STREET, STRE	\$	\$
Available Axle Ratios		\$	4
	2	726	
	3		

CLASS 33A - TRUCK

CHASSIS CAB, 4WD, DIESEL, DUAL REAR WHEELS, MULTI-PURPOSE BODY, 17,500 GVWR Includes but is not limited to: Ford F550, Chevrolet C4500 or equal.

V	'endor Name:	
N	lanufacturer / Brand	
D	pelivery	
	lodel Name & Number	
-		HP TORQUE
S	tandard Equipment Requirements:	
	ingine	MIN: 300 HP 520 TORQUE
_	ransmission	Automatic
-	teering	Power
_	rakes	Power/ABS
-	adio	AMFM
_	Blass	All Tinted
-	Mirrors	Left & Right Outside
-	icense Plate Mounts	Front & Rear
-	oual Rear Wheels	Installed
-	ires	All Season
_	ir Conditioning	Installed
0.		Installed
-	ront Air Bags	Installed
Þ	rrice Each 141" WB (60" Cab-to-Axle) rrice Each 165" WB (84" Cab-to-Axle) Options:	\$ \$ \$ \$
	ull Size Spare tire	\$
3 A T E E E E E E E E E E E E E E E E E E	Off Road Package Including Limited Slip Rear, Includes: Axle - Trac-Lok Differential Engine Cooligs heavy duty Skid plate Goup Suspension - Heavy Buty w/Gas Shocks All Terrain Tires Engine Cooling Heavy Duty WFM w/ CD Flayer iilt Wheel & Cruise Control lack-Up Alarm ID Suspension - GVWR: III Length Fencers w/Tool boxes lubber belt over Conveyor conveyor chain oiler lunning Boards leceiver Hitch w/ball & pintle liab Stipring Silush/All Weather Mats (Driver & Passenger) Silush/All Weather Mats (Cargo) Rear patch pan Rear ladder Sas Engine 6.8 Liter V-10 (Deduct) Manual Transmission w/Overdrive (Deduct) Delete Floor Mats (Deduct) Delete Floor Mats (Deduct) Delete Floor Mats (Deduct) Delete Floor Mats (Deduct) OB Other than Buckhannon, WV - Per Mile Livallable Axle Ratios	Enter total off road prograbove S S S S S S S S S S S S S S S S S S
A	dditional Information:	

CLASS 34 - AUTOMOBILE

UTILITY, 4 WHEEL DRIVE, 4 DOOR
4100 GVWR (min), with OFF ROAD PACKAGE, Wheelbase 103"
Includes but is not limited to:

Vendor Name:	<u> </u>
Manufacturer / Brand	
Delivery	
Model Name & Number	
Widder Harrie & Harrison	
9	HP HGWY
Standard Equipment Requirements:	
	MIN: 150 HP 165 TORQUE
Engine	Automatic
Transmission	Power
Steering	Power/ABS
Brakes	
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Outside
License Plate Mounts	Front & Rear
Fuel Tank	Standard
Tires	All Season
Spare Tire	Standard tire w/Jack
Air Conditioning	Installed
Front Seat	Bucket
Floor Mats	Installed
Rear Window Defogger	Installed
	Installed
Front Air Bags Off Road Package Including Limited Slip Rear, Includes:	Installed
	Installed
Axle-Trac-Lok Differential	Installed
Engine Cooling - Heavy Duty	Installed EPA EPA
Skid plate Group	Installed HGWY CITY
Suspension - Heavy Duty W/Gas Shocks	instance
All Terrain Tires	Installed
Tow Hooks	nstalled
Price Each Gasoline	\$
Price Each Flex Fuel	\$
Options:	
AM/FM w/ CD Player	\$
Tilt Wheel & Cruise Control	\$ /
Side Air Bag	\$
Tow Package	List items included in this group \$
	\$
2 Passenger Seating	\$
Slush/All Weather Mats (Driver & Passenger)	\$
Slush/All Weather Mats (Sedond Row)	\$
Slush/All Weather Mats (Cargo)	\$
Exterior colors	\$ -
Manual Transmission w/Overdive (Deduct)	The same of the sa
Delete Off Road Package Including: (DEDUCT)	
Axle-Trac-Lok Differential	
Engine Cooling - Heavy Duty	
Skid plate Group	\$ -
Suspension - Heavy Duty W/Cas Shocks	
All Terrain Tires	
Tow Hooks	
	\$ -
Delete Floor Mats (Deduct)	\$ -
The state of the s	
FOB Dealership: (Deduct)	\$
FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile	\$
5 FOB Other than Metro Charleston - Per Mile	\$
FOB Dealership: (Deduct) FOB Other than Metro Charleston - Per Mile Additional Information:	\$


CLASS 34A - AUTOMOBILE

Hybrid, Utility, 4 Door, Front/All Wheel Drive, 4100 GVWR
Includes but is not limited to: Ford Escape, Mazda Tribute or equal.

Vendor Name:	
Manufacturer / Brand	
Delivery	
Model Name & Number	
	HPTORQUE
Standard Equipment Requirements:	
Engine	Full Hybrid
Transmission	Automatic
Steering	Power
Brakes	Power/ABS
Radio	AM/FM
Glass	All Tinted
Mirrors	Left & Right Oylside
License Plate Mounts	Front & Rear
Fuel Tank	Standard
Tires	All Season /
Air Conditioning	Installed
	Bucket
Front Seat Floor Mats	Installed
Rear Window Defogger	Installed EPA EPA
	Installed
Front Air Bags	HGWY CIEY
Hybrid Front Wheel Drive	s \
Hybrid All Wheel Drive	
Hybrid All Wheel Drive	
Options:	
Off Road Package Including Limited Slip Rear, Includes:	\$
Axle-Trac-Lok Differential	
Engine Cooling - Heavy Duty	\$ 1/
Skid plate Group	
Suspension - Heavy Duty W/Gas Shocks	\$ / Enter total off road pkg above
All Terrain Tires	
Tow Hooks	\$ /
AM/FM w/ CD Player	\$
Tilt Wheel & Cruise Control	\$
Side Air Bag	\$
Tow Package	List items included in this group \$
2 Passenger Seating	\$
Slush/All Weather Mats (Driver & Passenger)	\$
Slush/All Weather Mats (Second Row)	\$
Slush/All Weather Mats (Cargo)	\$
Exterior colors	\$
Manual Transmission w/Overdrive (Deduct)	\$
Delete Floor Mats (Deduct)	\$ -
FOB Dealership: (Deduct)	S -
FOB Other than Metro Charleston - Per Mile	\$
FOD Other than Metro Chaneston - Let Mile	
Additional Information:	
Additional information.	

CLASS 34B - HYBRID AUTOMOBILE

Hybrid, Mid-Size, 4 Door, 3450 Curb Weight Includes but is not limited to: Chevrolet Malibu or equal.



CLASS 35 - ELECTRIC CAR Front Wheel Drive, 1800 GVW Includes but is not limited to: GEM e2 or equal.

Vendor Name:	
Manufacturer / Brand	
Delivery	
Model Name & Number	
Wodel Name & Names	
*	
	HP
and the state of t	
Standard Equipment Requirements:	Min: 5 HP
Engine	Dual
Speed Range	Installed
Automotive-style, three-point safety belts	
Laminated, tinted automotive safety glass with windshield wipe	er Installed
Rear and side reflectors	Installed
Rearview and dual exterior mirrors (Drivers Side)	Installed
Seating Capacity	2
/	
i i	
1	
Options:	
1 7/01-(5)ParrenmencerPackage	\$
2 Accessory Outlet	\$
3 Attito System	\$
4 Dash-Mounted Fan (Driver-Side)	\$
5 Daiste Mouniert Frin (Fasgerger Side)	\$
6 Dome Light	\$
7 Spanieroles	\$
8 Heated Seats	\$
9 HeatenDatograp	\$
IO PA System	\$
1 Semeraral to tiers	\$ \$ \$ \$
2 Scuff Guards	\$
3 (\$9800) Mili	\$
14 Hazard Lights	\$
5 Ballony	\$
O POLICE TO A STATE OF THE PARTY OF THE PART	
Additional Information:	
Additional information.	
\	
\	
\	\
\	

CLASS 36 Electric, Utility Vehicle Front Wheel Drive, 2300 GVW

Manufacturer / Brand Delivery Model Name & Number Standard Equipment Requirements: Engine	Vendor Name:		
Standard Equipment Requirements: Engline Speed Range Automotive-style, three-point safety belts Laminated, finted automotive safety glass with windshield wiper Rear and side reflectors Rearview and dual exterior mirrors (Drivers Side) Seating Capacity 2 Flat Bed Options: Options: Options: Options: Signification: Options: Options: Options: Signification: Options: Signification: Options: Options: Options: Signification: Options: Op	Manufacturer / Brand		
Standard Equipment Requirements: Engine Speed Range Dual Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Reariew and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: Min: 36" x 86"	Delivery		
Standard Equipment Requirements: Engine Speed Range Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearriew and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: **Continuous Riskens** **Continuous Riskens** **Accessory Outlet** **Accessory	Model Name & Number		
Standard Equipment Requirements: Engine Speed Range Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearriew and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: **Continuous Riskens** **Continuous Riskens** **Accessory Outlet** **Accessory			
Standard Equipment Requirements: Engine Speed Range Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearriew and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: **Continuous Riskens** **Continuous Riskens** **Accessory Outlet** **Accessory			
Standard Equipment Requirements: Engine Speed Range Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearriew and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: **Continuous Riskens** **Continuous Riskens** **Accessory Outlet** **Accessory			UD
Engine Speed Range Dual Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearview and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: World Flat Bed Options: Salt Bed Options: Sal			ПР
Speed Range Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearview and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: **Control of the control of th			1
Automotive-style, three-point safety belts Laminated, tinted automotive safety glass with windshield wiper Rear and side reflectors Rearriew and dual exterior mirrors (Drivers Side) Installed Seating Capacity Flat Bed Options: Winite Rearriew and Min: 36" x 48" Flat Bed Options: Saling Capacity Flat Bed Min: 36" x 48" Options: Saling Capacity Flat Bed Options: Saling Capacity Saling Capaci			
Committee of the comm	Speed Range		
Rearview and dual exterior mirrors (Drivers Side) Rearview and dual exterior mirrors (Drivers Side) Seating Capacity Plat Bed Options: Coptions: Cop	Automotive-style, three-point safety belts		
Rearview and dual exterior mirrors (Drivers Side) Seating Capacity Flat Bed Options: Options:	Laminated, tinted automotive safety glass with windshield wiper		
Sealing Capacity Flat Bed Options:	Rear and side reflectors		
Plat Bed Min: 36" x 18" Options: O			
Options: **Control of the control o			
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	Flat Bed	MIU: 30, X 48.	
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	Tr.	1	1
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery		1	
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	A second	.1	
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	1	1	
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	A second	.)	1
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	4	1	1
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	. 1	1	
1 ZOFICE Performance Package \$ 2 Accessory Outlet \$ 3 Alcile Systems \$ 4 Dash-Mounted Fan (Driver-Side) \$ 5 Dash-Mounted Fan (Passagger Side) \$ 5 Dome Light \$ 6 Dome Light \$ 7 System \$ 8 Heated Seats \$ 9 Heater Motoring Package \$ 10 PA System \$ 11 System \$ 12 Scuff Guards \$ 13 System \$ 14 Hazard Lights \$ 15 Ballery	1		
Accessory Outlet Atril System Dash-Mounted Fan (Driver-Side) Dome Light Dome Light Heated Seats Heated Seats Heated System Source at the base of the base	Options:	is the state of	
Accessory Outlet Audio System Dash-Mounted Fan (Driver-Side) Dash-Mounted Fan (Passenger Side) Dome Light Strate Haltglesi Heated Seats Heated Seats Heated System System System Source Grant Folder Script Guards Suff Guards Hazard Lights Balley Balley Salley Sa	The state of the s		
Dash-Mounted Fan (Driver-Side) Dash-Mounted Fan (Driver-Side) Dash-Mounted Fan (Passenger-Side) Dash-Mounted Fan (Passenger-Side) Dash-Mounted Fan (Driver-Side) Summarian (Passenger-Side) Heater Heater (Passenger-Side) Summarian (Passenger-Side)	2 Accessory Outlet		
5 Dash Wardited San (Passanger Side) 6 Dome Light 7 Gree Habijes ii 8 Heated Seats 9 Heater Profession 10 PA System \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3 Audio System		1
6 Dome Light 7 Greb Baildes II \$ 8 Heated Seats 9 Heater bridge II \$ 10 PA System \$ 11 Squestion bidge II \$ 12 Scuff Guards 13 Heard Lights 14 Hazard Lights 15 Baildery	4 Dash-Mounted Fan (Driver-Side)		1
\$ Scrie Habijes \$ S S S S S S S S S S S S S S S S S S		1	
Heated Seats Heated Seats Heated Seats S Heaten Disconnection of the seat			
Season Colors Season Color		11	
PA System Superation indicates Superation	8 Heated Seats		
Scorester) liking state of the			
Scuff Guards Scupe Sallin Hazard Lights SSuper Sallin SSup	10 PA System	The state of the s	
13 Baser Balling \$ 14 Hazard Lights 15 Balling	11 Scarce and Indian		***
Hazard Lights Salteny			
15 Ballery	3 September 11		
	14 Hazard Lights		
Additional Information:	15 Battery		
Additional Information.	Additional Information:	//	
	Additional Information.		
		el .	
	1		v
	1		
	· •		
	1		
4			

SPECIFICATION FOR FLAT BED AND DUMP BED AND UTILITY BODY ARE LISTED BELOW:

SPECS CLASS 20, 20A, 33

FLAT BED MODEL PVMX838 OR APPROVED EQUAL

CLASS 20

*8' LONG X 78" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED PINE WOOD FLOOR 56" CA CAB AND CHASSIS SINGLE REAR WHEEL

*36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW

*ICC BUMPER, MARKER LIGHTS, REAR MUDFLAPS MEET FMVSS STDS. *MOUNTING TO PROPERLY FIT CHASSIS

*PAINTED BLACK

FLAT BED MODEL PVMX93 OR APPROVED EQUAL

CLASS 20A & 33

60" CA CAB AND CHASSIS DUAL REAR WHEEL

9° LONG X 95" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED PINE WOOD FLOOR
 *36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW

•ICC BUMPER, MARKER LIGHTS, REAR MUDFLAPS MEET FMVSS STDS.
•MOUNTING TO PROPERLY FIT CHASSIS

*PAINTED BLACK

FLAT BED MODEL PVMX123 OR APPROVED EQUAL CLASS 20A & 33

84" CA CAB AND CHASSIS DUAL REAR WHEEL

•12' LONG X 95" WIDE STEEL PLATFORM BODY WITH 2 X 6 TREATED BINE WOOD FLOOR

*36" TALL TAPERED BULKHEAD WITH SCREEN WINDOW

*ICC BUMPER, MARKER LIGHTS, REAR MUDFLAPS MEET FMVSS STDS

*MOUNTING TO PROPERLY FIT CHASSIS

*PAINTED BLACK

DUMP BODY MODEL 100U GALION OR APPROVED EQUAL CLASS?

60" CA CAB AND CHASSIS DUAL REAR WHEEI


*8.5' LONG X 13" TALL SIDES X 22" TALL TAILGATE (ALL 10 GA.STEEL)
*% X 84 CAB SHIELD (23" LONG X 84" WIDE)

*MARKER LIGHTS, ICC BUMPER, REAR MUD FLAPS MEET FMVSS STDS.

*STEEL MUD GUARDS IN FRONT OF REAR WHEELS

PAINTED BLACK

*PF524DAE HOIST APPROX 8 TON CAPACITY
*12 DC VOLT ELECTRIC HYDRAULIC POWER UNIT WITH PUSH BUTTON CONTROLER ON AUTOMATIC TRANSMISSION CAB AND CHASSIS
NOTE: PTO, DIRECT MOUNT HYDRAULIC PUMP, DUMP VALVE(ELECTRIC OR CABLE SHIFT), AND RESERVOIR IF PTO APPLICATION IS AVAILABLE ON MANUAL TRANSMISSION
NOTE: PTO, DIRECT MOUNT HYDRAULIC PUMP, DUMP VALVE(ELECTRIC OR CABLE SHIFT), AND RESERVOIR IF PTO APPLICATION IS AVAILABLE ON MANUAL TRANSMISSION



DUMP BODY MODEL 100U GALION OR APPROVED EQUAL CLASS 20A & 33

84" CA CAB AND CHASSIS DUAL REAR WHEEL

10.5' LONG X 13" TALL SIDES X 22" TALL TAILGATE (ALL 10 GA. STEEL)

1/2 X 84 CAB SHIELD (23" LONG X 84" WIDE)

*MARKER LIGHTS, ICC BUMPER, REAR MUDFLAPS MEET FMVSS STDS.

*STEEL MUD GUARDS IN FRONT OF REAR WHEELS PAINTED BLACK

*PF624DAE HOIST APPROX 11 TON CAPACITY

•12 VOLT DC ELECTRIC HYDRAULIC POWER UNIT WITH PUSH BUTTON CONTROLLER ON AUTOMATIC TRANSMISSION CAB AND CHASSIS NOTE:PTO, DIRECT MOUNT HYDRAULIC PUMP, DUMP VALVE(ELECTRIC OR CAB SHIFT), AND RESERVOIR <u>IF PTO APPLICATION IS AVAILABLE ON MANUAL TRANSMISSION</u>

FAN BELT DRIVEN UNDERHOOD HYDRAULIC PUMP WITH ELECTRIC CLUTCH IF PTO IS NOT AVAILABLE

UTILITY BODY 98ASW READING UTILITY BODY OR APPROVED EQUAL CLASS 20

*97" LONG X 76.5" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 14" DEEP COMPARTMENTS 56" CA CAB AND CHASSIS SINGLE REAR WHEE

RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE PLUG IN WREING HARNESS

STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS

MARKER LIGHTS, REFLECTORS MEET FMVSS STDS.

18" REAR STEP BUMPER

PAINTED WHITE

UTILITY BODY 108ADW READING UTILITY BODY,ÓR APPROVED EQUAL <u>CLASS 20A.& 33</u>

60" CA CAB AND CHASSIS DUAL REAR WHEEL

• 107" LONG X 93" WIDE X 40" VERTICAL COMPARTMENT HEIGHT X 48.5" WIDE FLOOR X 20" DEEP COMPARTMENTS

*RECESSED TAIL LIGHTS, RUBBER GROMETS, OEM STYLE PLUG IN WIRING HARNESS
*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS
*MARKER LIGHTS, REFLECTORS, REAR MOD FLAPS MEET FMYSS STDS.

18" REAR STEP BUMPER PAINTED WHITE

UTILITY BODY 132ADW READING UTILITY BODY OR APPROVED EQUAL <u>CLASS 20A & 33</u>

132" LONG X 93" WIDE X 40" YERTICAL COMPARTMENT HEIGHT X 48'5" WIDE FLOOR X 29" DEEP COMPARTMENTS 84" CA CAB AND CHASSIS DUAL/REAR WHEEL

*STD. BODY SHELVING PACKAGE WITH ADJUSTABLE SHELVES AND DIVIDERS PRECESSED TAIL LIGHTS, RUBBER GROMETS, OEM PLUG IN WIRING HARNESS

MARKER LIGHTS, REFLECTORS, REAR MUD FLAPS MEET FMVSS STUS

*8" REAR STEP BUMPER

*PAINTED WHITE

SNOTT40

CRANE 56" CA SINGLE REAR WHEEL 8800 GVWR CAB AND CHASSIS

•LIFTING CAPACITY OF 2000 LBS. @ 3' (6500 FT. LB. RATING), MANUAL BOOM EXTEND FROM 35' TO 9', CLASS 20 OPTION TELESCOPIC CRANE TO BE USED WITH UTILITY BOD

•12 VOLT DC ELECTRIC HYDRAULIC POWER ROTATION, POWER BOOM ELEVATION •12 VOLT DC ELECTRIC POWER HOIST WITH 35' X 1/4" CABLE

*SWIVEL BLOCK, HOOK, LATCH

*PENDANT CONTROLLER WITH 18" CORD

•INSTALL IN RIGHT REAR OF UTILITY BODY LOAD SPACE FLOOR *OVERLOAD PROTECTION


*BODY TO BE REINFORCED FOR CRANE

CRANE BOOM SUPPORT

*BEMOVABLE JACKLEG TYPE OUTRIGGER WITH SCREWBASE ON CRANE SIDE
*BUILD UP RIGHT REAR CHASSIS SUSPENSION SPRINGS LEVEL TO ACCOMMODATE ADDITIONAL CRANE WEIGHT

CRANE 60" CA & 84" CA 3203PR15 AUTOCRANE OR APPROVED EQUAL CLASS 20A & 33 UTILITY BODY OPTION **3200 LB. @ 3" LIFTING CAPACITY, 15" MANUAL BOOM EXTEND, 12 VOLT ELECTRIC HYDRAULIC POWER ROTATION & BOOM ELEVATION, 12 VOLT POWER HOIST, OVERLOAD PRIECTION, PLUG IN PENDANT CONTROL, INSTALLED ON RIGHT REAR COMPARTMENT TOP, UTILITY BODY MANUFACTURES APPROVED COMPARTMENT REIFORCEMENT FOR 16,000 FT. LBS.(4000 LB. CRANE), CRANE BOOM SUPPORT, REMOVAL MEDIUM DUTY JACKLEG TYPE OUTRIGGER WITH SCREW BASE ON CRANE SIDE, BUILD UP RIGHT REAR CHASSIS SUSPENSION SPRINGS LEVEL TO ACCOMIDATE ADDITIONAL CRANE WEIGHT

PAINT ALL BODIES COLORS OTHER THAN WHITE



DOH PACKAGE REQUIRED FOR CLASSES 13, 14, 15 & 19 TO INCLUDE THE FOLLOWING ITEMS

BED LINERS SHALL BE NON-SKID TYPE, OVER THE RAIL ALL STAR BRAND (OR EQUAL). BAR LIGHTS SHALL BE PSE CODE 3 EXCALIBER BRAND (OR EQUAL) DUAL LEVEL STROBE LIGHT, FULL SIZE LIGHT BAR WITH TWO (2) STROBE BULBS PER SIDE, VISIBLE FROM 360 DEGREES. BAR LIGHT MOUNTING SHALL BE GUTTER TYPE MOUNT ONLY, PSE MODEL NO. X47A (OR EQUAL). DRILLING OF TOP OF CAB IS UNACCEPTABLE. WORK LIGHT SHALL BE PSE NUMBER NO130H CODE 3 NIGHT PROBE (OR EQUAL) 300,000 CANDLE WATT MOUNTED TO CENTER OF LIGHT BAR. CONTROLS SHALL ALL BE MOUNTED PERMANENTLY IN CAB WITH EASY ACCESS FOR OPERATOR. RUNNING BOARDS SHALL BE TWO (2) PIECE ALUMINUM, PART #8093027 MFG. DZ (OR EQUAL). CREW CAB PART #8035012 MFG.DZ (OR EQUAL), CLASS II TRAILER HITCH 3" PINTLE AND 2" BALL COMBINATION RECEIVER.

PAINTINGS:

DETAIL / DECORATIVE STRIPES WITH LOGO:

WIDTH: SHALL BE 1" WITH TAPER AT FRONT OF HOOD

WVDOH LOGO (TO BE SUPPLIED BY WVDOH); (BLACK AND WHITE COPY) AND IS APPROXIMATELY 7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.

STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEU OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTM D4956-91 TYPE V SHEETING. A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "DOT APPROVED."

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MICRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE OR EQUIVALENT.

UPPER STRIPE COLOR: DARK BLUE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATI8NG OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

This specification shall describe a HENDERSON MUNIbody III - 30455™ REAR DISCHARGE ONLY combination dump/spreader body or equal. Bidders must		
submit with their bid complete specifications on the unit they propose to furnish.	YES	EXCEPTIONS
DIMENSIONS: 86.5" inside width for maximum capacity		
Capacity struck (9'), 2.3 cu. Yd.		
Inside length of 108" for 60" CA. (9') Side height of 25 inches	_	g (#
Head height of 53 inches	1	#
Tailgate height of 29 inches	-	<u></u>
SIDES & FRONT:		
One piece sides and floor of 10 gauge, 304SS steel incorporates a side to floor radius. Floor slopes 22 degrees to conveyor to facilitate self cleaning of body without raising. A body with any		
portion of the floor that is tlat is NOT adceptable due to poor cleanout.)
10 ga. 304SS boxed op rail seamless		2 8
2" side board pockets		
10 gauge 304SS rear corner posts are tied to rear apron. This joint is further reinforced with a 7 gauge plate which helps prevent flexing in this critical area and strengthens the latch assembly		
12" Asphalt lip is an integral part of the rear apron and provides protection for the extended conveyor.		
Integral fenders installed over wheels		
Front trunnion mounted hoist cylinder - 10 5/8" x 11" doghouse	X.	

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

	YES	EXCEPTIONS
CONVEYOR: 10 gauge 304SS formed inner sills, 12 gauge 304SS formed outer sills		
3/16" AR400 conveyor floor		-
1 - 1/2" diameter drive and 1 - 1/2" idler shafts with 6 tooth cast iron sprockets		
High-torque, direct drive motor. Drive at rear for RDO		
24" wide main conveyor	_	<u></u>
Double conveyor cross bars (welded to every link) 1/4" x 1 1/2" conveyor crossbars	1	
Body integrated 12" beyond tailgate for complete discharge of material from conveyor before returning over truck chassis.		
D667X pintle dhain (21,000 lb. tensile/strand).		1
SPINNER CHUTE ASSEMBLY:		1
Spinner assebly, must be adjustable left to right, front to back, and		
up and down to assure accurate placement of material on spinner disc		
to facilitate control of spread pattern.		
Front spinner baffle is adjustable for protection of chassis under carriage		
10 Ga. 20" Diameter spinner disc to have replaceable machined hubs		
six (6) 10 Ga. 409 Stainless Steel bolt on replaceable spinner valves for		
counter clockwise rotation. Spinner has a bolt on removeable		
deflector assembly with 3 overlapping deflectors.		

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

		YES	EXCEPTIONS
TAILGATE: 10 GAUGE, 304SS tailgate sheet, with 12 gauge channel	s		
Full perimeter boxing with all horizontal edges sloped out	ward		
Tailgate must be double acting (NO EXCEPTIONS)		· · · · · · · · ·	
Shall have two (2) 12 ga sloped horizontal braces that ar flush with perimeter boxing	'e		
Flush mount, 3/4" flame cut tailgate pivots			
Heavy duty offset hinge plates, 3/8 flame cut			
1/2" latch hooks with 3/8" latch plates			
1" hot rolled upper and lower pins	A distribution of the same of		
7 gauge 9" x 18" rear reedgate operates perpendicular to	floor		
Lever operated feedgates are quickly adjustable in 1" inc	rements		
Double acting, manual release, tailgate			8 <u></u>
Hydraulic System Requirements	/ "		
PUMP MOUNTING - Underhood Belt Down Drien Clutch	Pump		
PUMP TYPE - Gear Type		-	
PUMP SIZE - MINIMUM - 15 GPM AT OPERATING RPM RECOMMENDED - 20 GPM AT OPERATING RPM	vi		
PUMP PRESSURE - 2000 PS			
MINIMOM I LOTT ILL GOT ILLIA	VEYOR - 7 GPM NER - 2 GPM ST - 4 GPM		
CONTROL FUNCTIONS			

CONTROL FUNCTIONS

CONVEYOR - ON/OFF CONVEYOR - SPEED CONTROL, 0 TO 20 GPM VALVE SPINNER - ON/OFF SPINNER - SPEED CONTROL, 0 TO 5 GPM VALVE

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

CONTROL TYPE MANUAL VALVE

FILTRATION	RETURN LINE FILTER, 10 MICRON RATING		
RESERVOIR	20 GAL. WITH SITE GAGE		
RELIEF VALVE	2000 PSI RELIEF IN SYSTEM AT RUMP OR CONTROL VALVE	A CONTRACTOR OF THE PARTY OF TH	
HOSE	PRESSURE LINE 0.75 DIA. SAE 100R2 RETURN LINE 1.00 DIA. SAE 100R2 SUCTION LINE 1.50 DIA. SAE 100R4		
A dual flow control valve shall be installed in the cab for control of the conveyor and spinner. The valve shall be rated at 15 gallons per minute flow for the conveyor and 7 gallons per minute for the spinner. A knob for each the conveyor and spinner with settings of 1 thru 1 shall be provided for operator control of the speed of the conveyor and spinner.			
& DOT-COLOR COST		YES	EXCEPTIONS
HOIST: Single cylinder, trunni	on mount	2000-00-00-00-00-00-00-00-00-00-00-00-00	3
N.T.E.A. class 20.			
3 stage cylinder			
Wear and corrosion r	esistant Nitrated cylinder tubes		
Minimum 2 year cylin	derwarranty		
5 degree oscillating c	ylinder collar		
	MBLY: all angle rear hinge assembly with acted through 1 1/2" greaseless		
LIGHT PACKAGE:			
corner post. Highly vi marker lights in the re	ck resistant stop/turn/tail light in each rear sible, yet recessed for protection. Two red ear and two side mounted amber front one piece sealed wiring harness.		ė
Rubber mounted, sho for mounting in a fabr	ick resistant I.C.C. 3-light cluster, icated light bar.		4

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY

304 Stainless Steel Cabshield 16" x 78" or 84" SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY (cont'd)
3/16" AR400 conveyor cover (shipped loose)
Top Grate Screens (Installed at factory)
OPTIONAL EQUIPMENT: Sloped steel side boards
Polyurethane spinner disc
Full length fender with tool box
Pre-wet tanks Rubber belt-over chain conveyor (rear discharge Only)
Air operated tailgate latch
Rear spinner assembly with chute and mount (front/rear discharge only)
Cab shield
Conveyor chain oiling system
Rear mount asphalt patching pan
Rear 304 Stainless Steel Ladder
Extra light hole in each rear bolt

SPECIFICATIONS FOR A 304SS MULTI-PURPOSE ALL SEASON BODY (cont'd)

PAINTINGS:

DETAIL / DECORATIVE STRIPES WITH LOGO:
WIDTH: SHALL BE 1" WITH TAPER AT FRONT OF HOOD
WVDOH LOGO (TO BE SUPPLIED BY WVDOH); (BLACK AND WHITE COPY) AND IS APPROXIMATELY
7" TALL BY 7" WIDE AREA BEHIND LOGO AND WITHIN 1/2" OF LOGO IS NOT TO BE STRIPED.
STRIPED SHOULD BE CUT TO FOLLOW CONTOUR OF LOGO, IN LIEU OF STRAIGHT CUT.

STRIPING MATERIAL SHALL MEET THE REQUIREMENTS OF ASTM D4956-91 TYPE V SHEETING, A SUPER HIGH-INTENSITY RETROFLECTIVE SHEETING CONSISTING OF MICRO PRISMATIC RETROFLECTIVE ELEMENTS. THE CONSPICUITY SHEETING MUST MEET THE REQUIREMENT OF NHSTA, DOT, 49CFR, PART, 571 FEDERAL MOTOR VEHICLE SAFETY STANDARDS FOR CONSPICUITY SHEETING AND BE "DOT APPROVED."

THE SHEETING FOR BOTH APPLICATIONS ABOVE SHALL NOT BE MORE THAN 0.008 INCH THICK HAVING APPROXIMATELY 47,000 MICRO PRISMS PER SQUARE INCH AND SHALL COME WITH AN AGGRESSIVE HIGH TACK PRESSURE SENSITIVE ADHESIVE, REFLECTIVE OR EQUIVALENT.

UPPER STRIPE COLOR: DARK BLUE

LOWER STRIPE COLOR: LIGHT GOLD

SUCCESSFUL VENDOR SHOULD CONSULT WITH AGENCY PERSONNEL ON PROPOSED STRIPPING BEFORE PLACING ORDER WITH MANUFACTURER.

IN ORDER TO TEST THE ADHESIVE QUALITY OF THE PAINT, THE DOH MAY AT ITS OPTION, REQUIRE THAT THE VENDOR MEASURE ADHESION BY THE CRITERIA SET FORTH I ASTM D3359-74 METHOD B. A RATIBNG OF LESS THAN 4 ON THIS TEST WOULD BE DEEMED UNACCEPTABLE.

MANUFACTURER'S STANDARD PLANT PAINTING PROCEDURES FOR CLEANING, DE-GREASING, PREPARING, PRIMING AND PAINTING ARE SUFFICIENT TO MEET THE REQUIREMENTS FOR PAINTING OF CAB (WHITE) AND CHASSIS (BLACK). CAB WILL NOT BE PAINTED WHITE OVER TOP OF ANOTHER FINISH COLOR.

THIS IS REQUIRED FOR CLASSES 20, 20A, 33, & 33A