



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PRI10863

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE
304-558-2544


***709035314 304-485-4410**
MATHENY MOTOR TRUCK COMPANY
PO BOX 1304
PARKERSBURG WV 26102-1304

SHIPTO
WV PRISON INDUSTRIES
617 LEON SULLIVAN WAY
CHARLESTON, WV
25301 304-558-2945

DATE PRINTED 07/28/2011	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
-----------------------------------	---------------	----------	--------	---------------

BID OPENING DATE: **08/31/2011** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
0001	1	EA		070-53	\$ 86,915	\$ 86,915
<p>DELIVERY TRUCK</p> <p>THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WEST VIRGINIA CORRECTIONAL INDUSTRIES, IS SOLICITING BIDS FOR ONE (1) 2011 OR NEWER DELIVERY TRUCK, PER THE ATTACHED SPECIFICATIONS.</p> <p>INQUIRIES:</p> <p>WRITTEN QUESTIONS WILL BE ACCEPTED UNTIL CLOSE OF BUSINESS ON 08/15/2011. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:</p> <p>TARA LYLE DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305</p> <p>FAX: 304-558-4115 EMAIL: TARA.L.LYLE@WV.GOV</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM</p>						



SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jeffrey Tanner</i>	TELEPHONE 800-248-4418 x565	DATE 8/26/11
TITLE <i>Sales Consultant</i>	FEIN 55-0320770	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PRI10863

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE 304-558-2544

VENDOR

*709035314 304-485-4410
 MATHENY MOTOR TRUCK COMPANY
 PO BOX 1304
 PARKERSBURG WV 26102-1304

SHIP TO

WV PRISON INDUSTRIES
 617 LEON SULLIVAN WAY
 CHARLESTON, WV
 25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/28/2011				

BID OPENING DATE: 08/31/2011 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER.</p> <p>THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS.</p> <p>VENDOR PREFERENCE CERTIFICATE</p> <p>THIS TEAM EXHIBIT HAS BEEN REPLACED BY THE ONLINE VERSION WHICH IS AVAILABLE HERE: HTTP://WWW.STATE.WV.US/ADMIN/PURCHASE/VRC/VENPREF.PDF</p> <p>NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p>DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
<i>Jeffy Tonne</i>	800-248-4418 x565	8/26/11
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
<i>Sales Consultant</i>	55-0320770	

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PRI10863

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
TARA LYLE
304-558-2544

VENDOR

*709035314 304-485-4410
MATHENY MOTOR TRUCK COMPANY
PO BOX 1304

PARKERSBURG WV 26102-1304

SHIP TO

WV PRISON INDUSTRIES

617 LEON SULLIVAN WAY
CHARLESTON, WV
25301 304-558-2945

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
07/28/2011				

BID OPENING DATE: **08/31/2011** BID OPENING TIME **01:30PM**

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER:-----TL/32-----</p> <p>RFQ. NO.:-----PRI10863-----</p> <p>BID OPENING DATE:-----08/31/2011-----</p> <p>BID OPENING TIME:-----1:30 PM-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p> <p>-----304-489-0061-----</p> <p>CONTACT PERSON (PLEASE PRINT CLEARLY):</p> <p>-----JEFF TANNER-----</p> <p>***** THIS IS THE END OF RFQ PRI10863 ***** TOTAL: <u>\$86,915</u></p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Jeff Tanner</i>	TELEPHONE 800-284-4418 x565	DATE 8/26/11
TITLE <i>Sales Consultant</i>	FEIN 55-0320770	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

PRI10863**Specifications for a 2011 or newer delivery truck:**

GVWR 33,000#, minimum

Diesel engine shall be a minimum of 260 hp, 660 lb-ft 7.68L displacement. Must meet 2010 emissions without the use of credits.

Heated fuel/water separator

Minimum 12 volt 130 amp alternator

Minimum two batteries with no less than 1200 cca total

Minimum 12 volt 4.8KW starter

AM/FM radio

Air conditioned cab

Information display

Dual electric horn

Minimum 18,357 BTU/h Heater/Defroster

LED marker lamps, stop/tail lights, back up lights, side flasher lights

Transmission to be Allison 2500RDS or equal

Single horizontal- driver side mounted inside frame rail exhaust system

Pto- electronic activation switch (electric hand throttle)

Transmission shall be manual 6-speed direct drive eaton-fuller FS6406A minimum

Clutch 14" valeo-single plate self adjusting minimum

Front axle 12,000 lbs. Minimum

Front oil seals with clear caps

Front suspension minimum of 12,000 lbs tapered leaf

Front stabilizer bar

Front & rear wheels steel disc 22.5" x 8.25", minimum

Front tires 11r22.5g rated 12,350lbs. Premium highway tread, minimum

Rear tires 11r22.5g rated 23000 lbs. Highway traction, minimum

Single speed rear axle 21,000 lbs., minimum

Axle ratio 3.90:1 or equal

Rear suspension multi-leaf 23,500 lbs, minimum

Rear auxiliary springs single leaf

Bolted rear suspension

Wheelbase no less than 260"

Frame rail 120,000 psi rated

Inverted "I" frame reinforcement 120,000psi with total frame increased rbm to a minimum of 3,229,200

Nose cone on top of cab

Dual 75 gallon step fuel tanks

Dual ac/dc fuel tank heaters with manual switch to change from truck power to 110 ac power when plugged in via power cord

Abs-4- channel bendix air brake system 's' cam type

Rear dust shields

Minimum of 12.9 cfm water-cooled air compressor

Air intake compressor

Bumper front chromed steel thickness 5/32" minimum

Two front tow hooks

Hystec style cab to frame mounts

Dual electric horn

Single dual air horn mounted on roof

Tilt steering wheel

Cruise control

Interior roof lamp

Air conditioning

Am/fm stereo radio

Exterior mirrors shall be electric remote control, lighted, heated 102" wide load mirrors with built in 6"x7" convex section

Truck and body shall be painted white

Driver seat shall be air suspension, high – back cloth national 2000 series or equal with arm rest

Passenger seat shall be two man cloth

Frame mounted tool box 18"x18"x36", minimum

On-spot chains mounted

24' dry freight van body

Plywood lined 3/8" full, minimum

Inside height 97.12"

Roll up rear door 94"w x 91.25"h

Subframe 3"i-beam crossmembers on 12" centers with 4" longrail

4-extra crossmembers located at rear on 6" centers

1 1/8" hardwood floor, minimum

Threshold steel diamond plate 1/8" x 23"

Scuff-side galvanized steel 12 ga 16" high, minimum

Translucent roof

Two dome lights

Two rows e-track each side

3300lb. Cap. Tuc-a-way lift gate with 80"x48" aluminum Platform

Alum. Body sides

Fork lift package

½" plywood liner front, minimum

Scuff front galvanized steel 12ga. 16" high, minimum

Triangle kit & 5# fire exts

Side door, to be located on curb side of body

Warranty:

All bidders must provide a copy of the manufacturer's warranty.

Delivery:

Delivery cost should be included with your bid. The truck should be delivered to the agency within 60 days of award of the contract.

Award:

The contract will be awarded to one vendor with the lowest grand total meeting all of the specifications with the most complete bid.

RFQ No. PRI10863

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (*West Virginia Code §61-5-3*), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE

Vendor's Name: Matheny Motor Truck Co.

Authorized Signature: Jeffrey Tanner Date: 8/26/11

State of West Virginia


County of Wood, to-wit:

Taken, subscribed, and sworn to before me this 26 day of August, 2011.

My Commission expires Dec 8, 2018.

AFFIX SEAL HERE

NOTARY PUBLIC Tonya M. Dickel



State of West Virginia VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with *West Virginia Code*, §5A-3-37. (Does not apply to construction contracts). *West Virginia Code*, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the *West Virginia Code*. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1. Application is made for 2.5% resident vendor preference for the reason checked:

- Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,
- Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,

2. Application is made for 2.5% resident vendor preference for the reason checked:

- Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

3. Application is made for 2.5% resident vendor preference for the reason checked:

- Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,

4. Application is made for 5% resident vendor preference for the reason checked:

- Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,

5. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,

6. Application is made for 3.5% resident vendor preference who is a veteran for the reason checked:

- Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: Matheny Motor Truck Co Signed: Jeffrey J. Tanner
 Date: 8/26/11 Title: Sales Consultant

*Check any combination of preference consideration(s) indicated above, which you are entitled to receive.

Exception Sheet

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Charleston, WV 25305
Jo Ann Adkins

08/26/2011

Jo Ann,

Matheny Motors would like to propose a 2013 Hino 338 for consideration for RFQ# PRI10863. We will meet or exceed all specifications outlined in the bid except for the following items:

- (1) With Hino, the exhaust system will be (**passenger**) side mounted inside the frame rail.
- (2) Hino has a single 120,000 psi frame with a RBM of 1,280,000 per side.
- (3) Hino offers a dual 52 gallon or single 95 gallon, not dual 75 gallons as specified.
- (4) Hino does not offer Dual A/C-D/C fuel tank heaters with manual switch. They provide heated fuel Pre-Filter and a NABCO heated air dryer along with engine heated non burned fuel being returned to the fuel tank for recirculation along with coolant heated Diesel Exhaust Fluid.
- (5) Hino does not offer Hystec Style Cab Mounts. (Cab is mounted with rubber donut style mounting system.)
- (6) Hino does not offer a dual air horn mounted under cab, only single.
- (7) Hino does not offer front stabilizer bar.
- (8) With Hino, the Air compressor is 10.3CFM at 1250 RPM, not 12.9CFM.
- (9) With Hino, exterior mirrors are not lighted, and not 6"x 7" convex.
- (10) Hino does not offer dual horn, only single.
- (11) Hino does not offer 23,500# rear suspension, we offer 23,000#.

At this time any orders placed are being scheduled for production in March with a delivery in April. I am told special consideration will be given to sold orders and if the ordering time can be moved up every effort will be made to do so.

Please do not hesitate to call with any additional questions or concerns. We appreciate you considering a Hino truck that is produced here in our state of West Virginia.

Cordially,
Jeff Tanner (Cell 304-483-4930)



#37704
Matheny Motor Truck
PO Box 1304
Parkersburg, WV 26102
PH: 304-485-4410
FAX: 304-485-2577-Mike-Tim
FAX: 304-489-0061

August 18, 2011

Truck Make:
Truck Model:
CA:

ATTN: Jeff Tanner

#E1016

QUOTATION
(Valid 10 Days)

Install Morgan Aluminum Van Body Model: GVSD09724102
24' Long x 97" High x 102" Wide
Aluminum Prepainted White
Plastic Coated Roll Up (94"x 91.25" Wide Opening)
1/2" Plywood Lining, Full Height on Front
3/8" Plywood Lining, Full Height on Sides
2 Row of Recessed E-Track on Sides 26.50" & 55.50" up From top of Floor to Center of Track
12 Gauge Galvanized Steel Kickplate Up 16" on Front & Sides.
1-1/8" Laminated Hardwood Floor
Lights & Reflectors, Lights to FSS108
Roof Translucent
Front Radius- Aluminum
4" I - Beam Longsills
3" I-Beam Crossmembers on 12 " Centers with Wheelpan
Two Rear Grab Handles
Two Dome Lights with Rear Switch
Threshold Plate - 1/8" Treadplate Steel in 23"
Side Door Located on Curbside 19.22" back From Inside Front
Mudflaps
(4) Additional Crossmembers at Rear
External Rear Frame Gussets
Reinforced Rear End Plates
Recessed Taillights (Truck-lite) in Rear Corner Posts
Triangle Kit and 5lb Fire Extinguisher
Install On-Spot Chain System for Back Axle
Install Buyers #1705105 Aluminum Underbody Toolbox (18"x18"x36) on ^{Side}NET \$12,862.00

GATE OPTIONS

* Install Maxon GPTLR Tuck a Way Low Maintenance, Wide Arm, Level Ride Liftgate
3,300lb Cap; 60x80+10 Aluminum Platform; Heavy Duty Dock Bumpers w/Rubber Bumpers
ADD.....NET \$7,947.00
Install Waltco HLF-AP30 Aluminum FlipAway Liftgate; 3000lb Cap. 60x80 Alum Wedge
Platform; Super Duty Dock Bumpers w/Rubber Bumpers **ADD...NET \$7,243.00**

Thank you for calling us!

Cross Truck Equipment Co., Inc.
Chris Johns
Chris Johns



Quotation Number
QN-0051503-1

Quoted By: Chris Johns
 Created: 8/17/2011
 Revised: 8/17/2011

1801 PERRY DR, SW • CANTON, OH 44706 • Phone: 330-477-8151 • Fax: 330-477-8426 •

Sales Representative:

Configuration: Matheny Jeff 24ft 8-17-2011

Reference:

Customer

Contacts

Ship To

CUSTOMER PICKUP

p.
f.

Ship to:

Shipping Method: Flatbed Delivery

Customer Number:

Terms:

Model Description
GVSD09724102 MORGAN DRY FREIGHT VAN BODY 24 FT NOMINAL

Plant
PA - Morgantown

Body Dimensional Information

Inside Height: 97.12
 Inside Length: 287.02
 Inside Width: 97.91
 Rear Door Opening (W x H): 94W X 91.25H

Chassis Information

Make: FLATBED PICKUP DOMESTIC
 Model: FLATBED PICKUP DOMESTIC
 Expected Date:
 Color: WHITE
 Rear Axle: Single (1)

Year: 2011
 WB: 0
 FW: 34
 FOB: 181
 Vert. Exh.: No

Note: Body dimensional information above for reference only. These dimensions may change based on any special pricing items included in this quotation.

[DN-0058483-1]

Specifications

OPTION	DESCRIPTION	QTY
SUBFRAME	3" I-BEAM CROSSMEMBERS ON 12" CENTERS WITH 4" LONGRAIL SET FRAME WIDTH TO 34 IN. MYLAR TAPE IS APPLIED BETWEEN ALL STEEL SUBFRAME COMPONENTS AND EXTRUDED ALUMINUM LOWER BOTTOM RAILS TO PREVENT CORROSION EXTRA CROSSMEMBERS LOCATE (4) EXTRA CROSSMEMBERS AT REAR ON 6 IN. CENTERS	1 1 1 4 1 1
MOUNTING	FLATBED FIXED CA	1
FLOOR	1 1/8 IN. LAMINATED HARDWOOD FASTENED TO SUBFRAME WITH 2 COUNTERSUNK SCREWS PER FLOOR BOARD PER CROSS MEMBER IN A STAGGERED PATTERN. FLOOR BOARDS ARE SHIP LAPPED AND PRE-UNDERCOATED FOR PROTECTION FROM ELEMENTS.	1
THRESHOLD	STEEL DIAMOND FLUSH TO REAR 1/8" X 23" ROUTED EDGE INTO FLOOR	1
REAR DOOR	WHITING OVERHEAD-PLASTIC COVERED PREPAINTED WHITE	1
REAR FRAME	HEADER SUB-COMPONENT GALVANNEALED WITH TRUCKLITE #35 POST SUB-COMPONENT GALVANNEALED FOR OVERHEAD DOOR WITH RECESSED LIGHTS ENDPLATE SUB-COMPONENT FOR OVERHEAD DOOR FOR 4.12" ENDPLATE GALVANNEALED HEADER POST GUSSET ENDPLATE REINFORCEMENT GALV	1 1 1 1 1
SIDE DOOR	SINGLE WHITE PLYMETAL FOR DOOR OPENING OF 40 11/16" X 78 1/4" LOCATE DOOR ON CURBSIDE 19.22 IN. FROM INSIDE FRONT ALUMINUM 12" GRAB HANDLE AT SIDEDOOR-BOLTED STIRRUP STEP, STANDARD	1 1 1 1
SKINS-SIDES	.040 ALUMINUM PREPAINTED WHITE RIVETS FOR FRONT AND SIDEWALLS-24 BODY	1 1

SIDE WALL	EXTRUDED ALUMINUM TOP AND BOTTOM RAILS WITH 1 3/8 IN. DEEP GALVANIZED STEEL Z-SHAPED VERTICAL POSTS INSTALLED ON 16 IN. CENTERS CURBSIDE.	1
	EXTRUDED ALUMINUM TOP AND BOTTOM RAILS WITH 1 3/8 IN. DEEP GALVANIZED STEEL Z-SHAPED VERTICAL POSTS INSTALLED ON 16 IN. CENTERS ROADSIDE.	1
LINER-SIDE	LINER-SIDES 3/8" PLYWOOD FULL	1
	LINER-SIDES 3/8" PLYWOOD FULL	1
SCUFF	SCUFF-SIDE GALVANIZED STEEL 12 GA 16" HIGH	1
	SCUFF-SIDE GALVANIZED STEEL 12 GA 16" HIGH	1
INTERIOR TIES	SERIES E-TRACK RECESSED	2
	LOCATE RECESSED ROW AT 26.50 IN. FROM TOP OF FLOOR TO CENTER OF TRACK	1
	LOCATE RECESSED ROW AT 55.50 IN. FROM TOP OF FLOOR TO CENTER OF TRACK	1
	SERIES E-TRACK RECESSED	2
FRONT END	AERODYNAMIC ALUMINUM RADII WITH STEEL Z POST	1
SKINS-FRONT	.040 ALUMINUM PREPAINTED WHITE	1
LINER-FRONT	LINER-FRONT 1/2" PLYWOOD FULL	1
SCUFF	SCUFF-FRONT GALVANIZED STEEL 12GA 16" HIGH WITH 1/2" PLYWOOD LINER	1
ROOF	.062 TRANSLUCENT GLASSBOARD SHEET ALLOWS 10% LIGHT TRANSMISSION	1
	AERODYNAMIC ALUMINUM RADIUS AND POLY-TUFF CORNER CAPS	1
INTERIOR LIGHTS	DOME WITH SWITCH AT REAR	1
	TOTAL DOMELIGHT(S) = 2;	1
	EXTRA DOME ON SAME CIRCUIT	1
EXTERIOR LIGHTS	TECNIQ S36 LED SEALED CLEARANCE LIGHT, PER FMVSS-108 INSTALLED IN FRONT CORNER CAPS, SIDE TOP RAILS AND FIVE ACROSS REAR HEADER.	1
	REAR MAIN HARNESS FOR TRUCKLITE LED LIGHTS	1
	LED TAILLITES IN REAR CORNER POST	1
PAINT	REAR FRAME STEEL WHITE IMRON	1
DECALS	MORGAN-BLACK-FLATBED PICK-UP	2
SAFETY ITEMS	ALUMINUM 12" GRAB HANDLE-BOLTED	1
	GRAB HANDLE MOUNTED ON CURBSIDE AND ROADSIDE REAR	1

NOTES TO CUSTOMER:

DIMENSIONAL DATA: All dimensions, weights, and measurements specified herein are subject to Morgan's manufacturing tolerances, may change without notice, and may vary depending on options selected. Please contact Morgan for measurements for your particular truck body and chassis specifications.



Quotation Number
QN-0051503-1

Quoted By: Chris Johns
 Created: 8/17/2011
 Revised: 8/17/2011

1801 PERRY DR, SW • CANTON, OH 44706 • Phone: 330-477-8151 • Fax: 330-477-8426 •

NOTICE: Morgan Corporation manufactures all vehicles to conform to applicable U.S. Federal Motor Vehicle Safety Standards (FMVSS) in effect at time of manufacture. Buyer/end-user is responsible for ensuring this vehicle, when operated, meets all applicable federal, state and local rules, regulations and statutes, including, but not limited to, those governing safety equipment, cargo securement, and accessories.

Morgan will give Customer a notice of release ("Release Notice") of their completed truck body units ("Vehicles") and Customer will remove, or authorize Morgan to remove, the Vehicles from Morgan's lot within five (5) days of the date thereof. After which time, and pursuant to Morgan's Standard Sales Agreement, Morgan shall not be responsible for any loss or damage thereto, for any reason, including, but not limited to, such loss or damage caused by fire, flood, storm, act of God, vandalism, accident, explosion, war, strike, civil or military authority, or any other similar causes.

In addition, Customer agrees to reimburse Morgan's then current lot lease expenses for every month past fourteen (14) days of the date of the Release Notice that the Vehicles remain on Morgan's lot. Customer also agrees to pay Morgan for all costs incurred, after fourteen (14) days of the date of the Release Notice, to maintain the Vehicles in satisfactory (road-worthy) working order.

Morgan and CROSS TRUCK EQUIPMENT CO INC reserves the right to withdraw this proposal if not accepted within 30 days. Morgan and CROSS TRUCK EQUIPMENT CO INC's Standard Sales Agreement Terms and Conditions apply to this quotation. Copies available upon request. Any additional or different terms proposed by Buyer are objected to and hereby rejected.

Acceptance of Proposal - The pricing, specifications, and conditions of this quotation document are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Pricing may or may not include an estimation of applicable sales tax.

Subtotal: \$ 10,371.00
 Estimated Tax: \$ 0.00
 Sell Price Each: \$ 10,371.00
 x Qty: 1

Total Quote Price: \$ 10,371.00

Customer Signature:		Date of Acceptance:	Customer PO Number:
PO and Chassis Details:		* Chassis Expected Date:	
#	* PO #	* Chassis VIN	Customer Unit #
1			
			Chassis Factory #


* PO #, Chassis VIN #, and Chassis Expected Date are required when placing order with Morgan Corporation. Please provide if not listed above.

HINO TRUCKS RANKS "HIGHEST IN CUSTOMER SATISFACTION WITH CONVENTIONAL MEDIUM DUTY ENGINES, THREE YEARS IN A ROW," AND "HIGHEST IN CUSTOMER SATISFACTION WITH CONVENTIONAL MEDIUM DUTY TRUCKS."

THE POWER OF FOUR.



A Toyota Group Company



For J.D. Power and Associates award information, visit jdpower.com.

Prepared By: Jeffrey Tanner
Prepared For: State of West Virginia Purchasing Division
Dealership Name: Matheny Motor Truck Company 84710
Address: 50 Matheny Lane
Mineral Wells WV 26150
Phone: (304) 485-4418
Fax: (304) 485-2577
Website:
Email: jtanner@mathenymotors.com

Customer: State of West Virginia
Purchasing Division

Quote Name: WV Prison Industries

Dealership: Matheny Motor Truck Company Quote Id: 18573
84710



Quotation Details

Quote Information

Quote Name
Expiration Date
Model
Transmission
Wheelbase

WV Prison Industries
09/18/2011
2012 Hino 338
Auto - Allison 2500RDS (PTO)
271.0

Standard Options			
Qty	Order Code		Description
1	ENGINE		J08E-VB Turbo charged and intercooled with glow plugs, 6 cylinder, In-line water-cooled; Max Output 260hp @2500rpm; Max Torque 660lb.ft. @ 1500rpm; 7.68L displacement, EPA10 Emissions Certified.
1	EXHBRAKE		Exhaust brake with driver controls.
1	FUELFILT		Davco 230 FuelPro Heated fuel/water separator.
1	ALT		12 volt 130 amp Delco brush alternator.
1	BATTERY		Two 12 volt parallel connection, 1200 CCA.
1	STARTER		12 volt 4.8kw Denso starter
1	RADIO		AM/FM radio with single CD, two speakers.
1	AIRCOND		Air conditioned - Denso 134
1	DISPLAY		Information display listing: Instant and trip fuel consumption, Diesel Particulate Reduction System performance/status, maintenance intervals, engine and vehicle diagnostics.
1	GAUGES		Speedometer mph (km/h), odometer, fuel gauge, coolant temp gauge, engine tachometer, air pressure gauge.
1	FTGRILL		Chrome plated front grille.
1	HEAT/DEF		18,357 BTU/h Heater/Defroster.
1	LAMPS		Trucklite LED marker lamps, stop/tail lights, back-up lights, side-flasher lights.
1	MISC		Miscellaneous Standard Equipment - Cruise control, power steering with tilt and telescopic steering column, cup holders, cigarette lighter, fully trimmed rear panel with coat hook, two overhead compartments, two door pockets, sun visors.

Customer: State of West Virginia
Purchasing Division

Quote Name: WV Prison Industries

Dealership: Matheny Motor Truck Company Quote Id: 18573
84710



Standard Options			
Qty	Order Code		Description
1	INDICATORS		Warning indicators for: oil pressure, brake pressure, coolant level, battery charge, high beam, turn signal, parking brake, engine control system and ABS.
1	EMISS10		Surcharge for EPA10 Emissions.
1	FREIGHT		Equalized Freight Charge.
1	COOLSYS		Allison 3000 - 6.08 gallon capacity; Eaton FS6406A - 6.21 gallon capacity.
1	OIL		16.15 quart capacity.
1	WARRANTY_05		Basic Vehicle-24 months unlimited mileage; Engine-36 months unlimited mileage; Engine-60 month Extended Coverage, 250,000 miles (includes injectors, fuel supply pump and turbo); Emission-60 months 100,000 miles; Frame Rails & Cross Members-48 months unlimited mileage; Cab-48 months unlimited mileage; ABS-24-36 months 300,000 miles.
1	HWATCH_05		Roadside assistance: 3-year unlimited roadside assistance including lockout, *out of fuel/DEF, battery jumpstart, information, and warranty towing (2 year coverage). *Fluids are customer pay responsibility.
1	GVWR		Gross Vehicle Weight Rating-33,000 lbs.
1	AIRTANK		68 liter tank, compressor 23.25 CPW (227cm ³ /rev. @2900rpm).
1	BRAKES		Full air dual circuit "S" cam type, leading and trailing shoes with automatic adjustment and Antilock Brake System (ABS). Front Brakes: 15.0" diameter x 4.0" pad area x 0.73" thickness: Rear Brakes: 16.5" x 7.0" x 0.85".
1	AIRDRYER		Bendix - heated air dryer.
1	WHEELS		Powder Coated 22.5" x 8.25" 10-stud disc.
1	TIRES		Front tires - Bridgestone 11R 22.5 R250F Rib pattern; Rear tires - Bridgestone 11R 22.5 M725 Lug pattern.
1	AXLES		Front axle Meritor MFS12 reversed Elliot "I" beam oil lubricated 12,000 lb. rating. Rear axle Meritor RS21-145 full-floating single reduction single speed by hypoid gearings, 21,000 lb. rating.

Customer: State of West Virginia
Purchasing Division

Quote Name: WV Prison Industries

Dealership: Matheny Motor Truck Company Quote Id: 18573
84710



Standard Options

Qty	Order Code	Description
1	SPRINGS	Front spring: Taper-leaf springs with shock absorbers, 12,000 lb. rating; Rear spring: Semi-elliptic main and auxiliary helper-leaf spring, 21,000 lb. rating.

Premium/Upgrade Options

Qty	Order Code	Description
1	338-12V	271" WB / 203.6" CA
1	HB8RDS25	Auto - Allison 2500RDS (PTO)
1	ZSRSF1-LO	Sears Seat - Fabric upgrade (Black/Silver) Driver only - std bench passenger.
1	MRRH	Side mirrors - power heated mirrors.
1	HORZA	Air horn.
1	STD52X2	Dual 52 gallon aluminum fuel tanks
1	120K	Frame Rail - 120k psi
1	BMP08	Bumper-Chrome with 2 hooks.
1	R23-563AT	Rear Axle Ratio 5.63AT 23K axles/springs.
1	No_SalesTax	No Sales Tax

Sales Tax

Unit Quantity

1

Total Quoted Price


WARRANTY COVERAGE

2012MY 4 x 2 CONVENTIONAL HINO TRUCKS



DESCRIPTION	MONTHS	MILEAGE
BASIC VEHICLE Provides warranty coverage against defects in material and workmanship for 24 months / unlimited mileage. Includes towing to the nearest Hino dealer for warrantable failures. (Adjustments and expendables such as bulbs and fuses are covered for 90 days / 3,000 miles. Batteries are covered for 12 months / unlimited mileage).	24	Unlimited
BASE ENGINE Provides warranty coverage against defects in material and workmanship for 36 months / unlimited miles for the cylinder block, cylinder head, water pump, intake and exhaust manifold, injection supply pump, engine fuel injectors, turbocharger, and all internal engine components.	36	Unlimited
EXTENDED ENGINE Provides warranty coverage against defects in material and workmanship for 60 months / 250,000-miles for camshaft, camshaft housing, connecting rod, crankshaft, cylinder block, cylinder head and cover, flywheel housing, intake manifold, intake pipe, oil pump, pistons, liners, piston pins, timing gears, engine fuel injectors, fuel injection supply pump and turbocharger.	60	250,000
EMISSION WARRANTY Provides warranty coverage against defects in material and workmanship for 60 months / 100,000 miles, whichever occurs first, for the emission control system.	60	100,000
FRAME RAILS & CROSS MEMBERS Provides warranty coverage against structural cracks in the frame caused by defects in material and workmanship for 48 months / unlimited mileage.	48	Unlimited
CAB Provides warranty coverage against corrosion perforation of the cab structure for 48 months / unlimited mileage.	48	Unlimited
AUTOMATIC TRANSMISSION: ALLISON 2000 SERIES Warranty covers repairs and / or replacement at Allison Transmission's option to correct any transmission malfunction resulting from defects in material or workmanship occurring during the period. Allison Transmissions are warranted by the manufacturer for the time and mileage specified.	36	Unlimited
AUTOMATIC TRANSMISSION: ALLISON 3000 SERIES Warranty covers repairs and / or replacement at Allison Transmission's option to correct any transmission malfunction resulting from defects in material or workmanship occurring during the period. Allison Transmissions are warranted by the manufacturer for the time and mileage specified.	24	Unlimited
ANTI-LOCK BRAKING SYSTEM (ABS) AIR/HYDRAULIC Upon expiration of the Basic Vehicle Warranty (24 months), the ABS will continue to be covered for up to 36 months / 300,000 miles, whichever occurs first.	24-36	300,000

Hino reserves the right to amend all warranty terms and conditions.



**"HIGHEST IN CUSTOMER SATISFACTION WITH CONVENTIONAL MEDIUM DUTY ENGINES, THREE YEARS IN A ROW."
AND "HIGHEST IN CUSTOMER SATISFACTION WITH CONVENTIONAL MEDIUM DUTY TRUCKS."**

1. Also received the highest numerical score among conventional medium duty engines and transmissions in the proprietary J.D. Power and Associates 2008-2010 Medium Duty Truck Engine and Transmission Customer Satisfaction Study™. Study based on responses from 1,255 responses among 5 manufacturers. Survey was of primary maintainers and repair operators and measures opinions of five-year-old (or similar year) Medium Duty Class 5, 6, and 7 trucks. Proprietary study results are based on experience and perceptions of customers surveyed in June-August 2010. Your experience may vary. jdjpower.com.
2. Also received the highest numerical score among conventional medium duty trucks in the proprietary J.D. Power and Associates 2010 Medium Duty Truck Engine and Transmission Customer Satisfaction Study™. Study based on responses from 1,258 responses among 8 manufacturers. Survey was of primary maintainers and repair operators and measures opinions of primary maintainers of five-year-old (or similar year) Medium Duty Class 5, 6, and 7 trucks (2009 model year). Proprietary study results are based on experience and perceptions of customers surveyed in June-August 2010. Your experience may vary. jdjpower.com.

WWW.HINO.COM

HINOWATCH COVERAGE

2012MY 4 x 2 CONVENTIONAL HINO TRUCKS

HINO



TRUCKS

A

Group Company

HinoWatch is a 24/7/365 roadside assistance program that covers your new Hino truck for the first 3 years of ownership regardless of mileage. HinoWatch offers Hino owners roadside assistance throughout the United States and Canada.

Simply call the toll free number, 1-866-365-HINO (4466), and provide your Vehicle Identification Number (VIN), current truck location and problem description. All calls to HinoWatch are at no charge to Hino customers. A HinoWatch representative can assist customers in one of sixty-five languages and will help you with arrangements to get you back on the road quickly.

HINOWATCH COVERS THE FOLLOWING SERVICES AT NO-CHARGE TO THE CUSTOMERS.

LOCKOUT SERVICE

If you are locked out of your truck, HinoWatch will coordinate help to get you into your truck so you can get back on the road quickly.

BATTERY JUMPSTART

If your batteries are dead, HinoWatch will coordinate help with a jumpstart to get you back on the road quickly.

INFORMATION

Customers can call anytime for information such as the nearest authorized Hino dealer or simply to get answers to basic vehicle questions.

ADDITIONAL SERVICES HINOWATCH CAN COORDINATE FOR CUSTOMERS (CHARGES NOT COVERED BY HINOWATCH)

TOWING

HinoWatch will help owners arrange a tow truck if needed. If towing is required to an authorized Hino dealer due to a failure that is covered by Hino warranty, the customer will be reimbursed for the towing expense at the completion of the repairs through the dealer. If towing is not due to a warranty covered failure, the tow bill will be not be reimbursed to the customer.

ROADSIDE SERVICE

HinoWatch will assist the customer in arranging for roadside service assistance if requested. Expenses for roadside service assistance are not covered by HinoWatch or Hino warranty.

TIRE SERVICE

HinoWatch will assist the customer in arranging for roadside tire service if requested. HinoWatch will connect you to a local tire service provider that can assist you with roadside tire repairs.

OUT OF FUEL / DIESEL EXHAUST FLUID (DEF)

A HinoWatch vendor will arrive with fuel^{1,2} or DEF^{1,3} to get you on your way.

1. Customer is responsible for fuel, DEF, and roadside service costs. 2. 2005-2010 model year Hino trucks receive fuel and roadside service at no cost. 3. DEF only for use with 2011/2012 model year Hino trucks.



QUALITY POLICY

It is the policy of Morgan Corporation to deliver products and services that are superior in the transportation industry, and for its employees to perform their duties with an attitude that focuses on our customers and our commitment to the continuous improvement of our processes and quality systems which is evident in our product quality.

This policy is incorporated in the Morgan Vision statement and is conveying to all employees at appropriate intervals through training, inclusion in Morgan publications, and employee meetings.

Goals

It is the goal of Morgan Corporation to be the leader in truck body manufacturing in North America. This will be achieved by attaining the following standards of excellence.

1. To instill quality measures and thinking into all sales, marketing, engineering, manufacturing, human resources and financial areas of our business;
2. To become the supplier of preference through excellence in performance in those areas;
3. To attain levels of delivery, accuracy, and versatility that is superior in the industry and to use those indices as a framework for our business;
4. To view the cost of quality as a measure of the performance of the business and to review those measurements with all employees;
5. To develop and maintain mutually beneficial relationships with suppliers, distributors and customers.



LIMITED WARRANTY FOR VAN BODY

Morgan Corporation ("Morgan") warrants each van body sold to the original purchaser and installed on the original chassis to be free of defects in material and workmanship as set forth herein.

THIS WARRANTY IS MADE AT THE TIME OF RELEASE TO THE ORIGINAL PURCHASER AND IS GIVEN IN LIEU OF ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED.

30 Day Coverage

This warranty is for a period of 30 days from the date of release to the original purchaser. It covers the mounting of the body to the chassis by a Morgan manufacturing facility, and mounting hardware and components supplied by Morgan.

90 Day Coverage

This warranty is for a period of 90 days from date of release to the original purchaser. It covers the installation of customer requested items, (e.g., rear and side overhead doors, liftgates, and other accessories installed, but not manufactured, by Morgan).

1-Year Coverage

This warranty is for a period of 1 year from date of release to the original purchaser. It covers flooring*, wiring, swing panel doors and hardware, paint, side panels and roof material, corrosion, sealant, interior lining, fasteners and Morgan aluminum walkramps. *EXCEPTION: **Warranty coverage for gaps, gouges, cracks and/or splits in PINE WOOD FLOORING is 90 days.**

5 - Year coverage

This warranty is for a period of 5 years from date of release to the original purchaser. It covers the main structural components of the body. Included in this coverage are the roof structure, side and front wall structure, rear frame and body substructure.

Non-Morgan Parts, Accessories, & Goods

Morgan makes no warranty on any part, accessory, or goods manufactured by others that are installed on a Morgan van body. Morgan will facilitate the administration of any warrantable issue between the non-Morgan supplier and the customer. Installation by Morgan of such items is covered for a period of 90 days.

Not covered by Warranty:

Deterioration caused by corrosive, hazardous or unsafe cargo

Defects in Chassis and or Power Unit

Defect in Products not manufactured by Morgan

Deterioration due to normal wear and tear

Tightening of U-bolts

Deterioration or damage due to misuse (**including, but not limited to, the use of forklifts and pallet jacks in van bodies where such are prohibited**), abuse, failure to follow recommended maintenance procedures outlined in Morgan Owner's Manual or Warning Labels, acts of nature, including, but not limited to hurricanes, tornadoes, winds, snow, hail, floods or fire, or other contingencies beyond the control of Morgan. Repairs and / or modifications made without the approval of Morgan Corporation Mounting or re-mounting not performed by a Morgan authorized service center

It shall be Customer's responsibility to contact Morgan or an Authorized Morgan Repair Center before any repairs are made which are covered by or affect this warranty, in order to secure Morgan's approval. Approval/ Authorization numbers provided by Morgan pursuant to a warranty claim are voided if not used within 60 days of issuance. Morgan shall, at its option, provide a factory or local representative to inspect the equipment prior to issuing such approval. Morgan reserves the right to make changes or improvements in design or product without thereby obligating itself to make the same changes or improvements upon its product previously manufactured. Morgan's warranty is void if Morgan's original equipment parts are not used in repairs and / or if the repair was not performed by Morgan or by an Authorized Morgan Repair Center.

Without regard to the nature of the claim asserted, Morgan shall not be responsible nor otherwise be held liable for cargo loss, loss of use, property damage, other commercial (economic) loss, or other direct, indirect, incidental, consequential, or special damages alleged to have been caused by any product delivered thereunder. (This limitation shall apply regardless of whether the exclusive remedy provided hereunder "fails in its essential purpose" within the meaning of Section 2719 (b) of the Pennsylvania Uniform Commercial Code.)

Customer's sole and exclusive remedy for any claim arising out of (a) breach of contract, (b) any defects in products or workmanship, (c) breach of any warranty hereunder, (d) Morgan's negligence in performing hereunder, or (e) any other claim arising hereunder whether in tort, strict liability, or otherwise, shall be limited to the repair or replacement of such products, at Morgan's option, within the period set forth herein, and shall be deemed waived unless such claim is made in accordance with the following procedures: (1) Customer shall give Morgan written notice of such defect, including a description of product and defect, within (30) days after such defect is, or ought to have been, discovered; and (2) if and after Morgan requests its return for inspection and or replacement and such product is returned to Morgan within ten (10) days with freight prepaid by the customer. Upon receipt of proper notice from Customer and return to Morgan (if requested, as provided hereunder), Morgan shall be obligated to repair or replace such product only if, after Morgan's inspection, such product is found to Morgan's satisfaction (a) to be defective, (b) not to have been manufactured in a workmanlike manner, or (c) not to have been manufactured in accordance with written specification or drawing, if and, supplied by Customer to Morgan. Customer shall have no other equitable or other remedy at law available to it.

WARRANTY / RMA POLICY & PROCEDURE

LIFTGATE WARRANTY

Type of Warranty: Full Parts and Labor

Term of Warranty: Standard Liftgates - 2 years from ship date or 6,000 cycles

Premium Liftgates - 2 years from ship date or 10,000 cycles

This warranty shall not apply unless the product is installed, operated and maintained in accordance with MAXON Lift's specifications as set forth

in MAXON Lift's Installation, Operation and Maintenance manuals. This warranty does not cover normal wear, maintenance or adjustments,

damage or malfunction caused by improper handling, installation, abuse, misuse, negligence, or carelessness of operation. In addition, this

warranty does not cover equipment that has had unauthorized modifications or alterations made to the product.

MAXON agrees to replace any components which are found to be defective during the warranty period, and will reimburse for labor based

on MAXON's Liftgate Warranty Flat Rate Schedule. (Copy of the Flat Rate is available at www.maxonlift.com.)

All warranty repairs must be performed by an authorized MAXON warranty facility. For any repairs that may exceed \$500, including parts and

labor, MAXON's Technical Service Department must be notified and an "Authorization Number" obtained.

All claims for warranty must be received within 30 Days of the repair date, and include the following information:

1. Liftgate Model Number and Serial Number
2. The End User must be referenced on the claim
3. Detailed Description of Problem
4. Corrective Action Taken, and Date of Repair
5. Parts used for Repair, Including MAXON Part Number(s)
6. MAXON R.M.A. # and/or Authorization # if applicable (see below)
7. Person contacted at MAXON if applicable
8. Claim must show detailed information i.e. Labor rate and hours of work performed

Warranty claims can also be placed on-line at www.maxonlift.com. On-line claims will be given priority processing.

All claims for warranty will be denied if paperwork has not been received or claim submitted via Maxon website for processing by MAXON's

Warranty Department within 30 days of repair date.

All components may be subject to return for inspection, prior to the claim being processed. MAXON products may not be returned without prior

written approval from MAXON's Technical Service Department. Returns must be accompanied by a copy of the original invoice or reference with

original invoice number and are subject to a credit deduction to cover handling charges and any necessary reconditioning costs. Unauthorized

returns will be refused and will become the responsibility of the returnee.

Any goods being returned to MAXON Lift must be pre-approved for return, and have the R.M.A. number written on the outside of the package in

plain view, and returned freight prepaid. All returns are subject to a 15% handling charge if not accompanied by a detailed packing list. Returned

parts are subject to no credit and returned back to the customer.

Defective Parts requested for return must be returned within 30 days of the claim date for consideration to:

MAXON Lift Corp.

10321 Greenleaf, Santa Fe Springs, CA 90670

Attn: RMA#__

MAXON's warranty policy does not include the reimbursement for travel time, towing, vehicle rental, service calls, oil, batteries or loss of income

due to downtime. Fabrication or use of non Maxon parts, which are available from MAXON, are also not covered.

MAXON's Flat Rate Labor Schedule takes into consideration the time required for diagnosis of a problem.

All Liftgates returned are subject to inspection and a 15% restocking fee. Any returned Liftgates or components that have been installed or not returned in new condition will be subject to an additional reworking charge which will be based upon the labor and material cost required to return the Liftgate or component to new condition.

PURCHASE PART WARRANTY

Term of Warranty: 1 Year from Date of Purchase

Type of Warranty: Part replacement only

MAXON will guarantee all returned genuine MAXON replacement parts upon receipt and inspection of parts and original invoice.

All warranty replacements parts will be sent out via ground freight. If a Rush Shipment is requested all freight charges will be billed to the requesting party.44