

VENDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER RMA12003 PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF: FRANK WHITTAKER 304-558-2316

SHIP

Ğ

703-366-8823 VIRGINIA TRUCK CENTER INC PO BOX 7178

ROANOKE VA 24019

*709033433

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATE PRINT	ED	IER	MS OF SAL	.E	SHIP VIA	F.O.B.	FREIGHT TERMS
08/10/							
BID OPENING DATE:		09/13/	2011		BID	OPENING TIME O	1:30PM
LINE	QUAN	NTITY	UOP	CAT.	ITEM NUMBER	UNIT PRICE	AMOUNT
				, NO			
0001		1	EA	N	070-47	\$173 , 737 . 00	\$173,737.00
	CAB &	CHASSI	S WIT	HAN	EW 14'14 CUBIC Y	ARD DUMP BODY	
					HASING DIVISION, E RAIL AUTHORITY		i i
	BIDS F SPECIF			NEW R	OTARY DUMP TRUCK	PER THE ATTACHE	E D
	FRANK AT FRA DEADLI	WHITTA NK.M.W NE FOR	KER I HITTA ALL	N THE KERƏW TECHN	S MUST BE SUBMIT WV PURCHASING D V.GOV OR VIA FAX ICAL QUESTIONS I	IVISION VIA EMAI AT 304-558-4115 S END OF BUSINES	[L
					CAL QUESTIONS WI DEADLINE.	LL BE ADDRESSED	1
	EXHIBI	T 10					
					REQUISITION	NO.: .RMA12003	
	ADDEND	UM ACK	NOWLE	DGEME	NT		
	ADDEND	UM(S)	AND H	AVE M	ECEIPT OF THE FO ADE THE NECESSAR /OR SPECIFICATIO	Y REVISIONS TO	
	ADDEND	UM NO.	'S:				
· V	NO. 1	• • • • • •					HEIVED
	NO. 2		• •			9 6.	100 12 A 9:51
	NO. 3	• • • • •	• •	See Se			· Fair Develor
SIGNATURE / MAA	- (//-			SEE RE	VERSE SIDE FOR TERMS AND COI	NDITIONS DATE	
(10000						234-0999	9/12/2011
Sales Re	ep.	F	^{IN} 54-	04818	76	ADDRESS CHANG	ES TO BE NOTED ABOVE

Virginia Truck Center

Route 11 South, P.O. Box 96, Weyers Cave, Virginia 24486-0096 (540) 234-0999

September, 2011

Mr. Frank Whittaker

Please find enclosed the bid for the 2012 Freightliner M2 Business Class.

Provide/Install:

Diversified Metal Fabricators 14 foot 12 yard Roto and Dump body Diversified Metal Fabricators RW1630 Rail Gear Hitch Package and Other Accessories

Although we are not in the state of West Virginia I feel we can provide exceptional service and parts delivery to your area. If you have any questions about the bid please feel free to contact me.

We look forward to doing business with you.

Sincerely,

Dan Smith

Sales Representative











State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RMA12003

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

VEZDOR

*709033433 703-366-8823 VIRGINIA TRUCK CENTER INC PO BOX 7178

ROANOKE VA 24019

WV STATE RAIL AUTHORITY SHIP (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE Ţ MOOREFIELD, WV 26836 304-538-2305

DATE PRIN	TED	TEA	MS OF SAL	E.	SHIP \	/IA	F.	О.В,	FREIGHT TERMS
08/10/	2011	V							
BID OPENING DATE:	1. 7 8	09/13/	2011			BID	OPENING	TIME 0	1:30PM
LINE	QUA	YTITY	UOP	CAT. NO.	ITEM NUI	MBER	UNI	TPRICE	AMOUNT
	THE AD VENDOR REPRES ORAL D AND AN INFORM	RSTAND DENDUM MUST ENTATI ISCUSS Y STAT ATION	(S) M CLEAR ON MA ION H E PER ISSUE	FAIL AY BE LY UN DE OR ELD B SONNE D IN	URE TO CO CAUSE FO DERSTAND ASSUMED ETWEEN VE L IS NOT WRITING A FFICIAL A Vir	THAT AN TO BE MENDOR'S BINDING ADDENDUM SI CO	Y VERBAL ADE DURI REPRESEN ONLY D TO THE IS BINI GNATURE TUCK Cen	BIDS. ING ANY NTATIVES THE E DING.	
SIGNATURE	WITH T REV. 0 BANKRU FOR BA	HE BID 9/21/2 PTCY: NKRUPT CT NUL	009 IN T CY PR L AND	HE EV OTECT VOID RDER.	ENT THE VION, THE	/ENDOR/C STATE M MINATE	ONTRACTO AY DEEM SUCH CON	OR FILES THE NTRACT	
TITLE Calas	Z VVV	N C	EIN EA	0.4045	77.6	(540)	234-0999		/12/2011
Sales		000	54-	-04818	TAIANE AND		3 5 5	DRESS CHANGE	S TO BE NOTED ABOVE



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RMA12003

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

304-558-2316

FRANK WHITTAKER

VEZDOR

*709033433 703-366-8823 VIRGINIA TRUCK CENTER INC PO BOX 7178

ROANOKE VA 24019

WV STATE RAIL AUTHORITY SHIP (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE Ö MOOREFIELD, WV 26836 304-538-2305

DATE PRIN	TED TEF	RMS OF SAL	E	SHIP VIA	F.O.B.	FREIGHT TERMS
08/10/		2011		nzn	ODENIANO TIME	01.7004
	0 // 13/		CAT.		OPENING TIME	01:30PM
LINE	QUANTITY	UOP	NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
			NOT	ICE		
	A SIGNED BID	MUST	BE S	UBMITTED TO:		
	PERSONAL PROPERTY IN THE	Committee of the Commit		INISTRATION		
	PURCHAS BUILDIN		17151	UN		
			TON S	TREET, EAST		
	CHARLES	TON,	WV 2	5305-0130		
				ν		
	THE RIP CHOIL	L D 60		TUTO INCORMATIO	N 0N THE EASE	0.5
	I			THIS INFORMATIO D MAY NOT BE CON	I	UF
	SEALED BID			. '%		
	BUYER:			44		
	DEO NO			DMA 1 2007		
	RFQ. NO.:			RMA12003		
	BID OPENING	DATE:		09/13/11		
	BID OPENING	TIME:		01:30 PM		
	PLEASE PROVI	DE A	FAX N	UMBER IN CASE IT	IS NECESSARY	
				NG YOUR BID:		
			9	540) 234-0997		
	CONTACT PERS	ON (P	LEASE	PRINT CLEARLY):		
	TO -					
		l .	SEE RE	I VERSE SIDE FOR TERMS AND CO		
SIGNATURE	ton RNXI			TELEPHONE (540)	234-0999	09/12/2011
Sales	s Rep.	EIN 54-0	48187	76	ADDRESS CHA	NGES TO BE NOTED ABOVE
		TO REQ	INSER	T NAME AND ADDRESS	IN SPACE ABOVE LAI	BELED 'VENDOR'



NENDOR

ROANOKE VA

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

PAGE

RMA12003

FRANK WHITTAKER 304-558-2316

*709033433 703-366-8823 VIRGINIA TRUCK CENTER INC PO BOX 7178

24019

5

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

ADDRESS CORRESPONDENCE TO ATTENTION OF:

26836

304-538-2305

BID OPENING DATE: 09/13/2011 BID OPENING TIME 01:30 PM LINE QUANTITY UOP CAT ITEM NUMBER UNIT PRICE AMOUNT	.B; FREIGHT TERMS	F.O.B.	PVIA	SHIF		SALE	RMS OF	I EF	TED	DATE PRIN
LINE QUANTITY UOP CAT ITEM NUMBER UNIT PRICE AMOUNT					.gaga: 10000				2011	08/10/
	TIME 01:30PM	OPENING TIME	BID				2011	09/13/		BID OPENING DATE:
***** THIS IS THE END OF RFQ RMA12003 ***** TOTAL: \$173,737	PRICE AMOUNT	UNIT PRICE	NUMBER	ITEM N	T. 5.	CA"	UOP	YTITY	QUA	LINE
									-	
								1		
SEE REVERSE SIDE FOR TERMS AND CONDITIONS				SE SIDE FOR	REVER	SEE	<u> </u>		<u> </u>	
SIGNATURE TELEPHONE (540) 234-0999 DATE 09/12/2011	DATE 09/12/2011	234-0999	TELEPHONE (540)				01	V (/D)	am	SIGNATURE
Sales Rep/ 54-0481876 ADDRESS CHANGES TO BE NOTED ABO				-	1876	1-048	EIN 54	FI	es Rep	TITLE

RMA12003

Line Item	Description	Unit Cost	Unit of Measure	Quantity	Extended Cost
	Hi-Rail Rotary Dump Truck				
1	Hi-Rail Rotary Dump Turck includes Delivery meeting all specs as described	\$	Each		\$173,737.0
			TOTAL BID		\$173,737.0

Notes:

1) Vendors should complete this form in its entirety in lieu of submitting other quote forms. Submitted form should be provided in a legible form. (Typewritten form preferred.)

Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999


A proposal for State of West Virginia

Prepared by
V.T.C. FREIGHTLINER

Dan Smith

Sep 08, 2011

Freightliner M2 106V



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

SPECIFICATION PROPOSAL

Description

Price Level

M2 PRL-02M (EFF:07/19/11)

Data Version

SPECPRO21 DATA RELEASE VER 007

Vehicle Configuration

M2 106V CONVENTIONAL CHASSIS 2012 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

TRAILER TOWING PROVISION AT END OF

FRAME FOR TRUCK

LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION

DOMICILED, USA (EXCLUDING CALIFORNIA AND

CARB OPT-IN STATES)

CONSTRUCTION SERVICE

GOVERNMENT BUSINESS SEGMENT

DRY BULK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

MEDIUM TRUCK WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 16000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

40000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 56000.0 lbs

EXPECTED GROSS COMBINATION WEIGHT:

60000.0 lbs



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

RATED MAXIMUM VEHICLE CAPACITY - GVWR :

56000.0 lbs

Truck Service

END DUMP BODY

EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE

FRAME "XX" INCHES: 32.0 in

Tractor Service

TRANSFER DUMP TRAILER

SINGLE (1) TRAILER

Engine

CUM ISC-350 350 HP @ 2000 RPM; 2200 GOV,

1000 LB/FT @ 1400 RPM

Electronic Parameters

75 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD

SPEED LIMIT

PTO MODE ENGINE RPM LIMIT - 1100 RPM

PTO MODE BRAKE OVERRIDE - SERVICE

BRAKE ONLY ENABLED

PTO MODE CLUTCH OVERRIDE - CLUTCH

ENABLED

PTO RPM WITH CRUISE SET SWITCH - 700 RPM

PTO RPM WITH CRUISE RESUME SWITCH - 800

RPM

PTO MODE CANCEL VEHICLE SPEED - 5 MPH

PTO GOVERNOR RAMP RATE - 250 RPM PER

SECOND

PTO MINIMUM RPM - 700

REGEN INHIBITIT SPEED THRESHOLD - 5 MPH

Engine Equipment

2010 EPA/CARB EMISSION CERTIFICATION

NO 2008 CARB EMISSION CERTIFICATION

ENGINE MOUNTED OIL CHECK AND FILL

ONE PIECE VALVE COVER

SIDE OF HOOD AIR INTAKE WITH FIREWALL

MOUNTED DONALDSON AIR CLEANER

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT

SENSE



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1850 CCA THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART FRAME MOUNTED LH SIDE UNDER HOOD

EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)

TORQUE LIMITING CLUTCH BRAKE

ZERK FITTING AT CLUTCH RELEASE BEARING

MECHANICAL CLUTCH CONTROL

CUMMINS 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

STANDARD AIR COMPRESSOR GOVERNOR

AIR COMPRESSOR DISCHARGE LINE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

11 FOOT 06 INCH (138 INCH+0/-5 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

6 GALLON DIESEL EXHAUST FLUID TANK

STANDARD DIESEL EXHAUST FLUID TANK CAP

ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)

HORTON DRIVEMASTER ON/OFF FAN DRIVE



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED

CUMMINS SPIN ON FUEL FILTER

COMBINATION FULL FLOW/BYPASS OIL FILTER

1200 SQUARE INCH ALUMINUM RADIATOR

ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT

GATES BLUE STRIPE COOLANT HOSES OR

EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR

COOLANT HOSES

RADIATOR DRAIN VALVE

NO RADIATOR/OIL PAN GUARD

1310 ADAPTER FLANGE FOR FRONT PTO

PROVISION

NO COOLANT HEATER - GAS/DSL

ALUMINUM FLYWHEEL HOUSING

ELECTRIC GRID AIR INTAKE WARMER

DELCO 12V 38MT HD STARTER WITH

INTEGRATED MAGNETIC SWITCH

Transmission

EATON FULLER RTO-11908LL TRANSMISSION

Transmission Equipment

VEHICLE INTERFACE WIRING WITH BODY BUILDER CONNECTOR MOUNTED BACK OF CAB

CAST IRON CLUTCH HOUSING

CUSTOMER INSTALLED CHELSEA 230/231/236

SERIES PTO

PTO MOUNTING, BOTTOM OF MAIN

TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN,

TRANSMISSION FILL AND DRAIN, AXLE(S) FILL

AND DRAIN

PAINTED SHIFT LEVER, SOLID LINKAGE

ORGANIC SAE 50W TRANSMISSION LUBE

Front Axle and Equipment

AF-16.0-5 16,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED

SHOES

NON-ASBESTOS FRONT BRAKE LINING



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

CONMET CAST IRON FRONT BRAKE DRUMS
SKF SCOTSEAL PLUS XL FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
TRW TAS-85 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR

Front Suspension

16,000# FLAT LEAF FRONT SUSPENSION GRAPHITE BRONZE BUSHINGS WITH SEALS -FRONT SUSPENSION

ORGANIC SAE 80/90 FRONT AXLE LUBE

Rear Axle and Equipment

ART-40.0-4 HT 40,000# R-SERIES TANDEM REAR AXLE

4.78 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING

MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES

MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES

(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES

BLINKING LAMP WITH EACH MODE SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF

MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING
STANDARD BRAKE CHAMBER LOCATION
CONMET CAST IRON REAR BRAKE DRUMS
SKF SCOTSEAL PLUS XL REAR OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE
AXLES SPRING PARKING CHAMBERS
GUNITE AUTOMATIC REAR SLACK ADJUSTERS

ORGANIC SAE 80/90 REAR AXLE LUBE



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

Rear Suspension

40,000# 4-SPRING FLAT LEAF REAR

SUSPENSION

SPRING SUSPENSION - NO AXLE SPACERS

STANDARD U-BOLT PAD 52 INCH AXLE SPACING

Brake System

AIR BRAKE PACKAGE

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL

REINFORCED NYLON, FABRIC BRAID AND WIRE

BRAID CHASSIS AIR LINES

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

STANDARD AIR SYSTEM PRESSURE

PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

NO BRAKE LINE AIR DRYER

STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF

REAR SUSPENSION

PULL CABLE ON WET TANK, PETCOCK DRAIN

VALVES ON ALL OTHER AIR TANKS

Trailer Connections

AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK

NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM

SWITCH AND INDICATOR LIGHT FOR PRIMARY RECEPTACLE CENTER PIN, LABELED TRLR-AUX, WITH STOP SIGNAL PREWIRE PACKAGE

SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

UPGRADED CHASSIS MULTIPLEXING UNIT

MOUNTED UNDER CAB

UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

4525MM (178 INCH) WHEELBASE

11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

1600MM (63 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 61 INCH TO 70

INCH

24 INCH INTEGRAL FRONT FRAME EXTENSION

CALC'D BACK OF CAB TO REAR SUSP C/L (CA):

112.45 in

CALCULATED EFFECTIVE BACK OF CAB TO

REAR SUSPENSION C/L (CA): 109.45 in

FRAME SPACE LH SIDE: 8.08 in

FRAME SPACE RH SIDE: 64.61 in

SQUARE END OF FRAME

FRONT CLOSING CROSSMEMBER

STANDARD WEIGHT ENGINE CROSSMEMBER

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS

BUMPER MOUNTING FOR SINGLE LICENSE

PLATE

NO MUDFLAP BRACKETS

NO REAR MUDFLAPS

FENDER AND FRONT OF HOOD MOUNTED

FRONT MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

Fuel Tanks

100 GALLON/378 LITER ALUMINUM FUEL TANK -

LH

23 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL

FUEL/HYDRAULIC TANK(S) WITH PAINTED

BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

FUEL TANK CAP(S)

ALLIANCE FUEL FILTERWATER SEPARATOR

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

Tires		
	GOODYEAR G291 315/80R22.5 18 PLY RADIAL FRONT TIRES	
	GOODYEAR G338 11R22.5 14 PLY RADIAL REAR TIRES	
Hubs		
	CONMET PRE-SET BEARING IRON FRONT HUBS	
	CONMET PRE-SET BEARING IRON REAR HUBS	
Wheels		
	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	
	22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS	
	FRONT WHEEL MOUNTING NUTS	
	REAR WHEEL MOUNTING NUTS	
Cab Exterior		

106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

LEAF SPRING REAR CAB SUSPENSION

NO FENDER EXTENSION

LH AND RH GRAB HANDLES

STATIONARY BRIGHT FINISH GRILLE

BLACK HOOD MOUNTED AIR INTAKE GRILLE

FIBERGLASS HOOD

SINGLE 14 INCH ROUND HADLEY AIR HORN

UNDER LH DECK

SINGLE ELECTRIC HORN

SINGLE HORN SHIELD

DOOR LOCKS AND IGNITION SWITCH KEYED

THE SAME

REAR LICENSE PLATE MOUNT END OF FRAME

DUAL ROUND 90MM HALOGEN HEADLIGHTS

HOOD MOUNTED

(5) AMBER MARKER LIGHTS

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

DUAL WEST COAST MOLDED-IN COLOR

MIRRORS

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

LH AND RH 8" MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS

STANDARD SIDE/REAR REFLECTORS

63X14 INCH TINTED REAR WINDOW

TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS

MANUAL DOOR WINDOW REGULATORS

TINTED WINDSHIELD

8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR

Cab Interior

OPAL GRAY VINYL INTERIOR

MOLDED PLASTIC DOOR PANEL

MOLDED PLASTIC DOOR PANEL

BLACK MATS WITH SINGLE INSULATION

NO DASH MOUNTED ASH TRAYS AND LIGHTER

FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING

IN DASH STORAGE BIN

(2) CUP HOLDERS LH AND RH DASH

GRAY/CHARCOAL FLAT DASH

HEATER, DEFROSTER AND AIR CONDITIONER

STANDARD HVAC DUCTING

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR

BINARY CONTROL, R-134A

CAB INSULATION

SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOME LIGHT WITH 3-WAY SWITCH ACTIVATED

BY LH AND RH DOORS

CAB DOOR LATCHES WITH MANUAL DOOR

LOCKS

BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION PASSENGER SEAT

LH AND RH INTEGRAL DOOR PANEL ARMRESTS

VINYL WITH VINYL INSERT DRIVER SEAT

VINYL WITH VINYL INSERT PASSENGER SEAT

3 POINT FIXED D-RING RETRACTOR DRIVER

AND PASSENGER SEAT BELTS

FIXED STEERING COLUMN

4-SPOKE 18 INCH (450MM) STEERING WHEEL

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL

GRAY CENTER INSTRUMENT PANEL

BLACK GAUGE BEZELS

LOW AIR PRESSURE LIGHT AND BUZZER

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS

ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3

DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1939, LOCATED BELOW DASH

2 INCH ELECTRIC FUEL GAUGE

PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS

ELECTRIC ENGINE OIL PRESSURE GAUGE

AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT

DASH MOUNTED RADIO



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

(2) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

NO MPH AND/OR RPM GRAPH

IDLE LIMITER, ELECTRONIC ENGINE

(6) IGN CONTROLLED EXTRA SWITCHES WITH IND LIGHTS WIRED TO POWER DIST BOX WITH RELAYS PROVIDING 20 AMPS PER CIRCUIT TO JUNCTION BLOCK AND 1 CIRCUIT AT 30 AMPS

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH

TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: M3341EA BLUE ELITE SS

BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

PAINT

VENDOR WHITE FRONT WHEELS/RIMS (PW, TKWHT21, W, TW)

VENDOR WHITE REAR WHEELS/RIMS (PW, TKWHT21, W, TW)

BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX

Certification / Compliance



Prepared by:
Dan Smith
V.T.C. FREIGHTLINER
3243 LEE HIGHWAY
WEYERS CAVE, VA 244860096
Phone: 540-234-0999

Description

U.S. FMVSS CERTIFICATION

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

2010 ENGINE EMISSIONS ESCALATOR
DELIVERY & ORDER PROCESSING CHARGE



State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preced-
	ing the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately
	preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or.
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
requir again	er understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the rements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty st such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency but the director from any unpaid balance on the contract or purchase order.
By su author	obmission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and prizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid equired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information that the Tax Commissioner to be confidential.
Unde	er penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate ages during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidd	er: Signed:
Date	Title:
*Chec	k any combination of preference consideration(s) indicated above, which you are entitled to receive.

RFQ No.	RMA12003
IN GIVO.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE
Vendor's Name: Virginia Truck Center
Authorized Signature:Date:Date:Date:Date:
State of Virginia
County of Augusta, to-wit:
Taken, subscribed, and sworn to before me this 9 day of September , 2011.
My Commission expires March 1 , 2013.
AFFIX SEAL HERE NOTARY PUBLIC Bebecca M. Houff