

VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER

RMA12006

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519 EIGHTY FOUR PA 15330

T

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836

304-538-2305

DATE PRINT	red	TER	MS OF SAL	E	SHIP VIA	F.0	D.B.	FREIGHT TERMS
08/17/	2011							
BID OPENING DATE:		09/20/	2011		BID	OPENING	TIME 0	1:30PM
LINE	QUA	NTITY	UOP	CAT, NO.	ITEM NUMBER	UNIT	PRICE	AMOUNT
0001	CROSSI	1	EA LACEM	ENT,	550-70 SURFACTING, REG		991.00	\$ 757,991.00
	THE WEBIDS FSURFACINSTAL	ST VIR ROM RE ING, R LATION	GINIA SPONS EGULA , IN WEST	STATIBLE TING, STALL VIRGI	HASING DIVISION E RAIL AUTHORIT VENDORS FOR CRO WELDING OF RAI ATION OF A SIDI NIA CENTRAL RAI	Y, IS SOL SSTIE REF L JOINTS, NG AND RE	ICITING LACEMENT COLVERT PLACING	,
	FRANK AT FRA DEADLI 4:00 F	WHITTA NK.M.W NE FOR M. ALL	KER I HITTA TECH TECH	N THE KERƏW NICAL NICAL	S MUST BE SUBMI WV PURCHASING V.GOV OF VIA FA QUESTIONS IS 0 QUESTIONS WILL DLINE.	DIVISION X AT 304- 8/30/2011	VIA EMAI 558-4115 AT	L
	EXHIBI	Т 5						
	TION FREQUIR SUBMIT THE BI MUST E OF THE CLE 11	OR A PRES EACT AT THE D. THE BE SIGNED OF CHAP	UBLIC H VEN E SAM ENCL ED AN R'S C TER 2	IMPR DOR T E TIM OSED D SUE OMPLI 1 OF	ID-5 PROVIDES TOVEMENT CONSTRUMENT CONSTRUMENT CONSTRUMENT A BIT OF THE BOOK OF THE WORKPOOK OF THE WEST VIRGINDRUG-FREE WORKPL	CTION CON ID FOR TH OF COMPLI LACE AFFI BID AS E ROVISIONS IA CODE.	TRACT E WORK T ANCE WIT DAVIT VIDENCE OF ARTI FAILURE	O H
				ULT 1	N DISQUALIFICAT	ION OF SU		TE OF WY
BIGNATURE /		1			TELEPHONE		DATE	0.40.41
1 HA	1/ 1/4	2N			124-	228-4500		9-19-11



TITLE

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

ADDRESS CORRESPONDENCE TO ATTENTION OF:

ADDRESS CHANGES TO BE NOTED ABOVE

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

VEZDOR EIGHTY FOUR PA 15330 To 26836 304-538-2305 DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/17/2011 BID OPENING DATE: 09/20/2011 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER

UNIT PRICE **AMOUNT** NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED WITHIN XXXX CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED. UNLESS OTHERWISE SPECIFIED, THE FULLY EXECUTED PURCHASE ORDER WILL BE CONSIDERED NOTICE TO PROCEED. CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN. WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR EACH COUNTY PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT) ANY REFERENCES MADE TO ARBITRATION OR ARBITRATION: INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED. WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL. ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT: (XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000. SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 9-19-11 724-228-4500



State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

PAGE

3

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

>EZDOR

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519

EIGHTY FOUR PA 15330

WV STATE RAIL AUTHORITY S H P (DBA) SOUTH BRANCH VALLEY RAILROAD T 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

	NTED	TER	MS OF SA	LE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/17	/2011						
ID OPENING DATE		09/20/	2011		BID	OPENING TIME	01:30PM
LINE	QUA	YTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
					URANCE: SUCCESS ERS RISK - ALL F		
					% OF THE AMOUNT		
9					ENT (5%) OF THE		
	SUBMIT	TED WI	TH EA	CH BI	STATE OF WEST N D AS A BID BOND	THE SUCCES	SFUL
					ISH A PERFORMANO OF THE AMOUNT O		
					IN THE FORM OF A		
	SOLVEN	T SURE	TY CO	MPANY	AUTHORIZED TO I	O BUSINESS I	N THE
	IN LIE	U OF A	BOND	WILL	ONLY BE ALLOWED	FOR PROJECT	S
					NAL OR BUSINESS THE 5% BID BONI		
	BOND,	OR LAB	OR AN	D MAT	ERIAL BOND.		
					A TWO (2) YEAR YSTEM WILL BE A		
	THE SU		ı		TOTEN WILL BL A	REGUIRENT	
	REV. 1	1/00					
	EXHIBI	T 7					
	DOMEST PROJEC		MINUM	, GLA	SS & STEEL IN PU	JBLIC WORKS	
					T VIRGINIA CODE		TON
	ALTERA	TION,	REPAI	R, IM	OR CONSTRUCTION, PROVEMENT OR MAI	NTENANCE OF	
					E COST IS MORE T NLY, WHERE THE (
					VERSE SIDE FOR TERMS AND CO		
GNATURE	Sin	Surlo			TELEPHONE	724-228-4500	DATE 9-19-11
TLE V O	0	F	IN 86	-0629	(1)	ADDRESS (CHANGES TO BE NOTED ABOVE



VENDOR

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519 EIGHTY FOUR PA 15330

T

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836 304-538-2305

ADDRESS CHANGES TO BE NOTED ABOVE

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/17/2011 BID OPENING DATE: 09/20/2011 BID OPENING TIME 01:30PM CAT. NO. QUANTITY LINE UOP ITEM NUMBER UNIT PRICE AMOUNT MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS. FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT I 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS. IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL. REV. 3/88 EXHIBIT 9 NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE TELEPHONE 4-228-4500 9-19-11 TITLE

0-0629111



VENDOR

*709014935

State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER RMA12006

5

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

SHIP Ţ

ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519

724-228-4500

EIGHTY FOUR PA 15330 WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATEPR	IMIED	I ERMS C	F SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
08/17	7/2011					
BID OPENING DAT		09/20/20	11	RID	OPENING TIME	01:30PM
LINE	QUA		OP CAT,	ITEM NUMBER	UNIT PRICE	AMOUNT
	PROJECT THE ARTO ABICONSTRUCTORY AND A AND A SEND A WHICH COPENING	HE ARCHI LIST OF A ECIFICAT ST SHALL SING DIV COPY OF THE CONTI THE BUYER STED PAR IG DATE WITHIN FO ALL ADDEN ON THE APPLY TO ALSO APPL TON MAY OURPOSE OF	ENGINEER E FOLLOW ROJECT A TECT/ENG ALL PART IONS FOR BE FORW ISION. THE ADD RACT IS SHALL S TIES AND OURTEEN DA SHOUL SUBMITTE HE SAME O THE LY TO AN BE FOR A F CHANGI	END THE ADDENDUM, IF NECESSARY, ENDUM SHOULD BE (14) DAYS PRIOR D BE FORMALLY ACD TO THE STATE RULES AND REORIGINAL BIDDIM ADDENDUM DOCUMEN ADDENDUM THATE NG A BID OPENING	ISSUING AGENCIES: ARE THE ADDENDU COCURED DRAWINGS HE ADDENDUM ER IN THE STATE IGINEER SHALL AL TE AGENCY FOR TO ALL EXTEND THE BID RECEIVED BY THE TO THE BID CKNOWLEDGED BY A E PURCHASING IG DOCUMENT INT. THE ONLY IS ISSUED FOR T	M SO LL
	/		/ SEE RE	VERSE SIDE FOR TERMS AND CO		
SIGNATURE	Llos	Sush		TELEPHONE	124-228-4500 DAT	9-19-11
TITLE \/ 4	7 00	FEIN	80-0629	111	ADDRESS CHANG	ES TO BE NOTED ABOVE
V.Y			0000001	() (



State of West Virginia Department of Administration Quotation Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519 EIGHTY FOUR PA

15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATE PRINTED TERMS OF SALE SHIP VIA F.O.B. FREIGHT TERMS 08/17/2011 BID OPENING DATE: 09/20/2011 BID OPENING TIME 01:30PM CAT. LINE QUANTITY UOP ITEM NUMBER UNIT PRICE **AMOUNT** I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NOS.: NO. 1 NO. 2 NO. NO. NO. 5 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. ...DATE REV. 11/96 SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE 124-228-4500 9-19-11 ADDRESS CHANGES TO BE NOTED ABOVE 0-06 29111



MODERA

State of West Virginia
Department of Administration
Purchasing Division

Request for
Quotation 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519 EIGHTY FOUR PA 15330

RAILROAD MOOREFIELD, WV

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY 120 WATER PLANT DRIVE T 26836 304-538-2305

DATE PRIN	ITED	TEF	RMS OF SAL	.E	SHIP VIA	F.O.B.	FREIGHT TERMS
08/17/	/2011						
BID OPENING DATE	:	09/20/	2011		BID	OPENING TIME 01	1:30PM
LINE		YTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ū	WEST V	TRCTNT			TORS LICENSE DE 21-11-2 REQUI	DES THAT ALL	
	PERSON	S DESI	RING	TO PE	RFORM CONTRACTIN	G WORK IN THIS	
						INIA CONTRACTORS	
	LICENS				OWERED TO ISSUE	RS LICENSE MAY BE	:
				No. 1 Control Control Control	SEAL COLOR SOCK SEACHER CONTRACTOR AND	IVISION OF LABOR	
					ING 3, ROOM 319,	CHARLESTON, WV	
	25305.	TELE	PHONE	: (30	4) 558-7890.		
	WEST V	IRGINI	A STA	TE CO	DE 21-11-11 REQU	IRES ANY	
	The street of th		Carrier and Control of the Control o	ACCUSED 100 100 100 100 100 100 100 100 100 10	INCLUDE THE CONT	RACTORS	
	LICENS	E NUMB	ER ON	THEI	R BID.		
	BIDDER	то со	MPLET	E: ^			
	CONTRA	CTORS	NAME:	A.		Construction, LL	C
	CONTRA	CTORS	LICEN	SE NO	WV0485	42	
		F THEI	R CON	TRACT	H 및 전체 및 MES	TO FURNISH A R TO ISSUANCE OF	
				AP	PLICABLE LAW		
					E CODE, PURCHASI HE INFORMATION P	NG DIVISION RULES	S
					TION" ISSUED BY		
	PROCUR			OLE A	UTHORITY GOVERNI	NG THIS	
					ED IN SPECIFICAT	HICH CONTRADICTS	
						M THE SOURCES AS	
					VERSE SIDE FOR TERMS AND CO		
SIGNATURE	77		. /.	oee he	TELEPHONE	IDATE	9.6.11
TITLE 11 0	My		EIN	10 -		4-288-4500	9-19-11
V.P.	U V	5.00	e periodi	10-06	79111	ADDRESS CHANGES	S TO BE NOTED ABOVE



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for

RFQ NUMBER

RMA12006

PAGE

8

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 724-228-4500 ATLAS RAILROAD CONSTRUCTION CO 1253 SR 519 EIGHTY FOUR PA 15330

SHIP T WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD 120 WATER PLANT DRIVE MOOREFIELD, WV

26836

304-538-2305

DATE PRIN	TED	TER	MS OF SAI	LE ·	SHIF	, AIV		F.O.B.		FREIGHT TERMS
08/17/										
D OPENING DATE:		09/20/	2011	ra sana, ma		BID	OPENIN	IG TIME	01:	30PM
LINE	QUA	NTITY	UOP	NO.	ITEM N	UMBER		UNIT PRICE		AMOUNT
	EFFECT	Γ.			PARAGRA					
	FOR BACONTRA	NKRUPT	CY PR L AND	OTECT VOID	ENT THE ION, THE , AND TE	STATE M	AY DEE	M THE	<u> </u>	
	KLV.	7/2007								
				NO	TICE					
	A SIGN	NED BID	MUST	BE S	UBMITTED	TO:				
	F I	PURCHAS BUILDIN 2019 WA	ING D G 15 SHING	IVISI TON S	INISTRAT ON TREET, E 5305-013	AST				
	The state of the state of	outcome the control of the control of			THIS IN				OF	
	SEALEI	BID								
	BUYER				44					
	REQ. N	10.:			RM	A12006				
	BID OF	PENING	DATE:		0 9	/20/2011	•			
	BID OF	PENING	TIME:		1:	30 PM				
	PLEASE	PROVI	DE A	FAX N	UMBER IN	CASE IT	IS NE	CESSARY		
SNATURE	1		,	SEE RE	 VERSE SIDE FOR	TEI EDUONE			DATE /	
THE STATE OF THE S	Dys		usle IN E			724-	228-45	500	DATE C	7-19-11



VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Pay 50100 Post Office Box 50130 Charleston, WV 25305-0130

RFQ NUMBER RMA12006

9

ADDRESS CORRESPONDENCE TO ATTENTION OF:

FRANK WHITTAKER 304-558-2316

*709014935 1253 SR 519

724-228-4500 ATLAS RAILROAD CONSTRUCTION CO

EIGHTY FOUR PA 15330

WV STATE RAIL AUTHORITY (DBA) SOUTH BRANCH VALLEY RAILROAD T 120 WATER PLANT DRIVE MOOREFIELD, WV 26836 304-538-2305

DATEPHIN	IEU	IEF	IMS OF SA	LE.	SHIP V	Α	F.O.B.		FREIGHT TERMS
08/17/	2011								
BID OPENING DATE		09/20/	2011			RID	OPENING TIM	F 01	:30PM
LINE		NTITY	UOP	CAT. NO.	ITEM NUM		UNIT PRICE		AMOUNT
	TO CON	TACT Y	0U RE	GARDI	NG YOUR B		3	-	
ut egen	PLEASE CONCER	PRINT NING T SCOT	OR THIS C	YPE N UOTE: SKY	AME OF PE	rson to 4 <u>Sus</u>	CONTACT KO		
	****	THIS	IS T	HE EN	D OF RFQ	RMA12	2006 *****	TOTAL:	\$ 757,991.00
				SEE RE	VERSE SIDE FOR TE	ERMS AND CO	NDITIONS		
SIGNATURE	M	0	/			TELEPHONE	1000 100	DATE	0.10
TITLE V.P	My	Sers	EIN	211-11	629111	124	1-278-4500 ADDRESS	CHANGES	9-19-11 TO BE NOTED ABOVE
1 1/	IEN DECD	CNEINIO	TO DEC	00.0	W0 / / /	1000000	IN CDACE ADOM	- 1 45-1-	D 11 (ELID OD)

The West Virginia Purchasing Division for the agency, The West Virginia State Rail Authority is soliciting bids for crosstie replacement, surfacing, regulating, welding of rail joints, culvert installation, installation of a siding and replacing rail. All work is located on the West Virginia Central Railroad (WVCR).

DESCRIPTION OF WORK

5,500 TIES: MP 0 to MP 22 – 4,000 and MP 28.0 to 38.5 1,500 ties (75% of the 5,500 ties are in curves)

328 Switch ties: See attachment A for sizes and location

1. Tie Replacement

- a. Ties will be handled carefully to avoid damage in accordance with AREMA specifications.
- b. The contractor will replace only those ties marked for replacement by WVCR.
- c. The contractor will remove and properly dispose of old ties. Ties must be stacked clear of tracks and must not be stacked on property other than WVCR right-of-way.
- d. New and old ties can be stored at Belington, Elkins, Bowden and Cheat Bridge until removed.

2. Spiking of Ties

- a. New ties will be spiked to a gage of 56 ½ inches, plus or minus ¼ inch. Additional ties will be plugged and respiked to correct gage to ensure there is no abrupt change in gage where ties are replaced.
- b. All ties replaced or respiked will have new spikes. Old spikes will not be reused. Spikes shall be started and driven vertically and square with the rail. They shall have full bearing against the side of the rail base. Spikes shall not be overdriven. Ties on tangents will get four spikes per tie. Ties on curves will get six spikes per tie. The correct spiking pattern will be used on all new ties and any adjacent ties that are respiked to correct gage.

3. Rail Anchors

 All rail anchors will be reapplied in their existing location and properly fitted against ties.

4. Tamping

a. Tie gang will tamp all newly inserted ties as they are placed in the track and ballast will be replaced at ends of ties. Ballast regulator will be used to regulate ballast and reshape shoulders. Track needs to be restored to proper surface with a minimum of two insertions for each tie.

SURFACING & BALLAST REGULATION:

22 miles of track will be surfaced between MP 0-MP 22. In addition to the 22 miles of continuous tamping there will be 2 miles of spot tamping between MP 22 and 38.5. This will be mostly in curves. The West Virginia Central Railroad will be responsible for proper ballast at these locations. The contractor will have to regulate and surface this area. There are 13 turnouts in the 22 mile section and no turnouts through the spot tamping section. Surfacing will be completed as follows:

- Final Surfacing, Alinement and Ballast Regulating
 - a. Contractor will use a Jackson 6700, Mark IV or equivalent tamper to give the track within the designated area a "skin lift" and establish best fit for curves including appropriate spirals. Surfacing will taper into bridges and grade crossings.
 - b. Track needs to be restored to proper surface with a minimum of two insertions for each tie.
 - c. WVCR will provide information on superelevation of curves.
 - d. When surfacing a turnout, tamping will continue for a distance of at least 100 feet onto the side track to ensure uniform surface through the turnout.
 - e. A ballast regulator will follow the tamper to regulate ballast and reshape shoulders. Contractor will place any additional ballast where it may be needed after surfacing. All curves with welded rail will have a ballast shoulder of at least 12 inches on the outside of the curve.
 - f. The contractor is responsible for repair of any damage done to grade crossing signal systems. Repairs must be done that same day.

WELD RAIL JOINTS:

There are 67 rail joints between MP 0 - 28. All joints marked for welding will only be on 4 bolt joints. These joints are to be thermite welded per manufacturer's instructions. Contractor should follow AREMA section 2.5 for thermite welding of rail joints. See attachment B for rail size and location. The quality of all welds shall be checked by the contractor using magnetic particle or ultrasound inspection in accordance with AREMA Specifications for Fabrication of Continuous Welded Rail. Test results are to be provided to the WV State Rail Authority.

RAIL DEFECT - MP 4.3 AND MP 6.7

There are two rail defects at MP 4.3 and MP 6.7. MP 4.3 is a bad weld. The contractor will need to cut out the bad secion and weld a piece back into place. At MP 6.7 a full stick of rail will need replaced and welded. The defect at MP 6.7 is in tangent track. Contractor will be responsible to cut out the defect and plug with needed length for welding. 131# rail remaining from MP 8.8 project will be used to replace the defective

section. Replaced rail will be thermite welded. (4 additional 131# weld kits for this project)

MP 8.8 – 8.9 – REPLACE PANEL TRACK

There are 15 panels of 131# rail that is 585' in length at this location. Contractor is to replace the riverside rail with the existing 470' of ribbon rail that is on site at this location. The 470' is actually two pieces equaling 470'. Contractor will use three sticks of the 131# rail that was removed to cut and thermite weld onto the 470' of ribbon rail to have a total of 585' of welded rail on the riverside of the track. (6- additional 131# weld kits for this project)

DITCHING at MP 25.7

Contractor will ditch from road crossing tapering down 300 feet from crossing to provide a drainage ditch.

CONDUCT OF WORK

Train Traffic: Freight trains run from MP 0 to 29 during late winter and spring, freight trains typically operate five days a week. During this time the contractor will be give a 10 hour window to work everyday. Excursion trains run weekends thru Memorial Day, and Thursday, Friday, Saturday and Sunday during June. Additional excursions may be scheduled during weekdays or weekends on an as needed basis. Updated schedules will be provided to the contractor by DGVR. The track must be made safe for train traffic on those days. Contractor will need to coordinate work with the Durbin & Greenbrier Valley Railroad, the operator of the WVCR. Contact for track access is Mark Smith, 304-642-3050 or wevtrack@yahoo.com.

Contractor will be responsible to provide a radio or radios capable of communicating with the DGVR. The radio must be a minimum of 40 watts. The contractor can get a radio from Hammicks Radios, 304-636-6210 and have it programmed with the same frequency as the DGVR. Each work crew must be equipped with a radio stationed to road channel 160.455. Cell service is limited so a radio is required for all crews.

All work will be subject to inspection by the SRA and WVCR.

The contractor will comply with all safety rules and regulations as required by the Federal Railroad Administration, WVCR and other parties as applicable.

The successful bidder will be required to have <u>ALL</u> employees that will be working on this project attend a ½ day class on track safety and track access. This class will be given

one time for all employees that will be working on this project. This class will be given prior to the start of the contract. Any employee not in attendance will not be permitted to work on this project. Also a mandatory preconstruction meeting will be held with all employees working on the project, the WVCR operator and their employees and a representative from the SRA. This meeting will assure that everyone understands the entire scope of work as outlined in the awarded purchase order. Also, it will be mandatory that a weekly status report be submitted to the SRA. This report will be signed by the contractor and railroad representative and will list the work completed for the week. A final inspection of all completed work will be conducted by the contractor, the DGVR and an SRA representative to assure all work is completed as stated in the specifications. Final payment will be withheld until this inspection is complete.

Contractor will use Heavy and Highway Construction Rates as established for Barbour, Randolph and Pocahontas Counties. These rates are pursuant to WV Code 21-5A, et. Seq. and are available at www.wvsos.com/adlaw/wagerates. Contractor will be responsible for submitting certified payrolls to the SRA.

There are sidings at Belington, Elkins, Bowden, Bemis and Cheat Bridge that can be used to tie-up equipment. These locations can also be used to stack old ties until removal.

Contractor will be responsible for clean-up of the work site. All debris and refuse will be removed from WVCR property and disposed of properly. This includes old crossties, switch ties and spikes removed during this project. All materials are to be disposed of offsite.

MATERIALS

Contractor will be responsible for all materials meeting the specs below:

WELD KITS

- 15 132# thermite weld kits
- 25–131 # thermite weld kits includes the 4.3, 6.7 and 8.8 projects
- 5 115 # thermite weld kits
- 26 112# thermite weld kits
- 4 Comp 112-131 thermite weld kits
- 2 Comp 115-132 thermite weld kits

Contractor is to follow the detailed manufacturer's instructions for the specific thermite process being used without deviation.

TIES

5,500 - Ties will be new 7" x 9" x 8'6" industrial grade ties. Specifications in AREMA Chapter 3 will govern. Ties will be mixed hardwoods and oak, 100% end plated and creosote treated to 7# retention or refusal. Contractor will provide treated tie plugs. Contractor will be responsible for all ties. Tie plates will be provided by the State Rail Authority where existing ties plates are defective or missing.

SWITCH TIES:

Switch Ties must meet AREMA specifications. 100% end plated and creosote pressure treated to 7# retention or refusal. Number and sizes below.

66– 7" x 9" x 9'	32 – 7" x 9" x 14'
56 - 7" x 9" x 10'	33 – 7" x 9" x 15'
38 - 7" x 9" x 11'	24 – 7" x 9" x 16'
44 – 7" x 9" x 12	1 – 7" x 9" x 17'
34 – 7" x 9" x 13'	, , , , , , , , , , , , , , , , , , , ,

TIE PLATES

SRA Will provide tie plates where existing tie plates are defective or missing.

SPIKES

Spikes will be new and conform to AREMA specifications.

BIDDING REQUIREMENTS

The contractor MUST have previous experience in crosstie replacement, joint welding with thermite welds and track surfacing and regulating. References may be required to prove past experience.

There will not be a pre-bid for this project. Contractors can submit technical questions in writing to Frank Whittaker in the Purchasing Division via email at Frank.m.whittaker@wv.gov or via fax at 304-558-2316. All technical questions will be addressed by addendum.

For bidding purposes, contractor is to give a unit cost for each item listed on cost sheet. Low bid will be determined by the lowest total amount for all unit costs multiplied by the quantities as listed on attached cost sheet:

	RMA	Cost Sheet			1.5
Line	Description	Unit	Unit	Quantity	Extended
Item		Cost	of Measure		Cost
	Tie Replacement				
	(including gaging of inserted tie)				
1	Ties	\$ 93.00	per tie	5,500	\$511,500.00
2	Switch Ties:				
	9 foot	\$ 148.00	per tie	66	\$ 9,768.00
	10 foot	\$ 165.00	per tie	56	\$ 9,240.00
	11 foot	\$ 135.00	per tie	38	\$5,130.0
	12 foot	\$ 207.06	per tie	44	\$9,108.0
	13 foot	\$ 257.00	per tie	34	\$ 8,738.0
	14 foot	\$ 269.00	per tie	32	\$ 8,608.00
	15 foot	\$ 274.00	per tie	33	\$ 9,042.0
	16 foot	\$ 332.00	per tie	24	\$ 7,968.00
	17 foot	\$ 1,700.00	per tie	1	\$ 1,700.00
		,			
	Additional Surfacing/Ballast Regulation				
3	Additional Surfacing - Continuous MP 0-22	\$.95	per track foot	116,160	\$ 110, 352.00
				(22 miles)	,
4	Additional Surfacing - Spot (Mainly Curves)	\$ 1.20	per track foot	10,560	\$12,672.00
	1			(2 miles)	
	Replace Defective Rail				
5	Replace Rail at MP 4.3 - Include welds	\$ 2,800.00	per rail	1	\$ 2,800.00
6	Replace Rail at MP 6.7 - Include welds	\$ 2,860.00	per rail	1	\$ 2, 800. 60
	Panel Track Replacement - 8.8-8.9				
7	Replace one complete side of Rail as	\$ 13,000.00	each	1	\$ 13 000.00
	described in RFQ - Including welds	75,			,
	Ditching - MP 25.7				
8	Drainage Ditch at JF Allen Crossing	\$ 8.00	per foot	300	\$2,400.00
	Rail Joint Welding				
-	Thermite Joint Welds	\$ 495.00	Per Weld	67	\$ 33,165.0
		7/0.00			
				Total Bid:	c new nat


a .	RM	A Cost Shee	t		1_6_
Line	Description	Unit	Unit	Quantity	Extended
Item		Cost	of Measure		Cost

Notes:

- 1.) The above quantities are the agency's best estimate for the amount of work to be completed.

 Any variation in the actual quantities will be determine based on the unit price shown above for the given work.
- 2.) Vendors should complete this form in its entirety in lieu of submitting other quote forms. Submitted form should be provided in a legible form. (Typewritten form preferred.)
- 3.) Vendors must submit unit prices for all line items. Failure to provide unit prices will result in the disqualification of the vendor's bid.


SWITCH NAME	M.P.	9,	10,	11'	12'	13'	14'	15'	16'	17'
	11.4	3		3		1	1	2	2	
	11.45		9	1	4		5	1	1	
	11.55		4	1	9	3		က		
	11.7	2						ı		
	11.65	1	7		2		2			
	21.6	3	1	1	4	3	1	3	3	
	28.1	6	9	5	3	1			3	
	28.3	6	3	9	3	4	7	4	5	
	28.4		2	5	3		2	4		
	28.5	10	5	9	5	4	5	7	2	
	28.6	13	9	2	9	9	1	3	2	
	32.8	9	4	4	4	2	2	4		
	33		8		1	3	4			
	38	4	4	1		2			1	
	38.3	9	5	3	3	5	2	1	5	
		99	26	38	44	34	32	33	24	П
	r.									



	12.666			,	50.741		1 1 20 12	ori T		51.	HARA7 IT	MITT	RI 0)
1	3-00 F; 2-00 F; 1-00 F]			. 55	1317.2	15.1.		l H	1						15
EAS	וא סכיס א ססיל בש ססים		.,		1377.0	}.	93 -	115RE86WR							1
п	4-30 A.		8 .	l			ľ	RE 8							
£ 41	330 B] 342 FJ		_			65 D.		1 2		÷					
D (4-	14 DC 4 14 DC 4 16 DC	. но	252 et =	ר רארשבד שמא			1	1	7						li I
ň	17055					1	11	10kt x 7 4kg	10						
ò	בים רו שמחרו שמחרו				1438 4	0, 4, 1		1 5	STONE			∦ .			# {
5	200 B			,	וופטיט	0.0	11	=	18	i.					
- - - -	1.00 ri 1.00 ri 2.00 ri	X8 CKXC	65a 237	13423R1	1480.0		-	 				 		<u> </u>	\mathbb{H}
	030 A1 600 A1														
NEVISEU	5-00 A.					201.					a				
Į	18 DE 9 18 DE 9 18 DE 1				1433 8	}									
	200 R)				3	17-		NA.							
בי נ	18 00-7 1900 F] 400 F]				1211.5			SHERRING							$\ \Box \ $
	LA DES				73	D.		=							
	300 KI 1000 FI 1-00 FI				7.5 - 08-410-0014-00407	1						.			
-	1000 R. 1000 R. 130 R.		-		1527. 0			1 1	-	1		∦ .			$\ \ \ $
: 10-	130 E		<u></u> -			σ-	H	-	+	N.			-	-	-
	1700+ 2304 1700-				1241" 4										
ָ ט מ	2.7 n u '				10	1.									
j	18 009 18 009 19 009 17 000				1282.6										
· ω_	17006				981)-	241	2 -							
9	12 008 12 008 12 008		*			1	S. S	1							
070 #611	Tados				. 697	8 7691	1								
2	14 DES 17 DOS 17 DOS					ישרגניני									
1	18 DE-7				24 0	8 7091									
~	4.00 R)				10.1	 									-
	900 ki 900 ki 900 ki			1		ายารา			.						
	9-00 F				E8 A .				STONE						
5	תפתרו				017-	1646.T		3	is I						
5 m-	17.008 200.81 200.71 200.71				_06 v·			12RE 76WR				ļ			
P- 8	1000 K				10.00	0 6991 0 6991		128							
	[8 DED1			i.	S+70-	0 033.		-							1
1	ן ממרן				}	1677. 4				2					
	İ	COMC 3X	800 848 ->	≝พาย รเคอา	10.1.	2 7691				20					
o	17000				.0.23	C 7931									
	1000 1000 1000 100				}.	1 692 4									
	A DESI				91.0-										
	1,000:				13.0.	- # 7. 8 i									
0-	17.006				- 62 D	1881 1895 1995 1995 1995 1995 1995 1995		-5						<u> </u>	
	18 DOS 18 DOS				57.5.	1691.0		95ASCE06							ļ
• >	18 DOD1							VSC							ļ
2	IN DEC			B.	· 0 +3	Silver				•					
	14 00-5 20-5 20-5			¥		7 5691	1	1	1						
" —						7.55		าไล	१ नक्षा	E2 ?	וו נו	45 36	UE 83	12 236	110.1

						3	א אתר	Ы			EZDMARAZJ	ווונאר כ	כצ 🚇		
	יו מסיל וו	Ť		HELL CO.		1699. Z	1,	20 3	4	m 1	1	jı İ			2
BATE EX 9	ין אספריי		0	SANKER HILL CR	Z 52 10 ·		24	2	+	TONE	1	il			
	וא אסטא	₩8·1 ∑	122 eta			L	တ်		BEASCEOSJT	ŗ.		"			
	A DES Z	r)			Z 57 A .	0,4071			SCE	ŧ					11
1	וגמנול	TZ235SE8	HOSE	31AV189	1 	[]	1		SA	ſ	1	1			1
N	1			<u> </u>	B ~! 2.	8 2071	-6-	-	-1°-			11	1	1)	
<u>v</u>	<u> </u>	i de la companya de la companya de la companya de la companya de la companya de la companya de la companya de			10.12	1706.9	1			-	ľ	1	{		
	בשם או				21.0					- 1					
	13.03 R	;			0.30 0.0	1,087 1,786 1,710,5							1.	∥	
	10-00	1	Ø		St 70 ·	1710.5	*		1	1					
	1 DOG		:26	<u>D</u> 5		1712.6			1			-		ļ	
<u>n</u>	7.04.71	71595E8	3NON	W PRIVATE	. G 34 ⋅ G 50	1									
•	3 BOST	1735,28	SHORT	TH	03 0.	8 3171			1			N.			11
	17215			0~	90 32	1			1	1		W	1		
	131-4	•		h 5		1.2171				-		II	1		
				Σ	מוז מ	2 0.2.				1	1	1		1	
4	17 BO→			F	n 81 D	2.2171	1—	-	-			-11	#-	11	#-1
4-				DARISMODR		\$ 8121	1 1					11	1		11
	17.85€			ă	11 0			1			1	H			
	1				יוד סק	8 77/1	1				}.	11			
	300 B	Name of Street	*nani!	माश्चाउव ह	0.20.00	8 EZ/L 8 EZ/L						1		11	
	†	XZ39ZE8	390H	ا محتددین	0.00	7.55.7								1	
ID	-				010 P	£ 2771	H	1							
64	1	8325661A	BX	FIFTH STREET	•••	1724.9	11	1	1	1			11 :	11.	11
	ROCI	8133650	BA		0.24	27/1	11		3			1	1		
•	1.44 RT	:			80 TO	0.9271 2.9271			1 132RE84WR	1	1		1	1	
i			•	SAGE 5.7	20 D 02 D 06 D	7.857			SAE			- 11	1	11	1
	18 254 17 059 18 57 8			40	0 53 0 53 0 53		:Ш	- 23	- = -		—}—		-		#-
\$ -	18 00001				CS 27	2.757.1 2.757.1 2.757.1 2.857.1	1	1	5		2		1	1	1
326	10-00 F	90	THE 1547	EEAVER CR	80 D	1739 4	11		Ę	- 1	1	1	1	1	1
	1	-			01 10	950			1			l)			1
	300 B			l	100	. 0 6221	11			9					11
ز	S-IQ B			1	0.5555 - 25		. =			띺			-		11
	1				<u>—</u> ღ უ	E 2507	1 :	+		STONE		_ -	1	1	┧ .
4-1	126.5				C 23	3.77	5		1	Ů.				1	1
×-	12 17 17 17 17 17			1	29 D 29 D 11 D	9 25/7 7 45 9 9 25/7				1		1			11
subut v					62.0	9 27	1 1							1	1
ž	A DZE			l	100	b TG/	1		•		i	Ш		1	- 11
	1				0 44 0 34) <u> </u>	1 [<u> </u>	
5 ti	- 발전함			1	- 32 0	1,367	HT	T					I		
5	12000 12000			1	92 0 05 0 05 0	1	Į l						1		
BELINGIUN 18	17202			1	160	9 89/ 1027 / 1027 /					1	1	1		
1	1			1	87.0	F.71						II		1	li
n n	14 2C-01 14 2 1-01 17 2 1-1			1	O 13	立部	I		1			11			
	וופרן				— 07.0 ·			-	-		1	- 11			11
<u></u>	- 17 E3		(*)		21.1.	0 1014Z	11	1			1			11	{{
	17.51.5				P. D.	6 708 6 707 7 7 7 7 7 7 7 7 7 8 7 7 7 8 7 7 8	出丨			1		\parallel		1	11
	3-20-6			1	• 0 ės	P.708	11						ll.	11	11
	233 R				23 0.	 	,			i	ĺ	ll.	}		11
	la port	V.			11 0.	12.5 12.5	31	1	1	1	į	11	li.)1 1]!
0	Ť					23 D .	1		+	<u> </u>	- 		1	11	li
20	SOUTH			P RUN	ا ي	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					1		₩.		[]
	•			Ω. E.	Z 4	0.0. 1.01	รีไ				1	1	11	1	
>	17 926			£	B.0								ĮĮ.		li
D1V.	1.			SWAMP	HARDING (20. 4)	17 0 0 12 0 0 1 0 0 1 1 0 0 1 1 1				ļ	1		li		
BA [1			ζς ·		00.1		Į	Į	Į,	į		li	_!!	li
						شتسسيسلية			JIA	£:13	\$31	7.10:	3505	531.	E3-1(

GEL.1. BA



N LIEWSPACE HATE	2 101113
	%
maria m	22%
177 - 27 DEG WILES 80 - 1 - 318 CO 5 3022	
SILZES BX JFIAVIRG TO TO C. O. T. JOSS TO TO TO TO TO TO TO TO TO TO TO TO TO	
Y X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	1 11 11
F SHEET	li il li l
S W 1578 90 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1	
1 W 1 BILLY BY - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
211-c11004 211-c11006 211-c11006 390-(11012)	1) 11 11 1
I W I STATE DISCRETE AND A STATE OF THE STAT	
901	
200 3 100 5 100 5 N	11 11 11 1
1/2 - C 8 5×4	-11 11 11 1
10 2512 N	
1> £11/£4 , W11 M	
HY1 (2008 80	
50.000	
₹ (Ω.+7.1.2.1) 266 S20, 147.2.2.1066	
13-30 [7]	
1530 45.	
\$ 2/1 Ziu Si 4	
izis sta	
16 9 20 27 mg	
S. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Si il il il il il il il il il il il il il	
₩ 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1	
ELICION RICHO PRI TO LO	
2300 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
0 m 2/1.11 pat	
σ 21 · 1 που Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ Σ	
CO 121/208 3/04 314/184 F	
(0)	
1 2 1 1 1 1 1 1 1 1	
857 -0 SZZZ -0	
00 Z4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
SILZZC8 8x — CB 6007 SH3HSI 68 TO 1 2 2 2 2 2 2	
I I I I I I I I I I I I I I I I I I I	
2504 6 200	
2/1-5-7-5+4 17/917 107.7: 107.	<u> </u>
TO 1.1 STA RECTOR TO BELLE STATE OF THE STAT	
HAD 3.1815 APOTERS J. 821. 378 C. 8615 85.1.	
E ITIME	
27-51 0001 01 61 89 - EE SI	
830 8 3 0 4 1	
9.5002	
7 1 2 1 000 30000 300000 300000 300000 300000 3000000	
2000, 0 CR 97 COM	
\$ 6'1'951 25.1' \- 1	
11 - 201 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
a tu coult	
00 9 86	
20 5. 85	
> 150/5268 Ji - 3VA SIVAO X 4 DVI, 7191 11.5. 1 2 V	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
029 S13 X00 T 3 100 10 10 10 10 10 10 10 10 10 10 10 10	YGA, BA
O	ii <u>ji i</u>
00 00 00 HOTOHIES 8501 11.0. 1 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	16: 3806 831. 85-11
	c -

. . . .

4 ZIZM		P.188%. 9	T	
BAD BIS INS.	,			23
Saltr. KES		1.12		
1,40c1	ι o	= \	2 R H	
\$ 1.44.5 FR 00-8	·	(i)	_ 	
2007 E 1007	XIZTZZS EX - SZZ-1 JIR CO.	4 (1,3035) }		
#NE-1,800+	FIN HAWK CR CR 183 CG			
באסרופיתני ה		10 7 ·	Ť	
בשמריבי האים		ZC-11-1-12-1-12-1-12-1-12-1-12-1-12-12-12-		
O 4 'S'4.5' A O		7.352		
្ត 2 វិក្សាស ស ខ.មពន៖		E.1.	1 1 1.	
۸ × ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲		5 49Q. 6		
1 1000		77.0.1		
4 1 - 1 - 1 DOE				
		01.1.0		
128 BEZ		7435 0		
		2970+		
. 4 + 10001 -		11 0 <u>C 02/2</u>		
	00 421 • 88 - 154 00 00 00 00 00 00 00 00 00 00 00 00 00	P. 1.54 P. 2417.2		
นี้ เวาระช		5400.9		
Y A.	MA38 611 68 - MA3KIT2	\$391.3	EPORT	
W 1			(x x	
619		0000 80.	. STC	
<u>*</u>	1)	0.0 E. 23.02	=	
III WALLET	H38 EE138 EE34	-2- 60 0.		
אבתרוז. הספרוז. - מפרוז.		2346.2		
> 4 "1"		16 11 1 SEE2		
3-00 8:15	w.i	ZS 20		
SUBD 1030 all		3 112 S		
		34 M: 00		
3 1.5 1.000 3.4 5.1.000 3.4 5.1.000 3.4 5.1.000		34		
334 1 2 V2	•	80.11		
ना अधार		1 8 7877		
200 rīs 1/s.	STREAM TO 121 PIPE	10.0.		
230 1.1° A	•	2581,3 1.37		
€12 515 200 5†1.				
.7 4 574	,	2240 0 21 2240 0 21		
1 7050		10.76		
0 - 22 - 21 CO				
I Source	!!!!!!! !! !!!!!!!!!!!!!!!!!!!!!!!!!!	000 000 000 000 000 000 000 000 000 00	l sa	
> E 8084	IJ.	88 01.1. J. 2. 2055	CINDERS	
630 8: 2: 3. 11.	N7/76E 8X -21/57 80		0	
TO M TR TILDES	#5775CE BX -51/21 83	12206, 2	1140 3832 2357 † † † †	11 11 11 11 11 11 11 11 11 11 11 11 11
		51,502°	YAJ1214	M#F00#5
7F ∃ 0M.		5.5555		

JOINTED RAIL - 16 ANCHORS PER 39 FOOT RAIL, BOX.ANCHOR B TIES. RAIL ANCHOR PATTERNS

SPIKING PATTERN. " A"

SPIKING PATTERN "B".

0	D O	
0	_H_	
J.	<u>г н</u>	

SPIKING PATTERN "C"

0 0	п	_0_

SPIKING PATTERN "D"

H H D	_8_	머
	74	

INDICEDIAL WALL SHEED BEING PRODUCED OF STREET	SPIKES	
TOOCK TYPE. THACK ALIGNHENT.	PCR TIE	ON IN INC.
AND SPEED AUTHORIZED	PLATE	PATTERN.
אין או או אום אין אום אים אין אין אין אין אין אין אין אין אין אין		
TANGENTS AND CURVES LESS THAN 2 DEGREE	~	<
XITH SPEED UP TO 45 HPH	,	
TANGENTS AND CUIVES LESS 111AN 2 DEGREE	n	В
YITH SPEED GIEATEN THON AS HPH	1	
CUITVES 2 DEGNEE AND OVER BUT LESS THAN G DEGREE	4	u
CUNYES OVER G DEGNEE .	vi	۵
SIDE TRACKS - SPEEDS UP TO 25 NPH		
TANGEHIS AND CUIIVES LESS THAN G DEGIEE	2	ح
כחואפצ פ מפמעפב אאם סעפת טטל נפגא דוואא זצ מפמתב	<u>ر</u>	0
CUNVES OVER 12 UEGNEE	*	υ
SIDE TRACKS - SPEEDS GREATER THAN 25 HPH		
TANGENTS AND CUITVES LESS THAN 2 DEGICE -	~	۲
CUNYES Z DEGREE AND OVER DUT LESS THAN 4 DEGREE	C	п.
	4	υ

. TRACK SPIKE

...

MAIN TRACK - A THACK, DIMEN THAN AN AUXILIANTY
TRACK, EXTENDING THAGUGH YANGS AND DETWEEN
STATIONS, UPON WHICH TRAINS ARE OPERAISED IN
COMFORMANCE YITH RULES OR SPECIAL INSTRUCTIONS.

SIBING - AN AUXILIANY TRACK DESIGNATED IN SPECIAL INSTRUCTIONS FOR THE MEETING OR PASSING OF TRAINS.

SIDE THACK - AN AUXILIARY THACK FOR PURPOSES OTHER THAN NEETING ON PASSING TRAINS.

MAIN TRACK SPIKING PATTERNS SIDE TRACK SPIKING PATTERNS

POWER OF ATTORNEY

Know All Men By These Presents:

That the Arch Insurance Company, a corporation organized and existing under the laws of the State of Missouri, having its principal office in Kansas City, Missouri (hereinafter referred to as the "Company") does hereby appoint

James D. Toennies, Kelly A. Caswell, Erika L. Toennies and Gemma B. Fendler of Norristown, PA (EACH)

its true and lawful Attorney(s)-in-Fact, to make, execute, seal, and deliver from the date of issuance of this power for and on its behalf as surety, and as its act and deed:

Any and all bonds and undertakings

EXCEPTION: NO AUTHORITY is granted to make, execute, seal and deliver bonds or undertakings that guarantee the payment or collection of any promissory note, check, draft or letter of credit.

This authority does not permit the same obligation to be split into two or more bonds in order to bring each such bond within the dollar limit of authority as set forth herein.

The Company may revoke this appointment at any time.

The execution of such bonds and undertakings in pursuance of these presents shall be as binding upon the sald Company as fully and amply to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office in Kansas City, Missouri.

This Power of Attorney is executed by authority of resolutions adopted by unanimous consent of the Board of Directors of the Company on March 3, 2003, true and accurate copies of which are hereinafter set forth and are hereby certified to by the undersigned Secretary as being in full force and effect:

"VOTED, That the Chairman of the Board, the President, or any Vice President, or their appointees designated in writing and filed with the Secretary, or the Secretary shall have the power and authority to appoint agents and attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings, obligatory in the nature thereof, and any such officers of the Company may appoint agents for acceptance of process."

This Power of Attorney is signed, sealed and certified by facsimile under and by authority of the following resolution adopted by the unanimous consent of the Board of Directors of the Company on March 3, 2003:

VOTED, That the signature of the Chairman of the Board, the President, or any Vice President, or their appointees designated in writing and filed with the Secretary, and the signature of the Secretary, the seal of the Company, and certifications by the Secretary, may be affixed by facsimile on any power of attorney or bond executed pursuant to the resolution adopted by the Board of Directors on March 3, 2003, and any such power so executed, sealed and certified with respect to any bond or undertaking to which it is attached, shall continue to be valid and binding upon the Company.

In Testimony Whereof, the Company has caused this instrument to be signed and its corporate seal to be affixed by their authorized officers, this 6th day of November 20 09. Arch Insurance Company Attested and Certified nsuranco CORPORATE 1971 Missauri h, Secretary STATE OF PENNSYLVANIA SS COUNTY OF PHILADELPHIA SS I, Brian C. Kuhn, a Notary Public, do hereby certify that Martin J. Nilsen and J. Michael Pete personally known to me to be the same persons whose names are respectively as Secretary and Vice President of the Arch Insurance Company, a Corporation organized and existing under the laws of the State of Missouri, subscribed to the foregoing instrument, appeared before me this day in person and severally acknowledged that they being thereunto duly authorized signed, sealed with the corporate seal and delivered the said instrument as the free and voluntary act of said corporation and as their own free and voluntary acts for the uses and purposes therein set forth. COMMONWEALTH OF PENNSYLVANIA NOTARIAL SEAL Brian C. Kuhn, Notary Public Brian C. Kuhn, Notary Public My commission expires 12-06-2011 City of Philadelphia, Philadelphia County CERTIFICATION My commission expires December 06, 2011 I, Martin J. Nilsen, Secretary of the Arch Insurance Company, do hereby certify that the attached Power of Attorney dated November 6, 2009 on behalf of the person(s) as listed above is a true and correct copy and that the same has been in full force and effect since the date thereof and is in full force and effect on the date of this certificate; and I do further certify that the said J. Michael Pete, who executed the Power of Attorney as Vice President, was on the date of execution of the attached Power of Attorney the duly elected Vice President of the Arch Insurance Company. IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the Arch Insurance Company on this 20th day of September , 20 11 Martin J. Nilsen, Secretary This Power of Attorney limits the acts of those named therein to the bonds and undertakings specifically named therein and they have no authority to bind the Company except in the manner and to the extent herein stated. PLEASE SEND ALL CLAIM INQUIRIES RELATING TO THIS BOND TO THE FOLLOWING ADDRESS: **Arch Surety** 3 Parkway, Ste. 1500 Philadelphia, PA 19102

00ML0013 00 03 03

Printed in U.S.A.

uranco

BID BOND

KNOW ALL MEN BY THESE P	'RESENTS, That we, the undersigned	i, Atlas Railroad Construction, LLC
of 1253 State Route 519	, Eighty Four, PA 15330	, as Principal, and Arch Insurance Company
of 300 Plaza Three, Jer	sey City, NJ 07311-1107, a corporation	organized and existing under the laws of the State of
Missouri with its principal office	e in the City of Kansas City	, as Surety, are held and firmly bound unto the State
of West Virginia, as Obligee, in the pena	I sum of Five Percent (5%) of the Tot	tal (\$5% of the Total Amount) for the payment of which,
well and truly to be made, we jointly and	Amount of the Bid severally bind ourselves, our heirs, a	of the Bid dministrators, executors, successors and assigns.
The Condition of the above obli	igation is such that whereas the Princi	ipal has submitted to the Purchasing Section of the
Department of Administration a certain b	id or proposal, attached hereto and m	nade a part hereof, to enter into a contract in writing for
Crosstie Replacement, Surfacing, Regul	lating, Welding of Rail Joints, Colver	t Installation, Installation of a Siding and Replacing Rail
on the West Virginia Central Railroad (WVCR)	
11		

NOW THEREFORE,		
(a) If said bid shall be rejected	l. or	
(b) If said bid shall be accepte	d and the Principal shall enter into a	contract in accordance with the bid or proposal attached
		proposal, and shall in all other respects perform the null and void, otherwise this obligation shall remain in full
		Surety for any and all claims hereunder shall, in no event,
exceed the penal amount of this obligation		
		t the obligations of said Surety and its bond shall be in no e may accept such bid, and said Surety does hereby
waive notice of any such extension.	or the time that it is conger	o may accopt out man, and can can by accommon
	A 350	eir hands and seals, and such of them as are corporations
	3	to be signed by their proper officers, this
20th day of September	, 20 <u>11</u> .	
Principal Corporate Seal		Atlas Railroad Construction, LLC
		(Name of Principal)
		By Syx Susto
		(Must be President or Vice President)
		Gregory Susko Vice President
		treguly Jusko Vice Tresident
		(Title)
Surety Corporate Seal		Arch Insurance Company
		(Name of Surety)
		(John de 15 do sollo)
		Gemma B. Fendler Attorney-in-Fact
		Gennia D. Felidier

IMPORTANT – Surety executing bonds must be licensed in West Virginia to transact surety insurance. Raised corporate seals must be affixed, a power of attorney must be attached.

Arch Insurance Company

CONSENT OF SURETY

KNOW ALL MEN BY THESE PRESENTS,

That for and in consideration of the sum of One Dollar, lawful money of the United States, the receipt whereof is hereby acknowledged, paid the undersigned corporation, and for other valuable consideration, the **Arch Insurance Company**, a corporation organized and existing under the laws of the State of

MO and licensed to do business in the State of West Virginia consents and agrees,

that if the contract for the State Of West Virginia, Department Of Administration:

Crosstie Replacement, Surfacing, Regulating, Welding of Rail Joints, Colvert Installation, Installation of a Siding and Replacing Rail on the West Virginia Central Railroad (WVCR)

be awarded to ATLAS RAILROAD CONSTRUCTION, LLC the undersigned corporation agrees with the said

State Of West Virginia, Department Of Administration to execute the final bonds as required by the specifications, and to

become surety in the full amount of the contract price for the faithful performance of the contract.

IN WITNESS WHEREOF, the undersigned corporation has caused this agreement to be signed by its duly authorized representative and its corporate seal be hereto affixed this

20th day of September, 2011.

Arch Insurance Company

Gemma B. Fendler, ATTORNEY-IN-FACT



State of West Virginia DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT West Virginia Code §21-1D-5

STATE OF <u>Pennsylvania</u>
COUNTY OF Washington, TO-WIT:
I, <u>Gregory Susko</u> , after being first duly sworn, depose and state as follows:
1. I am an employee of Atlas Railroad Construction, LLC; and, (Company Name)
2. I do hereby attest that Was Rayroad Construction, LLC (Company Name)
maintains a valid written drug free workplace policy and that such policy is in compliance with West Virginia Code §21-1D-5.
The above statements are sworn to under the penalty of perjury. Atlas Railroad Construction, LLC (Company Name)
Title: <u>Gregory Susko, Vice Presi</u> dent
Date: 9-19-11
Taken, subscribed and sworn to before me this 19th day of September 2011
By Commission expires COMMONWEALTH OF PENNSYLVANIA Notarial Seal Notar
(Seal) North Strabane Twp., Washington County My Commission-Expires Feb. 25, 2014 Member, Pennsylvania Association of Notaries
(Notary Public)
THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

Rev March 2009

RFQ No. RMA 12006

STATE OF WEST VIRGINIA **Purchasing Division**

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING	
Vendor's Name:	las Kailroad Construction, LLC
Authorized Signature:	My Sistr Date:
State of Pennsylan	H. The state of th
County of WASHIA	(), to-wit:
Taken, subscribed, and sworn	to before me this 19th day of Systember 20/1.
My Commission expires	COMMONWEALTH OF PENNSYLVANIA Notarial Seal
AFFIX SEAL HERE	Karen J. Johnson, Notary Public North Strabane Twp., Washingtch Object PUBLIC My Commission Expires Feb. 25, 2014 Member, Pennsylvania Association of Notaries