

VENDOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130 Charleston, WV 25305-0130

Request for Guotation VET012175

VET012175

	PAGE	
		14

ADDRESS CORRESPONDENCE TO A TENTION OF

TARA LYLE 304-558-2544

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV 25301-1400

558-3661

ADDRESS CHANGES TO BE NOTED ABOVE

REQ COPY TYPE NAME/ADDRESS HERE

> 6777 MERRITTS CREEK ROAD **HUNTINGTON, WV 25702**

04/18/2012 BID OPENING TIME 01:30PM LINE QUANTITY UOP CAT. ITEM NUMBER UNIT PRICE AMOUNT LS 515-40-01-001 LAWN EQUIPMENT INCLUDING MOWERS & TRIM MERS	
LINE QUANTITY UOP CAT NO ITEM NUMBER UNIT PRICE AMOUNT UO 0 0 1 LS 515-40-01-001	
0001 LS 515-40-01-001	
1	
THE WEST VIRGINIA PURCHASING DIVISION FOR THE AGENCY, WV DIVISION OF VETERANS AFFAIRS, IS SOLICITING BIDS TO PROVIDE COMMERCIAL LAWN EQUIPMENT INCLUDING MOWERS AND TRIMMERS, FOR THE WV VETERANS CEMETERY LOCATED IN DUNBAR, WV, PER THE ATTACHED SPECIFICATIONS.	
INQUIRIES: WRITTEN QUESTIONS WILL BE ACCEPTED UNTIL CLOSE OF BUSINESS ON 05/08/2012. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO:	
TARA LYLE DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305 Z012 WAY 24 AMII: 18	}
FAX: 304-558-4115 EMAIL: TARA.L.LYLEDWV.GOV	
SEE REVERSE SIDE FOR TERMS AND CONDITIONS SIGNATURE CALL MILES STATE STATE SIGNATURE STATE STATE SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE 304 736 2/20 DATE 5/23/12	

MIDINIG TO BED INSERT NAME AND ADDRESS IN SPACE AROVE LARELED 'VENDOR'



MODOR

State of West Virginia
Department of Administration
Purchasing Division
2019 Washington Street East
Post Office Box 50130
Charleston, WV 25305-0130

Request for Quotation

RFQ.NUMBER
VET012175

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 304-558-2544

DIVI S ATTE

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST

CHARLESTON, WV 25301-1400

0 558-3661

RFQ COPY
TYPE NAME/ADDRESS HERE

BRIDGE ORD

6777 MERRITTS CREEK ROAD
HUNTINGTON, WV 25702

FREIGHT TERMS SHIP VIA F,O.B; TERMS OF SALE DATE PRINTED 04/18/2012 01:30PM BID OPENING TIME BID OPENING DATE 05/24/2012 CAT, UNIT.PRICE AMOUNT ITEM NUMBER UOP QUANTITY LINE CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE COMMODITIES AND/OR SERVICES SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM TO THE SPECIFICATIONS OF THE BID AND CONTRACT HEREIN. IN THE EVENT THE VENDOR/CONTRACTOR FILES BANKRUPTCY: FOR BANKRUPTICY PRIOTECTION, THE STATE MAY DEEM THE CONTRACT NULL AND VOID, AND TERMINATE SUCH CONTRACT WITHOUT FURTHER ORDER. THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT FAILURE TO PROVIDE LITERATURE AND SPECIFICATIONS. INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR INREGULARITIES IN BIDS OR SPECIFICATIONS OF THE WEST IN ACCORDANCE WITH SECTION 148-1-4(F) VIRGINIA LEGISLATIVE RULES AND REGULATIONS. ANY INDIVIDUAL SIGNING THIS BID IS CERTIFYING THAT: (1) HE OR SHE IS AUTHORIZED BY THE BIDDER TO EXECUTE THE BID OR ANY DOCUMENTS RELATED THERETO ON BEHALF OF THE BIDDER, (2) THAT HE OR SHE IS AUTHORIZED TO BIND THE BIDDER IN A CONTRACTUAL RELATIONSHIP, AND (3) THAT THE BIDDER HAS PROPERLY REGISTERED WITH ANY STATE AGENCIES THAT MAY REQUIRE REGISTRATION. VENDOR PREFERENCE CERTIFICATE THIS TEAM EXHIBIT HAS BEEN REPLACED BY THE ONLINE VERSION WHICH IS AVAILABLE HERE: SEE REVERSE SIDE FOR TERMS AND CONDITIONS TELEPHONE SIGNATURE ADDRESS CHANGES TO BE NOTED ABOVE TITLE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



HODDER

REQ COPY

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for REQNUMBER Quotation

VET012175

PAG	E		
	1	3	

ADDRESS CORRESPONDENCE TO ATTENTION OF TARA LYLE 304-558-2544

TYPE NAME/ADDRESS HERE 6777 MERRITTS CREEK ROAD HUNTINGTON, WV 25702

DIVISION OF VETERANS AFFAIRS ATTENTION: C. PRATHER SUITE 101 1321 PLAZA EAST CHARLESTON, WV 25301-1400 558-3661

DATE PRINT	ED	TER	MS OF SAL	É	SHIP VIA		F.O.B ₁	FREIGHT TERMS
04/18/					K = =	ODE	UTHO TTHE	1 . 7 0 D M
BID OPENING DATE:	Private Contract Cont	05/24/	A 144 - 14 - 15 - 15 - 15 - 15 - 15 - 15	[1243 A.S.]		OPE		11:30PM
LINE	QUA	YTITY	UOP	CAT. NO.	ITEM NUMBER		UNIT PRICE	AMOUNT
	HTTP:/	/WWW.S	TATE.	wv.us Ton	/ADMIN/PURCHASE/	VRC.	/VENPREF.PDF	
				NOT	I CE			
	A SIGN	ED BID	MUST	BE S	UBMITTED TO:			
	Р	DEPARTM PURCHAS BUILDIN	ING D		INISTRATION ON			
					TREET, EAST 5305-0130			
							TUE 5105 01	_
	THE BI	D SHOU IVELOPE	LD CO OR T	NTAIN HE BI	THIS INFORMATION D MAY NOT BE COM	SID	N THE PACE OF ERED:	,
	SEALEI	BID					er De	
	BUYER				TL/32			
			li i		VET012175	1		
	BID OF	PENING	DATE:		05/24/2012			
	BID OF	PENING	TIME:		1:30 PM		me	
	PLEASI TO COI	E PROVI	DE A	FAX N GARDI	umber in case in the state of t	T IS	NECESSARY	
		···			TARKE LIKE BAN SPRING AND TO	OND IT	, NG	
SIGNATURE (011)	V. Ola		SEE RI	VERSE SIDE FOR TERMS AND CO	309	7362120 DA	E 5/23/12
TITLE (A)	m) n/u	h itel	EIN 3	4180	0 484	1	ADDRESS CHANG	GES TO BE NOTED ABOVE
WI-	IEN RESI	PONDING	TO RFC	A, INSER	RT NAME AND ADDRESS	SINS	PACE ABOVE LABE	ELED 'VENDOR'



State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Request for Quotation

REQ NUMBER
VET 012175

 PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF:

TARA LYLE 304-558-2544

NENDOR

RFQ COPY TYPE NAME/ADDRESS HERE



DIVISION OF VETERANS AFFAIRS
ATTENTION: C. PRATHER
SUITE 101
1321 PLAZA EAST
CHARLESTON, WV
25301-1400 558-3661

DATE PRIN	TED	TER	MS OF SAL	Ė		SHIP VIA			F.O.B,		FREIGHT TERMS
04/18/											
BID OPENING DATE		05/24/	2012	now. no n	Construence Con-	and the second second second	BID	OPEN	ING TI	1E 01	:30PM
LINE	QUA	YTITY	UOP	CAT. NO.	J.	ITEM NUMBE	Ŕ		UNIT PRIC	ΙΕ	AMOUNT
	CONTAC	T PERS		LEASE		T CLE					
	****	THIS	IS T	HE EN	D OF	RFQ .	VET012	175	****	TOTAL:	32202.00
				SEE AE	VERSE SIL	DE FOR TER	MS AND CO	NDITION	1 \$		
SIGNATURE /	east 1	21/1	<u> </u>				LEPHONE 2		73621	20 DATE	5-/23/12
TITLE (A	The M	ALLANIFE	in 3	4/ A	1004	184	-3	7	ADDRES	S CHANGES	B TO BE NOTED ABOVE
I WI-	EN RESP	ONDING	TO REC	INSER	T NAME	E AND AL	DRESS	IN SP	ACE AROL	/F LABELI	ED 'VENDOR'

VET012175

The WV Department of Veteran's Assistance is soliciting bids for commercial lawn equipment for the Donel Kinnard Memorial State Veterans Cemetery in Dunbar, WV.

The lawn equipment must be manufactured for commercial use. All items must be new. Damaged or defective items must be replaced at no additional expense to the WV Department of Veterans Assistance.

If bidding "or equal" brands, Vendors should attach manufacturer's literature documenting that it meets the requirements stated in the specifications. If vendors are bidding equivalent products, product literature should be included with your bid.

All items are to be FOB Destination. Freight or delivery prices should be included in the bid price. Items to be delivered to the Donel Kinnard Memorial State Veterans Cemetery located at 130 Academy Drive Dunbar, WV 25064. Delivery should occur 30 days after the purchase order issued to the successful vendor.

The contract may be awarded to one or multiple vendors, depending what is in the best interest of the State, with the lowest bid meeting all of the specifications with the most complete bid. An authorized signature must be in the bid.

See additional specifications.

STATE OF WEST VIRGINIA

P

STATE OF WEST VIRGINIA PURCHASE CONTINUATION SHEET	Pageof	_ Pages	Requisition / P.O. No.: VET012175
PURCHASE CONTINUATION SHEET	File:	Acct. No.:	
Vendor: BET OBA BRIDGEPONTED P.O. Date:	Spending Unit: Veterans Assistan	сө	

Item No.	Quantity	Description	Unit Price	Amount
	1	Walk-Behind Mower Bob Cat Hydro model 934306G, or equal, minimum 48" mower deck Gasoline powered 5.5 gal fuel tank minimum 2 cylinder 18 hp/600cc minimum engine 15,000 fpm @ 3600 engine rpm minimum 7 gauge steel deck skirt Side discharge deck with molded rubber chute 10 gauge deck top w/7guage reinforcements Floating mower deck Maintenance free spindle with 1" shaft and double sealed precision ground ball bearings Adjustable cutting height from 1 3/8" to 4 5/8" minimum Electric clutch deck drive V-belt blade drive Electronic spark ignition/starter Standard oil filter Air cooled Dual element air cleaner 6 mph forward ground speed minimum 3 mph reverse ground speed minimum Dynamic braking with duel wheel parking brake Tires: 9 x 3.5 front and 16 x 6.5 rear, minimum Material collection system (bagger) Mulching kit 1 set additional blades 2 year warranty	5054.00	5054,00
2	1	Walk-behind Mower Bob Cat Hydro model 935308G, or equal, minimum 54" mower deck 52" DECK Gasoline powered 5.5 gal fuel tank minimum 2 cylinder 20 hp/600cc minimum engine 16,900 fpm @3600 engine rpm minimum 7 gauge steel deck skirt Side discharge deck w/molded rubber chute 10 gauge deck top w/7 gauge reinforcements Floating mower deck Maintenance free spindle with 1" shaft and double sealed precision ground ball bearings Adjustable cutting height from 1 3/8" to 4 5/8" minimum Electric clutch deck drive V-belt blade drive Electronic spark ignition/starter Standard oil filter Air cooled Dual element air cleaner 6 mph forward ground speed minimum 3 mph reverse ground speed minimum	5440.00	5940.0

VW-36 (Rev. 01/01/07)

STATE OF WEST VIRGINIA

PURCHASE CONTINUATION SHEET

Page _	of Page	Requisition / P.O. No.: VET012175
File:	Acct.	No.:
Spending L		

Vendor:			Spending Unit: Veterans Assistance			
Item No.	Quantity	Description	Unit Price	Amount		
		Dynamic braking with duel wheel parking brake Tires: 9 x3.5 front and 16 x 6.5 rear, minimum Material collection system (bagger) attachment Mulching kit 1 set additional blades 2 year warranty				
3	1	Zero-turn riding mower Bob Cat Pro-Cat model 942506G, or equal 52" mower deck Gasoline powered 14 gal fuel tank minimum 29 hp/852 cc engine, minimum 18,000fpm @3600 engine rpm minimum 7 gauge steel deck skirt and baffles with adjustable anti-scrollers front and rear Side discharge deck with molded rubber chute	8835.00 calp	8835,00		
4	1	Maintenance free spindle with 1" shaft and double sealed precision ground ball bearings Adjustable cutting height-from 1" to 5" minimum Electric clutch deck drive Manual hand lift with spring assist deck lift Electronic spark ignition/starter Standard oil filter Air cooled Dual stage heavy-duty canister air filter 11 mph forward speed minimum Tires: 13 x6.5 front caster wheels and 23 x 10 rear wheels Seat: Hi-back seat with full vibration isolation, adjustable and adjustable armrests Material collection system (bagger) attachment Mulching kit 1 set additional blades 2 year warranty	S			
		Zero-turn riding mower Bob Cat Pro-Cat model 942502G, or equal 61" mower deck	recision	10295.00		

VW-36 (Rev. 01/01/07)

STATE OF WEST VIRGINIA PURCHASE CONTINUATION SHEET

Page	_ of	Pages	Requisition / P.O. No.: VET012175
File:		Acct. No.:	
Spending			

P.O. Date: Vendor: __ Veterans Assistance Unit Price Amount Description Quantity Item No. Seat: Hi-back seat will full vibration isolation, adjustable seat and armrests Material collection system (bagger) attachment Mulching kit 1 set additional blades 2 year warranty 450.00 450 21" Self propelled Gas Push Mower 5 Troy-Bill model 12AGA26G711, or equal REAL Wheel Drive Electric start Front wheel drive with variable control speed 5 adjustable cutting heights minimum Side discharge chute Material collection system (bagger) attachment Mulch kit Briggs & Stratton engine 8" front and rear wheels minimum Adjustable steel handle 2 sets additional blades 2 year warranty 2 Gasoline Powered Hedge Trimmer 6 380.00 Stihl HS 81 T C-E, or equal Double sided reciprocating blades with integrated cutter guard Front hand quard Anti-vibration system Start/run/stop controls on handle Upright fuel tank with retainer cap Heavy-duty gearbox Multi-position handle Built in hanger Lightweight Bike Handle Trimmer 7 2 Stihl FS 250, or equal Electronic ignition Standard string head Blade head attachment Soft grip handle Solid steel drive shaft 2 pre-wound replacement spools and line 1 universal harness

		VET012175 - Law	n Equipment					
		Bid Fo	rm					
Item #	Description	Model Information	Estimated Quantity	Unit Price	Extended Amount			
	Walk Behind Mower - Bobcat model 934306G, or equal	JOHN DEERE	1 ea	s 5054.00	s 5054.00			
	Walk Behind Mower - Bobcat model 935308G, or equal	NOUN DEEVE	1 ea	s 5440.00	s 5440.00			
3	Zero-turn Riding Mower-Bobcat model 942506G, or equal	2925A JOHN DEENE		s 8835.00	s 8835.00			
4	Zero-turn Riding Mower - Bobcat model 942502G, or equal	2930 A	1 ea	s 10295-00	s 10295.00			
5	21" Self propelled gas mower - Troy Bilt model 12AGA26G711, or equal	John Dere	2 ea	s 450.00	s 900.00			
	Gas powered Hedge Trimmer - Stihl model HSS1TC-E, or equal	Stabl	2 ea	s 180,00	s 760.00			
	Bike Handle Trimmer - Stihl model FS250, or equal	Stin	2 ea	s 459.00	s 918.00			
7_	Failure to use this form may result in disqualification	0		GRAND TOTAL:	s 32202.00			
	Bidder / Vendor Information:							
	Name: B.E.T. dbA Bridgepout Equipment and Tool							
	Address: 01/2 // 1/1001/13 CAGONI 1000 Address: (304) 736 2120							
	Email Address: And Concurrent Equipment Equipm) + C6m						

GENERAL TERMS & CONDITIONS REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)

- 1. Awards will be made in the best interest of the State of West Virginia.
- 2. The State may accept or reject in part, or in whole, any bid.

3. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division

and have paid the required \$125 fee.

- 4. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods this Purchase Order/Contract becomes void and of no effect after June 30.
- 5. Payment may only be made after the delivery and acceptance of goods or services.
- 6. Interest may be paid for late payment in accordance with the West Virginia Code.
- 7. Vendor preference will be granted upon written request in accordance with the West Virginia Code.
- 8. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 9. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
- 10. The laws of the State of West Virginia and the Legislative Rules of the Purchasing Division shall govern the purchasing process.
- 11. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
- 12. BANKRUPTCY: In the event the vendor/contractor files for bankruptcy protection, the State may deem this contract null and void, and terminate such contract without further order.
- 13. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at www.state.wv.us/admin/purchase/vrc/hipaa.html and is hereby made part of the agreement provided that the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
- 14. CONFIDENTIALITY: The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf.
- 15. LICENSING: Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, and the West Virginia Insurance Commission. The vendor must provide all necessary releases to obtain information to enable the director or spending unit to verify that the vendor is licensed and in good standing with the above entities.
- 16. ANTITRUST: In submitting a bid to any agency for the State of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the State of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, or person or entity submitting a bid for the same material, supplies, equipment or services and is in all respects fair and without collusion or Fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

INSTRUCTIONS TO BIDDERS

- 1. Use the quotation forms provided by the Purchasing Division. Complete all sections of the quotation form.
- 2. Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as EQUAL to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.

3. Unit prices shall prevail in case of discrepancy. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.

4. All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130

5. Communication during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited (W.Va. C.S.R. §148-1-6.6).

Day 11/09/11

RFQ No.	
111 00 110.	

STATE OF WEST VIRGINIA Purchasing Division

PURCHASING AFFIDAVIT

West Virginia Code §5A-3-10a states: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Debtor" means any individual, corporation, partnership, association, limited liability company or any other form or business association owing a debt to the state or any of its political subdivisions. "Political subdivision" means any county commission; municipality; county board of education; any instrumentality established by a county or municipality; any separate corporation or instrumentality established by one or more counties or municipalities, as permitted by law; or any public body charged by law with the performance of a government function or whose jurisdiction is coextensive with one or more counties or municipalities. "Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

EXCEPTION: The prohibition of this section does not apply where a vendor has contested any tax administered pursuant to chapter eleven of this code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

Under penalty of law for false swearing (West Virginia Code §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

WITNESS THE FOLLOWING SIGNATURE
Vendor's Name: BET abn Bridskpout Equy mout & Tool
Authorized Signature: Date: 5/23/12
State of WVA
County of, to-wit:
Taken, subscribed, and sworn to before me this 2 day of MAY
My Commission expires 2.5 NeV , 20/3
AFFIX SEAL HERE NOTARY PUBLIC JAMM R Johnson



Rev. 09/08

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with **West Virginia Code**, §5A-3-37. (Does not apply to construction contracts). **West Virginia Code**, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the **West Virginia Code**. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or, Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked: Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked: Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked; Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
require against or dedu	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency acted from any unpaid balance on the contract or purchase order.
authori the req deeme	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and zes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information d by the Tax Commissioner to be confidential.
	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true courate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate es during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.
Bidder	B.E.T. Signed: Jaw Mula
Date:_	5/23/12 Title: JAJE //AUAJEA
*Check	any combination of preference consideration(s) indicated above, which you are entitled to receive.



Quote Id: 6740046

Prepared For:

Prepared By: DAVID A MILLS

BRIDGEPORT EQUIPMENT & TOOL

6777 MERRITTS CREEK ROAD

HUNTINGTON, WV 25702

Phone: 304-736-2120

Mobile Phone: 740-645-6650

Fax: 304-302-2300

Work Email: dam@careq.com

Date: May 22, 2012 Offer Expires: May 28, 2012



BRIDGEPORT EQUIPMENT & TOOL 6777 MERRITTS CREEK ROAD

HUNTINGTON, WV 25702 Phone: 304-736-2120 Fax: 304-302-2300

Quote Id: 6740046

Quote Summary

Prepared For:	Prepared By:		C	uote ld	674	0046
	DAVID A MILLS 6777 MERRITTS CREEI HUNTINGTON, WV 257 Phone: 304-736-2120 Mobile: 740-645-6650 dam@careq.com	20	Modi	fied On	: May	7 22, 2012 7 23, 2012 7 28, 2012
Equipment Summary	Suggested List	Selling Price		Qty		Extended
JOHN DEERE WH48A, 18.5 HP* Commercial Hydrostatic Drive Walk- Behind Mower with 48 In. Deck SKT10234	\$ 7,942.61	\$ 5,054.00	X	1	=	\$ 5,054.00
JOHN DEERE WH52A, 18.5 HP* Commercial Hydrostatic Drive Walk- Behind Mower with 52 In. Deck SKT10235	\$ 8,478.35	\$ 5,440.00	Х	1	=	\$ 5,440.00
JOHN DEERE Z925A Commercial ZTrak with 54 In. 7-Iron PRO Deck SKT10156	\$ 12,594.01	\$ 7,485.00	Х	1	=	\$ 7,485.00
JOHN DEERE Z930A Commercial ZTrak with 60 In. 7-Iron PRO Deck SKT10224	\$ 13,637.11	\$ 8,195.00	X	1	=	\$ 8,195.00
JOHN DEERE JS46 22 In. Rear Wheel Variable Drive, Rotary Mower, Electric Start	\$ 518.66	\$ 450.00	X	1	=	\$ 450.00
STIHL HS81TCE	\$ 499.00	\$ 380.00	Х	1	=	\$ 380.00
STIHL FS250	\$ 549.00	\$ 459.00	Х	1	=	\$ 459.00
JOHN DEERE 8 Bushel 2-Bag Material Collection System (For 48 In. / 54 In. / 60 In. Z-Trak Estate and 48 In. / 54 In. Z-Trak PRO Mowers including Mulch-On-Demand decks)	\$ 1,834.18	\$ 1,350.00	Х	1		\$ 1,350.00
JOHN DEERE 14 Bushel 3-Bag Material Collection System (For Z- Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)	\$ 2,888.85	\$ 2,100.00	X	1	=	\$ 2,100.00
Salesperson : X			Acc	epted By	' : X _	



BRIDGEPORT EQUIPMENT & TOOL 6777 MERRITTS CREEK ROAD

HUNTINGTON, WV 25702 Phone: 304-736-2120

Fax: 304-302-2300

Quote Id: 6740046

Equipment Total		\$ 30,913.00
	Quote Summary	
	Equipment Total	\$ 30,913.00
	SubTotal	\$ 30,913.00
	Total	\$ 30,913.00
	Down Payment	(0.00)
	Rental Applied	(0.00)
	Balance Due	\$ 30,913.00

Salesperson : X	Accepted By : X



Quote Id: 6740046

Discount	\$ -3,038.35	\$ -3,038.35
Total Selling Price		\$ 5,440.00

JOHN	DEERE Z925A Commercial ZTr		54 In. 7-Iron PR	O Deck
	SKT1018	56		
Hours:				Suggested List
Stock Number:				\$ 12,594.01
				Selling Price
				\$ 7,485.00
Code	Description	Qty	Unit	Extended
01RBTC	Z925A Commercial ZTrak with 54 In. 7- Iron PRO Deck SKT10156	1	\$ 11,987.00	\$ 11,987.00
	Standard Options	- Per Unit		
0202	United States and Canada	1	\$ 0.00	\$ 0.00
	Standard Options Total			\$ 0.00
	Dealer Attach	ments		
TCB11469	Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	1	\$ 285.00	\$ 285.00
	Dealer Attachments Total			\$ 285.00
	Other Char	ges		
	EnviroCrate	1	\$ 40.00	\$ 40.00
	Freight	1	\$ 282.01	\$ 282.01
	Other Charges Total			\$ 322.01
	Suggested Price			\$ 12,594.01
	Discount		\$ -5,109.01	\$ -5,109.01
Total Selling P				\$ 7,485.00

JOHN	DEERE Z930A Commercial ZTr	ak with	60 In. 7-Iron PR	O Deck
	SKT1022	24		
Hours:				Suggested List
Stock Number	r:			\$ 13,637.11
				Selling Price
				\$ 8,195.00
Code	Description	Qty	Unit	Extended
194GTC	Z930A Commercial ZTrak with 60 In. 7- Iron PRO Deck SKT10224	1	\$ 13,011.00	\$ 13,011.00
	Standard Options	- Per Unit		
0202	United States and Canada	1	\$ 0.00	\$ 0.00
	Standard Options Total			\$ 0.00



Quote Id: 6740046

Dealer Attachn	nents		
Mulch Kit (60 ln. 7-Iron, 7-Iron II and 7-Iron PRO)	1	\$ 295.00	\$ 295.00
Dealer Attachments Total			\$ 295.00
Other Charg	jes		
EnviroCrate	1	\$ 40.00	\$ 40.00
	1	\$ 291.11	\$ 291.11
Other Charges Total			\$ 331.11
Suggested Price			\$ 13,637.11
Discount		\$ -5,442.11	\$ -5,442.1
rice			\$ 8,195.00
	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO) Dealer Attachments Total Other Charge EnviroCrate Freight Other Charges Total Suggested Price	Iron PRO) Dealer Attachments Total Other Charges EnviroCrate 1 Freight 1 Other Charges Total Suggested Price Discount	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7- 1 \$295.00 Iron PRO) Dealer Attachments Total Other Charges EnviroCrate 1 \$40.00 Freight 1 \$291.11 Other Charges Total Suggested Price Discount \$-5,442.11

JOHN DEE	RE JS46 22 In. Rear Wheel Var	iable Driv	∕e, Rotary Mowe	r, Electric
	Start			
Hours:			S	uggested List
Stock Number	a 1			\$ 518.66
				Selling Price
				\$ 450.00
Code	Description	Qty	Unit	Extended
0740GX	JS46 22 In. Rear Wheel Variable Drive, Rotary Mower, Electric Start	1	\$ 499.00	\$ 499.00
	Other Char	ges		
	Freight Other Charges Total	1	\$ 19.66	\$ 19.66 \$ 19.66
	Suggested Price			\$ 518.66
	Discount		\$ -68.66	\$ -68.66
Total Selling F	Price			\$ 450.00

		STIHL HS81TCE		
Hours: 0				Suggested List
Stock Number:				\$ 499.00
				Selling Price
				\$ 380.00
Code	Description	Qty	Unit	Extended
123	HEDGE TRIMMER	1	\$ 499.00	\$ 499.00
	Suggested Price			\$ 499.00

00115155151



Quote Id: 6740046

Discount	\$ -119.00	\$ -119.00
Total Selling Price		\$ 380.00

		STIHL FS250		
Hours: 0				Suggested List
Stock Number:				\$ 549.00
				Selling Price
				\$ 459.00
Code	Description	Qty	Unit	Extended
321	BIKE HANDLE TRIMMER	1	\$ 549.00	\$ 549.00
	Suggested Price			\$ 549.00
	Discount		\$ -90.00	\$ -90.00
Total Selling Pr	rice			\$ 459.00

JOHN DEE	RE 8 Bushel 2-Bag Material C	ollection S	ystem (For 48	In. / 54 In. /
60 In. Z-Trak Estate and 48 In. / 54 In. Z-Trak PRO Mowers including Mulch-				
	On-Demand	decks)		
Hours:				Suggested List
Stock Number				\$ 1,834.18
				Selling Price
				\$ 1,350.00
Code	Description	Qty	Unit	Extended
0783TC	8 Bushel 2-Bag Material Collection System (For 48 In. / 54 In. / 60 In. Z- Trak Estate and 48 In. / 54 In. Z-Trak PRO Mowers including Mulch-On- Demand decks)	1	\$ 1,785.00	\$ 1,785.00
	Standard Option	s - Per Unit		
1006	Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks	1	\$ 0.00	\$ 0.00
2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	1	\$ 0.00	\$ 0.00
3000	Chute	1	\$ 0.00	\$ 0.00
	Standard Options Total			\$ 0.00
	Other Cha	rges		
	Freight	1	\$ 49.18	\$ 49.18
	Other Charges Total			\$ 49.18



Quote Id: 6740046

Suggested Price		\$ 1,834.18
Discount	\$ -484.18	\$ -484.18
Total Selling Price		\$ 1,350.00

JOHN DE	ERE 14 Bushel 3-Bag Material	Collection	System (For Z	-Trak PRO
48 ln./	54 In./60 In./72 In. Mowers incl	uding Muid	:n-On-Demand	Decks)
Hours:				Suggested List
Stock Number	r:			\$ 2,888.85
				Selling Price
				\$ 2,100.00
Code	Description	Qty	Unit	Extended
0784TC	14 Bushel 3-Bag Material Collection System (For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks)	1	\$ 2,785.00	\$ 2,785.00
	Standard Option	s - Per Unit		
1006	Attaching Parts for 60 In. 7-Iron PRO Decks	1	\$ 0.00	\$ 0.00
2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	1	\$ 0.00	\$ 0.00 \$ 0.00
	Standard Options Total Other Cha	race		¥ 0.00
		1	\$ 103.85	\$ 103.85
	Freight Other Charges Total		ψ 100.00	\$ 103.85
	Suggested Price			\$ 2,888.85
	Discount		\$ -788.85	\$ -788.85
Total Selling I				\$ 2,100.00

A



Quote Id: 6740046

JOHN DEE	RE WH48A, 18.5 HP* Comm Mower with 48 In.			ılk-Behind
Hours:	mower with re in			Suggested List
Stock Number	•			\$ 7,942.61
				Selling Price
				\$ 5,054.00
Code	Description	Qty	Unit	Extended
1371TC	WH48A, 18.5 HP* Commercial Hydrostatic Drive Walk-Behind Mower with 48 In. Deck SKT10234	. 1	\$ 7,139.00	\$ 7,139.00
	Dealer Att	achments		
TCB11740	48 In. Mulch Kit	1	\$ 226.00	\$ 226.00
TCB11742	Grass Collector, 3 Cu Ft.	1	\$ 299.00	\$ 299.00
	Dealer Attachments Total			\$ 525.00
	Other C	harges		
	Freight	1	\$ 278.61	\$ 278.61
	Other Charges Total			\$ 278.61
	Suggested Price			\$ 7,942.61
	Discount		\$ -2,888.61	\$ -2,888.61
Total Selling P	Price		MARKET LANGE BUTTON	\$ 5,054.00

JOHN DEE	RE WH52A, 18.5 HP* Comme			lk-Behind
	Mower with 52 In. I	Deck SKT1	0235	
Hours:			5	Suggested List
Stock Number				\$ 8,478.35
				Selling Price
				\$ 5,440.00
Code	Description	Qty	Unit	Extended
1381TC	WH52A, 18.5 HP* Commercial	1	\$ 7,649.00	\$7,649.00
	Hydrostatic Drive Walk-Behind Mower			
	with 52 In. Deck SKT10235			
	Dealer Attac	hments		
TCB11741	52 In. Mulch Kit	1	\$ 246.00	\$ 246.00
TCB11742	Grass Collector, 3 Cu Ft.	1	\$ 299.00	\$ 299.00
	Dealer Attachments Total			\$ 545.00
	Other Cha	arges		
	Freight	1	\$ 284.35	\$ 284.35
	Other Charges Total			\$ 284.35
	Suggested Price			\$ 8,478.35

001/5/05/15/4

Manufacturer MODEL	John Deere WH48A
Engine	
Manufacturer	Kawasaki
Model Number	FS600V
Horsepower	20 hp
Displacement	603 cc (36.8 cu in.)
Cylinders	Two
Crankcase Capacity	1.8 U.S. qt (1.7 L) with filter
Operating Speed	3600 rpm
Idle Speed	15.55 (S. 15. S21)
Ignition/Starter	Electronic spark
Valving	
Oil Filter	Standard
Lubrication	Full pressure
Governor	
Hourmeter	100
Cooling System	Air cooled
Air Cleaner	Dual element
Muffler	
Fuel System	//#/////
Fuel Type	Gasoline
Fuel Tank Capacity	5.8 U.S. gal. (21.9 L)
Fuel Pump	Pulse
Fuel Delivery System	***
Fuel Tank Switch/Shut Off Valve	
Filler Neck Opening	1222
Fuel Pickup	***
Electrical System	EL . I. I.
Ignition	Electric
Hourmeter	C
Operator Presense Starting System	Standard
Drive Train	T. J. Line and tool bring
Transmission	Twin loop control type
Wheel Motors	Hydro pump
Shift Mechanism	Electric clutch type
Tires	167 5.0
Drive Wheels	16x7.5-8
Outside to Outside Tire Measurement	41.25 in.
Caster Wheels	9x3.5-4
Shift Mechanism	
Travel Speed	7
Forward Speeds	3
Reverse Speeds	
Speed Range	0 mph - 7 mph
Brakes	
Туре	
Dimensions	43 in.
Height	57 in. to rear of frame
Length with Deck	61.5 with chute
Width	733 lb
Weight	733 10
Mower Decks	
36-in. Deck	
Material	
Blades	10000 10000
Blade Drive	
Blade Tip Speed	
Cutting Height	
Width (chute up)	
Weight	end:

48-in. (121-cm) floating style

48-in. Deck

Material 7-gauge fabricated steel

Blades Three Blade Drive V-Belt

Blade Tip Speed Approximately 18,000 fpm

 Cutting Height
 1.5 in. to 5 in.

 Width (chute up)
 48.5 in. (123.2 cm)

Weight --54-in. Deck

Material --Blades --Blade Drive --Blade Tip Speed --Cutting Height --Width (chute up) --Weight ---

Miscellaneous Information

Warranty Commercial two year



Archives Attachments Search Configurator JDQuote2 Dealer Menu Feedback Help

North American Sales Manual

Specs | Compare Specs | Compare All

Printer-Frien	dly Version Export to Excel	Change Display Options
Manufacturer MODEL		John Deere WH52A
Engine		
	Manufacturer	Kawasaki
	Model Number	FS600V
	Horsepower	20 hp
	Displacement	603 cc (36.8 cu in.)
	Cylinders	Two
	Crankcase Capacity	1.8 U.S. qt (1.7 L) with filt
	Operating Speed	3600 rpm
	Idle Speed	
	Ignition/Starter	Electronic spark
	Valving	
	Oil Filter	Standard
	Lubrication	Full pressure
	Governor	
	Hourmeter	HHH!
		Air cooled
	Cooling System	Dual element
	Air Cleaner	
	Muffler	
Fuel System	- 1-	Gasoline
	Fuel Type	
	Fuel Tank Capacity	5.8 U.S. gal. (21.9 L)
	Fuel Pump	Pulse
	Fuel Delivery System	
	Fuel Tank Switch/Shut Off Valve	
	Filler Neck Opening	5.55
	Fuel Pickup	
Electrical Syster	n	
	Ignition	Electric
	Hourmeter	
	Operator Presense Starting System	Standard
Drive Train		
	Transmission	Twin loop control type
	Wheel Motors	Hydro pump
	Shift Mechanism	Electric clutch type
Tires		
	Drive Wheels	16x7.5-8
	Outside to Outside Tire Measurement	41.25 in.
	Caster Wheels	9x3.5-4
	Shift Mechanism	(###
Travel Speed	Shire Meendinsiii	
Traver Speed	Forward Speeds	7
		3
	Reverse Speeds	0 mph - 7 mph
	Speed Range	o mpn - 7 mpn
Brakes		:
	Туре	
Dimensions		45.5
	Height	43 in.
	Length with Deck	57 in. to rear of frame
	Width	66 with chute
	Weight	761 lb
Mower Decks		
	36-in. Deck	*****
	Material	
	Blades	***

	Blade Drive	
	Blade Tip Speed	
	Cutting Height	
	Width (chute up)	/===
	Weight	
48-in. Deck		
	Material	
	Blades	
	Blade Drive	
	Blade Tip Speed	
	Cutting Height	
	Width (chute up)	
	Weight	
54-in. Deck		
	Material	
	Blades	
	Blade Drive	
	Blade Tip Speed	
	Cutting Height	
	Width (chute up)	
	Weight	

Miscellaneous Information

Warranty

Commercial two year

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 1994-2012 Deere & Company. All Rights Reserved.



Archives Attachments Search Configurator JDQuote2 Dealer Menu Feedback Help

North American Sales Manual

Specs | Compare Specs | Compare All

Printer-Fr	iendly Version Exp	port to Excel Change Display Options
Manufacturer MODEL		John Deere Z925A 54 in. Model Year 2012
Engine	Manufacturer	
		FX751V
	Model No. Horsepower (gross)	24.5 HP @3600 RPM; Engine Manufacturer Certified Gross Power; Tested in accordance with SAE J1995 852cc
	Disabsoment	852 cc
	Displacement	Two
	Cylinders	
	Crankcase Capacity	2.0 U.S. quart with filter
	Oil Filter	Full flow, replaceable
	Lubrication	Full pressure
	Cooling	Air
	Air Cleaner	Heavy-duty canister type w/ safety
	Pre-Cleaner	Yes
Fuel System		
	Fuel Type	Gas
	Fuel Consumption	$1.1\ to\ 1.5\ U.S.\ gal./hr$ under normal conditions, load, operation, and dependent on horsepower
	Fuel Tank Capacity	11.5 U.S. gallon
	Fuel Tank Switch/Shut Off Valve	Yes
Electrical Sys	tem	
	Charge System	20 amp
	Battery Voltage	12 Volt
	Cold Cranking Amp	340
	Hour Meter	Standard, digital
	Operator Presence Starting System	Engage park brake and turn key (Brake and Go)
Drive Train		
	Hydraulic Pumps	Tuff Torq heavy-duty integrated piston pump
	Wheel Motors	Tuff Torq heavy-duty integrated piston wheel motor
	Travel Speed	
	Forward	0 - 12 mph
	Reverse	0 -4.5 mph
	Speed and Direction Control	Twin levers
	Hydraulic Capacity	5.9 U.S. quart
	Hydraulic Oil Cooler	***
	Filter	Internal replaceable filter
Tires		
	Drive Tires	24x12-12
	Rear Tires	1222
	Load Rating	4 PR
Brakes		
	Dynamic Braking	Twin levers
	Park Brake	Internal wet-disk integrated in the transmission
	Park Brake Actuation	Foot actuated pedal
РТО		AND THE STREET STREET STREET
	Туре	Electro-magnetic (200 lb. ft.)
	Drive	V-belt
Mower Decks		\$ (SECTION)
HOWEL DECKS	Available Widths	54 in.
	Deck construction	One-piece stamped steel
	Deck thickness	7 ga. (0.177 in.)
	Discharge	Side
	Height-of-Cut Range	1.5 - 5.0 in.

Increments

0.25 in. 54 in.

Blades

Length Thickness

Cutting Width

19 in. 0.25 in.

Tip Speed

Approximately 18,000 fpm

Number

Three

Wheels

Caster Wheel Type

Semi-pneumatic flat free 13x6.5-6

Caster Wheel Size Front Anti-Scalp Rollers

RH, center, LH

Rear Anti-Scalp Rollers

LH, RH; double captured

Dimensions

Length

84 in.

Width

69 in. with discharge chute

Height

73 in. with ROPS up, 47 in. with ROPS down

Weight

1284 lb. uncrated

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 1994-2012 Deere & Company. All Rights Reserved.



Archives Attachments Search Configurator JDQuote2 Dealer Menu Feedback Help

North American Sales Manual

Specs | Compare Specs | Compare All

Printer-Fi	iendly Version E	xport to Excel	Change Display Options
Manufacturei MODEL		John Deere Z930A 60 in. I	Model Year 2012 Conv.
Engine			
	Manufacturer		
	Model No.	FX801V	
	Horsepower (gross)	Tested in accord	3 RPM; Engine Manufacturer Certified Gross Power dance with SAE J1995 852cc
	Displacement	852 cc	
	Cylinders	Two	
	Crankcase Capacity	2.0 U.S. quart v	
	Oil Filter	Full flow, replace	eable
	Lubrication	Full pressure	
	Cooling Air Cleaner	Air	ister type w/ safety
	Pre-Cleaner	Yes	ister type wy safety
Fuel System	rie-cleaner	163	
r dei System	Fuel Type	Gas	
			gal./hr under normal conditions, load, operation,
	Fuel Consumption Fuel Tank Capacity	and dependent 11.5 U.S. gallor	on horsepower
	Fuel Tank Switch/Shut Of Valve	production becomes when there	•
Electrical Sys	tem		
	Charge System	20 amp	
	Battery Voltage	12 Volt	
	Cold Cranking Amp	340	
	Hour Meter	Standard, digita	al .
	Operator Presence Starting System	Engage park br	ake and turn key (Brake and Go)
Drive Train	Under de Dumas	Tuff Tara basus	duty integrated pieter numn
	Hydraulic Pumps Wheel Motors		r-duty integrated piston pump r-duty integrated piston wheel motor
	Travel Speed		-duty integrated piston wheel motor
	Forward	0 - 12 mph	
	Reverse	0 - 4.5 mph	
	Speed and Direction Control	Twin levers	
	Hydraulic Capacity	5.9 U.S. quart	
	Hydraulic Oil Cooler		
	Filter	Internal replaca	ble filter
Tires			
	Drive Tires	24x12-12	
	Rear Tires		
	Load Rating	4 PR	
Brakes			
	Dynamic Braking	Twin levers	
	Park Brake	Internal wet-dis	sk integrated in the transmission
	Park Brake Actuation	Foot actuated p	edal
PTO			
	Туре	Electro-magnet	ic (225 lb. ft.)
	Drive	V-belt	
Mower Decks			
	Available Widths	60 in.	
	Deck construction	One-piece stam	
	Deck thickness	7 ga. (0.177 in.	.)
	Discharge	Side	
	Height-of-Cut Range	1.5 - 5.0 in.	

Increments

0.25 in.

Cutting Width

60 in.

Blades

Length Thickness 21 in. 0.25 in.

Tip Speed

Approximately 18,000 fpm

Number

Three

Wheels

Caster Wheel Type

Semi-pneumatic flat-free 13x6.5-6

Caster Wheel Size Front Anti-Scalp Rollers

RH, center, LH

Rear Anti-Scalp Rollers

RH, center, LH; double captured

Dimensions

Length

84 in.

Width

73 in. with discharge chute

Height

73 in. with ROPS up, 47 in. with ROPS down

Weight

1332 lb. uncrated

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 1994-2012 Deere & Company. All Rights Reserved.



Archives Attachments Search Configurator JDQuote2 Dealer Menu Feedback Help

North American Sales Manual

Specs | Compare Specs | Compare All

Printer-Friendly Version		Export to Excel	Change Display Options
Manufacturer MODEL			nn Deere 98 (2012)
Engine			
	Manufacturer		
	Power	8.7	5 lb-ft gross torque per SAE J1940
	Displacement	11.0	6 cu in. (190 cc)
	Type	4 cy	/cle, OHV
	Throttle contr	ol Fixe	ed speed
	Electric start	Yes	, with recoil start backup
	Operator pres	sence Yes	
	Zon	e Yes	
	BBC	N/A	ę.
Mower			
	Deck	22-	in. steel
	Discharge	3-in	1-1
	Side Discharg	e Sta	ndard
	Bag	Sta	ndard, 2 1/2 bu
	Mulch	Sta	ndard
	Transmission	Var	iable speed, rear wheel drive
	Wheels		front, 9x2 rear
	Wheel adjuste	ers One	e lever adjusts all four wheels
	U.S. Warranty		ear
	U.S. List Price	·	

Product features are based on published information at the time of publication and are subject to change without notice. All trademarked terms, including John Deere, the leaping deer symbol and the colors green and yellow used herein are the property of Deere & Company, unless otherwise noted. Availability of products, product features, and other content on this site may vary by model and geographic region.

Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Copyright © 1994-2012 Deere & Company. All Rights Reserved.