

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WY 25306-0130

#### Solicitation

| SHOWED.      |
|--------------|
| <br>66130022 |

|   | Adu 🔆 |  |
|---|-------|--|
| 1 | 4     |  |

ALAN CUMMINGS

ALAN CUMMINGS

RFO COPY
TYPE NAME/ADDRESS HERE
United Rentals (Nouth America), Inc.
1501 Jacicson Avenue
Huntington WV 25701

DIVISION OF HIGHWAYS
VARIOUS LOCALES AS INDICATED
BY ORDER

| A STATION     | *************************************** |   |                              |                       |              |
|---------------|---|---|------------------------------|-----------------------|--------------|
| OD OPENING DA | 5/2013<br> 6:<br> 02/2                  | 7/0012                                  |                              |                       |              |
| LONGS         | COMMUTY                                 | The year                                | Strendinger BTD              | OPENTNO-TEMP1-        | P-0-PM       |
|               | 21 2312 3113 32 32                      |   |                              |                       |              |
| 0002          |   | EA                                      | 975-66                       |                       |              |
|               | ROAD AND H                              | ichmaa fooi                             | PMENT RENTALS                |                       |              |
|               |   |   |                              |                       |              |
|               |   |   |                              |                       |              |
|               |   | REQUES                                  | FOR QUOTATION                |                       |              |
|               |   | DPEN-                                   | ND CONTRACT                  |                       |              |
|               | THE WEST V                              | erginta stat                            | PURCHASING DIV               | ESION FOR THE         |              |
|               | AGENCY, THI                             | WEST VERG                               | NIDE THE AGENCY              | HTCHWAVQ TO           |              |
|               | COMPRESSOR OF                           | KI LEASIS/REN                           | MATI OF ROTTEMENTS           | 好て中は / はてかひへいか        |              |
|               | PPEKATOR AN                             | id Sric Equi<br>'Ached Speci            | שאוו מיו אוו דאשאין          | RGENCY SITUATIONS     |              |
|               |   |   |                              |                       |              |
|               |   | 1                                       |                              | ,                     |              |
|               |   |   |                              | ,                     |              |
|               | ***** THI                               | s is the en                             | DOFFRED KK1300               | )22 ***** TOTAL:      |              |
|               |   |   | , m. 2 OD 1.11 O             | VZZ """" IQIALI       |              |
|               | ĺ                                       |   |                              |                       |              |
|               |   |   |                              |                       |              |
|               |   |   |                              |                       |              |
|               | ť                                       |   |                              |                       | ļ            |
| •             |   |   | ļ                            |                       |              |
|               |   | 1 1                                     | 1                            |                       |              |
|               | 4                                       | 27/13 09:20:<br>+ Nirginia F            | 11 AM<br>Yurchasing Divisiom |                       |              |
|               | wez                                     | 411 311114 (                            | archdotha hidibiol           | 1                     |              |
|               |   | 1 100 100 100 100 100 100 100 100 100 1 |                              |                       |              |
| IONATA ME     |   | Hehen Brow                              | n 369:424                    | LTIAO OATO,           | 10.11.26     |
| M. DYANYI W.  | 200001                                  | SEID FOR AS AS                          | 11 1309.929<br>835           | ADDRESS CHANGES       | 10AY 26 2012 |
| WHEN III      | SOT DINGTO                              |   | <del>0</del>                 | 88 IN SPACE ABOVE LAB | - 1          |



To:

State of West Virginia

Department of Administration

From:

United Rentals (North America), Inc.

Re:

RFQ# 6613C022

Bid Due Date: February 27, 2013 1:30 p.m.

#### **Contact Information:**

Stephen Brown United Rentals Branch Manager 1501 Jackson Avenue Huntington, WV 25701

Phone (304) 429-1260 Fax (304) 429-1430

stbrown@ur.com

#### CERTIFICATION AND SIGNATURE PAGE

By signing below. I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

United Rentals (Nouth America), Inc.
(Company)

Line Brown, Branch
(Representative Name, Title). Manager

(Phone Number) (Fax Number)

Tehruary 26, 2013
(Date)

## ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: 6613C022

Instructions: Please acknowledge receipt of all addendu issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Pullure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received: NONE

| (Cine | OK (I) | 16 D( | and the compact of th | n received | () |  |
|-------|--------|-------|--|------------|----|--|
|       | ί      | j     | Addendara No. I  | 1          | ]  | Addendum No. 6   |
|       | [      | ]     | Addendum No. 2   | l          | 1  | Addendum No. 7   |
|       | £      | J     | Addendum No. 3   | [          | )  | Addendum No. 8   |
|       | l      | 1     | Addondum No. 4   | ſ          | 1  | Addendum No. 9   |
|       | ſ      | ]     | Addendum No. 5   | ĺ          | )  | Addendum No. 10 .  |
|       |        |       |  |            |    | ind any state personnel is not binding. Only the lifentions by an official addendum is binding.  Hed Rentrals (Nouth America), The Company  Anthorized Signature |
|       |        |       |  | J          | CL | bruany 26 2013   |
|       |        |       |  |            |    | Date   |

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

## REQUEST FOR QUOTATION 6613C022 Equipment Rental Contract

working hours, to the extent of the WVDOH's authority, to enter upon the premises where the said equipment is located for the purpose of inspecting or observing the use of the lease/rented equipment.

- 7.d Damage Beyond Control of the WVDOH! The WVDOH shall not be liable for damage to or loss of any leased/rented equipment resulting from lightning, Acts of God, riots, strikes or other causes beyond the WVDOH's control.
- 7.5 Insurance: The WVDOH is insured by the Board of Risk and Insurance Management. Insurance coverage will be provided by that agency only for long term, over thirty consecutive days of equipment lease/rental. Insurance coverage for short term lease/rental of equipment will be the responsibility of the owner/Vendor. The WVDOH will, at its option, either replace or pay to the Vendor the fair market value of any of the said equipment or any part thereof, lost destroyed or stolen by reason of the negligence of or lack of ordinary care on the part of its employees.
- 7.6 Liens: The WVDOH shall not directly or indirectly create, incur, assume or suffer to exist any mortgage, pledge, fien, charge and encumbrance or claim on or with respect to the lease/rented equipment, except with respect to the respective rights of the Vendor and the WVDOH.
- 7.7 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items leased/rented, quantities of items leased/rented and total dollar value of the items leased/rented. Vendor shall also provide reports, upon request, showing the items leased/rented during the term of this Contract, the quantity leased/rented for each of those items and the total value of lease/rental for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 7.8 Contract Manager: During its performance of this Contract, the Vendor must designate and maintain a primary Contract Manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below:

| Contract Managery Hephen Brown   |
|----------------------------------|
| Tolophono Number: 304 429 12100  |
| Fax Number: 304 429 1430         |
| Email Address: Stbrown @ v1. com |

Vendor shall indicate the area which he wishes to lease/rent equipment to the WVDOH by placing an "X" or "v" beside the County, Counties or Statewide. If Vendor fails to indicate which County or Counties, it will be assumed that the Vendor's bid is for Statewide.

| $\Delta$ | STATEWIDE  | [A]              |            | Ž,      |            |
|----------|------------|------------------|------------|---------|------------|
|          | Barbour    |                  | Kanawha    | F       | Pocahontas |
|          | Berkeley   | Š.               | Lewis      | j       | Preston    |
|          | Boone      | 3                | Lincoln    | 4       | Putnam     |
|          | Braxton    | 3                | Logan      | 81<br>% | Raleigh    |
|          | Brooke     | Â                | McDowell   | ),      | Randolph   |
|          | Cabell     | , T <sub>1</sub> | Marion     |         | Ritchie    |
|          | Calhoun    | <u> </u>         | Marshall   |         | Roane      |
|          | Clay       | ž.               | Mason      | \$      | Summers    |
|          | Doddridge  | 4.               | Mercer     | 8       | Taylor     |
|          | Fayette    | 3                | Mineral    | 150     | Tucker     |
|          | Gilmer     | Ş                | Mingo      |         | Tyler      |
|          | Grant      |                  | Monongalia |         | Upshur     |
|          | Greenbrier |                  | Monroe     | 3       | Wayne      |
|          | Hampshire  | ķ                | Morgan     | 8       | Webster    |
|          | Hançock    | å<br>å           | Nicholas   | 33<br>W | Wetzel     |
|          | Hardy      | j.               | Ohio       | (C)     | Wirt       |
|          | Harrison   | Š.               | Pendleton  |         | Wood       |
|          | Jackson    |                  | Pleasants  | - Z     | Wyoming    |
|          | Jefferson  |                  |            | N.      |            |

#### Exhibit B, Schedule I RFQ#6613C022

| Equipment Personalists                   |                     | Equipment Offered for Lease/Rental |  |  |              | Equipment<br>Delivery Fee |          |
|--|---------------------|------------------------------------|--|--|--------------|---------------------------|----------|
| Equipment Description                    | Manufacturer's Name | Model/Serial #                     |  | hout Ope   | \$ /Month    |                           | Add. Mi. |
| AERIAL BUCKET TRUCK                      |                     |                                    |  | <del>1                                    </del> |              |                           | 7.440.   |
| Highway Rated TRK, MTD                   |                     |                                    | İ  | 1  |              |                           |          |
| 50' Reach Min. 43.5' Radious 360 degrees |                     |                                    | Į  | ž.   | ł            |                           |          |
| Boom Rotation @ level position           |                     |                                    |  | İ  | 1            |                           | <b>]</b> |
| AERIAL PLATFORM TRUCK                    |                     |                                    |  |  |              |                           |          |
| Highway Rated TRK, MTD                   |                     |                                    |  |  |              |                           |          |
| 40' Reach Min. 360 degrees               | (                   | 1                                  |  |  |              |                           |          |
| Boom Rotation @ level position           |                     | 1                                  |  |  | · '          |                           | ĺ        |
| AERIAL PLATFORM TRUCK                    |                     |                                    | <del>                                     </del> |  |              | ***                       |          |
| Highway Rated TRK, MTD                   | į.                  |                                    |  |  | i l          |                           |          |
| 55' Reach Min. 360 degrees               |                     |                                    |  |  | 1            |                           |          |
| Boom Rotation @ level position           |                     |                                    |  |  |              |                           |          |
| AERIAL PLATFORM TRUCK                    |                     |                                    | <del> </del>                                     | <del> </del>                                     |              |                           |          |
| Elliott Model G50 or similar             | · ·                 |                                    | [  | 1  | 1            |                           |          |
| AERIAL PLATFORM TRUCK                    |                     |                                    | <u> </u>   |  | <del> </del> |                           |          |
| Elliott Model L55 or similar             |                     | i ·                                | 1  |  | 1            |                           |          |
| ARROW BOARDS                             |                     |                                    |  |  | -            |                           |          |
| 4' x 8' panel 15 lamp                    | WANCO               | WTLMB-A10                          | 8 8 v 00   | 2000   | 515.00       |                           |          |
| ASPHALT DISTRIBUTOR                      |                     |                                    | 00,  | 000.   | 3,2,         |                           |          |
| Trk. Mtd. w/spray bar                    |                     |                                    |  | ļ  |              |                           |          |
| AŞPHALT RECYLING ATTACHMENT              |                     |                                    |  |  | -            |                           |          |
| Endicader bucket - mounted, asphalt      |                     |                                    |  |  |              |                           |          |
| grinder/recycle attachment, 185 hp min.  |                     |                                    |  | •  |              |                           |          |
| app. 8,500 lb. wt. capable of grinding   |                     |                                    |  |  |              |                           |          |
| and re-mixing up to 12" deep and up      | <u> </u>            |                                    |  |  | [            | ĺ                         |          |
| to 48" wide pavement and base.           |                     |                                    | Ì  |  |              |                           |          |
| AUGER                                    |                     | 1                                  |  | <del> </del>                                     |              |                           |          |
| Trk. Mtd.                                |                     |                                    |  |  |              |                           |          |
| BACKHOE                                  | <del>-  </del>      |                                    |  | -  |              |                           |          |
| Crawler Mech./Hyd. 0.75 Cyd.             |                     |                                    | d  | at .   | .st          |                           |          |
| 24,000 lbs 28,000 lbs. Working Weight    | John Deere          | 1200                               | 612 00   | 1500 00  | 3792.∞       | 1                         |          |

| Equipment Description  |                                  | Equipment Offered for Lease/Rental |              |                           | Lesse/Rental Rate of Equipment Without Delivery/ Without Operator |          |                    |  |
|--|----------------------------------|------------------------------------|--------------|---------------------------|---|----------|--------------------|--|
| Equipment Description BACKHOE  | Manufacturer's Name              | Model/Serial#                      | \$ /Day      | \$ /Week                  | \$ /Month   | 1st Mile | ry Fee<br>Add. Mi. |  |
| Crawler Mech./Hyd. 0.75 Cyd.<br>29,000 ibs 35,800 ibs. Working Weight                                  | John Deere                       | 135D                               | \$ 7.00      | 3<br>1660°                | 8<br>4151.*°  |          |                    |  |
| BACKHOE Crawler Mech./Hyd. 1.00 Cyd. 36,000 lbs 40,000 lbs. Working Weight Attachment: Grapple         | John Deere                       | 1600                               | \$718.00     | 1789.00                   | \$<br>4470.**   |          |                    |  |
| BACKHOE<br>Crawler MechJHyd, 1.25 Cyd.<br>128 - 141 HP<br>42,700 lbs 45,900 lbs. Working Weight        | John Deere                       | 200016                             | \$<br>774.00 | #<br> 923.00              | ₫<br>4807.00  |          |                    |  |
| BACKHOE (HY-RAM)<br>Crawler 2,000 ft./lbs. min.<br>24,400 lbs 35,800 lbs. Excavator Size               | John Deere<br>Atlas Copco        | 120D<br>MB1500                     | \$           | 8<br>3540:"               | 5   |          |                    |  |
| BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 36,000 lbs 42,900 lbs. Excavator Size Attachment: Grapple | John Deere<br>Atlas Copco        | 160 D<br>MB1500                    | #<br>1596.*° | #<br>3809.°°              | #<br>9519.**  |          |                    |  |
| BACKHOE (HY-RAM) Crawler 2,000 ft./lbs. min. 43,000 lbs 60,000 lbs. Excavator Size                     | John Decre<br>Atlas Copeo        | 200 DLC                            | 8<br>1582.00 | 4<br>3943.**              | \$<br>9856.°°   |          |                    |  |
| BACKHOE (HY-RAM) Crawler 2,000 ft./ībs. min. 61,000 lbs 80,000 lbs. Excavator Size                     |                                  |                                    |              |                           | -   |          |                    |  |
| HYRAM ATTCH ONLY<br>2,000 ft/lbs. min<br>BACKHOE   | ATLAS Copeo                      | MBISOD                             | 808.00       | \$<br>2020. <sup>62</sup> | <b>s</b><br>5∘49.°°   |          |                    |  |
| Crawler with a thumb  BACKHOE LOADER  Rubber Tired 55-85 DHP   | Toka Da                          | 3105                               | <b>5</b>     | \$                        | t   |          |                    |  |
| RUDDET TITED 55-85 DHP BACKHOE LOADER (HY-RAM) Mtd. Hyd. Brezker 55-85 DHP D                           | John Deere<br>John Deere<br>Kent | 310J                               | 8            | 5<br>696.°°<br>1386.80    | *   |          |                    |  |

|   |                                 | Equipment Offered for Lease/Rental |  |  | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |   |                     |  |
|---|---------------------------------|------------------------------------|--|--|---|---|---------------------|--|
| Equipment Description                   | Manufacturer's Name             | Model/Serial #                     | \$ /Day  | \$ Week  | \$ /Month   |   | ery Fee<br>Add. Mi. |  |
| BACKHOE LOADER (HO-RAM)                 |                                 | -                                  |  |  |   |   |                     |  |
| Mtd. Air Breaker 1,000 ft./lbs. min.    |                                 | •                                  |  | }  | [   |   |                     |  |
| BACKHOE LOADER TRACTOR - Compact        |                                 |                                    | #  | \$   | .di   |   | <u> </u>            |  |
| Rubber Tired 20-30 HP max. height - 83" | Allmano                         | TLB425                             | 168.00   | 420.00   | 1044.00   |   |                     |  |
| BASE WIDENER SP                         |                                 |                                    |  |  |   |   | <u> </u>            |  |
| (Shoulder Stone)                        |                                 |                                    |  |  |   |   |                     |  |
| BRUSH CHIPPER - up to 49 hp             |                                 |                                    |  | <del>                                     </del> |   |   |                     |  |
| Cutting size - 12" in diameter.         |                                 |                                    |  | Ì  | ]   |   |                     |  |
| BRUSH CHIPPER - from 50 hp to 85 hp     |                                 |                                    | <b>-</b>   |  | <b>*</b>  |   | <u> </u>            |  |
| Cutting size - 12" in diameter.         | Vermeel                         | BC1000XL                           | 20,00  | 015.00   | \$<br>2406. <sup>00</sup>   |   |                     |  |
| BULLDOZER                               |                                 | -                                  | Ď  | 1  |   |   | !<br>               |  |
| Crawler GD 65-75 DHP D                  | Vermeer  John Decre  John Decre | 4505                               | 412.00   | 5 11107.00                                       | 8 a917.00   |   | ļ                   |  |
| BULLDOZER                               |                                 |                                    | <del></del>  | 1.   |   |   |                     |  |
| Crawler GD 80 -90 DHP D                 | John Deere                      | 5505                               | 488.00   | S 1233,00  | 3052.**   |   |                     |  |
| BULLDOZER                               |                                 |                                    |  |  | JO 02.  |   |                     |  |
| Crawler GD 100 -120 DHP D               | 1                               |                                    | 1  |  |   |   |                     |  |
| BULLDOZER                               |                                 |                                    | <del>†                                      </del> |  |   |   | <u> </u>            |  |
| Crawler GD 130 -140 DHP D               | -                               | 1                                  | 1  |  |   |   |                     |  |
| BULLDOZER                               |                                 |                                    | 1  | <u> </u>   |   |   | <u> </u>            |  |
| Crawler TC 150 - 250 EHP D              | 1                               | 1                                  |  |  |   |   |                     |  |
| BULLDOZER                               |                                 |                                    | †  |  |   |   | <del></del>         |  |
| Crawler/Ripper TCP 181 - 250 EHP D      | 1                               |                                    |  |  |   |   |                     |  |
| BULLDOZER                               |                                 |                                    | <u> </u>   |  |   |   |                     |  |
| Crawler/Winch TCP 181 - 250 EHP D       | <u> </u>                        | •                                  |  |  |   |   | ļ                   |  |
| CHIP SPREADER SP                        |                                 |                                    |  |  |   | , |                     |  |
| COMPRESSOR                              |                                 |                                    |  | ļ  |   |   | 1                   |  |
| 125 - 160 CFM PortwhiL                  | ł                               |                                    |  | [  |   |   |                     |  |
| COMPRESSOR                              | i .                             |                                    | d o  | 8  |   |   | <del> </del>        |  |
| 170 - 210 CFM Portwill.                 | Sullair                         | 185 DPA                            | 100.00   | 246.00   | 605.00  |   | }                   |  |
| COMPRESSOR                              |                                 |                                    | 1  | <u> </u>   |   | - | 1                   |  |
| 250 - 300 CFM Portwhil.                 |                                 |                                    |  |  | <b>,</b>  |   | 1                   |  |

| Equipment Description                                    | <u></u>             | Equipment Offered for Lease/Rental |                     |             | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |          |             |  |
|--|---------------------|------------------------------------|---------------------|-------------|---|----------|-------------|--|
|  | Manufacturer's Name | Model/Serial #                     |                     |             | \$/Month  | 1st Mile | Add. Mi     |  |
| COMPRESSOR<br>350 - 375 CFM Portwhi.                     | Sullair             | 375DPQ                             | 1                   |             | a<br>1459.00  |          |             |  |
| COMPRESSOR<br>600 CFM Portwol.                           |                     | -                                  | 0.50                | 3011        | 1-131.  |          |             |  |
| COMPRESSOR<br>700 - 800 CFM Portwhl.                     | Atlas Copeo         | XAS750                             | #410.00             | 5 1022 50   | #<br>2552.6°  | ·        |             |  |
| CONCRETE MIXER<br>Trk. Mtd. 6.0 Cyd.                     |                     |                                    |                     | 1022        | Ø33 <b>4</b> .  |          |             |  |
| CONCRETE SAW<br>Full Depth CAP - 24" Blade               | Husqvarna           | FS 524                             | #<br>135.00         | ₹<br>334.00 | 842.00  |          |             |  |
| CONCRETE SAW<br>12 1/2" Maximum Depth of Cut - 30" Bizde | Husqvarna           | F\$4800D                           | 5 <sub>275.00</sub> | 675.00      | 5 1350.00   |          |             |  |
| CONCRETE SAW<br>15" Maximum Depth of Cut - 36" Blade     | Husquarna           | F56600 D                           |                     |             | \$1535*°  |          |             |  |
| CONCRETE VIBRATORY SCREED Air Powered - 36 ft. max.      |                     |                                    |                     |             |   |          |             |  |
| CONVEYER   |                     |                                    |                     |             | · · · · · · · · · · · · · · · · · · ·                             |          |             |  |
| Port. Elev. W/Dumpster 2T min. @ 32                      | Military char       |                                    |                     |             | l i   |          |             |  |
| deg. Incline - 18" width 60' length -                    | }                   | į<br>į                             |                     |             |   |          |             |  |
| PTO Gas or Diesel Engine Self-Elev.                      |                     |                                    |                     |             |   |          | ļ           |  |
| CRACK SEALING MACHINE                                    |                     |                                    |                     |             |   |          |             |  |
| Trir. Mtd. Dbi, Drum                                     | 1                   |                                    |                     |             |   | ļ        | į           |  |
| 100 -125 GLN. D  |                     |                                    |                     |             |   |          | į           |  |
| CRANE 10 T Hyd.<br>Trk. Mtd. min. 18' Bed                |                     |                                    |                     |             |   |          |             |  |
| CRANE 12 - 1/2 T Hyd.                                    |                     |                                    |                     |             |   |          |             |  |
| Trk. Mtd. min. 18' Bed                                   |                     |                                    |                     |             |   |          | i           |  |
| CRANE 14 T Hyd.<br>Trk. Mtd. min. 18' Bed                |                     |                                    |                     |             |   |          | <del></del> |  |
| CRANE 15 - 25 T  |                     |                                    |                     |             |   |          | <del></del> |  |
| Hyd. Rough Terrain                                       |                     |                                    |                     |             |   |          |             |  |

### Exhibit B, Schedule I RFQ#6613C022

### Vendor Should Type Pricing Page Schedule

| Equipment Description  CRANE 20 - 25 T Cable D Crawler  CRANE 25 - 30 T Cable, Trk. Mtd. G  CRANE 30 T Hyd.  CRANE 35 T Hyd.  CRANE 40 T Hyd.  CRANE 50 T Hyd.  CRANE 50 T Hyd.  CRANE 15 - 20 T Truck Mounted Boom  CRANE 21 - 25 T Truck Mounted Boom  CULVERT CLEANER  Trk. Mtd. min. 1,500 gal. tank 1400 PSI min.  CULVERT CLEANER  Trk. Mtd. 65 - 80 GPM 2,000 PSI min.  DITCH WITCH  EQUIPMENT TRAILER 10,000 lbs or less 16ft - 18 ft length to attach to a pintle hitch Titt style deck  EQUIPMENT TRAILER 12,000 lbs - 14,000 lbs 16ft - 18 ft length to attach to a pintle hitch |                     | Equipment Offered for Lease/Renfal |          |          | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |  |          |  |
|---|---------------------|------------------------------------|----------|----------|---|--|----------|--|
|   | Manufacturer's Name | Model/Serial#                      | \$ /Day  | \$ /Week | \$ /Month   | 1st Mile                                     | Add. Mi. |  |
|   |                     |                                    |          |          |   |  |          |  |
|   |                     |                                    |          |          |   |  |          |  |
|   | İ                   |                                    |          | -        |   |  |          |  |
|   |                     |                                    |          |          |   | <u>.                                    </u> |          |  |
| CRANE 30 T Hyd.   |                     |                                    |          |          |   |  |          |  |
| CRANE 35 T Hyd.   |                     |                                    |          |          |   |  |          |  |
| CRANE 40 T Hyd.   |                     | •                                  |          |          |   |  |          |  |
| CRANE 50 T Hyd.   |                     |                                    |          |          |   |  |          |  |
| CRANE 15 - 20 T   |                     | •                                  |          | <u> </u> |   |  |          |  |
| Truck Mounted Boom  |                     |                                    |          | 1        |   |  |          |  |
| CRANE 21 - 25 T   |                     |                                    |          | 1        |   |  | <u> </u> |  |
| Truck Mounted Boom  | ali Antonia         |                                    | ļ        | 1        |   |  | ł        |  |
| CULVERT CLEANER   |                     |                                    |          | <u> </u> |   |  | <u> </u> |  |
| Trk. Mtd. min. 1,500 gai. tank  |                     |                                    |          |          |   |  |          |  |
|   |                     |                                    |          |          |   |  | ļ        |  |
|   |                     |                                    |          | İ        |   |  |          |  |
| Trk. Mtd. 65 - 80 GPM 2,000 PSI min.  |                     |                                    |          |          |   |  |          |  |
| DITCH WITCH   |                     |                                    |          |          |   |  |          |  |
| EQUIPMENT TRAILER   |                     |                                    | <u> </u> | <u></u>  |   |  | <u> </u> |  |
| 10,000 lbs or less  |                     |                                    |          |          |   |  |          |  |
| 16ft - 18 ft length to attach to a pintle hitch   |                     | -                                  | 1        |          |   |  | 1        |  |
|   |                     |                                    | 1        |          |   |  |          |  |
| EQUIPMENT TRAILER   |                     |                                    | -        | 1        |   |  |          |  |
| 12,000 lbs - 14,000 lbs   |                     |                                    |          |          |   |  |          |  |
| 16ft - 18 ft length to attach to a pintle hitch   |                     |                                    |          |          |   |  |          |  |
| Tilt style deck   | [                   |                                    | }        |          |   |  |          |  |

÷

|   | 1   | Equipment Offered for Lease/Rental |  |  | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |              |               |  |
|---|---|------------------------------------|--|--|---|--------------|---------------|--|
| Equipment Description                                     | Manufacturer's Name   | Model/Serial#                      |  |  | \$ /Month   | 1st Mile     | ry Fee        |  |
| EQUIPMENT TRAILER   |   |                                    |  |  | V   | 750 111112   | 700. 110      |  |
| 14,000 GVWR   | İ   |                                    | 1  |  |   |              | l             |  |
| 16' + 2' dovetail, with 24" wide x 60" wide long stand-up |   |                                    |  | 1  |   |              |               |  |
| ramps with support leg and stand-up bar, spring assisted  |   |                                    |  |  |   |              | İ             |  |
| EXCAVATOR - TELEBOOM                                      |   |                                    |  | <del>                                     </del> | <del> </del>  |              |               |  |
| Track Mtd. SP 0.5 Cyd. D                                  |   |                                    |  |  |   |              |               |  |
| EXCAVATOR - TELEBOOM                                      |   |                                    | <del> </del>                                     |  |   |              |               |  |
| Truck Mtd. SP 0.5 Cyd. D                                  |   |                                    |  |  |   |              |               |  |
| EXCAVATOR   |   |                                    | -  |  |   |              |               |  |
| w/McMillen extreme duty earth auger or similar            |   |                                    |  |  |   |              |               |  |
| EXCAVATOR   |   |                                    | 4  |  | *   |              |               |  |
| Mini-Hyd. Track Mtd. 2,600 lbs. max.                      | Takeuchi Takeuchi   | TB108                              | 80.00  | 449.00   | 1110.00   |              |               |  |
| EXCAVATOR   |   |                                    | ·  |  |   |              |               |  |
| Mini-Hyd. Track Mtd. 6,500 lbs. max.                      | Takeuchi  | ТВЗЗВ                              | 235.00   | 583.00   | \$<br>1459.60   |              |               |  |
| EXCAVATOR - 1/8 Cyd.                                      | TARCES TO THE PROPERTY OF THE | · O Mare                           | 1 400.   | 5000   | 1101  |              |               |  |
| 30 HP D Track Width 5" out-to-out                         |   |                                    |  |  |   |              |               |  |
| EXCAVATOR - 1/5 Cyd. 44 HP D                              |   |                                    | <del>                                     </del> |  |   |              |               |  |
| 11,000 lbs. Track Width 6' out-to-out                     |   |                                    |  |  |   |              |               |  |
| EXCAVATOR - 1/4 Cyd.                                      |   |                                    |  |  |   |              |               |  |
| 55 HP D 14,000 lbs. Bucket                                |   |                                    | Į  |  |   |              |               |  |
| Track Width 6 out - to - out                              |   |                                    |  |  |   |              |               |  |
| EXCAVATOR ATTACHMENT                                      |   |                                    | <del> </del>                                     |  |   |              |               |  |
| Plate compactor for 15,000-20,000 lb excavator            |   |                                    |  |  |   |              |               |  |
| EXCAVATOR ATTACHMENT                                      |   |                                    |  |  |   |              | <del></del>   |  |
| Hydraulic hammer for 15,000-20,000 lb excavator           |   |                                    | l  | 1  |   |              |               |  |
| FLATBED TRUCK   | 1   |                                    | <del>                                     </del> | <u> </u>   |   | <del>-</del> | <del></del> - |  |
| 1 Ton minimum with 22 ft. bed length minimum              |   |                                    |  |  |   |              |               |  |
| FORKLIFT TRUCK  |   |                                    | ٥  | ď  |   | :            |               |  |
| Rough Terrain, 5 - 10 K lb. lift cap.                     | SKYTRAK   | 6042                               | 322.00   | 810,00   | 14 80.00  |              |               |  |
| GRAPPLE ATTACHMENTS                                       |   |                                    | <u> </u>   |  |   | :            |               |  |
| for Skid Steer Loaders 72" - 78" attachments              | 1   |                                    |  |  |   | :            |               |  |

#### Exhibit B, Schedule I RFQ#6613C022

|  |                     | Equipment Offered for Lease/Rental |           |          | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |          |               |  |
|--|---------------------|------------------------------------|-----------|----------|---|----------|---------------|--|
| Equipment Description                            | Manufacturer's Name | Model/Serial #                     | \$/Day    | \$ /Week | \$ /Month   | 1st Mile | Add. Mi.      |  |
| Hammer (Delmag) Pile-D.<br>D8-22                 |                     |                                    |           |          |   |          |               |  |
| HIGH FLOW SKID STEER                             |                     |                                    |           | <u> </u> |   |          | <u>,</u>      |  |
| Attachment: Broom                                | Sweepster           | 22072M                             | 5122 00   | ±356.∞   | \$022.00  |          | <del></del> - |  |
| Attachment: Bucket                               |                     |                                    | 39        | 3.54.    | 726.  |          |               |  |
| Attachment: Broom Bucket                         | Sweepster           | 20572 M                            | \$ 132.00 | 5251 00  | 5022 00   |          |               |  |
| Attachment: Auger of any diameter                | Bobcat              | Model 30                           |           |          | \$618.00  |          | <del> </del>  |  |
| Attachment: Trencher of any width                | OG JCI              | 1.10000.00                         |           | <u> </u> | 0 10.   |          | <u> </u>      |  |
| HYDRO-SEEDER                                     |                     |                                    |           | <u> </u> |   |          |               |  |
| HYDRO-SEEDER                                     |                     |                                    |           | <u> </u> |   |          | <u> </u>      |  |
| Trk. Mtd. 1,500 - 2,500 Gal.                     |                     |                                    |           | !        |   |          |               |  |
| JOINT SEALER                                     |                     |                                    |           |          |   |          |               |  |
| 3 Cylinder, Tandum Dual 2 Axle                   |                     |                                    |           | ŀ        |   |          |               |  |
| Vat Capacity - 200 gallons                       |                     | 1                                  |           |          |   |          |               |  |
| Tank - Double Boiler Type - opening 16"x24"      |                     |                                    |           | ļ        |   |          |               |  |
| Maximum Heat Input - Diesel 290,000 BTU          |                     |                                    |           | ŀ        |   |          |               |  |
| incl. Full Sweep Mixer with 2 horizontal paddles | 1                   |                                    |           |          |   |          |               |  |
| LIGHT TOWERS PORT.                               |                     | ·                                  | *         | .st      | st.   |          |               |  |
| 4 - 1,000 w/buibs                                | Magnum Pro          | MLT 3060                           | \$84.00   | 208.00   | 516.00  |          |               |  |
| MANLIFT  |                     |                                    |           | 3        | 政   |          |               |  |
| 40 ft  | J-4                 | 4005                               | 8267.00   | مامامال  | 1595.00   |          |               |  |
| MANUFT SP  |                     |                                    | d         |          |   |          | <u> </u>      |  |
| 80 ft.   | JLG                 | 8005                               | \$628.00  | 1570.00  | 3850.°°   |          |               |  |
| MANUFT SP  |                     |                                    | •         | · ·      | 1   |          |               |  |
| 130 ft.  | Ju                  | 1350SJP                            | 13 15.00  | 3240.00  | 5<br>6950.00  |          |               |  |
| MESSAGE SIGN - PROGRAMMABLE                      |                     |                                    |           |          |   |          |               |  |
| MILLING PLANER 30" COMPLETE WITH                 |                     |                                    |           |          | !<br>   |          |               |  |
| SKID STEER LDR.                                  |                     |                                    |           |          |   |          | 1             |  |
| Operating capacity of at least 2150 lbs.         |                     |                                    | <u> </u>  | 1        |   |          |               |  |

|  | Equipment Offered for | Wit            | ntal Rate of<br>thout Deli<br>hout Ope | Equipment<br>Delivery Fee |              |          |      |
|--|-----------------------|----------------|--|---------------------------|--------------|----------|------|
| Equipment Description                        | Manufacturer's Name   | Model/Serial # | \$ /Day                                | \$ /Week                  | \$ /Month    | 1st Mile |      |
| MILLING PLANER COMPLETE WITH SKID STEER LDR. |                       |                |  | Į                         |              | :        | **** |
| 1 ft. cut min. to 5 ft. cut max.             |                       |                |  |                           |              |          |      |
| MORTAR MIXER                                 |                       | ]              | \$                                     | 4                         | đ            |          |      |
| 6 CF 5 HP G                                  | Multiquip             | MWJO2H8        | \$ 99.00                               | 188.00                    | 495.00       |          |      |
| MOTOR GRADER                                 |                       |                |  | -                         |              |          |      |
| 35,000-45,000 lbs. class                     |                       |                |  |                           | ]            |          |      |
| PAVER  |                       |                |  |                           |              |          |      |
| HMA  |                       |                | 1                                      |                           |              |          |      |
| ROCKDRILL - SP                               |                       |                |  |                           |              |          |      |
| Hyd. Excav./Boom Mtd.                        |                       |                |  |                           |              |          |      |
| 3" Holes/20' deep min.                       |                       |                |  |                           |              |          |      |
| ROCK HAMMER FOR EXCAVATOR                    |                       |                |  | <u> </u>                  |              |          |      |
| 5000-7000 lbs. class                         |                       |                |  |                           |              |          |      |
| ROCK WAGON                                   |                       |                |  |                           |              |          | ···· |
| 20 -30 T                                     |                       |                |  |                           |              |          |      |
| ROLLER                                       |                       |                | g                                      | •                         | •            |          |      |
| 5 Ton with 2 steel drums                     | WACKER                | RD37           | 396.00                                 | 655.00                    | 8<br>1430.00 |          |      |
| ROLLER                                       |                       |                | 1                                      | <u> </u>                  | , 45-        |          |      |
| 10-15 Tons with 2 steel drums                |                       |                |  |                           |              | j        |      |
| ROLLER                                       |                       |                |  |                           |              |          |      |
| 5-6T PNEUTR TOW/Trk. Mtd.                    |                       |                |  |                           |              |          |      |
| ROLLER                                       |                       |                | †                                      |                           |              |          |      |
| 10 T PNEUTR                                  |                       |                | į                                      |                           |              |          |      |
| ROLLER                                       |                       |                | ļ                                      |                           |              |          |      |
| 7-15 T PNEUTR, Articulated                   |                       |                |  | ĺ                         |              |          |      |
| ROLLER SP                                    |                       |                |  | <u> </u>                  |              |          |      |
| PNEUTR - 10K GVW G                           |                       | 1              |  | 1                         |              |          |      |
| ROLLER SP                                    |                       |                | <del> </del>                           |                           | <u> </u>     |          |      |
| PNEUTR - 20K GVW G                           |                       |                |  | 1                         |              |          |      |
| ROLLER - TRENCH VIB                          |                       |                |  | -                         |              |          |      |
| Dual Drum Approx. 10 HP                      |                       |                | <b>A</b>                               | <b>S</b>                  | <b>s</b>     |          |      |
| Approx. Width 2.5 ft./length 8.3 ft.         | WACKER                | RT-82 SC       | 258.00                                 | 650.00                    | 1615.00      |          |      |

|  | Equipment Offered fo | Lesse/Rental Rate of Equipment Without Delivery/ Without Operator |          |          | Equipment<br>Delivery Fee |          |          |
|--|----------------------|---|----------|----------|---------------------------|----------|----------|
| Equipment Description                  | Manufacturer's Name  | Model/Serial #  | S /Day   | \$ /Week | \$ /Month                 | 1st Mile | Add. Mi. |
| ROLLER - VIB                           |                      |   |          |          |                           |          |          |
| SP 1 Drum 2XL 10 - 15 K GVW D          |                      |   |          |          |                           |          |          |
| ROLLER - VIB                           |                      |   |          |          |                           |          |          |
| SP 1 Drum 2XL 10 - 20 K GVW D          |                      |   |          |          |                           |          |          |
| SCREENERS, Material                    |                      |   |          |          |                           |          |          |
| Mobile - Diesel                        |                      |   | <u> </u> |          |                           |          |          |
| SHADOW TRUCK w/Attenuator              | 1                    |   |          |          |                           |          |          |
| min. 30,000 GVW                        |                      |   |          |          |                           |          |          |
| SHOULDER MAINTAINER SP                 | Anthreas             |   |          |          |                           |          |          |
| w/G (min. 67 HP) or w/D (min. 46 HP)   | **                   |   |          |          |                           |          |          |
| asphalt or stone width                 |                      |   |          |          | 1                         |          |          |
| 1' - 6' and 6" - 12" depth             |                      |   |          |          |                           |          |          |
| STABILIZER (BO-MAG) SP                 | •                    |   |          |          |                           |          |          |
| 250 HP min.                            |                      |   |          |          |                           | _        |          |
| STRAW / MULCH BLOWER                   | 1                    |   |          |          |                           |          |          |
| Trk. Mtd.                              |                      |   | <u> </u> |          |                           |          |          |
| STREET SWEEPER SP                      |                      |   |          |          |                           |          |          |
| 3.0 Cyd. (min.)                        |                      |   |          | L        |                           | !        |          |
| STREET SWEEPER SP                      |                      |   |          |          |                           |          |          |
| 6.0 Cyd. (min.)                        |                      |   |          | 1        |                           |          |          |
| STREET SWEEPER                         |                      |   |          |          |                           |          |          |
| Trir. Type                             |                      |   |          |          |                           |          |          |
| STREET SWEEPER-HYDROSTATIC             |                      |   |          |          |                           |          |          |
| Elgin Pelican III or similar           |                      |   |          |          |                           |          |          |
| STREET SWEEPER - Truck-Mounted         |                      |   |          |          |                           |          |          |
| 4.0 C.Y. Minimum hopper capacity       |                      |   | •        |          |                           |          |          |
| Water-spray system for dust control    | 4                    |   |          |          |                           |          |          |
| Side/curb brooms and rear/center broom |                      |   |          |          |                           |          |          |
| 11,000 lbs up to 33,000 lbs            |                      |   |          |          |                           |          |          |
| TRACTOR BOOM MOWER                     |                      |   |          | <u> </u> |                           |          |          |
| 110 to 120 hp, class                   | t                    |   | 1        | 1        |                           |          |          |

|   | Equipment Offered for Lease/Rental   |               |              | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |  |   | Equipment<br>Delivery Fee |  |
|---|--|---------------|--------------|---|--|---|---------------------------|--|
| Equipment Description                               | Manufacturer's Name  | Model/Serial# | \$/Day       | \$ /Week  | \$ /Month  | 1st Mile                                | Add. Mi.                  |  |
| TRACTOR WITH BROOM ATTACHMENTS<br>90 HP             |  |               |              |   |  |   |                           |  |
| TRACTOR MOWER                                       |  |               |              | <del></del>   |  |   |                           |  |
| With Side and Rear Flail Mower Attachments Included |  |               |              |   | <u> </u>   |   |                           |  |
| TRAILER   |  |               |              |   | 1  |   | i                         |  |
| 6 tons with ramps, minimum 18' length, 8.5' width   |  |               |              |   |  |   |                           |  |
| TRAILER - LowBoy                                    |  |               |              | <u> </u>  | <u> </u>   |   |                           |  |
| 35 - 50 ton - pony motor, self contained hydrautics |  |               |              |   |  |   |                           |  |
| TRAFFIC SIGNALS - PORT                              |  |               |              |   |  |   |                           |  |
| 2 Phase Operation D/E                               |  |               | 1            |   |  |   |                           |  |
| TRENCH PAVER  | *  |               |              |   | 1  | *************************************** |                           |  |
| (Base Widening Machine)                             |  | 1             |              | 1   |  |   |                           |  |
| UNDERBRIDGE INSPECTION UNIT                         |  |               |              | <del>                                     </del>                  |  |   |                           |  |
| 20 ft. maximum horizontal reach                     |  | İ             |              |   |  |   |                           |  |
| UNDERBRIDGE INSPECTION UNIT                         |  |               |              |   | <b>†</b>   |   | <u> </u>                  |  |
| 30 ft. maximum horizontal reach                     | 1  | •             |              |   |  |   | 1                         |  |
| UNDERBRIDGE INSPECTION UNIT                         |  |               |              | <del> </del>  | 1  |   | 1                         |  |
| 40 ft. maximum horizontal reach                     | ¥.   |               |              | 1   |  | ı                                       | ļ                         |  |
| UNDERBRIDGE INSPECTION UNIT                         |  |               |              |   | 1  |   |                           |  |
| 50 ft. maximum horizontal reach                     | ug managaran da ma |               |              |   |  |   |                           |  |
| UNDERBRIDGE INSPECTION UNIT                         |  |               | 1            | 1   | 1  |   |                           |  |
| 60 ft. maximum horizontal reach                     |  |               |              |   |  |   |                           |  |
| UNDERBRIDGE PLATFORM                                |  |               |              |   |  |   |                           |  |
| Trir. Mtd., Hyd. SP Min. 20 ft. horizontal reach    |  |               | ]            |   |  |   |                           |  |
| UNDERBRIDGE PLATFORM                                |  | <u> </u>      | 1            |   | İ  |   |                           |  |
| Trir. Mtd., Hyd. SP Min. 30 ft. horizontal reach    |  |               |              |   |  |   |                           |  |
| UNDERBRIDGE PLATFORM                                |  | <u> </u>      |              |   | 1  |   | 1                         |  |
| Trir. Mtd., Hyd. SP Min. 40 ft. horizontal reach    |  |               |              | 1   | 1  |   |                           |  |
| UNDERBRIDGE PLATFORM                                |  |               | 1            | 1   | 1  |   | 1                         |  |
| Trir. Mtd., Hyd. SP Min. 50 ft. horizontal reach    |  |               |              |   | 1  |   |                           |  |
| UNDERBRIDGE PLATFORM                                |  |               | <del> </del> | 1   | <del>                                     </del> | <del></del>                             |                           |  |
| Trir. Mtd., Hyd. SP Min, 60 ft, horizontal reach    | •  |               | 1            |   |  |   |                           |  |

#### Exhibit B, Schedule I RFQ#6613C022

|   |  | Equipment Offered for Lease/Rental |          | Lease/Rental Rate of Equipment Without Delivery/ Without Operator |           |             | oment<br>ary Fee |
|---|--|------------------------------------|----------|---|-----------|-------------|------------------|
| Equipment Description                       | Manufacturer's Name  | Model/Serial#                      | \$ /Day  | \$ /Week  | \$ /Month | 1st Mile    | Add. Mi.         |
| VACUUM/SPRAY UNIT                           | - September - Sept |                                    |          |   |           |             |                  |
| Trk. Mtd. min. 1,000 gal. tank min. 60 gpm  |  |                                    | Ţ        |   |           |             |                  |
| 4 ft. teleboom w/swivel/rotating hose reel  | }  |                                    |          | İ   |           |             |                  |
| VACUUM/STREET SWEEPER                       |  |                                    |          |   |           |             |                  |
| Self-Propelled, 4 Cyd., Gas, 5 ft wide path |  |                                    | 1        |   |           |             |                  |
| VAN-BOX                                     | Ė  |                                    |          |   |           |             |                  |
| 21,000 or greater                           |  |                                    |          |   | •         |             |                  |
| VIBRATORY ROLLER with Water                 |  |                                    |          |   |           |             |                  |
| 4 - 5 ton Steel Double Drum                 |  |                                    |          |   | ]         |             |                  |
| VIBRATORY ROLLER with Water                 |  |                                    |          |   | Ì         |             | -                |
| 8 - 10 ton Steel Double Drum                | •  |                                    |          |   |           |             |                  |
| WATER PUMPS - 3"                            |  |                                    | .4       |   |           |             |                  |
| w/suction & discharge hoses                 | Multique   | QP3TH                              | 74.00    | \$ 180.m  | 454.00    |             |                  |
| WATER PUMPS - 4"                            |  |                                    | æ        | _   |           |             |                  |
| w/SUCTION & DISCHARGE HOSES                 | WACKER   | PTS 4V                             | \$ 88.00 | 218.00  | 534.00    |             |                  |
| WATER PUMPS - 6"                            |  | ·                                  | t .      | i .   | 1         |             |                  |
| w/SUCTION & DISCHARGE HOSES                 | Magnum Pro   | MTP 6000 S                         | 988.00   | 6730.0°   | 1460.00   |             |                  |
| WATER PUMPS - 12"                           |  |                                    |          |   |           |             |                  |
| w/SUCTION & DISCHARGE HOSES                 |  |                                    |          |   |           |             |                  |
| WORK PLATFORM SP                            |  |                                    | d        |   | _         | <del></del> |                  |
| SL 25' High Platform 1,500# CAP             | SKYJACK  | 4626                               | 150.00   | 3.80.00   | *620.00   |             |                  |
| WORK PLATFORM SP                            |  |                                    | 8        | <b>3</b> 5  |           |             |                  |
| SL 35' High Platform 1,500# CAP             | SKYJACK  | 4632                               | 184.00   | 390.00  | 830.00    |             |                  |

|                                     | Equipment Offered for Lesse/Rental |                |            | Lease/Rental Rate of Equipment Without Delivery/ With Operator |          |               | oment<br>ery Fee |
|-------------------------------------|------------------------------------|----------------|------------|--|----------|---------------|------------------|
| Equipment Description               | Manufacturer's Name                | Model/Serial # | \$ /Day    | \$ /Week   | S /Wonth | 1st Mile      | Add. Mi.         |
| BACKHOE - Crawler-MY-RAM            |                                    | -              |            |  |          |               |                  |
| 24,000 lbs 35,300 lbs.              |                                    |                |            |  |          |               |                  |
| BACKHOE - Crawler- HY- RAM          |                                    |                |            |  |          |               |                  |
| 36,000 lbs 42,900 lbs.              |                                    |                | 1          |  |          |               |                  |
| BACKHOE - Crawler- HY- RAM          |                                    |                |            |  |          |               |                  |
| 43,000 lbs 60,000 lbs.              |                                    |                |            |  |          |               |                  |
| BACKHOE - Crawler 1.25 Cyd.         |                                    |                |            |  |          |               | j                |
| 128 - 141 HP                        |                                    |                |            |  |          |               | <u> </u>         |
| 42,700 lbs 45,900 lbs.              |                                    |                | <b> </b> / | 1  |          |               | ĺ                |
| CONCRETE PUMP Trailer Mounted       |                                    |                |            | 1  |          |               |                  |
| with Hoses without Boom             |                                    |                |            | ļ  | 1        |               |                  |
| CONCRETE PUMP Truck Mounted         |                                    |                |            | <u> </u>   |          | - <del></del> |                  |
| with Hoses and Boom up to 30 meters |                                    |                |            |  |          |               |                  |
| CONCRETE PUMP Truck Mounted         |                                    |                |            |  |          |               |                  |
| with Hoses and Boom over 30 meters  |                                    |                |            |  |          |               |                  |
| CRANE 15 - 25 Ton                   |                                    |                |            |  |          |               | l                |
| Hyd. Rough Terrain                  |                                    |                |            |  |          |               |                  |
| CRANE 30 Ton Hyd.                   |                                    |                |            | 1  |          |               | ļ                |
| Truck Mounted D                     |                                    | `              |            |  |          |               |                  |
| CRANE 35 Ton Hyd.                   |                                    |                |            |  |          |               | 1                |
| Truck Mounted D                     |                                    |                | i `        | <b>\</b>   |          |               | 1                |
| CRANE 40 Ton Hyd.                   |                                    |                | [          |  |          |               | <u> </u>         |
| Truck Mounted D                     | •                                  |                |            | \  |          |               |                  |
| CRANE 50 Ton Hyd                    |                                    |                | i          |  |          | <del></del>   |                  |
| Truck Mounted D                     |                                    |                | 1          |  |          |               |                  |
| CRANE 60 Ton Hyd.                   |                                    |                | i –        | <u> </u>   |          |               |                  |
| Truck Mounted D                     | ł                                  |                | 1          |  |          |               |                  |
| CRANE 75 Ton Hyd.                   |                                    |                |            | 1  | İ        | 1             |                  |
| Truck Mounted D                     | •                                  |                | 1          |  |          | `             |                  |

|  | Equipment Offered for Lease/Rental |                |         | Lease/Rental Rate of Equipment Without Delivery/ With Operator |              |          | Equipment<br>Delivery Fee |  |
|--|------------------------------------|----------------|---------|--|--------------|----------|---------------------------|--|
| Equipment Description                    | Manufacturer's Name                | Model/Serial # | \$ /Day | \$ /Week   | \$ /Month    | 1st Mile | Add. Mi.                  |  |
| CRANE 90 Ton Hyd.                        |                                    |                |         |  |              |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  |              | 1        |                           |  |
| CRANE 100 Ton Hyd.                       |                                    |                |         |  |              |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  |              |          | 1                         |  |
| CRANE 110 Ton Hyd.                       |                                    |                |         |  |              |          |                           |  |
| Truck Mounted D                          |                                    | j              |         |  |              |          |                           |  |
| CRANE 120 Ton Hyd.                       |                                    |                |         |  |              |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  | ļ            |          | ł                         |  |
| CRANE 150 Ton Hyd.                       |                                    |                |         |  |              |          |                           |  |
| Truck Mounted D                          | 1                                  |                |         |  |              |          |                           |  |
| CRANE 165 Ton Hyd.                       |                                    |                |         |  | ĺ            |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  | <u> </u>     |          |                           |  |
| CRANE 175 Ton Hyd.                       |                                    |                |         |  |              | -        |                           |  |
| Truck Mounted D                          |                                    |                |         |  |              |          |                           |  |
| CRANE 225 Ton Hyd.                       |                                    |                |         | 1  | <del> </del> |          |                           |  |
| Truck Mounted D                          |                                    |                |         | ŀ  | 1            |          |                           |  |
| CRANE 300 Ton Hyd.                       |                                    |                |         |  | <del> </del> |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  |              |          |                           |  |
| CRANE 500 Ton Hyd.                       |                                    |                |         | <u> </u>   | 1            |          |                           |  |
| Truck Mounted D                          |                                    |                |         |  |              |          |                           |  |
| CRANE - Teleboom &F                      |                                    |                |         |  | <del> </del> |          |                           |  |
| 30 Ton                                   | 1                                  |                |         |  |              |          |                           |  |
| CRANE - Teleboom SP                      |                                    |                |         |  |              |          |                           |  |
| 35 Ton                                   |                                    |                |         |  |              |          |                           |  |
| CRANE - Teleboom SP                      |                                    |                |         | 1  |              |          |                           |  |
| 50 Ton                                   |                                    |                |         |  | \            | Į.       |                           |  |
| CULVERT CLEANER                          | i                                  | -              |         | <del>                                     </del>               | <u> </u>     | \        |                           |  |
| Jetter and Vaccuum Truck                 | <b>!</b>                           |                |         |  |              | `        |                           |  |
| Radio Remote Controlled Track Loader     |                                    |                |         | <del>                                     </del>               |              |          |                           |  |
| 20 HP Minimum and 44" Max Overall Height | 1                                  |                |         |  |              |          |                           |  |

### Exhibit B, Schedule il RFQ#6613C022

| Equipment Description                       | Equipment Offered for Lease/Rental |                | Wit      | Lease/Rental Rate of Equipment Without Delivery/ With Operator |          |          | oment<br>ery Fee |
|---|------------------------------------|----------------|----------|--|----------|----------|------------------|
| Equipment Description                       | Manufacturer's Name                | Model/Serial # |          |  | S /Month |          |                  |
| STREET SWEEPER - Trosk-Mounted              |                                    |                |          |  |          | 104 1000 | Magr IVI         |
| 4.0 C.Y. Minimum hopper capacity            |                                    |                | 1        | İ  | ا ا      |          |                  |
| Water-spray system for dust control         | ļ                                  |                |          |  |          |          | Í                |
| Side/curb brooms and rear/center broom      |                                    |                | _        |  |          |          |                  |
| 11,000 lbs up to 33,000 lbs                 |                                    | ·              |          |  |          |          |                  |
| UNDERBRIDGE INSPECTION UNIT                 |                                    |                |          | ļ <u>.</u>   |          |          |                  |
| Small Bucket Type                           |                                    | 1              | İ        |  |          |          |                  |
| 30 ft. maximum horizontal reach             |                                    | <u> </u>       |          | 1  |          |          |                  |
| UNDERBRIDGE INSPECTION UNIT                 |                                    |                | <u> </u> |  | <u> </u> |          |                  |
| Large Platform or Bucket Type               |                                    |                |          | 1  |          |          |                  |
| 50 ft. maximum horizontal reach             |                                    |                |          | <b>[</b>   |          |          |                  |
| UNDERBRIDGE INSPECTION UNIT                 |                                    |                | ļ        |  | <u> </u> |          |                  |
| Snooper Series 230 or similer               |                                    |                |          |  |          |          |                  |
| (also including driver with operator)       |                                    |                |          |  |          |          |                  |
| UNDERBRIDGE INSPECTION UNIT                 |                                    |                |          | -  | <u> </u> |          |                  |
| Snooper Series 260 or similar               |                                    |                |          |  |          |          |                  |
| (also including driver with operator)       | Ì                                  |                |          |  |          | j        |                  |
| VACUUM/STREET SWEEPER                       |                                    |                |          |  |          |          |                  |
| Self-Propelled, 4 Cyd., Gas, 5 ft wide path |                                    |                |          |  |          |          |                  |
| VACUUM TRUCKIJETT-RODDER                    |                                    |                |          |  |          | ·        |                  |
| 1" hose - 65-85 GPM @ 3,000 PSI             | ļ.                                 |                |          |  |          |          |                  |

|   | offered for Leas    | Emergency SRIC Equipment offered for Lease/Rental |              |             | Lesse/Rental Rate of Equipment Without Delivery/ With Operator |               |             |
|---|---------------------|---|--------------|-------------|--|---------------|-------------|
| Equipment Description                     | Малиfаcturer's Name | Model/Serial #                                    |              |             | \$ /Month  | 1st Mile      | ry Fee      |
| TRUCK 7,000 GVWR                          |                     |   |              | 1           |  |               | - 14-47-121 |
| 7' Plow - Electric Hydro                  |                     |   |              |             |  | gr.           |             |
| TRUCK 9,000 GVWR                          |                     |   |              |             |  | /             |             |
| 8' V-Plow with Hopper - Electric Hydro    |                     |   |              | ł           |  |               |             |
| TRUCK 9,000 GVWR                          |                     |   |              |             |  |               |             |
| 8' Plow - Electric Hydro                  |                     | •   |              | /           |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   |              |             |  |               |             |
| 8' Plow with DumpBed/Tailgate             |                     |   |              |             |  |               |             |
| 3 yard Capacity - Electric Hydro          |                     |   |              |             |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   |              |             |  |               |             |
| 8' Plow with S.S. V-Box                   |                     |   |              |             |  |               |             |
| 3 yard Capacity - Electric Hydro          |                     |   |              |             |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   | ·            |             | <u> </u>   |               | <u> </u>    |
| 8' Plow, 3 yard Capacity - Electric Hydro |                     |   |              |             |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   |              |             |  |               |             |
| S' Plow with Hopper - Electric Hydro      |                     |   |              |             |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   |              |             |  |               |             |
| 8' Plow, 2 yard Capacity - Electric Hydro |                     |   |              | İ           |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   |              | <del></del> |  |               |             |
| 8' Plow with S.S. V-Box                   |                     |   |              | Ĺ           |  |               |             |
| 2 yard Capacity - Electric Hydro          |                     |   |              |             |  |               |             |
| TRUCK 10,000 GVWR                         |                     |   | -            |             |  | ·····         |             |
| 3' 6" V-Plow - Electric Hydro             |                     |   |              | \           |  |               |             |
| TRUCK 15,000 GVWR                         |                     |   | -,-,,,,      |             |  |               |             |
| 9' Plow with DumpBed/Taligate             |                     |   |              |             |  |               |             |
| 5 yard Capacity - Central Hydro           |                     |   |              |             |  |               |             |
| TRUCK 16,000 GVWR                         |                     |   |              | i           |  | $\overline{}$ |             |
| 9' Plow with S.S. V-Box                   |                     |   |              |             |  | /             |             |
| 5 yard Capacity - Central Hydro           |                     |   |              |             |  |               |             |
| TRUCK 16,000 GVWR                         |                     |   | <del> </del> |             |  |               |             |
| Plow, 5 yard Capacity - Electric Hydro    | 1                   |   |              |             |  | İ             |             |

|  | offered for Lea     | Emergency SRIC Equipment offered for Lease/Rental |          |          | Lesse/Rental Rate of Equipment Without Delivery/ With Operator |          |          |
|--|---------------------|---|----------|----------|--|----------|----------|
| Equipment Description                    | Manufacturer's Name | Model/Serial #                                    | \$ /Day  | \$ /Week | \$ /Month  | 1st Mile | Add, Mi, |
| TRUCK 18,000 GVWR                        |                     |   |          |          |  |          |          |
| 9' Piow with DumpBed/Tailgate            |                     | 1   |          | ]        |  |          |          |
| 5 yard Capacity - Central Hydro          |                     |   | <u> </u> |          |  |          |          |
| TRUCK 21,000 GVWR                        |                     |   |          |          |  | 1        |          |
| 9' Plow with S.S. V-Box                  |                     |   | ]        |          | ]  |          |          |
| 6 yard Capacity - Central Hydro          |                     |   |          |          |  |          |          |
| TRUCK 21,000 GVWR                        |                     |   |          |          |  |          |          |
| 10" Plow with S.S. V-Box                 |                     |   | 1        |          | 1  |          |          |
| 6 yard Capacity - Central Hydro          |                     |   |          |          |  |          |          |
| TRUCK 26,000 GVWR                        |                     |   |          |          |  |          |          |
| 10' Plow with DumpBed/Tailgate           |                     |   |          |          |  |          | 1        |
| 8 yard Capacity - Central Hydro          |                     |   | [        |          |  |          | ŀ        |
| TRUCK 26,000 GVWR                        |                     |   |          |          |  |          |          |
| 10' Plow with S.S. V-Box                 |                     |   |          |          | 1  |          |          |
| 7 yard Capacity - Central Hydro          |                     | $\star$   |          |          | ]  |          |          |
| TRUCK 26,000 GVWR                        |                     |   |          |          |  |          |          |
| 10' Plow with S.S. V-Box                 |                     |   |          |          | ·  | 1        |          |
| 8 yard Capacity - Central Hydro          |                     |   |          | <u> </u> | 1  |          |          |
| TRUCK 70,008 GVWR                        |                     |   |          |          | 1  |          |          |
| 10' Plow with DumpBed/Tailgate           |                     |   |          | J        |  |          |          |
| 20 yard Capacity - Central Hydro         |                     |   |          |          |  |          | }        |
| TRUCK 26,000 GVWR                        |                     |   |          |          |  |          |          |
| 1,800 gallon Salt Brine Spray Rig        | İ                   |   |          |          |  |          |          |
| Central Hydro                            |                     |   |          | -        |  | ļ        |          |
| TRUCK 70,000 GVWK                        |                     | 1   |          |          | 1  |          |          |
| 3,200 gallon Saft Brine Spray Rig        |                     |   |          | }        |  |          |          |
| Centrai Hydro                            |                     | i   |          |          |  | ,        | 1        |
| TRUCK 70,000 GVWR                        |                     |   | 1        |          |  |          |          |
| 4,000 gallon Salt Brine Spray Rig        | ĺ                   |   |          |          | 1  | 1        |          |
| Central Hydro                            |                     |   |          |          | l  | 1        |          |
| TRUCK SINGLE AXLE DUMP                   |                     | 1   |          |          |  |          | † — —    |
| 10' Plow - 7 yard spreader with wet tank |                     |   | 1        |          |  |          |          |

#### Exhibit B, Schedule III RFQ#6613C022

| <u> </u>                             | offered for Leas    | Emergency SRIC Equipment offered for Lease/Rental |               |  | Lease/Rental Rate of Equipment Without Delivery/ With Operator |   |  |
|--------------------------------------|---------------------|---|---------------|--|--|---|--|
| Equipment Description                | Manufacturer's Name | Model/Serial #                                    | \$ /Day       | \$ /Week   | \$ /Month  |   | ery Fee<br>Add. Mi.                              |
| RUBBER TIRE LOADER                   |                     |   |               |  |  |   |  |
| 130 hp With 3 yard Bucker Capacity   |                     |   |               | 1  |  |   |  |
| 14' Pusher                           |                     |   | ŀ             |  | }  |   | 1  |
| RUBBER TIRE LOADER                   |                     |   | <u> </u>      | <del>                                     </del> |  |   | <u> </u>   |
| 150 hp with 3 yard Bucker Capacity   |                     |   | }             |  | ·  |   |  |
| 14' Pusher                           |                     |   |               |  | 1  |   | 1  |
| RUBBER TIRE LOADER                   |                     |   |               |  |  |   | <del> </del> -                                   |
| 150 hp with 3 yard Bucker Capacity   |                     |   |               |  |  |   |  |
| 12' Plow Power Angle                 |                     |   |               |  | ł  |   |  |
| BLOWERS                              |                     |   | <u> </u>      | 1  |  |   | <u> </u>   |
| Capacity to blow 1,500 tons per hour |                     |   | İ             | 1  |  |   |  |
| BLOWERS                              |                     |   | $\overline{}$ | <del> </del>                                     | 1  |   |  |
| Capacity to blow 3,000 tons per hour |                     |   |               | $\downarrow$                                     |  |   | ·  |
| BLOWERS                              |                     |   | İ             |  | <del> </del>   | İ | <del>                                     </del> |
| Capacity to blow 3,300 tons per hour | [                   |   | ]             |  |  |   |  |
| BLOWERS                              | 1                   |   |               | 1  |  |   | <del>                                     </del> |
| Capacity to blow 4,000 tons per hour |                     |   | 1             |  | \  |   | [  |

RFQ No. (2013COZZ

#### STATE OF WEST VIRGINIA Purchasing Division

#### PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Gode \$6A-3-10a, no contract or renowal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to line vendor or prospective vendor is a debter and; (1) the debt owed is an amount greater than one thousand deliers in the aggregate; or (2) the debter is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vender has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become finel or where the vander has entered into a payment plan or agreement and the vender is not in default of any of the provisions of each plan or agreement.

#### DEFINITIONS:

"Doht" means any assessment, promium, penalty, line, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, parmit violation, illeanse essessment, defaulted workers' compensation promitum, penalty or other assessment presently definquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional paralties accrued thereon.

"Employer default" means having an oblatending balence or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-20-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or bushoss association or other entity whatsoever, related to any vendor by blood, marriago, ownership or contract through which the party has a relationship of ownership or other interest with the vendor as that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Octo \$61-8-3) that neither vendor nor any related party owe a clott as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

| WITNESS THE FOLLOWING SIGNATURE:                    |  |
|---|--|
| Vandor's Name: United Rentals (No                   | nn America) Inc.                         |
| Authorized Signaturer \$75                          | Date: 2 /27 /2013                        |
| OLEPHON, BEGOVER, BEG                               | anch Managen.                            |
| State of West Virginia                              | ,  |
| County of Kanawha, to-wit:                          |  |
| Taken, subscribed, and even to below me this 21     | day of <u>February</u> , 2013            |
| My Commission expires February 2                    | 3 .20,22                                 |
| APFIX SEAL HERE                                     | NOTARY PHOLIC Screen Boy                 |
|   | Purchasian Allulavil (Roysed 07/01/2012) |
| OFFICIAL SEAL Notary Public, State of West Virginia | NOTE:                                    |

Vendor and Notary's date must be the same.

Notary required to AFPIX SEAL on Purchasing Affidavit.

TERESSA J BOYD

Cabot Oil & Gas Corp. PO Box 450 Glasgow, WV 25086

My commission expires February 23, 202



# UNITED RENTALS (NORTH AMERICA), INC. EXCEPTIONS TO:

State of WV, RFO# 6613C022, Due 2.27.13

| State of WV, RFQ# 6613C022, Due 2.27.13  |   |
|--|---|
| SECTION; PAGE<br>NUMBER  | EXCEPTION; EXPLANATION  |
| General Terms and<br>Conditions, Section 31,<br>Modifications, page 12             | This section shall be modified to incorporate into the Contract Vendor's exceptions and modifications set forth herein.   |
| General Terms and<br>Conditions, Section 35,<br>Warranty, page 12                  | This section should be deleted in its entirety and replaced with the following:  "Vendor can warrant that upon delivery the equipment rented hereunder will be in good working condition and in compliance with manufacturer specifications. If Vendor breaches this warranty, Vendor will repair or replace the                            |
|  | equipment. Notwithstanding anything herein to the contrary, during the rental period, Vendor will repair or replace equipment that becomes inoperable at Vendor's expense. If the equipment becomes inoperable due to the government's abuse, misuse or neglect, the government will be responsible for the cost of repair or replacement." |
| General Terms and<br>Conditions, Section 45,<br>Vendor Relationship, page<br>14-15 | This section should be modified to reflect that Vendor will only hold harmless the State of West Virginia to the extent claims are due to Contractor's negligence or willful misconduct.  |
| General Terms and<br>Conditions, Section 46,<br>Indemnification, page 15           | This section should be modified to reflect that Vendor will only hold harmless the State of West Virginia to the extent claims are due to Contractor's negligence or willful misconduct.  |