

RFQ COPY

Crafco, Inc.

TYPE NAME/ADDRESS HERE

State of West Virginia Department of Administration Purchasing Division 2019 Washington Street East Post Office Box 50130 Charleston, WV 25305-0130

Solicitation

NUMBER 6613C035

PAGE

ADDRESS CORRESPONDENCE TO ATTENTION OF

ALAN CUMMINGS <u> 304 - 558 - 2402</u>

þ

ŏ

DIVISION OF HIGHWAYS VARIOUS LOCALES AS INDICATED BY ORDER

420 N. Roosevelt Avenue Chandler, AZ. 85226

DATE PRINTED 05/29/2013 BID OPENING DATE: 06/12/2013 OPENING TIME CAT. NO AMOUNT. UNIT PRICE ITEM NUMBER LINE QUANTITY. LIOP d001 745-56 TLB SEE PRICE PAGES 39-40 1 REPAIR/MAINTENANCE OF SILICONE, ASPHALT & CONCRETE REQUEST FOR QUOTATION (OPEN-END CONTRACT) THE WEST VIRGINIA STATE PURCHASING DIVISION FOR THE AGENCY, THE WEST VIRGINIA DIVISION OF HIGHWAYS, IS SOLICITING BIDS TO PROVIDE THE AGENCY WITH AN OPEN-END dontract to supply products for repair/maintenance of SILICONE, ASPHALT & CONCRETE PER THE ATTACHED PECIFICATIONS. SEE PRICE PAGES 6613C035 \*\*\*\*\* TOTAL: \*\*\*\* THIS IS THE END OF REQ 39-40 06/11/13 08:24:51 AM West Virginia Purchasing Division SIGNATURE TELEPHONE 602-276-0406 ADDRESS CHANGES TO BE NOTED ABOVE National Sales Manager 86-0324978

WHEN RESPONDING TO SOLICITATION, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

#### INSTRUCTIONS TO VENDORS SUBMITTING BIDS

- 1. REVIEW DOCUMENTS THOROUGHLY: The attached documents contain a solicitation for bids. Please read these instructions and all documents attached in their entirety. These instructions provide critical information about requirements that if overlooked-could lead to disqualification of a Vendor's bid. All bids must be submitted in accordance with the provisions contained in these instructions and the Solicitation. Failure to do so may result in disqualification of Vendor's bid.
- 2. MANDATORY TERMS: The Solicitation may contain mandatory provisions identified by the use of the words "must," "will," and "shall." Failure to comply with a mandatory term in the Solicitation will result in bid disqualification.

3. PREBID MEETING: The item identified below shall apply to this Solicitation.

[ <b>√</b> ]		A pre-bid meeting will not be held prior to bid opening.			
[	]	A NON-MANDATORY PRE-BID meeting will be held at the following place and time:			
[	]	A MANDATORY PRE-BID meeting will be held at the following place and time:			

All Vendors submitting a bid must attend the mandatory pre-bid meeting. Failure to attend the mandatory pre-bid meeting shall result in disqualification of the Vendor's bid. No one person attending the pre-bid meeting may represent more than one Vendor.

An attendance sheet provided at the pre-bid meeting shall serve as the official document verifying attendance. The State will not accept any other form of proof or documentation to verify attendance. Any person attending the pre-bid meeting on behalf of a Vendor must list on the attendance sheet his or her name and the name of the Vendor he or she is representing. Additionally, the person attending the pre-bid meeting should include the Vendor's E-Mail address, phone number, and Fax number on the attendance sheet. It is the Vendor's responsibility to locate the attendance sheet and provide the required

information. Failure to complete the attendance sheet as required may result in disqualification of Vendor's bid.

All Vendors should arrive prior to the starting time for the pre-bid. Vendors who arrive after the starting time but prior to the end of the pre-bid will be permitted to sign in, but are charged with knowing all matters discussed at the pre-bid.

Questions submitted at least five business days prior to a scheduled pre-bid will be discussed at the pre-bid meeting if possible. Any discussions or answers to questions at the pre-bid meeting are preliminary in nature and are non-binding. Official and binding answers to questions will be published in a written addendum to the Solicitation prior to bid opening.

4. VENDOR QUESTION DEADLINE: Vendors may submit questions relating to this Solicitation to the Purchasing Division. Questions must be submitted in writing. All questions must be submitted on or before the date listed below and to the address listed below in order to be considered. A written response will be published in a Solicitation addendum if a response is possible and appropriate. Non-written discussions, conversations, or questions and answers regarding this Solicitation are preliminary in nature and are non-binding.

Question Submission Deadline: 06/10/2013

Submit Questions to: Alan Cummings
2019 Washington Street, East
P.O. Box 50130
Charleston, WV 25305
Fax: 304-558-3970
Email: Alan, W. Cummings @WV. Gov

- 5. VERBAL COMMUNICATION: Any verbal communication between the Vendor and any State personnel is not binding, including that made at the mandatory pre-bid conference. Only information issued in writing and added to the Solicitation by an official written addendum by the Purchasing Division is binding.
- 6. BID SUBMISSION: All bids must be signed and delivered by the Vendor to the Purchasing Division at the address listed below on or before the date and time of the bid opening. Any bid received by the Purchasing Division staff is considered to be in the possession of the Purchasing Division and will not be returned for any reason. The bid delivery address is:

Department of Administration, Purchasing Division 2019 Washington Street East P.O. Box 50130, Charleston, WV 25305-0130

The bid should contain the information listed be considered:	pelow on the face of the envelope or the bid may not be
SEALED BID	
SOLICITATION NO	0.:
BID OPENING DA	TE:
	Æ:
Division at the address shown above. Addition	n/a convenience copies of each to the Purchasing nally, the Vendor should identify the bid type as either a bid envelope submitted in response to a request for
BID TYPE: [ ]	Technical Cost
identified below on the date and time listed be will result in bid disqualification. For purpos time stamped by the official Purchasing Divisi	
Bid Opening Date and Time:	06/12/2013 - 1:30 P.M.

8. ADDENDUM ACKNOWLEDGEMENT: Changes or revisions to this Solicitation will be made by an official written addendum issued by the Purchasing Division. Vendor should acknowledge receipt of all addenda issued with this Solicitation by completing an Addendum Acknowledgment Form, a copy of which is included herewith. Failure to acknowledge addenda may result in bid disqualification. The addendum acknowledgement should be submitted with the bid to expedite document processing.

P.O. Box 50130,

Department of Administration, Purchasing Division

2019 Washington Street East

Charleston, WV 25305-0130

9. BID FORMATTING: Vendor should type or electronically enter the information onto its bid to prevent errors in the evaluation. Failure to type or electronically enter the information may result in bid disqualification.

7.

Bid Opening Location:

#### **GENERAL TERMS AND CONDITIONS:**

- CONTRACTUAL AGREEMENT: Issuance of a Purchase Order signed by the Purchasing Division
  Director, or his designee, and approved as to form by the Attorney General's office constitutes
  acceptance of this Contract made by and between the State of West Virginia and the Vendor. Vendor's
  signature on its bid signifies Vendor's agreement to be bound by and accept the terms and conditions
  contained in this Contract.
- DEFINITIONS: As used in this Solicitation / Contract, the following terms shall have the meanings
  attributed to them below. Additional definitions may be found in the specifications included with this
  Solicitation / Contract.
  - 2.1 "Agency" or "Agencies" means the agency, board, commission, or other entity of the State of West Virginia that is identified on the first page of the Solicitation or any other public entity seeking to procure goods or services under this Contract.
  - 2.2 "Contract" means the binding agreement that is entered into between the State and the Vendor to provide the goods and services requested in the Solicitation.
  - 2.3 "Director" means the Director of the West Virginia Department of Administration, Purchasing Division.
  - 2.4 "Purchasing Division" means the West Virginia Department of Administration, Purchasing Division.
  - 2.5 "Purchase Order" means the document signed by the Agency and the Purchasing Division, and approved as to form by the Attorney General, that identifies the Vendor as the successful bidder and Contract holder.
  - 2.6 "Solicitation" means the official solicitation published by the Purchasing Division and identified by number on the first page thereof.
  - 2.7 "State" means the State of West Virginia and/or any of its agencies, commissions, boards, etc. as context requires.
  - 2.8 "Vendor" or "Vendors" means any entity submitting a bid in response to the Solicitation, the entity that has been selected as the lowest responsible bidder, or the entity that has been awarded the Contract as context requires.

	[v	/1	Term Contract
			Initial Contract Term: This Contract becomes effective on award
			and extends for a period of 1 year(s).
•			Renewal Term: This Contract may be renewed upon the mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). Any request for renewal must be submitted to the Purchasing Division Director thirty (30) days prior to the expiration date of the initial contract term or appropriate renewal term. A Contract renewal shall be in accordance with the terms and conditions of the original contract. Renewal of this Contract is limited to 2 successive one (1) year periods. Automatic renewal of this Contract is prohibited. Notwithstanding the foregoing, Purchasing Division approval is not required on agency delegated or exempt purchases. Attorney General approval may be required for vendor terms and conditions.
			Reasonable Time Extension: At the sole discretion of the Purchasing Division Director and with approval from the Attorney General's office (Attorney General approval is as to form only), this Contract may be extended for a reasonable time after the initial Contract term or after any renewal term as may be necessary to obtain a new contract or renew this Contract. Any reasonable time extension shall not exceed twelve (12) months. Vendor may avoid a reasonable time extension by providing the Purchasing Division Director with writter notice of Vendor's desire to terminate this Contract 30 days prior to the expiration of the ther current term. During any reasonable time extension period, the Vendor may terminate this Contract for any reason upon giving the Purchasing Division Director 30 days written notice Automatic extension of this Contract is prohibited. Notwithstanding the foregoing Purchasing Division approval is not required on agency delegated or exempt purchases, but Attorney General approval may be required.
		]	Fixed Period Contract: This Contract becomes effective upon Vendor's receipt of the notice to proceed and must be completed within
	[	]	One Time Purchase: The term of this Contract shall run from the issuance of the Purchase Order until all of the goods contracted for have been delivered, but in no event shall this Contract extend for more than one fiscal year.

[ ] Other: See attached.

- 4. NOTICE TO PROCEED: Vendor shall begin performance of this Contract immediately upon receiving notice to proceed unless otherwise instructed by the Agency. Unless otherwise specified, the fully executed Purchase Order will be considered notice to proceed
- 5. QUANTITIES: The quantities required under this Contract shall be determined in accordance with the category that has been identified as applicable to this Contract below.
  - Open End Contract: Quantities listed in this Solicitation are approximations only, based on estimates supplied by the Agency. It is understood and agreed that the Contract shall cover the quantities actually ordered for delivery during the term of the Contract, whether more or less than the quantities shown.
  - [ ] Service: The scope of the service to be provided will be more clearly defined in the specifications included herewith.
  - [ ] Combined Service and Goods: The scope of the service and deliverable goods to be provided will be more clearly defined in the specifications included herewith.
  - One Time Purchase: This Contract is for the purchase of a set quantity of goods that are identified in the specifications included herewith. Once those items have been delivered, no additional goods may be procured under this Contract without an appropriate change order approved by the Vendor, Agency, Purchasing Division, and Attorney General's office.
- 6. PRICING: The pricing set forth herein is firm for the life of the Contract, unless specified elsewhere within this Solicitation/Contract by the State. A Vendor's inclusion of price adjustment provisions in its bid, without an express authorization from the State in the Solicitation to do so, may result in bid disqualification.
- 7. EMERGENCY PURCHASES: The Purchasing Division Director may authorize the Agency to purchase goods or services in the open market that Vendor would otherwise provide under this Contract if those goods or services are for immediate or expedited delivery in an emergency. Emergencies shall include, but are not limited to, delays in transportation or an unanticipated increase in the volume of work. An emergency purchase in the open market, approved by the Purchasing Division Director, shall not constitute of breach of this Contract and shall not entitle the Vendor to any form of compensation or damages. This provision does not excuse the State from fulfilling its obligations under a One Time Purchase contract.
- 8. REQUIRED DOCUMENTS: All of the items checked below must be provided to the Purchasing Division by the Vendor as specified below.
  - [ ] BID BOND: All Vendors shall furnish a bid bond in the amount of five percent (5%) of the total amount of the bid protecting the State of West Virginia. The bid bond must be submitted with the bid.

[	]	in the	e amou d and	IANCE BOND: The apparent successful Vendor shall provide a performance bond int of The performance bond must be received by the Purchasing Division prior to Contract award. On construction e performance bond must be 100% of the Contract value.
Į	]	labor	/materi	ATERIAL PAYMENT BOND: The apparent successful Vendor shall provide a all payment bond in the amount of 100% of the Contract value. The labor/material and must be issued and delivered to the Purchasing Division prior to Contract award.
or sa lal	rtifi irre me bor/	ed chec vocable schedu	cks, cas e letter le as t l paym	ond, Performance Bond, and Labor/Material Payment Bond, the Vendor may provide shier's checks, or irrevocable letters of credit. Any certified check, cashier's checks of credit provided in lieu of a bond must be of the same amount and delivered on the che bond it replaces. A letter of credit submitted in lieu of a performance and tent bond will only be allowed for projects under \$100,000. Personal or business stable.
[	]	maint	enance	ANCE BOND: The apparent successful Vendor shall provide a two (2) year bond covering the roofing system. The maintenance bond must be issued and the Purchasing Division prior to Contract award.
[	]	WOR approp	KERS	COMPENSATION INSURANCE: The apparent successful Vendor shall have vorkers' compensation insurance and shall provide proof thereof upon request.
[	]	INSU:	RANC to Cont	E: The apparent successful Vendor shall furnish proof of the following insurance ract award:
		[	]	Commercial General Liability Insurance: or more.
		ĺ	j	Builders Risk Insurance: builders risk – all risk insurance in an amount equal to 100% of the amount of the Contract.
		[	]	
		[	]	
		I	]	
		[	]	·
		ĺ	]	

The apparent successful Vendor shall also furnish proof of any additional insurance requirements contained in the specifications prior to Contract award regardless of whether or not that insurance requirement is listed above.

	S sl	ection	ı entit urnisl	S) / CERTIFICATIONS / PERMITS: In addition to anything required under the tied Licensing, of the General Terms and Conditions, the apparent successful Vendor proof of the following licenses, certifications, and/or permits prior to Contract form acceptable to the Purchasing Division.
		[	]	
		[	]	
-		[	]	·
		[	]	

The apparent successful Vendor shall also furnish proof of any additional licenses or certifications contained in the specifications prior to Contract award regardless of whether or not that requirement is listed above.

- 9. LITIGATION BOND: The Director reserves the right to require any Vendor that files a protest of an award to submit a litigation bond in the amount equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. The entire amount of the bond shall be forfeited if the hearing officer determines that the protest was filed for frivolous or improper purpose, including but not limited to, the purpose of harassing, causing unnecessary delay, or needless expense for the Agency. All litigation bonds shall be made payable to the Purchasing Division. In lieu of a bond, the protester may submit a cashier's check or certified check payable to the Purchasing Division. Cashier's or certified checks will be deposited with and held by the State Treasurer's office. If it is determined that the protest has not been filed for frivolous or improper purpose, the bond or deposit shall be returned in its entirety.
- 10. ALTERNATES: Any model, brand, or specification listed herein establishes the acceptable level of quality only and is not intended to reflect a preference for, or in any way favor, a particular brand or vendor. Vendors may bid alternates to a listed model or brand provided that the alternate is at least equal to the model or brand and complies with the required specifications. The equality of any alternate being bid shall be determined by the State at its sole discretion. Any Vendor bidding an alternate model or brand should clearly identify the alternate items in its bid and should include manufacturer's specifications, industry literature, and/or any other relevant documentation demonstrating the equality of the alternate items. Failure to provide information for alternate items may be grounds for rejection of a Vendor's bid.
- 11. EXCEPTIONS AND CLARIFICATIONS: The Solicitation contains the specifications that shall form the basis of a contractual agreement. Vendor shall clearly mark any exceptions, clarifications, or

pursue any other available remedy.

other proposed modifications in its bid. Exceptions to, clarifications of, or modifications of a requirement or term and condition of the Solicitation may result in bid disqualification.

<b>12.</b> 3	LIQUIDATED DAMAGES:	: Vendor shall pay liquidated damages in the amount		
n/a for n/a				
•	This clause shall in no way be	considered exclusive and shall not limit the State or Agency's right to		

- 13. ACCEPTANCE/REJECTION: The State may accept or reject any bid in whole, or in part. Vendor's signature on its bid signifies acceptance of the terms and conditions contained in the Solicitation and Vendor agrees to be bound by the terms of the Contract, as reflected in the Purchase Order, upon receipt.
- 14. REGISTRATION: Prior to Contract award, the apparent successful Vendor must be properly registered with the West Virginia Purchasing Division and must have paid the \$125 fee if applicable.
- 15. COMMUNICATION LIMITATIONS: In accordance with West Virginia Code of State Rules §148-1-6.6, communication with the State of West Virginia or any of its employees regarding this Solicitation during the solicitation, bid, evaluation or award periods, except through the Purchasing Division, is strictly prohibited without prior Purchasing Division approval. Purchasing Division approval for such communication is implied for all agency delegated and exempt purchases.
- 16. FUNDING: This Contract shall continue for the term stated herein, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise made available, this Contract becomes void and of no effect beginning on July 1 of the fiscal year for which funding has not been appropriated or otherwise made available.
- 17. PAYMENT: Payment in advance is prohibited under this Contract. Payment may only be made after the delivery and acceptance of goods or services. The Vendor shall submit invoices, in arrears, to the Agency at the address on the face of the purchase order labeled "Invoice To."
- 18. UNIT PRICE: Unit prices shall prevail in cases of a discrepancy in the Vendor's bid.
- 19. DELIVERY: All quotations are considered freight on board destination ("F.O.B. destination") unless alternate shipping terms are clearly identified in the bid. Vendor's listing of shipping terms that contradict the shipping terms expressly required by this Solicitation may result in bid disqualification.
- 20. INTEREST: Interest attributable to late payment will only be permitted if authorized by the West Virginia Code. Presently, there is no provision in the law for interest on late payments.
- 21. PREFERENCE: Vendor Preference may only be granted upon written request and only in accordance with the West Virginia Code § 5A-3-37 and the West Virginia Code of State Rules. A Resident Vendor Certification form has been attached hereto to allow Vendor to apply for the preference. Vendor's

- failure to submit the Resident Vendor Certification form with its bid will result in denial of Vendor Preference. Vendor Preference does not apply to construction projects.
- 22. SMALL, WOMEN-OWNED, OR MINORITY-OWNED BUSINESSES: For any solicitations publicly advertised for bid on or after July 1, 2012, in accordance with West Virginia Code §5A-3-37(a)(7) and W. Va. CSR § 148-22-9, any non-resident vendor certified as a small, women-owned, or minority-owned business under W. Va. CSR § 148-22-9 shall be provided the same preference made available to any resident vendor. Any non-resident small, women-owned, or minority-owned business must identify itself as such in writing, must submit that writing to the Purchasing Division with its bid, and must be properly certified under W. Va. CSR § 148-22-9 prior to submission of its bid to receive the preferences made available to resident vendors. Preference for a non-resident small, women-owned, or minority owned business shall be applied in accordance with W. Va. CSR § 148-22-9.
- 23. TAXES: The Vendor shall pay any applicable sales, use, personal property or any other taxes arising out of this Contract and the transactions contemplated thereby. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
- 24. CANCELLATION: The Purchasing Division Director reserves the right to cancel this Contract immediately upon written notice to the vendor if the materials or workmanship supplied do not conform to the specifications contained in the Contract. The Purchasing Division Director may cancel any purchase or Contract upon 30 days written notice to the Vendor in accordance with West Virginia Code of State Rules § 148-1-7.16.2.
- 25. WAIVER OF MINOR IRREGULARITIES: The Director reserves the right to waive minor irregularities in bids or specifications in accordance with West Virginia Code of State Rules § 148-1-4.6.
- 26. TIME: Time is of the essence with regard to all matters of time and performance in this Contract.
- 27. APPLICABLE LAW: This Contract is governed by and interpreted under West Virginia law without giving effect to its choice of law principles. Any information provided in specification manuals, or any other source, verbal or written, which contradicts or violates the West Virginia Constitution, West Virginia Code or West Virginia Code of State Rules is void and of no effect.
- 28. COMPLIANCE: Vendor shall comply with all applicable federal, state, and local laws, regulations and ordinances. By submitting a bid, Vendors acknowledge that they have reviewed, understand, and will comply with all applicable law.
- 29. PREVAILING WAGE: On any contract for the construction of a public improvement, Vendor and any subcontractors utilized by Vendor shall pay a rate or rates of wages which shall not be less than the fair minimum rate or rates of wages (prevailing wage), as established by the West Virginia Division of Labor under West Virginia Code §§ 21-5A-1 et seq. and available at <a href="http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx">http://www.sos.wv.gov/administrative-law/wagerates/Pages/default.aspx</a>. Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage

- requirements are applicable. The required contract provisions contained in West Virginia Code of State Rules § 42-7-3 are specifically incorporated herein by reference.
- 30. ARBITRATION: Any references made to arbitration contained in this Contract, Vendor's bid, or in any American Institute of Architects documents pertaining to this Contract are hereby deleted, void, and of no effect.
- 31. MODIFICATIONS: This writing is the parties' final expression of intent. Notwithstanding anything contained in this Contract to the contrary, no modification of this Contract shall be binding without mutual written consent of the Agency, and the Vendor, with approval of the Purchasing Division and the Attorney General's office (Attorney General approval is as to form only). No Change shall be implemented by the Vendor until such time as the Vendor receives an approved written change order from the Purchasing Division.
- 32. WAIVER: The failure of either party to insist upon a strict performance of any of the terms or provision of this Contract, or to exercise any option, right, or remedy herein contained, shall not be construed as a waiver or a relinquishment for the future of such term, provision, option, right, or remedy, but the same shall continue in full force and effect. Any waiver must be expressly stated in writing and signed by the waiving party.
- 33. SUBSEQUENT FORMS: The terms and conditions contained in this Contract shall supersede any and all subsequent terms and conditions which may appear on any form documents submitted by Vendor to the Agency or Purchasing Division such as price lists, order forms, invoices, sales agreements, or maintenance agreements, and includes internet websites or other electronic documents. Acceptance or use of Vendor's forms does not constitute acceptance of the terms and conditions contained thereon.
- 34. ASSIGNMENT: Neither this Contract nor any monies due, or to become due hereunder, may be assigned by the Vendor without the express written consent of the Agency, the Purchasing Division, the Attorney General's office (as to form only), and any other government agency or office that may be required to approve such assignments. Notwithstanding the foregoing, Purchasing Division approval may or may not be required on certain agency delegated or exempt purchases.
- 35. WARRANTY: The Vendor expressly warrants that the goods and/or services covered by this Contract will: (a) conform to the specifications, drawings, samples, or other description furnished or specified by the Agency; (b) be merchantable and fit for the purpose intended; and (c) be free from defect in material and workmanship.
- 36. STATE EMPLOYEES: State employees are not permitted to utilize this Contract for personal use and the Vendor is prohibited from permitting or facilitating the same.
- 37. BANKRUPTCY: In the event the Vendor files for bankruptcy protection, the State of West Virginia may deem this Contract null and void, and terminate this Contract without notice.

- 38. HIPAA BUSINESS ASSOCIATE ADDENDUM: The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, is available online at <a href="http://www.state.wv.us/admin/purchase/vrc/hipaa.html">http://www.state.wv.us/admin/purchase/vrc/hipaa.html</a> and is hereby made part of the agreement provided that the Agency meets the definition of a Covered entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the Vendor. Additionally, the HIPAA Privacy, Security, Enforcement & Breach Notification Final Omnibus Rule was published on January 25, 2013. It may be viewed online at <a href="http://www.gpo.gov/fdsys/pkg/FR-2013-01-25/pdf/2013-01073.pdf">http://www.gpo.gov/fdsys/pkg/FR-2013-01-25/pdf/2013-01073.pdf</a>. Any organization, that qualifies as the Agency's Business Associate, is expected to be in compliance with this Final Rule. For those Business Associates entering into contracts with a HIPAA Covered State Agreement, or September 23, 2013 (whichever is earlier), be advised that you will be required to comply with the 2013 WV State Agency Business Associate Agreement. For those Business Associates with contracts with a HIPAA Covered State Agency executed prior to January 25, 2013, be advised that upon renewal or modification, you will be required to comply with the 2013 WV State Agency Business Associate Agreement no later than September 22, 2014.
- 39. CONFIDENTIALITY: The Vendor agrees that it will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the Agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the Agency's policies, procedures, and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <a href="http://www.state.wv.us/admin/purchase/privacy/default.html">http://www.state.wv.us/admin/purchase/privacy/default.html</a>.
- 40. DISCLOSURE: Vendor's response to the Solicitation and the resulting Contract are considered public documents and will be disclosed to the public in accordance with the laws, rules, and policies governing the West Virginia Purchasing Division. Those laws include, but are not limited to, the Freedom of Information Act found in West Virginia Code § 29B-1-1 et seq.

If a Vendor considers any part of its bid to be exempt from public disclosure, Vendor must so indicate by specifically identifying the exempt information, identifying the exemption that applies, providing a detailed justification for the exemption, segregating the exempt information from the general bid information, and submitting the exempt information as part of its bid but in a segregated and clearly identifiable format. Failure to comply with the foregoing requirements will result in public disclosure of the Vendor's bid without further notice. A Vendor's act of marking all or nearly all of its bid as exempt is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor's act of marking a bid or any part thereof as "confidential" or "proprietary" is not sufficient to avoid disclosure and WILL NOT BE HONORED. In addition, a legend or other statement indicating that all or substantially all of the bid is exempt from disclosure is not sufficient to avoid disclosure and WILL NOT BE HONORED. Vendor will be required to defend any claimed exemption for nondiclosure in the event of an administrative or judicial challenge to the State's nondisclosure. Vendor must indemnify the State for Any questions regarding the any costs incurred related to any exemptions claimed by Vendor. applicability of the various public records laws should be addressed to your own legal counsel prior to bid submission.

- 41. LICENSING: In accordance with West Virginia Code of State Rules §148-1-6.1.7, Vendor must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agency or political subdivision. Upon request, the Vendor must provide all necessary releases to obtain information to enable the Purchasing Division Director or the Agency to verify that the Vendor is licensed and in good standing with the above entities.
- 42. ANTITRUST: In submitting a bid to, signing a contract with, or accepting a Purchase Order from any agency of the State of West Virginia, the Vendor agrees to convey, sell, assign, or transfer to the State of West Virginia all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the State of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to Vendor.
- 43. VENDOR CERTIFICATIONS: By signing its bid or entering into this Contract, Vendor certifies (1) that its bid was made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership, person or entity submitting a bid for the same material, supplies, equipment or services; (2) that its bid is in all respects fair and without collusion or fraud; (3) that this Contract is accepted or entered into without any prior understanding, agreement, or connection to any other entity that could be considered a violation of law; and (4) that it has reviewed this RFQ in its entirety; understands the requirements, terms and conditions, and other information contained herein. Vendor's signature on its bid also affirms that neither it nor its representatives have any interest, nor shall acquire any interest, direct or indirect, which would compromise the performance of its services hereunder. Any such interests shall be promptly presented in detail to the Agency.

The individual signing this bid on behalf of Vendor certifies that he or she is authorized by the Vendor to execute this bid or any documents related thereto on Vendor's behalf; that he or she is authorized to bind the Vendor in a contractual relationship; and that, to the best of his or her knowledge, the Vendor has properly registered with any State agency that may require registration.

- 44. PURCHASING CARD ACCEPTANCE: The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract unless the box below is checked.
  - [ ] Vendor is not required to accept the State of West Virginia's Purchasing Card as payment for all goods and services.
- 45. VENDOR RELATIONSHIP: The relationship of the Vendor to the State shall be that of an independent contractor and no principal-agent relationship or employer-employee relationship is contemplated or created by this Contract. The Vendor as an independent contractor is solely liable for the acts and omissions of its employees and agents. Vendor shall be responsible for selecting,

supervising, and compensating any and all individuals employed pursuant to the terms of this Solicitation and resulting contract. Neither the Vendor, nor any employees or subcontractors of the Vendor, shall be deemed to be employees of the State for any purpose whatsoever. Vendor shall be exclusively responsible for payment of employees and contractors for all wages and salaries, taxes, withholding payments, penalties, fees, fringe benefits, professional liability insurance premiums, contributions to insurance and pension, or other deferred compensation plans, including but not limited to, Workers' Compensation and Social Security obligations, licensing fees, etc. and the filing of all necessary documents, forms and returns pertinent to all of the foregoing. Vendor shall hold harmless the State, and shall provide the State and Agency with a defense against any and all claims including, but not limited to, the foregoing payments, withholdings, contributions, taxes, Social Security taxes, and employer income tax returns.

- 46. INDEMNIFICATION: The Vendor agrees to indemnify, defend, and hold harmless the State and the Agency, their officers, and employees from and against: (1) Any claims or losses for services rendered by any subcontractor, person, or firm performing or supplying services, materials, or supplies in connection with the performance of the Contract; (2) Any claims or losses resulting to any person or entity injured or damaged by the Vendor, its officers, employees, or subcontractors by the publication, translation, reproduction, delivery, performance, use, or disposition of any data used under the Contract in a manner not authorized by the Contract, or by Federal or State statutes or regulations; and (3) Any failure of the Vendor, its officers, employees, or subcontractors to observe State and Federal laws including, but not limited to, labor and wage and hour laws.
- 47. PURCHASING AFFIDAVIT: In accordance with West Virginia Code § 5A-3-10a, all Vendors are required to sign, notarize, and submit the Purchasing Affidavit stating that neither the Vendor nor a related party owe a debt to the State in excess of \$1,000. The affidavit must be submitted prior to award, but should be submitted with the Vendor's bid. A copy of the Purchasing Affidavit is included herewith.
- 48. ADDITIONAL AGENCY AND LOCAL GOVERNMENT USE: This Contract may be utilized by and extends to other agencies, spending units, and political subdivisions of the State of West Virginia; county, municipal, and other local government bodies; and school districts ("Other Government Entities"). This Contract shall be extended to the aforementioned Other Government Entities on the same prices, terms, and conditions as those offered and agreed to in this Contract. If the Vendor does not wish to extend the prices, terms, and conditions of its bid and subsequent contract to the Other Government Entities, the Vendor must clearly indicate such refusal in its bid. A refusal to extend this Contract to the Other Government Entities shall not impact or influence the award of this Contract in any manner.
- 49. CONFLICT OF INTEREST: Vendor, its officers or members or employees, shall not presently have or acquire any interest, direct or indirect, which would conflict with or compromise the performance of its obligations hereunder. Vendor shall periodically inquire of its officers, members and employees to ensure that a conflict of interest does not arise. Any conflict of interest discovered shall be promptly presented in detail to the Agency.

- 50. REPORTS: Vendor shall provide the Agency and/or the Purchasing Division with the following reports identified by a checked box below:
  - [ \( \sqrt{} \)] Such reports as the Agency and/or the Purchasing Division may request. Requested reports may include, but are not limited to, quantities purchased, agencies utilizing the contract, total contract expenditures by agency, etc.
  - Quarterly reports detailing the total quantity of purchases in units and dollars, along with a listing of purchases by agency. Quarterly reports should be delivered to the Purchasing Division via email at <u>purchasing.requisitions@wy.gov</u>.
- 51. BACKGROUND CHECK: In accordance with W. Va. Code § 15-2D-3, the Director of the Division of Protective Services shall require any service provider whose employees are regularly employed on the grounds or in the buildings of the Capitol complex or who have access to sensitive or critical information to submit to a fingerprint-based state and federal background inquiry through the state repository. The service provider is responsible for any costs associated with the fingerprint-based state and federal background inquiry.

After the contract for such services has been approved, but before any such employees are permitted to be on the grounds or in the buildings of the Capitol complex or have access to sensitive or critical information, the service provider shall submit a list of all persons who will be physically present and working at the Capitol complex to the Director of the Division of Protective Services for purposes of verifying compliance with this provision.

The State reserves the right to prohibit a service provider's employees from accessing sensitive or critical information or to be present at the Capitol complex based upon results addressed from a criminal background check.

Service providers should contact the West Virginia Division of Protective Services by phone at (304) 558-9911 for more information.

- 52. PREFERENCE FOR USE OF DOMESTIC STEEL PRODUCTS: Except when authorized by the Director of the Purchasing Division pursuant to W. Va. Code § 5A-3-56, no contractor may use or supply steel products for a State Contract Project other than those steel products made in the United States. A contractor who uses steel products in violation of this section may be subject to civil penalties pursuant to W. Va. Code § 5A-3-56. As used in this section:
  - a. "State Contract Project" means any erection or construction of, or any addition to, alteration of or other improvement to any building or structure, including, but not limited to, roads or highways, or the installation of any heating or cooling or ventilating plants or other equipment, or the supply of and materials for such projects, pursuant to a contract with the State of West Virginia for which bids were solicited on or after June 6, 2001.
  - b. "Steel Products" means products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated or otherwise similarly processed, or processed by a combination of two or more or

such operations, from steel made by the open heath, basic oxygen, electric furnace, Bessemer or other steel making process.

The Purchasing Division Director may, in writing, authorize the use of foreign steel products if:

- a. The cost for each contract item used does not exceed one tenth of one percent (.1%) of the total contract cost or two thousand five hundred dollars (\$2,500:00), whichever is greater. For the purposes of this section, the cost is the value of the steel product as delivered to the project; or
- b. The Director of the Purchasing Division determines that specified steel materials are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.
- 53. PREFERENCE FOR USE OF DOMESTIC ALUMINUM, GLASS, AND STEEL: In Accordance with W. Va. Code § 5-19-1 et seq., and W. Va. CSR § 148-10-1 et seq., for every contract or subcontract, subject to the limitations contained herein, for the construction, reconstruction, alteration, repair, improvement or maintenance of public works or for the purchase of any item of machinery or equipment to be used at sites of public works, only domestic aluminum, glass or steel products shall be supplied unless the spending officer determines, in writing, after the receipt of offers or bids, (1) that the cost of domestic aluminum, glass or steel products is unreasonable or inconsistent with the public interest of the State of West Virginia, (2) that domestic aluminum, glass or steel products are not produced in sufficient quantities to meet the contract requirements, or (3) the available domestic aluminum, glass, or steel do not meet the contract specifications. This provision only applies to public works contracts awarded in an amount more than fifty thousand dollars (\$50,000) or public works contracts that require more than ten thousand pounds of steel products.

The cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than twenty percent (20%) of the bid or offered price for foreign made aluminum, glass, or steel products. If the domestic aluminum, glass or steel products to be supplied or produced in a "substantial labor surplus area", as defined by the United States Department of Labor, the cost of domestic aluminum, glass, or steel products may be unreasonable if the cost is more than thirty percent (30%) of the bid or offered price for foreign made aluminum, glass, or steel products.

This preference shall be applied to an item of machinery or equipment, as indicated above, when the item is a single unit of equipment or machinery manufactured primarily of aluminum, glass or steel, is part of a public works contract and has the sole purpose or of being a permanent part of a single public works project. This provision does not apply to equipment or machinery purchased by a spending unit for use by that spending unit and not as part of a single public works project.

All bids and offers including domestic aluminum, glass or steel products that exceed bid or offer prices including foreign aluminum, glass or steel products after application of the preferences provided in this provision may be reduced to a price equal to or lower than the lowest bid or offer price for foreign aluminum, glass or steel products plus the applicable preference. If the reduced bid or offer prices are made in writing and supersede the prior bid or offer prices, all bids or offers, including the reduced bid or offer prices, will be reevaluated in accordance with this rule.

### **CERTIFICATION AND SIGNATURE PAGE**

By signing below, I certify that I have reviewed this Solicitation in its entirety; understand the requirements, terms and conditions, and other information contained herein; that I am submitting this bid or proposal for review and consideration; that I am authorized by the bidder to execute this bid or any documents related thereto on bidder's behalf; that I am authorized to bind the bidder in a contractual relationship; and that to the best of my knowledge, the bidder has properly registered with any State agency that may require registration.

Crafco, nc. (Company) (Authorized signature)	
N. Thomas Kelly- Nat	<del></del>
(Representative Name, Title	e)
602-276-0406	480-940-0313
(Phone Number)	(Fax Number)
(Date)	13

## ADDENDUM ACKNOWLEDGEMENT FORM SOLICITATION NO.: 6613C035

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign-below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

#### Addendum Numbers Received:

(Check the box next to each addendum received)

E	]	Addendum No. 1	[	]	Addendum No. 6
[	]	Addendum No. 2	[	]	Addendum No. 7
[	]	Addendum No. 3	[	]	Addendum No. 8
[	]	Addendum No. 4	[	]	Addendum No. 9
ſ	1	Addendum No. 5	ſ	1	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Crafco, In

MON

Authorized Signature

Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

#### **SPECIFICATIONS**

- 1. PURPOSE AND SCOPE: The West Virginia Purchasing Division is soliciting bids on behalf of the West Virginia Division of Highways to establish an open-end contract to provide products for Repair and Maintenance of Silicone, Asphalt & Concrete for use at locations throughout the State of WV by the WV Division of Highways.
- 2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
  - 2.1 "Contract Item" or "Contract Items" means the list of items identified in Section III. Subsection 1 below.
  - **2.2** "Pricing Pages" means the schedule of prices, estimated order quantity, and totals attached hereto as Exhibit A used to evaluate the RFQ.
  - 2.3 "RFQ" means the official request for quotation published by the Purchasing Division and identified as 6613C035.
  - **2.4** "WVDOH" used through this RFQ means the West Virginia Division of Highways.
  - **2.5** "ASTM" used throughout this RFQ means American Society for Testing and Materials. Reference: www.astm.org.
  - **2.6** "AASHTO" used throughout this RFQ means American Association of State Highway and Transportation Officials. Reference: <a href="www.transportation.org">www.transportation.org</a>.
  - 2.7 "ACI" used throughout this RFQ means the American Concrete Institute. Reference: www.concrete.org.
  - 2.8 "Contractor" or "Vendor" used throughout this RFQ and in any cited sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications, the January 1, 2012 Supplemental Specifications and the January 1, 2013 Supplemental Specifications are interchangeable.

#### 3. GENERAL REQUIREMENTS:

3.1 Specifications: The following sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted 2010, as modified by the January 1, 2011 Supplemental Specifications, the

#### REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

January 1, 2012 Supplemental Specifications and the January 1, 2013 Supplemental, shall apply to the administration of this contract: Sections 101. 102.4, 102.5, 105.1, 105.3, 105.4, 105.10, 105.11, 105.12, 105.13, 106.3, 106.4, 106.5, 106.6, 106.7, 106.9, 107.1, 107.2, 107.3, 107.14, 107.19, 107.20, 108.8, 109.1, 109.2 and 109.20

A copy of these Standard Specifications and Supplements may be obtained from:

West Virginia Division of Highways

Contract Administration

Building 5, Room 722

1900 Kanawha Boulevard, East

Charleston, WV 25305

Phone - 304-558-2885

http://www.transportation.wv.gov/highways/contractadmin/specifications/2010StandSpec/Pages/defulat.aspx

- Contract Items and Mandatory Requirements: Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.
  - 3.2.1 SSI Products (or Equal): Contract Items are brand/style manufactured by Silicone Specialties, Inc. (SSI). If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.
    - 3.2.1.1 SSI SILSPEC® Flexpatch Polymer Patching Mortar (or Equal): The polymer patching mortar shall be a three-component (polymer resin, curing agent, engineered blend of graded aggregates), 100 percent solids, high-strength, non-shrink, water-proof, abrasion resistant. non-conductive, semi-flexible patching material that adheres to concrete and steel, and requires no external application of heat for curing. The polymer patching mortar shall cure sufficiently to accept traffic within four (4) hours at a substrate temperature of 70° F. Minimum substrate temperature shall be 40° F. Shelf life of unopened material shall be one (1) year when stored between 50° F and 90° F. Polymer patching mortar shall meet the following physical requirements:

Compressive Strength: 1500 PSI min @ 4 hrs ASTM C 579 Method B

2400 PSI min @ 24 hrs ASTM C 579 Method B

Bond Shear Strength: 650 PSI min

**ASTM C 882** 

Linear Shrinkage

0.00 %

**ASTM C 531** 

Abrasion Resistance:

1.0 max

ASTM C 501, Taber H22

Chloride Ion Perm:

1.0 max Coulombs

**AASHTO T-277** 

Resilience:

70 % min

OK/OHD L6

Thermal Compatibility: Pass

**ASTM C 884** 

3.2.1.2 SSI DECKSEAL Polymer Deck Sealant (or Equal): Deckseal is a two component polymer based sealing material designed for crack and surface sealing. Mix ratio is 1 part A to 1 part B. Typical coverage of 90 to 150 sq. ft./gal depending on porosity and surface profile of substrate. DECKSEAL contains U42 Fluorescent Tracer Dye, which illuminates under black light. This provides evidence of penetration. DECKSEAL has the following physical properties:

Chloride Ion Penetration:	0 % @ 90 Days Ponding	AASHTO T-259
Bond Strength:	2,220 PSI 14 Days	ASTM C 882
Brookfield Viscosity:	<50 cps	ASTM C 881
Water Absorption:	0.74 %max 24 hrs.	ASTM C 570
Tensile Strength:	3,000	ASTM D 638
Elongation @ Break:	4 % min	<b>ASTM D 638</b>
V.O.C.:	<250g/L	
Shelf Life:	1 Year Unopened	

3.2.1.3 SSI RE-DECK Skid-Resistant Overlay (or Equal): SSI RE-DECK is a solvent-free, moisture insensitive, 100% solids, low modulus, two component urethane-epoxy bonding agent. Mix ratio is 1:1. When broadcast with select aggregate forms a skid-resistant overlay. Typical coverage of 40 sq. ft./gal first course with 10 lbs/sq. yd. aggregate and 20 sq. ft./gal second course with 14 lbs/sq. yd. aggregate. RE-DECK has the following physical properties:

Compressive Modulus:	65,000 PSI	<b>ASTM D 695</b>
Tensile Strength	2,500 PSI	ASTM D 638
Tensile Elongation	50%	ASTM D 638
Bond Strength:	3,000 PSI 14 day cure	ASTM C 882
Linear Shrinkage	Negligible	ASTM C 883
Absorption:	0.20 %	<b>ASTM D 570</b>
Chloride Ion Perm:	0.9 Coulombs	AASHTO T-277
Shore D Hardness:	70	<b>ASTM D 2240</b>
Thermal Compatibility:	Pass	ASTM C 884
Brookfield Viscosity: 1,50	0 cps RV3 @ 20 rpm	ASTM C 881

3.2.1.4 Kansas Blend Flint for RE-DECK Overlay (or Equal): Flint aggregate for use with SSI RE-DECK shall be clean dry flint, free of dust or contaminates that would interfere with the bonding to the SSI RE-DECK material. Flint material shall be angular in shape and have the following gradation:

## REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

Sieve	% Passing
#4	100
#8	30-40
#16	0-5
#30	0-1

**3.2.2** IMCO Products (or Equal): Contract Items are brand/style manufactured by IMCO Technologies Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.

3.2.2.1 MG-KRETE Regular or Fine (or Equal): MG-Krete is a two component (Part A and B) high early strength structural repair material. Material can be used for all types of concrete repairs from patching deep holes to shallow feathering, poured in forms, trowel vertically and overhead. Material does not shrink on cure, self-priming and will bond to most construction materials (concrete, wood, steel, asphalt, etc.), cures rapidly with return to service in @ 30 min, is non-toxic and cleans up with water. MG-Krete has the following physical properties:

Water Absorption: waterproof Compression Strength: 45 Min 2,610 psi

45 Min 2,610 psi 24 hrs 5,148 psi 7 days 5,815 psi 28 days 11,194 psi

Temp. Limits: 14° F (w/accelerator) to 100° F (w/retarder) Initial Set Time @ 68° F 15 min.

- 3.2.2.2 MG-KRETE Part B Liquid (or Equal): MG-Krete Part B Liquid is the liquid part of item 3.2.2.1 above. Extra Part B may be required to make the mix easier to pour into formwork.
- **3.2.2.3 MG-KRETE FLEX Regular (or Equal):** MG-Krete FLEX is similar to item 3.2.2.1 above, and can be used in areas where material may be subject to flexure.
- **3.2.2.4** High Temperature Retarder (or Equal): High Temperature Retarder is a powder additive that may be added to the MG-KRETE to extend working time when temperature rises above 77° F to 113° F.

**3.2.2.5** Low Temperature Accelerator (or Equal): Low Temperature Accelerator is a powder additive that may be added to the MG-KRETE to accelerate cure when ambient temperature drops below 50° F. The accelerator may be used to help cure in temperatures as low as 15° F.

3.2.2.6 D-TECH 470 SEALER (or Equal): D-TECH is a ready to use, clear, water-based penetrating sealer for application to the surface of concrete, above or below grade. D-TECH penetrates deeply into the capillary pores of the concrete and crystallizes, becoming part of the concrete itself. Sealer can be brushed, rolled or spayed on concrete for sealing, hardening, dust proofing, waterproofing and weatherproofing. D-TECH has the following characteristics:

Increases concrete density and hardness
Prevents chemical corrosion and physical abrasion of treated surface
Effective in reducing freeze-thaw spalling
Treatment is permanent and does not require subsequent re-application
Effective negative side waterproofing of hydrostatic head over 115 ft.
Reduces or eliminates efflorescence and leaching in concrete
Effective barrier of water-vapor emission (without loss of breathability)
Solvent-free, odor-free. Non-toxic, and non-flammable
Improves bonding of cementitious toppings
Ultra-violet stability
Does not change the appearance of the concrete
Can be applied to green concrete and old concrete
Two light coats 300-400 sq. ft./gal depending on porosity and surface
profile of substrate

3.2.3 Ceratech Products (or Equal): Contract Item is brand/style manufactured by Ceratech Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.

3.2.3.1 Pavemend SLQ Very Rapid Repair Mortar (or Equal): Pavemend SLQ is a cementitious very rapid setting, self-leveling structural repair mortar. It is a single component powder that is water activated. Material can be used for horizontal and sloped concrete repairs in a wide range of temperature. Pavemend SLQ has the following physical properties:

Compression Strength:

1 hour 3,453 psi 24 hrs 4,090 psi

## REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

7 days 5,630 psi
28 days 7,483 psi
Bond Strength
24hrs 2,646 psi
Modulus of Elasticity
28 days 1.70 msi
Temp. Limits: 0° F to 90°
Initial Set Time @ 72° F 4-6 min.

3.2.3.2 Pavemend 15.0 Rapid Repair Mortar (or Equal): Pavemend 15.0 is a cementitious rapid setting, self-leveling structural repair mortar. It is a single component powder that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. Pavemend 15.0 has the following physical properties:

### Compression Strength:

2 hour 2,700 psi 3 hour 3,870 psi 24 hrs 4,230 psi 7 days 5,570 psi 28 days 6,300 psi Bond Strength 24hrs 1,100 psi Modulus of Elasticity 28 days 3.30 msi

Temp. Limits: 30° F to 110° Initial Set Time @ 72° F 7-9 min.

3.2.3.3 Pavemend VR Repair Mortar (or Equal): Pavemend VR is a cementitious rapid setting, one step structural repair mortar with parging mortar consistency. It is a single component powder that is water activated. Material can be used for vertical and overhead concrete repairs in a wide range of temperature. Pavemend VR has 25-30 min of working time plus an additional 10 to 15 minutes to shape and shave the repair to match existing contours. Material can be applied in a single lift from 1/16" to over 4" without bonding agents. Pavemend VR has the following physical properties:

### Compression Strength:

3 hour 2,516 psi 24 hrs 3,136 psi 7 days 4,226 psi 28 days 7,606 psi Bond Strength:

24 hrs 1,590 psi

Modulus of Elasticity

28 days 3.17 msi

Temp. Limits: 40° F to 100°

Initial Set Time @, 72° F 15-20 min.

3.2.3.4 Pavemend SL Rapid Repair Concrete (or Equal): Pavemend SL is a cementitious rapid setting, semi-leveling structural repair concrete. It is a single component powder that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. Pavemend SL has the following physical properties:

#### Compression Strength:

1.5 hour 2,668 psi

2 hour 3,141 psi

24 hrs 6,392 psi

7 days 8,269 psi

28 days 9,392 psi

Bond Strength

28 days 4,380 psi

Modulus of Elasticity

28 days 4.02 msi

Temp. Limits: 40° F to 120°

Initial Set Time @ 72° F 15-20 min.

3.2.3.5 D.O.T. Line Rapid Repair Concrete (or Equal): D.O.T. Line is a cementitious rapid setting, semi-leveling structural repair concrete. It is a single component powder, aggregate extended, that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. D.O.T.Line has the following physical properties:

#### Compression Strength:

2 hour 2,820 psi

24 hrs 6,115 psi

7 days 9,345 psi

7 days 9,343 psi 28 days 10,510 psi

28 days Bond Strength

7 days 2,745 psi

Modulus of Elasticity

28 days 5.20 msi

Temp. Limits: 30° F to 120°

Initial Set Time @ 72° F 20-30 min.

3.2.3.6 Mainline Rapid Repair Concrete (or Equal): Mainline is a cementitious rapid setting, semi-leveling structural repair concrete. It is a single component powder, aggregate extended, that is water activated. Material can be used for horizontal concrete repairs in a wide range of temperature. Mainline has the following physical properties:

#### Compression Strength:

4 hour 3,010 psi 24 hrs 4,905 psi 7 days 7,415 psi 28 days 9,370 psi

Bond Strength

7 days 3,056 psi Modulus of Elasticity 28 days 4.70 msi Temp. Limits: 30° F to 120°

Initial Set Time @ 72° F 30-35 min.

3.2.4 Chem-Crete Products (or Equal): Contract Item is brand/style manufactured by International Chem-Crete, Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.

3.2.4.1 PAVIX CCC100 (or Equal): PAVIX CCC100 is a ready to use, clear, water-based penetrating sealer for application to the surface of concrete, above or below grade. PAVIX CCC100 provides three effective mechanisms for concrete protection by formation of two types of crystals and water repellency. In the presence of moisture, one type of crystal swells, therefore, blocking the pores completely. The second type of crystal absorbs the extra moisture on the surface of the first crystal preventing surface moisture on that crystal from diffusion to the concrete. PAVIX CCC100 has the following characteristics:

Specific Gravity 1.1

Seals Cracks Up to 1/16 inch Viscosity 2.4 centipoises

Freeze Point 28°F

Environmental No Hazards

ColorClearToxicityNoneFumesNoneFlammabilityNone

Shelf Life 1 Year unopened

### REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

3.2.4.2 YUFIX CCC1000 (or Equal): YUFIX CCC1000 is a clear water based catalyzed non-hazardous deep penetrating water repellent product. It is non-toxic, non-flammable, odorless, non-staining, non-film forming, and contains no VOC's. YUFIX CCC1000 is a water repellent and sealer for all above grade vertical concrete and masonry substrates that will not alter the color, texture or appearance of the surface. It chemically reacts with CO2 in the atmosphere to become an integral part of the concrete or masonry substrate permanently sealing concrete and masonry substrate pores blocking ordinary capillary action of water. YUFIX CCC1000 has the following characteristics:

Specific Gravity 1.06

ASTM C-666 Freeze Thaw 150 cycles: No effect

V.O.C. Content:

Zero

Toxicity:

None

Odor: None

3.2.4.3 SOFIX CCC100 (or Equal): SOFIX CCC100 is a water based blend of catalyzed chemicals that permanently eliminate moisture transmission through concrete structures. SOFIX CCC 100 produces water insoluble hydrophilic crystals within the concrete capillaries, voids and pores. It is non-toxic, non-flammable, odorless, and non-film forming hydrophilic moisture and vapor blocker for all above and on grade concrete and masonry substrates that will not alter the color, texture or appearance of the surface. SOFIX CCC100 will form hydrophilic crystals even in the absence of calcium hydroxide that absorb moisture and rapidly swell to block concrete pores and capillaries, thus preventing moisture penetration. SOFIX CCC100 has the following characteristics:

Specific Gravity 1.07

ASTM C-666 Freeze Thaw 150 cycles: 4.14 grams/ft<sup>2</sup>

V.O.C. Content:

Zero

Toxicity:

None

Odor:

None

ASTM C-1218

Chloride Penetration: Passed

ASTM C-044

Abrasion Resistance: 1.17 grams/ft<sup>2</sup>

ASTM E-96-95

Water Vapor Trans.: 82% Reduction

ASTM D-4541

400 PSI

ASTM E-303

Skid Resistance: No Effect

Depth of Penetration 192 mils avg.

- 3.2.5 AQUAFIN-IC ADMIX (or Equal): Contract Item is brand/style manufactured by AQUAFIN Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.
  - 3.2.5. AQUAFIN-IC ADMIX (or Equal): AQUAFIN-IC ADMIX is a liquid water-proofing additive for concrete, consisting of a water based suspension of inorganic water-proofing agents. AQUAFIN-IC ADMIX can be added during the batching process or in a ready-mix truck at the job site. During concrete hardening AQUAFIN-IC ADMIX forms millions of fine crystalline fibers inside the capillary pores blocking the flow of water thus making the concrete permanently water-tight and increasing compressive strength by 25%. AQUAFIN-IC ADMIX has the following characteristics:

Liquid for easier homogenous mixing and no clumping
Resists extreme head pressure 460 ft or 200 psi
Seals hairline cracks up to 1/64"
Integral part of the concrete
Allows concrete to breathe
Max. water/cement ratio 0.55 before adding AQUAFIN-IC ADMIX
Negligible effect on water reducers, plasticizers, slump, air entrainment
0 VOC & Non toxic
Non-chloride, non-corrosive to steel
Working temperature >40° F
PH 10-12

- 3.2.6 Perma-Patch (or Equal): Contract Item is brand/style manufactured by Perma-Patch Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.
  - 3.2.6.1 Perma-Patch (or Equal): Perma-Patch has a unique formulation of special polymers, pressure sensitive plastics and blend of angular limestone designed to achieve optimum performance all year long in any weather condition with one product. It permanently repairs any holes in asphalt or concrete, in all types of weather even wet, freezing or extreme heat conditions. Formulation is premixed and ready to use, no primer required. Perma-Patch has the following physical properties:

## REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

Asphalt Content:

5.2%

ASTM D2172-92

Shelf Life:

2 Year min.

Coverage:

10 lbs/sf. @ 1" lift, 1.4 tons/cy

Temperature:

-15° F to 100° F

Cure:

Dynamic Pressure

Aggregate:

1/4 inch max. angular limestone

VOC:

0.1% volume by weight

3.2.7 DOW Corning® Products (or Equal): Contract Item is brand/style manufactured by DOW Corning. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.

3.2.7.1 888 Silicone Joint Sealant (or Equal): 888 Silicone Joint Sealant is a one-part, cold applied silicone that cures to a durable flexible, low-modulus silicone rubber joint sealant for new and remedial joint sealing applications in Portland cement concrete. 888 has the following physical properties:

Color:

Gray

Specific Gravity:

1.450-1.515

Skin-Over Time:

10 min. @ 77° F

Tack-Free Time:

60 min. @ 77° F

Cure Time:

7-24 days @ 77° F

Full Adhesion:

14-21 days

After 7 day cure @ 77° F & 50% RH

Elongation Minimum:

1200%

Modulus @ 150%

Elongation Maximum:

43 psi

Durometer Hardness

Shore A:

15-25 points

Joint Movement Capability

+100/-50%, 10 Cycles:

No Failure

Adhesion to Concrete

Minimum Elongation:

+500%

3.2.7.2 890-SL Silicone Joint Sealant (or Equal): 890-SL Silicone Joint Sealant is a one-part, cold applied, self-leveling silicone material that cures to an ultra-low-modulus silicone rubber upon exposure to atmospheric moisture. Sealant can be used for new and remedial joint sealing

applications in Portland cement concrete and asphalt. 890-SL has the following physical properties:

Color:

Dark Grav

Flow, Sag, Slump:

Self-Leveling

Percent Solids:

96% min

Specific Gravity:

1.26-1.34

Skin-Over Time:

60 min. @ 77° F

Cure Time:

14 days @ 77° F

Full Adhesion:

14-21 days

After 21 day cure @ 77° F & 50% RH

Elongation Minimum: 1400%

Modulus @ 50%

Elongation Maximum: 7 psi

Modulus @ 100%

Elongation Maximum: 8 psi

Modulus @ 150%

Elongation Maximum: 9 psi

**Durometer Hardness** 

Shore A:

15-25 points

Joint Movement Capability

+00/-50%, 10 Cycles: No Failure

Adhesion to Concrete

Minimum Elongation: +600%

Adhesion to Asphalt

Minimum Elongation: +600%

- 3.2.8 Soprema Products (or Equal): Contract Item is brand/style manufactured by Soprema Inc. If the Vendor is proposing an "or equal to" brand/style, the Vendor shall provide all specifications, physical properties and documents of the proposed material with their bid documents. The WVDOH shall evaluate the proposed material to determine equivalency.
  - 3.2.8.1 Sopralene Flam 180 (or Equal): Sopralene Flam 180 is a two ply composed of selected SBS modified bitumen applied onto non-woven polyester reinforcement with a film on both the top and bottom surfaces. Sopralene Flam 180 is adhered to the substrate by the heat welding application method. Sopralene Flam 180 has the following physical properties per ASTM D-6164 Type 1, Grade S, values are before and after heat conditioning:

·	Before	After
Tensile-Max Load at $0 \pm 3.6^{\circ}$ lbf/in	117	83
Elongation at $0 \pm 3.6$ °F	29	22
Tensile – Max Load at $73.4 \pm 3.6$ °F lbf/in	70	70

Elongation at 73.4 ± 3.6°F %	56	61
Tear Strength at 73.4 ± 3.6°F lbf	120	87
Low Temperature Flex °F max	-15	-15
Dimensional Stability % max	< 0.5	< 0.5
Compound Stability Temp F	250	250

3.2.8.2 Sopralene Flam Antirock (or Equal): Sopralene Flam Antirock is composed of selected SBS modified bitumen applied onto non-woven polyester reinforcement with a plastic burn-off film on bottom side and colored granules on the top surfaces. Sopralene Flam Antirock is applied as the finish ply in a heat welded waterproofing assembly. Sopralene Flam Antirock has the following physical properties per ASTM D-6164 Type 1, Grade G, values are before and after heat conditioning:

	Before	After
Tensile-Max Load at $0 \pm 3.6^{\circ}$ lbf/in	117	83
Elongation at $0 \pm 3.6$ °F	29	22
Tensile – Max Load at $73.4 \pm 3.6$ °F lbf/in	70	70
Elongation at $73.4 \pm 3.6$ °F %	56	61
Tear Strength at 73.4 ± 3.6°F lbf	120	87
Low Temperature Flex °F max	-15	-15
Dimensional Stability % max	<0.5	<0.5
Compound Stability Temp F	230	230
Granule Embedment g/max	0.8	0.8

3.2.8.3 Elastocol 500 (or Equal): Elastocol 500 (Primer) is a blend of elastomeric bitumen/solvents that will increase adhesion of the membrane when applied to dry clean concrete substrate. Elastocol 500 (Primer) meets ASTM D-41 and can be applied by brush, roller or spray at an application rate of 100 - 150 ft<sup>2</sup>.

3.2.8.4 ALSAN FLASHING (or Equal): ALSAN FLASHING is a polyurethane/bitumen resin, moisture-cured, single-component compound that is low solvent and UV resistant. ALSAN FLASHING is compatible with Soprema SBS modified bitumen membranes. ALSAN FLASHING can be applied with a brush or roller in two to three layers and has the following as installed physical properties:

Tensile Strength	368 psi	ASTM D-412
Elongation	672 %	ASTM D-412
Peel Strength of Adhesive Bond	23.0	ASTM D-903
Shore A Hardness	74	ASTM D-2240
Dry Time	2-12 hours	

## REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

3.2.8.5 ALSAN PolyFleece (or Equal): ALSAN PolyFleece is a high-performance, flexible, non-woven, spun-laced polyester fabric reinforcement with excellent coating saturation capabilities into elastomeric coatings and epoxy primers. When used in combination with ALSAN FLASHING or other ALSAN Liquid Membrane Systems, a watertight, puncture & UV resistant liquid flashing or membrane is formed. ALSAN PolyFleece has the following physical properties:

Color

White

Fiber Content

100% Polyester Stitch Bond

Construction Weight

2.4 oz./square yard

Nominal Thickness

30 mils

Mullen Burst psi

70 lbs.

#### 4. CONTRACT AWARD:

- **4.1 Contract Award:** The Contract is intended to provide Agencies with a purchase price on all Contract Items. A Contract shall be awarded to the Vendor that provides the lowest Unit Cost, each, for Contract Items 1 through 53.
- 4.2 Pricing Pages: Vendor should complete the Pricing Pages by providing the Unit Cost for each item requested. Vendor should complete the Pricing Pages in their entirety as failure to do so may result in Vendor's bids being disqualified. At the time of need, the WVDOH may choose one or more of the Contract Items to complete a Repair project.

The Vendor that proposes pricing for Contract Items 1 through 53 shall provide their pricing on Pricing Page, Exhibit A.

The Pricing Pages contain a list of the Contract Items and estimated purchase volume. The estimated purchase volume for each item represents the approximate volume of anticipated purchases only. No future use of the Contract or any individual item is guaranteed or implied.

Notwithstanding the foregoing, the Purchasing Division may correct errors at its discretion. Vendor should type or electronically enter the information into the Pricing Pages to prevent errors in the evaluation. The Pricing Pages were created as a Microsoft Excel document and Vendor can request an electronic copy for bid purposes by sending an email request to the following address: <a href="mailto:alan.w.cummings@wv.gov">alan.w.cummings@wv.gov</a>.

#### 5. ORDERING AND PAYMENT:

- 5.1 Ordering: Vendor shall accept orders by regular mail, facsimile, e-mail, or any other written forms of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Any on-line ordering system must have the capability to restrict prices and available items to conform to the Catalog originally submitted with this RFQ. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.
- 5.2 Payment: Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract.

#### 6. DELIVERY AND RETURN:

6.1 Delivery Time: Vendor shall deliver standard orders within fifteen (15) working days after the Agency Release is received by the Vendor. Vendor shall deliver emergency orders within an agreed upon timeframe established by the WVDOH and the Vendor after the Agency Release is received by the Vendor. Vendor shall ship all orders in accordance with the above schedule and shall not hold orders until a minimum delivery quantity is met.

The WVDOH also reserves the right to pick-up a requested item at the Vendor's location within fifteen (15) working days after the Agency Release is received by the Vendor.

6.2 Late Delivery: The Agency placing the order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

6.3 Delivery Payment/Risk of Loss: Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate

## REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

charge with the original freight bill attached to the invoice.

- 6.4 Return of Unacceptable Items: If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 6.5 Return Due to Agency Error: Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.

#### 7. MISCELLANEOUS:

- 7.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the RFQ unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 7.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.

# REQUEST FOR QUOTATION 6613C035 Repair and Maintenance of Silicone, Asphalt & Concrete

- 7.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 7.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Dana K	inney
Telephone Number: 602-276-04	-06
Fax Number: 480-940-0313	
Email Address: dana.kinney@cra	afco.com

District 1

1334 Smith Street

Charleston, WV 25301

District 2

801 Madison Avenue

Huntington, WV 25712

District 3

624 Depot Street

Parkersburg, WV 26101

District 4

2460 Murphy's Run Road

Bridgeport, WV 26330

District 5

County Route 11, off of US 50

Burlington, WV 26710

District 6

1 DOT Drive

Moundsville, WV 26041

District 7

255 Depot Street

Weston, WV 26452

District 8

US Route, 219 North

Elkins, WV 26241

District 9

103 1/2 Church Street

Lewisburg, WV 24901

District 10

270 Hardwood Lane


Princeton, WV 24740

Maintenance

I-79, Exit 57, Coon Knob

Division

Sutton, WV



Pricing shall be Statewide. The per Unit Cost shall be F.O.B. WVDOH Storage Site.

If Vendor is proposing an "or equal to" product, the Vendor shall provide that information in the space provided after each item on Exhibit A of this Pricing Page.

Award shall be based on the lowest unit cost, each, for items 1 through 53.

Item Number	Item Description	Unit of	Estimated Quantity	Unit Cost	Extended Cost
	· ·	Measure			
1	SSI SILSPEC Flexpatch Polymer Patching Mortar	per Unit*	15	NO BID	NO BID
	OR EQUAL TO:			· T	
2	SSI SILSPEC Flexpatch Polymer Patching Mortar	per Lot*	5	NO BID	NO BID
	OR EQUAL TO:		1		<b></b>
3	SSI DECKSEAL Polymer Deck Sealant	per 2 gal	24	NO BID	NO BID
	OR EQUAL TO:				
4	SSI DECKSEAL Polymer Deck Sealant	per 10 gal	10	NO BID	NO BID
	OR EQUAL TO:				
5	SSI RE-DECK Skid-Resistant Overlay	per 2 gal	10	NO BID	NO BID
	OR EQUAL TO:				··········
6	SSI RE-DECK Skid-Resistant Overlay	per 12 Lot-10 gal ea	1	NO BID	NO BID
_	OR EQUAL TO:		•	1	<u> </u>
7	Kansas Blend Flint for SSI RE-DECK	per 80 lb bag	5	NO BID	NO BID
	OR EQUAL TO:	por 00 15 5-5		-l	<del> </del>
8	Kansas Blend Flint for SSI RE-DECK	per 35 bag lot	40	NO BID	NO BID
	OR EQUAL TO:	per oo bag for	<u> </u>	I NO DID	INO DID
9	MG-KRETE Regular or Fine	per Kit	32	NO BID	NO BID
<b>.</b>		l hei vir	1 34	1	1
40	OR EQUAL TO:	20 1011 -1	1 405	NO BID	NO B ID
10	MG-KRETE Regular or Fine	per 36 Kit Lot	105	NO BID	NO BID
	ÖR EQUAL TO:		1 400	,	<del>,</del>
11	MG-KRETE Part B Liquid	per gallon	128	NO BID	NO BID
	OR EQUAL TO:		·	NO BID	NO BID
12	MG-KRETE Flex Regular	per Kit	1	NO BID	NO BID
	OR EQUAL TO:		1	NO BID	NO BID
13	MG-KRETE Flex Regular	per 36 Kit Lot	1	NO BID	NO BID
	OR EQUAL TO:				
14	High Temperature Retarder	per gallon	20	NO BID	NO BID
	OR EQUAL TO:				
15	High Temperature Retarder	per 5 gal	105	NO BID	NO BID
	OR EQUAL TO:	, , , , , , , , , , , , , , , , , , , ,	<b>^</b>		
16	Low Temperature Accelerator	per gallon	15	NO BID	NO BID
	OR EQUAL TO:	, par garren	1	1	
17	Low Temperature Accelerator	per 5 gal	10	NO BID	NO BID
	OR EQUAL TO:	por o gui		11000	INO DID
40		nos E nol	20	T	1
18	D-TECH 470 SEALER	per 5 gal		NO BID	NO BID
40	OR EQUAL TO:	40 (-4 5)		T	T
19_	D-TECH 470 SEALER	per 12 lot-5 gal ea	8	NO BID	NO BID
	OR EQUAL TO:				T
20	Pavemend SLQ Very Rapid Repair Mortar	per 5 gal	5	NO BID	NO BID
	OR EQUAL TO:		<b></b>	TO LO DUD	NIO DIS
21	Pavemend SLQ Very Rapid Repair Mortar	per 36 lot-5 gal ea	5	NO BID	NO BID
	OR EQUAL TO:				
22	Pavemend 15.0 Rapid Repair Mortar	per 5 gal	5	NO BID	NO BID
	OR EQUAL TO:		-		
23	Pavemend 15.0 Rapid Repair Mortar	per 36 lot-5 gal ea	5	NO BID	NO BID
	OR EQUAL TO:	L 9	<del> </del>		
24	Pavemend VR Repair Mortar	per 2 gal	5	No BID	NO BID
<u></u> T	OR EQUAL TO:	401 t 300	1		J
าะ	Pavemend VR Repair Mortar	per 80 lot-2 gal ea	1	NO BID	NO BID
25		per ou lot-z gai ea	<u> </u>	1110 1010	THO DID .
- 65	OR EQUAL TO:			INO PID	TNO PID
26	Pavemend SL Rapid Repair Concrete	per 5 gal	5	NO BID	NO BID
,	OR EQUAL TO:			100.55	1110 515
27	Pavemend St. Rapid Repair Concrete	per 36 lot-5 gal ea	3	NO BID	NO BID

	OR EQUAL TO:				
28	Pavemend SL Rapid Repair Concrete	per 51.8 lb bag	1	NO BID	NO BID
	OR EQUAL TO:				
29	Pavemend St. Rapid Repair Concrete	per 54 bag Lot	1	NO BID	NO BID
•	OR EQUAL TO:				
30	D.O.T. Line Rapid Repair Concrete	per 53.5 lb bag	3	NO BID	NO BID
	OR EQUAL TO:			-	
31	D.O.T. Line Rapid Repair Concrete	per 54 bag Lot	1	NO BID	NO BID
	OR EQUAL TO:	<u>.                                    </u>		<u> </u>	
32	Mainline Rapid Repair Concrete	per 53,5 lb bag	3	NO BID	NO BID
	OR EQUAL TO:				
33	Mainline Rapid Repair Concrete	per 54 bag Lot	1	NO BID	NO BID
	OR EQUAL TO:				
34	PAVIX CCC100	per 5 gal	80	NO BID	NO BID
	OR EQUAL TO:	Pa 3		1.25	
35	PAVIX CCC100	per 36 lot-5 gal ea	10	NO BID	NO BID
00	OR EQUAL TO:	por 00 100 gar 04 1			1.:
36	PAVIX CCC100	per 55 gal drum	1	NO BID	NO BID
30	OR EQUAL TO:	per oo garatan	<u>-</u>	INO DID	TIVO BID
37	PAVIX CCC100	per 4 - 55 gal lot	1	NO BID	NO BID
31	OR EQUAL TO:	per 4 - 35 gar tot		INO DID	INO BID
38	YUFIX CCC100	per 5 gal	5	NO BID	NO BID
30	OR EQUAL TO:	per o gar	J	INO BID	INO BID
20		mar 26 let E gol og	1	NO DID	NO DID
39	YUFIX CCC100	per 36 lot-5 gal ea	l	NO BID	NO BID
40	OR EQUAL TO:		5	NO BID	NO BID
40	SOFIX CCC100	per 5 gal	0	THORD	INO BID
	OR EQUAL TO:	001-15-1	4	NO BID	NO BID
41	SOFIX CCC100	per 36 lot-5 gal ea	1	INO BID	INO BID
	OR EQUAL TO:	1		NO BID	NO BID
42	AQUAFIN-IC ADMIX	per 6 gal	2	INO BID	INO DID
	OR EQUAL TO:			NO BID	NO BID
43	Perma-Patch	per 50 - 60 lb bag lot	500	I NO BID	INO BID
	OR EQUAL TO:	1		INO PID	INO DID
44	Perma-Patch	per truck 16 lots	5	NO BID	NO BID
	OR EQUAL TO:				
45	888 Silicone Joint Sealant	per 6-29 fl oz cartridges	40	\$116.40	\$4656.00
	OR EQUAL TO: Crafco 34902 Qt- To	ube		1.	
46	888 Silicone Joint Sealant	per 36 kit lot	1	\$3888.00	\$3888.00
	OR EQUAL TO: Crafco 34902 Qt. Tube				Tm
47	890 Silicone Joint Sealant	per 6-29 fl oz cartridges	40	\$116.40	\$4656.00
	OR EQUAL TO: Crafco 34903 QtTube				
48	Sopralene Flam 180	per roll (33'x39")	30	NO BID	NO BID
	OR EQUAL TO:				
49	Sopralene Flam Antirock	per roll (33'x39")	150	NO BID	NO BID
	OR EQUAL TO:				
50	Sopralene Flan Antirock	per 20 roll lot (33'x39")	5	NO BID	NO BID
	OR EQUAL TO:				
51	Elastocol 500 (Primer)	per 5 gal pail	30	NO BID	NO BID
	OR EQUAL TO:				
52	ALSAN FLASHING	per 5 gal pail	25	NO BID	NO BID
<u> </u>	OR EQUAL TO:	1 50.030.500		J10 DID	THO DID
53	ALSAN PolyFleece	per roll	50	NO BID	NO BID
53	OR EQUAL TO:	I per roll	J JU	INCBID	עום טאן
	ON EQUAL TO.		Total Exten	dod Coct	

Unit\* = one cubic foot

Lot\* = 30 each of one-cubic foot

Kit = 50 lb (45 lb Fine) pail Part A, 1 gal Part B

NOTE: Quantities listed in this RFQ are approximations only. It is understood and agreed that the contract shall cover the quantities actually ordered for delivery during the term of the contract, whether more or less than the quantities shown above. There is no guarantee purchase.



### PRODUCT DATA SHEET ROADSAVER SILICONE SL

**PART NO. 34903** 

OCTOBER 2012

420 N. Roosevelt Ave. • Chandler AZ 85226 1-800-528-8242 • (602) 276-0406 • FAX (480) 961-0513

www.crafco.com

#### READ BEFORE USING THIS PRODUCT

GENERAL Crafco RoadSaver Silicone SL is a low modulus silicone which offers the performance and durability characteristics of conventional non-sag silicone with the ease of installation of self-leveling materials. Crafco RoadSaver Silicone SL is supplied as a ready to use one component moisture curing system which provides a lasting and flexible seal. Crafco RoadSaver Silicone SL offers outstanding weathering resistance, remains flexible down to temperatures as low as -50°F (-46°C), is jet-blast resistant and will maintain field serviceability when exposed to intermittent fuel and oil spills. It bonds strongly to concrete joints without the use of a primer. Crafco RoadSaver Silicone SL can be used in all typical concrete joint applications on highway and airfield pavements in all climates. RoadSaver Silicone sealant is compatible with asphalt pavement. RoadSaver Silicone SL is easily applied to concrete joints using bulk dispensing system units such as the RoadStar joint sealant pump or those available from manufacturers including Pyles/Graco and Johnstone. The leveling characteristics insure that the required joint wetting for development of appropriate adhesion occurs during application, with no tooling required. RoadSaver Silicone SL has been a top performing quality Crafco product for over 15 years. VOC < 75 g/l.

USAGE GUIDELINES RoadSaver Silicone SL pavement temperature performance limits are 82-46 for joint sealing. Usage recommendations are shown in Crafco pavement temperature grade charts shown at the right. Refer to Crafco Product Selection Procedures to determine sealant or filler and pavement temperature grades.



High Temperature Grade (°C) °C 58 64 70 76 82 Low Tem, erature Grade, -28 -34 Pavement Temp for Sealant Usage

SPECIFICATION CONFORMANCE Crafco RoadSaver Silicone SL conforms to specifications for low modulus silicone for many highway departments and federal agencies. The product also meets and exceeds all requirements of ASTM D5893 "Standard Specification for Cold-Applied Single Component, Chemically Curing Silicone Sealant for Portland Cement Concrete Pavements" for type SL sealants. In the following specifications several of the D5893 parameters are more restrictive to better reflect properties of RoadSaver Silicone SL.

<u>ASTM</u>	D5893	Ph	vsical	Req	uirements

Cure Evaluation (ASTM D5893) Rheological Properties (ASTM C639) Extrusion Rate (ASTM C1183) Tack Free Time (ASTM C 679)

Effects of Heat Aging (ASTM C 792)

Bond, -29°C (-20°F), 100% Extension (ASTM D5893)

Non-Immersed Water Immersed Oven-Aged Hardness (ASTM C 661) -29°C (-20°C), Type A2

23°C (73°F), Type 00 Flow (ASTM D5893)

Rubber Properties in Tension (ASTM D412, Method A, Die C)

Ultimate Elongation Stress at 150% Elongation

Effects of Accelerated Weathering (ASTM C793)

Resilience (ASTM D5893)

#### ASTM D5893 SL Requirements

Pass at 21 days Type 1, smooth level surface Type S, 50 ml/ min. minimum

5 hr. max. 10% max. Loss

Pass 5 Cycles Pass 5 Cycles Pass 5 Cycles

25 max. 30 min. No flow

600% min. 310 K pa (45 psi) max. Pass 5000 hours

#### RoadSaver Silicone SL Requirements

Pass at 21 day max. Type 1, smooth level surface Type S, 200 ml/min. minimum

3 hr. max. 10% max. Loss

Pass 5 Cycles Pass 5 Cycles Pass 5 Cycles

10 max. 40-80 min. No flow

800% min.

207 K pa (30 psi) max. Pass at 5000 hours

75% min.

#### Additional properties of RoadSaver Silicone SL Sealant are:

Specific Gravity (ASTM D792-A) (1) Adhesion to Concrete (MIL 8802) (2)

Bond and Movement Capability +/- 50% (ASTM C719) (2)

Bond to Mortar (AASHTO T132) (2) Tensile Adhesion, % (ASTM D5329) (3)

1.10-1.40 20 pli (3.5 kg/cm) min. Pass 10 cycles

50 psi (34.4 N/cm<sup>2</sup>) min. 600% min.

#### Notes:

- (1) Specimens shall be obtained from 1/8 inch (3mm) thickness sheets of material which has been cured for 7 days at 77+/- 3°F (25+/- 2°C) and 50 +/- 5% relative humidity.
- (2) Specimens cured for 28 days at 77 +/- 3°F (25+/-2°C) and 50 +/- 5% humidity prior to testing.
- (3) Specimens shall be 1/2" x 1/2" x 2" (1.2cm x 1.2cm x 5.0cm), cured 21 days at 77 +/- 3°F (25+/-2°C) and 50% +/- 5% relative humidity.

**INSTALLATION** The unit weight is 10.9 pounds per gallon (1.31 kg/L). One gallon will seal 150 feet (45.7m) of 1/2 inch (1.2cm) wide by 1/4 inch (0.6cm) deep joint. Exact yield will vary depending on thickness of sealant, waste, application techniques, etc. Prior to use, the user must read and follow Installation Instructions for RoadSaver Silicone Sealants to verify proper product selections, applicator pumps, pavement preparation procedures, application geometry, usage precautions and safety procedures. These instructions are provided with each drum of sealant.

PACKAGING RoadSaver Silicone SL Sealant is packaged in plastic lined open head 55 gallon (208 L) drums which contain 50 gallons (189 L) of material. Additionally, for small applications the sealant is available in plastic 5 gallon (18.9 L) pails and quart (857 mL) caulking tubes.

WARRANTY CRAFCO, Inc. warrants that CRAFCO sealants meet applicable ASTM, AASHTO, Federal or State specifications at time of shipment. Techniques used for the preparation of the cracks and joints prior to sealing are beyond our control as are the use and application of the sealants; therefore, Crafco shall not be responsible for improperly applied or misused sealants. Remedies against Crafco, Inc., as agreed to by Crafco, are limited to replacing nonconforming product or refund (full or partial) of purchase price from Crafco, Inc. All claims for breach of this warranty must be made within three (3) months of the date of use or twelve (12) months from the date of delivery by Crafco, Inc. whichever is earlier. There shall be no other warranties expressed or implied. For optimum performance, follow Crafco recommendations for sealant installation.



### PRODUCT DATA SHEET ROADSAVER SILICONE

PART NO. 34902


OCTOBER 2012

420 N. Roosevelt Ave. • Chandler AZ 85226 1-800-528-8242 • (602) 276-0406 • FAX (480) 961-0513 www.crafco.com

#### **READ BEFORE USING THIS PRODUCT**

**GENERAL** Crafco RoadSaver Silicone is a uniquely formulated low modulus non-sag silicone for sealing joints in portland cement concrete pavements in all climates. The product is supplied as a ready-to-use one component moisture curing system which provides a lasting and flexible seal. Crafco RoadSaver Silicone can be used in all typical concrete joint applications on highway and airfield pavements. Crafco RoadSaver Silicone offers outstanding weathering resistance, remains flexible down to temperatures as low as -50°F (-46°C), is jet-blast resistant and will maintain field serviceability when exposed to intermittent fuel and oil spills. The sealant bonds strongly to portland cement concrete joints without the use of a primer. RoadSaver Silicone sealant is compatible with asphalt pavement. RoadSaver Silicone is easily applied to pavement joints using bulk dispensing system units such as the Roadstar joint sealant pump or those available from manufacturers including Pyles/Graco and Johnstone. RoadSaver Silicone has been a top performing quality Crafco product for over 15 years. VOC < 75 g/l.

USAGE GUIDELINES RoadSaver Silicone pavement temperature performance limits are 82-46 for joint sealing. Usage recommendations are shown in Crafco pavement temperature grade charts shown at the right. Refer to Crafco Product Selection Procedures to determine sealant or filler and pavement temperature grades.



High Temperature Grade (°C) °C 58 64 70 76 Tem erature Grade -16 -22 -28 -34 Low -40

Pavement Temp for Sealant Usage

SPECIFICATION CONFORMANCE Crafco RoadSaver Silicone conforms to specifications for low modulus silicone for many highway departments, federal agencies and the FAA. The product also meets and exceeds all requirements of ASTM D5893 "Standard Specification for Cold-Applied Single Component, Chemically Curing Silicone Sealant for Portland Cement Concrete Pavements" for type NS sealant. In the following specifications several of the D5893 parameters are more restrictive to better reflect properties of RoadSaver Silicone.

<u>ASTM</u>	LD5893	Physical Physical	Requirements

Cure Evaluation (ASTM D5893) Rheological Properties (ASTM D2202) Extrusion Rate (ASTM C1183) Tack Free Time (ASTM C 679) Effects of Heat Aging (ASTM C 792) Bond, -29°C (-20°F), 100% Extension (ASTM D5893) Non-Immersed Water Immersed Oven-Aged Hardness (ASTM C 661) -29°C (-20°F), Type A2

Flow (ASTM D5893) Rubber Properties in Tension (ASTM D412, Method A, Die C) Ultimate Elongation

Stress at 150% Elongation Effects of Accelerated Weathering (ASTM C793)

Resilience (ASTM D5893)

23°C (73°F), Type 00

#### **ASTM D5893 NS Requirements**

Pass at 21 days 0.30 in (7.6mm) max slump Type S, 50 ml/min. minimum 5 hr. max. 10% max. Loss

Pass 5 Cycles Pass 5 Cycles Pass 5 Cycles

25 max. 30 min. No flow

600% min. 310 K pa (45 psi) max. Pass 5000 hours

75% min.

#### RoadSaver Silicone Requirements

Pass at 14 day max 0.30 in (7.6mm) max slump Type S, 50 ml/min. minimum 25-90 minutes 10% max. Loss

Pass 5 Cycles Pass 5 Cycles Pass 5 Cycles

20 max. 30 min. No flow

800% min. 310 K pa (45 psi) max. Pass at 5000 hours 75% min.

#### Additional properties of RoadSaver Silicone Sealant are:

Specific Gravity (ASTM D792-A) (1) Adhesion to Concrete (MIL 8802) (2) Bond and Movement Capability +/- 50% (ASTM C719) (2) Bond to Mortar (AASHTO T132) (2) Tensile Adhesion, % (ASTM D5329) (3)

1.15-1.515 20 pli (3.5 kg/cm) min. Pass 10 cycles 50 psi (34.4 N/cm<sup>2</sup>) min.

400% min.

#### Notes:

- (1) Specimens shall be obtained from 1/8 inch (3mm) thickness sheets of material cured for 7 days at 77 +/- 3°F (25+/-2°C) and 50 +/- 5% relative humidity.
- Specimens cured for 28 days at 77 +/- 3°F (25+/-2°C) and 50 +/- 5% humidity prior to testing.
- (3) Specimens shall be 1/2" x 1/2" x 2" (1.2cm x 1.2cm x 5.0cm), cured 21 days at 77 +/- 3°F (25+/-2°C) and 50% +/- 5% relative humidity.

INSTALLATION The unit weight is 10.9 pounds per gallon (1.31 kg/L). One gallon will seal 150 feet (45.7m) of 1/2 inch (1.2cm) wide by 1/4 inch (0.6cm) deep joint. Exact yield will vary depending on thickness of sealant, waste, application techniques, etc. Prior to use, the user must read and follow Installation Instructions for RoadSaver Silicone to verify proper product selections, applicator pumps, pavement preparation procedures, application geometry, usage precautions and safety procedures. These instructions are provided with each drum of sealant.

**PACKAGING** RoadSaver Silicone Sealant is packaged in plastic lined open head 55 gallon (208 L) drums which contain 50 gallons (189 L) of material. Additionally, for small applications the sealant is available in plastic 5 gallon (18.9 L) pails and quart (857 mL) caulking tubes.

WARRANTY CRAFCO, Inc. warrants that CRAFCO sealants meet applicable ASTM, AASHTO, Federal or State specifications at time of shipment. Techniques used for the preparation of the cracks and joints prior to sealing are beyond our control as are the use and application of the sealants; therefore, Crafco shall not be responsible for improperly applied or misused sealants. Remedies against Crafco, Inc., as agreed to by Crafco, are limited to replacing nonconforming product or refund (full or partial) of purchase price from Crafco, Inc. All claims for breach of this warranty must be made within three (3) months of the date of use or twelve (12) months from the date of delivery by Crafco, Inc. whichever is earlier. There shall be no other warranties expressed or implied. For optimum performance, follow Crafco recommendations for sealant installation.

Date:

## State of West Virginia

## **VENDOR PREFERENCE CERTIFICATE**

Certification and application\* is hereby made for Preference in accordance with West Virginia Code, §5A-3-37. (Does not apply to construction contracts). West Virginia Code, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the West Virginia Code. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Resident Vendor Preference, if applicable.

1.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or,  Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; or,
2.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
3.	Application is made for 2.5% resident vendor preference for the reason checked:  Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; or,
4.	Application is made for 5% resident vendor preference for the reason checked:  Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; or,
5.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; or,
6.	Application is made for 3.5% resident vendor preference who is a veteran for the reason checked: Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.
<b>7.</b>	Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with West Virginia Code §5A-3-59 and West Virginia Code of State Rules.  Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.
require against	understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the ments for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency cted from any unpaid balance on the contract or purchase order.
authorized	mission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and tes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid uired business taxes, provided that such information does not contain the amounts of taxes paid nor any other information by the Tax Commissioner to be confidential.
and ac	penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true curate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate as during the term of the contract, Bidder will notify the Purchasing Division in writin <del>g im</del> mediately.
Ridder	Crafco, Inc.

National Sales Manager

RFQ No.	66130035
---------	----------

## STATE OF WEST VIRGINIA Purchasing Division

### **PURCHASING AFFIDAVIT**

**MANDATE:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

#### **DEFINITIONS:**

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGN	PURE:
Vendor's Name: Crafco, Inc.	
Authorized Signature:	Date: 6 7 13
State of Arizona	OFFICIAL SEAL JANET E. KEATING
County of Maricopa	to-wit: NOTARY PUBLIC - State of Arizona MARICOPA COUNTY MARICOPA COUNTY
Taken, subscribed, and sworn to be	e me this $\frac{1}{2}$ day of $\frac{1}{2}$ une $\frac{1}{20}$ My Comm. Expires October 29, 2015
My Commission expires	ur 29 .20/5.
AFFIX SEAL HERE	NOTARY PUBLIC What E. Klating
•	Purchasing Affidavit (Revised 07/0/f/2012)

NOTE:

Vendor and Notary's date must be the same. Notary required to AFFIX SEAL on Purchasing Affidavit.